		$(x_1, \dots, x_n) = (x_1, y_1, \dots, y_n, y_n) = (x_1, y_1, \dots, y_n) = (x_1, y_1, \dots, y_n)$		.1
	4)	Equipped Facilities	1-	41
Chapter	2	Inspection-General	2-	1
- <b>L</b>		<b>*</b>		
	2.1	General	2-	1
	2.1.1	Application	2-	1
	2.1.2	Purpose of Inspections	2-	1
	2.1.2	Turpose or improvious		
	2.2	Inspection Works	2-	2
		Classification of Inspection	2_	2
	2.2.1	Classification of inspection	2	2
		Categorization of Inspection	2-	
	2)	Frequency of Inspection		2
	2.2.2	Objective Road Structures and Facilities	2-	3
	1)		2-	3
÷	2)	Damage to be Inspected	2-	4
	2.2.3	Inspection Planning	2-	6
	2.2.4	Inspection Personnel	2-	7
	2.3	Equipment and Cars for Inspection Works	2-	10
	2.3.1	Equipment	2-	10
	2.3.2	Cars	2-	11
	2.3.3	Photographing and Filing		
	2.0.0	1 no oog 1 april 1 g		
	2.4	Safety in Works	2-	12
	2.4.1	Safety for Inspection Team	2-	12
	2.4.1 2.4.2	Traffic Control	2_	12
	2.4.4		<i>6.3</i>	12
	о · г	Damage Rating Concepts	2	15
	2.5	Damage Rating Concepts-sector	2-	10
	2.5.1	Basic Concepts for Damage Rating	2-	16
	2.5.2	Damage Countermeasures	2-	10
			~	10
	2.6	Reporting	2-	18
			-	
Chapter	3	Daily Inspection	3-	1
			· .	
	3.1	Objectives of Daily Inspection	3	1
	3.1.1	Purpose of Inspection	3-	1
	3.1.2	Objective Structures and Facilities	3-	1
	3.1.3	Damage to be Inspected	3-	2
	3.2	Methods of Inspection	3-	5
	3.2.1	Work Procedures	3	5
	3.2.2		3-	9
	1)			
	2)	· ·	3-	13
	3)	Emergency Measures to be Conducted	3_	$14^{13}$
	. 3)	Emorgency requires to be conducted	0	7 <del>7</del>
	0.0	Reporting	3_	15
	3.3		5-	10 10
	3.3.1	Coding of Inspection Results	3-	тэ

	3.3.2	Reporting and Report Form	3-	15
Chapter	4	Routine Inspection	4-	1
۰ ۱۹۰۰ میں ۱۹	4.1.2	Objective of Inspection Purpose of Inspection Objective Structures and Facilities	4- 4-	1 1 1
· ·	4.1.3			2
	4.2 4.2.1	Inspection Work General	4- 4-	5
	4.2.2	Basic Concepts for Damage Rating	4-	9
	4.2.3	Reporting	4-	10
	1)	Coding of Inspection Results		
	2)	Reporting and Report Form	4-	11
	4.3 4.3.1	Method of Inspection Concrete Members	4 4-	14
	4.3.1 1)	General		
	2)	Inspection Items		
	3)	Important Points for Inspection		
	4)	Damage Ratings	4	28
	4.3.2	Expansion Joints		
	1)	General		
	2)	Types of Joints and Problems	4.∽ ∧	20
	3)	Inspection Items and Methods Damage Rating	4-	39
	4)	-		
	4.3.3	Bearing		
	1)	General		
	2)	Types of Bearings	4-	45
	3)	Inspection Items and Methods	4~	40
	4)	Damage Rating		
	4.3.4	Embankment		
	1)			
	2)	Inspection Items and Methods		
	3)	Damage Rating	4-	52
	4.3.5	Drainage		
	· 1)	General		
	2)	Drainage Problems		
	3)	Inspection Items and Methods		
	4)	Damage Rating	4-	58
	4.3.6	Safety Barriers and Fences	4-	60
	1)	General		

	21	Inspection Items	4	60
	2)	Damage Rating	4.⊷ ∧	62
	· 3)	Damage Rating	€ <b>7</b> •••	02
		Pavement		61
	4.3.7	General	4 1	61
	1)	Inspection Items		
	2)	Inspection items	4- A	04 60
	3)	Method of Inspection	43.⊶ √	00 75
	4) 5)	Damage Rating Concrete Pavement		
	5)	concrete Pavement	4-	01
	4.3.8	Lightings	4-	86
	1)	General	4-	86
	$\frac{2}{2}$	Inspection Items		
i i	3)	Damage Rating	4	88
	4.3.9	Traffic Signs	4-	90
	1)	General		
	2)	Inspection Items	4-	92
	3)	Damage Rating	4	92
	4 2 10	Noise Barrier	_۸_	0 A
	4.3.10	General	<u> </u>	ά <u>Λ</u>
	2)	Inspection Items		
	.3)	Damage Rating		
	.0,			20
Chapter	5	Special Inspection	5-	1
	5.1	General		1
	5.1.1	Objectives of Special Inspection	5-	1
	5.1.2	General Requirements	5-	1
	5.2	Inspection Methods	5-	2
	5.2.1	Concrete Structures	5-	2
	1)	General	5-	2
	2)	Schmidt Hammer Test	5-	2
		Core Boring Sampling		4
	4)	Test Method of Static Young's Modulus	5-	5
		Test on Neutralization Depth of Concrete		
		Statical Loading Test		8
		Dynamic Loading Test		10
		Measurement of Progress of Cracks Width		
	E 0 0	Description	E	10
	5.2.2	Pavement		
		Present Serviceability Index (PSI)	<b>ə</b> -	ΤZ
	2)	Inspection Method for the Design of	E	16
	21	Overlay Thickness- Method of CBR Test		
	4)	Core Sampling	.)	19

6) Method of Measuring Loss of Skid Resistance 5- 20 5.2.3 Expansion Joints 5- 22 Chapter 6 Emergency Inspection 6- 1 6.1 General 6- 1 6.1.1 Objectives of Emergency Inspection 6- 1 6.1.2 General Requirements 6- 1 6.2 Inspection Work General 6- 2 6.2.1 Work Procedures 6- 2 6.2.2 Basic Concepts for Damage Rating 6- 6 6.2.3 Damage to be Inspected 6- 7 6.2.4 Reporting 6- 9 1) Coding of Inspected Results 6- 9		5)	Tests for the Quality Control of Pavement Materials	5 <b>-</b>	19
5.2.3 Expansion Joints 5- 22 Chapter 6 Emergency Inspection 6- 1 6.1 General 6- 1 6.1.1 Objectives of Emergency Inspection 6- 1 6.1.2 General Requirements 6- 1 6.2 Inspection Work General 6- 2 6.2.1 Work Procedures 6- 2 6.2.2 Basic Concepts for Damage Rating 6- 6 6.2.3 Damage to be Inspected 6- 7 6.2.4 Reporting 6- 9 1) Coding of Inspected Results 6- 9		6)	Method of Measuring Loss		
Chapter 6 Emergency Inspection 6- 1 6.1 General 6- 1 6.1.1 Objectives of Emergency Inspection 6- 1 6.1.2 General Requirements 6- 1 6.2 Inspection Work General 6- 2 6.2.1 Work Procedures 6- 2 6.2.2 Basic Concepts for Damage Rating 6- 6 6.2.3 Damage to be Inspected 6- 7 6.2.4 Reporting 6- 9 1) Coding of Inspected Results 6- 9					
6.1       General		5.2.3	Expansion Joints	5-	22
6.1       General	<b>61</b>	<i>c</i>	Freezenau Inconstion	6-	1
6.1.1Objectives of Emergency Inspection6-16.1.2General Requirements6-16.2Inspection Work General6-26.2.1Work Procedures6-26.2.2Basic Concepts for Damage Rating6-26.2.3Damage to be Inspected6-76.2.4Reporting6-91)Coding of Inspected Results6-9	Chapter	b .	Emergency inspection	0-	-
6.1.1Objectives of Emergency Inspection6-16.1.2General Requirements6-16.2Inspection Work General6-26.2.1Work Procedures6-26.2.2Basic Concepts for Damage Rating6-26.2.3Damage to be Inspected6-76.2.4Reporting6-91)Coding of Inspected Results6-9		6.1	General	6	1
6.1.2General Requirements6-16.2Inspection Work General6-26.2.1Work Procedures6-26.2.2Basic Concepts for Damage Rating6-26.2.3Damage to be Inspected6-76.2.4Reporting6-91)Coding of Inspected Results6-9					1
6.2Inspection Work General6-26.2.1Work Procedures6-26.2.2Basic Concepts for Damage Rating6-66.2.3Damage to be Inspected6-76.2.4Reporting6-91)Coding of Inspected Results6-9		6.1.2	General Requirements	6-	
6.2.1       Work Procedures					
6.2.1       Work Procedures		6.2	Inspection Work General	6-	
6.2.3 Damage to be Inspected 6- 7 6.2.4 Reporting 6- 9 1) Coding of Inspected Results 6- 9		6.2.1	Work Procedures	6-	2
6.2.3 Damage to be Inspected 6- 7 6.2.4 Reporting 6- 9 1) Coding of Inspected Results 6- 9		6.2.2	Basic Concepts for Damage Rating	б-	6
6.2.4 Reporting 6- 9 1) Coding of Inspected Results 6- 9		6.2.3	Damage to be Inspected	6-	
1) Coding of Inspected Results 6- 9		6.2.4	Reporting	6-	9
		1)	Coding of Inspected Results	6-	9
2) Reporting and Report Form 0- 10		2)	Reporting and Report Form	6-	10

# A.009 Contents of Inspection Manual for the Rama IX Bridge Section

# THE STUDY ON INSPECTION AND MAINTENANCE SYSTEM FOR THE EXPRESSWAY

### INSPECTION MANUAL FOR THE RAMA IX BRIDGE

## Table of Contents

Chapter	1	Introduction	1 -1
	1.1	Objectives of Inspection Manual	1-1
	1.2	Framework of Inspection	
		and Maintenance System	1-3
	1.2.1	General	1-3
	1)	System Components	1-3
	2)	Systematization of Maintenance Work	1-4
· · · · ·	1.2.2	Manuals for Inspection	
		and Maintenance Work	1-5
	1)	Basic Concepts on Manuals	1- 5
	2)	Contents of Manuals	1-5
	1.2.3	Database System	1-8
	1)	Database Framework	1-8
	2)		1-9
	3)	Key Identifiers	1-10
	0,		
	1.3	Inspection and Maintenance Procedures	1-14
	1.3.1	General Work Flow	1-14
	1.3.2	System Supports	1-16
	1.0.2		
	1.4	Numbering System	1-25
	1.4.1	Basic Concepts on Numbering	1-25
	1.4.2	Numbering of Roadway	1-25
,	1)	Name of Route	1-25
	2)	Direction of Traffic	1-26
	3)	Chainage	1-26
	4)	Location Code	1-29
	±) 5)	Unit Number	1-30
	1.4.3	Numbering of the Rama IX Bridge Members	1-31
	1)	Subdivision of Bridge Members	1-31
	2)	Numbering of Bridge Members	1-32
	1.4.4		1-38
	T • 4 • 4	code system	1-00
Chapter	2	General Description of the Bridge	2- 1
	2.1	Outline of the Bridge	2-1
	2.2	Design Criteria	2-3
	2.2.1	Design Standards	2-3

	2.2.2	Materials	2-4
		Allowable Stresses	2-4
	2.2.3	Soil Situations	2-4 2-5
	2.2.4	Soll Situations	Z- 0
	2.3	Superstructures	2-6
		Main Girders	2- 6
	2.3.1	General	2 - 6
	1)		
	2)	Main Span	2-6
	3)	Anchor Spans	2-8
	2.3.2	Pylons	2-8
	2.3.3	Cables and Anchorages	2-8
	2.3.4	Bearings	2-12
	1)	Pendel Bearings at Each Pier	2-12
	2)	Neo-Pot Bearings at Pylon Piers	2-12
	3)	Wind Bearings at Junction Piers	2-16
	2.3.5	Expansion Joints	2-16
			~ ~ ~
	2.4	Substructures	2-19
	2.4.1	Piers	2-19
	2.4.2	Piles	2-19
	0 E	Attached Parilitics and Reviewant	2-22
	2.5	Attached Facilities and Equipment	2-22
	2.5.1	Maintenance Facilities	2-22
	2.5.2	Girder Gantries	2-25
	1)	Girder Gantries	z-z5 2-25
	2)	Pylon Lifts and Ladders	
	3)	Pylon Gondolas	2-25
	4)	Cable Gondolas	2-25
Chapter	3	Inspection-General	3- 1
chapter	5	Tuspec cron-bener dr	0 1
	3.1	General	3-1
	3.1.1	Application	
	3.1.2	Purpose of Inspection	
	<b>Q.1.</b> 2	Turpose of inspection	<b>~</b>
	3.2	Inspection Works	3-2
	3.2.1	Objective Bridge Components	
		and Facilities	3-2
	1)	Objective Members by Inspection	3-2
	2)		
	3.2.2		3- 6
	1)		3- 6
	2)		
	3.2.3	Inspection Planning	
:	3.2.4	Inspection Personnel	
	<b>~.</b>		
	3.3	Equipment and Facilities	
		for Inspection Works	3-12
		=	

	3.3.1 3.3.2	Equipment Maintenance Facilities	3-12 3-13
	3.3.3 3.3.4	Cars Photographing and Filing	3-14 3-14
		Safety in Works	
	3.4	Safety in Works	3-15
	3.4.1	Safety for Inspection Team	3-15
	3.4.2	Traffic Control	3-15
	3.5	Damage Rating Concepts	3-18
	3.5.1	Basic Concepts for Damage Rating	3-18
	3.5.2	Damage Countermeasures	3-19
	3.6	Reporting	3-21
Chapter	4	Daily Inspection	4- 1
	4.1	Objectives of Daily Inspection	4-1
	4.1.1	Purpose of Inspection	4-1
	4.1.2	Objective Structures and Facilities	4-1
	4.1.3	Damage to be Inspected	4-2
	4.2	Methods of Inspection	4-4
	4.2.1	Work Procedures	4-4
	4.2.2	Work Methods	4-8
	1)	Execution of Inspection Works	4-8
	2)		4-11
	3)	Emergency Measures to be Conducted	4-13
	4.3	Reporting	4-14
	4.3.1	Coding of Inspection Results	4-14
	4.3.2	Reporting and Report Form	4-14
Chapter	5	Routine Inspection (A)	5- 1
	5.1	Objective of Inspection	5- 1
	5.1.1	Purpose of Inspection	5-1
	5.1.2	Objective Structures and Facilities	5-1
	5.1.3	Damage to be Inspected	5-3
	5.2	Inspection Work General	
	5.2.1	Work Procedures	
	5.2.2	Basic Concepts for Damage Rating	
	5.2.3	Reporting	
	1)	Coding of Inspection Results	5-10
	2)	Reporting and Report Form	5-11
	5.3	Method of Inspection	5-14

5.3.1	Steel Plates and Frame Members	5-14
1)	Application	5-14
2)	Inspection Items	5-14
3)	Inspection Methods	5-16
4)	Damage Ratings	5-33
æ.)		
5.3.2	Stay Cables	5-35
1)	Application	5-35
2)	General	5-35
3)	Inspection Items	5-37
4)	Inspection Methods	5-39
5)	Damage Ratings	5-40
5.3.3	Pavement	5-42
	General	5-42
1)	Inspection Items	5-42 5-42
2)	Inspection Methods	5-46
3) 4)	Damage Ratings	5-53
÷	Damage Ratings	0.00
5.3.4	Piers	559
1)	General	5-59
2)	Inspection Items	5-59
3)	Inspection Methods	5-60
4)	Damage Ratings	5-61
5.3.5	Drainage	5-64
1)	General	5-64
2)	Drainage Problems	5-64
3)	Inspection Items and Methods	5~65
4)	Damage Ratings	5-65
5.3.6	Bearings	5-67
1)	Application	5-67
2)	Inspection Items	5-67
3)	Inspection Methods	5-68
4)	Damage Ratings	5-71
5.3.7	Expansion Joints	5-73
1)	General	5-73
2)	Inspection Items	5-73
3)	Inspection Methods	5-74
4)	Damage Ratings	5-75
	Dampers	E. 00
5.3.8	Application	5-77 5-77
1) 2)	Inspection Items	5-77 5-77
2) 3)	Inspection Methods	5-78
3) 4)	Damage Ratings	
<u>( 1 )</u>		

	5.3.9	Lighting	5-82
	1)	General	5-82
:	2)	Inspection Items	5-83
	3)	Damage Ratings	5-84
	-,		
Chapter	6	Routine Inspection (B)	6-1
. *			
	6.1	General	6- 1
	6.1.1	Objectives	6- 1
	6.1.2	Categorization of Routine Inspection (B)	6- 1
	6.1.3	Criteria of Judgment on Bridge Behavior	6-2
	6.2	Measuring of Bridge Behavior	6-5
	6.2.1	Inclination of Pylons	
	1)	General	0- 5 6- 5
	2)	Measuring Methods	6-5
	3)	Remarks	6-11
	5)	Nemarx2	0-11
	6.2.2	Camber of Main Girder	6-12
	1)	General	6-12
	2)	Survey Methods	6-12
	· ·		
	6.2.3	Cable Tension Force	6-17
	1)	General	6-17
	2)	Measuring Methods	6-17
	6.2.4	Movement of Main Girder	6-19
	1)	General	6-19
	2)	Measuring Methods	6-19
	6.2.5	Displacement of Substructure	
	1)		6-21
	2)	Measuring Methods	6-21
Chapter	7	Special Inspection	7-1
onapter	,		/- 1
	7.1	General	7-1
	7.1.1	Objectives of Special Inspection	• –
	7.1.2	General Requirements	
	7.2	Inspection Methods	
		Tests on Concrete	7-2
	7.2.1		7-2
	1)	General	7-2
	2)	Schmidt Hammer Test	
	3)	Core Boring Sampling	
	4) 5)	Test on Neutralization Depth of Concrete-	
	5)	Measurement of Progress of Crack Width	7- 6

	7.2.2	Pavement	7-8
	1)	Present Serviceability Index	7-8
	2)	Core Sampling	
	3)	Tests for Quality Control	
		of Pavement Material	7-11
	4)	Method of Measuring Loss	
		of Skid Resistance	7-12
Chapter	8	Emergency Inspection	8- 1
<u>F</u>			
	8.1	General	8- 1
	8.1.1	Objectives of Emergency Inspection	8- 1
	8.1.2	General Requirement	8- 1
		Inspection Work General	
	8.2.1	Work Procedures	8- 2
	8.2.2	Basic Concepts for Damage Rating	8- 6
	8.2.3	Damage to be Inspected	8-7
	8.2.4	Reporting	8-9
	1.)	Coding of Inspection Results	
5. 1	2)	Reporting and Report Form	

### A.010 Contents of Maintenance and Repair Manual

### THE STUDY ON

INSPECTION AND MAINTENANCE SYSTEM FOR THE EXPRESSWAY

# MAINTENANCE AND REPAIR MANUAL

## Table of Contents

Chapter	1	Introduction	1-	1
. ·	1.1	Objectives of Maintenance		
	<b>T • T</b>	and Repair Manual	1-	1
	1.2	Framework of Inspection and Maintenance System	1	3
	1.2.1	General		3
	1)	System Components		3
	2)	Systematization of Maintenance Work		4
	1.2.2	Manuals for Inspection		-
		and Maintenance Work	1-	5
	1)	Basic Concepts on Manuals	1-	5
	2)	Contents of Manuals	1-	5
	1.2.3	Database System	1-	8
	1)	Database Framework	1-	8
	2)	Operational Framework	1-	9
	3)	Key identifiers	1-	10
	1.3	Inspection and Maintenance Procedures		
	1.3.1	General Work Flow		
	1.3.2	System Supports	1-	16
	1.4	Numbering System	1	20
		Basic Concepts on Numbering	1	20 28
	1.4.1 1.4.2	Numbering of Roadway	1 – 1	
	1.4.2	Name of Route		28
	2)	Direction of Traffic		29
	3)	Chainage		29
	4)	Location Code		32
	.5)	Unit Number		
	1.4.3	Numbering of the Rama IX Bridge Members		34
	1)	Subdivision of Bridge Members		
	2)	Numbering of Bridge Members		
	1.4.4	Code System		
	1.5	Design Criteria of the Expressway	1-	42
	1.5.1	First Stage Expressway		
	1)	Design Condition		
	2)	Structures		
	3)	Equipped Facilities	1-	48

	1.5.2	The Rama IX Bridge	1	51
	1.3.2	Outline of the Bridge	1	51
	-	Design Criteria	1	52
	2)			
	3)	Bridge Structures and Facilities		
	1.5.3	Ramindra-Atnarong Expressway		
	1)	Route of Ramindra-Atnarong Expressway		
	2)			
	- 3)	Structures		
	4)	Equipped Facilities	1-	78
	· · · ·			
Chapter	2	Maintenance and Repair - General	2-	1
	2.1	General	2	1
	2.1.1	Application		1
	2.1.2	Objectives of Maintenance and Repair		1
	2.1.2	Maintenance and Repair Work Framework		3
	2.1.4	Objective Road Structures and Facilities		4
	1)	General		4
	2)	Land Section		5
	3)	Rama IX Bridge	2-	5
	2.2	Maintenance and Repair Works	2-	7
	2.2.1	Work Procedures	2-	7
	2.2.2	Maintenance and Repair Planning		
	1)	Cleaning Planning	2	11
	2)	Repair Planning	2-	
	2.2.3	Labor and Equipment		
	1)	General		
	2)	Routine Maintenance Works		
	3)	Minor Repairs		
		MINOR Repairs	Ζ	тЭ
	2.3	Safety in Works	2-	17
	2.3.1	Safety for Work Team	2-	17
	2.3.2	Traffic Control		
· . · ·				
	2.4	Reporting	2-	20
	2.4.1	Coding of Repair Results		
	2.4.2	Reporting and Report Forms		
	2.1.2		4	20
Chapter	3	Ordinary Maintenance Operations	3-	1
	0.1		~	
	3.1	General		1
	3.1.1	Objectives of Works		1
	3.1.2		3-	1
	3.1.3	Frequency of Works	3-	2
1				
	3.2	Cleaning Works	3-	.3

	3.2.1	General	3-	3
	3.2.2	Road Surface Cleaning	3-	3
	1)	Cleaning Plan		3
	2)	Type of Cleaning Methods		4
	3.2.3	Drainage Facility and Culvert Cleaning		6
	3.2.4	Road Appurtenance Cleaning		7
	3.3	Painting of Rama IX Bridge	3-	8
	3.3.1	Concepts on Preventive		
	<u> </u>	Painting Maintenance		8
	3.3.2	Achieved Painting System	3-	- 8
Chapter	4	Repair Operations	4-	1
	4.1	General	4-	1
	4.1.1	Principles of Repair		1
	4.1.2	Judgments of Repair Methods		2
	4.2	Remedial Measures on Concrete Structures	4⊶	4
	4.2.1	General	4-	4
	4.2.2	Damages and Deterioration to Concrete		8
	1)	Damages		8
	2)	Causes	_	9
	3)	Features by Types of Structures		13
	4.2.3	Repair Methods		18
	1)	Fundamentals on Repairs		18
	2)	Repair Materials		
	3)	Repair Works		
	4)	Selection of Method		23
	4.2.4	Application of Repair Work on Concrete		
	1)	Injection Method		
	2)	Partial Depth Repair of Slab		
	3)	High Strength Cement Patching	4-	31
	4)	Restoring Spalled Areas	_	
	E )	with Latex Modified Mortar	4-	34
	5)	Repair of Concrete Surface		
		by Polymer Concrete	4-	38
	4.3	Remedial Measures on Metal Structures	4-	42
	4.3.1	Remedial Measures on Main Elements		
	1)	Structural Members		
	2)	Weld and Bolts Connections	_	
	4.3.2	Remedial Measures on Attached Facilities		-
	1)	Attached Facilities of Rama IX Bridge		
	2)	Other Metallic Facilities		
	4.3.3	Remedial Painting		
	1)	Main Structural Members		

	2)	Attached Facilities of Rama IX Bridge	4~ 54
	3)	Other Attached Facilities	
	4.4	Remedial Measures on Asphalt Pavement	1
		Introduction	4 55
•			4~ 55
	4.4.2	Classification of Asphalt Pavement	
	1	Damages and Causes	4- 57
	1)	Definition of Damages and Maintenance	
		and Repair Methods	4- 57
	2)	Classification of Asphalt Pavement	
	-,	Damages and Causes	4- 58
	4.4.3		
		Evaluation by PSI Method	
	1)		4~ 03
• •	2)	Establishment of Maintenance and	
		Repair Criteria	4- 64
	4.4.4	Selection of Maintenance	
		and Repair Method	4- 66
	1)	Classification of Maintenance	
	· .	and Repair Method	4- 66
	2)		
	_,	for Every Damage Phenomenon	4- 69
	3)	Maintenance Method	
	4)	Repair Method	4-101
	<b>4.4.</b> 5	Pavement for Bridge and Viaduct	
		General	
	1)		4-110
	2)	Damage of Bridge-decks Surfacing	1 110
	•	and Its Cause	4-110
	3)	Selection of Maintenance	
		and Repair Method	
	4)	Maintenance Method	4-114
	5)	Repair Method	
	4.4.6	Concrete Pavement	4-117
	1)	Classification of Concrete Pavement	
		Damages and Causes	4-117
	2)	Evaluation of Pavement Condition	
	3)	Selection of Maintenance and	
		Repair Methods	4-118
	A A 17	Pavement Marking	
	4.4.7	Pavement Marking	4-121
	4.5	Remedial Measures on Expansion Joints	
	4.5.1	General	
	4.5.2	Cause of Damage	
	4.5.3	Flow of Repair Works	
	4.5.4	Joint Movement and Joint Opening	4-124
	4.5.5	Basic Considerations for Design	
		and Execution of Joints	4-125
	4.5.6	Method Installation of Rubber Joint	
	4.5.7	Repair and Replacement	1 140
	-1 /	vebarr and vebracement	

	of Damaged Dummy Joint	4-129
4.5.8	Repair of Fault	4-133
4.6	Special Repair on Concrete Structures	4-135
4.6.1	General	4-135
4.6.2	Steel Plate Strengthening for Slab	4-135
1)	General	4-135
2)	Injection Method	4-137
3)	Fixing Method	4-139
4.6.3	Adding Supplementary Members	4-140
1)	General	4-140
1)		4-140
4.6.4	Reinforcing of Column	4-141
1)	General	4-141
2)	Reinforcing Method	4-142
4.6.5	Adding Supplementary Prestressing	4-143
1)		
2)	Strengthening Method	4-144

# A.011 Contents of Database System Users Manual

### THE STUDY ON

INSPECTION AND MAINTENANCE SYSTEM FOR THE EXPRESSWAY

### DATABASE SYSTEM USERS MANUAL

# Table of Contents

Chapter	1 Introduction-General	1-	1
1.1	Database Files	1 -	1
1.1.1	Database Framework	1-	1
1.1.2	Database Files	1-	1
1.1.3	Key Identifiers	1-	3
1)	Units for Identification	1-	3
$2)^{-1}$	Key Identifiers		4
1.1.4	Coding Sheets	1-	13
1.1.5	Output Forms	1-	14
			·
1.2	Operation-General Operational Framework	1-	17
1.2.1	Operational Framework	1-	17
1.2.2	Basic Function of Database System	1-	18
1)	Update of Database	1-	18
2)	Retrieval for Output	1-	20
3)	Passwords	1-	22
1.3	Hardware and Software	1-	23
1.3.1	Computer and Software	1-	23
1)	Microcomputer		
2)	Software		
1.3.2	Programs	1-	24
1.4	Database Maintenance and Management	1-	25
1.4.1	General		
1.4.2	Maintenance Principles on Database Files		
1)	Formulation Procedures of Database		
2)	Periodical Back-up of Database	1-	28
3)	Store of Original/Output Materials	1-	28
1.4.3	Opeartion of Database System Management	1-	29
1)	Buck-up	1-	29
2)	Restoring		
1.4.4	Operation of Database File Maintenance		
1)	Buck-up		
2)	Restoring	1-	35
		~	
Chapter	2 Operation of Inventory Database System	2-	1
			-
2.1	Process Selection		1
2.1.1	Member Selection	2-	1

2.1.2	Process Selection	2-	2
2.2	Database Operation	2-	4
2.2.1	Append	2	4
	Alter	2	11
2.2.2		2-	
2.2.3	Output of Inventory	2-	24
2.2.4	Delete	2-	37
Chapter	3 Operation of Database System for Land Section-	3-	1
<b>F</b>			
3.1	Daily Inspection Database System	3-	1
3.1.1	Process Selection	3_	
			3
3.1.2	Database Operation	3-	
1)	Append	3-	3
2)	Alter		5
3)	Output Daily Inspection Report	3-	8
4)	Delete	3-	11
3.2	Routine Inspection Database System	3-	12
3.2.1	Process Selection	3_	12
	Process Selection		12
1)	Member Selection		
2)			
3.2.2	Database Operation		
1)	Append		
2)	Alter		
3)	Output of Routine Inspection Report	3-	35
4)	Output of Member List to be Inspected		
5)	Delete		
- ,			
3.3	Repair Database System	3-	47
3.3.1	Process Selection		
	Process Selection		
1)			
2)	Member Selection		
3.3.2	Database Operation		
1)	Append		50
2)	Alter	3-	55
3)	Output of Routine Repair Report	3-	65
4)	Output of Member List to be Repaired	3-	71
5)	Output of Cost Evaluation List		
6)	Delete		
0)		Ŭ	
Chapter	4 Operation of Database System for Rama IX Bridge	- N	1
chapter	4 Operation of Database System for Rama in Bridge	34-	. 1
A 1	Deile Teerstien Detekans Greeten		-
4.1	Daily Inspection Database System		1
4.1.1	Process Selection		1
4.1.2	Database Operation		4
1)	Append		4
2)	Alter	4-	6
3)	Output Daily Inspection Report	4-	9

4)	Delete	4-	12
4.2	Routine Inspection Database System	4-	13
4.2.1	Process Selection		
1)	Process Selection	4-	13
2)	Member Selection		
4.2.2	Database Operation		
1)	Append		
2)	Alter	4-	22
3)	Output of Routine Inspection Report		
4)	Output of Member List to be Inspected		
5)	Delete		
5,		78	57
4.3	Repair Database System	4-	40
4.3.1	Process Selection		40
1.0.1	Process Selection		
2)	Member Selection		
4.3.2	Database Operation		
1)	Append		
2)	Alter		
3)	Output of Repair Report		
4)	Output of Member List to be Repaired		
5)	Output of Cost Evaluation List		
6)	Delete		
		- <b>x</b> -	55
4.4	Member Database System	4-	60
4.4.1	Process Selection		
4.4.2	Database Operation	4-	62
1)	Append		
2)	Output of Member List of the Bridge		
3)	Delete		
Chapter	5 Operation of Code Database System	5-	1
5.1	Process Selection	5-	1
5.2	Database Operation	5-	3
5.2.1	Append		3
5.2.2	Alter		5
5.2.3	Output of Code Table	5-	8
5.2.4	Delete	5-	10
		-	-
Chapter	6 Database System Design	6	1
6.1	Inventory Database System	6-	1
6.1.1	Inventory Database Files	6-	1
6.1.2	Basic Flow		1
6.1.3	Processes	-	3

6.2	Database System for Land Section	6	18
6.2.1	Daily Inspection Database System	. 6	10
1)	Daily Inspection Database System		
2)	Objective Structures		
3)	Basic Flow		
4)	Processes		
· · · ·	120000000	0	<u> </u>
6.2.2	Routine Inspection Database System		
1)	Routine Inspection Database File	6-	37
2)	Objective Structures	_	
3)	Basic Flow		
4)	Processes	6-	41
6.2.3	Repair Database System	6-	61
1)	Repair Database File		
2) 3)	Objective StructuresBasic Flow		
4)	Processes		
4)	riocesses	0~	00
6.3	Database System for Rama IX Bridge	6-	93
6.3.1	Daily Inspection Database System		
1)	Daily Inspection Database File		
2) 3)	Objective StructuresBasic Flow		
4)	Processes		
	10062262	0-	90
6.3.2	Routine Inspection Database System	6-1	09
1)	Routine Inspection Database File	6-1	09
2)	Objective Structures		
3)	Basic Flow	6-1	12
4)	Processes	6-1	14
		÷	
6.3.3	Repair Database System		
1)	Repair Database File		
2)	Objective StructuresBasic Flow	6-1	.34
3)	Processes		
4) 5)	Output of Cost Estimation List		
5)	output of Cost Estimation Eist	0-1	.54
6.3.4	Member Database System		
1)	Member Database File	6-1	61
2)	Basic Flow	6-1	62
3)	Processes		
6 4	Code Database Sustan	<u>,</u>	20
6.4	Code Database System	b-1	.72

6.4.1	Code Database File	6-172
6.4.2	Basic Flow	6-173
6.4.3	Processes	
1)	Appending	6-174
2)	Altering	6-177
3)	Output Code Table	6-180
4)	Deleting	6-182

RUCTURE INVENTORY		DEPTH USE OF TYPE OF CLARD TYPE OF TYPE OF	OF UNDER- WALL (CI:5) DRAIN GIRDER BRIDGE LEFT RIGHT SYSTEN (CI:4)												
SUPERSTRUCTURE		BRIDGE ITEMS BRIDGE WIDTH NUMBE	END GIRDERS										-		
SHEET FOR		BRIDGE BRIDGE BRIDG	LENCTH START									-			
TUPUT	ł	TYPE OF TYPE OF	CROSS CIRDER SECTION (CI:3) ( (CI:2) (CI:3)	I		-									
	[CI:1]	PLER NUMBER	QNE												
		PIER	START			-				 					HLL HLL HLL HLL HLL HLL HLL HLL HLL HLL
	ROUTE : DIRECTION OF TRAFFIC : MAIN ROAD / RANP : MAME OF CONSTRUCTON : DATE OF CONPLETION :	CHAINAGE	END	•	 			-			 				XOTE : UNIT CHAINAGE BRIDGE LENGTH (m) BRIDGE ULENGTH (m) BRIDGE ULENEN (m) ABEPTI OF CIENEN (m)
	DIRECTI XAI: NAYE OI DATE (		START												NOTE ; UNI

A-40

A.012 Coding Sheet for Superstructure Inventory


PIER DATA NUMBER PIER OF COUNDATION PIER FOR PIER FOUNDATION (CI:9) (CI	ROUTE : DIRECTION OF TRAFFIC :	DUTE : SFIC :							:
FIER NUMBER (VY/MX) FIER NUMBER CONTRACT NUMBER FIER DATA FIER ADATA CONTRACT NUMBER (CI:e) (CI:e	MAIN ROAD / F MAME OF CONSTRUC	SAMP :	_ (ci:1)				:		
PFER NUMBER     CONTRACT NUMBER     PFER DATA       PFER NUMBER     TYPE OF     TYPE OF       CONSTRUCT NUMBER     TYPE OF     TYPE OF       CONSTRUCT NUMBER     CONSTRUCT NUMBER     CONSTRUCT       CONSTRUCT NUMBER     TYPE OF     TYPE OF       CONSTRUCT NUMBER     CONSTRUCT     CONSTRUCT       CONSTRUCT NUMBER     CONSTRUCT     CONTRACT NUMBER       CONSTRUCT NUMBER     CONSTRUCT     CONSTRUCT       CONSTRUCT NUMBER     CONSTRUCT     CONSTRUCT       CONSTRUCT     CONSTRUCT     CONSTRUCT	DATE OF COMPLET	: NO 11	(WW/AA)				:		
TYPE OF TYPE OF TYPE OF TYPE OF TYPE OF CROSS SECTION (CI:2) (CI:3) (CI:	C H a 1 X 4 G F	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	atta Min			PIER DATA			
CHAINAGE (a) CODE TABLE ITEM WURBER				TYPE OF CROSS SECTION (CI:2)	TYPE OF PIER [CI:8]	TYPE OF FOUNDATION [C]:9]	NUMBER OF COLUXN	RIGHT OF COLUNN	UOCUMENTS NURBER
COBE TABLE ITEM NUMBER	<b>10</b> 00								
CHAINAGE (a) CCAETABLE ITEM NUNBER									
CHAINAGE (a) CHAINAGE (a) CODE TABLE ITEM NUMBER							-		
CHAINAGE (a) CCDE TABLE ITEM NUMBER								:	
CHAINAGE (a) CCHAINAGE (a) CCDE TABLE ITEM NUMBER									
CHAINAGE (a) CCDE TABLE ITEM NUMBER			-						
CHAINAGE (a) CHAINAGE (a) CODE TABLE ITEM NUMBER									
CHAINAGE (a) CODE TABLE ITEM NUMBER								-	
CHAINAGE (a) CHAINAGE (a) CHAINAGE (a) CODE TABLE ITEM NUMBER									
CHAINAGE (a) CHAINAGE (a) CODE TABLE ITEM NUMBER									
CHAINAGE (a) CHAINAGE (a) CODE TABLE ITEM NUMBER									
CHAINAGE (a) CHAINAGE (a) CHAINAGE (a) CODE TABLE ITEM NUMBER			-						
CHAINAGE (a) EIGHT OF COLUNN (a) CODE TABLE ITEM NUMBER									
NOTE ; UNIT CHAINAGE (m) :(CI) :CODE TABLE ITEM NUMBER									
NOTE ; UNIT CHAINAGE (m) :(CI) :CODE TABLE ITEM NUMBER		-							
NOTE ; UNIT CHAINAGE (m) :(CI) :CODE TABLE ITEM NUMBER									
NOTE ; UNIT CHAINAGE (m) EIGHT OF COLUNN (m) ; [CI] : :CODE TABLE ITEM NUMBER									
NOTE ; UNIT CHAINAGE (m) NOTE ; UNIT CHAINAGE (m) EIGHT OF COLUNN (m) ;[CI] :CODE TABLE ITEM NUMBER									
NOTE ; UNIT CHAINAGE (m) EIGHT OF COLUMN (m) ;[C1] :CODE TABLE ITEM NUMBER					-				
	NOTE : UNIT CHI EI( : (CI) : : COI	AINAGE (m) GHT OF COLUNN (m) DE TABLE ITEM NUMBEN					-		

# NVENTORY ы Ц Ц Ц Ц Ц Ц FOR INPUT SHEET

A.013 Coding Sheet for Pier Inventory

N K E N T O R K	DOCUMENTS NUMBER								
ЛИІ SIUIO Г	A LENGTH								
FOR EXPANSION [CI:1] [CI:1] (YY/MM)	EXPANSION JOINT DAT CURRENT TYPE OF EXPANSION JOINTS (CI:11)								(ጠ) (ጠ) ITEM NUMBER
INPUTSHEET ROUTE: DIRECTION OF TRAFFIC: MAIN ROAD / RAMP: NAME OF CONSTRUCTOR: DATE OF COMPLETION:	CHAINAGE						 μ.		NOTE ; UNIT CHAINAGE ( LENGTH ( (CI) :CODE TABLE ]

# A.014 Coding Sheet for Expansion Joints Inventory



DIRECTION OF TRAFFIC :

			DOCUMENTS NUMBER										
		¥	DISTINCTION										
		BEARING DATA	NUMBER OF BEARING							•			
[]	(WW		TYPE OF BEARING [CI:12]						-			•	
[CI:1]	(WW/AA)	TOTITON	CODE										NUMBER
MP : 08 :	: NO	NOT TOTANOO	CUNNECTION [CI:10]										CHAINACE (m) :CODE TABLE ITEM NU
MAIN ROAD / RAMP NAME OF CONSTRUCTOR	DATE OF COMPLETION		CHAINAUE										NOTE ; UNIT CHAIN/ ; [CI] : CODE 7

# A.015

Coding Sheet for Bearings Inventory

CCUNENTS MINBER	•
MIDTH HELGHT	
MIDTH HELGHT	
HLQIN	
ERT TYPEC (C1:37) (C1:37)	
HLIG1M	:
Cases Section Type (c1:37)	
I I I I I I I I I I I I I I I I I I I	
IY TIPE OF INLET (CI:7]	
ATTACHED FACILITY WALL TYPE OF T SYSTEM HT (CI:6)	÷.
ATTACHE RIGHT S S RIGHT	
ATTAC TYPE OF GUARD WALL (GLI:E) LEFT RIGHT	. *
CHT OF ALL ALL	
	CAINING PAI
RECTION OF TRAFFIC : MAIN ROAD / RAMP : MAIN ROAD / RAMP : AME OF CONFUETION : CHAINAGE START END START END START END END START END START END STAR	HIGHT OF BANN, WUDTH WIDTH OF RETAINING WALL (m) WIDTH (m) HEIGHT (m) LENGTH (m) CODE TABLE ITEM NUMBER
DIRECTION OF TRAFFIC : MAIN RANP : NAME OF CONFLETION : DATE OF CONPLETION : CHAINAGE START END START END NOTE : UNIT CHAINAGE HIGHAINAGE	; [CI] :

### Coding Sheet for Embankment Inventory A.016

LNVENTORY

FOR EMBANKMENT

INPUT SHEET

ROUTE :

		ם ב ע	T FOK	<u>KALLING</u>	ΤΝΛΕΝΤΟΚΥ		
ROUTE	TE				- - -		
MAME OF CONSTRUCTOR .		[CI:1]					
DATE OF COMPLETION :	• NO	(XX/WW)		:	• :		
1 THU		NOTT 001		RAILING DATA			4 1
START UNA	END	RAILING (CI:14)	TYPE OF GUARD RAIL (CI:17)	EIGHT OF GUARD RAIL	LENGTH OF GUARD RAIL	DOCUMENTS NUBBER	
			-				E
		:	-				
							I .
							F
· · ·							
		-					
; UNIT CHAINA HIGHT LENGTH :(CI) :CODE 7	CHAINAGE ( $\square$ ) HIGHT OF GUARD RAIL ( $\square$ ) LENGTH OF GUARD RAIL ( $\square$ ) LENGTH OF GUARD RAIL ( $\square$ ) :CODE TABLE ITEM NUMBER	222					

A-45

A.017

Coding Sheet for Railing Inventory

DOCUMENTS NUMBER LENGTH OF FENCE INPUT SHEET FOR FENCE INVENTORY HIGHT OF FENCE GUARD FENCE DATA TYPE OF FENCE fc1:161 OBJECT OF INSTALLATION LOCATION OF FENCE (CI:14) (WW/XX) (CI:1) EEE CHAINAGE HIGHT OF FENCE LENGTH OF FENCE CODE TABLE ITEM NUMBER END NAME OF CONSTRUCTOR : DATE OF COMPLETION : CHAINAGE ROUTE : MAIN ROAD / RAMP : DIRECTION OF TRAFFIC : START : [CI] NOTE : UNIT

# A.018 Coding Sheet for Fence Inventory

			11	İT	+	( <sup></sup> ]	Т	Т	1.	["]	I				1	1	ΓŤ	r	-	Ţ-	T	T	T	<u> </u>	r-	<u> </u>			
	MENTS	NUMBER						[	:																				
	· ·																												
CABER .	5	LANE MARK LINES			T			-				1	T	T				T	1	T			T	1-					
	%	TTUE			<u> </u> .		1	1			_											L	 						
ABLE 1		so 												-															
		່ ທ												:	ľ.														
(CI) - CODE TABLE ITEM NUMBER		4																										·	
5	ш) Т	LANE 3			Π								1																
	pAVENENT AREA (m')	~					1					T																	
	BYENE	-							-			1	1					T											1
		SHOULDER												-															-
	ATA	SHOL					+					_	_						<u> </u>	_							_	-	_
	PAVEMENT DATA	TOTAL																											
	PAVE	9		┢╌┠┅	$\left  \cdot \right $		╋	+-			-	-	╉	┢	$\vdash$			╎	╀╴	┢							-	+	-
	· . 6						+		•								+	╞											-
	[C1:15	به ۲										T	T				1	t	t									1	-
	TYPE OF PAVEMENT (CI:19]	LANE 3 4																											
	OF PAV	2				_						1				_	_	_				·					_		_
·	TYPE (					4	+			_	_													_			-		-
		SHOULDER																											
	HIC	END				-	-	÷					-															-	1
	ENT WE					-	1											+								_		+	-
	PAVEY	start (n								:																			
	WIDTH OF PAVEMENT WIDTH	R. O. G. (m)																											
	f all	<u>م</u>	-	-	$\left  \right $				_			+				-	+	-						-		+	-		-
	ONS NCTH C	ROAD (m)																											
(CI:1) (YY/ <del>XX</del> )	INENSI JER LE	S.			$\square$	-	-			+	_		$\square$	$\left  \right $		-		+	┢				_	_	-		╉		-
	IC NOW						-										-		<b> </b>			_		_		_	_	-	-
	YPE OF	IOAD-BE							ĺ																				
	E OF T	CROSS ROAD-BED OF ROAD SECTION LANES SECHENT (CI:2) (CI:18) (m)					+			1	+	╈						-	<u> </u>		-	-		T	T		+	-+-	1
ROUTE NAFFIC RAMP NUCTOR	149	5 <u>명</u> 5			$\left  \right $	_	+		_	+	+		_	$\square$	-	_		-	-			-	-	_	+	-	+	+	-
I OF TRU CONFLE	(m)	R																											
ROUTE : DIRECTION OF TRAFFIC : MAIN ROAD / RAMP : NAME OF CONSTRUCTON : DATE OF COMPLETION :	CHAINAGE (m)	START				+			1	1		+-	ľ					1					•			╡			
DIRE		15																ļ	]		]								]

INPUT SHEET FOR PAVEMENT INVENTORY


A.019 Coding Sheet for Pavement Inventory

			NUMBER							T							
			DOCUMENTS NUMBER					-									
			SWITCH GROUP		 												
· .		ৰা	AVERAGE S LUMINCS INT' TY			-		-				-					
		LAMP DATA	ELECTRIC					-		-			-	 -			
			KUMBER OF LAMPS														
			TYPE OF LAMP (CI:21)														
		POLE DATA	NAME OF NAKER					-									
. [		POL	TYPE OF POLE [CI:20]														0
(C1:1)	(22/33) -		LOCATION OF POLE [C(:14]				_							 			(m) (watt/hour) (lux)
ROUTE : AAFFIC : / RANP : RUCTOR :	: MD	DI 5 VIXED	100100 000 1										-			-	T CHAINAGE ELECTRIC CONSUMPTION AVERACE LUMINUS INT'TY :CODE TABLE ITEM NUMBER
ROUTE : DIRECTION OF TRAFFIC : KAIN ROAD / RAMP : NAME OF CONSTRUCTOR :	PALE OF CORFLETION :	CRAINAGE													:		NOTE : UNIT CHAINAN ELECTR AVERAC ;[CI] :CODE T

INPUT SHEET FOR LIGHTING INVENTORY

# A.020 Coding Sheet for Lighting Inventory

INPUT SHEET FOR TRAFFIC SIGN INVENTORY



			<b>—</b>	-1	Т			T	Т		T	Т		r	T	T	T	1	<u> </u>	<u> </u>	T
Ę	្តំគ	· •									:		•			1					
	80		ŀ		ł						1	ľ						ŀ			
Σ	NUMBER																				
				┉┼┈╸		-		╢	╉		┢─	┽	-		<b> </b>						
<u>.</u>		<u>a</u> -		╋			~	┢	+		┝	╉	-		┣	-				╂	
LICHIS	- Selection	<u>.</u>			+-			$\left  \cdot \right $	÷				-				-	-			
	5,1	EL)		┼─		_	-	┢	╉		ļ.	╀				ŀ	┨	-	ŀ		<b> </b>
3		~				_		┢	╉	_	┨╌	╋	-			-	╀┈	┢		+-	-
0	, §	-21]							1												
1		(CI:21)				~															
	CONTENTS																		}		
	NEN																				
0	g							ľ													
SIC				+	+-				╀		-	┢	+			┢┈			-	ŀ	
	030	SIGN C:24	•		ľ										.	<b> </b> .					
	F	<u> </u>	<u> </u>	<u> </u>	1			L	1						<u> </u>		ļ	<b> </b>	ļ		
	52	SIGN [CI:24]													<b>.</b>				1		
	CONTENTS										1					Ľ			ŀ		
N (C	8	Î										Ì				ŀ					
SIG		SIGN [CI:24]		╎	╈	-			╎	-		$^{+}$	┫								
	0 34	SIGN 1:24				Ì															
	2	<u> </u>		ļ	-				-				_			<u> </u>	<b> </b>			L	
	£									i		1				ĺ					
THA	NIEN																	·			
NUS	8								ļ												
SIC	<u> </u>	[C1:24] [C1			1	ľ	·		-				ľ		•						
	TE C	212																			
	F				ŀ	-						_	-								
	ŝ																				
1	CONTENTS					1									ĺ						
	Ø																				
SI	5	[C1:24]			Γ							Γ	Î								-1
ъ.,	NPE (	1.5																			
	F					╉		-	┞	+		_	╀	+	_	_					_
UVBE	OF	Cun I														·					
					┣	╀	-			┦			╀	-						_	
<u>т</u> 0	ខ្លួន	[CI:22 [CI:23]													ļ						
	~~ 2 	<u>इ</u> य							L				Ļ							_	
344	ы н	1.22																			
Y L	- 2	<u>- 2</u>			_	1				1											
HON LING	<u>د</u> د	13		•																	
LOCH P	ΟĞ	2 E																			Ŕ
POLE DATA LOCATION   TYPE			-			┢	-+			╉	-	• •	╞	+	-		-		{		
POLE	1985 1985							1													
0.,	R			į					•												
B		-†	1		-	t	-†	~~		$\dagger$	-		┢				+	╉	+	+	
CEAINAGE																					
рq																					1

A.021 Coding Sheet for Traffic Sign Inventory

DOCUMENTS NUMBER INVENTORY TYPE OF BARRIER PANEL [CI:26] LENGTH OF BARRIER BARRIER NOISE BARRIER HIGHT OF BARRIER NOISE н С С OBJECT OF PROTECTION (C1:23) SHEET ( % % / % % ) [[[]]] LOCATION OF BARRIER [CI:14] TNPUT CHAINAGE (m) HIGHT OF BARRIER (m) LENGTH OF BARRIER (m) :CODE TABLE ITEM NUMBER END •• •• ROUTE : •• DATE OF COMPLETION : DIRECTION OF TRAFFIC MAIN ROAD / RAMP NAME OF CONSTRUCTOR CHAINAGE NOTE : UNIT :[c1] START

A.022

Coding Sheet for Noise Barrier Inventory

CODING SHEET FOR DAILY INSPECTION (LAND SECTION)


·		E RED		]			ľ	Γ		ſ		Ţ	ľ								Π			
		REPAIRED								. 				<u> </u>	 									
		PERSON IN CHARGE			· .																			
		COMMENTS ON REPAIR																-		-				
	-17EX	DATE TO BE DONE						-								. 1								34)
	DAMAGE-ITEN	WORKS NEEDED [CI:29]								-														SE BARRIER(
· · ·		PHOTO. NUMBER	ŀ											. 			:					-		33), NOI
(cc:s1) (c1:s2) (c1: <i>s7</i> )		COMMENTS ON DAMAGE																				EXPANSION JOINTS(23)		CLARD WALL(21), MANDRALL(31), CUARD RAIL(32), FEWCE(33), NOISE BARRIER(34) LIGHTING(25), TRAFFIC SIGN(28)
		RATING														-	 					NACE (99)	(27) 20HA	TRAFFIC SIGN(28)
Sov and a second		DANGE (CI:33)				 															() : MEYBER CODE	TCIAN DEAT	11147 DRAI	L(21), HANE (25), TRAFFI
DAY OF GEEK GEATHER DIRECTION PRIORITY MEMBER	אינים	MEXBER MEXBER (CI:27)																			NEM : ( )	CUBSIACLES EVD 1XV VEN	PAVENENT(	CUARD GALL(21 LIGHTING(25),
(00,	50	NUMBER			-																			0
(Lil)	1 145	NO.																			ECT		0	,
	2 OCT TOX	CODE 2 (C1:14)																			(DENTIFIERS BY OBJECT			0
INSPECTED DATE : NAME OF INSPECTOR : ROUTE : MAIN ROAD/RAMP :	2	EXD																			KEY (DENTIFI	c		0
INSPE NAME OF MAIN		START																						0

A.023 Coding Sheet for Daily Inspection for Land Section

COMMENTS ON DAMAGE DAMAGE TTEM COMMENTS ON DAMAGE DATE NUMBER NEEDED TO BE NUMBER COLOR CC1:29] DONE CC1:29] DONE CC1:29] DONE
PHOTO. WORKS NUMBER NEEDED ICI:23]

CODING SHEET FOR DAILY INSPECTION (RAMA IX BRIDGE)

# A.024 Coding Sheet for Daily Inspection for Rama IX Bridge Section



A.025 Routine Inspection Coding Sheet for Superstructure and Retaining Wall for Land Section

: INANE OF INSPECTOR : Interview of the second set of the second set of the second set of the second set of the set		WORK CLASS	WATE CLED DALE :		(YY/XX/DD) (CI:28)		
Interface         Interface         COUNTERN         COUNTERN         COUNTERN           Interface	[CI:1]	AME OF INSPEC Document	TOR : NO. :				
EVD         DAMAGE         TOTAL         TOTAL         OWNENTS         WEEDED           EVD         (C1:14)         1         2         4         5         4110         03855           EVD         (C1:14)         1         2         4         5         1014         003855           EVD         (C1:14)         1         2         4         5         1016         1016         1016           EVD         1         1         1         1         1         1         1016<				DAMAGE		COUNTER	MESURES
EXD       [C1:14]       1       2       3       4       5       2       1       2       3       4       5       2       1	CODE 2			TOTAL	COMMENTS	WORKS	DATE
	END [C1:14] 1		5	EVALU- ATION		NEEDED [CI:29]	TO BE DONE
				-		1	
						:	
					and and a second and		
			а - с				

A.026 Routine Inspection Coding Sheet for Guard Wall for Land Section

INSECTED MINER: ROTT : ROTT : ROTT : ROTT : ROTT : (C1:29) VORK CLASS : (C1:20) VORK CLASS : (C1:20) VORK FROM CLASS : (C1:20) VORK FROM CLASS : (C1:20) VORK FROM CLASS : MARE CFISE CONTINK COMMENTS CONTENTED TO THE CONTENT STATE STATE CONTENT STATE	::       (C1:27)       INSPECTED DATE :       (Y*Y/M/DD)         ::       WORX CLASS :	ODING S	H E E J	х С	ר כ ב צ	5	,					-	
Image: Instruction of the image of the i		INSPECTED			<u>[</u> ]	.27]	INSI		NTE :	(DD/WW/AA)			·
Image: Second state of interval     MAKE OF INSPECTOR :     DOUNENT NO. :     DOUNENT	Image: Second				I			WORK CL.	15S :	[CI:28]			
AIN Read / RAYP :(C1:1) DOCURENT SO. :DAMAGE CONDITIONS CGAINAGE TART EVD 1 2 3 4 ATTON TART EVD 1 2 3 4 ATTON TART EVD 1 2 3 4 ATTON TART TOTAL TART TOTAL TART TOTAL TOTAL TART TOTAL T	AIX Rold / RAFE :       (C1:1)       DOCUKENT X0. :         CGAINAGE       DANAGE (TEX       DANAGE (TEX         TART       EXD       1       2       3       4         ATTOR       EXD       1       2       3       4       ATTON         CALINGE       EXD       1       2       3       4       ATTON       CONTINUE         CALINGE       EXD       1       2       3       4       ATTON       CONTINUE       CONTINUE         CALINGE       EXD       1       2       3       4       ATTON       CONTINUE       CONTINUE       CONTINUE       CONTINUE       CONTINUE       CONTINUE       CONTINUE       DANAGE-INFERTIONANCE       DANAGE-INFERTIONANCE       DANAGE-INFERTIONANCE       DANAGE       DANAGE-INFERTIONANCE       DANAGE       DANAGE <td< td=""><td>ECTION OF TF</td><td></td><td></td><td>·I</td><td>~</td><td></td><td>F INSPEC</td><td>ror :</td><td>-</td><td></td><td></td><td>• ]</td></td<>	ECTION OF TF			·I	~		F INSPEC	ror :	-			• ]
GUATION     COUNTRAT     COUNTRAT     COUNTRAT     COUNTRAT       EVD     1     2     3     4     ATTON     200KS	CGAINAGE CGAINAGE CAAINAGE CONSENTS DAMAGE TEM DAMAGE COVDITIONS CONSENTS CONSE	MAIN ROAD			5	[]:	Â.	OCUMENT	¢0. :			<i>.</i> .	
TART         EVALU-         DAMAGE (TEX         DOTAL         DAMAGE         DOTAL	Calination     DAMAGE ITEM     TOTAL       TART     EVD     1     2     3     4     ATION	- X - 5 V	Ĺ					DA	CONDITION	S		COUNTER	ESURE
TART       END       1       2       3       4       ATION         1       1       1       2       3       4       ATION       (1000)         1       1       1       1       1       1       1       1       1       1         1<	TART     END     1     2     3     4     ATION       TART     END     END     1     2     3     4     ATION       TART     END     E     E     E     2     4     ATION       TART     E     E     E     E     E     E     E       TART     E     E     E     E     E     E       TART     E     E     E     E     E     E       TART     E     E     E     E     E		11 2 15		AMAG	e lte		TOTAL		COMMENTS		WORKS	DATE
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : UNIT : CODE TABLE : DAMAGE : UNIT : CODE TABLE : DAMAGE	· COLT : CONFINED : DAMAGE ITEM-1 : DAMAGE		END	1	2		শ	ATION			·	(CI:29)	DONE
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : CODE TABLE ITEM NUMBER : CODE TABLE ITEM NUMBER : CODE TABLE ITEM NUMBER	Image: state												
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : CODE TABLE ITEM NUMBER : CODE TABLE ITEM NUMBER	I UNIT : CALANGE (m) > 2440E												
: UNIT : CHAINAGE (m)	Image: Constraint of the second se												
: UNIT : CHAINAGE (m) : UNIT : CODE TABLE ITEM NUMBER : CODE TABLE ITEM NUMBER	· COLT : CONFILTENT STARFS												
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : CODE TABLE ITEM NUMBER : CI] : CODE TABLE ITEM NUMBER	: UNIT : CONFINENCE IF NITXERS	<b>`</b>											
: UNIT : CHAINAGE (m) : UNIT : CODE TABLE ITEM NUMBER : (CI) : CODE TABLE ITEM NUMBER	: UNIT : CADE TERF ATTREPART												
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : CODE TABLE ITEM NUMBER : (CI) : CODE TABLE ITEM NUMBER	UNIT : CUNT :: DAMAGE ITEM-1 : DAMAGE												
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : CODE TABLE ITEM NUMBER : CI] : CODE TABLE ITEM NUMBER	: UNIT : CALANAGE (m)												
: UNIT : CUAINAGE (m) : UNIT : CODE TABLE ITEM NUMBER : (CI) : CODE TABLE ITEM NUMBER	: UNIT : CADE TARE WINNES												
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : CODE TABLE ITEM NUMBER : (CI) : CODE TABLE ITEM NUMBER	: UNIT : CALAMAGE (m)	-											
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : CODE TABLE ITEM NUMBER : CI] : CODE TABLE ITEM NUMBER	: UNIT : CARINAGE (m) : CODE TARE VIEWERS												
: UNIT : CHAINAGE (m) : UNIT : CODE TABLE ITEM NUMBER : (CI) : CODE TABLE ITEM NUMBER	: UNIT : CHAINAGE (m) : CODE TEX MIXARPO								-				
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : CODE TABLE ITEM NUMBER : (CI) : CODE TABLE ITEM NUMBER	: UNIT : CHAINAGE (m) : DAMAGE ITEM-1 : DAMAGE												
: UNIT : CUAINAGE (m) : CODE TABLE ITEM NUMBER : CODE TABLE ITEM NUMBER	: UNIT : CHAINAGE (m) : DAMAGE ITEM-1 : DAMAGE												з. 
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : CODE TABLE ITEM NUMBER : (CI) : CODE TABLE ITEM NUMBER	: UNIT : CHAINAGE (m) : CODE TAERE TIEX MIXARES												
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : CODE TABLE ITEM NUMBER : (CI) : CODE TABLE ITEM NUMBER	: UNIT : CHAINAGE (m) : CODE TARE TTEX MERRES												
: UNIT : CHAINAGE (m) : UNIT : CHAINAGE (m) : (CI) : CODE TABLE ITEM NUMBER : (CI) : CODE TABLE ITEM NUMBER	: UNIT : CHAINAGE (m) : DAMAGE ITEM-1 : DAMAGE : UNIT : CONF TARE TIRE NINARFS												
: UNIT : CHAINAGE (m) ; CODE TABLE ITEM NUMBER ; (CI) : CODE TABLE ITEM NUMBER	: UNIT : CHAIMAGE (m) : DAMAGE ITEM-1 : DAMAGE : COL : CODE TABLE TEM MUMARES												
: UNIT : CHAINAGE (m) ; DAMAGE ITEN-1 : DAMAGE : (CI) : CODE TABLE ITEM NUMBER ; DAMAGE	: UNIT : CHAINAGE (m) ; DAMAGE ITEN-1 : DAMAGE : COIT : CODE TARE TTEN MINNES												
: UNIT : CHAINAGE (m) ; DAMAGE ITEN-1 : DAMAGE ; (CI) : CODE TABLE ITEM NUMBER ; (CI) : CODE TABLE : DAMAGE	: UNIT : CHAINAGE (m) ; DAMAGE ITEN-1 : DAMAGE · (ci) · CODE TARIE (TEN NUMBES												
	194344 + 4 2144 Ch46664 - 4 2144	: [10] :	~ ··· ·		IBER				: DAMAGE : DAMAGE	ETDAMAGE TO DRAIN EDAMAGE TO PIPES,	INLET DITCHES OR	CONNECTIONS	

.

A.027 Routine Inspection Coding Sheet for Drainage for Land Section

MARE 0F INSPECTOR :       (C1:28)         (C1:1)       DOCUMENT NO. :       (C1:28)         (C1:1)       2       4       5         (C1:12)       2       2       2
DAMAGE ITEM     DAMAGE CONDITIONS     CONTERN       1     2     3     4     5     ATION       1     2     3     4     5     NEERED       1     1     1     1     1     NEERED       1     1     1     1     1     1       1     1     1     1     1
DAMAGE ITEM     TOTAL     COMMENTS     WORKS       1     2     3     4     5     ATION       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1     1       1     1     1     1     1       1     1     1
2       3       4       5       ATION         (C1129)       (C1129)       (C1129)       (C1129)         (C1129)       <

Routine Inspection Coding Sheet for Pier for Land Section A.028

CODINGSHER: FOR ROUTINE INSPECTED BATE INSPECTED XEXBER: [CI:27] INSFECTED BATE ROUTE: WORK CLASS BIRECTION OF TRAFFIC: WAXE OF INSPECTOR MAIN ROAD / RANP : [CI:1] DOCUNENT NO. DAMAGE CONDITIONS CHAINAGE ITEM TOTAL DAMAGE CONDITIONS CHAINAGE 1 2 3 4 ATION 1 2 3 4 ATION
Т Р С С С С С С С С С С С С С
2 3 3 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4

A.029 Routine Inspection Coding Sheet for Expansion Joints for Land Section

SECTION)

( N )			Ţ		<u> </u>	1	}	<u> </u>	I	T	1	[	T	Τ	1	r		<b>[</b>	<b>]</b> .	1	T-	1	Ī	w]
E C T I O	·	COUNTERMESURES	DATE	TO BE DONE																				RING ELEMENTS
ANDSE		COUNTER	GORKS	NEEDED [C1:29]								-							-					EEL BEARIN
																		· .						TO RUBBER OR STE EARING BED ANCHOR BOLTS
ς Σ Σ	(YY/MM/DD) [CI:28]														•			-						La m Li
	(YY (CI		COMMENTS							1						· .								E-BEARINGDAMAG E-BEDDAMAGE TO E-BOLTSDAMAGE
		SNO	00	·																				E-BEARIN E-BED···
	SPECTED DATE : WORK CLASS : OF INSPECTOR : DOCUMENT NO. :	SE CONDITIONS																						-1 : DAMAGE- -2 : DAMAGE- -3 : DAMAGE-
	INSPECTED WORK C WAME OF INSPE DOCUMENT	DAMAGE	TOTAL	TION	 																			DAMAGE ITEM-1 ITEM-2 ITEM-3
	_			4	 																			; DA
	[CI:27		KELI EN	'n								·												BER
			DAMAG	2	-					- 														a) ITEM NUME
	 			• 	 				-					:										~ ~
	) MEMBE ROUT TRAFFI / RAM																							: CHAINAGE : CODE TABL
	INSPECTED DIRECTION OF 1 MAIN ROAD																							NOTE : UNIT ; (CI)

## A.030 Routine Inspection Coding Sheet for Bearings for Land Section

A-58

	NBER : OUTE : FFIC : RAXP :	[[1:1]]	-	INS NAME O D	INSPECTED DATE WORK CLASS WORK CLASS E OF INSPECTOR DOCUMENT NO.	ATE : (Y/XM/DD) ASS : (C1:28) TOR : (C1:28)		
					A Q	AMAGE CONDITIONS	COGNTE	COUNTERMESURES
CHAINAGE	I	DAXAGE	KETI E		TOTAL	COMMENTS	WORKS	DATE
START END	0	 2	°.	4	EVALU- ATION		NEEDED (CI:29)	TO BE DONE
								-
		 						-
		 ·						
		:						
-								
		 	•••		:			
		 _						
							•	
-								
		 	_		-			-

A.031 Routine Inspection Coding Sheet for Embankment for Land Section

VXX/DD)				LONS COUNTERMESURES	COMMENTS WORRS DATE	NEEDED TO BE COME											
1 2	[CI:28]			DAMAGE CONDITIONS		ATION					 :			:			
		:		D	RUTT- PSI	DEPTH					 						
ED DATE :	WORK CLASS :	SPECTOR :	DOCUMENT NO. :			- L1 - L1 - L1 - L1 - L1 - L1 - L1 - L1		 	 	 			 	 		• • • •	·
7) INSPECTED DATE	WORK	NAME OF INSPECTOR	BKNDOG		DANAGE ITEN	. ເນັ				 				 	-		
(CI:27)		NA	[ci:1]	·	DAXA	~							 n n P				
[ <u></u> ]			[CI							 			-	 . —		-	
				1 1 1 1		-22 		-	 	 				 	,	-	-
XEYBER :	ROUTE :	TRAFFIC :	/ RAMP :	409711B0	JAUE	END				· .							
INSPECTED NEMBER		DIRECTION OF TRAFFIC	MAIN ROAD / RAMP	1480	Cuat	START											

## Routine Inspection Coding Sheet for Pavement for Land Section A:032

A-60

DIRECTION OF TRAFFIC : (c1:1) MAIN ROAD / RAMP : (c1:1) CHAINAGE LOCATION DAMAGE ITE	NAME OF I			(11/20/21)			
: [C[:1]		WORK CLASS : OF INSPECTOR -		[CI:28]		·	
LOCATION CODE 2 DAMAGE IT		DOCUYENT NO. :					
CODE 2 DAYAGE IT		DAMAGE	CONDITIONS			COUNTERMESU	MESURES
·		TOTAL		CONMENTS		WORKS	DATE
7 · C	4 5	ATION	•			STEEDED (CI:29)	TO BE DONE
						-	
				· · · · · · · · · · · · · · · · · · ·			
		•					
					-		
	-						
				-			

A.033 Routine Inspection Coding Sheet for Lighting for Land Section

INSPECTED XEX F       (11:1)       1355CTED DATE       (11:1/1)       1355CTED DATE       (11:1/1/1)         DIRECTION OF THATP						1									
2010 0F TARFIC :       MARE CLASS :       COURTENT         ALY ROL / MARE :       MARE CLASS :       COURTENT         ALY ROL / MARE :       MARE CLASS :       COURTENT         ALY ROL / MARE :       MARE CLASS :       COURTENT         ALY ROL / MARE :       MARE CLASS :       COURTENT         ALY ROL / MARE :       MARE CLASS :       COURTENT         ALY ROL / MARE :       MARE CLASS :       COURTENT         C(1:14)       I       MARE :       MARE CLASS :         C(1:14)       I       MARE :       MARE CLASS :       COURTENT         C(1:14)       I       MARE :       MARE :       MARE :       COURTENT         C(1:14)       I       MARE :       MARE :       MARE :       MARE :       MARE :         C(1:14)       I       MARE :	INSPECTE				. (cı:	27]	d S N I	ECTED	DATE :		DD/WW/JY				
HALY ROLD / RAMP :       (C(1:1)       DOUGHERY 30. :       CONFERTS         LIALGE       LOCATION       TOTAL       CONFERTS       CONFERTS         CONFERTS       TATION       TOTAL       CONFERTS       CONFERTS         CONTRACT       TATION       TOTAL       CONFERTS       CONFERTS         CONTRACT       TOTAL       TOTAL       CONFERTS       CONFERTS         CONTRACT	RECTION OF	ROUTE : TRAFFIC :				N	AME OF	WORK C	LASS : CTOR :		[CI:28]				
INNUCE         LOCATION         DAMAGE LIEN         DAMAGE CONDITIONS         CONTENT         CONTENT           CODE         1         2         3         4         5         6         7         ATTON         CONTENT         CONTENT           CODE         1         2         3         4         5         6         7         ATTON         CONTENT         CONTENT           COLOR         DAMAGE LIEN         TOTAL         CONTENT         CONTENT         CONTENT         CONTENT         CONTENT           COLOR         DAMAGE TIEN         DAMAGE TO CONTENT         DAMAGE TO CONTENT         CONTENT <t< td=""><td>MAIN ROAL</td><td>: AXP / D</td><td></td><td></td><td>:10] -</td><td></td><td>000</td><td>UMENTS</td><td>. ON</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	MAIN ROAL	: AXP / D			:10] -		000	UMENTS	. ON						
CODE 2         DAMAGE ITEX         TOTAL         COMENTS         DOMES           ([1:14]         1         2         3         4         5         6         7         NEEDED	T NAGE	TOCATION							٧d	AGE CON	DITIONS			COUNTER	<b><i><u>HESURES</u></i></b>
[CU:14]       1       2       3       4       5       6       7       4       1 </td <td></td> <td>CODE 2</td> <td></td> <td></td> <td></td> <td></td> <td>ITEN -</td> <td></td> <td>: *</td> <td>TOTAL</td> <td></td> <td>COMMENTS</td> <td>-</td> <td>RORKS</td> <td>DATE</td>		CODE 2					ITEN -		: *	TOTAL		COMMENTS	-	RORKS	DATE
: [CI] : CODE TABLE ITEM NUMBER ITEM -5 : ITEM		[CI:14]	1	8	ς,	4	ഖ	9	2	ATION				[CI:29]	TO BE DONE
: [CI] : CODE TABLE ITEM NUXBER : [CI] : CODE TABLE ITEM NUXBER : [TIEM -5 : : [TIEM -5 :															
: [CI] : CODE TABLE ITEM NUNSER															
UNIT : CAAIKAGE (m) I TEM-2 : I TEM-6 : I															
: [CI] : CODE TABLE ITEM NUMBER : [CI] : CODE TABLE ITEM NUMBER : [TEM -5 : ] TEM -5 :															
: [CI] : CODE TABLE ITEM NUNDER : [CI] : CODE TABLE ITEM NUNDER : [TEM-2 : ]TEM-2 : ]TEM-2 : ]TEM-2 : ]TEM-4						:									
: [CI] : CODE TABLE ITEM NUMBER : [CI] : CODE TABLE ITEM NUMBER : [TEM - 2 : ITEM - 2 : ITEM - 5 :						 			 					-	
: [C1] : CODE TABLE ITEM NUMBER : [C1] : CODE TABLE ITEM NUMBER : [TEM-2 : ]TEM-2								 					-		:
: [CI] : CODE TABLE ITEM NUNSER : [CI] : CODE TABLE ITEM NUNSER : [TEM-2 : [TEM-2 : ]TEM-5 : ]TEM-5 : ]TEM-5 : ]TEM-5 : ]TEM-5 : ]TEM-6 : ]												4			
: [CI] : CODE TABLE ITEM NUMBER : [CI] : CODE TABLE ITEM NUMBER : [TEM-2 : [TEM-5 : ]TEM-5 : ]TEM-5 : ]TEM-6															
: [CI] : CODE TABLE ITEM NUMBER ITEM-2 : ITEM-2 : ITEM-2 : ITEM-5							:			·					
: [CI] : CODE TABLE ITEM NUMBER ITEM-2 : ITEM-4 : ITEM-4 : ITEM-4 : ITEM-4 : ITEM-4 : ITEM-5 : ITEM-6															
: UNIT : CEAINAGE (=) : UNIT : CEAINAGE (=) : CODE TABLE ITEM NUMBER : [CI] : CODE TABLE ITEM NUMBER : [TEM -2 : ITEM -2 : ITEM -5 : ITE															
: [CI] : CODE TABLE ITEM NUNDER ITEM-2 : ITEM-2 : ITEM-3 : ITEM-4 : ITEM-5 : ITEM-6															
: [CI] : CODE TABLE ITEM NUMBER ICEN-2 : ICEN-2 : ICEM-2 : ITEM-4 : ITEM-4 : ITEM-4 : ITEM-4 : ITEM-6															
: [CI] : CODE TABLE ITEM NUMBER ITEM-2 : [TEM-2 : ] ITEM-2 : ]															:
: [CI] : CODE TABLE ITEM NUMBER : [CI] : CODE TABLE ITEM NUMBER ITEM-2 : [TEM-2 : ITEM-4 : ITEM-6 :														-	
: UNIT : CHAINAGE (=) : UNIT : CHAINAGE (=) : [C1] : CODE TABLE ITEM NUXBER ITEM-2 : [TEM-3 : ITEM-4 : ITEM-6 : ITEM-6															4
: [CI] : CODE TABLE ITEM NUMBER ICM-2 : ITEM-2 : ITEM-3 : ITEM-3 : ITEM-4 : ITEM-5 : ITEM-5 : ITEM-5 : ITEM-5 : ITEM-5 : ITEM-5 :															
: UNIT : CHAINAGE (m) : DAMAGE ITEM-1 : : [CI] : CODE TABLE ITEM NUMBER : DAMAGE ITEM-2 : ITEM-2 : ITEM-3 : ITEM-4 : ITEM-6 : ITEM-6 : ITEM-6 : ITEM-6 : ITEM-6 : ITEM-6 :															
: UNIT : CIAINAGE (m) : [CI] : CODE TABLE ITEM NUMBER ; DAMAGE ITEM-2 : ITEM-2 : ITEM-3 : ITEM-4 : ITEM-6 : ITEM-6 : ITEM-6 :															
				I NUXBI		DAMA			CORROS DEFORM DISP-P VISUAL DAMAGEL LAMP BI	- POLE	DAMAGE TO PAINT DEFORMATION OF P( SPLACEMENT ON CO - DETECHORATION ( DETECHORATION ( - DAMAGE OT PANEL) ERNING OUT/DECLIP	AND CORROSION C DLE DSENING/FALLING DF VISIBILITY O ATTACHMENT OF	F POLE OUT OF BOLTS F SIGNBOARDS SIGHBOARDS V OF 1 AMP		

A.034 Routine Inspection Coding Sheet for Traffic Sign for Land Section

A-62

RAME OF INSPECTOR LOCATION CODE 2 (CI:14) 1 2 3 4 (CI:14] 1 2 3 4 CI:14] 1 3 5 CI:14] 1 2 3 4 CI:14] 1 3 5 CI:14] 1 3 5 CI:14] 1 3 5 CI:14] 1 4 CI:14] 1 4 CI:14] 1 2 3 4 CI:14] 1 5 CI:14] 1 4 CI:14] 1 2 3 4 CI:14] 1 4 CI:14] 1 5 CI:14] 1 3 5 CI:14] 1 4 CI:14] 1 5 CI:14] 1	:	INSPECTED MEMBER ROUTE		-8 	[C1:27]	NI NI	SPECTI	INSPECTED DATE WORK CLASS			2 2	(YY/X%/DD) (C1:28)					
CEAINAGE         DOMAGE         DAMAGE         DAMAGE         DAMAGE         DAMAGE         COUNTENT         COUNTENT           1         2         3         4         5         6         FTOLA         LOGATOS         COUNTENT         LOGATOS         COUNTENT         COUNTENT         LOGATOS	CELINGE         LIGNION         DMAGE         DMAGE         CONTENT         CONTENT           38T         END         (C1:14)         1         2         3         4         5         6         FTOM         (C1:29)         (C1:29)           38T         END         (C1:14)         1         2         3         4         5         6         FTOM         (C1:29)         (C1:29)         (C1:29)           1         2         3         4         5         6         FTOM         (C1:29)         (C1:29)         (C1:29)           1         2         3         4         5         6         FTOM         (C1:29)         (C1:29)         (C1:29)           1         2         3         4         5         6         FTOM         (C1:29)         (C1:29)         (C1:29)           1         2         3         4         5         6         FTOM         (C1:29)	DIRECTION OF TRAFFIC MAIN ROAD / RAMP		<u>9</u> 	[1:1]	NAME	OF INS	SPECTOR INT NO.									
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	TANKNOC         DOMAGE IEM         TOTAL         CONBENTS         CONSENTS         <										AXAGE C	ONDITIONS		•		COUNTER	MESURES
	MAIT         ENO         [C1:14]         1         2         3         4         5         6         FORM         [C1:29]           Image: State Stat	CHAINAGE	CODE	5 61		- -	AMAGE	ITEM			TOTAL		COMMENTS			WORKS	DATE
	: (CI) : CODE TABLE ITEM NUNSER			[ <del>]</del>	-11	63	ę	4	ഗ	l .	ATION.			÷.,		Aceueu [CI:29]	DONE
	I CODE TABLE ITEM NUMBER																
	<pre>Image: Constraint of the second of the</pre>																
	: (CI) : CODE TABLE ITEM NUNSER																
	: (CI) : CODE TABLE ITEM NUNSER											-	:		:		
	: (CI) : CODE TABLE ITEM NUNSER																
	: (CI) : CODE TABLE ITEM NUNSER																
	: (CI) : CODE TABLE ITEM NUNBER																
	: (CI) : CODE TABLE ITEM NUNSER				· · ·												
	: (CI) : CODE TABLE ITEM NUNSER	-															
	: (CI) : CODE TABLE ITEM NUNSER				·.			:	·								
	: (CI) : CODE TABLE ITEM NUNBER			 -										-			
	: (CI) : CODE TABLE ITEM NUNSER																
	: (CI) : CODE TABLE ITEM NUMBER : DAMAGE ITEM-1 : ITEM-2																
	: (CI) : CODE TABLE ITEM NUNSER : (CI) : CODE TABLE ITEM NUNSER																
	: UNIT : CHAINAGE (m) : (ci) : CODE TABLE ITEM NUNBER : [ci] : TEM-2 : TTEM-2		· · · ·														
	: (ct) : CODE TABLE ITEM NUNSER ; DAMAGE ITEM-1 : ITEM-2 : ITEM-2 : ITEM-2 : ITEM-2 : ITEM-2 : ITEM-3																
	: (CI) : CODE TABLE ITEM NUMBER : DAMAGE ITEM-1 : ITEM-2																
	: (CI) : CODE TABLE ITEM NUMBER : DAMAGE ITEM-1 : ITEM-2																
	: UNIT : CHAINAGE (m) : DAMAGE ITEM-1 : (CI) : CODE TABLE ITEM NUNBER : ITEM-2 : ITEM-2 : TEM-3 :																
	: UNIT : CHAINAGE (m) : DAMAGE ITEM-1 : : (cl) : CODE TABLE ITEM NUNBER : ITEN-2 : ITEM-3 : TTEM-4 :	-				-				<u> </u>							

A.035 Routine Inspection Coding Sheet for Noise Barrier for Land Section

CODING SHEET FOR ROUTINE INSPECTION (WAIN GIRDER/PYLON/GUARD BARRIER/GIRDER GANTRY/PYLON LIFT/PYLON LADDER/PYLON CONDOLA/CABLE GONDRAP (RAMA EX BRIDGE) DATE TO BE DONE COUNTERMEASURE WORKS NEEDED [C1:29] **STNEMEO** HOTE : [CI] : CODE TABLE ITEN NUMBER
DAMAGE ITEN-1 : DEFORMATION --- DEFORMATION OF PLATES OR FRAME
ITEN-2 : CRACKING---- CRACKING ON PLATES OR FRAME
ITEN-3 : DAMAGE-BOLTS---LOOSENING OR FALLING OUT OF BOLTS
ITEM-4 : DAMAGE-CORROS--- DAMAGE TO PAINT AND CORROSION
ITEM-5 : DEBRIS/FATER---ACCUNGLATION OF DEBRIS OR WATER
ITEM-6 : DISPLACEMENT--- DISPLACEMENT OR SETILEMENT .! .! NAME OF INSPECTOR DOCUMENTS NUMBER DAMAGE CONDITIONS TOTAL EVALU-ATION ŝ (TY/WW/DD). [CI:28] [CI:30] s DANAGE ITEN -2 3 INSPECTED NEWBER :\_ INSPECTED DATE :\_ **6**1 **WORK CLASS** ⊷⊣ UNIT KUMBER

# A.036 Routine Inspection Coding Sheet for Steel Plates and Frame Members for Rama IX Bridge Section

Image: Contract Contractions           Image: Contract Contractions           CONVERTIGNE           Image: Contract Contractions           Image: Contract Contractions           Image: Contract Contractions           Image: Contract Contractions           Image: Contract Contract Contractions           Image: Contract Contract Contract Contract Contractions           Image: Contract Contrading Contract Contract Contract Contract Contract Co	D/H	WORK CLASS	: :		5 	[C1:28]		DOCUM	DOCUMENTS NUMBER	UMBER				1				
Alternational and the item         Total         Total         Workers         Normality           1         2         3         4         5         6         7         80585           2014         2014         2014         2014         2014         2014         2014           1         2         3         4         5         6         7         8         87505           2014         2         3         10         11         2014         2014         2014         2014           2014         2         3         10         1         2014         20	N1T		· :							DA	MAGE	TIGNOC	I ONS	-			COUNTER	MEASURE
3       4       2       6       1	MBER					DAM	IAGE IT	EN					TOTAL		COMMENTS		WORKS	DATE
		<b>1</b>	2	ŝ	*	ъ.	<b>4</b> 0	-	80	6	10	11	ATION				[CI:29]	TO BE DONE
	-			 														
				   .	:													
				-														
													•					
	-																	
		-																
						_												
			_															
					·													
			$\neg$															
			-					-		-								
				•	_							•			-	-		

## A.037 Routine Inspection Coding Sheet for Stay Cable for Rama IX Bridge Section

K BRIDGE)

(RAMA)

INSPECTION <STAY CABLE>

FOR ROUTINE

CODING SHEET

A~65

	ON	EVALU- ATION	RUTT- ING BEPTH ATTION ATTION ATTION S		
--	----	-----------------	--	--	--

A.038 Routine Inspection Coding Sheet for Pavement for Rama IX Bridge Section

BRIDGE)

凶

(RAMA

< P A V E M E N T >

INSPECTION

ROUTINE


FOR

SHEET

CODING

BRIDGE) 험 DATE TO BE DONE COUNTERMEASURE (RAMA WORKS NEEDED [C1:29] < P I E R > INSPECTION NOTE : [CI] : CODE TABLE ITEM NUMBER : DAMAGE ITEM-1 : LEAKAGE ••• WATER LEAKAGE AND LEACHING OF FREE LIME ITEM-2 : CRACKING ••• CRACKING ITEM-3 : SPALLING ••• SPALLING AND CORROSION OF REINFORCING BAR ITEM-4 : CAVITIES ••• CAVITLES ITEM-5 : DISPLACEMENT ••• DISPLACEMENT OR SETTLEMENT COMMENTS ... NAME OF INSPECTOR DOCUMENTS NUMBER DAMAGE CONDITIONS ROUTINE TOTAL EVALU-ATION FOR (dd/ww/aa) [CI:28] [CI: 30] ŝ SHEET 4 DAMAGE ITEM ~ CODING INSPECTED MEMBER : INSPECTED DATE :----WORK CLASS :--~ ---UNIT NUMBER

## A.039 Routine Inspection Coding Sheet for Piers for Rama IX Bridge Section



A.040 Routine Inspection Coding Sheet for Drainage for Rama IX Bridge Section

INSPECTED MEMBER	CED MEN	IBER :	• •		[C1:30]	[0]				·	
I NS I I	INSPECTED DATE WORK CLASS	ATE :- ASS :-			(YY/MM/ [C1:28]	(YY/MM/DD) [c1:28]		IAME OF DOCUMEN	NAME OF INSPECTOR : Documents Number :		
TIMI								AMAGE (	DAMAGE CONDITIONS	COUNTER	COUNTERMEASURE
NUMBER			DAMA	DAMAGE ITEM	W3.			TOTAL	COMMENTS	WORKS	DATE
	<b>با</b>	2	°9 '	4		5	9	EVALU- ATION		[CI:29]	TO BE DONE
						•					
						:					
					-						
			· · ·		-	—					
					_						
										-	
					·						
1											
					-		-				
					_	-					
					_						
					_						
NUTE : [CI] : ; DAMAGE	01] : ( AMAGE 1 1	CODE TU TEM-1 TEM-2	ABLE I : DAN : CRA	AGE-P AGE-P CKING	AINT	R DAI	MAGE Y NG OR	TO PAINT DEFORM	CODE TABLE ITEM NUMBER ITEM-1 : DAMAGE-PAINTDAMAGE TO PAINT AND CORROSION ITEM-2 : CRACKINGCRACKING OR DEFORMATION		
		TEM-4	UNC :	AAGE-E ISUAL	MOVE.	PD	MAGE . NUSUAL	DAMAGE-BOLTSDAMAGE TO ANCHOR UNUSUAL MOVE,UNUSUAL MOVEMENT	DR BOLTS SNT		
		I TEM-5	•• ••	(AS 10A	UNUS	3RASI JAL Ni	ON OR DISE	DETERIC	ABRASIONABRASION OR DETERIORATION OF ATTACH ELEMENTS NOISEUNUSUAL NOISE		•

A.041 Routine Inspection Coding Sheet for Bearings (for Pendel, Neo-pot, Wind) for Rama IX Bridge Section

X BRIDGE)										•							•					
(RAMA)		EASURE	DATE	DONE														•				
T S >		COUNTERMEASURE	WORKS'	[C1:29]																		
1 O I N										:	:											
A N S I O N				·										:	:					:		
ЕХР			COMMENTS						-													- %
> N 0 I						- -	-			-				:								BLE ITEM NUMBER : DAMAGE-PAINTDAMAGE TO PAINT AND CORROSION : ABRASIONABRASION OR DEFORMATION : DAMAGE-BOLTSLOOSENING OR FALLING OUT OF BOLTS : UNUSUAL MOVEUNUSUAL MOVEMENT : NUISEUNUSIAL NOISE DUE TO DAMAGE OR UNEVENNESS : DAMAGE-DRAINDAMAGE TO DRAINAGE
SPECT	NAME OF INSPECTOR Documents Number	CONDITIONS	-					 													•	T AND CORI ATION ALLING OU ENT DAMAGE OR NAGE
и I Ш	NAME OF DOCUMEI	DAMAGE (	TOTAL	ATION															 			TO PAIN R DEFORM ING OR F AL MOVEM DUE TO TO DRAI
T I N	00)			9								:					-		 	-		DAMAGE NSION O LOOSEN UNUSU NOISE
ROU	[CI:30] (YY/MM/DD) [CI:28]		ЕМ	5			<u> </u>											:				CODE TABLE ITEM NUMBER E ITEM-1 : DAMAGE-PAINT ITEM-2 : ABRASIONABRA ITEM-2 : DAMAGE-BOLTS ITEM-4 : UNUSUAL MOVE ITEM-4 : UNUSUAL MOVE ITEM-5 : NOISEUNUSUAL ITEM-5 : DAMAGE-DRAIN
F O R			DAMAGE ITI	4									i.							-		ITEM N MAGE-P BRASION BRASION MAGE-B UISUAL DISE
ET			DAM	2 3	-	<u> </u>		 	 		·							 :	 			TABLE -1 : DA -2 : AB -3 : DA -5 : NO -6 : DA
SHE	TED MEMBER Scted date Work class							 			• • •		· ·	. 				 	 			: CODE ITEM- ITEM- ITEM- ITEM- ITEM- ITEM-
CODING	INSPECTED MEMBER INSPECTED DATE NORK CLASS		NUNER																			NOTE : [CL] : : DAMAGE

A.042 Routine Inspection Coding Sheet for Expansion Joints for Rama IX Bridge Section

	DAMAGE CONDITIONS     DAMAGE CONDITIONS     COUNTRAME       DAMAGE ITEM     TOTAL     COUNTRAME       DAMAGE ITEM     TOTAL     COUNTRAME       DAMAGE ITEM     TOTAL     COUNTRAME       DAMAGE TIEM     DAMAGE OR DALLING OUT OF DALLY     COUNTRAME	SPEC	INSPECTED DATE WORK CLASS	ATE :-			(YY/MM/DD) [C1:28]	) MAME OF INSPECTOR : DOCUMENTS NUMBER :		•
DAMAGE ITEM       TOTAL         1       2       3       4       MOBRYS         NUSEDED       WALU-       COMMENTS       WOBRS         NUSEDED       NUSEDED       NUSEDED       NUSEDED         1       2       3       4       ATTON         1       1       1       1       1       1         1       1       1       1       1       1         1       1       1       1       1       1         1       1       1       1       1       1         1       1       1       1 <th>DAMAGE ITEM     TOTAL     COMBNTS       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     4     1       1     2     4     1       1     2     4     1       1     2     3     4       1     4     1     1       1     4     1     1       1     1     1     1       1     1     1     1       <td< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th>1 ·</th><th>COUNTER</th><th>MEASURE</th></td<></th>	DAMAGE ITEM     TOTAL     COMBNTS       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     3     4       1     2     4     1       1     2     4     1       1     2     4     1       1     2     3     4       1     4     1     1       1     4     1     1       1     1     1     1       1     1     1     1 <td< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th>1 ·</th><th>COUNTER</th><th>MEASURE</th></td<>							1 ·	COUNTER	MEASURE
I 2 3 4 ATUN TUNKEUN	I 2 3 4 ATION ATION ATION CITESTIC ATION CITESTIC CITESTIC CITESTIC CITESTIC CITESTIC CONSTICUTION CONSTICUTI	·		DAMAGI	E ITEM		TOTAL		WORKS	DATE
	DAMAGE ITEM-1 : ITEM-2 : ITEM-	L	1-1	2	~	4	ATION		 [CI:29]	DONE
	DAMAGE [TEM-2] CODE TABL I EM-2 I TEM-2 I									
	DAMAGE [TEM-1 : TEM-2 : TEM-2 : TEM-2 : TEM-3 : TEM-3 : TEM-3 : TEM-4 :									
	DAMAGE [TEM-2 : : : : : : : : : : : : : : : : : : :		:				-			
	DAMAGE [TEM-2] TEM-2 TEM-2 TEM-3 TEM-3 TEM-3 TEM-4	-								
	DAMAGE [TEM-1 : TEM-1 : TEM-2 : TEM-3 : TEM-3 : TEM-3 : TEM-3 : TEM-3 : TEM-3 : TEM-3 : TEM-4 : TEM-									
	DAMAGE [TEM-1 : TEM-2 : TEM-									
	DAMAGE [TEM-2] [CI] : CODE TABL ITEM-2 ITEM-3 ITEM-3 : TEM-3 : TEM-4 :									
	DAMAGE [TEM-1 : DAMAGE [TEM-1 : TEM-2 : TEM-2 : TEM-2 : TEM-2 :								:	
	DAMAGE [TEM-1 : [CI] : CODE TABL [CI] : CODE TABL [TEM-2 : [TEM-2 : [TEM-2 : [TEM-2 :	-				:				
	DAMAGE [TEM-1 : [CI] : CODE TABL [CI] : CODE TABL [TEM-1 : [TEM-2 : [TEM-3 : [TEM-3 : ]									
	CODE TABL									
	DAMAGE [TEM-1 [CI] : CODE TABI [CI] : CODE TABI [TEM-2 ] : TEM-2 : TEM-3 : TEM-3	-								
	E[C1] : CODE TABL I EM-1 : I TEM-1 : I TEM-2 : I TEM-3 : I TEM-3 :									
	DAMAGE [TEM-2 : TEM-2 : TEM-2 : TEM-3 :									
	CODE CODE CCIJ : CODE CCIJ : CODE CCIDE CCIJ : CODE CCIDE CC									
	DAMAGE ITEM-1 ICTI : CODE TABL									
	Codf Table [C1] : C0Df Table SAMAGE [TEM-1 : [TEM-3 : [TEM-3 : [TEM-3 :									
	CODE TABI CIJ : CODE TABI CAMAGE [TEM-1 : [TEM-1 : ITEM-3 : ITEM-3 :									
	[[1]]									
	CODE TABI [TEM-1 : [TEM-2 : [TEM-3 : [TEM-3 :									

A.043 Routine Inspection Coding Sheet for Dampers (on Pylon, Girder, Cable) for Rama IX Bridge Section

BRIDGE)

CODING SHEET FOR ROUTINE INSPECTION <PYLON DAMPER/GIRDER DAMPER/CABLE DAMPER> (RAMA IX

DATE TO BE DONE COUNTERMEASURE WORKS NEEDED [CI:29] CODE TABLE ITEM NUMBER ITEM-1 : CORROS-POLE···DAMAGE TO PAINT AND CORROSION OF POLE ITEM-2 : DEFORM-POLE···DEFORMATION OF POLE ITEM-3 : DISP-POLE···DISPLACEMENT OR LOOSENING/FALLING OUT OF BOLTS OF POLE ITEM-4 : LAMP BREAK···BURNING OUT/DECLINE IN LUMINOSITY OF LAMP ITEM-5 : DAMAGE-REFRECT···DAMAGE TO REFLECTOR COMMENTS . ., NAME OF INSPECTOR DOCUMENTS NUMBER DAMAGE CONDITIONS TOTAL EVALU-ATION (CC/WW/XX) [CI:28] ഹ 4 ITEM ŝ DAMAGE .! ... ~7 INSPECTED DATE WORK CLASS NOTE : [CI] : | : DAMAGE --UNIT NUMBER

Routine Inspection Coding Sheet for Lighting A.044 for Rama IX Bridge Section

BRIDGE)

ង

(RAMA

< L I G H T I N G >

INSPECTION

ROUTINE

FOR

SHEET

CODING

[C1:30] ... INSPECTED MEMBER

## A.045 Repairs Coding Sheets for Superstructures for Land Section

(LAND SECTION)

SUPERSTRUCTURE >

CODING SHEET FOR REPAIR

[CI:27]

ROI	ROUTE NUMBER		1 J									
DIRECTION OF TRAFFIC	OF TRAFFIC		I									
MAIN RC	MAIN ROAD / RAMP		_ (c::1)									
												:
•1 DATE	*1 40RK	*Z CHAINAGE	REPAIR	QUANTITY	2	costs	+3 Contract	NORK	COMMENTS	NAME OF ENGINEER	DOCUMENTS NUMBER	
	CLASS (CC1:29) (CC1:28)	(H	МЕТКОD [CI:35]		UNIT COSTS (Bhat)	TOTAL COST (Bhat)		DURATION (days)				
												1
				K K		<u>.</u>						
/ /				No				***				
/ /				11			-	:				<u> </u>
				#+ 55		L.					•	
				2 C								
				2								T
· · · · ·				<b>a.</b> bs								••••
				k.		J			-			
/ /				No								
				, I								T
/ /				1.bs								
, ,				ke		I						
				No			-					
, ,				ß						•		
- 1				sq • B		 						
				k B	:				-			<b>-</b>
- 1				No								
				8					-			
	T			84 - M						•		
				Kg					-			
				01								T
1 1/												
				sq a		<u>_</u> 				-		
	1			No								
KOTE ; DATE (CT)	; DATE : YY (ci) : CO : -1 UPPER : RE	: YY/MM/DD : CODE TABLE ITEM NUMBER B : REPAIRED	EN NUNBER									]
-2	LOVER : IN UPPER : S1	VSPECTED			:	•						
	LOVER : EN UPPER : N/	ND OF CONTR.	ACTOR						. *	. *		•
-	ייי בי	JRIKACI NURB	SEK						·			

A.046 Repairs Coding Sheet for Retaining Wall, Embankments and Drainage for Land Section

SECTION)

WAL

DRAINAGE/ENBANKMENT/RETAINING

REPAIR

F O R

CODING SHEET

(c1:27)

REPAIRED MEMBER =

		<b></b>								Т				r			T.			-1				Т				1	
		DOCUMENTS NUMBER																											
		NAME OF ENGINEER																											
		COMMENTS																	·										
		VORK	DURATION (days)																										
		 -3 CON TRACT																-											
		SL	TOTAL COST (Bhat)		<b>I</b>			1				1						1				<u>I</u>				L			
		COSTS	UNIT COSTS (Bhat)																					-					
		QUANILTY				No 1	a	Sq+lk	kg No	Ŗ	11.45	kg -	No .		R. 05	No		sq.a	× 50		12 - DV	46	No :	u	a-ps	kg	No		
		REPAIR	(c1:35)																										
. 	(C1:1)	LOCATION	(CI:14)						÷ .																			ITER NUMBER	TRACTOR Meer
ROUTE NUNBER : N OF TRAFFIC :	RANP :	•2 CHATNAGE	(B)			-					•																	: YY/XX/CD : CODE TALE ITEM NUMBER A : REPAIR R : INSPECTED R : STAR R : STAR R : STAR	CONTRACT NU
SOUTE NUNBER :	MAEN ROAD / RAMP :	- NORK	(CT:29)																									: DATE (CI) - L UPPER - 2 UPPER - 2 UPPER	+3 UPPER
018FC		•1 047E		1			/ /		``		`	, ,		``		/ /		- 1			``		/ /	``	- 1	/ /	. 1	E IN	

A.047 Repairs Coding Sheet for Guard Wall, Handrail, Guard Rail, Fence and Noise Barrier for Land Section

SECTION)

AND

BARJIER>

**NOISE** 

UARD

CODING SHEET FOR REPAI

(CI:27)

REPAIRED NEMBER :

LAND SECTION RPAT CODING SHEET

[CI:27] REPAIRED MEMBER : ROUTE NUNSER :

DIRECTION OF TRAFFIC :

MAEN ROAD / RAMP :	/ RAMP :	(c1:1)						- - -				
+1 +1 +1	CHAINAGE	PIER	CONTRACT	REPAIR	QUANTITY	COSTS	~	*2 CONTRACT	WORK DIRETTON	COMMENTS	NAME OF ENGINEER	DOCUMENTS NUMBER
(C1:28)	9		10000	(CI:35)		UNIT COSTS TO (Bhat)	TOTAL COST (Bhat)		(days)			
				- <b>L</b> -	a.ps							
					k.g. Xo		I					
/ /												
	T			· · · · · · · · · · · · · · · · · · ·	ks No		L					
					:;;							
	1				ke No		.I					
					sç-a				· .			
					kg No							
							<b>I</b>	-				
/ /					ke No							
· ·   · ·					84.8						•	-
					kg i No (		L					-
/ /					#-b\$							
~					ke No		L					
NOTE : DATE : YV/M/DD (CT) : CODE.TABLE ITEN NUMBI : UPPER : REPAIRED LOWER : TXSPECTED -2 UPPER : MANE OF CONTRACTOR LOWER : CONTRACT NUMBER	: YV/M/DD code trale Item Number repaired : Inspected : Mane of contractor : contract Number	ITEM NUMBER TRACTOR MBER										

A.048 Repairs Coding Sheet for Piers for Land Section

(CI:1)	IR QUANTITY COSTS CONTRACT GORK COMMENTS NAME OF ENGINEER DOCUMENTS NUMBER	UNIT COSTS TOTAL COST (Bhat) (Bhat)				59 59							No	Sq.n			
(C1:1)	REPAIR	(CI:35)	e e.bs	Kg No	E U	kg No	E	17 29 CN	E	29 29 29		R BS	М	u-bs	38	kg kg	No NUXBER
NOULE NUMBER :	CHAINAGE	â								1						1	*     I     I     N       : DATE     : YY/MA/DD     I     I       : DATE     : YY/MA/DD     I     I       : DATE     : CODE TALLE ITEM NUMBER     I     I       : *1 UPPER : REPAIRED     I     I     I       : 004ER : INSPECTED     I     I     I       : 004ER : INSPECTED     I     I     I
NOULE NUMBER : DIRECTION OF TRAFFIC : MAIN ROAD / RAMP :	DATE GORK	(C1:28) (C1:28)	11	11	1 / .		11	1 1	/ /	1 1	/ /	1 1		/ /	1 1		NOTE : DATE (C.1) : *1 UPPE LOWE

# (LAND SECTION) JOINTS> **SEXPANSION** CODING SHEET FOR REPAIR

REPAIRED MEMBER : ROUTE NUMBER :

[C1:27]

A.049 Repairs Coding Sheet for Expansion Joints for Land Section

CODING SHEET FOR REPAIR <BEARINGS> (LAND SECTION)

REPAIRED MEMBER : (GI:27) ROUTE NUMBER :

DOCUMENTS NUMBER NAME OF ENGINEER CONVENTS NORK DURATION (days) 4 CONTRACT UNIT COSTS TOTAL COST (Bhat) (Bhat) COSTS QUANTITY REPAIR NETHOD [CI:35] NOTE : DATE : YY/MM/DD [C1] : CODE TABLE ITEN NUMBER : LUPPER : REPAIRED LOVER : INSPECTED -2 UPPER : NAME OF CONTRACTOR LOVER : CONTRACT NUMBER (I:I) LOCATION CODE 1 CHAINAGE l Ē ÷ VORK CLASS (CI:29) (CI:28) ÷ // 11 DATE 11 11 1.1 11 // / / 1 11 1.1 1.1 // 11

(LAND SECTION) < PAVEMENT> CODING SHEET FOR REPAIR

(C1:27) REPAIRED MEMBER : ROUTE NUMBER : DIRECTION OF TRAFFIC : MA(N ROAD / RAMP :

	DOCUMENTS NUMBER	-																												
	NAME OF ENGINEER																													
	COXYENTS				-																									
	HORK .	(days)												<b>.</b>																
	*3 CONTRACT																													
	STSCO	TOTAL COST (Bhat)		<u>+</u> -			_1_							I			.1			<b>1</b>	-			ł.						
	8	UNIT COSTS TOTAL COST (Bhat) (Bhat)						:																						
	QUANTITY		E - D%	kg	No	8.03	40 H2	No	В	84.B	88 90	8	sq-n	kg.	- No	80-B	kg	No	69	sq•#	kg	No	E	Sq.n.	kg	No				
	REPALR	[CI:35]																												
[CI:1]	LAVE																										TEN NUMBER		RACTOR	ISEK
RAYP :	*2 CHAIVAGE	(B)																								00/144/00	TY/AM/DU CODE TABLE ITEM NUMBER REPAIRED	INSPECTED START	NAME OF CONT	UUNIKAUI NUT
XACN ROAD / RAMP :		[C1:29] [C1:28]																	- 			-				0.TE	CI) (CI) *1 (PPER	*2 UPPER		
	*l DATE	:	//			//		- -	/ /		//	1 - 1	-	/ /		- / /		-	/ /		/ /		/ /		/ /		: : 2005			

Repairs Coding Sheet for Pavement for Land Section

1

A.051

GE POI		[[]]								
of tweese         Refine Refine Refine         OutMITTY         Contract         NWE of Exercises           refine         Refine         NWE of Exercises         NWE of Exercises         NWE of Exercises           refine         Refine         NWE of Exercises         NWE of Exercises         NWE of Exercises           refine         Refine         NWE of Exercises         NWE of Exercises         NWE of Exercises           refine         NWE of Exercises         NWE of Exercises         NWE of Exercises         NWE of Exercises           refine         NWE of Exercises         NWE of Exercises         NWE of Exercises         NWE of Exercises           refine         NWE of Exercises         NWE of Exercises         NWE of Exercises         NWE of Exercises           refine         NWE of Exercises         NWE of Exercises         NWE of Exercises         NWE of Exercises           refine         NWE of Exercises         NWE of Exercises         NWE of Exercises         NWE of Exercises           refine         NWE of Exercises         NWE of Exercises         NWE of Exercises         NWE of Exercises           refine         NWE of Exercises         NWE of Exercises         NWE of Exercises         NWE of Exercises           refine         NWE of Exercises         NWE of Exercises         N										
MULL         MULL <th< th=""><th>CHAINAGE POLE</th><th>REPAIR</th><th>QUANTLTY</th><th>CO</th><th>STS</th><th>*2 Contract</th><th>VORK</th><th>CONMENTS</th><th>NAME OF ENGINEER</th><th>DOCUMENTS NUMBER</th></th<>	CHAINAGE POLE	REPAIR	QUANTLTY	CO	STS	*2 Contract	VORK	CONMENTS	NAME OF ENGINEER	DOCUMENTS NUMBER
a:         a:         a:           k:         k:         b           k:         b         b           k: <t< th=""><th>(m)</th><th>(c1:35)</th><th></th><th>UNIT COSTS (Bhat)</th><th>TOTAL COST (8hat)</th><th></th><th>(days)</th><th></th><th></th><th></th></t<>	(m)	(c1:35)		UNIT COSTS (Bhat)	TOTAL COST (8hat)		(days)			
Re         No           No         <			8							
NB         NB           N         N	-	,	84 - BS							
n         n         n           91-m         10         10           10         10         10			X S							
Ki         Ki           No         No           No         <										34
KE         KE           1         1					<b>I</b> .		_			
n         n         n         n           35.1         35.2         1         1           35.2         35.3         1         1           35.1         35.2         1         1           35.2         35.3         1         1           35.3         35.4         1         1           35.4         1         1         1         1           35.4         1         1         1         1           35.4         1         1         1         1           1         1         1         1         1         1           1         1         1         1         1         1         1           1			ke No							
Ke         Ke           No         1										
No         No         No           1         1         1         1           1         1         1         1         1           1         1         1         1         1         1           1         1         1         1         1         1         1           1			ke							
Image: Serie bill         Image: Serie bill			No						- - -	:
D BLE ITEM NUMBER ED COMTRACTOR			kg					2		
D BUE ITEM NUNBER ED CONTRACTOR			No							
0 BLE ITEM NUMBER EC COMTRACTOR			R B				•	•	1	
D BLE ITEM NUNBER ED CONTRACTOR			ks No		· .					:
D BLE ITEM NUMBER ED CONTRACTOR			3							
D BLE ITEM NUNBER ED CONTRACTOR			sq m		. <b>.</b>					
0 BLG ITEM NUNBER ED CONTRACTOR			NO						-	
D BLG ITEM NUNBER ED CONTRACTOR			5. DS							
D BLG ITEM NUMBER ED CONTRACTOR			ks s						-	
A CIED DF CONTRACIOR	/DD TABLE ITEM NUMBE		-							-
LEU De Contractor	6. 1-1-1									
	OF CONTRACTOR									

A.052 Repairs Coding Sheet for Lightings and Traffic Signs for Land Section

LONI

CODING SHEET FOR

(CI:27)

REPLIKED NENBER :

	ញ				T		Τ		T			Γ						<u> </u>			T		000-1000		]			
,	DOCUMENTS NUMBER																										:	
	NAME OF ENGINEER																											
	COMMENTS																											
	GORK Drin 1 T T OIL	(days)																							-	•		
	*2 CONTRACT	. *																•										
	COSTS	TOTAL COST (Bhat)		L :	<b> </b>					1						·]			-L-				I					
	COS	UNIT COSTS (Bhat)																										
	QUANTITY	-																										
30]	•		E SC-B	kg No		Хд No	百 年-C2	5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 =	₽-bs	ž 5	8	kg I	2	81.DS	Ę.	2	e	ii ba	2	E	≣.bs	ž	2	MBER		~	
[CI:30]	REPAIR	[CI:36]																				_			LE LEX N	4	: INSFECTED : NAME OF CONTRACTOR : CONTRACT NUMBER	
•	UNIT: UNIT:	WHITEL																						21-22 - 22-22 - 22-24 - 22-22-22-22-22-22-22-22-22-22-22-22-2	YY/MM/UU CODE TAB	REPAIRED	INSFECTE NAME OF CONTRACT	
REPAIRED NEMBER :	1* MORK 1*	(CT:29) (CT:28)																				[			: DATE : : [CI] :	*1 UPPER	LOWER : L : *2 UPPER : N LOWER : C	
REPA	*1 DATE		/ /	1.10	. / /	/ /	/ /	/ /	~		/ /	/ /			/ /			/ /		/ /	/ /		/ /		NOTE ::	••	••	

A.053 Repairs Coding Sheet for General (except for Pavement) for Rama IX Bridge Section

OTHER MEMBERS> (RAMA IX BRIDGE) CODING SHEET FOR REPAIR <ALL

Diff         Operation         Ope	КЕР	REPAINED MEMBER :		[C1:30]	(0)								
ULTIC COSTS         NAMERA         NA	*1 DATE	LOR <sup>2</sup>		LANE	REPAIR	QUANTITY		COSTS	*2 CONTRACT	WORK	COMENTS	NAME OF ENGINEER	DOCUMENTS NUMBER
Bar         Bar <th></th> <th>(C1:28) (C1:28)</th> <th>ИСТРЕИ</th> <th>ALIQUE'N.</th> <th></th> <th></th> <th>UNIT COS (Bhat)</th> <th>TS TOTAL COST (Bhat)</th> <th></th> <th>. (days)</th> <th></th> <th></th> <th>• . ·</th>		(C1:28) (C1:28)	ИСТРЕИ	ALIQUE'N.			UNIT COS (Bhat)	TS TOTAL COST (Bhat)		. (days)			• . ·
DATE KYYAY/00 COLD CODE TABLE ITEM NUYBER 1.00ER NEFT INFORMED 2.00ER NEFT NAME OF CONTRACTOR										·			
I DATE I DATA I DATA				~ ~~		Sq.n			-	1			
: DATE : DATE : DATE : CTJ : COT : COT : COTACA : COTACACTOR : COTACACTOR : COTACACTOR : COTACACTOR : COTACACTOR : COTACACTOR : COTACACTOR : COTACACTOR	11					kg		]					
I DATE I DATE I DATE I DATE I DATE I CTI I COLE TALLE ITEM NUMBER I DATE I COLE TALLE ITEM NUMBER I DATE I COLTACTOR I CONTACTOR I CONTACTOR I CONTACTOR						0.							-
DATE KYYXY/00 CUD COE TABLE ITEM NUYBER 1.00ER NEFT INFORMED 1.00ER NEFT NAME OF CONTRACTOR	1 1					6		-1	-				
DATE XYXM/OD CUT COLTAGE THEN NUMBER 1 DATE XYXM/OD COLT CODE TAGE ITEM NUMBER 1 DUERE NAME OF CONTAGTOR 1 DUERE NAME OF CONTAGTOR	-					SQ.E				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
: DATE : DATE : DATE : CTJ : CCTJ : COLTACLE ITEM NUMBER : 1 UPPER : NEWEOTED LOWER : INVERTED : CONTACT OR	1 1					kg							
I DATE I DATE						<u></u>							
DATE KYYXY/00 CUT COLTAGE TEM NUYBER 1 CUT COLTAGE TEM NUYBER 1 CUT COLTAGE TEM NUYBER 1 CUT COLTAGE TEM NUYBER 2 CUT COLTAGE TEM NUYBER 2 CUT COLTAGE TEM NUYBER	1 1		_			9		-					
DATE XY/XM/OD CUT CODE TABLE ITEM NUMBER = 1 UPPER NEEDED LOWER INVECTED LOWER CONTACT ONE						sq-n							
: DATE : DATE : DATE : CTJ : CTJ : COE TALE ITEM NUMBER : 1 UPPER : NEFOTED : CONTACT OR : 2 CONTACT OR	1 1					kg			-				
I COLTANE INVANYOD COLTANE INVANYOD COLTANE INVANYOD COLTANE INVEST COLTANE INVEST COLTANE OF CONTRACTOR LOWER INVEST						No							
: DATE : DATE : DATE : VYYWY/DD : CCI :	1 1					B							
DATE XY/XM/DD DATE XY/XM/DD COLD CODE TABLE ITEM NUYBER = 1 UPPER REFAIRED LOWER INVECTED LOWER ANKE OF CONTRACTOR	-					SQ • B		<b>I</b>					-
DATE XY/XM/OD CUT CODE TABLE ITEM NUMBER 1 CUT CODE TABLE ITEM NUMBER 1 CUT CODE TABLE ITEM NUMBER 1 CUT CODE TABLE ITEM NUMBER 1 COMTACT NUMBER 1 COMTACT CONTACTOR	1 1					kg ,	:	-1					
: DATE : DATE : DATE : CCID : CODE TABLE ITEM NUMBER : 1 UEPER : REFAIRED : 2 CONTACT ON TABLE : 2 CONTACT ON TABLE						9				_			•
EXAMPLE ITEM NUMBER     COLD I CODE TABLE ITEM NUMBER     COLD I CODE TABLE ITEM NUMBER     COLD I CODE TABLE ITEM NUMBER     CONTAKT TOR     CONTAKT TOR	11		•		:	e					-		
DATE     AVANADD     DATE     AVANADD     DATE     AVANADD     COLD     COLD     COLD     COLD     COLTABLE ITEM NUMBER     LOWER INFERD     LOWER INFORMED					_	:: :::::::::::::::::::::::::::::::::::		1					
DATE     AVAN/DD     AVAN/DD     COLE     COLE TABLE ITEM NUMBER     COLE     COLE TABLE ITEM NUMBER     COLE     CONTACT NUMBER     CONTACT NUMBER     CONTACT ON TAGE	1 1					S OK	-						
EXAMPLE ITEM NUMBER     IDATE : YYYMY/DD     COID I CODE TABLE ITEM NUMBER     COID : CODE TABLE ITEM NUMBER     ILOPER : NAME OF CONTRACTOR     LOPER : NAME OF CONTRACTOR	1.1					Ē							
<pre>DATE YYYMY/DD DATE YYYMY/DD : CCT : CODE TABLE ITEM NUYBER : 1 UPPER REFAIRED LOWER INKE OF CONTRACTOR : 2 UPPER NAME OF CONTRACTOR : 2 UPPER NAME OF CONTRACTOR</pre>	-					arps.							
DATE YYYMY/D     DATE YYYMY/D     DATE YYYMY/D     COID TABLE ITEM NUMBER     COID CODE TABLE ITEM NUMBER     COID CODE TABLE ITEM NUMBER     CONTACT TABLE     LOWER NAME OF CONTRACTOR     LOWER NAME OF CONTRACTOR	11		•			kg No							•
<pre>DATE YYYMY/DD DATE YYYMY/DD : CCI : CODE TABLE ITEM NUMBER : 41 UPPER REFAIRED LOWER : IXYFECTED LOWER : IXME OF CONTRACTOR : 200FER : NAME OF CONTRACTOR</pre>	-												
DATE XY/XM/00 DATE XY/XM/00 (CT) CODE TABLE ITEM NUYBER 1 UPPER REFAIRED LOWER INVECTED 1 COWTAACT NIMBER 1 COWTAACT NIMBER	/ /					Ed - E		, T					
<pre>: Darte : YY/XM/OD : Darte : YY/XM/OD : CCI) : CODE TABLE ITEM NUMBER : clupper REPAIRED : clupper : NUMBER : clupper : NUMBER : clupper : NUMBER : clupper : NUMBER : clupper : NUMBER</pre>	1 1					kg							
DATE : YY/XM/DD     DATE : YY/XM/DD     (CI) : CODE TABLE ITEM NUMBER     * 1 UPPER : REFAIRED     LOWER : IXSPECTED     :* 2 UPPER : XMME OF CONTRACTOR     :* CONTRACT OR						No							
DATE YY/MA/DD     DATE YY/MA/DD     (CI) CODE TABLE ITEM NUMBER     (LIPER NERPAIRED     LOWER INSPECTED     LOWER NAME OF CONTACTOR     *2 UPPER: NAME OF CONTACTOR	1.1					<b>G</b>		Ī					
<ul> <li>DATE : YYYM/DD</li> <li>DATE : YYYM/DD</li> <li>(C1) : CODE TABLE ITEM NUMBER</li> <li>: 1 UPPER : NEXPECTED</li> <li>LOWER : INSPECTOR</li> <li>: 2 UPPER : NAME OF CONTRACTOR</li> </ul>						Ed. #		 -T		-			
: DATE : YYYAYDD ; (CI) : CODE TABLE ITEM NUMBER : 41 UPPEM : REFAIRED LOWER : INSPECTED : 2 UPPEM : MAG OF CONTACTOR : 2 UPPEM : NAMEOF CONTACTOR	1 1	-				X8 No							
: UCUJ : COUE TABLE ITEM NUMBER : 1 UPPER : REPAIRED : 2 UPPER : NAME OF CONTRACTOR : 2 UPPER : NAME OF CONTRACTOR LOWER : CONTRACTOR	NOTE	DATE	DQ/KK/AX										
TURTER INSPECTED LOWER INSPECTED :*2 UPPER INAME OF CONTRACTOR LOWER CONTRACTOR	•- •	- 1 (CL)		CE ITEM NUM									
: *2 UPPER : AME OF CONTRACTOR LOPER : AME OF CONTRACTOR	•		TVCDCCTCD										
Lueran Anala vertakajuk		· 030011 0+											
	• •	: HEMOI	· CONTRACT	NUMBER		·							

## Repairs Coding Sheet for Pavement A.054 for Rama IX Bridge Section

CODING SHEET FOR REPAIR <PAVEMENT>(RAMA IN BRIDGE)

INVENTORY
SUPERSTRUCTURE

ROUTE : XXXXX DIRECTION OF TRAFFIC : X

MAIN ROAD / RANP : XXXXXXXXXXXXXXXXXXXXXXXXXX

DATE OF COMPLETION : YY/MM

NHER         THE UP of CLASS         THE OF CLASS			•			BRIDGE ITEMS	TEMS					ATTACHED FACILITY	· · · · · · · · · · · · · · · · · · ·		
13931 30         CONCOMPONING         MACCOMPONING         MACCOMPONING	NUMBER	5	PTER Number	TYPE OF CROSS SECTION	TYPE OF GIRDER	SRIDGE LENGTH (#)		NUMBER OF GIRDERS	DEPTH OF CIRDER (m)	USE OF UNDER-BRIDGE	+2 TYPE CF GUARD WALL	TYPE OF DRAIN SYSTEM		NUKBER DF INLET	docukents number
3939.14.39         COCOCCCCCC         234.39         39.43         39.44         2000000000000000000000000000000000000	000	292999.999	XXXXXXXXX			999, 399	999. 999	56		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	66	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
199394. 363         NOUCCOCCO         NOUCCOCCOC         NOUCCOCCOCCCC         NOUCCOCCOCC         NOUCCOCCOCC         NOUCCOCCOCC         NOUCCOCCCC         NOUCCOCCCC         NOUCCOCCCC         NOUCCOCCCC         NOUCCOCCCC         NOUCCOCCCC         NOUCCOCCCC         NOUCCOCCCC         NOUCCOCCCC         NOUCCCCCCC         NOUCCCCCCCCCCCCCC         NOUCCCCCCCCCCC		<b>6</b> 86 <b>616</b>	KUKKUKU			·	<b>999,</b> 599				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				-
939394. 988         XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	558	565666 666	XXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		566 - 556	<b>99</b> 9, 999	55				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	65	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
39395         3939.939         2939.9399         2020000000000000000000000000000000000		999999. 999	XXXXXXXXXX				395, 899		· · · · · ·	<u>L.2.</u>				·	
919935         3939.939         393.939         300.0000000000000000000000000000000000	655		XXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		\$99.399	399, 999	66				200000000000000000000000000000000000000		65	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
93939. 139         XXXXXXXXXX         XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		999998, <u>9</u> 99	XXXXXXXXXXX				59 <b>9.</b> 999								
999991.93         XXXXXXXXXX         XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	668	999999, 999	XXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999.959	939, 929	65		1	******			65	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
95935. 313         XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		999999. 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			·	656 .655				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				
6556 5560	8	999995. <u>9</u> 98	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	*****	999, 999	839, 939	56	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		200000000000000000000000000000000000000		5	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
		998 <b>399,</b> 999	XXXXXXXXXXX				686.989				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				

# A.055 Superstructure Inventory

NAME OF CONSTRUCTOR :	TOR		X X X X X X X X X X X X X X X X X X X						•
DATE OF COMPLETION : YY		Y Y/MM							. !
					PIER D	DATA			
CHAINAGE P (n) NU	- NU	P LER NUMBER	CONTRACT NUMBER	TYPE OF CROSS SECTION	TYPE OF PIER	TYPE OF FOUNDATION	NUMBER OF COLUMN	HIGHT OF COLUMN (m)	DOCUMENTS KUMBER
393999.999 XXX	XXX:	XXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
838339.983 XXX	XXX	XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6	333, 333	XXXXXXXXXXXXXXXXXXXXXXX
888888, 888 XX	(XX)	XXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6	666 656	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XX 66666666	XX	XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	S7	955,999	XXXXXXXXXXXXXXXXXXXXXXXX
XX 666666666	XX	XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6	656 656	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
899999.999 XX	XX	XXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	5	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
888888.888 X	×	ΥΧΧΧΧΧΧΧΧΥ	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6	333.928	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
893999, 999 X	×	XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6	999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
аааааа. ааа Х	X	*****	ΧΧΧΧΧΧΧΧΧΧ	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	5	666 666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
666666666666		<b>XXXXXXXXXX</b>	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	8	<b>3</b> 3 9 9 9 9 9 9	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
6666666666	_	ΧΧΧΧΧΧΧΧΧΧ	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6	555 555	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
666666666666		XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6	939, 939	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
6565666		XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
888888 888		X X X X X X X X X X X	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	3	999.999	XXXXXXXXXXXXXXXXXXXXXXXX
499999 999 X	~	XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	ġ	999,999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
8889999, 995 X	×	XXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	<b>в</b>	399.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PIER INVENTORY

ROUTE : XXXXX DIRECTION OF TRAFFIC : X

MAIN ROAD / RAMP : XXXXXXXXXXXXXXXXXXXXXXXXXXXX NAMP OF CONSTRUCTOR A.056

Pier Inventory

NAME OF		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		•	· · ·	
DATE C	DATE OF COMPLETION : YY/MM	W				
Gaaruu	CUANTAG	EXPANSION JOINT DATA				
N ZOMU N	UNALIVAUE (T)	CURRENT TYPE OF EXPANSION JOINT	CHANGED DATE (YY/MM)	LENGTH (m)	DUCUMENTS NUMBER	
66666	999999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	MM/YY	999,999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
66666	999999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	YY/MM	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
66666	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XY/MM	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
99999	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	YY/MM	999. 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	.
66666	66666666666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	YY/MM	939, 939	XXXXXXXXXXXXXXXXXXXXXXXX	
66666	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	YY/WM	339, 339	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
66666	999999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	YY/MM	999. 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
99999	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	MM/YY	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
66666	999999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	YY/WM	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXX	
66666	66666666	<u>ΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧΧ</u>	MM/YY	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
66666	999999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/XX	999. 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	-Τ
99999	999999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	YY/MM.	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Π
99999	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/ XX	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>
66666	666666666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/XX	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
66666	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/XX	999. 999	XXXXXXXXXXXXXXXXXXXXXXXX	~~~ I
66666	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/XX	999.999	XXXXXXXXXXXXXXXXXXXXXXXX	

A.057 Expansion Joints Inventory

A-85

INVENTORY

EXPANSION JOINTS

ROUTE : XXXXX

DIRECTION OF TRAFFIC : X

BEARINGS INVENTORY

ROUTE : XXXXX

DATE OF COMPLETION : YY/MM

		s S	ş	3	ğ	×	s S	<u>چ</u>	×	X	×	×	X	×	X	×	X
อิตอานาร จะหลายเจรน	AND BULLER CINCONNON	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
-	F/M DISTINCTION	X	X	X	X	X	×	X	X	X	X	X	X	X	, X	X	×
	NUMBER OF BEARING	66	66	66 .	66	66	66	66	66	56	66	66	66	66	66	66	66
BEARING DATA	TYPE OF BEARING	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
LOCATION	CODE	Х	X	X	X	Х	X	X	X	X	Х	X	×	×	X	Х	Х
	CONNECTION TITE	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	988999. 999 XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
~	CHAINAGE (m)	999995, 999	6666666 666666	6666666666666	999999, 999	999999, 999	999999, 995	999999, 999	666666666666666666666666666666666666666	868888° 888	999999, 999	999999, 999	888888.8 <b>8</b> 8	999999 9999	666666	939999. 399	<b>333333, 335</b>
	NUMBER	66666	56565	66666	66666	66666	66666	66666	66656	66665	66666	66556	99999	39539	99999	66666	56666

A.058 Bearings Inventory

EMBANKMENT INVENTORY

ROUTE : XXXXX DIRECTION OF TRAFFIC : X DATE OF COMPLETION : YY /WW

LNBANAMEN!	ŀ			ATTACHED FACILITY	Y		CUI	CULVERT			
TYPE OF BANK		HIGHT OF Retaining Wall (m)	+2 TYPE 0F GUARD #ALL	TYPE OF DRAIN SYSTEM	TYPE OF INLET	NUMBER OF Inlet	CROSS SECTION TYPE	WEDTH (a)	HEIGHT (=)	LENGTH	DOCUMENTS NUMBER
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	66	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	339.9	389. 9	5 665	XXXXXXXXXXXXXXXXXXXXXXXXX
			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			4-2-22-2-	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<b>999. 9</b>	863.9	999.9	
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		565 °556	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	65	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	399. 9	<b>9</b> 99. 9	339.5	XXXXX XXXXXXXX X7.XXXXX
			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<b>399. 3</b>	999. \$	9 <b>99,</b> 9	
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		566 '656	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	56	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6.665	353. <u>9</u>	<b>999. 9</b>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6.998.9	5 · 5 6 5	959.9	
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	66	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	339.9	999.9	333.9	XXXXXXXXXXXXXXXXXXXXXXX
			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	993.9	999.9	838.9	·
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		999, <del>9</del> 93	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<b>6</b> 6	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	. 339. 9	999.9	359.5	XXXXXXXXXXXXXXXXXXXXXXXX
			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999.9	333, 9	939, 9	
XXXXXXXXXXXXXXXXXXXXXX		99 <b>9.</b> 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	66	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6 . 665	6 '665	999.9	XXXXXXXXXXXXXXXXXXXXXXXX
			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			I	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6 .966	939.9	<b>6 .66</b> 5	
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		999. 599	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	66	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	939.9	5 .655	6 666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			· .	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	353. 9	539.9	399.9	

## A.059 Embankment Inventory

RALLING INVENTORY

ROUTE : XXXXX DIRECTION OF TRAFFIC : X MAIN ROAD / RAMP : XXXXXXXXXXXXXXXXXXXXXX

DATE OF COMPLETION : YY/MM

Railing Inventory A.060

DATE 0	DATE OF COMPLETION : YY/AM	YY/MM						
NUMBER	CHA	CHA INAGE	LOCATION OF FENCE	GUARD F	FENCE DATA			
	START (m)	END (m)		OBJECT OF INSTALLATION	TYPE OF FENCE	HIGHT OF I	LENGTH OF FENCE (m)	LOCUMENTS NUMBER
66666	999999, 999	999999, 599	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	666 666	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	999999. 899	999999, 599	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	999, 999	999, 999	XXXXXXXXXXXXXXXXXXXXXXX
56665	6666666 6666666	999959, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999, 999	939, 939	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	999999.999	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	883° 889	666 -666 666 - 666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	999999, 999	999959, 999	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	666, <del>6</del> 66	839, <u>5</u> 99	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	992999, 999	999999.999	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	666°,666	999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	6666666	656 666666	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	666, 666 -	666, 666	XXXXXXXXXXXXXXXXXXX
66666	939999, 959	858939, 959	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999, 9 <u>9</u> 9	999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	666666	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	666, 666	666 666	XXXXXXXXXXXXXXXXXXXXXXXX
66666	999999, 999	888899, 999	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	666.666	385° 385	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	995699, 999	666 668 668	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999, 999	888° 888	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	66666666	6666666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	959, 999	666 666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	6666666	<u> 999999, 999</u>	XXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	999, 999	959, 959	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	666666666	666-666666 666-6666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	888° 888	66 <b>0</b> , 969	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
99999	66666666	666 66666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	666, 666	666, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	565666 566	995599. 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	666-656	66.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	959929. 999	566666° 666	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999, 996	666 666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	66666666	£99999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999. 999	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66566	999999, 999	59999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999, 599	888, 889	XXXXXXXXXXXXXXXXXXXXXX
63566	8666666 8666666	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	999, 999	999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	999999.995	6666666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	999. <u>9</u> 99	999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66663	999999, 399	6666666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	<b>999.999</b>	999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	999999.999	999999, 999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX	999, 999	999.999	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
66666	999999.999	999999, 999	<u> XXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	888. 888 8	999, 999	XXXXXXXXXXXXXXXXXXXXXX

FENCE INVENTORY

ROUTE : XXXXX

A.061 Fence Inventory

	,	<u>+</u>												<b></b>			<b></b>												<b></b>					
			DOCUMENTS	• •		AAAAAAAAAAAAAAAAAAAAAAAAAAA					*******		:	:				YYYYYYYYYYYYYYYYYYYYYYYYYYYYY					***************	ANAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMA		•		-	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	WWWWWWWWWWWWWWW				
		ко.	OF LANE	KARX LINE		2					er	•					•	л.,			•			3					.4	,		• :		
			CHANGED DATE	(WR/XX)	MW/XX	ИК/АА	ИК/АЛ	YY/NM WN/XX	YY/HK	NH/A.	YY/WH	MW/XX-	XX/WR	WW/XX	YY/WM	XX/MH	XX/XX	XX/XX	· XX/WW·	WW/XX	XY/WW	WW/XX	₩₩/ХХ	XK/XK	YY/WK	YY/WH	¥ж/уγ	YY/WH	нн/уу	YY/WW	YY/WW	YY/WH	M/X/	KK/WW
		-	TYPE OF PAVEMENT	(CURRENT)	XXXXXXXX	XXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXX	XXXXXXXX		•		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	÷	XXXXXXX	XXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXX	XXXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXX	XXXXXXXX	XXXXXXXX
	DATA					1.1			_	1	_		_			<u>.</u>				_						_				_			- 1	
	PAVEMENT DATA	REA (m')		BY LANE	Ŀ	9399.93	-	-	-	_			9399.99	9999.99	9899.99			-	85 5555		9999.99	·		-	9399.99	9359 99	55.555		·	9919.39	9993.99	9999.99	┥	9999.99
		PAVENENT AREA (m			SHOULDER	LANE 2	LANE 3	LANE - 4		LANE 6	-	LANE 2	LAME 3	LAHE	LANE 5	LANE 6	SHOULDER	LANE 2	LANE 3	LANE 4	LANE 5	LANE 6	SHOULDER	LANE 2	LANE 3	LANE	LANE 5	LANE 6	SHOULDER	LAKE 2	LANE 3	LANE 4		LANE 6
		đ		TOTAL	00000						9999,99	;					0000						55 5555		•				3999,95					
		HLGIM	. 4	È è	900 009						999, 999						944 444				;		599.959						999,999					
		PAVENENT WIDTH		SIAKI (a)	000 000						999, 999						999, 999						889, 888						888° 939		<u></u>			
		ut n m tu		र भ भ	999 989						939.939						999, 999			· · ·			999, 999						999.999					
				2549271 (m)	699.999						90 <b>9</b> , 999					-	999, 999						8 <b>93, 9</b> 99						389, 999					
	•			LANE						┨	с, ф																	-	6) 69					-
	COMMON DIMENSIONS		ROAD-BED		*****						XXXXXXXXXXXXXXXXXXXXXXXXX		:				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX						XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX						XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX					
	·	24 20V <del>1</del>	CROSS SECTION		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX						XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX						999999.999 XXXXXXXXXXXXXXXXXXXXXXXXXXXX						XXXXXXXXXXXXXXXXXXXXXXX						XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	-				
MM/YY : NOI		CHAINAGE	27	(a)	999999.999						665 666666												999999, 999		_				999199. 999					
DATE OF COMPLETION :		CHAE	61.67	11171C	856,856666		-				999999, 999						999989.998						556565 6565						993299, 939					
DATE		NUMBER			66866						66666						68686						66666						66666					

### A.062 Pavement Inventory

PAVEMENT INVENTORY

ROUTE : XXXXX DIRECTION OF TRAFFIC : X 

		SWITCH UUCUNENTS NUMBER	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
		AVERAGE LUMINUS SW INT'TY GRU	XXXX 66555	XXXX 55556	XXXX 66666	XXXX 55556	XXXX 55556	XXXX 56668	XXXX 55555	XXXX 55555	XXXX 56666	XXXXX -56666	XXXX 58656	XXXXX 58665	XXXX 56555	XXXX 55555	XXXX 62665	XXXX 66555	XXXXX 66555	XXXX 55555	XXXXX 65555	CXXXX 55555	CXXXX 66555	33333 XXXX
· ·		ELECTRIC CONSUMPTION (watt/hour)	56655	66566	56565	56566	55555	65565	65666	55565	55555	33333	66085	66556	66866	56665	66666	66655	66665	\$5666	65666	66666	65656	56655
	LAMP DATA	NUMBER OF LAMPS	- 6	6	6.	8	6 -	3	6	6	6	8	<b>6</b>	6	6	6	. 6	6	6 -	6	5	6	01	o,
		TYPE OF LAMP	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
•		NAME OF MAKER	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX
	POLE DATA	TYPE OF POLE	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX
		LOCATION OF POLE	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	98999 959959, 959 XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999999.999 XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	BS9955, 999 XXXXXXXXXXX XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	15999 999999, 999 XXXXXXXXXXXXXXXXXXXXXXX	19999 199992. 944 XXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	BSBSS. 999 XXXXXXXXX XXXXXXXX 25955	959959.999 XXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	959-959 959 XXXXXXXXXXXXXXXXXXXXXXXXXXXX	999999, 999 XXXXXXXXX XXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999999, 999 XXXXXXXXXX XXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
имлүү ко	3104	NUMBER	XXXXXXXXX		XXXXXXXXXX	XXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXX	XXXXXXXXXX
DATE OF COMPLETION : YY/MM	CHA LNAGE	<b>(1</b> )	969399.998	999999, 999	939959, 959	999999, 989		\$9\$999.993	999995, 999	959955, 959	939933, 959	<b>9999</b> 53, 999	939955, 999	<b>9999</b> 95, 959	556 - S56556	399953, 999	959955, 999	969959, 999	666 655656	999959. 999		999999. 999	999999, 999	656 656856
DATE	NUMBER		66666	66656	66556	\$9888	99999	66566	55665	99599	65656	66856	66656	95999	66556	65656	66656	65556	66886	56556	66565	99999	56656	99999

LIGHTING INVENTORY

ROUTE : XXXXX DIRECTION OF TRAFFIC : X A.063 Lighting Inventory

		DOCUMENTS	NUMBER	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXX		:		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXX		· ·	
		NO. 0F	LAMPS	56	66	66	66	66	66	66	66	66	66	66	- 66	56	56	- 66	<b>6</b> 6	66	<b>66</b> ·	66	66	66	66	66	56	66	66	66	66	66	66	66	66
	LIGHTS	TYPE OF LAMP		AXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		••••		3353555555555555555555555555			. :	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				6666888888888888888888888				235335555555555555555555	AAAAAAAAAAAAAAAAAAAAAAAAA			85656555555555555555555555555555555555				<u> </u>			:	5666888888888888888888888			
			CONTENTS	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXX + XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXXXXXXXXXXX	f	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	_	_	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	-	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXX
	SIGN DATA	SIGN	TYPE OF SIGN	t		ł~	÷	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX						XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
		NUMBER	OF SIGNS No	99 A		<u>.</u>	-	99 V	<b>B</b>	<b>.</b>	-	99° A	80	\$	0	93 V	<b>~</b> 2	ບ	0	89 A	R	5	9	99 A	-	U U	a	96 V	ŝ	U	d -	99 V	8		<u> </u>
		IGK	SYSTEM OF	<u> </u>				<u>}</u>			· · ·	<u> </u>		1		<u>}</u>				<u>}</u>				\				<u>}</u>				<u>}</u>			
	DATA	TYPE OF POLE		XXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXXX		-		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXXX			_	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		<u> </u>	_	XXXXXXXXXXXXXXXXXXXXXXXX			
	3104	LOCATION OF POLE		XXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		-		XXXXXXXXXXXXXXXXXXXXXXX				*****************				999699.999 XXXXXXXXXXX XXXXXXXXXXXXXXXXX				539353. 339 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				SSSSSS SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			
NX/YY : NO		2104	NUMBER	XXXXXXXXXX				XXXXXXXXXXX				XXXXXXXXXXX				XXXXXXXXXXX				XXXXXXXXXXX				XXXXXXXXXXX				XXXXXXXXXXX				XXXXXXXXXXX			
DATE OF COMPLETION :		CHAINAGE	(a)	666 666665				6665 . 568 66				665 666666				6566666 656				999999.995	•			539339. 339								9999933. 999			
DATE		NUXBER		66665				65665				66665				86565				66666				62666				66666			- 1	65666		•	

TRAFFIC SIGN INVENTORY

ROUTE : XXXXX DIRECTION OF TRAFFIC : X

MALN ROAD / RAMP : XXXXXXXXXXXXXXXXXXXXXXXXXXXX

Traffic Sign Inventory A.064

~	l
â	
	ł
0	Į
÷	ł
Z ш	
[±]	
>	
- 2	
	Į
	ł
~	
æ	Į
ы	
-	l
Ц	ł
R	
4	ŀ
ല	ł
ы	ļ
- m	Ì
	ŀ
0	I
Z	

ROUTE : XXXXX

DIRECTION OF TRAFFIC :

XXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXX DOCUMENTS NUMBER XXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXX TYPE OF BARRIER PANEL LENGTH OF BARRIER (m) 666, 666 999, 999 999.959 999, 999' 999.999 999, 999 999.999 999.999 999, 999 999, 999 999.999 999, 999 . 999, 999 999.999 999, 999 999, 999 999.999 999. 999 999.999 999.999 999, 999 999, 999 NOISE BARRIER HICHT OF BARRIER (m) 999, 999 999, 999 999,999 999.999 999.999 999, 999 999.999 999, 999 999.999 999.999 999.999 999.999 995.999 999, 999 999, 999 999.999 999.999 999.999 999, 999 999, 999 999.999 999.999 XXXXXXXXXXXXXXXXXXXXXX OBJECT OF PROTECTION XXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXX LOCATION OF BARRIER 999999, 999 999999,999 999999, 999 999999.9999 999999, 999 999999,999 999599. 999 999999.999 959999, 999 999999.9999 999959.959 999999, 999 999999.9999 999999, 999 999999.999 9999999, 999 999999.999 999999, 993 999999.9999 999999, 959 599999, 969 999999, 999 Ê ΜΚ/ λλ END CHA I NAGE DATE OF COMPLETION : 999699, 999 999999,999 999999.999 999999, 999 999599,999 999999.399 999599.999 9999999.999 999999,999 999999.999 666 666666 999999, 999 999999,999 999559, 999 999999,955 995999, 599 9999999. 999 999999, 999 959999, 995 999999, 999 999999, 999 999999.999 (H START 99999 99995 99999 99999 99999 99999 66666 69999 99999 99999 55666 99999 66666 99999 66666 666666 99999 99999 99999 999999 99999 66666 NUMBER

A.065 Noise Barrier Inventory

# A.066 Member List for Rama IX Bridge

## MEMBER LIST FOR RAMA IX BRIDGE

MEMBER NEM	BER CODE	LANE NUMBER	UNIT NUMBER	START CHAINAGE
XXXXXXXXXXXXXXXXXXXXXXXXX	9999999	X	999999	999999
****	999999	X	9999999	999999
****	999999	X	999999	999999
XXXXXXXXXXXXXXXXXXXXXXXXX	9999999	X	999999	999999
****	9999999	X	999999	999999
XXXXXXXXXXXXXXXXXXXXXXXX	9999999	Х	999999	999999
<u> </u>	9999999	X	9999999	999999
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	9999999	Х	999999	999999
***	9999999	X	999999	999999
XXXXXXXXXXXXXXXXXXXXXXXX	9999999	X	999999	999999
****	9999999	X	999999	999999
****	999999	Х	999999	999999
<u> </u>	9999999	Х	999999	999999
****	9999999	X	999999	999999
XXXXXXXXXXXXXXXXXXXXXXXXXX	999999	Х	999999	999999
XXXXXXXXXXXXXXXXXXXXXXXXXXX	999999	X	999999	999999
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999999	X	999999	999999
****	999999	X	999999	999999
XXXXXXXXXXXXXXXXXXXXXXXXXX	999999	X	999999	999999
****	9999999	X	999999	999999
XXXXXXXXXXXXXXXXXXXXXXXXXX	999999	X	999999	999999
****	9999999	X	999999	999999
****	999999	X	999999	999999
****	999999	Х	999999	999999
****	999999	X	999999	999999
****	999999	X	999999	999999
****	999999	Х	999999	999999
*****	999999	Х	999999	999999
****	999999	Х	999999	999999
*****	999999	Х	999999	999999
****	999999	X	9999999	999999
*****	999999	X	999999	999999

				<b>[</b> *	·	LANE NUMBER	DAMAGE MEMBER			•		COMMENT ON DAMAGE		
NUMBER	ROUTE	DIRECTION	MAIN ROAD / RAMP	CHAINAGE (m)	LOCATION CODE 2	POLE NUMBER	DAMEGE ITEM	RATING	PHOTO. NUMBER	WORKS NEEDED	DATE TO BE DONE	COMMENTS ON REPAIR	PERSON IN CHARGE	REPAIRED DATE
ю	5	đ	20	B	20	11	20	8	9	20	. 80	20	10	8
				80		11	20 x 2					20.		
56666				666656				×	XXXXX		GQ/WW/XX		XXXXXXXXXX	GC/WW/AA
				666566								-	:	
66666				666666	·			×	XXXXX		QQ∕₩X∕XĂ		XXXXXXXXXX	00∕₩W/XX
				665556										
66566				565556				X	XXXXX		aa∕ww∕aa		XXXXXXXXXX	DO/WWV/YY
				666666							•••			
66556			•	665666				X	XXXXX		dd/₩X/YY		XXXXXXXXXX	GC/WWV/XX
				665566										
65365	-			666566				×	XXXXX		QQ∕WK∕XX		GG/WW/AA XXXXXXXXXXX	QQ∕YWV∕XX
				665556										
68566				666566				×	XXXXX		OC/WW/XX		XXXXXXXXXX	DO/WW/XX
				665566										
65665				665666				×	XXXXX		DD/MR/YY		XXXXXXXXXX	GQ/WW/XX
				699999										

DAILY INSPECTION REPORT (LAND SECTION)

INSPECTED DATE : YY/MM/DD NAME OF INSPECTOR : XXXXXXXXXX

RIORITY MEMBER : XXXXXXXXXXXXXXXXXXXXXXXXXXX

A.067

Daily Inspection Report for Land Section

REMARK : \*1 UPPER : START LOWER : END

A.068

Daily Inspection Report for Rama IX Bridge Section

ad/ww/yy DC/WW/XX CIC/WW/AA REPAIRED DC/WW/XX da/ww/ax DD/MM/YY DO/WW/AA UC/MM/YY OC/WV/YY DO/WW/AA DC/WW/XX œ XXXXXXXXXX XXXXXXXXXX XXXXXXXXXXX XXXXXXXXXX XXXXXXXXXXX XXXXXXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX PERSON IN CHARGE 3 ĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸĸ COMMENTS ON REPAIR COMMENTS ON DAMAGE 40 40 DOL/MAR/YY DOWWVAA DC/WW/AA GO/WW/XX DD/WW/XX DO/WW/LJ **GG/WW/X** DO/MM/YY αα/₩₩/λλ DC/WW/YY **GG/WW/XX** DATE DONE DONE ~ NEEDED 30 WORKS N RINGER XXXXX XXXXX XXXXX XXXXX ХХХХХ ΧΧΧΧΧ ΧΧΧΧΧ XXXXX XXXXX ХХХХХ XXXXX ç RATING ŝ × ≻ × ≈ × ∝ ≈  $\times$ ×  $\sim$ × DAMAGE 20 X 2 NGE NGE 4 × ∝ ≻ ≻ × × ≻ ⊬ ≻ ≻ × XXXXXXXXXX NUMBER XXXXXX ം VAME OF INSPECTOR : • • DAMAGE MEMBER PRIORITY MEMBER X 2 30 NUMBER 99999 66666 99999 66666 63666 66666 66666 86666 99999 66666 66666 œ

BRIDGE)

Ы

(RAMA

INSPECTION REPORT

DAILY

INSPECTED DATE : YY/MM/DD

	RO	UTE XXX)	ROUTE XXXXX		HOH	WORK CLASS		XXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXX				
DIRECTI	DIRECTION OF TRAFFIC: X	FIC X		NAME	0F 1N	NAME OF INSPECTOR	•••	XXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXX				
MAI	N ROAD / R	AMP : XXX	MAIN ROAD / RAMP : XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXX	DOCUN	DOCUMENT NO.	••	XXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXX		•	:	
NIMAFP	L A H A	ALCE	asamin aata	unuaco						DAMAGE CONDITIONS	SNOILIGN	COUNTERMESURES	URES	
	ш) (ш	анина (Ш)		NUMBER		DAMA	DAMAGE I TEM			TOTAL	COMMENTS	WORKS NEEDED	DATE	REPAIRED
	START	END	START	END	1	3	3	4	~	EVALUATION			E E E E E E E E E E E E E E E E E E E	DATE
666666	666666	666666 -	XXXXXXXXXX	XXXXXXXXXX	×	×	×	X	X	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	MM/ YY	VY ARK/DD
666666	666666	666666	XXXXXXXXXX	XXXXXXXXXX	×	×	X	X	×	X	+	XXXXXXXXXXXXXXXXXXX		
666666	666666	565565	XXXXXXXXX	XXXXXXXXXX	×	×	×	×	×	X	t	XXXXXXXXXXXXXXXXXXXXXXX	YV/VN	GG/WW/AA WW/AA
666666	666666	666666	XXXXXXXXX	XXXXXXXXX	×	×	×	~	×	X		XXXXXXXXXXXXXXXXXXXXXX	I WW/AA	GC/WW/AA
656666	888888	666666	XXXXXXX-XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXX	×	×	X	×	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	MR/XX	CC/NW/XX
666666	666666	666666	XXXXXXXXX	XXXXXXXXX	×	×	۶₹	×	×	Х	<u> </u>	XXXXXXXXXXXXXXXXXXX	WK/AA	CC/NOV/ÄX
666665	565556	666666	XXXXXXXXXX	XXXXXXXXX	×	~	×	~		X		XXXXXXXXXXXXXXXXXX		DC/WW/XX
666666	666666	666666	XXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXX	×	· ×	×	×	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX		DD/WW/XX
666666	666666	666666	XXXXXXXXXX	XXXXXXXXX	X	×	×	×	×	Х		XXXXXXXXXXXXXXXXXX		DC/WW/XX
636665	666666	566666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXX	×	×	×	× .	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	WWVXX	AV/MM/DD
666666	656666	999999	XXXXXXXXX	XXXXXXXXX	×	×	×	×	×	Х	<u> </u>	XXXXXXXXXXXXXXXXXXX	<u> </u>	AY/WW/DD
556665	666666	66666	XXXXXXXXX	XXXXXXXXX	X	×	X	×	×	X		XXXXXXXXXXXXXXXXXXX		YY/MA/DD
666666	666666	699969	XXXXXXX XXXXXXX	XXXXXXXXX	×X	×	×	×	×	Х	<u> </u>	XXXXXXXXXXXXXXXXXX	WW/A.A	GG/WW/XX
666666	656666	666666	XXXXXXXXX	XXXXXXXXX	×	×	×	~	×	Х		XXXXXXXXXXXXXXXXXXXXXX	ł	AY/WW/DD
666666	556666	666666	XXXXXXXXX	XXXXXXXXX	×	×	×	×	×	X	. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	WW/YY	GC/WW/AA
656656	666666	666666	XXXXXXX XXXXXXXXX 556666	XXXXXXXXX	X	×	×	×	~	X	<u> </u>	XXXXXXXXXXXXXXXXXX	WW/X.	DC/WW/AA
995999	656666	666666	XXXXXXXXX	XXXXXXXXX	×	×	~	×	~	X		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/AA	DC/WW/AA
666666	666666	656666	XXXXXXXXX	XXXXXXXXXX	×	×	×	×	×	×	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	WW/YY	DQ/WW/XX
565666	666666	666666	XXXXXX XXXXXXXXXX 566666	XXXXXXXXX	×	×	~	×	×	X	<u> </u>	XXXXXXXXXXXXXXXXXX	KW/AA	DQ/WW/XX
66666	666666	666666	XXXXXXXX XXXXXXX	1.21	×	×	X	~~	×	×	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	MW/YY	AY/WW/TY MW/YY
±1 102	LAMAGE 11E 17E 17E	M-1 : LEAN M-2 : CRA( M-3 : SPAI M-4 : CAVI	NULE : LAMAGE ILEAT : LEAKAGE WAIRE LEAKAGE ITEN-2 : CRACKINGCRACKING ITEN-3 : SFALLINGSPALLING AND ITEN-4 : CAVITLESCAVITIES		AND LEACHING	AND LEACHING OF FREE LIME Corrosion of reinforcing bar	FREE LIME NFORCING	ME 3 BAR						
	EL	TEM-5 : DISP	DISPLACEMENT DISPLACEME		IR SETT	ENT OR SETTLEMENT								

ROUTINE INSPECTION REPORT (LAND SECTION)

INSPECTED DATE : YY/MM/DD

INSPECTED MEMBER : SUPERSTRUCTURE RETAINIG WALL) ROUTE : XXXXX

A.069

Routine Inspection Report for Superstructure and Retaining Wall for Land Section

· ·				•		τO	r	Ьi	an	.C <b>i</b>	S	9C	τ.1.	or	1	: 		•		÷				
		REPAIRED	DATE	UN/WW/AX	UC/WW/AA		NU/MIU/AA		VV/MV/DD						DC/WW/YY	DU/WW/AA	DU/WW/YY	DC/WK/YY	DQ/WW/AA		Y/MR/DD	UU/WW/AA		77 101 711
. •	SURES	DATE	TO BE	MW/YY	VUN/ VUN	VV/NW	VV/W	NW/ AA	WV/AA	NA AN			NN/AA	WW/ AA	HOW/A.A	WWV X.X	WW/AA	MUK/AA	YY/MM	MBN/XX	<b>HAVYY</b>	WW/AA		
	COUNTERMESURES	WORKS WEEDED		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	*********	
	CONDITIONS	COMMENTS		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
D XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	DAMAGE	TOTAL	EVALUATION 5	×	X	X	×	X	X	X	x	X	X	X	X	X	×	X	X	X	×	X	X	
DD (XXXXX) (XXXXX) (XXXXX)		-	123	×	×	×	×	×	×	X	×	×	×	×	×	X	×	×	×	~	×	×	X	e
DD/WM/YY : XXXXXXXX : XXXXXXXX :		EM	4	×	×	×	×	×	×	x	×	×	×	×	×	×	×	X	×	~	×	×	×	LIME ING BA
		DAMAGE ITEM	3	×	×	×	×	~	×	X	×	X	~	~	×	*	~	×	~	~	×	*	×	FREE LIME INFORCING (T
INSPECTED DATE WORK CLASS # OF INSPECTOR DOCUMENT NO.		DAM	2	~	~	×	×	×	×	×	, ×	×	×	~	×	×	. ~	×	"×	×	×	×	×	LEACHING OF F COSION OF REIN OR SETTLEMENT
INSPE W AME OF DOC				×	×	×	×	×	х	X	×	×	~	~	×	×	×	×	×	×	~	×	×	LEACH ROSION OR SE1
N NXXXXXXXX	1 OCATION CODE 2			<u> </u>	<u> </u>	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXX	xxxxxxxxxxxxxxxxxxxxx   555666	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	999999 XXXXXXXXXXXXXXXXXXXXXXX	ITEM-1 : LEAKAGEWATER LEAKAGE AND LEACHING OF FREE LIME TTEM-2 : CRACKINGCRACKING TTEM-2 : SPALLINGCPALLING AND CORROSION OF REINFORCING BAR TTEM-4 : CAVITIESCAVITIES ITEM-5 : DISPLACEMENTDISPLACEMENT OR SETTLEMENT
INSPECTED MEMBER : GUARD WALL ROUTE : XXXXX CTION OF TRAFFIC : X MAIN ROAD / RAMP : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	NAGP	)	END	666666	666555	666666	666666	666666	666666	656666	666666	666666	666666	666666	666666	666566	399999 X	X 666666	9999999 X	666656	866666	X . 666666	655565	ITEM-1 : LEAKAG ITEM-2 : CRACKI ITEM-3 : SPALLI ITEM-4 : CAVITI TEM-5 : DISPLA
INSPECTED MEMBER : G ROUTE : X DIRECTION OF TRAFFIC : X MAIN ROAD / RAMP : X	CHAINAGE		START	66666	666666	666666	666666	666666	666666	666666	999999	999999	666666	566666	666666	566665	666666	666666	666666	666666	666666	666666	666666	NOTE : DAMAGE (TEM-1 ITEM-2 ITEM-3 ITEM-4 ITEM-6 ITEM-6
IN. DIRECT	NIIVBER			666666	666666	666666	666666	666666	666666	656665	666666	666666	686666	666666	666666	666666	999999	866666	666666	666666	666666	666666	666666	NOTE :

ROUTINE INSPECTION REPORT (LAND SECTION)

A-98

A.070 Routine Inspection Report for Guard Wall for Land Section

DAMAGE CONDITION         DAMAGE TEM         TOTAL         COMPENSION         COMPENSION         CONTENSION         CONTENSION <th colspan="1" contension<="" th=""><th>ROAD /</th><th>DIRECTION OF TRAFFIC : XXXXX MAIN ROAD / RAMP : XXXXX MAIN ROAD / RAMP : XXXXX</th><th>XXXXX X XXXXXXXXXXXX</th><th>XXXXX XXXXX XXXXXXXXXXXXXXXXXXXXXXXXXX</th><th>XXXXX</th><th>NAME</th><th>WORK C OF INSPE DOCUMENT</th><th>LASS : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</th><th></th><th></th><th>· · ·</th></th>	<th>ROAD /</th> <th>DIRECTION OF TRAFFIC : XXXXX MAIN ROAD / RAMP : XXXXX MAIN ROAD / RAMP : XXXXX</th> <th>XXXXX X XXXXXXXXXXXX</th> <th>XXXXX XXXXX XXXXXXXXXXXXXXXXXXXXXXXXXX</th> <th>XXXXX</th> <th>NAME</th> <th>WORK C OF INSPE DOCUMENT</th> <th>LASS : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</th> <th></th> <th></th> <th>· · ·</th>	ROAD /	DIRECTION OF TRAFFIC : XXXXX MAIN ROAD / RAMP : XXXXX MAIN ROAD / RAMP : XXXXX	XXXXX X XXXXXXXXXXXX	XXXXX XXXXX XXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXX	NAME	WORK C OF INSPE DOCUMENT	LASS : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			· · ·
DMMAGE         TOTAL         TOTAL         TOTAL         DMMAGE         TEM         TOTAL           END         1         2         3         4         EVALUATION         TOTAL         TOTAL           89999         X         X         X         X         X         Y         Y         Y         Y           89999         X         X         X         X         X         X         Y	-	INAGE					DAMAGE		COUNTERME	SURES		
END         I         2         3         4         TATLUATION         TO NEL TATLUATION         TATLUATION	$\sim$	( E		DAMA		1	TOTAL	COMMENTS	6	DATE	EPALE	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		END	н Т	2	3	4	EYALUALIUN		· · · · · · · · · · · · · · · · · · ·	TO BE	DATE	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		55565 6	×	×	Х	X	X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/ AA	dd/ww/yy	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	തി	83858	×		*	~	X	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXX	WW/AA	GC/WW/AA	
NMM         N	on	65666	~	×	×	×	Х	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXX	YY/MM	A/WW/DD	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	c,	6 66666	×	×	Х	X	Х	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/YY	AY/WW/DD	
MM/AA     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	S	999999	×	×	X	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	YY/WM	TY/WW/DD	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	ግ	63666	~	*	×	×	X	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/AA	aa∕wk/YY	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	5	66666 6	~	×	X	×	X	<u> </u>	, X X X X X X X X X X X X X X X X X X X	WW/YY	CC/WK/AA	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	S.		×	×	X	×	X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	<u>, x x x x x x x x x x x x x x x x x x x</u>	WW/AA	DC/WW/YY	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	S I	66666	×	~	. ~	×	X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXX	WW/AA	TY/WW/DD	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6	66666	×	×	×	Х	Х	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXX	XY/WM	QQ∕WW/YY	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6		~	×	×	X	X	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXX	WW/XX	dd/ww/aa	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	57	66666	×	× 	×	X	X	<u> </u>	XXXXXXXXXXXXXXXXXXXXXX	WW/YY	YY/WW/DD	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	5	5	~	×,	×	x	x	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	YY/WM	Ад∕МЖ∕УУ	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	50	6	*	×	×	X	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	YY/WM	ΩΩ/WW/YY	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	5	66666	~	~	×	Х	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	YY/WM	YY/MM/DD	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	6.6	66666	×	×	×	x	Х	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	X X X X X X X X X X X X X X X X X X X	YY/WM	AZ/WW/YY	
MM/YY     XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	66	66666 6	*	× 	X	X	X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXX	YY/MM	DC/WW/AA	
HW//AA XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	8	6666 6	*	×	×	×	X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/AA	DD/WW/YY	
999999 X X X X X X X X X X X X X X X X	6		×	×	X	Х	x	<u> </u>	X X X X X X X X X X X X X X X X X X X	WW/AA	YY/WW/DD	
	S.	<b>ö</b> 66	X	×	X			<u> </u>	XXXXXXXXXXXXXXXXXXXXXXXX	WW/XX	YY/WW/DD	

# ROUTINE INSPECTION REPORT (LAND SECTION)

INSPECTED DATE : YY/MM/DD

INSPECTED MEMBER : DRAINAGE

A.071 Routine Inspection Report for Drainage for Land Section

MAL	N ROAD /-1	RAMP : XXXXX	MAIN ROAD / RAMP : XXXXXXXXXXXXXXXXXXXXXXX	XX		DOCUMENT NO.		: XXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXX			
CJANIN	CVA I VACE	0100	CONTBACT						DAMAGE CO	CONDITIONS	COUNTERMESURES	SURES	:
	100 LOAD	NUMBER	NUMBER	· .	DAMAGE	GE ITEM	M		TOTAL	COMMENTS	WORKS NEEDED	DATE	REPAIRED
	(m)			1	2	en	4	2	ZYACUALIUN			TO BE DONE	DATE
666666	656666	XXXXXXXXXX	XXXXXXXXXX	×	X	х	×	×	Х	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	YY/WM	DD/WW/YY
666666	666666	XXXXXXXXX	XXXXXXXXXX	×	×	×	×	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	WWV AN	AV/W/DD
999999	666666	XXXXXXXXXX	XXXXXXXXXX	×	×	~	×	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			GC/WW/AA
666666	666666	XXXXXXXXXXX 565666	XXXXXXXXXX	×	×	×	×	×	X .	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	WW/AA	GC/WW/AA
666666	666666	XXXXXXXXX	XXXXXXXXXX	×	×	×	×	×	. X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX		DQ/WW/AA
999999	566666	XXXXXXXXXX	XXXXXXXXXX	, X	×	×	×	×	×	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	÷	GQ/WW/XX
666666	666666	XXXXXXXXXX	XXXXXXXXXX	×	×	~	×	×	· X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>			dd/ww/yy
666666	6666666	XXXXXXXXXX	XXXXXXXXXX	×	×	×	×	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXX	MW/YY	UQ/WW/XX
666666	666666	XXXXXXXXXX	XXXXXXXXXX	×	~	×	~	~	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX		AY/MM/DD
666666	666665	XXXXXXXXXX	XXXXXXXXXX	×	×	×	×.	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX		
866666	666666	XXXXXXXXX	XXXXXXXXXX	×	X	×	×	×	×	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	┦┯┉	DC/WW/AA
556566	999999	XXXXXXXXXX	XXXXXXXXXX	X	· ×	×	×	×	X Y	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>		YWW/YY	DC/WW/AA
666666	666666	XXXXXXXXX	XXXXXXXXXX	×	×	×	×	~	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	YY/WM	AY/WW/DD
665666	666666	XXXXXXXXXX	XXXXXXXXXX	×	X	X	×	~	x	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	WW/YY	YY/MM/DD
665666	666666	XXXXXXXXXX 666666	XXXXXXXXX	×	×	×	×	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	WW/YY	DC/WW/XX
666666	666666	XXXXXXXXX	XXXXXXXXXX	- ×	×	×	×	~	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	WW/XX	DD/WW/AA
666666	666666	XXXXXXXXXX	XXXXXXXXXX	×	×	×	×	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	YY/WM	YY/MM/DD
666666	666666	XXXXXXXXXX	XXXXXXXXXX	×	×	×	×	~	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	YY/WW	DD/WW/AA
666666	999999	XXXXXXXXXX	XXXXXXXXXX	X	×		×.	~	X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXX	WW/YY	DD/WW/AA
666666	666666	XX	<u> </u>	_	X		X	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	WW/XX	GC/MW/YY
NOTE	NOTE : DAMAGE ITEM-1	•••	LEAKAGE ··· WATER LEAKA(	е Ш	AND LEACHING		OF FREE LIME	E LIME				ł –	
			CRACKING ··· SPALLING AN	G AND CO	ROS I	D CORROSION OF REINFORCING BAR	REINFOR	DNIC	BAR				
	171	TEM-4 : CAVITI TEM-5 : DISPLA	CAVITIES CAVITIES DISPLACEMENT DISPLAC	S PLACEMEN	T OR :	EMENT OR SETTLEMENT	ABNT						

(LAND SECTION) ROUTINE INSPECTION REPORT

INSPECTED MEMBER : PIER ROUTE : XXXXX DIRECTION OF TRAFFIC : X

WORK CLASS : XXXXXXXXXXXXXXXXXXXXXXXXXXXX

INSPECTED DATE : YY/MM/DD

NAME OF INSPECTOR : XXXXXXXXXXXXXXXXXXXXXX

### A.072 Routine Inspection Report for Pier for Land Section

												· ····												
		REPALRED	DALE	DD/WW/AA	GG/WW/YY	DD/WW/YY	DD/WW/YY	TY/WW/DD	YY/WW/DD	QQ/WW/YY	YY/WW/DD	AY/WW/DD	TA/WW/DD	UU/WW/YY	AU/WW/YY	dd/WW/λλ	QQ/WW/XX	GG/WW/AA	QQ/WW/XX	QQ/WW/YY	GG∕WW∕AA	AC/WW/YY	VY/WW/DD	
· · ·	RMESURES	DATE	DONE	₩W/XX	WW/YY	MW/YY	YY/WM	₩₩∕XX	YY/NM	WW/YY	YY/MM	WW/XX	WW/YY	WW/YY	YY/WM	WW/YY	WW/AA	WW/YY	WW/ A Å	WW/YY	WW/YY	WW/YY	WW/YY	
	COUNTERMES	WORKS NEEDED	•	XXXXXXXXXXXXXXXXXX	<u> </u>	XXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	X X X X X X X X X X X X X X X X X X X	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXX	
SPECTED DATE : YY/NM/DD Work class : XXXXXXXXXXXXXXXXXXX of inspector : XXXXXXXXXXXXXXXXXXX Document Mo: : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	s conditions	COMMENTS		<u>x x x x x x x x x x x x x x x x x x x </u>	X X X X X X X X X X X X X X X X X X X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	<u> </u>	<u> </u>	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	<u> </u>	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	X X X X X X X X X X X X X X X X X X X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	- DAMAGE TO JOINT ELEMENTS DAMAGE TO PLUGGING AND FAULTING R LEAAAGE DUE TO DAMAGE OR DETERIORATION L NOISE DUE TO DAMAGE OR UNEVENNESS
I N NAME	DAMAGE	TOTAL		X	Х	X	Х	Х	X	Х	Х	X	۰ ۲	X	X	Х	X	X	Х	X	Х	X	X	E TO JOINT TO PLUGGI AGE DUE TO E DUE TO D
тs ХХХХХХ		r	1 4	×	×		×			×	×			×	×	×	X	×	×	X	~	X	X	DAMAG AMAGE LEAK NOIS
		WE.						 X	- - - ×	×		<u>.</u>	×		~	~		~	×	~	X			INT JGD. WATER VUSCAL
5 I O N X X X X		AGE ETE		×	×	×	×		_			-												DAMAGE-JOINT. DAMAGE-PLUG LEAKAGEWATE NOISEUNUSUA
		DAMAG	2	×	×	*	×	×	× 	×	×	×	×	×	~	~	X	×	×	X	~	~	×	DAMA DAMA LEAK NOIS
EMBER : ROUTE : AFFIC : RAMP :			. =-	×	~	*	×	~	. ~	~	~	×	×	×	×	~	×	×	×	~	×	~	×	E E E E E E E E E E E E E E E E E E E
D ME R TRA D /			(8)	999999	666666	666666	666666	666666	666666	886666	666666	666666	6666666	666666	666666	999999	666666	666666	666666	666666	666666	666665	666665	DAMAGE ITE ITE ITE ITE
INSPECTE DIRECTION OF MAIN ROA	MIT VOED			666666	666666	656556	665568	566666	999999	666666	666666	666666	666666	666666	666666	666666	.666666	666665	666666	866666	666666	666666	666666	NOTE ; I

A.073 Routine Inspection Report for Expansion Joints for Land Section

SECTION)

(LAND

ROUTINE INSPECTION REPORT

.

DIRECTIO	DIRECTION OF TRAFFIC MAIN ROAD / RAMP		X X X X X X	: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	X X X X X	N A	NAME OF INSPECTO DOCUMENT NO	TOR : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	• • •		
000							DAMAGE	GE CONDITIONS	COUNTERMESURES	SURES	
NUMBER	CHAINAGE	TION .		DAMAGE	GE ITEM	3	TOTAL	COMMENTS	WORKS NEEDED	DATE	REPAIRED
	(E) .	CUVE I		2	3	4				10 RE	DATE
686866	56666655	x	×	×	. 34	X	X	<u> </u>	<u> </u>	WW/XX	GG/WW/AA
666666	66666666	X	×	~	×	×	×	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	<u> </u>	МЖ/ХХ	YY/WW/DD
666666	999999999	X	×	×	~	×	: . X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	{ WW∕ĂĂ	DQ/WW/YY
666656	66666666	×	~	×	X	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	WW/XX	AY/WM/DD
8666556	666666666	х	~	×	×	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	₩К/АА	YY/WW/DD
666666	66666666	×	~	×	×	×	x	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<b>WW/XX</b>	Q@∕MŴ/YY
666666	666666666	X	~	~	~	~	×	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXXX	МК∕АА	QU/WW/YY
656666	666666666	X	×	~	×	×	X	<u> </u>	<u> </u>	WW/XX	YY/WW/DD
999999	999999999	X	×	×	X.	×	×	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	W#/XA	AY/WW/DD
656666	66666666	<b>.</b>	×	· ×	×	×	×	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/AA	GG/MM/YY
666666	666666666	X	×	~	~	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	WW/YY	GC/MW/YY
886866	55555555	X	×		×	×	x	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	. WW∕Å∧	AT/WW/DD
666666	66666666	×	*	×	×	~	: X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/YY	YY/WH/DD
359999	66666666	Χ.	×	×	×	×	X	<u> </u>	XXXXXXXXXXXXXXXXXXXXXX	YY/WM	YY/WW/DD
666666	566666666	X	×	×	×	×	X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXX	YY/WM	YY/MM/DD
666666	566666666	×	×	~	×	•×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	WW/YY	YY/MM/DD
656666	6666666	X	~	~	×	×	X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXX	WW/YY	dd/ww/yy
666666	66666666	X	×	×	×	×	×	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	YY/WW	YY/MM/DD
666666	66666666	X	~	×	×	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	MW/YY	QQ/WW/YY
		×	×	×	×	×	X	<u> </u>	<u> </u>	WW/YY	DC/WW/XX
NOTE ; I	; DAMAGE [TEM-1   TEM-2		408-BE 468-BE	DAMAGE-BEARING.	HAGE TO	E TO BEAR	BER OR BED	STEEL BEARING ELEMENTS			
	LTEM-3	•••	10E-B0	LTS	DAMAGE	TO AN	CHOR BOLTS	-			
	LTEM-4		P I S	DEBRIS ··· ACCUMULA	LATION	OF DE	OF DEBRIS AROUND E	BEARINGS			

(LAND SECTION) INSPECTION REPORT ROUTINE

> INSPECTED MEMBER : BEARINGS ROUTE : XXXXX

WORK CLASS : XXXXXXXXXXXXXXXXXXXXXXX INSPECTED DATE : YY/MM/DD

A-102

A.074

# Routine Inspection Report for Bearings for Land Section

ITEM-4 : DEBRIS ... ACCUMULATION OF DEBRIS AROUND BEARINGS

	<b></b>							<u>اہ</u>						<u>੍</u> ਰ	<u>्</u> त				੍ਰ		-		6	
		REPAIRED	រាករ	dd∕ww/XX	DD/WW/AA	GG/WW/AX	GG/WW/YY	dd/ww/yy	YY/MM/DD	dd/ww/yy	QQ/WW/YY	GC/WW/YY	GC/RW/YY	AT/MM/DD	AY/WW/DD	YY/WM/DD	QQ/WW/XX	dd/₩W/YY	дд∕жж∕ұұ	QQ/WW/XX	DU/WW/YY	DD/WW/AA	DG/WW/YY	
	SURES	DATE	DONE	WW/XX	WW/XX	WW/YY	WW/YY	WK/YY	YY/WM	YY/WW	WW/XX	YY/WW	WH/AA	WW/YY	WW/YY	WW/YY	WW/AA	WW/YY	WW/YY	WW/AA	WW/ AA	WW/YY	¥¥∕₩W	
· · ·	COUNTERMESURES	WORKS NEEDED		XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	
SS : XXXXXXXXXXXXXXXXXXXXX DR : XXXXXXXXXXXXXXXXXXXX D. : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	E CONDITIONS	COMMENTS		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	ULDER T OF MASONRY WALL						
WORK CLAS OF INSPECTO DOCUMENT NO	DAMAGE	TOTAL EVAL HATION	-	Х	X	X	X	X	×	. X	X	χ	Х	×	Х	X	Х	Х	Х	Х	Х	X	×	OR HEAVING AT BANK SHOUI IDENCE OF BANK SHOULDER DAMAGE TO MASONRY WALL SPLACEMENT OR SETTLEMENT
NAME			4	×	×	×	X	×	×	×	X	X	, ×	X	×	×	X	×	Ϋ́	×	×	×	×	AVING AT OF BANK TO MASON MENT OR S
XXX		ITEM	3	Х	×	×	~~~	×	×	×	X	×	~	~	~	×	×	×	X	~	×	X	Х	
XXXXX X XXXXXXXXXXXXXXXXXXXXXXX		DAMAGE	2	X	~	×	×	~	x	×	×	×	Х	Х	×	Х	Х	Х	X	X	×	×	X	EROSION···EROSION SUBSIDENCE···SUBS DAMAGE-MASONRY··· SISPLACEMENT···DI
X XXXXXX			1	Х	×	Х	×	×	X	X	Х	X	X	X	×	×	×	X	×	×	×	×	×	SIDENCE SIDENCE GE-MAS
·· ·· ··	100	4	END	666666	666666	666666	666666	666666	666666	666666	666666	666666	666666	666666	666666	656666	566666	566666	566666	999999	666566	666666	9.9.9	
ROUTE DIRECTION OF TRAFFIC MAIN ROAD / RAMP	UVN: VAJ	(m)	START	388866	666666	666666	666666	663666	656666	-666666	656666	656666	636666	666666	999999.	636666	666666	666666	666666	995999	66666	656666	666666	DAMAGE ITEM-1 1TEM-2 1TEM-3 1TEM-4
DIRECTIO MAIN	MTWPED			556555	666665	666666	656666	999999	666666	666666	666666	666666	666666	566666	666666	666666	-665666	666666	666665	663663	666666	666666	ത	NOTE : U

A.075 Routine Inspection Report for Embankment for Land Section

INSPECTED DATE : YY/MM/DD

INSPECTED MEMBER : EMBANKMENT

A-103

04.1	PECIED MEM.	INSPECIEU MEMBER : FAYEMENT				•	HOM .	WORK CLASS	• •	************	XXXXXX					
DIRFCT	NURPETION OF TRAFFIC					NAME		OF INSPECTOR		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXX		-			
IFM	N ROAD / R	MAIN ROAD / RAMP : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	(XXXXX)	XXXXXX	XXX	:		DOCUMENT NO.	•••	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXX		•	· ·		
										DAMAGE	DAMAGE CONDITIONS		COUNTERMESURES	URES		
NUMBER	CHA INAGE (m)	NAGE )	LANE		DAA	DAMAGE IT	ITEM		RUTTING	PSI	TOTAL EVAL NATION	COMMENTS	WORKS NEEDED	DATE TO BE	REPAIRED	
	START	GN3	De la compañía de la comp		2	3	4	S	(mm)		1011009019			DONE		
666666	66666	656666	X	×	X	X	×	×	66	9.9	×	X XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	WW/YY	DD/WW/YY	
666666	666666	656666	Х	X	X	X	Х	~	66	9.6	χ.	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	YY/WW	DU/WW/AA	
666666	566556	666666	Х	X	X	×	X	×	66	9.9	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WWV ÅÅ	QQ/WW/XX	-
999999	666566	555565	X	X	X	X	×	×	66	9.9	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	WW/YY	QC/WW/YY	
666666	666666	666666	Y	X	X	X	×	×	66	6 6	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	YY/NN -	OC/WW/XY	
666666	656666	666666	X	X	Х	×	×	- ×	- 66	9.9	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	KW/YY	DC/WW/AA	
555555	666666	666666	×	X	X	X	X	~	66	6.6	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	MWVAA	DQ/WW/AA	
566666		666666	×	×	×	X	×	~	66	9.9	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	YY/WW	DC/YOW/AA	
666666	L	666666	× X	X	Х	X	X	×	66	9.9	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	MM/YY	GQ/WW/XX	
866666	999999	666666	×	X	X ·	X	X	X	66	9.9	Х	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	МИ/УУ	QQ/WW/XX	-
666666	666666	556566	X	X	X	Х	×	×	66	6 6	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XW/XX	dd/ww/XX	:
666655	666666	666666	X	X ·	X	X	X	×	- 66	9.9	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/XX	DU/WW/AA	
666666	565656	656666	X	X	X	X	χ-	×	66	9.9	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	MWV ÅÅ	DQ/WW/AA	
666666	555555	666666	X	X	Х	×	×	×	66	9.9	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/AA	CC/WW/AA	
666666	666565	565666	~	X	X	X	X	Х	66	9.9	Х	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	WW/YY	DC/WW/AA	
999999	656666	666666	×	×	Х	X	X	×	66	9. 9	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	WW/ AX	DC/NW/XX WW/XX	
665866	666666	666666	×	×	X	X	Х	×	66	9,9	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	MW/YY	UC/MM/YY	
666666	666656		~	X	X	X	X	×	66	6 6 .	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	WW/AA	UQ/WW/YY	
665666	[	666666	~	×	×	X	X	×	66	6.6	×	<u> </u>	<u> </u>	WWV XX	DO/WW/YY	
NOTE	DAMAGE ITE ITE	1.5.5	X ING	CRACK	CINC TO	ION OF	'EMENT Of PAVEMI	EMENT OF PAVEMENT, RUTTING,		CORRUGATION,	N, DEPRESSIO	DEPRESSION AND FAULTING				
	11.5	TPM-3 - DISP	VIDT I UN	· • • D1 S	DISRUPTION DISRUPTION OF		A VENEN	PAVEMENT POT HOLES.		FOLIATIO	Ň					

(LAND SECTION) ROUTINE INSPECTION REPORT

INSPECTED DATE : YY/MM/DD

INSPECTED MEMBER : PAVEMENT \*\*\*\* DULLE

A-104

### A.076 Routine Inspection Report for Pavement for Land Section

ITEM-3: DISRUPTION...DISRUPTION OF PAVEMENT. POT HOLES. EXFOLIATION ITEM-4: ABRASION...ABRASION OF PAVEMENT. SCALING ITEM-5: DAMAGE-MARK...DETERIORATION OF LANE MARKING PAINTS

	RO	••					WORK CLASS		XXXXXXXXXXXXXXXXXXX ******************			
DIRECTI	DIRECTION OF TRAFFIC MAIN ROAD / RAMP	CTION OF TRAFFIC : X Main Road / Ramp : XXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXX	ХХХХ	NAME		OF INSPECTOR DOCUMENT NO.		DF INSFECTOR : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			-
Jugantin								DAMAGE CI	CONDITIONS	COUNTERMESURES	SURES	
NJOWUN	CAAIWAUD	CODE 2		DA)	DAMAGE I	ITEM		TOTAL	COMMENTS	WORKS NEEDED	DATE	REPAIRED
	\W/		1	2	3	4	5	NOT TROPPED		-		9
666666	666666	XXXXXXXXXXXXXXX	Х	X	Х	X	Х	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/YY	TT / MM/DD
666666	636666	XXXXXXXXXXXXXX	X	Х	~	×	×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	WK/AA	YY/MM/DD
656666	666666	XXXXXXXXXXXXXX	×	X	Х	×	×	Х	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	YY/WM	DC/WH/XX
666666	666665	XXXXXXXXXXXXX	Х	Х	×	X	` <b>×</b>	×	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXX	XY/WW	YY/MM/DD
666666	666666	XXXXXXXXXXXXXX	×	X	Х	×	~	×	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXX	<b>₩</b> ₩/λλ	CC/WR/AA
999999	666666	XXXXXXXXXXXXXX	χ.	×	×	Х	×	×	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXX	YY/WM	AV/MM/DD
666666	565666	XXXXXXXXXXXXX	×	×	Х	X	X	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WR/AA	CC/WW/XX
666666	566666	XXXXXXXXXXXXXX	X	*	×	×	×	X	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXX	WK/XX	CC/WW/AA
666666	666666	XXXXXXXXXXXXXXX	Х	X	×	×	×	Х	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXX	WK/YY	CC/WW/XX
999999	555666	XXXXXXXXXXXXXX	Х	X	×	×	· ×	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	WK/AA	TY/MM/DD
666666	666666	XXXXXXXXXXXXXX	×	×	Х	×	×	Х	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/YY	DD/WW/XX
666666	555566	XXXXXXXXXXXXXX	×	×	X	×	×	Х	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/YY	DD/WW/AA
666666	666566	<u> </u>	~	~	X	Х	×	Х	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/XX	. DQ/WW/AA
666666	666666	XXXXXXXXXXXXX	×	~	×	×	×	χ.	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	WW/YY	TUZ/WW/YY
999999	996999	XXXXXXXXXXXXXX	×	×	~	×	X	Х	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	ΜΧ/λλ	CC/WW/AA
565666	666666	XXXXXXXXXXXXXX	×	×	×	X	X	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	WW/YY	CC/WW/AA
565666	566666	XXXXXXXXXXXXXX	×	×	×	×	Х	Х	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	MW/YY	CCD/WW/XX
565666	56666	XXXXXXXXXXXXXX	~	×	Х	X	Х	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	WW/YY	CC/WK/AX
868866	666666	XXXXXXXXXXXXXX	~	~	Х	×	Х	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	WW/YY	TU/MW/YY
565666		XXX	×		×	X	X	X	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WW/YY	DD/WW/AA WW/AA
NOTE :	DAMAGE 173 173 178 178 178	ITEM-1 : CORROS-POLEDAMA ITEM-2 : DEFORM-POLEDEFO ITEM-2 : DISP-POLEDEFO ITEM-3 : DISP-POLEDEFORLA ITEM-4 : LAMP BREAKBURNI ITEM-5 : DAMARE-BREAKETTD	.EDE .EDE BUR BUR	MAGE T SFORMAT "LACEME NING O	GE TO PAINT AND RMATION OF POLE CEMENT OR LOOSEI NG OUT/DECLINE AMAGE TO REFLEC	GE TO PAINT AND CO RMATION OF POLE CEMENT OR LOOSEMIN NG OUT/DECLIME IN AMAGE TO REFLECTOR	CORROS ING/FAI N LUMII OR	CORROSION OF POLE ING/FALLING CUT OF N LUMINOSITY OF LA OR	GE TO PAINT AND CORROSION OF POLE RMATION OF POLE CEMENT OR LOOSEMING/FALLING OUT OF BOLTS OF POLE NG OUT/DECLIME IN LUMINOSITY OF LAMP AMOGE TO REFLECTOR			
					2		;					

A.077 Routine Inspection Report for Lighting for Land Section

INSPECTED DATE : YY/MM/DD

INSPECTED MEMBER LIGHTINGS

A-105

ROUTINE INSPECTION REPORT (LAND SECTION)		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
ROUTINE INSPEC	INSPECTED DATE : YY/MM/DD	WORK CLASS : XXXXXXXXXXXXXXXXXXXXXXXXXXX	MAME OF INSPECTOR : XXXXXXXXXXXXXXXXXXXXX
	INSPECTED MEMBER : TRAFFIC SIGN	ROUTE : XXXXX	DIRECTION OF TRAFFIC : X

WORK CLASS : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	WORK CLASS MAME OF INSPECTOR DOCUMENT NO.
: YY/MM/DD	INSPECTED DATE : YY/MM/DD WORK CLASS - YYXXXXX

		REPAIRED	DAILE	YY/MM/DD	YY/MAA/DD	GC/WW∕XY	YY/MAN/DD	YY/MAA/DD	YY/MM/DD	VY/MBM/DD	YY/MM/DD	VY/MM/DD	YY/WM/DD	YY/MBM/DD	YY/MA/DD	CC/MM/YY	YY/MM/YY/MM/DD	YY/MM/DD	DC/WW/YY	YY/MM/DD	DOLMWYAA MM/AA	
	SURES	DATE	DONE	YY /WW	YY/MM	YY / MBM	MW/YY	YY/MM	WW/7Y	WW/AA	MACYY	YY/WW	WW/YY	WR/ ÅÅ	WW/AA	YY/WW	YY /MM	YY/WW	YY/YAM	WW/XX	WW/YY	
	COUNTERMESURGS	WORKS NEEDED	-	XXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXX	
	S	COMMENTS		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u> </u>	<u> </u>	<u> </u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	<u>XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX</u>	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX							
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	DAMAGE CONDITIONS	TOTAL	EVALUALIUN	×	X		x	×	×	X	×	X	X	X	X	X	×	×	×	×	X	
XXXXX	DAM		7	Х	~	×	×	×	×	×	×	×	Х	×	X	×	×	X	×	×	X	
XXXXX			9	x	×	×	×	X	X	Х	Х	Х	Х	X	×	X	Х	×	×	×	×	FOLE
		Ш	5	X	×	×	X	X	X	×	Х	×	×	×	×	~	X	×	х	X	X	ION OF
DOCUMENT NO.		DAMAGE ITEM	4	×	×	×	×	×	×	×	~	~	×	×	×	×	×	×	х	Х	Х	CORROSION OF
pocu		DAI	3	×	X	X	×	X	×	X	×	×	×	X	×	X	X	X	X	Х	X	AND
MAIN ROAD / RAMP : XXXXXXXXXXXXXXXXXXXXXXXX			2	X	×	×	X	×	х	Х	×	X	×	×	×	X	Х	×	×	Х	χ·	0
				X	X	X	X	×	×	х	х	×	X.	×	×	×	. X	×	×	×	X	MAGE T FORMAT
	LOCATION CODE 2			XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	999999 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999999 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999999 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXX	999999 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999999 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999999 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	999999 <u>xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx</u>	XXXXXXXXXXXXXXXXXXXXXXXX	999999 XXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXX	NOTE : DAMAGE ITEN-1 : CORROS-POLE DEFORMATI
N ROAD / R		5	Се	856666	666666	335535	666666	666666	666666	666666	666666	666666	666666	666666	656666	666666	666666	888888	666666	555556	999999	DAMAGE ITEN ITEN
IVW	0447017	NUMBER		866666.	666666	666666	668666	666666	665666	666666	999999	666666	999999	666666	666666	939999	999999	666666	565666	666666	999999	NOTE :

DISP-POLE-..DISPLACEMENT OR LOOSENING/FALLING OUT OF BOLTS
 VISUAL DEFECT...DETERIORATION OF VISIBLLITY OF SIGNBOARDS
 DAMAGE-PANSL...DAMAGE TO PANEL/ATTACHNENT OF SIGHBOARDS
 LAMP BREAK...BURNING OUT/DECLINE OF LUMINOSITY OF LAMP
 DAMAGE-REFLECT...DAMAGE TO REFLECTOR

ITEM-3 ITEM-4 ITEM-5 ITEM-5 ITEM-7 ITEM-7

### Routine Inspection Report for Traffic Sign A:078 for Land Section