

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-14-021	200 m - 202 m	2 m	<0.016
MT-14-022	202 m - 204 m	2 m	<0.016
MT-14-023	204 m - 206 m	2 m	<0.016
MT-14-024	206 m - 208 m	2 m	<0.016
MT-14-025	208 m - 210 m	2 m	0.016
MT-14-026	210 m - 212 m	2 m	0.062
MT-14-027	212 m - 214 m	2 m	0.031
MT-14-028	214 m - 216 m	2 m	<0.016
MT-14-029	216 m - 218 m	2 m	0.031
MT-14-030	218 m - 220 m	2 m	<0.016
MT-14-031	220 m - 222 m	2 m	0.047
MT-14-032	222 m - 224 m	2 m	0.156
MT-14-033	224 m - 226 m	2 m	0.062
MT-14-034	226 m - 228 m	2 m	0.156
MT-14-035	228 m - 230 m	2 m	0.016
MT-14-036	230 m - 232 m	2 m	0.016
MT-14-037	232 m - 234 m	2 m	0.031
MT-14-038	234 m - 236 m	2 m	0.016
MT-14-039	236 m - 238 m	2 m	<0.016
MT-14-040	238 m - 240 m	2 m	0.016
MT-14-041	240 m - 242 m	2 m	<0.016
MT-14-042	242 m - 244 m	2 m	<0.016
MT-14-043	244 m - 246 m	2 m	0.016
MT-14-044	246 m - 248 m	2 m	0.016
MT-14-045	248 m - 250 m	2 m	0.031
MT-14-046	250 m - 252 m	2 m	<0.016
MT-14-047	252 m - 254 m	2 m	<0.016
MT-14-048	254 m - 256 m	2 m	<0.016
MT-14-049	256 m - 258 m	2 m	<0.016
MT-14-050	258 m - 260 m	2 m	0.016
MT-14-051	260 m - 262 m	2 m	0.016
MT-14-052	262 m - 264 m	2 m	<0.016
MT-14-053	264 m - 266 m	2 m	0.031
MT-14-054	266 m - 268 m	2 m	0.016
MT-14-055	268 m - 270 m	2 m	<0.016
MT-14-056	270 m - 272 m	2 m	<0.016
MT-14-057	272 m - 274 m	2 m	0.016
MT-14-058	274 m - 276 m	2 m	<0.016
MT-14-059	276 m - 278 m	2 m	<0.016
MT-14-060	278 m - 280 m	2 m	0.016
MT-14-061	280 m - 282 m	2 m	<0.016
MT-14-062	282 m - 284 m	2 m	<0.016
MT-14-063	284 m - 286 m	2 m	<0.016
MT-14-064	286 m - 288 m	2 m	<0.016
MT-14-065	288 m - 290 m	2 m	<0.016
MT-14-066	290 m - 292 m	2 m	0.047
MT-14-067	292 m - 294 m	2 m	<0.016
MT-14-068	294 m - 296 m	2 m	<0.016
MT-14-069	296 m - 298 m	2 m	<0.016
MT-14-070	298 m - 300 m	2 m	<0.016

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-14-071	300 m - 302 m	2 m	<0.016
MT-14-072	302 m - 304 m	2 m	<0.016
MT-14-073	304 m - 306 m	2 m	<0.016
MT-14-074	306 m - 308 m	2 m	<0.016
MT-14-075	308 m - 310 m	2 m	<0.016
MT-14-076	310 m - 312 m	2 m	<0.016
MT-14-077	312 m - 314 m	2 m	<0.016
MT-14-078	314 m - 316 m	2 m	<0.016
MT-14-079	316 m - 318 m	2 m	<0.016
MT-14-080	318 m - 320 m	2 m	<0.016

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-14M-1	209.50 m - 210.00 m	0.50 m	0.031
MT-14M-2	210.00 m - 210.50 m	0.50 m	0.109
MT-14M-3	210.50 m - 211.00 m	0.50 m	0.078
MT-14M-4	211.00 m - 211.50 m	0.50 m	0.124
MT-14M-5	211.50 m - 212.00 m	0.50 m	0.047
MT-14M-6	212.00 m - 212.50 m	0.50 m	0.031
MT-14M-7	212.50 m - 213.00 m	0.50 m	<0.016
MT-14M-8	213.00 m - 213.50 m	0.50 m	0.031
MT-14M-9	213.50 m - 214.00 m	0.50 m	<0.016
MT-14M-10	223.80 m - 224.70 m	0.90 m	0.840
MT-14M-11	215.50 m - 216.50 m	1.00 m	<0.016
MT-14M-12	217.80 m - 218.30 m	0.50 m	0.062
MT-14M-13	11.00 m - 11.50 m	0.50 m	<0.016
MT-14M-14	11.50 m - 12.00 m	0.50 m	0.016
MT-14M-15	12.00 m - 12.50 m	0.50 m	<0.016
MT-14M-16	39.50 m - 40.60 m	1.10 m	<0.016
MT-14M-17	55.70 m - 56.00 m	0.30 m	<0.016
MT-14M-18	63.00 m - 64.00 m	1.00 m	<0.016
MT-14M-19	64.00 m - 65.00 m	1.00 m	0.778
MT-14M-20	67.00 m - 68.00 m	1.00 m	<0.016
MT-14M-21	71.50m stockwork de quartz	0.30 m	<0.016
MT-14M-22	71.50m stockwork de quartz	0.30 m	<0.016
MT-14M-23	71.50m stockwork de quartz	0.30 m	<0.016

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-15-001	0 m - 2 m	2 m	0.016
MT-15-002	2 m - 4 m	2 m	<0.016
MT-15-003	4 m - 6 m	2 m	<0.016
MT-15-004	6 m - 8 m	2 m	<0.016
MT-15-005	8 m - 10 m	2 m	0.016
MT-15-006	10 m - 12 m	2 m	<0.016
MT-15-007	12 m - 14 m	2 m	<0.016
MT-15-008	14 m - 16 m	2 m	0.016
MT-15-009	16 m - 18 m	2 m	<0.016
MT-15-010	18 m - 20 m	2 m	0.093
MT-15-011	20 m - 22 m	2 m	0.047
MT-15-012	22 m - 24 m	2 m	0.016
MT-15-013	24 m - 26 m	2 m	<0.016
MT-15-014	26 m - 28 m	2 m	<0.016
MT-15-015	28 m - 30 m	2 m	<0.016
MT-15-016	30 m - 32 m	2 m	<0.016
MT-15-017	32 m - 34 m	2 m	0.031
MT-15-018	34 m - 36 m	2 m	<0.016
MT-15-019	36 m - 38 m	2 m	<0.016
MT-15-020	38 m - 40 m	2 m	<0.016
MT-15-021	40 m - 42 m	2 m	<0.016
MT-15-022	42 m - 44 m	2 m	<0.016
MT-15-023	44 m - 46 m	2 m	<0.016
MT-15-024	46 m - 48 m	2 m	<0.016
MT-15-025	48 m - 50 m	2 m	<0.016
MT-15-026	50 m - 52 m	2 m	<0.016
MT-15-027	52 m - 54 m	2 m	<0.016
MT-15-028	54 m - 56 m	2 m	0.016
MT-15-029	56 m - 58 m	2 m	<0.016
MT-15-030	58 m - 60 m	2 m	<0.016
MT-15-031	60 m - 62 m	2 m	<0.016
MT-15-032	62 m - 64 m	2 m	<0.016
MT-15-033	64 m - 66 m	2 m	<0.016
MT-15-034	66 m - 68 m	2 m	<0.016
MT-15-035	68 m - 70 m	2 m	<0.016
MT-15-036	70 m - 72 m	2 m	<0.016
MT-15-037	72 m - 74 m	2 m	<0.016
MT-15-038	74 m - 76 m	2 m	<0.016
MT-15-039	76 m - 78 m	2 m	<0.016
MT-15-040	78 m - 80 m	2 m	<0.016
MT-15-041	80 m - 82 m	2 m	<0.016
MT-15-042	82 m - 84 m	2 m	<0.016
MT-15-043	84 m - 86 m	2 m	<0.016
MT-15-044	86 m - 88 m	2 m	<0.016
MT-15-045	88 m - 90 m	2 m	<0.016
MT-15-046	90 m - 92 m	2 m	<0.016
MT-15-047	92 m - 94 m	2 m	<0.016
MT-15-048	94 m - 96 m	2 m	<0.016
MT-15-049	96 m - 98 m	2 m	<0.016
MT-15-050	98 m - 100 m	2 m	<0.016

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-15-051	100 m - 102 m	2 m	<0.016
MT-15-052	102 m - 104 m	2 m	<0.016
MT-15-053	104 m - 106 m	2 m	<0.016
MT-15-054	106 m - 108 m	2 m	<0.016
MT-15-055	108 m - 110 m	2 m	<0.016
MT-15-056	110 m - 112 m	2 m	<0.016
MT-15-057	112 m - 114 m	2 m	<0.016
MT-15-058	114 m - 116 m	2 m	<0.016
MT-15-059	116 m - 118 m	2 m	<0.016
MT-15-060	118 m - 120 m	2 m	<0.016
MT-15-061	120 m - 122 m	2 m	<0.016
MT-15-062	122 m - 124 m	2 m	<0.016
MT-15-063	124 m - 126 m	2 m	<0.016
MT-15-064	126 m - 128 m	2 m	<0.016
MT-15-065	128 m - 130 m	2 m	<0.016
MT-15-066	130 m - 132 m	2 m	<0.016
MT-15-067	132 m - 134 m	2 m	<0.016
MT-15-068	134 m - 136 m	2 m	<0.016
MT-15-069	136 m - 138 m	2 m	<0.016
MT-15-070	138 m - 140 m	2 m	<0.016
MT-15-071	140 m - 142 m	2 m	<0.016
MT-15-072	142 m - 144 m	2 m	<0.016
MT-15-073	144 m - 146 m	2 m	0.109
MT-15-074	146 m - 148 m	2 m	<0.016
MT-15-075	148 m - 150 m	2 m	<0.016
MT-15-076	150 m - 152 m	2 m	<0.016
MT-15-077	152 m - 154 m	2 m	<0.016
MT-15-078	154 m - 156 m	2 m	<0.016
MT-15-079	156 m - 158 m	2 m	<0.016
MT-15-080	158 m - 160 m	2 m	<0.016
MT-15-081	160 m - 162 m	2 m	<0.016
MT-15-082	162 m - 164 m	2 m	<0.016
MT-15-083	164 m - 166 m	2 m	<0.016
MT-15-084	166 m - 168 m	2 m	<0.016
MT-15-085	168 m - 170 m	2 m	<0.016
MT-15-086	170 m - 172 m	2 m	<0.016
MT-15-087	172 m - 174 m	2 m	<0.016
MT-15-088	174 m - 176 m	2 m	<0.016
MT-15-089	176 m - 178 m	2 m	<0.016
MT-15-090	178 m - 180 m	2 m	<0.016

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-15M-1	4.00 m - 4.60 m	0.60 m	<0.016
MT-15M-2	4.60 m - 5.20 m	0.60 m	<0.016
MT-15M-3	5.20 m - 6.00 m	0.80 m	<0.016
MT-15M-4	9.00 m - 10.00 m	1.00 m	<0.016
MT-15M-5	11.00 m - 12.00 m	1.00 m	<0.016
MT-15M-6	13.50 m - 14.00 m	0.50 m	<0.016
MT-15M-7	38.40 m - 38.80 m	0.40 m	<0.016
MT-15M-8	59.00 m - 60.00 m	1.00 m	<0.016
MT-15M-9	60.00 m - 61.00 m	1.00 m	<0.016
MT-15M-10	61.00 m - 62.00 m	1.00 m	<0.016
MT-15M-11	62.00 m - 63.00 m	1.00 m	<0.016
MT-15M-12	63.00 m - 64.00 m	1.00 m	<0.016
MT-15M-13	64.00 m - 65.00 m	1.00 m	<0.016
MT-15M-14	80.00 m - 81.00 m	1.00 m	<0.016
MT-15M-15	81.00 m - 82.00 m	1.00 m	<0.016
MT-15M-16	82.00 m - 83.00 m	1.00 m	<0.016
MT-15M-17	83.00 m - 84.00 m	1.00 m	<0.016

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-16-001	0 m - 2 m	2 m	<0.016
MT-16-002	2 m - 4 m	2 m	<0.016
MT-16-003	4 m - 6 m	2 m	<0.016
MT-16-004	6 m - 8 m	2 m	<0.016
MT-16-005	8 m - 10 m	2 m	<0.016
MT-16-006	10 m - 12 m	2 m	<0.016
MT-16-007	12 m - 14 m	2 m	<0.016
MT-16-008	14 m - 16 m	2 m	<0.016
MT-16-009	16 m - 18 m	2 m	<0.016
MT-16-010	18 m - 20 m	2 m	<0.016
MT-16-011	20 m - 22 m	2 m	0.031
MT-16-012	22 m - 24 m	2 m	<0.016
MT-16-013	24 m - 26 m	2 m	<0.016
MT-16-014	26 m - 28 m	2 m	<0.016
MT-16-015	28 m - 30 m	2 m	<0.016
MT-16-016	30 m - 32 m	2 m	<0.016
MT-16-017	32 m - 34 m	2 m	<0.016
MT-16-018	34 m - 36 m	2 m	<0.016
MT-16-019	36 m - 38 m	2 m	<0.016
MT-16-020	38 m - 40 m	2 m	<0.016
MT-16-021	40 m - 42 m	2 m	<0.016
MT-16-022	42 m - 44 m	2 m	<0.016
MT-16-023	44 m - 46 m	2 m	0.031
MT-16-024	46 m - 48 m	2 m	<0.016
MT-16-025	48 m - 50 m	2 m	<0.016
MT-16-026	50 m - 52 m	2 m	<0.016
MT-16-027	52 m - 54 m	2 m	<0.016
MT-16-028	54 m - 56 m	2 m	<0.016
MT-16-029	56 m - 58 m	2 m	<0.016
MT-16-030	58 m - 60 m	2 m	<0.016
MT-16-031	60 m - 62 m	2 m	<0.016
MT-16-032	62 m - 64 m	2 m	<0.016
MT-16-033	64 m - 66 m	2 m	<0.016
MT-16-034	66 m - 68 m	2 m	<0.016
MT-16-035	68 m - 70 m	2 m	<0.016
MT-16-036	70 m - 72 m	2 m	<0.016
MT-16-037	72 m - 74 m	2 m	<0.016
MT-16-038	74 m - 76 m	2 m	<0.016
MT-16-039	76 m - 78 m	2 m	<0.016
MT-16-040	78 m - 80 m	2 m	0.062
MT-16-041	80 m - 82 m	2 m	<0.016
MT-16-042	82 m - 84 m	2 m	<0.016
MT-16-043	84 m - 86 m	2 m	<0.016
MT-16-044	86 m - 88 m	2 m	<0.016
MT-16-045	88 m - 90 m	2 m	<0.016
MT-16-046	90 m - 92 m	2 m	<0.016
MT-16-047	92 m - 94 m	2 m	<0.016
MT-16-048	94 m - 96 m	2 m	<0.016
MT-16-049	96 m - 98 m	2 m	<0.016
MT-16-050	98 m - 100 m	2 m	<0.016

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-16-051	100 m - 102 m	2 m	<0.016
MT-16-052	102 m - 104 m	2 m	<0.016
MT-16-053	104 m - 106 m	2 m	<0.016
MT-16-054	106 m - 108 m	2 m	<0.016
MT-16-055	108 m - 110 m	2 m	<0.016
MT-16-056	110 m - 112 m	2 m	<0.016
MT-16-057	112 m - 114 m	2 m	<0.016
MT-16-058	114 m - 116 m	2 m	<0.016
MT-16-059	116 m - 118 m	2 m	<0.016
MT-16-060	118 m - 120 m	2 m	<0.016
MT-16-061	120 m - 122 m	2 m	<0.016
MT-16-062	122 m - 124 m	2 m	<0.016
MT-16-063	124 m - 126 m	2 m	<0.016
MT-16-064	126 m - 128 m	2 m	<0.016
MT-16-065	128 m - 130 m	2 m	<0.016
MT-16-066	130 m - 132 m	2 m	<0.016
MT-16-067	132 m - 134 m	2 m	0.140
MT-16-068	134 m - 136 m	2 m	<0.016
MT-16-069	136 m - 138 m	2 m	<0.016
MT-16-070	138 m - 140 m	2 m	<0.016
MT-16-071	140 m - 142 m	2 m	<0.016
MT-16-072	142 m - 144 m	2 m	<0.016
MT-16-073	144 m - 146 m	2 m	<0.016
MT-16-074	146 m - 148 m	2 m	<0.016
MT-16-075	148 m - 150 m	2 m	<0.016
MT-16-076	150 m - 152 m	2 m	<0.016
MT-16-077	152 m - 154 m	2 m	<0.016
MT-16-078	154 m - 156 m	2 m	<0.016
MT-16-079	156 m - 158 m	2 m	0.311
MT-16-080	158 m - 160 m	2 m	<0.016
MT-16-081	160 m - 162 m	2 m	<0.016
MT-16-082	162 m - 164 m	2 m	<0.016
MT-16-083	164 m - 166 m	2 m	<0.016
MT-16-084	166 m - 168 m	2 m	<0.016
MT-16-085	168 m - 170 m	2 m	0.016
MT-16-086	170 m - 172 m	2 m	<0.016
MT-16-087	172 m - 174 m	2 m	<0.016
MT-16-088	174 m - 176 m	2 m	<0.016
MT-16-089	176 m - 178 m	2 m	<0.016
MT-16-090	178 m - 180 m	2 m	<0.016
MT-16-091	180 m - 182 m	2 m	<0.016
MT-16-092	182 m - 184 m	2 m	<0.016
MT-16-093	184 m - 186 m	2 m	<0.016
MT-16-094	186 m - 188 m	2 m	<0.016
MT-16-095	188 m - 190 m	2 m	<0.016
MT-16-096	190 m - 192 m	2 m	<0.016
MT-16-097	192 m - 194 m	2 m	<0.016
MT-16-098	194 m - 196 m	2 m	<0.016
MT-16-099	196 m - 198 m	2 m	<0.016
MT-16-100	198 m - 200 m	2 m	<0.016

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-16-101	200 m - 202 m	2 m	<0.016
MT-16-102	202 m - 204 m	2 m	<0.016
MT-16-103	204 m - 206 m	2 m	<0.016
MT-16-104	206 m - 208 m	2 m	<0.016
MT-16-105	208 m - 210 m	2 m	<0.016
MT-16-106	210 m - 212 m	2 m	<0.016
MT-16-107	212 m - 214 m	2 m	<0.016
MT-16-108	214 m - 216 m	2 m	<0.016
MT-16-109	216 m - 218 m	2 m	<0.016
MT-16-110	218 m - 220 m	2 m	<0.016
MT-16-111	220 m - 222 m	2 m	<0.016
MT-16-112	222 m - 224 m	2 m	<0.016
MT-16-113	224 m - 226 m	2 m	<0.016
MT-16-114	226 m - 228 m	2 m	<0.016
MT-16-115	228 m - 230 m	2 m	<0.016
MT-16-116	230 m - 232 m	2 m	<0.016
MT-16-117	232 m - 234 m	2 m	<0.016
MT-16-118	234 m - 236 m	2 m	<0.016
MT-16-119	236 m - 238 m	2 m	<0.016
MT-16-120	238 m - 240 m	2 m	<0.016
MT-16-121	240 m - 242 m	2 m	<0.016
MT-16-122	242 m - 244 m	2 m	0.016
MT-16-123	244 m - 246 m	2 m	0.047
MT-16-124	246 m - 248 m	2 m	0.078
MT-16-125	248 m - 250 m	2 m	0.233
MT-16-126	250 m - 252 m	2 m	0.124
MT-16-127	252 m - 254 m	2 m	0.093
MT-16-128	254 m - 256 m	2 m	0.124
MT-16-129	256 m - 258 m	2 m	0.078
MT-16-130	258 m - 260 m	2 m	0.187
MT-16-131	260 m - 262 m	2 m	0.062
MT-16-132	262 m - 264 m	2 m	0.078
MT-16-133	264 m - 266 m	2 m	0.062
MT-16-134	266 m - 268 m	2 m	0.078
MT-16-135	268 m - 270 m	2 m	0.093
MT-16-136	270 m - 272 m	2 m	<0.016
MT-16-137	272 m - 274 m	2 m	<0.016
MT-16-138	274 m - 276 m	2 m	<0.016
MT-16-139	276 m - 278 m	2 m	0.031
MT-16-140	278 m - 280 m	2 m	0.016
MT-16-141	280 m - 282 m	2 m	0.047
MT-16-142	282 m - 284 m	2 m	0.171
MT-16-143	284 m - 286 m	2 m	0.078
MT-16-144	286 m - 288 m	2 m	0.047
MT-16-145	288 m - 290 m	2 m	0.047
MT-16-146	290 m - 292 m	2 m	0.031
MT-16-147	292 m - 294 m	2 m	0.016
MT-16-148	294 m - 296 m	2 m	0.140
MT-16-149	296 m - 298 m	2 m	0.031
MT-16-150	298 m - 300 m	2 m	0.047

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-16-151	300 m - 302 m	2 m	0.047
MT-16-152	302 m - 304 m	2 m	5.459
MT-16-153	304 m - 306 m	2 m	1.555
MT-16-154	306 m - 308 m	2 m	0.218
MT-16-155	308 m - 310 m	2 m	0.249
MT-16-156	310 m - 312 m	2 m	0.218
MT-16-157	312 m - 314 m	2 m	0.607
MT-16-158	314 m - 316 m	2 m	0.746
MT-16-159	316 m - 318 m	2 m	0.062
MT-16-160	318 m - 320 m	2 m	0.140
MT-16-161	320 m - 322 m	2 m	<0.016
MT-16-162	322 m - 324 m	2 m	0.093
MT-16-163	324 m - 326 m	2 m	0.140
MT-16-164	326 m - 328 m	2 m	0.016
MT-16-165	328 m - 330 m	2 m	0.016
MT-16-166	330 m - 332 m	2 m	<0.016
MT-16-167	332 m - 334 m	2 m	0.016
MT-16-168	334 m - 336 m	2 m	6.672
MT-16-169	336 m - 338 m	2 m	0.047
MT-16-170	338 m - 340 m	2 m	4.432
MT-16-171	340 m - 342 m	2 m	0.093
MT-16-172	342 m - 344 m	2 m	0.093
MT-16-173	344 m - 346 m	2 m	0.047
MT-16-174	346 m - 348 m	2 m	0.031
MT-16-175	348 m - 350 m	2 m	0.031

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-17-001	0 m - 2 m	2 m	<0.016
MT-17-002	2 m - 4 m	2 m	<0.016
MT-17-003	4 m - 6 m	2 m	<0.016
MT-17-004	6 m - 8 m	2 m	<0.016
MT-17-005	8 m - 10 m	2 m	<0.016
MT-17-006	10 m - 12 m	2 m	<0.016
MT-17-007	12 m - 14 m	2 m	<0.016
MT-17-008	14 m - 16 m	2 m	<0.016
MT-17-009	16 m - 18 m	2 m	<0.016
MT-17-010	18 m - 20 m	2 m	<0.016
MT-17-011	20 m - 22 m	2 m	<0.016
MT-17-012	22 m - 24 m	2 m	<0.016
MT-17-013	24 m - 26 m	2 m	<0.016
MT-17-014	26 m - 28 m	2 m	<0.016
MT-17-015	28 m - 30 m	2 m	<0.016
MT-17-016	30 m - 32 m	2 m	<0.016
MT-17-017	32 m - 34 m	2 m	<0.016
MT-17-018	34 m - 36 m	2 m	0.016
MT-17-019	36 m - 38 m	2 m	<0.016
MT-17-020	38 m - 40 m	2 m	<0.016
MT-17-021	40 m - 42 m	2 m	<0.016
MT-17-022	42 m - 44 m	2 m	0.140
MT-17-023	44 m - 46 m	2 m	<0.016
MT-17-024	46 m - 48 m	2 m	<0.016
MT-17-025	48 m - 50 m	2 m	<0.016
MT-17-026	50 m - 52 m	2 m	<0.016
MT-17-027	52 m - 54 m	2 m	<0.016
MT-17-028	54 m - 56 m	2 m	0.016
MT-17-029	56 m - 58 m	2 m	<0.016
MT-17-030	58 m - 60 m	2 m	<0.016
MT-17-031	60 m - 62 m	2 m	<0.016
MT-17-032	62 m - 64 m	2 m	<0.016
MT-17-033	64 m - 66 m	2 m	<0.016
MT-17-034	66 m - 68 m	2 m	<0.016
MT-17-035	68 m - 70 m	2 m	<0.016
MT-17-036	70 m - 72 m	2 m	<0.016
MT-17-037	72 m - 74 m	2 m	<0.016
MT-17-038	74 m - 76 m	2 m	<0.016
MT-17-039	76 m - 78 m	2 m	<0.016
MT-17-040	78 m - 80 m	2 m	<0.016
MT-17-041	80 m - 82 m	2 m	<0.016
MT-17-042	82 m - 84 m	2 m	<0.016
MT-17-043	84 m - 86 m	2 m	<0.016
MT-17-044	86 m - 88 m	2 m	<0.016
MT-17-045	88 m - 90 m	2 m	<0.016
MT-17-046	90 m - 92 m	2 m	<0.016
MT-17-047	92 m - 94 m	2 m	<0.016
MT-17-048	94 m - 96 m	2 m	0.016
MT-17-049	96 m - 98 m	2 m	<0.016
MT-17-050	98 m - 100 m	2 m	<0.016


Numéro échantillon	Localité	Longueur	Au (g/t)
MT-17-051	100 m - 102 m	2 m	<0.016
MT-17-052	102 m - 104 m	2 m	<0.016
MT-17-053	104 m - 106 m	2 m	<0.016
MT-17-054	106 m - 108 m	2 m	<0.016
MT-17-055	108 m - 110 m	2 m	<0.016
MT-17-056	110 m - 112 m	2 m	<0.016
MT-17-057	112 m - 114 m	2 m	<0.016
MT-17-058	114 m - 116 m	2 m	<0.016
MT-17-059	116 m - 118 m	2 m	<0.016
MT-17-060	118 m - 120 m	2 m	<0.016
MT-17-061	120 m - 122 m	2 m	<0.016
MT-17-062	122 m - 124 m	2 m	<0.016
MT-17-063	124 m - 126 m	2 m	3.266
MT-17-064	126 m - 128 m	2 m	0.031
MT-17-065	128 m - 130 m	2 m	0.109
MT-17-066	130 m - 132 m	2 m	0.047
MT-17-067	132 m - 134 m	2 m	0.047
MT-17-068	134 m - 136 m	2 m	<0.016
MT-17-069	136 m - 138 m	2 m	<0.016
MT-17-070	138 m - 140 m	2 m	0.031
MT-17-071	140 m - 142 m	2 m	0.016
MT-17-072	142 m - 144 m	2 m	0.031
MT-17-073	144 m - 146 m	2 m	0.047
MT-17-074	146 m - 148 m	2 m	0.062
MT-17-075	148 m - 150 m	2 m	0.047
MT-17-076	150 m - 152 m	2 m	0.047
MT-17-077	152 m - 154 m	2 m	0.047
MT-17-078	154 m - 156 m	2 m	0.031
MT-17-079	156 m - 158 m	2 m	0.031
MT-17-080	158 m - 160 m	2 m	0.016
MT-17-081	160 m - 162 m	2 m	0.062
MT-17-082	162 m - 164 m	2 m	0.016
MT-17-083	164 m - 166 m	2 m	<0.016
MT-17-084	166 m - 168 m	2 m	<0.016
MT-17-085	168 m - 170 m	2 m	<0.016
MT-17-086	170 m - 172 m	2 m	<0.016
MT-17-087	172 m - 174 m	2 m	<0.016
MT-17-088	174 m - 176 m	2 m	0.031
MT-17-089	176 m - 178 m	2 m	<0.016
MT-17-090	178 m - 180 m	2 m	<0.016
MT-17-091	180 m - 182 m	2 m	<0.016
MT-17-092	182 m - 184 m	2 m	<0.016
MT-17-093	184 m - 186 m	2 m	0.016
MT-17-094	186 m - 188 m	2 m	0.016
MT-17-095	188 m - 190 m	2 m	0.031
MT-17-096	190 m - 192 m	2 m	0.016
MT-17-097	192 m - 194 m	2 m	0.047
MT-17-098	194 m - 196 m	2 m	<0.016
MT-17-099	196 m - 198 m	2 m	0.031
MT-17-100	198 m - 200 m	2 m	0.031

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-17-101	200 m - 202 m	2 m	<0.016
MT-17-102	202 m - 204 m	2 m	0.047
MT-17-103	204 m - 206 m	2 m	<0.016
MT-17-104	206 m - 208 m	2 m	<0.016
MT-17-105	208 m - 210 m	2 m	<0.016
MT-17-106	210 m - 212 m	2 m	<0.016
MT-17-107	212 m - 214 m	2 m	<0.016
MT-17-108	214 m - 216 m	2 m	<0.016
MT-17-109	216 m - 218 m	2 m	0.047
MT-17-110	218 m - 220 m	2 m	<0.016
MT-17-111	220 m - 222 m	2 m	<0.016
MT-17-112	222 m - 224 m	2 m	0.016
MT-17-113	224 m - 226 m	2 m	<0.016
MT-17-114	226 m - 228 m	2 m	<0.016
MT-17-115	228 m - 230 m	2 m	<0.016
MT-17-116	230 m - 232 m	2 m	0.031
MT-17-117	232 m - 234 m	2 m	<0.016
MT-17-118	234 m - 236 m	2 m	0.016
MT-17-119	236 m - 238 m	2 m	<0.016
MT-17-120	238 m - 240 m	2 m	<0.016
MT-17-121	240 m - 242 m	2 m	0.031
MT-17-122	242 m - 244 m	2 m	<0.016
MT-17-123	244 m - 246 m	2 m	<0.016
MT-17-124	246 m - 248 m	2 m	<0.016
MT-17-125	248 m - 250 m	2 m	<0.016
MT-17-126	250 m - 252 m	2 m	<0.016
MT-17-127	252 m - 254 m	2 m	<0.016
MT-17-128	254 m - 256 m	2 m	<0.016
MT-17-129	256 m - 258 m	2 m	0.016
MT-17-130	258 m - 260 m	2 m	<0.016
MT-17-131	260 m - 262 m	2 m	0.016
MT-17-132	262 m - 264 m	2 m	0.016
MT-17-133	264 m - 266 m	2 m	0.016
MT-17-134	266 m - 268 m	2 m	0.016
MT-17-135	268 m - 270 m	2 m	0.016
MT-17-136	270 m - 272 m	2 m	0.016
MT-17-137	272 m - 274 m	2 m	0.016
MT-17-138	274 m - 276 m	2 m	<0.016
MT-17-139	276 m - 278 m	2 m	0.016
MT-17-140	278 m - 280 m	2 m	0.016
MT-17-141	280 m - 282 m	2 m	<0.016
MT-17-142	282 m - 284 m	2 m	<0.016
MT-17-143	284 m - 286 m	2 m	<0.016
MT-17-144	286 m - 288 m	2 m	<0.016
MT-17-145	288 m - 290 m	2 m	<0.016
MT-17-146	290 m - 292 m	2 m	<0.016
MT-17-147	292 m - 294 m	2 m	<0.016
MT-17-148	294 m - 296 m	2 m	<0.016
MT-17-149	296 m - 298 m	2 m	<0.016
MT-17-150	298 m - 300 m	2 m	<0.016


Numéro échantillon	Localité	Longueur	Au (g/t)
MT-17-151	300 m - 302 m	2 m	<0.016
MT-17-152	302 m - 304 m	2 m	<0.016
MT-17-153	304 m - 306 m	2 m	<0.016
MT-17-154	306 m - 308 m	2 m	<0.016
MT-17-155	308 m - 310 m	2 m	<0.016
MT-17-156	310 m - 312 m	2 m	<0.016
MT-17-157	312 m - 314 m	2 m	0.016
MT-17-158	314 m - 316 m	2 m	<0.016
MT-17-159	316 m - 318 m	2 m	<0.016
MT-17-160	318 m - 320 m	2 m	<0.016
MT-17-161	320 m - 322 m	2 m	<0.016
MT-17-162	322 m - 324 m	2 m	<0.016
MT-17-163	324 m - 326 m	2 m	0.047
MT-17-164	326 m - 328 m	2 m	0.016
MT-17-165	328 m - 330 m	2 m	<0.016
MT-17-166	330 m - 332 m	2 m	<0.016
MT-17-167	332 m - 334 m	2 m	<0.016
MT-17-168	334 m - 336 m	2 m	<0.016
MT-17-169	336 m - 338 m	2 m	<0.016
MT-17-170	338 m - 340 m	2 m	<0.016
MT-17-171	340 m - 342 m	2 m	0.047
MT-17-172	342 m - 344 m	2 m	<0.016
MT-17-173	344 m - 346 m	2 m	<0.016
MT-17-174	346 m - 348 m	2 m	0.016
MT-17-175	348 m - 350 m	2 m	<0.016

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-16M-1	183m vertical	1.00 m	0.078
MT-16M-2	235m vertical	0.50 m	0.016
MT-16M-3	239m vertical	0.50 m	0.016
MT-16M-4	249.30 m - 249.60 m	0.30 m	2.239
MT-16M-5	257.80 m - 258.10 m	0.30 m	0.016
MT-16M-6	263m vertical	0.50 m	0.124
MT-16M-7	312.95 m - 313.03 m	0.03 m	6.081
MT-16M-8	335m vertical	0.50 m	6.345
MT-16M-9	336.70 m - 338.10 m	1.40 m	0.062

Numéro échantillon	Localité	Longueur	Au (g/t)
MT-17M-1	125.10 m - 125.70 m	0.60 m	0.124
MT-17M-2	213.00 m - 213.70 m	0.70 m	0.016
MT-17M-3	236.80 m - 237.00 m	0.20 m	<0.016
MT-17M-4	155.00 m - 155.50 m	0.50 m	0.031



**Apc.13 Résultat d'analyse chimique des échantillons
de carotte de sondages**



Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-1-7.00	7.00 m - 9.50 m	2.50 m	0.047	-	-
MJS-1-10.50	10.50 m - 12.60 m	2.10 m	0.031	-	-
MJS-1-12.60	12.60 m - 14.70 m	2.10 m	0.016	-	-
MJS-1-15.40	15.40 m - 17.60 m	2.20 m	0.016	-	-
MJS-1-17.60	17.60 m - 19.80 m	2.20 m	<0.016	-	-
MJS-1-19.80	19.80 m - 22.00 m	2.20 m	<0.016	-	-
MJS-1-23.10	23.10 m - 23.55 m	0.45 m	<0.016	-	-
MJS-1-23.55	23.55 m - 28.00 m	4.45 m	<0.016	-	-
MJS-1-30.00	30.00 m - 31.00 m	1.00 m	<0.016	<0.01	<0.02
MJS-1-32.00	32.00 m - 34.50 m	2.50 m	<0.016	<0.01	<0.02
MJS-1-34.50	34.50 m - 37.00 m	2.50 m	<0.016	<0.01	<0.02
MJS-1-39.00	39.00 m - 41.25 m	2.25 m	<0.016	<0.01	<0.02
MJS-1-41.25	41.25 m - 43.00 m	1.75 m	<0.016	<0.01	<0.02
MJS-1-53.00	53.00 m - 55.60 m	2.60 m	<0.016	<0.01	<0.02
MJS-1-61.00	61.00 m - 63.50 m	2.50 m	<0.016	<0.01	<0.02
MJS-1-63.50	63.50 m - 66.00 m	2.50 m	<0.016	<0.01	<0.02
MJS-1-69.00	69.00 m - 70.00 m	1.00 m	<0.016	0.03	0.06
MJS-1-73.00	73.00 m - 75.30 m	2.30 m	<0.016	0.02	0.04
MJS-1-76.00	76.00 m - 78.50 m	2.50 m	<0.016	0.01	0.02
MJS-1-80.30	80.30 m - 81.90 m	1.60 m	<0.016	0.02	0.04
MJS-1-81.90	81.90 m - 83.50 m	1.60 m	<0.016	0.02	0.04
MJS-1-111.60	112.60 m - 114.00 m	1.40 m	<0.016	1.98	3.70
MJS-1-115.00	115.00 m - 117.00 m	2.00 m	<0.016	2.20	4.12
MJS-1-117.00	117.00 m - 120.00 m	3.00 m	<0.016	1.87	3.50
MJS-1-121.00	121.00 m - 123.00 m	2.00 m	<0.016	1.34	2.51
MJS-1-123.00	123.00 m - 125.00 m	2.00 m	<0.016	0.47	0.88
MJS-1-125.00	125.00 m - 127.00 m	2.00 m	<0.016	0.81	1.52
MJS-1-127.00	127.00 m - 129.00 m	2.00 m	<0.016	0.96	1.80
MJS-1-129.00	129.00 m - 131.00 m	2.00 m	<0.016	1.61	3.01
MJS-1-131.00	131.00 m - 133.00 m	2.00 m	0.047	0.51	0.95
MJS-1-135.10	135.10 m - 136.65 m	1.55 m	<0.016	0.27	0.51
MJS-1-136.65	136.65 m - 138.20 m	1.55 m	<0.016	0.49	0.92
MJS-1-138.80	138.80 m - 140.73 m	1.93 m	0.031	1.59	2.97
MJS-1-140.73	140.73 m - 142.66 m	1.93 m	<0.016	1.74	3.26
MJS-1-142.66	142.66 m - 144.60 m	1.94 m	<0.016	1.58	2.96
MJS-1-146.20	146.20 m - 146.70 m	0.50 m	0.156	1.66	3.11
MJS-1-147.80	147.80 m - 150.50 m	2.70 m	<0.016	1.90	3.55

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS ₂ (%) estimation
MJS-2--2.70	2.70 m - 4.85 m	2.15 m	0.249	-	-
MJS-2-4.85	4.85 m - 7.00 m	2.15 m	0.016	-	-
MJS-2-11.00	11.00 m - 12.50 m	1.50 m	0.047	-	-
MJS-2-12.50	12.50 m - 14.00 m	1.50 m	<0.016	-	-
MJS-2-15.00	15.00 m - 16.50 m	1.50 m	<0.016	-	-
MJS-2-16.50	16.50 m - 18.00 m	1.50 m	<0.016	-	-
MJS-2-21.00	21.00 m - 22.80 m	1.80 m	<0.016	-	-
MJS-2-25.00	25.00 m - 27.00 m	2.00 m	<0.016	-	-
MJS-2-27.00	27.00 m - 29.00 m	2.00 m	<0.016	-	-
MJS-2-29.00	29.00 m - 31.00 m	2.00 m	<0.016	-	-
MJS-2-31.00	31.00 m - 33.00 m	2.00 m	<0.016	-	-
MJS-2-37.00	37.00 m - 38.00 m	1.00 m	<0.016	-	-
MJS-2-41.00	41.00 m - 41.85 m	0.85 m	<0.016	-	-
MJS-2-44.00	44.00 m - 46.00 m	2.00 m	0.016	-	-
MJS-2-48.70	48.70 m - 49.90 m	1.20 m	2.675	-	-
MJS-2-52.30	52.30 m - 53.30 m	1.00 m	<0.016	-	-
MJS-2-54.40	54.40 m - 55.40 m	1.00 m	0.031	-	-
MJS-2-57.50	57.50 m - 59.00 m	1.50 m	0.016	-	-
MJS-2-61.00	61.00 m - 62.00 m	1.00 m	0.047	-	-
MJS-2-67.10	67.10 m - 68.80 m	1.70 m	<0.016	-	-
MJS-2-69.80	69.80 m - 70.80 m	1.00 m	<0.016	-	-
MJS-2-81.60	81.60 m - 83.50 m	1.90 m	0.016	0.21	0.39
MJS-2-84.40	84.40 m - 86.65 m	2.25 m	<0.016	0.31	0.58
MJS-2-86.65	86.65 m - 88.90 m	2.25 m	<0.016	0.20	0.37
MJS-2-92.70	92.70 m - 94.80 m	2.10 m	0.031	2.13	3.99
MJS-2-94.80	94.80 m - 96.90 m	2.10 m	0.016	0.43	0.80
MJS-2-96.90	96.90 m - 99.00 m	2.10 m	1.928	1.19	2.23
MJS-2-99.90	99.90 m - 102.10 m	2.20 m	0.062	0.64	1.20
MJS-2-102.10	102.10 m - 104.30 m	2.20 m	<0.016	0.36	0.67
MJS-2-104.30	104.30 m - 106.50 m	2.20 m	0.031	0.67	1.25
MJS-2-106.75	106.75 m - 108.70 m	1.95 m	<0.016	1.18	2.21
MJS-2-111.50	111.50 m - 113.20 m	1.70 m	<0.016	0.96	1.80
MJS-2-113.20	113.20 m - 114.90 m	1.70 m	<0.016	0.21	0.39
MJS-2-114.90	114.90 m - 116.60 m	1.70 m	<0.016	0.28	0.52
MJS-2-117.10	117.10 m - 119.10 m	2.00 m	0.093	0.78	1.46
MJS-2-119.90	119.90 m - 121.70 m	1.80 m	0.062	0.24	0.45
MJS-2-122.30	122.30 m - 123.65 m	1.35 m	0.047	0.57	1.07
MJS-2-123.65	123.65 m - 125.00 m	1.35 m	0.016	1.01	1.89
MJS-2-126.00	123.65 m - 128.00 m	4.35 m	0.140	0.83	1.55
MJS-2-130.00	130.00 m - 131.50 m	1.50 m	0.031	0.99	1.85
MJS-2-132.50	132.50 m - 135.00 m	2.50 m	0.202	0.39	0.73
MJS-2-147.40	147.40 m - 148.95 m	1.55 m	<0.016	0.28	0.52
MJS-2-148.95	148.95 m - 150.50 m	1.55 m	<0.016	0.29	0.54

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-3-2.00	2.00 m - 3.50 m	1.50 m	0.078	-	-
MJS-3-3.50	3.50 m - 5.00 m	1.50 m	0.078	-	-
MJS-3-6.00	6.00 m - 8.00 m	2.00 m	0.031	-	-
MJS-3-8.00	8.00 m - 10.00 m	2.00 m	0.016	-	-
MJS-3-10.00	10.00 m - 12.00 m	2.00 m	<0.016	-	-
MJS-3-13.00	13.00 m - 14.90 m	1.90 m	<0.016	-	-
MJS-3-14.90	14.90 m - 16.80 m	1.90 m	<0.016	-	-
MJS-3-18.90	18.90 m - 20.00 m	1.10 m	<0.016	-	-
MJS-3-23.50	23.50 m - 25.00 m	1.50 m	<0.016	-	-
MJS-3-28.60	28.60 m - 29.60 m	1.00 m	<0.016	-	-
MJS-3-30.60	30.60 m - 31.60 m	1.00 m	<0.016	-	-
MJS-3-32.20	32.20 m - 34.00 m	1.80 m	<0.016	-	-
MJS-3-35.10	35.10 m - 36.55 m	1.45 m	<0.016	-	-
MJS-3-36.55	36.55 m - 38.00 m	1.45 m	<0.016	-	-
MJS-3-42.00	42.00 m - 43.80 m	1.80 m	<0.016	-	-
MJS-3-47.00	47.00 m - 48.00 m	1.00 m	<0.016	-	-
MJS-3-50.10	50.10 m - 52.10 m	2.00 m	<0.016	-	-
MJS-3-53.70	53.70 m - 55.20 m	1.50 m	<0.016	-	-
MJS-3-56.30	56.30 m - 57.65 m	1.35 m	<0.016	-	-
MJS-3-57.65	57.65 m - 59.00 m	1.35 m	<0.016	-	-
MJS-3-60.00	60.00 m - 62.00 m	2.00 m	<0.016	-	-
MJS-3-62.00	62.00 m - 64.00 m	2.00 m	<0.016	-	-
MJS-3-68.50	68.50 m - 69.30 m	0.80 m	<0.016	-	-
MJS-3-88.20	88.20 m - 89.60 m	1.40 m	<0.016	0.21	0.39
MJS-3-89.60	89.60 m - 91.00 m	1.40 m	<0.016	0.15	0.28
MJS-3-91.50	91.50 m - 94.00 m	2.50 m	<0.016	0.25	0.47
MJS-3-96.00	96.00 m - 97.40 m	1.40 m	<0.016	0.29	0.54
MJS-3-98.40	98.40 m - 100.70 m	2.30 m	<0.016	0.19	0.36
MJS-3-100.70	100.70 m - 103.00 m	2.30 m	<0.016	0.15	0.28
MJS-3-104.00	104.00 m - 105.00 m	1.00 m	0.093	0.20	0.37
MJS-3-107.00	107.00 m - 109.15 m	2.15 m	<0.016	0.13	0.24
MJS-3-109.15	109.15 m - 111.30 m	2.15 m	<0.016	0.19	0.36
MJS-3-112.00	112.00 m - 114.25 m	2.25 m	<0.016	0.13	0.24
MJS-3-114.25	114.25 m - 116.50 m	2.25 m	<0.016	0.11	0.21
MJS-3-117.50	117.50 m - 119.40 m	1.90 m	<0.016	0.13	0.24
MJS-3-120.40	120.40 m - 121.90 m	1.50 m	<0.016	0.16	0.30
MJS-3-121.90	121.90 m - 123.40 m	1.50 m	0.062	0.15	0.28
MJS-3-125.60	125.60 m - 126.60 m	1.00 m	0.031	0.17	0.32
MJS-3-127.70	127.70 m - 129.10 m	1.40 m	0.062	0.25	0.47
MJS-3-129.10	129.10 m - 130.50 m	1.40 m	0.031	0.15	0.28
MJS-3-133.80	133.80 m - 134.90 m	1.10 m	0.078	0.12	0.22
MJS-3-135.80	135.80 m - 138.00 m	2.20 m	0.498	0.11	0.21
MJS-3-139.00	139.00 m - 140.00 m	1.00 m	0.218	0.41	0.77
MJS-3-141.00	141.00 m - 142.00 m	1.00 m	0.047	0.38	0.71
MJS-3-147.00	147.00 m - 148.50 m	1.50 m	0.793	0.91	1.70
MJS-3-148.50	148.50 m - 150.00 m	1.50 m	1.462	0.94	1.76
MJS-3-153.00	153.00 m - 154.50 m	1.50 m	0.389	0.75	1.40
MJS-3-154.50	154.50 m - 156.00 m	1.50 m	0.311	0.55	1.03

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-4-4.00	4.00 m - 6.00 m	2.00 m	0.047	-	-
MJS-4-7.00	7.00 m - 9.00 m	2.00 m	<0.016	-	-
MJS-4-9.00	9.00 m - 11.00 m	2.00 m	0.016	-	-
MJS-4-12.00	12.00 m - 14.50 m	2.50 m	0.016	-	-
MJS-4-14.50	14.50 m - 17.00 m	2.50 m	<0.016	-	-
MJS-4-18.00	18.00 m - 19.50 m	1.50 m	<0.016	-	-
MJS-4-19.50	19.50 m - 21.00 m	1.50 m	0.156	-	-
MJS-4-22.00	22.00 m - 24.00 m	2.00 m	0.047	-	-
MJS-4-24.00	24.00 m - 26.00 m	2.00 m	0.871	-	-
MJS-4-42.00	42.00 m - 44.20 m	2.20 m	0.047	-	-
MJS-4-46.20	46.00 m - 48.00 m	2.00 m	<0.016	-	-
MJS-4-50.00	50.00 m - 51.40 m	1.40 m	<0.016	-	-
MJS-4-63.00	63.00 m - 64.50 m	1.50 m	<0.016	0.05	0.09
MJS-4-66.50	66.50 m - 68.70 m	2.20 m	<0.016	0.20	0.37
MJS-4-68.70	68.70 m - 70.80 m	2.10 m	<0.016	0.22	0.41
MJS-4-70.80	70.80 m - 73.00 m	2.20 m	<0.016	0.17	0.32
MJS-4-76.00	76.00 m - 77.70 m	1.70 m	<0.016	0.11	0.21
MJS-4-77.70	77.70 m - 79.40 m	1.70 m	0.062	0.15	0.28
MJS-4-79.90	79.90 m - 82.00 m	2.10 m	<0.016	0.12	0.22
MJS-4-90.00	90.00 m - 91.20 m	1.20 m	0.218	0.36	0.67
MJS-4-92.40	92.40 m - 94.00 m	1.60 m	0.715	0.38	0.71
MJS-4-94.00	94.00 m - 96.00 m	2.00 m	0.840	0.31	0.58
MJS-4-96.00	96.00 m - 98.00 m	2.00 m	0.047	0.17	0.32
MJS-4-108.00	108.00 m - 109.80 m	1.80 m	0.062	0.35	0.65
MJS-4-113.00	113.00 m - 115.50 m	2.50 m	0.016	0.10	0.19
MJS-4-116.50	116.50 m - 118.75 m	2.25 m	0.218	0.42	0.79
MJS-4-118.75	118.75 m - 121.00 m	2.25 m	0.513	0.63	1.18
MJS-4-122.00	122.00 m - 123.35 m	1.35 m	0.093	0.11	0.21
MJS-4-123.35	123.35 m - 124.70 m	1.35 m	<0.016	0.12	0.22
MJS-4-126.00	126.00 m - 127.00 m	1.00 m	0.358	0.17	0.32
MJS-4-128.00	128.00 m - 130.00 m	2.00 m	<0.016	0.02	0.04
MJS-4-130.00	130.00 m - 132.00 m	2.00 m	<0.016	0.06	0.11
MJS-4-132.00	132.00 m - 134.00 m	2.00 m	<0.016	0.06	0.11
MJS-4-135.10	135.10 m - 137.50 m	2.40 m	<0.016	0.07	0.13
MJS-4-137.50	137.50 m - 140.00 m	2.50 m	0.031	0.18	0.34
MJS-4-140.00	140.00 m - 142.50 m	2.50 m	0.047	0.36	0.67
MJS-4-143.60	143.60 m - 145.25 m	1.65 m	0.031	0.40	0.75
MJS-4-145.25	145.25 m - 146.90 m	1.65 m	<0.016	0.48	0.90
MJS-4-147.60	147.60 m - 149.05 m	1.45 m	<0.016	0.44	0.82
MJS-4-149.05	149.05 m - 150.50 m	1.45 m	0.062	0.42	0.79

Numéro échantillon	Profondeur	Longueur	Au (g/l)	S (%)	FeS2 (%) estimation
MJS-6-001	2.60 m -	4.00 m	1.40 m	0.078	-
MJS-6-002	4.00 m -	6.00 m	2.00 m	0.124	-
MJS-6-003	6.00 m -	8.00 m	2.00 m	0.062	-
MJS-6-004	8.00 m -	10.00 m	2.00 m	0.047	-
MJS-6-005	10.00 m -	12.00 m	2.00 m	0.156	-
MJS-6-006	12.00 m -	13.80 m	1.80 m	0.451	-
MJS-6-007	13.80 m -	15.00 m	1.20 m	0.482	-
MJS-6-008	15.00 m -	17.00 m	2.00 m	0.840	-
MJS-6-009	17.00 m -	19.00 m	2.00 m	1.820	-
MJS-6-010	19.00 m -	21.00 m	2.00 m	0.062	-
MJS-6-011	21.00 m -	23.00 m	2.00 m	0.078	-
MJS-6-012	23.00 m -	25.00 m	2.00 m	0.031	-
MJS-6-013	25.00 m -	27.00 m	2.00 m	0.140	-
MJS-6-014	27.00 m -	29.00 m	2.00 m	0.031	-
MJS-6-015	29.00 m -	31.00 m	2.00 m	<0.016	-
MJS-6-016	31.00 m -	32.30 m	1.30 m	<0.016	-
MJS-6-017	33.50 m -	35.00 m	1.50 m	<0.016	-
MJS-6-018	35.00 m -	37.00 m	2.00 m	<0.016	-
MJS-6-019	37.00 m -	39.00 m	2.00 m	<0.016	-
MJS-6-020	39.00 m -	41.00 m	2.00 m	<0.016	-
MJS-6-021	41.00 m -	43.00 m	2.00 m	<0.016	-
MJS-6-022	43.00 m -	45.00 m	2.00 m	<0.016	-
MJS-6-023	45.00 m -	47.00 m	2.00 m	0.575	-
MJS-6-024	47.00 m -	49.00 m	2.00 m	0.031	-
MJS-6-025	49.00 m -	51.00 m	2.00 m	<0.016	-
MJS-6-026	51.00 m -	53.00 m	2.00 m	0.435	-
MJS-6-027	53.00 m -	55.00 m	2.00 m	2.877	-
MJS-6-028	55.00 m -	57.00 m	2.00 m	0.031	-
MJS-6-029	57.00 m -	59.00 m	2.00 m	<0.016	-
MJS-6-030	59.00 m -	61.00 m	2.00 m	0.047	-
MJS-6-031	61.00 m -	63.00 m	2.00 m	5.428	-
MJS-6-032	63.00 m -	65.00 m	2.00 m	0.031	-
MJS-6-033	65.00 m -	67.00 m	2.00 m	0.031	-
MJS-6-034	67.00 m -	69.00 m	2.00 m	0.016	-
MJS-6-035	69.00 m -	71.00 m	2.00 m	0.031	-
MJS-6-036	71.00 m -	73.00 m	2.00 m	<0.016	-
MJS-6-037	73.00 m -	75.00 m	2.00 m	0.016	-
MJS-6-038	75.00 m -	77.00 m	2.00 m	<0.016	-
MJS-6-039	77.00 m -	79.00 m	2.00 m	<0.016	-
MJS-6-040	79.00 m -	81.00 m	2.00 m	<0.016	-
MJS-6-041	81.00 m -	83.00 m	2.00 m	<0.016	-
MJS-6-042	83.00 m -	85.00 m	2.00 m	<0.016	-
MJS-6-043	85.00 m -	87.00 m	2.00 m	<0.016	-
MJS-6-044	87.00 m -	89.00 m	2.00 m	<0.016	-
MJS-6-045	89.00 m -	91.00 m	2.00 m	<0.016	-
MJS-6-046	91.00 m -	93.00 m	2.00 m	<0.016	-
MJS-6-047	93.00 m -	94.20 m	1.20 m	<0.016	-
MJS-6-048	94.20 m -	94.45 m	0.25 m	<0.016	-
MJS-6-049	94.45 m -	95.40 m	0.95 m	<0.016	-
MJS-6-050	95.40 m -	95.70 m	0.30 m	<0.016	-

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-6-051	95.70 m - 97.00 m	1.30 m	<0.016	-	-
MJS-6-052	97.00 m - 98.30 m	1.30 m	<0.016	-	-
MJS-6-053	98.30 m - 98.50 m	0.20 m	<0.016	-	-
MJS-6-054	98.50 m - 99.00 m	0.50 m	<0.016	-	-
MJS-6-055	99.00 m - 101.00 m	2.00 m	<0.016	-	-
MJS-6-056	101.00 m - 102.10 m	1.10 m	0.093	-	-
MJS-6-057	102.10 m - 103.80 m	1.70 m	<0.016	-	-
MJS-6-058	103.80 m - 104.10 m	0.30 m	<0.016	-	-
MJS-6-059	104.10 m - 106.00 m	1.90 m	<0.016	<.01	<0.02
MJS-6-060	106.00 m - 108.00 m	2.00 m	<0.016	0.04	0.07
MJS-6-061	108.00 m - 110.00 m	2.00 m	<0.016	0.03	0.06
MJS-6-062	110.00 m - 112.00 m	2.00 m	<0.016	<.01	<0.02
MJS-6-063	112.00 m - 113.10 m	1.10 m	<0.016	<.01	<0.02
MJS-6-064	113.10 m - 114.25 m	1.15 m	<0.016	<.01	<0.02
MJS-6-065	114.25 m - 116.00 m	1.75 m	<0.016	0.07	0.13
MJS-6-066	116.00 m - 118.00 m	2.00 m	<0.016	0.16	0.30
MJS-6-067	118.00 m - 120.00 m	2.00 m	<0.016	0.60	1.12
MJS-6-068	120.00 m - 122.00 m	2.00 m	<0.016	0.29	0.54
MJS-6-069	122.00 m - 124.00 m	2.00 m	<0.016	0.27	0.51
MJS-6-070	124.00 m - 126.00 m	2.00 m	<0.016	0.41	0.77
MJS-6-071	126.00 m - 128.00 m	2.00 m	<0.016	0.16	0.30
MJS-6-072	128.00 m - 130.00 m	2.00 m	<0.016	0.10	0.19
MJS-6-073	130.00 m - 132.00 m	2.00 m	<0.016	0.11	0.21
MJS-6-074	132.00 m - 134.00 m	2.00 m	<0.016	0.33	0.62
MJS-6-075	134.00 m - 136.00 m	2.00 m	<0.016	0.06	0.11
MJS-6-076	136.00 m - 138.00 m	2.00 m	<0.016	0.07	0.13
MJS-6-077	138.00 m - 140.00 m	2.00 m	<0.016	0.22	0.41
MJS-6-078	140.00 m - 142.00 m	2.00 m	<0.016	0.12	0.22
MJS-6-079	142.00 m - 144.00 m	2.00 m	<0.016	0.11	0.21
MJS-6-080	144.00 m - 146.00 m	2.00 m	<0.016	0.05	0.09
MJS-6-081	146.00 m - 148.00 m	2.00 m	<0.016	0.02	0.04
MJS-6-082	148.00 m - 149.00 m	1.00 m	<0.016	0.13	0.24
MJS-6-083	149.00 m - 150.00 m	1.00 m	0.062	0.11	0.21
MJS-6-084	150.00 m - 151.00 m	1.00 m	<0.016	<.01	<0.02
MJS-6-085	151.00 m - 153.00 m	2.00 m	<0.016	<.01	<0.02
MJS-6-086	153.00 m - 155.00 m	2.00 m	0.062	0.05	0.09
MJS-6-087	155.00 m - 157.00 m	2.00 m	<0.016	0.03	0.06
MJS-6-088	157.00 m - 157.60 m	0.60 m	<0.016	0.08	0.15
MJS-6-089	157.60 m - 158.40 m	0.80 m	<0.016	0.15	0.28
MJS-6-090	158.40 m - 160.00 m	1.60 m	0.093	0.14	0.26
MJS-6-091	160.00 m - 162.00 m	2.00 m	<0.016	0.08	0.15
MJS-6-092	162.00 m - 164.00 m	2.00 m	0.016	0.09	0.17
MJS-6-093	164.00 m - 166.00 m	2.00 m	<0.016	0.06	0.11
MJS-6-094	166.00 m - 168.00 m	2.00 m	<0.016	0.08	0.15
MJS-6-095	168.00 m - 170.00 m	2.00 m	<0.016	0.05	0.09
MJS-6-096	170.00 m - 170.55 m	0.55 m	0.638	0.47	0.88
MJS-6-097	170.55 m - 170.70 m	0.15 m	25.691	0.16	0.30
MJS-6-098	170.70 m - 172.00 m	1.30 m	0.016	0.18	0.34
MJS-6-099	172.00 m - 174.00 m	2.00 m	<0.016	0.09	0.17
MJS-6-100	174.00 m - 176.00 m	2.00 m	0.047	0.10	0.19

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-6-101	176.00 m - 178.00 m	2.00 m	<0.016	0.79	1.48
MJS-6-102	178.00 m - 180.00 m	2.00 m	<0.016	0.15	0.28
MJS-6-103	180.00 m - 182.00 m	2.00 m	<0.016	0.43	0.80
MJS-6-104	182.00 m - 183.80 m	1.80 m	<0.016	0.21	0.39
MJS-6-105	183.80 m - 183.90 m	0.10 m	<0.016	0.07	0.13
MJS-6-106	183.90 m - 186.00 m	2.10 m	<0.016	1.07	2.00
MJS-6-107	186.00 m - 188.00 m	2.00 m	<0.016	0.80	1.50
MJS-6-108	188.00 m - 190.00 m	2.00 m	0.467	0.64	1.20
MJS-6-109	190.00 m - 192.00 m	2.00 m	<0.016	0.22	0.41
MJS-6-110	192.00 m - 194.00 m	2.00 m	<0.016	1.09	2.04
MJS-6-111	194.00 m - 196.00 m	2.00 m	<0.016	2.21	4.13
MJS-6-112	196.00 m - 198.00 m	2.00 m	<0.016	2.66	4.98
MJS-6-113	198.00 m - 200.10 m	2.10 m	<0.016	0.41	0.77

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS ₂ (%) estimation
MJS-7-001	2.60 m -	4.40 m	1.80 m	0.031	-
MJS-7-002	4.40 m -	6.00 m	1.60 m	0.031	-
MJS-7-003	6.00 m -	8.00 m	2.00 m	<0.016	-
MJS-7-004	8.00 m -	10.00 m	2.00 m	<0.016	-
MJS-7-005	10.00 m -	12.00 m	2.00 m	<0.016	-
MJS-7-006	12.00 m -	14.00 m	2.00 m	0.062	-
MJS-7-007	14.00 m -	16.00 m	2.00 m	<0.016	-
MJS-7-008	16.00 m -	18.00 m	2.00 m	<0.016	-
MJS-7-009	18.00 m -	20.00 m	2.00 m	<0.016	-
MJS-7-010	20.00 m -	22.00 m	2.00 m	<0.016	-
MJS-7-011	22.00 m -	24.00 m	2.00 m	<0.016	-
MJS-7-012	24.00 m -	26.00 m	2.00 m	<0.016	-
MJS-7-013	26.00 m -	28.00 m	2.00 m	<0.016	-
MJS-7-014	28.00 m -	30.00 m	2.00 m	<0.016	-
MJS-7-015	30.00 m -	32.00 m	2.00 m	0.016	-
MJS-7-016	32.00 m -	34.00 m	2.00 m	<0.016	-
MJS-7-017	34.00 m -	36.00 m	2.00 m	1.073	-
MJS-7-018	36.00 m -	38.00 m	2.00 m	0.373	-
MJS-7-019	38.00 m -	40.00 m	2.00 m	0.031	-
MJS-7-020	40.00 m -	42.00 m	2.00 m	<0.016	-
MJS-7-021	42.00 m -	44.00 m	2.00 m	<0.016	-
MJS-7-022	44.00 m -	46.00 m	2.00 m	<0.016	-
MJS-7-023	46.00 m -	48.00 m	2.00 m	0.031	-
MJS-7-024	48.00 m -	50.00 m	2.00 m	0.638	-
MJS-7-025	50.00 m -	52.00 m	2.00 m	<0.016	-
MJS-7-026	52.00 m -	54.00 m	2.00 m	<0.016	-
MJS-7-027	54.00 m -	56.00 m	2.00 m	<0.016	-
MJS-7-028	56.00 m -	58.00 m	2.00 m	<0.016	-
MJS-7-029	58.00 m -	60.00 m	2.00 m	<0.016	-
MJS-7-030	60.00 m -	62.00 m	2.00 m	<0.016	-
MJS-7-031	62.00 m -	64.00 m	2.00 m	<0.016	-
MJS-7-032	64.00 m -	66.40 m	2.40 m	<0.016	-
MJS-7-033	66.40 m -	68.00 m	1.60 m	<0.016	-
MJS-7-034	68.00 m -	70.00 m	2.00 m	<0.016	-
MJS-7-035	70.00 m -	72.00 m	2.00 m	0.016	-
MJS-7-036	72.00 m -	74.00 m	2.00 m	<0.016	-
MJS-7-037	74.00 m -	76.00 m	2.00 m	0.062	-
MJS-7-038	76.00 m -	78.00 m	2.00 m	<0.016	-
MJS-7-039	78.00 m -	80.00 m	2.00 m	<0.016	-
MJS-7-040	80.00 m -	82.00 m	2.00 m	<0.016	-
MJS-7-041	82.00 m -	82.90 m	0.90 m	<0.016	-
MJS-7-042	82.90 m -	84.70 m	1.80 m	<0.016	-
MJS-7-043	84.70 m -	86.00 m	1.30 m	<0.016	-
MJS-7-044	86.00 m -	88.00 m	2.00 m	<0.016	-
MJS-7-045	88.00 m -	90.00 m	2.00 m	0.016	-
MJS-7-046	90.00 m -	91.40 m	1.40 m	0.062	-
MJS-7-047	91.40 m -	91.70 m	0.30 m	0.078	-
MJS-7-048	91.70 m -	92.40 m	0.70 m	0.342	-
MJS-7-049	92.40 m -	92.60 m	0.20 m	13.903	-
MJS-7-050	92.60 m -	93.30 m	0.70 m	8.025	-

Numéro échantillon	Profondeur	Longueur	Au (g/l)	S (%)	FeS2 (%) estimation
MJS-7-051	93.30 m - 94.00 m	0.70 m	0.078	-	-
MJS-7-052	94.00 m - 96.30 m	2.30 m	0.078	-	-
MJS-7-053	96.30 m - 96.60 m	0.30 m	0.233	-	-
MJS-7-054	96.60 m - 97.50 m	0.90 m	0.047	-	-
MJS-7-055	97.50 m - 97.70 m	0.20 m	11.695	-	-
MJS-7-056	97.70 m - 98.30 m	0.60 m	0.047	-	-
MJS-7-057	98.30 m - 98.65 m	0.35 m	1.151	-	-
MJS-7-058	98.65 m - 99.80 m	1.15 m	<0.016	<.01	<.02
MJS-7-059	99.80 m - 100.30 m	0.50 m	0.062	0.03	0.06
MJS-7-060	100.30 m - 101.50 m	1.20 m	<0.016	<.01	<.02
MJS-7-061	101.50 m - 103.00 m	1.50 m	0.031	<.01	<.02
MJS-7-062	103.00 m - 103.20 m	0.20 m	<0.016	<.01	<.02
MJS-7-063	103.20 m - 105.40 m	2.20 m	<0.016	<.01	<.02
MJS-7-064	105.40 m - 106.10 m	0.70 m	2.846	<.01	<.02
MJS-7-065	106.10 m - 108.00 m	1.90 m	<0.016	<.01	<.02
MJS-7-066	108.00 m - 110.00 m	2.00 m	0.031	<.01	<.02
MJS-7-067	110.00 m - 112.00 m	2.00 m	<0.016	0.02	0.04
MJS-7-068	112.00 m - 113.80 m	1.80 m	<0.016	0.01	0.02
MJS-7-069	113.80 m - 114.20 m	0.40 m	0.078	<.01	<.02
MJS-7-070	114.20 m - 116.00 m	1.80 m	0.016	<.01	<.02
MJS-7-071	116.00 m - 118.00 m	2.00 m	0.171	<.01	<.02
MJS-7-072	118.00 m - 120.00 m	2.00 m	0.327	<.01	<.02
MJS-7-073	120.00 m - 120.60 m	0.60 m	0.327	<.01	<.02
MJS-7-074	120.60 m - 121.20 m	0.60 m	1.073	<.01	<.02
MJS-7-075	121.20 m - 121.90 m	0.70 m	1.011	<.01	<.02
MJS-7-076	121.90 m - 122.75 m	0.85 m	0.373	0.19	0.36
MJS-7-077	122.75 m - 124.00 m	1.25 m	0.264	0.20	0.37
MJS-7-078	124.00 m - 124.65 m	0.65 m	0.404	0.06	0.11
MJS-7-079	124.65 m - 125.40 m	0.75 m	0.249	0.05	0.09
MJS-7-080	125.40 m - 126.10 m	0.70 m	0.342	0.30	0.56
MJS-7-081	126.10 m - 127.10 m	1.00 m	0.389	0.03	0.06
MJS-7-082	127.10 m - 127.95 m	0.85 m	1.400	0.01	0.02
MJS-7-083	127.95 m - 128.10 m	0.15 m	3.141	0.03	0.06
MJS-7-084	128.10 m - 130.00 m	1.90 m	0.264	0.05	0.09
MJS-7-085	130.00 m - 132.00 m	2.00 m	0.187	0.19	0.36
MJS-7-086	132.00 m - 134.00 m	2.00 m	0.093	0.08	0.15
MJS-7-087	134.00 m - 136.00 m	2.00 m	0.233	0.04	0.07
MJS-7-088	136.00 m - 138.00 m	2.00 m	0.109	0.08	0.15
MJS-7-089	138.00 m - 140.00 m	2.00 m	0.218	0.08	0.15
MJS-7-090	140.00 m - 142.00 m	2.00 m	0.047	0.21	0.39
MJS-7-091	142.00 m - 144.00 m	2.00 m	0.140	0.05	0.09
MJS-7-092	144.00 m - 146.00 m	2.00 m	0.062	0.88	1.65
MJS-7-093	146.00 m - 146.65 m	0.65 m	0.156	1.09	2.04
MJS-7-094	146.65 m - 148.00 m	1.35 m	0.062	0.30	0.56
MJS-7-095	148.00 m - 150.00 m	2.00 m	0.078	0.34	0.64
MJS-7-096	150.00 m - 151.30 m	1.30 m	0.202	0.57	1.07
MJS-7-097	151.30 m - 152.10 m	0.80 m	0.062	0.32	0.60
MJS-7-098	152.10 m - 153.90 m	1.80 m	0.093	0.79	1.48
MJS-7-099	153.90 m - 155.80 m	1.90 m	0.124	0.78	1.46
MJS-7-100	155.80 m - 156.75 m	0.95 m	0.327	0.64	1.20

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-7-101	156.75 m - 157.35 m	0.60 m	0.575	1.00	1.87
MJS-7-102	157.35 m - 158.10 m	0.75 m	0.498	0.56	1.05
MJS-7-103	158.10 m - 158.80 m	0.70 m	0.746	0.81	1.52
MJS-7-104	158.80 m - 160.00 m	1.20 m	1.804	0.94	1.76
MJS-7-105	160.00 m - 162.00 m	2.00 m	1.058	0.99	1.85
MJS-7-106	162.00 m - 164.00 m	2.00 m	0.435	0.44	0.82
MJS-7-107	164.00 m - 165.10 m	1.10 m	0.918	0.66	1.23
MJS-7-108	165.10 m - 167.00 m	1.90 m	0.933	0.63	1.18
MJS-7-109	167.00 m - 169.00 m	2.00 m	0.031	0.10	0.19
MJS-7-110	169.00 m - 171.00 m	2.00 m	0.093	0.08	0.15
MJS-7-111	171.00 m - 173.00 m	2.00 m	0.031	0.22	0.41
MJS-7-112	173.00 m - 175.00 m	2.00 m	0.047	0.26	0.49
MJS-7-113	175.00 m - 177.00 m	2.00 m	<0.016	0.18	0.34
MJS-7-114	177.00 m - 179.00 m	2.00 m	0.016	0.09	0.17
MJS-7-115	179.00 m - 181.00 m	2.00 m	0.031	0.23	0.43
MJS-7-116	181.00 m - 183.00 m	2.00 m	<0.016	0.27	0.51
MJS-7-117	183.00 m - 185.00 m	2.00 m	0.016	0.28	0.52
MJS-7-118	185.00 m - 187.00 m	2.00 m	0.047	1.09	2.04
MJS-7-119	187.00 m - 189.00 m	2.00 m	0.047	0.31	0.58
MJS-7-120	189.00 m - 191.00 m	2.00 m	0.062	0.32	0.60
MJS-7-121	191.00 m - 193.00 m	2.00 m	0.109	0.12	0.22
MJS-7-122	193.00 m - 195.00 m	2.00 m	0.093	0.47	0.88
MJS-7-123	195.00 m - 197.05 m	2.05 m	<0.016	0.46	0.86
MJS-7-124	197.05 m - 197.15 m	0.10 m	<0.016	0.12	0.22
MJS-7-125	197.15 m - 199.00 m	1.85 m	0.031	0.61	1.14
MJS-7-126	199.00 m - 201.00 m	2.00 m	<0.016	0.23	0.43
MJS-7-127	201.00 m - 203.00 m	2.00 m	<0.016	0.14	0.26
MJS-7-128	203.00 m - 205.00 m	2.00 m	<0.016	0.30	0.56
MJS-7-129	205.00 m - 207.00 m	2.00 m	<0.016	0.22	0.41
MJS-7-130	207.00 m - 209.00 m	2.00 m	<0.016	0.43	0.80
MJS-7-131	209.00 m - 211.00 m	2.00 m	0.031	0.29	0.54
MJS-7-132	211.00 m - 213.00 m	2.00 m	<0.016	0.50	0.94
MJS-7-133	213.00 m - 215.00 m	2.00 m	0.156	0.34	0.64
MJS-7-134	215.00 m - 217.00 m	2.00 m	0.062	0.53	0.99
MJS-7-135	217.00 m - 219.00 m	2.00 m	0.031	0.70	1.31
MJS-7-136	219.00 m - 221.00 m	2.00 m	0.031	0.67	1.25
MJS-7-137	221.00 m - 223.00 m	2.00 m	<0.016	0.35	0.65
MJS-7-138	223.00 m - 225.00 m	2.00 m	<0.016	0.64	1.20
MJS-7-139	225.00 m - 227.00 m	2.00 m	0.031	0.34	0.64
MJS-7-140	227.00 m - 229.00 m	2.00 m	<0.016	0.36	0.67
MJS-7-141	229.00 m - 231.00 m	2.00 m	<0.016	0.15	0.28
MJS-7-142	231.00 m - 233.00 m	2.00 m	<0.016	0.14	0.26
MJS-7-143	233.00 m - 235.00 m	2.00 m	<0.016	0.22	0.41
MJS-7-144	235.00 m - 237.00 m	2.00 m	0.047	0.50	0.94
MJS-7-145	237.00 m - 239.00 m	2.00 m	<0.016	0.56	1.05
MJS-7-146	239.00 m - 241.00 m	2.00 m	0.016	0.17	0.32
MJS-7-147	241.00 m - 243.00 m	2.00 m	<0.016	0.08	0.15
MJS-7-148	243.00 m - 245.00 m	2.00 m	<0.016	0.10	0.19
MJS-7-149	245.00 m - 246.60 m	1.60 m	0.031	0.10	0.19
MJS-7-150	246.60 m - 246.85 m	0.25 m	0.249	0.26	0.49

Numéro échantillon	Profondeur	Longueur	Au (g/l)	S (%)	FeS2 (%) estimation
MJS-7-151	246.85 m - 248.00 m	1.15 m	0.031	0.12	0.22
MJS-7-152	248.00 m - 250.20 m	2.20 m	<0.016	0.12	0.22

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-8-01	3.00 m -	3.90 m	0.90 m	<0.016	-
MJS-8-02	3.90 m -	6.30 m	2.40 m	0.093	-
MJS-8-03	6.30 m -	6.90 m	0.60 m	0.047	-
MJS-8-04	6.90 m -	9.00 m	2.10 m	<0.016	-
MJS-8-05	9.00 m -	11.00 m	2.00 m	0.016	-
MJS-8-06	11.00 m -	13.00 m	2.00 m	0.016	-
MJS-8-07	13.00 m -	14.95 m	1.95 m	0.016	-
MJS-8-08	14.95 m -	16.10 m	1.15 m	<0.016	-
MJS-8-09	16.10 m -	17.10 m	1.00 m	<0.016	-
MJS-8-10	17.10 m -	18.80 m	1.70 m	<0.016	-
MJS-8-11	18.80 m -	20.00 m	1.20 m	0.047	-
MJS-8-12	20.00 m -	22.00 m	2.00 m	0.016	-
MJS-8-13	22.00 m -	24.00 m	2.00 m	0.047	-
MJS-8-14	24.00 m -	26.00 m	2.00 m	0.031	-
MJS-8-15	26.00 m -	28.00 m	2.00 m	0.031	-
MJS-8-16	28.00 m -	29.40 m	1.40 m	0.171	-
MJS-8-17	29.40 m -	31.90 m	2.50 m	0.016	-
MJS-8-18	31.90 m -	33.40 m	1.50 m	0.420	-
MJS-8-19	33.40 m -	36.00 m	2.60 m	<0.016	-
MJS-8-20	36.00 m -	37.50 m	1.50 m	<0.016	-
MJS-8-21	37.50 m -	39.50 m	2.00 m	<0.016	-
MJS-8-22	39.50 m -	40.70 m	1.20 m	<0.016	-
MJS-8-23	40.70 m -	42.00 m	1.30 m	<0.016	-
MJS-8-24	42.00 m -	44.00 m	2.00 m	<0.016	-
MJS-8-25	44.00 m -	46.00 m	2.00 m	0.031	-
MJS-8-26	46.00 m -	48.00 m	2.00 m	<0.016	-
MJS-8-27	48.00 m -	49.65 m	1.65 m	<0.016	-
MJS-8-28	49.65 m -	50.05 m	0.40 m	<0.016	-
MJS-8-29	50.05 m -	50.70 m	0.65 m	0.031	-
MJS-8-30	50.70 m -	52.05 m	1.35 m	0.840	-
MJS-8-31	52.05 m -	54.00 m	1.95 m	<0.016	-
MJS-8-32	54.00 m -	56.00 m	2.00 m	0.016	-
MJS-8-33	56.00 m -	58.00 m	2.00 m	<0.016	-
MJS-8-34	58.00 m -	60.00 m	2.00 m	0.093	-
MJS-8-35	60.00 m -	62.00 m	2.00 m	0.016	-
MJS-8-36	62.00 m -	64.00 m	2.00 m	0.809	-
MJS-8-37	64.00 m -	66.00 m	2.00 m	0.016	-
MJS-8-38	66.00 m -	68.00 m	2.00 m	<0.016	-
MJS-8-39	68.00 m -	70.00 m	2.00 m	<0.016	-
MJS-8-40	70.00 m -	72.00 m	2.00 m	0.093	-
MJS-8-41	72.00 m -	73.40 m	1.40 m	0.093	-
MJS-8-42	73.40 m -	76.10 m	2.70 m	0.187	-
MJS-8-43	76.10 m -	78.10 m	2.00 m	<0.016	-
MJS-8-44	78.10 m -	79.90 m	1.80 m	<0.016	-
MJS-8-45	79.90 m -	82.00 m	2.10 m	<0.016	-
MJS-8-46	82.00 m -	84.00 m	2.00 m	0.124	-
MJS-8-47	84.00 m -	86.00 m	2.00 m	<0.016	-
MJS-8-48	86.00 m -	88.00 m	2.00 m	<0.016	-
MJS-8-49	88.00 m -	90.10 m	2.10 m	0.016	-
MJS-8-50	90.10 m -	91.15 m	1.05 m	0.109	-

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation	
MJS-8-51	91.15 m -	91.25 m	0.10 m	0.311	-	-
MJS-8-52	91.25 m -	92.00 m	0.75 m	0.016	-	-
MJS-8-53	92.00 m -	92.40 m	0.40 m	0.280	-	-
MJS-8-54	92.40 m -	93.30 m	0.90 m	0.047	-	-
MJS-8-55	93.30 m -	93.55 m	0.25 m	<0.016	-	-
MJS-8-56	93.55 m -	95.60 m	2.05 m	0.715	-	-
MJS-8-57	95.60 m -	97.40 m	1.80 m	<0.016	-	-
MJS-8-58	97.40 m -	97.90 m	0.50 m	0.016	-	-
MJS-8-59	97.90 m -	99.35 m	1.45 m	<0.016	-	-
MJS-8-60	99.35 m -	101.00 m	1.65 m	0.016	-	-
MJS-8-61	101.00 m -	102.00 m	1.00 m	<0.016	-	-
MJS-8-62	102.00 m -	103.40 m	1.40 m	<0.016	-	-
MJS-8-63	103.40 m -	103.95 m	0.55 m	0.031	<.01	<0.02
MJS-8-64	103.95 m -	106.00 m	2.05 m	<0.016	<.01	<0.02
MJS-8-65	106.00 m -	106.80 m	0.80 m	<0.016	<.01	<0.02
MJS-8-66	106.80 m -	108.00 m	1.20 m	<0.016	0.15	0.28
MJS-8-67	108.00 m -	110.00 m	2.00 m	<0.016	0.11	0.21
MJS-8-68	110.00 m -	112.00 m	2.00 m	<0.016	0.13	0.24
MJS-8-69	112.00 m -	114.00 m	2.00 m	<0.016	0.04	0.07
MJS-8-70	114.00 m -	116.00 m	2.00 m	<0.016	0.03	0.06
MJS-8-71	116.00 m -	118.00 m	2.00 m	0.031	0.07	0.13
MJS-8-72	118.00 m -	120.00 m	2.00 m	<0.016	0.03	0.06
MJS-8-73	120.00 m -	122.00 m	2.00 m	<0.016	0.06	0.11
MJS-8-74	122.00 m -	123.65 m	1.65 m	<0.016	0.01	0.02
MJS-8-75	123.65 m -	124.15 m	0.50 m	<0.016	0.06	0.11
MJS-8-76	124.15 m -	125.50 m	1.35 m	<0.016	0.07	0.13
MJS-8-77	125.50 m -	125.70 m	0.20 m	0.062	0.10	0.19
MJS-8-78	125.70 m -	127.70 m	2.00 m	0.404	0.34	0.64
MJS-8-79	127.70 m -	128.30 m	0.60 m	0.949	0.45	0.84
MJS-8-80	128.30 m -	129.25 m	0.95 m	0.202	0.48	0.90
MJS-8-81	129.25 m -	130.45 m	1.20 m	0.249	0.78	1.46
MJS-8-82	130.45 m -	130.80 m	0.35 m	0.638	0.35	0.65
MJS-8-83	130.80 m -	132.00 m	1.20 m	0.062	0.13	0.24
MJS-8-84	132.00 m -	134.00 m	2.00 m	<0.016	0.08	0.15
MJS-8-85	134.00 m -	136.00 m	2.00 m	<0.016	0.04	0.07
MJS-8-86	136.00 m -	138.00 m	2.00 m	<0.016	0.08	0.15
MJS-8-87	138.00 m -	140.00 m	2.00 m	<0.016	0.05	0.09
MJS-8-88	140.00 m -	142.00 m	2.00 m	<0.016	0.03	0.06
MJS-8-89	142.00 m -	143.00 m	1.00 m	<0.016	0.20	0.37
MJS-8-90	143.00 m -	143.30 m	0.30 m	0.078	0.15	0.28
MJS-8-91	143.30 m -	145.00 m	1.70 m	<0.016	0.06	0.11
MJS-8-92	145.00 m -	147.00 m	2.00 m	<0.016	0.07	0.13
MJS-8-93	147.00 m -	149.00 m	2.00 m	<0.016	0.05	0.09
MJS-8-94	149.00 m -	150.40 m	1.40 m	<0.016	0.02	0.04
MJS-8-95	150.40 m -	150.50 m	0.10 m	<0.016	0.04	0.07

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-9-01	2.80 m - 5.20 m	2.40 m	0.093	-	-
MJS-9-02	5.20 m - 7.00 m	1.80 m	0.078	-	-
MJS-9-03	7.00 m - 9.00 m	2.00 m	0.140	-	-
MJS-9-04	9.00 m - 10.30 m	1.30 m	0.187	-	-
MJS-9-05	10.30 m - 10.40 m	0.10 m	0.047	-	-
MJS-9-06	10.40 m - 11.00 m	0.60 m	0.140	-	-
MJS-9-07	11.00 m - 13.00 m	2.00 m	0.093	-	-
MJS-9-08	13.00 m - 15.00 m	2.00 m	0.062	-	-
MJS-9-09	15.00 m - 17.00 m	2.00 m	0.047	-	-
MJS-9-10	17.00 m - 19.00 m	2.00 m	0.031	-	-
MJS-9-11	19.00 m - 21.00 m	2.00 m	0.016	-	-
MJS-9-12	21.00 m - 22.90 m	1.90 m	<0.016	-	-
MJS-9-13	22.90 m - 23.80 m	0.90 m	<0.016	-	-
MJS-9-14	23.80 m - 26.00 m	2.20 m	0.031	-	-
MJS-9-15	26.00 m - 28.00 m	2.00 m	<0.016	-	-
MJS-9-16	28.00 m - 30.00 m	2.00 m	<0.016	-	-
MJS-9-17	30.00 m - 32.00 m	2.00 m	<0.016	-	-
MJS-9-18	32.00 m - 34.00 m	2.00 m	<0.016	-	-
MJS-9-19	34.00 m - 36.00 m	2.00 m	<0.016	-	-
MJS-9-20	36.00 m - 38.00 m	2.00 m	0.031	-	-
MJS-9-21	38.00 m - 40.00 m	2.00 m	<0.016	-	-
MJS-9-22	40.00 m - 42.00 m	2.00 m	<0.016	-	-
MJS-9-23	42.00 m - 43.70 m	1.70 m	0.031	-	-
MJS-9-24	43.70 m - 45.70 m	2.00 m	0.280	-	-
MJS-9-25	45.70 m - 48.00 m	2.30 m	0.047	-	-
MJS-9-26	48.00 m - 49.40 m	1.40 m	0.264	-	-
MJS-9-27	49.40 m - 51.10 m	1.70 m	0.031	-	-
MJS-9-28	51.10 m - 53.00 m	1.90 m	0.031	-	-
MJS-9-29	53.00 m - 55.00 m	2.00 m	<0.016	-	-
MJS-9-30	55.00 m - 57.00 m	2.00 m	<0.016	-	-
MJS-9-31	57.00 m - 59.00 m	2.00 m	<0.016	-	-
MJS-9-32	59.00 m - 61.00 m	2.00 m	<0.016	-	-
MJS-9-33	61.00 m - 63.00 m	2.00 m	0.171	-	-
MJS-9-34	63.00 m - 64.20 m	1.20 m	<0.016	-	-
MJS-9-35	64.20 m - 65.40 m	1.20 m	0.280	-	-
MJS-9-36	65.40 m - 66.95 m	1.55 m	6.019	-	-
MJS-9-37	66.95 m - 67.70 m	0.75 m	4.992	-	-
MJS-9-38	67.70 m - 69.10 m	1.40 m	8.725	-	-
MJS-9-39	69.10 m - 71.00 m	1.90 m	0.078	-	-
MJS-9-40	71.00 m - 73.00 m	2.00 m	0.031	<.01	<0.02
MJS-9-41	73.00 m - 75.00 m	2.00 m	0.016	0.10	0.19
MJS-9-42	75.00 m - 77.00 m	2.00 m	<0.016	0.09	0.17
MJS-9-43	77.00 m - 79.00 m	2.00 m	0.031	0.33	0.62
MJS-9-44	79.00 m - 81.00 m	2.00 m	0.218	0.19	0.36
MJS-9-45	81.00 m - 83.00 m	2.00 m	0.031	0.05	0.09
MJS-9-46	83.00 m - 85.00 m	2.00 m	<0.016	0.09	0.17
MJS-9-47	85.00 m - 87.00 m	2.00 m	<0.016	0.31	0.58
MJS-9-48	87.00 m - 89.00 m	2.00 m	0.093	0.09	0.17
MJS-9-49	89.00 m - 91.00 m	2.00 m	0.062	0.03	0.06
MJS-9-50	91.00 m - 93.00 m	2.00 m	0.016	0.19	0.36

Numéro échantillon	Profondeur	Longueur	Au (g/l)	S (%)	FeS2 (%) estimation
MJS-9-51	93.00 m - 95.00 m	2.00 m	<0.016	0.15	0.28
MJS-9-52	95.00 m - 97.00 m	2.00 m	<0.016	0.26	0.49
MJS-9-53	97.00 m - 99.00 m	2.00 m	<0.016	0.04	0.07
MJS-9-54	99.00 m - 101.00 m	2.00 m	0.047	0.07	0.13
MJS-9-55	101.00 m - 103.00 m	2.00 m	<0.016	0.12	0.22
MJS-9-56	103.00 m - 105.10 m	2.10 m	<0.016	0.04	0.07
MJS-9-57	105.10 m - 105.85 m	0.75 m	0.638	0.13	0.24
MJS-9-58	105.85 m - 108.00 m	2.15 m	0.124	0.36	0.67
MJS-9-59	108.00 m - 109.35 m	1.35 m	0.016	0.39	0.73
MJS-9-60	109.35 m - 109.45 m	0.10 m	2.970	0.95	1.78
MJS-9-61	109.45 m - 111.00 m	1.55 m	0.295	0.22	0.41
MJS-9-62	111.00 m - 113.00 m	2.00 m	0.078	0.46	0.86
MJS-9-63	113.00 m - 115.00 m	2.00 m	0.093	0.19	0.36
MJS-9-64	115.00 m - 117.00 m	2.00 m	<0.016	0.13	0.24
MJS-9-65	117.00 m - 119.00 m	2.00 m	0.233	0.36	0.67
MJS-9-66	119.00 m - 121.00 m	2.00 m	0.016	0.18	0.34
MJS-9-67	121.00 m - 123.00 m	2.00 m	<0.016	0.10	0.19
MJS-9-68	123.00 m - 125.00 m	2.00 m	1.182	0.39	0.73
MJS-9-69	125.00 m - 127.00 m	2.00 m	0.062	0.08	0.15
MJS-9-70	127.00 m - 129.00 m	2.00 m	<0.016	0.16	0.30
MJS-9-71	129.00 m - 131.00 m	2.00 m	<0.016	0.10	0.19
MJS-9-72	131.00 m - 133.00 m	2.00 m	<0.016	0.21	0.39
MJS-9-73	133.00 m - 135.00 m	2.00 m	<0.016	0.57	1.07
MJS-9-74	135.00 m - 137.00 m	2.00 m	<0.016	0.74	1.38
MJS-9-75	137.00 m - 139.00 m	2.00 m	<0.016	0.68	1.27
MJS-9-76	139.00 m - 141.00 m	2.00 m	<0.016	0.80	1.50
MJS-9-77	141.00 m - 143.00 m	2.00 m	<0.016	0.28	0.52
MJS-9-78	143.00 m - 145.00 m	2.00 m	<0.016	0.42	0.79
MJS-9-79	145.00 m - 147.00 m	2.00 m	<0.016	0.43	0.80
MJS-9-80	147.00 m - 149.00 m	2.00 m	<0.016	0.24	0.45
MJS-9-81	149.00 m - 150.10 m	1.10 m	<0.016	0.08	0.15

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-10-001	2.70 m - 4.00 m	1.30 m	0.124	-	-
MJS-10-002	4.00 m - 6.00 m	2.00 m	0.031	-	-
MJS-10-003	6.00 m - 8.00 m	2.00 m	0.078	-	-
MJS-10-004	8.00 m - 10.00 m	2.00 m	0.078	-	-
MJS-10-005	10.00 m - 12.00 m	2.00 m	0.062	-	-
MJS-10-006	12.00 m - 14.00 m	2.00 m	0.047	-	-
MJS-10-007	14.00 m - 16.00 m	2.00 m	0.031	-	-
MJS-10-008	16.00 m - 17.95 m	1.95 m	1.555	-	-
MJS-10-009	17.95 m - 18.30 m	0.35 m	0.342	-	-
MJS-10-010	18.30 m - 20.00 m	1.70 m	0.047	-	-
MJS-10-011	20.00 m - 22.00 m	2.00 m	<0.016	-	-
MJS-10-012	22.00 m - 24.00 m	2.00 m	<0.016	-	-
MJS-10-013	24.00 m - 26.00 m	2.00 m	0.016	-	-
MJS-10-014	26.00 m - 28.00 m	2.00 m	0.031	-	-
MJS-10-015	28.00 m - 30.00 m	2.00 m	<0.016	-	-
MJS-10-016	30.00 m - 32.00 m	2.00 m	<0.016	-	-
MJS-10-017	32.00 m - 34.00 m	2.00 m	0.016	-	-
MJS-10-018	34.00 m - 36.00 m	2.00 m	<0.016	-	-
MJS-10-019	36.00 m - 38.00 m	2.00 m	<0.016	-	-
MJS-10-020	38.00 m - 40.00 m	2.00 m	<0.016	-	-
MJS-10-021	40.00 m - 42.00 m	2.00 m	<0.016	-	-
MJS-10-022	42.00 m - 44.00 m	2.00 m	<0.016	-	-
MJS-10-023	44.00 m - 46.00 m	2.00 m	<0.016	-	-
MJS-10-024	46.00 m - 48.00 m	2.00 m	<0.016	-	-
MJS-10-025	48.00 m - 50.00 m	2.00 m	<0.016	-	-
MJS-10-026	50.00 m - 52.00 m	2.00 m	<0.016	-	-
MJS-10-027	52.00 m - 54.00 m	2.00 m	<0.016	-	-
MJS-10-028	54.00 m - 56.00 m	2.00 m	<0.016	-	-
MJS-10-029	56.00 m - 58.00 m	2.00 m	<0.016	-	-
MJS-10-030	58.00 m - 60.00 m	2.00 m	<0.016	-	-
MJS-10-031	60.00 m - 62.00 m	2.00 m	<0.016	-	-
MJS-10-032	62.00 m - 64.00 m	2.00 m	<0.016	-	-
MJS-10-033	64.00 m - 66.00 m	2.00 m	<0.016	-	-
MJS-10-034	66.00 m - 68.00 m	2.00 m	<0.016	-	-
MJS-10-035	68.00 m - 70.00 m	2.00 m	1.415	-	-
MJS-10-036	70.00 m - 72.00 m	2.00 m	0.031	-	-
MJS-10-037	72.00 m - 74.00 m	2.00 m	0.031	-	-
MJS-10-038	74.00 m - 75.60 m	1.60 m	0.031	-	-
MJS-10-039	75.60 m - 76.50 m	0.90 m	0.218	-	-
MJS-10-040	76.50 m - 78.00 m	1.50 m	0.031	-	-
MJS-10-041	78.00 m - 80.00 m	2.00 m	0.031	-	-
MJS-10-042	80.00 m - 82.00 m	2.00 m	<0.016	-	-
MJS-10-043	82.00 m - 84.00 m	2.00 m	<0.016	-	-
MJS-10-044	84.00 m - 86.00 m	2.00 m	<0.016	-	-
MJS-10-045	86.00 m - 88.00 m	2.00 m	<0.016	-	-
MJS-10-046	88.00 m - 90.00 m	2.00 m	0.187	-	-
MJS-10-047	90.00 m - 92.00 m	2.00 m	<0.016	-	-
MJS-10-048	92.00 m - 93.30 m	1.30 m	0.280	<.01	<0.02
MJS-10-049	93.30 m - 96.00 m	2.70 m	<0.016	0.03	0.06
MJS-10-050	96.00 m - 98.05 m	2.05 m	<0.016	0.03	0.06

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-10-051	98.05 m - 98.25 m	0.20 m	0.016	0.07	0.13
MJS-10-052	98.25 m - 100.00 m	1.75 m	0.140	0.08	0.15
MJS-10-053	100.00 m - 102.00 m	2.00 m	0.342	0.44	0.82
MJS-10-054	102.00 m - 104.00 m	2.00 m	<0.016	0.09	0.17
MJS-10-055	104.00 m - 106.00 m	2.00 m	<0.016	0.01	0.02
MJS-10-056	106.00 m - 108.00 m	2.00 m	<0.016	0.01	0.02
MJS-10-057	108.00 m - 110.00 m	2.00 m	<0.016	0.02	0.04
MJS-10-058	110.00 m - 112.00 m	2.00 m	<0.016	0.01	0.02
MJS-10-059	112.00 m - 114.00 m	2.00 m	<0.016	0.01	0.02
MJS-10-060	114.00 m - 116.00 m	2.00 m	<0.016	0.01	0.02
MJS-10-061	116.00 m - 118.00 m	2.00 m	<0.016	0.01	0.02
MJS-10-062	118.00 m - 120.00 m	2.00 m	<0.016	0.04	0.07
MJS-10-063	120.00 m - 120.52 m	0.52 m	<0.016	0.06	0.11
MJS-10-064	120.52 m - 120.90 m	0.38 m	<0.016	missing	-
MJS-10-065	120.90 m - 122.00 m	1.10 m	<0.016	0.05	0.09
MJS-10-066	122.00 m - 124.00 m	2.00 m	<0.016	0.01	0.02
MJS-10-067	124.00 m - 126.00 m	2.00 m	<0.016	0.03	0.06
MJS-10-068	126.00 m - 128.00 m	2.00 m	0.016	0.16	0.30
MJS-10-069	128.00 m - 130.00 m	2.00 m	0.109	0.29	0.54
MJS-10-070	130.00 m - 132.00 m	2.00 m	0.638	0.68	1.27
MJS-10-071	132.00 m - 134.00 m	2.00 m	0.031	0.23	0.43
MJS-10-072	134.00 m - 136.00 m	2.00 m	0.031	0.15	0.28
MJS-10-073	136.00 m - 138.00 m	2.00 m	0.047	0.21	0.39
MJS-10-074	138.00 m - 140.00 m	2.00 m	<0.016	0.2	0.37
MJS-10-075	140.00 m - 142.00 m	2.00 m	<0.016	0.23	0.43
MJS-10-076	142.00 m - 144.00 m	2.00 m	0.793	0.57	1.07
MJS-10-077	144.00 m - 146.00 m	2.00 m	0.016	0.12	0.22
MJS-10-078	146.00 m - 148.00 m	2.00 m	0.078	0.22	0.41
MJS-10-079	148.00 m - 150.00 m	2.00 m	<0.016	0.18	0.34
MJS-10-080	150.00 m - 152.00 m	2.00 m	0.062	0.21	0.39
MJS-10-081	152.00 m - 153.25 m	1.25 m	0.404	0.42	0.79
MJS-10-082	153.25 m - 153.65 m	0.40 m	24.603	0.19	0.36
MJS-10-083	153.65 m - 156.00 m	2.35 m	2.613	0.92	1.72
MJS-10-084	156.00 m - 158.00 m	2.00 m	0.187	0.32	0.60
MJS-10-085	158.00 m - 160.00 m	2.00 m	0.233	0.27	0.51
MJS-10-086	160.00 m - 162.00 m	2.00 m	0.016	0.15	0.28
MJS-10-087	162.00 m - 164.00 m	2.00 m	<0.016	0.07	0.13
MJS-10-088	164.00 m - 166.00 m	2.00 m	<0.016	0.45	0.84
MJS-10-089	166.00 m - 168.00 m	2.00 m	<0.016	0.32	0.60
MJS-10-090	168.00 m - 170.00 m	2.00 m	<0.016	0.05	0.09
MJS-10-091	170.00 m - 172.00 m	2.00 m	<0.016	0.05	0.09
MJS-10-092	172.00 m - 174.00 m	2.00 m	0.607	0.27	0.51
MJS-10-093	174.00 m - 176.00 m	2.00 m	0.358	0.2	0.37
MJS-10-094	176.00 m - 178.00 m	2.00 m	0.016	0.09	0.17
MJS-10-095	178.00 m - 180.00 m	2.00 m	0.031	0.15	0.28
MJS-10-096	180.00 m - 182.00 m	2.00 m	0.295	0.86	1.61
MJS-10-097	182.00 m - 184.00 m	2.00 m	0.124	0.93	1.74
MJS-10-098	184.00 m - 186.00 m	2.00 m	0.280	0.91	1.70
MJS-10-099	186.00 m - 188.00 m	2.00 m	0.109	0.63	1.18
MJS-10-100	188.00 m - 190.00 m	2.00 m	<0.016	0.45	0.84

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-10-101	190.00 m - 192.00 m	2.00 m	<0.016	0.46	0.86
MJS-10-102	192.00 m - 194.00 m	2.00 m	<0.016	0.22	0.41
MJS-10-103	194.00 m - 196.00 m	2.00 m	<0.016	0.25	0.47
MJS-10-104	196.00 m - 198.00 m	2.00 m	<0.016	0.25	0.47
MJS-10-105	198.00 m - 200.00 m	2.00 m	<0.016	0.47	0.88
MJS-10-106	200.00 m - 201.70 m	1.70 m	<0.016	0.25	0.47
MJS-10-107	201.70 m - 202.20 m	0.50 m	0.093	0.47	0.88
MJS-10-108	202.20 m - 204.00 m	1.80 m	<0.016	0.23	0.43
MJS-10-109	204.00 m - 206.00 m	2.00 m	0.062	0.58	1.09
MJS-10-110	206.00 m - 208.00 m	2.00 m	0.187	0.49	0.92
MJS-10-111	208.00 m - 210.00 m	2.00 m	<0.016	0.16	0.30
MJS-10-112	210.00 m - 212.00 m	2.00 m	<0.016	0.13	0.24
MJS-10-113	212.00 m - 214.00 m	2.00 m	<0.016	0.17	0.32
MJS-10-114	214.00 m - 216.00 m	2.00 m	<0.016	0.46	0.86
MJS-10-115	216.00 m - 217.00 m	1.00 m	0.404	0.68	1.27
MJS-10-116	217.00 m - 218.00 m	1.00 m	0.373	1.29	2.41
MJS-10-117	218.00 m - 220.00 m	2.00 m	0.062	0.67	1.25
MJS-10-118	220.00 m - 221.00 m	1.00 m	0.062	0.54	1.01
MJS-10-119	221.00 m - 222.00 m	1.00 m	<0.016	0.47	0.88
MJS-10-120	222.00 m - 224.00 m	2.00 m	<0.016	0.44	0.82
MJS-10-121	224.00 m - 226.00 m	2.00 m	0.109	0.56	1.05
MJS-10-122	226.00 m - 228.00 m	2.00 m	0.031	0.35	0.65
MJS-10-123	228.00 m - 230.00 m	2.00 m	0.047	0.5	0.94
MJS-10-124	230.00 m - 232.00 m	2.00 m	0.109	0.42	0.79
MJS-10-125	232.00 m - 234.00 m	2.00 m	0.016	0.37	0.69
MJS-10-126	234.00 m - 236.00 m	2.00 m	0.093	0.26	0.49
MJS-10-127	236.00 m - 238.00 m	2.00 m	0.980	1.36	2.54
MJS-10-128	238.00 m - 240.00 m	2.00 m	0.031	0.46	0.86
MJS-10-129	240.00 m - 241.45 m	1.45 m	0.187	0.4	0.75
MJS-10-130	241.45 m - 242.00 m	0.55 m	0.653	0.45	0.84
MJS-10-131	242.00 m - 244.00 m	2.00 m	0.047	0.44	0.82
MJS-10-132	244.00 m - 246.00 m	2.00 m	0.031	0.41	0.77
MJS-10-133	246.00 m - 248.00 m	2.00 m	<0.016	0.5	0.94
MJS-10-134	248.00 m - 250.00 m	2.00 m	<0.016	0.32	0.60
MJS-10-135	250.00 m - 252.00 m	2.00 m	0.109	0.27	0.51
MJS-10-136	252.00 m - 254.00 m	2.00 m	<0.016	0.39	0.73
MJS-10-137	254.00 m - 256.00 m	2.00 m	0.016	0.31	0.58
MJS-10-138	256.00 m - 258.00 m	2.00 m	<0.016	0.43	0.80
MJS-10-139	258.00 m - 260.00 m	2.00 m	0.047	0.36	0.67
MJS-10-140	260.00 m - 262.00 m	2.00 m	0.498	1.02	1.91
MJS-10-141	262.00 m - 262.70 m	0.70 m	3.344	3.03	5.67
MJS-10-142	262.70 m - 264.00 m	1.30 m	0.529	1.05	1.96
MJS-10-143	264.00 m - 266.00 m	2.00 m	0.016	0.33	0.62
MJS-10-144	266.00 m - 268.00 m	2.00 m	<0.016	0.3	0.56
MJS-10-145	268.00 m - 270.00 m	2.00 m	0.047	0.33	0.62
MJS-10-146	270.00 m - 272.00 m	2.00 m	<0.016	0.27	0.51
MJS-10-147	272.00 m - 274.00 m	2.00 m	<0.016	0.14	0.26
MJS-10-148	274.00 m - 275.90 m	1.90 m	<0.016	0.11	0.21
MJS-10-149	275.90 m - 276.20 m	0.30 m	0.031	0.51	0.95
MJS-10-150	276.20 m - 278.00 m	1.80 m	0.280	0.2	0.37

Numéro échantillon	Profondeur	Longueur	Au (g/l)	S (%)	FeS2 (%) estimation	
MJS-10-151	278.00 m -	280.00 m	2.00 m	0.187	0.28	0.52
MJS-10-152	280.00 m -	282.00 m	2.00 m	0.404	0.24	0.45
MJS-10-153	282.00 m -	284.00 m	2.00 m	0.249	0.13	0.24
MJS-10-154	284.00 m -	285.20 m	1.20 m	0.031	0.11	0.21
MJS-10-155	285.20 m -	285.70 m	0.50 m	0.529	0.22	0.41
MJS-10-156	285.70 m -	288.00 m	2.30 m	0.358	0.27	0.51
MJS-10-157	288.00 m -	290.00 m	2.00 m	0.140	0.2	0.37
MJS-10-158	290.00 m -	291.10 m	1.10 m	<0.016	0.14	0.26
MJS-10-159	291.10 m -	291.50 m	0.40 m	0.187	0.41	0.77
MJS-10-160	291.50 m -	292.20 m	0.70 m	0.295	0.07	0.13
MJS-10-161	292.20 m -	292.70 m	0.50 m	0.016	0.06	0.11
MJS-10-162	292.70 m -	294.00 m	1.30 m	<0.016	0.07	0.13
MJS-10-163	294.00 m -	296.00 m	2.00 m	<0.016	0.05	0.09
MJS-10-164	296.00 m -	298.00 m	2.00 m	<0.016	0.05	0.09
MJS-10-165	298.00 m -	300.10 m	2.10 m	<0.016	0.01	0.02

Numéro échantillon	Au (g/l)	S (%)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Cd (ppm)
MJS-10-005	0.062	-	<0.1	67	<1	182	134	<0.1
MJS-10-010	0.047	-	<0.1	49	<1	130	130	<0.1
MJS-10-015	<0.016	-	<0.1	46	<1	80	14	<0.1
MJS-10-020	<0.016	-	<0.1	50	<1	76	24	<0.1
MJS-10-025	<0.016	-	<0.1	46	<1	72	2	<0.1
MJS-10-030	<0.016	-	<0.1	44	<1	72	66	<0.1
MJS-10-035	1.415	-	<0.1	55	2	123	120	<0.1
MJS-10-040	0.031	-	0.5	46	21	190	210	0.5
MJS-10-045	<0.016	-	<0.1	46	<1	72	44	<0.1
MJS-10-050	<0.016	0.03	<0.1	62	<1	107	18	<0.1
MJS-10-055	<0.016	0.01	<0.1	60	<1	75	4	<0.1
MJS-10-060	<0.016	0.01	<0.1	62	<1	72	2	<0.1
MJS-10-065	<0.016	0.05	<0.1	75	<1	82	20	<0.1
MJS-10-070	0.638	0.68	<0.1	41	2	68	1380	<0.1
MJS-10-075	<0.016	0.23	<0.1	48	<1	64	152	<0.1
MJS-10-080	0.062	0.21	<0.1	47	<1	68	130	<0.1
MJS-10-085	0.233	0.27	<0.1	50	<1	60	670	<0.1
MJS-10-090	<0.016	0.05	<0.1	50	<1	68	130	<0.1
MJS-10-095	0.031	0.15	<0.1	54	<1	79	134	<0.1
MJS-10-100	<0.016	0.45	<0.1	55	<1	73	52	<0.1
MJS-10-105	<0.016	0.47	<0.1	51	<1	77	58	<0.1
MJS-10-110	0.187	0.49	0.1	57	8	85	310	0.1
MJS-10-115	0.404	0.68	<0.1	66	<1	73	192	<0.1
MJS-10-120	<0.016	0.44	<0.1	64	<1	86	64	<0.1
MJS-10-125	0.016	0.37	<0.1	53	<1	83	64	<0.1
MJS-10-130	0.653	0.45	<0.1	73	2	67	650	<0.1
MJS-10-135	0.109	0.27	<0.1	52	1	85	98	<0.1
MJS-10-140	0.498	1.02	<0.1	46	<1	70	480	<0.1
MJS-10-145	0.047	0.33	<0.1	54	2	75	176	<0.1
MJS-10-150	0.280	0.2	<0.1	52	2	82	296	<0.1
MJS-10-155	0.529	0.22	<0.1	50	9	75	504	<0.1
MJS-10-160	0.295	0.07	<0.1	50	<1	86	140	<0.1
MJS-10-165	<0.016	0.01	<0.1	60	<1	80	4	<0.1

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS 2(%) estimation
MJS-11-01	3.30 m - 4.00 m	0.70 m	0.031	-	-
MJS-11-02	4.00 m - 6.30 m	2.30 m	<0.016	-	-
MJS-11-03	6.30 m - 8.00 m	1.70 m	<0.016	-	-
MJS-11-04	8.00 m - 10.00 m	2.00 m	0.016	-	-
MJS-11-05	10.00 m - 12.00 m	2.00 m	0.016	-	-
MJS-11-06	12.00 m - 14.00 m	2.00 m	0.062	-	-
MJS-11-07	14.00 m - 16.00 m	2.00 m	0.031	-	-
MJS-11-08	16.00 m - 18.00 m	2.00 m	0.016	-	-
MJS-11-09	18.00 m - 20.00 m	2.00 m	0.047	-	-
MJS-11-10	20.00 m - 22.00 m	2.00 m	0.047	-	-
MJS-11-11	22.00 m - 24.00 m	2.00 m	<0.016	-	-
MJS-11-12	24.00 m - 26.00 m	2.00 m	<0.016	-	-
MJS-11-13	26.00 m - 28.00 m	2.00 m	<0.016	-	-
MJS-11-14	28.00 m - 30.00 m	2.00 m	0.016	-	-
MJS-11-15	30.00 m - 30.80 m	0.80 m	0.016	-	-
MJS-11-16	30.80 m - 31.20 m	0.40 m	<0.016	-	-
MJS-11-17	31.20 m - 32.00 m	0.80 m	0.016	-	-
MJS-11-18	32.00 m - 34.00 m	2.00 m	<0.016	-	-
MJS-11-19	34.00 m - 36.00 m	2.00 m	0.047	-	-
MJS-11-20	36.00 m - 38.00 m	2.00 m	<0.016	-	-
MJS-11-21	38.00 m - 39.65 m	1.65 m	0.047	-	-
MJS-11-22	39.65 m - 40.60 m	0.95 m	1.446	-	-
MJS-11-23	40.60 m - 42.10 m	1.50 m	0.949	-	-
MJS-11-24	43.60 m - 44.30 m	0.70 m	1.431	-	-
MJS-11-25	44.30 m - 46.00 m	1.70 m	0.031	-	-
MJS-11-26	46.00 m - 48.00 m	2.00 m	0.031	-	-
MJS-11-27	48.00 m - 50.85 m	2.85 m	0.031	-	-
MJS-11-28	50.85 m - 51.50 m	0.65 m	0.389	-	-
MJS-11-29	51.50 m - 53.00 m	1.50 m	0.793	-	-
MJS-11-30	53.00 m - 55.00 m	2.00 m	0.995	-	-
MJS-11-31	55.00 m - 57.00 m	2.00 m	0.933	-	-
MJS-11-32	57.00 m - 59.00 m	2.00 m	0.451	-	-
MJS-11-33	59.00 m - 61.00 m	2.00 m	0.498	-	-
MJS-11-34	61.00 m - 63.00 m	2.00 m	<0.016	-	-
MJS-11-35	63.00 m - 65.00 m	2.00 m	0.156	-	-
MJS-11-36	65.00 m - 67.00 m	2.00 m	<0.016	-	-
MJS-11-37	67.00 m - 69.00 m	2.00 m	<0.016	-	-
MJS-11-38	69.00 m - 71.00 m	2.00 m	<0.016	-	-
MJS-11-39	71.00 m - 73.00 m	2.00 m	0.047	-	-
MJS-11-40	73.00 m - 75.00 m	2.00 m	<0.016	-	-
MJS-11-41	75.00 m - 77.00 m	2.00 m	0.016	-	-
MJS-11-42	77.00 m - 79.00 m	2.00 m	0.124	<.01	<.02
MJS-11-43	79.00 m - 81.00 m	2.00 m	0.529	<.01	<.02
MJS-11-44	81.00 m - 83.00 m	2.00 m	<0.016	0.45	0.84
MJS-11-45	83.00 m - 85.00 m	2.00 m	<0.016	0.88	1.65
MJS-11-46	85.00 m - 87.00 m	2.00 m	0.016	0.27	0.51
MJS-11-47	87.00 m - 89.00 m	2.00 m	0.078	0.35	0.65
MJS-11-48	89.00 m - 91.00 m	2.00 m	0.389	0.20	0.37
MJS-11-49	91.00 m - 93.00 m	2.00 m	0.093	0.10	0.19
MJS-11-50	93.00 m - 95.00 m	2.00 m	<0.016	0.12	0.22

Número échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS 2(%) estimation
MJS-11-51	95.00 m - 97.00 m	2.00 m	0.031	0.12	0.22
MJS-11-52	97.00 m - 99.00 m	2.00 m	<0.016	0.07	0.13
MJS-11-53	99.00 m - 101.00 m	2.00 m	<0.016	0.24	0.45
MJS-11-54	101.00 m - 103.00 m	2.00 m	<0.016	0.62	1.16
MJS-11-55	103.00 m - 105.00 m	2.00 m	<0.016	0.03	0.06
MJS-11-56	105.00 m - 107.00 m	2.00 m	<0.016	0.06	0.11
MJS-11-57	107.00 m - 109.00 m	2.00 m	2.053	1.07	2.00
MJS-11-58	109.00 m - 111.00 m	2.00 m	0.249	0.42	0.79
MJS-11-59	111.00 m - 113.00 m	2.00 m	0.653	0.59	1.10
MJS-11-60	113.00 m - 115.00 m	2.00 m	0.140	0.21	0.39
MJS-11-61	115.00 m - 117.00 m	2.00 m	0.062	0.09	0.17
MJS-11-62	117.00 m - 119.00 m	2.00 m	<0.016	0.08	0.15
MJS-11-63	119.00 m - 121.00 m	2.00 m	<0.016	0.03	0.06
MJS-11-64	121.00 m - 123.00 m	2.00 m	<0.016	0.04	0.07
MJS-11-65	123.00 m - 125.00 m	2.00 m	<0.016	0.05	0.09
MJS-11-66	125.00 m - 127.00 m	2.00 m	0.078	0.11	0.21
MJS-11-67	127.00 m - 129.00 m	2.00 m	<0.016	0.10	0.19
MJS-11-68	129.00 m - 131.00 m	2.00 m	0.062	0.10	0.19
MJS-11-69	131.00 m - 133.00 m	2.00 m	<0.016	0.12	0.22
MJS-11-70	133.00 m - 135.00 m	2.00 m	<0.016	0.13	0.24
MJS-11-71	135.00 m - 137.00 m	2.00 m	0.062	0.20	0.37
MJS-11-72	137.00 m - 137.90 m	0.90 m	0.016	0.18	0.34
MJS-11-73	137.90 m - 138.60 m	0.70 m	0.047	0.82	1.53
MJS-11-74	138.60 m - 141.00 m	2.40 m	0.218	0.36	0.67
MJS-11-75	141.00 m - 142.40 m	1.40 m	0.016	0.80	1.50
MJS-11-76	142.40 m - 143.40 m	1.00 m	<0.016	0.55	1.03
MJS-11-77	143.40 m - 145.00 m	1.60 m	0.358	0.56	1.05
MJS-11-78	145.00 m - 147.00 m	2.00 m	0.062	0.66	1.23
MJS-11-79	147.00 m - 149.00 m	2.00 m	0.016	0.19	0.36
MJS-11-80	149.00 m - 150.20 m	1.20 m	<0.016	0.15	0.28

Numéro échantillon	Profondeur	Longueur	Au (g/l)	S (%)	FeS2 (%) estimation
MJS-12-01	2.80 m - 5.00 m	2.20 m	0.016	-	-
MJS-12-02	5.00 m - 7.00 m	2.00 m	0.016	-	-
MJS-12-03	7.00 m - 9.00 m	2.00 m	<0.016	-	-
MJS-12-04	9.00 m - 11.00 m	2.00 m	<0.016	-	-
MJS-12-05	11.00 m - 13.00 m	2.00 m	<0.016	-	-
MJS-12-06	13.00 m - 15.00 m	2.00 m	<0.016	-	-
MJS-12-07	15.00 m - 17.00 m	2.00 m	<0.016	-	-
MJS-12-08	17.00 m - 19.00 m	2.00 m	<0.016	-	-
MJS-12-09	19.00 m - 21.00 m	2.00 m	0.016	-	-
MJS-12-10	21.00 m - 23.00 m	2.00 m	0.047	-	-
MJS-12-11	23.00 m - 25.00 m	2.00 m	0.016	-	-
MJS-12-12	25.00 m - 27.00 m	2.00 m	<0.016	-	-
MJS-12-13	27.00 m - 29.00 m	2.00 m	<0.016	-	-
MJS-12-14	29.00 m - 31.00 m	2.00 m	<0.016	-	-
MJS-12-15	31.00 m - 33.00 m	2.00 m	<0.016	-	-
MJS-12-16	33.00 m - 35.00 m	2.00 m	<0.016	-	-
MJS-12-17	35.00 m - 37.00 m	2.00 m	<0.016	-	-
MJS-12-18	37.00 m - 39.00 m	2.00 m	<0.016	-	-
MJS-12-19	39.00 m - 41.00 m	2.00 m	<0.016	-	-
MJS-12-20	41.00 m - 43.00 m	2.00 m	<0.016	-	-
MJS-12-21	43.00 m - 45.00 m	2.00 m	<0.016	-	-
MJS-12-22	45.00 m - 47.00 m	2.00 m	<0.016	-	-
MJS-12-23	47.00 m - 49.00 m	2.00 m	<0.016	-	-
MJS-12-24	49.00 m - 51.10 m	2.10 m	<0.016	-	-

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-13-01	2.90 m -	5.00 m	2.10 m	0.016	-
MJS-13-02	5.00 m -	7.00 m	2.00 m	<0.016	-
MJS-13-03	7.00 m -	9.00 m	2.00 m	<0.016	-
MJS-13-04	9.00 m -	11.00 m	2.00 m	<0.016	-
MJS-13-05	11.00 m -	13.00 m	2.00 m	<0.016	-
MJS-13-06	13.00 m -	15.00 m	2.00 m	<0.016	-
MJS-13-07	15.00 m -	17.00 m	2.00 m	<0.016	-
MJS-13-08	17.00 m -	19.00 m	2.00 m	<0.016	-
MJS-13-09	19.00 m -	21.00 m	2.00 m	<0.016	-
MJS-13-10	21.00 m -	23.00 m	2.00 m	<0.016	-
MJS-13-11	23.00 m -	25.00 m	2.00 m	<0.016	-
MJS-13-12	25.00 m -	27.00 m	2.00 m	<0.016	-
MJS-13-13	27.00 m -	29.00 m	2.00 m	<0.016	-
MJS-13-14	29.00 m -	31.00 m	2.00 m	<0.016	-
MJS-13-15	31.00 m -	33.00 m	2.00 m	<0.016	-
MJS-13-16	33.00 m -	35.00 m	2.00 m	<0.016	-
MJS-13-17	35.00 m -	37.00 m	2.00 m	0.047	-
MJS-13-18	37.00 m -	39.00 m	2.00 m	0.093	-
MJS-13-19	39.00 m -	41.00 m	2.00 m	0.047	-
MJS-13-20	41.00 m -	43.00 m	2.00 m	<0.016	-
MJS-13-21	43.00 m -	45.00 m	2.00 m	0.031	-
MJS-13-22	45.00 m -	47.00 m	2.00 m	<0.016	-
MJS-13-23	47.00 m -	49.00 m	2.00 m	<0.016	-
MJS-13-24	49.00 m -	50.00 m	1.00 m	<0.016	-

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS ₂ (%) estimation
MJS-14-01	3.40 m - 4.00 m	0.60 m	0.031	-	-
MJS-14-02	4.00 m - 6.00 m	2.00 m	0.093	-	-
MJS-14-03	6.00 m - 8.00 m	2.00 m	0.031	-	-
MJS-14-04	8.00 m - 10.00 m	2.00 m	0.016	-	-
MJS-14-05	10.00 m - 12.00 m	2.00 m	0.016	-	-
MJS-14-06	12.00 m - 14.00 m	2.00 m	<0.016	-	-
MJS-14-07	14.00 m - 16.00 m	2.00 m	<0.016	-	-
MJS-14-08	16.00 m - 18.00 m	2.00 m	<0.016	-	-
MJS-14-09	18.00 m - 20.00 m	2.00 m	0.016	-	-
MJS-14-10	20.00 m - 22.00 m	2.00 m	0.031	-	-
MJS-14-11	22.00 m - 24.00 m	2.00 m	0.031	-	-
MJS-14-12	24.00 m - 26.00 m	2.00 m	0.498	-	-
MJS-14-13	26.00 m - 28.00 m	2.00 m	<0.016	-	-
MJS-14-14	28.00 m - 30.00 m	2.00 m	<0.016	-	-
MJS-14-15	30.00 m - 32.00 m	2.00 m	<0.016	-	-
MJS-14-16	32.00 m - 34.00 m	2.00 m	0.047	-	-
MJS-14-17	34.00 m - 36.00 m	2.00 m	0.047	-	-
MJS-14-18	36.00 m - 38.20 m	2.20 m	<0.016	-	-
MJS-14-19	38.20 m - 38.40 m	0.20 m	<0.016	-	-
MJS-14-20	38.40 m - 40.00 m	1.60 m	0.016	-	-
MJS-14-21	40.00 m - 42.00 m	2.00 m	0.031	-	-
MJS-14-22	42.00 m - 44.00 m	2.00 m	0.016	-	-
MJS-14-23	44.00 m - 46.00 m	2.00 m	0.062	-	-
MJS-14-24	46.00 m - 48.00 m	2.00 m	<0.016	-	-
MJS-14-25	48.00 m - 50.00 m	2.00 m	<0.016	-	-
MJS-14-26	50.00 m - 52.00 m	2.00 m	<0.016	-	-
MJS-14-27	52.00 m - 54.00 m	2.00 m	0.031	-	-
MJS-14-28	54.00 m - 56.10 m	2.10 m	0.793	-	-
MJS-14-29	56.10 m - 56.40 m	0.30 m	5.241	-	-
MJS-14-30	56.40 m - 56.50 m	0.10 m	0.093	-	-
MJS-14-31	56.50 m - 56.70 m	0.20 m	0.047	-	-
MJS-14-32	56.70 m - 58.00 m	1.30 m	0.093	-	-
MJS-14-33	58.00 m - 60.00 m	2.00 m	0.047	0.06	0.11
MJS-14-34	60.00 m - 62.00 m	2.00 m	0.031	0.16	0.30
MJS-14-35	62.00 m - 64.00 m	2.00 m	<0.016	0.09	0.17
MJS-14-36	64.00 m - 64.65 m	0.65 m	<0.016	0.08	0.15
MJS-14-37	64.65 m - 64.85 m	0.20 m	<0.016	0.12	0.22
MJS-14-38	64.85 m - 66.05 m	1.20 m	<0.016	0.11	0.21
MJS-14-39	66.05 m - 66.15 m	0.10 m	<0.016	0.09	0.17
MJS-14-40	66.15 m - 67.95 m	1.80 m	0.016	0.07	0.13
MJS-14-41	67.95 m - 68.05 m	0.10 m	<0.016	0.03	0.06
MJS-14-42	68.05 m - 70.00 m	1.95 m	<0.016	0.08	0.15
MJS-14-43	70.00 m - 71.10 m	1.10 m	0.124	0.18	0.34

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
KJS-15-01	3.00 m - 5.40 m	2.40 m	0.062	-	-
KJS-15-02	5.40 m - 5.90 m	0.50 m	0.093	-	-
KJS-15-03	5.90 m - 8.00 m	2.10 m	0.171	-	-
KJS-15-04	8.00 m - 10.00 m	2.00 m	0.264	-	-
KJS-15-05	10.00 m - 12.00 m	2.00 m	0.062	-	-
KJS-15-06	12.00 m - 14.00 m	2.00 m	<0.016	-	-
KJS-15-07	14.00 m - 16.00 m	2.00 m	<0.016	-	-
KJS-15-08	16.00 m - 18.00 m	2.00 m	<0.016	-	-
KJS-15-09	18.00 m - 20.00 m	2.00 m	<0.016	-	-
KJS-15-10	20.00 m - 22.00 m	2.00 m	0.016	-	-
KJS-15-11	22.00 m - 24.00 m	2.00 m	<0.016	-	-
KJS-15-12	24.00 m - 26.00 m	2.00 m	<0.016	-	-
KJS-15-13	26.00 m - 28.00 m	2.00 m	<0.016	-	-
KJS-15-14	28.00 m - 30.00 m	2.00 m	<0.016	-	-
KJS-15-15	30.00 m - 32.00 m	2.00 m	<0.016	-	-
KJS-15-16	32.00 m - 34.00 m	2.00 m	<0.016	-	-
KJS-15-17	34.00 m - 34.05 m	0.05 m	<0.016	-	-
KJS-15-18	34.05 m - 35.00 m	0.95 m	0.047	-	-
KJS-15-19	35.00 m - 35.10 m	0.10 m	<0.016	-	-
KJS-15-20	35.10 m - 36.00 m	0.90 m	0.031	-	-
KJS-15-21	36.00 m - 38.00 m	2.00 m	0.124	-	-
KJS-15-22	38.00 m - 40.00 m	2.00 m	0.124	-	-
KJS-15-23	40.00 m - 40.50 m	0.50 m	0.047	-	-
KJS-15-24	40.50 m - 41.10 m	0.60 m	0.031	-	-
KJS-15-25	41.10 m - 43.20 m	2.10 m	0.047	-	-
KJS-15-26	43.20 m - 43.60 m	0.40 m	0.529	-	-
KJS-15-27	43.60 m - 45.00 m	1.40 m	<0.016	-	-
KJS-15-28	45.00 m - 47.00 m	2.00 m	0.031	-	-
KJS-15-29	47.00 m - 49.00 m	2.00 m	0.280	-	-
KJS-15-30	49.00 m - 50.00 m	1.00 m	<0.016	-	-

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-16-01	3.00 m - 5.00 m	2.00 m	0.187	-	-
MJS-16-02	5.00 m - 7.00 m	2.00 m	0.078	-	-
MJS-16-03	7.00 m - 9.00 m	2.00 m	0.140	-	-
MJS-16-04	9.00 m - 11.00 m	2.00 m	0.109	-	-
MJS-16-05	11.00 m - 13.00 m	2.00 m	0.016	-	-
MJS-16-06	13.00 m - 15.00 m	2.00 m	1.306	-	-
MJS-16-07	15.00 m - 16.65 m	1.65 m	1.571	-	-
MJS-16-08	16.65 m - 16.95 m	0.30 m	7.060	-	-
MJS-16-09	16.95 m - 19.00 m	2.05 m	0.249	-	-
MJS-16-10	19.00 m - 21.00 m	2.00 m	0.031	-	-
MJS-16-11	21.00 m - 23.00 m	2.00 m	<0.016	-	-
MJS-16-12	23.00 m - 25.00 m	2.00 m	<0.016	-	-
MJS-16-13	25.00 m - 27.00 m	2.00 m	<0.016	-	-
MJS-16-14	27.00 m - 29.00 m	2.00 m	<0.016	-	-
MJS-16-15	29.00 m - 31.00 m	2.00 m	0.047	-	-
MJS-16-16	31.00 m - 33.00 m	2.00 m	0.062	-	-
MJS-16-17	33.00 m - 35.00 m	2.00 m	<0.016	-	-
MJS-16-18	35.00 m - 37.00 m	2.00 m	0.171	-	-
MJS-16-19	37.00 m - 39.00 m	2.00 m	0.124	-	-
MJS-16-20	39.00 m - 41.00 m	2.00 m	0.031	-	-
MJS-16-21	41.00 m - 43.00 m	2.00 m	0.016	-	-
MJS-16-22	43.00 m - 45.00 m	2.00 m	0.109	-	-
MJS-16-23	45.00 m - 47.00 m	2.00 m	0.218	-	-
MJS-16-24	47.00 m - 48.50 m	1.50 m	<0.016	-	-
MJS-16-25	48.50 m - 49.20 m	0.70 m	3.079	-	-
MJS-16-26	49.20 m - 49.60 m	0.40 m	0.031	-	-
MJS-16-27	49.60 m - 50.00 m	0.40 m	0.031	-	-
MJS-16-28	50.00 m - 51.40 m	1.40 m	0.031	-	-

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-17-01	2.60 m -	4.00 m	1.40 m	0.016	-
MJS-17-02	4.00 m -	6.00 m	2.00 m	0.404	-
MJS-17-03	6.00 m -	7.70 m	1.70 m	0.653	-
MJS-17-04	7.70 m -	10.20 m	2.50 m	0.078	-
MJS-17-05	10.20 m -	12.60 m	2.40 m	0.062	-
MJS-17-06	12.60 m -	14.00 m	1.40 m	0.156	-
MJS-17-07	14.00 m -	16.00 m	2.00 m	0.016	-
MJS-17-08	16.00 m -	18.00 m	2.00 m	<0.016	-
MJS-17-09	18.00 m -	20.00 m	2.00 m	0.016	-
MJS-17-10	20.00 m -	22.00 m	2.00 m	<0.016	-
MJS-17-11	22.00 m -	24.00 m	2.00 m	<0.016	-
MJS-17-12	24.00 m -	26.00 m	2.00 m	<0.016	-
MJS-17-13	26.00 m -	28.00 m	2.00 m	<0.016	-
MJS-17-14	28.00 m -	30.00 m	2.00 m	1.306	-
MJS-17-15	30.00 m -	32.00 m	2.00 m	0.187	-
MJS-17-16	32.00 m -	35.00 m	3.00 m	0.124	-
MJS-17-17	35.00 m -	37.00 m	2.00 m	0.047	-
MJS-17-18	37.00 m -	39.00 m	2.00 m	<0.016	-
MJS-17-19	39.00 m -	41.00 m	2.00 m	<0.016	-
MJS-17-20	41.00 m -	41.30 m	0.30 m	0.062	-
MJS-17-21	41.30 m -	43.00 m	1.70 m	<0.016	-
MJS-17-22	43.00 m -	45.00 m	2.00 m	<0.016	-
MJS-17-23	45.00 m -	47.00 m	2.00 m	<0.016	-
MJS-17-24	47.00 m -	49.00 m	2.00 m	<0.016	-
MJS-17-25	49.00 m -	51.30 m	2.30 m	<0.016	-

Numéro échantillon	Numéro sondage	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-6-26A	MJS-6	52.80 m - 52.90 m	0.10 m	0.544	-	-
MJS-6-32A	MJS-6	63.80 m - 63.85 m	0.05 m	0.544	-	-
MJS-6-35A	MJS-6	70.40 m - 70.45 m	0.05 m	0.140	-	-
MJS-6-75A	MJS-6	134.80 m - 134.85 m	0.05 m	0.607	-	-
MJS-6-80A	MJS-6	145.40 m - 145.45 m	0.05 m	<0.016	-	-
MJS-6-86A	MJS-6	153.50 m - 153.55 m	0.01 m	283.042	-	-
MJS-6-87A	MJS-6	156.60 m - 156.65 m	0.05 m	<0.016	0.01	0.02
MJS-6-92A	MJS-6	162.35 m - 162.40 m	0.05 m	0.093	0.13	0.24
MJS-6-93A	MJS-6	164.05 m - 164.07 m	0.02 m	<0.016	0.10	0.19
MJS-6-107A	MJS-6	187.60 m - 187.67 m	0.07 m	0.031	0.25	0.47
MJS-7-9A	MJS-7	19.50 m - 19.55 m	0.05 m	0.031	-	-
MJS-7-77A	MJS-7	123.80 m - 123.82 m	0.02 m	0.404	0.06	0.11
MJS-7-82A	MJS-7	127.50 m - 127.54 m	0.04 m	10.326	0.01	0.02
MJS-8-2A	MJS-8	4.30 m - 4.35 m	0.05 m	0.124	-	-
MJS-8-14A	MJS-8	24.10 m - 24.15 m	0.05 m	0.031	-	-
MJS-10-QV1	MJS-10	9.60 m - 9.70 m	0.10 m	<0.016	-	-
MJS-10-QV2	MJS-10	17.95 m - 18.30 m	0.35 m	0.062	-	-
MJS-10-QV3	MJS-10	27.50 m - 27.55 m	0.05 m	<0.016	0.01	0.02
MJS-10-118A	MJS-10	220.70 m - 220.75 m	0.05 m	0.778	0.37	0.69
MJS-10-74.35	MJS-10	74.35 m - 74.40 m	0.05 m	1.244	0.02	0.04
MJS-11-13.45	MJS-11	13.45 m - 13.50 m	0.05 m	<0.016	-	-
MJS-11-6A	MJS-11	13.45 m - 13.50 m	0.05 m	0.016	-	-
MJS-11-7A	MJS-11	15.90 m - 15.95 m	0.05 m	0.047	-	-
MJS-11-9A	MJS-11	19.25 m - 19.30 m	0.05 m	0.109	-	-
MJS-11-21A	MJS-11	39.10 m - 39.20 m	0.10 m	0.124	-	-
MJS-11-33A	MJS-11	59.65 m - 59.70 m	0.05 m	11.570	-	-
MJS-14-1A	MJS-14	3.40 m - 3.45 m	0.05 m	0.544	-	-
MJS-14-2A	MJS-14	5.80 m - 5.86 m	0.06 m	16.671	-	-
MJS-14-23A	MJS-14	44.55 m - 44.60 m	0.05 m	14.619	-	-
MJS-15-20A	MJS-15	35.50 m - 35.65 m	0.15 m	0.047	-	-
MJS-15-20B	MJS-15	35.75 m - 35.85 m	0.10 m	0.093	-	-
MJS-16-7A	MJS-16	15.35 m - 15.40 m	0.05 m	0.451	-	-

