

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-10-101	190.00 m - 192.00 m	2.00 m	<0.016	0.46	0.86
MJS-10-102	192.00 m - 194.00 m	2.00 m	<0.016	0.22	0.41
MJS-10-103	194.00 m - 196.00 m	2.00 m	<0.016	0.25	0.47
MJS-10-104	196.00 m - 198.00 m	2.00 m	<0.016	0.25	0.47
MJS-10-105	198.00 m - 200.00 m	2.00 m	<0.016	0.47	0.88
MJS-10-106	200.00 m - 201.70 m	1.70 m	<0.016	0.25	0.47
MJS-10-107	201.70 m - 202.20 m	0.50 m	0.093	0.47	0.88
MJS-10-108	202.20 m - 204.00 m	1.80 m	<0.016	0.23	0.43
MJS-10-109	204.00 m - 206.00 m	2.00 m	0.062	0.58	1.09
MJS-10-110	206.00 m - 208.00 m	2.00 m	0.187	0.49	0.92
MJS-10-111	208.00 m - 210.00 m	2.00 m	<0.016	0.16	0.30
MJS-10-112	210.00 m - 212.00 m	2.00 m	<0.016	0.13	0.24
MJS-10-113	212.00 m - 214.00 m	2.00 m	<0.016	0.17	0.32
MJS-10-114	214.00 m - 216.00 m	2.00 m	<0.016	0.46	0.86
MJS-10-115	216.00 m - 217.00 m	1.00 m	0.404	0.68	1.27
MJS-10-116	217.00 m - 218.00 m	1.00 m	0.373	1.29	2.41
MJS-10-117	218.00 m - 220.00 m	2.00 m	0.062	0.67	1.25
MJS-10-118	220.00 m - 221.00 m	1.00 m	0.062	0.54	1.01
MJS-10-119	221.00 m - 222.00 m	1.00 m	<0.016	0.47	0.88
MJS-10-120	222.00 m - 224.00 m	2.00 m	<0.016	0.44	0.82
MJS-10-121	224.00 m - 226.00 m	2.00 m	0.109	0.56	1.05
MJS-10-122	226.00 m - 228.00 m	2.00 m	0.031	0.35	0.65
MJS-10-123	228.00 m - 230.00 m	2.00 m	0.047	0.5	0.94
MJS-10-124	230.00 m - 232.00 m	2.00 m	0.109	0.42	0.79
MJS-10-125	232.00 m - 234.00 m	2.00 m	0.016	0.37	0.69
MJS-10-126	234.00 m - 236.00 m	2.00 m	0.093	0.26	0.49
MJS-10-127	236.00 m - 238.00 m	2.00 m	0.980	1.36	2.54
MJS-10-128	238.00 m - 240.00 m	2.00 m	0.031	0.46	0.86
MJS-10-129	240.00 m - 241.45 m	1.45 m	0.187	0.4	0.75
MJS-10-130	241.45 m - 242.00 m	0.55 m	0.653	0.45	0.84
MJS-10-131	242.00 m - 244.00 m	2.00 m	0.047	0.44	0.82
MJS-10-132	244.00 m - 246.00 m	2.00 m	0.031	0.41	0.77
MJS-10-133	246.00 m - 248.00 m	2.00 m	<0.016	0.5	0.94
MJS-10-134	248.00 m - 250.00 m	2.00 m	<0.016	0.32	0.60
MJS-10-135	250.00 m - 252.00 m	2.00 m	0.109	0.27	0.51
MJS-10-136	252.00 m - 254.00 m	2.00 m	<0.016	0.39	0.73
MJS-10-137	254.00 m - 256.00 m	2.00 m	0.016	0.31	0.58
MJS-10-138	256.00 m - 258.00 m	2.00 m	<0.016	0.43	0.80
MJS-10-139	258.00 m - 260.00 m	2.00 m	0.047	0.36	0.67
MJS-10-140	260.00 m - 262.00 m	2.00 m	0.498	1.02	1.91
MJS-10-141	262.00 m - 262.70 m	0.70 m	3.344	3.03	5.67
MJS-10-142	262.70 m - 264.00 m	1.30 m	0.529	1.05	1.96
MJS-10-143	264.00 m - 266.00 m	2.00 m	0.016	0.33	0.62
MJS-10-144	266.00 m - 268.00 m	2.00 m	<0.016	0.3	0.56
MJS-10-145	268.00 m - 270.00 m	2.00 m	0.047	0.33	0.62
MJS-10-146	270.00 m - 272.00 m	2.00 m	<0.016	0.27	0.51
MJS-10-147	272.00 m - 274.00 m	2.00 m	<0.016	0.14	0.26
MJS-10-148	274.00 m - 275.90 m	1.90 m	<0.016	0.11	0.21
MJS-10-149	275.90 m - 276.20 m	0.30 m	0.031	0.51	0.95
MJS-10-150	276.20 m - 278.00 m	1.80 m	0.280	0.2	0.37

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-10-151	278.00 m - 280.00 m	2.00 m	<b>0.187</b>	0.28	0.52
MJS-10-152	280.00 m - 282.00 m	2.00 m	<b>0.404</b>	0.24	0.45
MJS-10-153	282.00 m - 284.00 m	2.00 m	<b>0.249</b>	0.13	0.24
MJS-10-154	284.00 m - 285.20 m	1.20 m	<b>0.031</b>	0.11	0.21
MJS-10-155	285.20 m - 285.70 m	0.50 m	<b>0.529</b>	0.22	0.41
MJS-10-156	285.70 m - 288.00 m	2.30 m	<b>0.358</b>	0.27	0.51
MJS-10-157	288.00 m - 290.00 m	2.00 m	<b>0.140</b>	0.2	0.37
MJS-10-158	290.00 m - 291.10 m	1.10 m	<b>&lt;0.016</b>	0.14	0.26
MJS-10-159	291.10 m - 291.50 m	0.40 m	<b>0.187</b>	0.41	0.77
MJS-10-160	291.50 m - 292.20 m	0.70 m	<b>0.295</b>	0.07	0.13
MJS-10-161	292.20 m - 292.70 m	0.50 m	<b>0.016</b>	0.06	0.11
MJS-10-162	292.70 m - 294.00 m	1.30 m	<b>&lt;0.016</b>	0.07	0.13
MJS-10-163	294.00 m - 296.00 m	2.00 m	<b>&lt;0.016</b>	0.05	0.09
MJS-10-164	296.00 m - 298.00 m	2.00 m	<b>&lt;0.016</b>	0.05	0.09
MJS-10-165	298.00 m - 300.10 m	2.10 m	<b>&lt;0.016</b>	0.01	0.02

Numéro échantillon	Au (g/t)	S (%)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Cd (ppm)
MJS-10-005	0.062	-	<0.1	67	<1	182	134	<0.1
MJS-10-010	0.047	-	<0.1	49	<1	130	130	<0.1
MJS-10-015	<0.016	-	<0.1	46	<1	80	14	<0.1
MJS-10-020	<0.016	-	<0.1	50	<1	76	24	<0.1
MJS-10-025	<0.016	-	<0.1	46	<1	72	2	<0.1
MJS-10-030	<0.016	-	<0.1	44	<1	72	66	<0.1
MJS-10-035	1.415	-	<0.1	55	2	123	120	<0.1
MJS-10-040	0.031	-	0.5	46	21	190	210	0.5
MJS-10-045	<0.016	-	<0.1	46	<1	72	44	<0.1
MJS-10-050	<0.016	0.03	<0.1	62	<1	107	18	<0.1
MJS-10-055	<0.016	0.01	<0.1	60	<1	75	4	<0.1
MJS-10-060	<0.016	0.01	<0.1	62	<1	72	2	<0.1
MJS-10-065	<0.016	0.05	<0.1	75	<1	82	20	<0.1
MJS-10-070	0.638	0.68	<0.1	41	2	68	1380	<0.1
MJS-10-075	<0.016	0.23	<0.1	48	<1	64	152	<0.1
MJS-10-080	0.062	0.21	<0.1	47	<1	68	130	<0.1
MJS-10-085	0.233	0.27	<0.1	50	<1	60	670	<0.1
MJS-10-090	<0.016	0.05	<0.1	50	<1	68	130	<0.1
MJS-10-095	0.031	0.15	<0.1	54	<1	79	134	<0.1
MJS-10-100	<0.016	0.45	<0.1	55	<1	73	52	<0.1
MJS-10-105	<0.016	0.47	<0.1	51	<1	77	58	<0.1
MJS-10-110	0.187	0.49	0.1	57	8	85	310	0.1
MJS-10-115	0.404	0.68	<0.1	66	<1	73	192	<0.1
MJS-10-120	<0.016	0.44	<0.1	64	<1	86	64	<0.1
MJS-10-125	0.016	0.37	<0.1	53	<1	83	64	<0.1
MJS-10-130	0.653	0.45	<0.1	73	2	67	650	<0.1
MJS-10-135	0.109	0.27	<0.1	52	1	85	98	<0.1
MJS-10-140	0.498	1.02	<0.1	46	<1	70	480	<0.1
MJS-10-145	0.047	0.33	<0.1	54	2	75	176	<0.1
MJS-10-150	0.280	0.2	<0.1	52	2	82	296	<0.1
MJS-10-155	0.529	0.22	<0.1	50	9	75	504	<0.1
MJS-10-160	0.295	0.07	<0.1	50	<1	86	140	<0.1
MJS-10-165	<0.016	0.01	<0.1	60	<1	80	4	<0.1

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS 2(%) estimation
MJS-11-01	3.30 m - 4.00 m	0.70 m	0.031	-	-
MJS-11-02	4.00 m - 6.30 m	2.30 m	<0.016	-	-
MJS-11-03	6.30 m - 8.00 m	1.70 m	<0.016	-	-
MJS-11-04	8.00 m - 10.00 m	2.00 m	0.016	-	-
MJS-11-05	10.00 m - 12.00 m	2.00 m	0.016	-	-
MJS-11-06	12.00 m - 14.00 m	2.00 m	0.062	-	-
MJS-11-07	14.00 m - 16.00 m	2.00 m	0.031	-	-
MJS-11-08	16.00 m - 18.00 m	2.00 m	0.016	-	-
MJS-11-09	18.00 m - 20.00 m	2.00 m	0.047	-	-
MJS-11-10	20.00 m - 22.00 m	2.00 m	0.047	-	-
MJS-11-11	22.00 m - 24.00 m	2.00 m	<0.016	-	-
MJS-11-12	24.00 m - 26.00 m	2.00 m	<0.016	-	-
MJS-11-13	26.00 m - 28.00 m	2.00 m	<0.016	-	-
MJS-11-14	28.00 m - 30.00 m	2.00 m	0.016	-	-
MJS-11-15	30.00 m - 30.80 m	0.80 m	0.016	-	-
MJS-11-16	30.80 m - 31.20 m	0.40 m	<0.016	-	-
MJS-11-17	31.20 m - 32.00 m	0.80 m	0.016	-	-
MJS-11-18	32.00 m - 34.00 m	2.00 m	<0.016	-	-
MJS-11-19	34.00 m - 36.00 m	2.00 m	0.047	-	-
MJS-11-20	36.00 m - 38.00 m	2.00 m	<0.016	-	-
MJS-11-21	38.00 m - 39.65 m	1.65 m	0.047	-	-
MJS-11-22	39.65 m - 40.60 m	0.95 m	1.446	-	-
MJS-11-23	40.60 m - 42.10 m	1.50 m	0.949	-	-
MJS-11-24	43.60 m - 44.30 m	0.70 m	1.431	-	-
MJS-11-25	44.30 m - 46.00 m	1.70 m	0.031	-	-
MJS-11-26	46.00 m - 48.00 m	2.00 m	0.031	-	-
MJS-11-27	48.00 m - 50.85 m	2.85 m	0.031	-	-
MJS-11-28	50.85 m - 51.50 m	0.65 m	0.389	-	-
MJS-11-29	51.50 m - 53.00 m	1.50 m	0.793	-	-
MJS-11-30	53.00 m - 55.00 m	2.00 m	0.995	-	-
MJS-11-31	55.00 m - 57.00 m	2.00 m	0.933	-	-
MJS-11-32	57.00 m - 59.00 m	2.00 m	0.451	-	-
MJS-11-33	59.00 m - 61.00 m	2.00 m	0.498	-	-
MJS-11-34	61.00 m - 63.00 m	2.00 m	<0.016	-	-
MJS-11-35	63.00 m - 65.00 m	2.00 m	0.156	-	-
MJS-11-36	65.00 m - 67.00 m	2.00 m	<0.016	-	-
MJS-11-37	67.00 m - 69.00 m	2.00 m	<0.016	-	-
MJS-11-38	69.00 m - 71.00 m	2.00 m	<0.016	-	-
MJS-11-39	71.00 m - 73.00 m	2.00 m	0.047	-	-
MJS-11-40	73.00 m - 75.00 m	2.00 m	<0.016	-	-
MJS-11-41	75.00 m - 77.00 m	2.00 m	0.016	-	-
MJS-11-42	77.00 m - 79.00 m	2.00 m	0.124	<.01	<.02
MJS-11-43	79.00 m - 81.00 m	2.00 m	0.529	<.01	<.02
MJS-11-44	81.00 m - 83.00 m	2.00 m	<0.016	0.45	0.84
MJS-11-45	83.00 m - 85.00 m	2.00 m	<0.016	0.88	1.65
MJS-11-46	85.00 m - 87.00 m	2.00 m	0.016	0.27	0.51
MJS-11-47	87.00 m - 89.00 m	2.00 m	0.078	0.35	0.65
MJS-11-48	89.00 m - 91.00 m	2.00 m	0.389	0.20	0.37
MJS-11-49	91.00 m - 93.00 m	2.00 m	0.093	0.10	0.19
MJS-11-50	93.00 m - 95.00 m	2.00 m	<0.016	0.12	0.22

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS 2(%) estimation
MJS-11-51	95.00 m - 97.00 m	2.00 m	<b>0.031</b>	0.12	0.22
MJS-11-52	97.00 m - 99.00 m	2.00 m	<b>&lt;0.016</b>	0.07	0.13
MJS-11-53	99.00 m - 101.00 m	2.00 m	<b>&lt;0.016</b>	0.24	0.45
MJS-11-54	101.00 m - 103.00 m	2.00 m	<b>&lt;0.016</b>	0.62	1.16
MJS-11-55	103.00 m - 105.00 m	2.00 m	<b>&lt;0.016</b>	0.03	0.06
MJS-11-56	105.00 m - 107.00 m	2.00 m	<b>&lt;0.016</b>	0.06	0.11
MJS-11-57	107.00 m - 109.00 m	2.00 m	<b>2.053</b>	1.07	2.00
MJS-11-58	109.00 m - 111.00 m	2.00 m	<b>0.249</b>	0.42	0.79
MJS-11-59	111.00 m - 113.00 m	2.00 m	<b>0.653</b>	0.59	1.10
MJS-11-60	113.00 m - 115.00 m	2.00 m	<b>0.140</b>	0.21	0.39
MJS-11-61	115.00 m - 117.00 m	2.00 m	<b>0.062</b>	0.09	0.17
MJS-11-62	117.00 m - 119.00 m	2.00 m	<b>&lt;0.016</b>	0.08	0.15
MJS-11-63	119.00 m - 121.00 m	2.00 m	<b>&lt;0.016</b>	0.03	0.06
MJS-11-64	121.00 m - 123.00 m	2.00 m	<b>&lt;0.016</b>	0.04	0.07
MJS-11-65	123.00 m - 125.00 m	2.00 m	<b>&lt;0.016</b>	0.05	0.09
MJS-11-66	125.00 m - 127.00 m	2.00 m	<b>0.078</b>	0.11	0.21
MJS-11-67	127.00 m - 129.00 m	2.00 m	<b>&lt;0.016</b>	0.10	0.19
MJS-11-68	129.00 m - 131.00 m	2.00 m	<b>0.062</b>	0.10	0.19
MJS-11-69	131.00 m - 133.00 m	2.00 m	<b>&lt;0.016</b>	0.12	0.22
MJS-11-70	133.00 m - 135.00 m	2.00 m	<b>&lt;0.016</b>	0.13	0.24
MJS-11-71	135.00 m - 137.00 m	2.00 m	<b>0.062</b>	0.20	0.37
MJS-11-72	137.00 m - 137.90 m	0.90 m	<b>0.016</b>	0.18	0.34
MJS-11-73	137.90 m - 138.60 m	0.70 m	<b>0.047</b>	0.82	1.53
MJS-11-74	138.60 m - 141.00 m	2.40 m	<b>0.218</b>	0.36	0.67
MJS-11-75	141.00 m - 142.40 m	1.40 m	<b>0.016</b>	0.80	1.50
MJS-11-76	142.40 m - 143.40 m	1.00 m	<b>&lt;0.016</b>	0.55	1.03
MJS-11-77	143.40 m - 145.00 m	1.60 m	<b>0.358</b>	0.56	1.05
MJS-11-78	145.00 m - 147.00 m	2.00 m	<b>0.062</b>	0.66	1.23
MJS-11-79	147.00 m - 149.00 m	2.00 m	<b>0.016</b>	0.19	0.36
MJS-11-80	149.00 m - 150.20 m	1.20 m	<b>&lt;0.016</b>	0.15	0.28

Número échantillon	Profondeur	Longueur	Au (g/l)	S (%)	FeS2 (%) estimation
MJS-12-01	2.80 m -	5.00 m	2.20 m	<b>0.016</b>	-
MJS-12-02	5.00 m -	7.00 m	2.00 m	<b>0.016</b>	-
MJS-12-03	7.00 m -	9.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-04	9.00 m -	11.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-05	11.00 m -	13.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-06	13.00 m -	15.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-07	15.00 m -	17.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-08	17.00 m -	19.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-09	19.00 m -	21.00 m	2.00 m	<b>0.016</b>	-
MJS-12-10	21.00 m -	23.00 m	2.00 m	<b>0.047</b>	-
MJS-12-11	23.00 m -	25.00 m	2.00 m	<b>0.016</b>	-
MJS-12-12	25.00 m -	27.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-13	27.00 m -	29.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-14	29.00 m -	31.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-15	31.00 m -	33.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-16	33.00 m -	35.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-17	35.00 m -	37.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-18	37.00 m -	39.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-19	39.00 m -	41.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-20	41.00 m -	43.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-21	43.00 m -	45.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-22	45.00 m -	47.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-23	47.00 m -	49.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-12-24	49.00 m -	51.10 m	2.10 m	<b>&lt;0.016</b>	-

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS <sub>2</sub> (%) estimation
MJS-13-01	2.90 m -	5.00 m	2.10 m	<b>0.016</b>	-
MJS-13-02	5.00 m -	7.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-03	7.00 m -	9.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-04	9.00 m -	11.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-05	11.00 m -	13.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-06	13.00 m -	15.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-07	15.00 m -	17.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-08	17.00 m -	19.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-09	19.00 m -	21.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-10	21.00 m -	23.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-11	23.00 m -	25.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-12	25.00 m -	27.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-13	27.00 m -	29.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-14	29.00 m -	31.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-15	31.00 m -	33.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-16	33.00 m -	35.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-17	35.00 m -	37.00 m	2.00 m	<b>0.047</b>	-
MJS-13-18	37.00 m -	39.00 m	2.00 m	<b>0.093</b>	-
MJS-13-19	39.00 m -	41.00 m	2.00 m	<b>0.047</b>	-
MJS-13-20	41.00 m -	43.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-21	43.00 m -	45.00 m	2.00 m	<b>0.031</b>	-
MJS-13-22	45.00 m -	47.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-23	47.00 m -	49.00 m	2.00 m	<b>&lt;0.016</b>	-
MJS-13-24	49.00 m -	50.00 m	1.00 m	<b>&lt;0.016</b>	-

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation	
MJS-14-01	3.40 m -	4.00 m	0.60 m	<b>0.031</b>	-	-
MJS-14-02	4.00 m -	6.00 m	2.00 m	<b>0.093</b>	-	-
MJS-14-03	6.00 m -	8.00 m	2.00 m	<b>0.031</b>	-	-
MJS-14-04	8.00 m -	10.00 m	2.00 m	<b>0.016</b>	-	-
MJS-14-05	10.00 m -	12.00 m	2.00 m	<b>0.016</b>	-	-
MJS-14-06	12.00 m -	14.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-14-07	14.00 m -	16.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-14-08	16.00 m -	18.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-14-09	18.00 m -	20.00 m	2.00 m	<b>0.016</b>	-	-
MJS-14-10	20.00 m -	22.00 m	2.00 m	<b>0.031</b>	-	-
MJS-14-11	22.00 m -	24.00 m	2.00 m	<b>0.031</b>	-	-
MJS-14-12	24.00 m -	26.00 m	2.00 m	<b>0.498</b>	-	-
MJS-14-13	26.00 m -	28.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-14-14	28.00 m -	30.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-14-15	30.00 m -	32.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-14-16	32.00 m -	34.00 m	2.00 m	<b>0.047</b>	-	-
MJS-14-17	34.00 m -	36.00 m	2.00 m	<b>0.047</b>	-	-
MJS-14-18	36.00 m -	38.20 m	2.20 m	<b>&lt;0.016</b>	-	-
MJS-14-19	38.20 m -	38.40 m	0.20 m	<b>&lt;0.016</b>	-	-
MJS-14-20	38.40 m -	40.00 m	1.60 m	<b>0.016</b>	-	-
MJS-14-21	40.00 m -	42.00 m	2.00 m	<b>0.031</b>	-	-
MJS-14-22	42.00 m -	44.00 m	2.00 m	<b>0.016</b>	-	-
MJS-14-23	44.00 m -	46.00 m	2.00 m	<b>0.062</b>	-	-
MJS-14-24	46.00 m -	48.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-14-25	48.00 m -	50.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-14-26	50.00 m -	52.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-14-27	52.00 m -	54.00 m	2.00 m	<b>0.031</b>	-	-
MJS-14-28	54.00 m -	56.10 m	2.10 m	<b>0.793</b>	-	-
MJS-14-29	56.10 m -	56.40 m	0.30 m	<b>5.241</b>	-	-
MJS-14-30	56.40 m -	56.50 m	0.10 m	<b>0.093</b>	-	-
MJS-14-31	56.50 m -	56.70 m	0.20 m	<b>0.047</b>	-	-
MJS-14-32	56.70 m -	58.00 m	1.30 m	<b>0.093</b>	-	-
MJS-14-33	58.00 m -	60.00 m	2.00 m	<b>0.047</b>	0.06	0.11
MJS-14-34	60.00 m -	62.00 m	2.00 m	<b>0.031</b>	0.16	0.30
MJS-14-35	62.00 m -	64.00 m	2.00 m	<b>&lt;0.016</b>	0.09	0.17
MJS-14-36	64.00 m -	64.65 m	0.65 m	<b>&lt;0.016</b>	0.08	0.15
MJS-14-37	64.65 m -	64.85 m	0.20 m	<b>&lt;0.016</b>	0.12	0.22
MJS-14-38	64.85 m -	66.05 m	1.20 m	<b>&lt;0.016</b>	0.11	0.21
MJS-14-39	66.05 m -	66.15 m	0.10 m	<b>&lt;0.016</b>	0.09	0.17
MJS-14-40	66.15 m -	67.95 m	1.80 m	<b>0.016</b>	0.07	0.13
MJS-14-41	67.95 m -	68.05 m	0.10 m	<b>&lt;0.016</b>	0.03	0.06
MJS-14-42	68.05 m -	70.00 m	1.95 m	<b>&lt;0.016</b>	0.08	0.15
MJS-14-43	70.00 m -	71.10 m	1.10 m	<b>0.124</b>	0.18	0.34



Número échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
KJS-15-01	3.00 m - 5.40 m	2.40 m	<b>0.062</b>	-	-
KJS-15-02	5.40 m - 5.90 m	0.50 m	<b>0.093</b>	-	-
KJS-15-03	5.90 m - 8.00 m	2.10 m	<b>0.171</b>	-	-
KJS-15-04	8.00 m - 10.00 m	2.00 m	<b>0.264</b>	-	-
KJS-15-05	10.00 m - 12.00 m	2.00 m	<b>0.062</b>	-	-
KJS-15-06	12.00 m - 14.00 m	2.00 m	<b>&lt;0.016</b>	-	-
KJS-15-07	14.00 m - 16.00 m	2.00 m	<b>&lt;0.016</b>	-	-
KJS-15-08	16.00 m - 18.00 m	2.00 m	<b>&lt;0.016</b>	-	-
KJS-15-09	18.00 m - 20.00 m	2.00 m	<b>&lt;0.016</b>	-	-
KJS-15-10	20.00 m - 22.00 m	2.00 m	<b>0.016</b>	-	-
KJS-15-11	22.00 m - 24.00 m	2.00 m	<b>&lt;0.016</b>	-	-
KJS-15-12	24.00 m - 26.00 m	2.00 m	<b>&lt;0.016</b>	-	-
KJS-15-13	26.00 m - 28.00 m	2.00 m	<b>&lt;0.016</b>	-	-
KJS-15-14	28.00 m - 30.00 m	2.00 m	<b>&lt;0.016</b>	-	-
KJS-15-15	30.00 m - 32.00 m	2.00 m	<b>&lt;0.016</b>	-	-
KJS-15-16	32.00 m - 34.00 m	2.00 m	<b>&lt;0.016</b>	-	-
KJS-15-17	34.00 m - 34.05 m	0.05 m	<b>&lt;0.016</b>	-	-
KJS-15-18	34.05 m - 35.00 m	0.95 m	<b>0.047</b>	-	-
KJS-15-19	35.00 m - 35.10 m	0.10 m	<b>&lt;0.016</b>	-	-
KJS-15-20	35.10 m - 36.00 m	0.90 m	<b>0.031</b>	-	-
KJS-15-21	36.00 m - 38.00 m	2.00 m	<b>0.124</b>	-	-
KJS-15-22	38.00 m - 40.00 m	2.00 m	<b>0.124</b>	-	-
KJS-15-23	40.00 m - 40.50 m	0.50 m	<b>0.047</b>	-	-
KJS-15-24	40.50 m - 41.10 m	0.60 m	<b>0.031</b>	-	-
KJS-15-25	41.10 m - 43.20 m	2.10 m	<b>0.047</b>	-	-
KJS-15-26	43.20 m - 43.60 m	0.40 m	<b>0.529</b>	-	-
KJS-15-27	43.60 m - 45.00 m	1.40 m	<b>&lt;0.016</b>	-	-
KJS-15-28	45.00 m - 47.00 m	2.00 m	<b>0.031</b>	-	-
KJS-15-29	47.00 m - 49.00 m	2.00 m	<b>0.280</b>	-	-
KJS-15-30	49.00 m - 50.00 m	1.00 m	<b>&lt;0.016</b>	-	-

Numéro échantillon	Profondeur	Longueur	Au (g/l)	S (%)	FeS2 (%) estimation
MJS-16-01	3.00 m - 5.00 m	2.00 m	<b>0.187</b>	-	-
MJS-16-02	5.00 m - 7.00 m	2.00 m	<b>0.078</b>	-	-
MJS-16-03	7.00 m - 9.00 m	2.00 m	<b>0.140</b>	-	-
MJS-16-04	9.00 m - 11.00 m	2.00 m	<b>0.109</b>	-	-
MJS-16-05	11.00 m - 13.00 m	2.00 m	<b>0.016</b>	-	-
MJS-16-06	13.00 m - 15.00 m	2.00 m	<b>1.306</b>	-	-
MJS-16-07	15.00 m - 16.65 m	1.65 m	<b>1.571</b>	-	-
MJS-16-08	16.65 m - 16.95 m	0.30 m	<b>7.060</b>	-	-
MJS-16-09	16.95 m - 19.00 m	2.05 m	<b>0.249</b>	-	-
MJS-16-10	19.00 m - 21.00 m	2.00 m	<b>0.031</b>	-	-
MJS-16-11	21.00 m - 23.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-16-12	23.00 m - 25.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-16-13	25.00 m - 27.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-16-14	27.00 m - 29.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-16-15	29.00 m - 31.00 m	2.00 m	<b>0.047</b>	-	-
MJS-16-16	31.00 m - 33.00 m	2.00 m	<b>0.062</b>	-	-
MJS-16-17	33.00 m - 35.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-16-18	35.00 m - 37.00 m	2.00 m	<b>0.171</b>	-	-
MJS-16-19	37.00 m - 39.00 m	2.00 m	<b>0.124</b>	-	-
MJS-16-20	39.00 m - 41.00 m	2.00 m	<b>0.031</b>	-	-
MJS-16-21	41.00 m - 43.00 m	2.00 m	<b>0.016</b>	-	-
MJS-16-22	43.00 m - 45.00 m	2.00 m	<b>0.109</b>	-	-
MJS-16-23	45.00 m - 47.00 m	2.00 m	<b>0.218</b>	-	-
MJS-16-24	47.00 m - 48.50 m	1.50 m	<b>&lt;0.016</b>	-	-
MJS-16-25	48.50 m - 49.20 m	0.70 m	<b>3.079</b>	-	-
MJS-16-26	49.20 m - 49.60 m	0.40 m	<b>0.031</b>	-	-
MJS-16-27	49.60 m - 50.00 m	0.40 m	<b>0.031</b>	-	-
MJS-16-28	50.00 m - 51.40 m	1.40 m	<b>0.031</b>	-	-

Numéro échantillon	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-17-01	2.60 m - 4.00 m	1.40 m	<b>0.016</b>	-	-
MJS-17-02	4.00 m - 6.00 m	2.00 m	<b>0.404</b>	-	-
MJS-17-03	6.00 m - 7.70 m	1.70 m	<b>0.653</b>	-	-
MJS-17-04	7.70 m - 10.20 m	2.50 m	<b>0.078</b>	-	-
MJS-17-05	10.20 m - 12.60 m	2.40 m	<b>0.062</b>	-	-
MJS-17-06	12.60 m - 14.00 m	1.40 m	<b>0.156</b>	-	-
MJS-17-07	14.00 m - 16.00 m	2.00 m	<b>0.016</b>	-	-
MJS-17-08	16.00 m - 18.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-17-09	18.00 m - 20.00 m	2.00 m	<b>0.016</b>	-	-
MJS-17-10	20.00 m - 22.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-17-11	22.00 m - 24.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-17-12	24.00 m - 26.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-17-13	26.00 m - 28.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-17-14	28.00 m - 30.00 m	2.00 m	<b>1.306</b>	-	-
MJS-17-15	30.00 m - 32.00 m	2.00 m	<b>0.187</b>	-	-
MJS-17-16	32.00 m - 35.00 m	3.00 m	<b>0.124</b>	-	-
MJS-17-17	35.00 m - 37.00 m	2.00 m	<b>0.047</b>	-	-
MJS-17-18	37.00 m - 39.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-17-19	39.00 m - 41.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-17-20	41.00 m - 41.30 m	0.30 m	<b>0.062</b>	-	-
MJS-17-21	41.30 m - 43.00 m	1.70 m	<b>&lt;0.016</b>	-	-
MJS-17-22	43.00 m - 45.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-17-23	45.00 m - 47.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-17-24	47.00 m - 49.00 m	2.00 m	<b>&lt;0.016</b>	-	-
MJS-17-25	49.00 m - 51.30 m	2.30 m	<b>&lt;0.016</b>	-	-

Numéro échantillon	Numéro sondage	Profondeur	Longueur	Au (g/t)	S (%)	FeS2 (%) estimation
MJS-6-26A	MJS-6	52.80 m - 52.90 m	0.10 m	<b>0.544</b>	-	-
MJS-6-32A	MJS-6	63.80 m - 63.85 m	0.05 m	<b>0.544</b>	-	-
MJS-6-35A	MJS-6	70.40 m - 70.45 m	0.05 m	<b>0.140</b>	-	-
MJS-6-75A	MJS-6	134.80 m - 134.85 m	0.05 m	<b>0.607</b>	-	-
MJS-6-80A	MJS-6	145.40 m - 145.45 m	0.05 m	<b>&lt;0.016</b>	-	-
MJS-6-86A	MJS-6	153.50 m - 153.55 m	0.01 m	<b>283.042</b>	-	-
MJS-6-87A	MJS-6	156.60 m - 156.65 m	0.05 m	<b>&lt;0.016</b>	0.01	0.02
MJS-6-92A	MJS-6	162.35 m - 162.40 m	0.05 m	<b>0.093</b>	0.13	0.24
MJS-6-93A	MJS-6	164.05 m - 164.07 m	0.02 m	<b>&lt;0.016</b>	0.10	0.19
MJS-6-107A	MJS-6	187.60 m - 187.67 m	0.07 m	<b>0.031</b>	0.25	0.47
MJS-7-9A	MJS-7	19.50 m - 19.55 m	0.05 m	<b>0.031</b>	-	-
MJS-7-77A	MJS-7	123.80 m - 123.82 m	0.02 m	<b>0.404</b>	0.06	0.11
MJS-7-82A	MJS-7	127.50 m - 127.54 m	0.04 m	<b>10.326</b>	0.01	0.02
MJS-8-2A	MJS-8	4.30 m - 4.35 m	0.05 m	<b>0.124</b>	-	-
MJS-8-14A	MJS-8	24.10 m - 24.15 m	0.05 m	<b>0.031</b>	-	-
MJS-10-QV1	MJS-10	9.60 m - 9.70 m	0.10 m	<b>&lt;0.016</b>	-	-
MJS-10-QV2	MJS-10	17.95 m - 18.30 m	0.35 m	<b>0.062</b>	-	-
MJS-10-QV3	MJS-10	27.50 m - 27.55 m	0.05 m	<b>&lt;0.016</b>	0.01	0.02
MJS-10-118A	MJS-10	220.70 m - 220.75 m	0.05 m	<b>0.778</b>	0.37	0.69
MJS-10-74.35	MJS-10	74.35 m - 74.40 m	0.05 m	<b>1.244</b>	0.02	0.04
MJS-11-13.45	MJS-11	13.45 m - 13.50 m	0.05 m	<b>&lt;0.016</b>	-	-
MJS-11-6A	MJS-11	13.45 m - 13.50 m	0.05 m	<b>0.016</b>	-	-
MJS-11-7A	MJS-11	15.90 m - 15.95 m	0.05 m	<b>0.047</b>	-	-
MJS-11-9A	MJS-11	19.25 m - 19.30 m	0.05 m	<b>0.109</b>	-	-
MJS-11-21A	MJS-11	39.10 m - 39.20 m	0.10 m	<b>0.124</b>	-	-
MJS-11-33A	MJS-11	59.65 m - 59.70 m	0.05 m	<b>11.570</b>	-	-
MJS-14-1A	MJS-14	3.40 m - 3.45 m	0.05 m	<b>0.544</b>	-	-
MJS-14-2A	MJS-14	5.80 m - 5.86 m	0.06 m	<b>16.671</b>	-	-
MJS-14-23A	MJS-14	44.55 m - 44.60 m	0.05 m	<b>14.619</b>	-	-
MJS-15-20A	MJS-15	35.50 m - 35.65 m	0.15 m	<b>0.047</b>	-	-
MJS-15-20B	MJS-15	35.75 m - 35.85 m	0.10 m	<b>0.093</b>	-	-
MJS-16-7A	MJS-16	15.35 m - 15.40 m	0.05 m	<b>0.451</b>	-	-





