

No.

TECHNICAL INFORMATION ON TROPICAL FORESTS

TECHNICAL INFORMATION ON TROPICAL FORESTS

KEYWORD INDEX

JULY, 1994

JICA LIBRARY



J 1124831 [7]

JAPAN INTERNATIONAL COOPERATION AGENCY

(J I C A)

JICA
113
88
FDD
BRARY

FDD
JR
94-021

TECHNICAL INFORMATION
ON
TROPICAL FORESTS

KEYWORD INDEX

JULY, 1994

JAPAN INTERNATIONAL COOPERATION AGENCY

(J I C A)



1124831 [7]

READERS' GUIDE

1. This Keyword Index contains all keywords used in the volume I to IV of the Technical Information on Tropical Forests.
2. The keywords are arranged in alphabetical order.
3. Roman numeral refers to volume in which the keyword is explained and arabic numeral refers to page.

KEY WORDPAGE**a**

acacia	J : 12, 25, 30, 31, 58, 59, 64, 65, 71, 72, 74, 81, 98, 99, 100, 107 / II : 16 / III : 33, 36, 51, 87, 91, 94 / IV : 36, 40, 42, 43, 44, 65
acid soil	I : 54
adhesion	I : 98, 100
afforestation	II : 29, 36, 40 / III : 2, 3, 11, 15, 30, 33, 35, 57, 58, 64, 68, 69, 70, 78, 79, 80, 100 / IV : 8, 24, 25, 32, 33, 35, 39, 55, 75
agricultural pesticide	II : 40
agro-forestry	I : 4, 90, 105, 106 / II : 12, 39, 70, 73, 84, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95 / III : 5, 25, 26, 27, 35, 37, 38, 71, 78, 79, 81, 83, 84, 85, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99 / IV : 35, 37, 43, 44, 55, 82, 84, 85, 86, 87, 89, 90, 95, 102
alkalizacion	III : 18
antiseptic process	I : 103
area	II : 99
arid region	III : 8, 11, 18, 19, 23, 27, 37, 51, 69, 70, 74, 89, 91, 101, 105 / IV : 11, 15, 87, 98, 103
artificial regeneration	II : 38, 50, 51, 96, 22 / III : 32, 42

b

bacteria	I : 52
buffer zone	I : 11
bamboo	I : 62, 78, 82, 85, 94, 101, 102, 103 / II : 68, 84 / III : 26, 55, 76 / IV : 23
bank protection	II : 74
bare root seedling	IV : 50, 55, 56
bare-root stock	I : 32
bark	II : 7 / III : 55 / IV : 18
barren	II : 70
barren land	II : 13, 14
basal area	III : 50
beetles	II : 58, 59
biodiversity	IV : 16, 17, 18, 19, 20, 22, 25, 27, 29, 30, 45, 99
biomass	I : 76, 77, 78 / II : 16, 31, 62, 99 / III : 17, 51, 52, 58, 65, 88, 104 / IV : 1, 8, 52, 58, 60, 67, 68, 69, 70, 71, 73
biosphere	IV : 3, 16, 18, 24, 25, 26, 27, 28
borer	I : 70 / II : 55
breast height diameter	I : 74 / II : 65 / III : 51
breeding	II : 29, 48, 49 / III : 40, 41 / IV : 36, 40, 46, 58, 59, 95
broad leaved tree	IV : 34, 67
brush cutting	IV : 52
buffer zone	IV : 4
burning	III : 15, 51
buttress	II : 7

c

callus	II : 48
canopy	I : 108
capacity	II : 67
carbon cycle	IV : 2, 4, 21, 24, 29, 71
catchment	II : 8, 71 / III : 64
charcoal	I : 100 / II : 77, 78, 86 / III : 3, 75, 77 / IV : 82, 103
chemical characteristic	I : 56 / II : 41
chemical properties	I : 5

KEY WORDPAGE

choice of species	I: 14 / II: 13, 14 / III: 22
clear cutting	I: 52 / III: 42
clearing	III: 15
climatic type	II: 9 / III: 18
climber cutting	I: 63
commercial tree species	I: 10, 34 / II: 5, 11, 48, 76 / III: 1, 34 / IV: 38, 45, 68
community forestry	II: 87, 90, 91, 92, 94 / III: 1, 2, 7, 55, 63, 64, 68, 79, 80, 82, 83, 84, 85, 86, 95, 97 / IV: 85, 88, 89
compost	I: 36, 53
conifer	I: 79 / II: 16, 18 / III: 17, 40, 47, 48, 71 / IV: 68
control measure	II: 54, 55, 56, 58, 59, 60 / III: 48, 73
coppice forest	I: 13, 106 / II: 30, 35
coppicing	I: 52
cost analysis	I: 109 / II: 37, 51, 52, 53 / III: 44, 46, 56, 57, 65 / IV: 57
crossing	I: 65
crown	II: 7, 18
crown density	I: 80, 90, 96
current annual increment	I: 73
cut-over area	II: 5, 7, 9, 41, 52 / III: 50
cutting	II: 10, 21, 25, 27, 36, 81 / III: 46 / IV: 5, 49, 55
cutting age	II: 65
cutting cycle	IV: 61
cuttings	I: 26, 27, 28, 29, 30, 31

d

dam	II: 75
deciduous tree	II: 9, 41, 70, 71, 75
decomposition	II: 10 / IV: 53
defoliator	I: 69 / II: 58, 60
deforestation	III: 1, 3, 13, 15, 16, 23, 33, 58, 68, 69, 75, 78, 80, 103 / IV: 4, 11, 14, 21, 23, 24, 26, 31, 40, 75, 96, 97, 99, 102
degradation	III: 4, 8, 10, 16 / IV: 5, 14
degraded forest	I: 55 / II: 91 / III: 80
degraded land	II: 36, 74 / III: 70
density	III: 72, 73 / IV: 80
desertification	III: 5, 8, 10, 11, 68, 69 / IV: 15
design of experiment	IV: 59
diameter breast height	I: 82, 83 / IV: 67
diameter grade/gradation	II: 35, 64 / III: 72 / IV: 20, 73
diameter increment/growth	I: 74, 80 / II: 7, 47 / III: 50 / IV: 5, 27, 32, 67, 73
Dipterocarps	I: 8, 9, 10, 15, 16, 17, 18, 19, 20, 21, 25, 26, 27, 32, 33, 35, 36, 38, 40, 42, 43, 44, 45, 47, 48, 49, 50, 51, 53, 61, 62, 63, 70, 75, 77, 79, 82 / II: 5, 6, 7, 8, 9, 19, 24, 26, 27, 30, 32, 38, 50, 51, 52, 65, 69, 71, 76 / III: 28, 55
direct seeding	I: 42, 45 / II: 34, 36, 37, 38, 43 / IV: 55
direct sowing	IV: 33
distribution	II: 4, 99 / III: 49, 76 / IV: 18, 39
dominant tree	II: 8 / III: 53
dormancy	I: 21
drought	II: 8, 36
drought tolerance	II: 33, 36

e

ecology	I: 8 / II: 1, 3, 4, 6, 7, 8, 12, 14 / III: 16, 17, 19, 43, 93, 96, 98 / IV: 3, 6, 7, 8, 9, 10, 13, 16, 18, 27, 29, 38, 39, 44, 51, 95, 98
---------	---

<u>KEY WORD</u>	<u>PAGE</u>
ecosystem	I: 1, 2, 3, 4, 6, 7, 9, 107 / II: 1, 2, 3, 4, 9, 42, 68, 100 / III: 13, 16, 19, 44, 65, 98 / IV: 1, 2, 3, 6, 16, 17, 18, 19, 20, 21, 25, 26, 27, 28, 29, 30, 54, 72, 98
elevation	II: 8, 56
enrichment planting	I: 33, 39, 40, 41, 45, 46 / II: 6 / IV: 56, 62
environmental assessment	II: 4 / III: 13, 14, 18, 60 / IV: 82, 101, 104
environmental condition	III: 14, 40 / IV: 83
environmental conservation	II: 4, 8, 56, 90 / III: 3, 4, 5, 6, 10, 14, 15, 16, 60, 64, 68, 79, 84, 85, 91, 100, 101 / IV: 4, 7, 10, 11, 15, 16, 17, 19, 20, 21, 22, 23, 25, 29, 31, 45, 77, 97, 98, 99, 104
environmental factor	III: 101
environmental protection	II: 4, 8 / III: 11, 12, 60, 80, 101 / IV: 11, 22, 25, 31, 98
erosion	I: 55, 90, 94, 95, 96 / II: 12, 70, 72, 73, 74, 75, 88 / III: 34, 37, 38, 45, 63, 69, 70, 71 / IV: 77, 78, 79, 90
eucalypt	I: 14, 37, 55, 58, 74, 106 / II: 10, 13, 16, 27, 28, 29, 30, 48, 49, 55, 65, 70, 71, 95, 96 / III: 7, 21, 24, 34, 35, 41, 45, 46, 47, 50, 51, 62, 65, 73 / IV: 5, 32, 34, 50, 51, 56
evaluation	II: 81, 89 / III: 7, 56, 59, 74, 80, 82, 87, 90, 91, 92, 95, 96, 108 / IV: 5, 59, 77, 86, 101, 104
evaporation	III: 63
evapotranspiration	I: 89
evergreen tree	II: 9, 70
exotic tree species	I: 68, 79 / II: 39 / III: 22, 27, 56
experiment(al) forest	III: 109 / IV: 27
extension work	III: 86, 87, 88, 91, 104, 105 / IV: 9, 25, 100, 101
extractives	I: 100, 107
f	
fallow	III: 89, 99 / IV: 8, 53
fast growing tree species	I: 51, 68, 73, 74, 77, 97, 98 / II: 1, 16, 30, 33, 36, 38, 39, 42, 43, 45, 456, 58, 61, 62, 63, 64, 65 / III: 25, 35, 41, 58 / IV: 33, 40, 42, 43, 44, 45, 59, 67, 82, 103
felling	I: 1, 75, 86, 94 / III: 53, 55 / IV: 5, 58, 60, 61, 70, 71
felling blank	II: 7
fertilization	I: 58, 59, 60 / II: 44, 45, 46 / IV: 50, 82
fertilizer	I: 58, 59, 60
fertilizer application	I: 36 / II: 24, 27, 35, 44, 45, 46
fertilizing	III: 109
fiberboard	I: 97, 98
fire break/line	II: 53, 54
fire fighting practices	II: 53
fire prevention	II: 53 / III: 44, 46 / IV: 9
fire resistance	II: 54
fire suppression	II: 53 / III: 44, 46
firewood	II: 62 / III: 24, 90, 102 / IV: 43, 90
flood	III: 64, 66, 67 / IV: 76
floor plants	II: 99
flora	II: 2, 3, 4, 7 / III: 19 / IV: 3, 26, 28
flow rate	II: 71, 72 / III: 67
flowering and fruiting	I: 17, 18, 19, 23, 51 / II: 19, 20 / III: 17, 30 / IV: 18, 33, 48
fodder tree	III: 23, 93, 95 / IV: 35
food production	III: 12, 13, 14, 17, 58, 75, 76, 84, 86, 89, 90, 93, 94 / IV: 10, 89, 95
forest	IV: 9
forest conservation	IV: 4, 9, 11, 12, 14, 16, 17, 30, 31, 74, 84, 91, 92, 98, 99, 102
forest damage	IV: 3, 26, 43, 63, 64, 65, 66

<u>KEY WORD</u>	<u>PAGE</u>
forest development	II: 93, 98, 100 / III: 7, 9, 59, 78, 79, 82, 86, 98, 101, 103, 106 / IV: 30, 31, 84, 85, 88, 91, 92, 93, 96, 97, 100, 104
forest fire	I: 7, 67 / II: 4, 40, 53, 54 / III: 44, 45, 46, 47 / IV: 9, 13, 26, 28, 64, 65
forest floor	I: 43 / II: 10, 67, 73 / IV: 64
forest hydrology	I: 88, 89, 90, 91, 92, 93, 94, 108 / II: 68, 69, 71, 72 / III: 62, 64, 65, 71, 98
forest inventory	II: 5, 50, 99 / III: 7, 46 / IV: 5, 6, 20, 67, 71, 92
forest inventory method	II: 5 / IV: 6
forest land	III: 67
forest land conservation	I: 88, 92, 93, 94, 95 / II: 67, 87, 88, 98 / III: 70, 83 / IV: 78
forest management	I: 3 / II: 1, 4, 65, 66, 68, 90, 96, 99, 100 / III: 1, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 43, 44, 45, 47, 50, 57, 58, 59, 61, 62, 70, 79, 81, 82, 83, 85, 86, 96, 100, 103, 104, 105, 106, 108 / IV: 5, 6, 9, 11, 12, 13, 23, 26, 27, 28, 29, 60, 62, 71, 72, 74, 75, 81, 88, 91, 92, 96, 97, 99, 100, 101, 102
forest management plan	I: 9, 86, 87
forest operation	III: 16, 46, 55 / IV: 18, 61
forest policy	II: 90, 96, 100 / III: 1, 2, 3, 4, 5, 6, 9, 12, 13, 15, 57, 60, 62, 79, 82, 83, 86, 95, 100, 101, 104, 105, 106, 108 / IV: 9, 11, 12, 13, 14, 22, 24, 30, 75, 88, 91, 92, 97, 100, 101
forest products industry	I: 101, 102
forest protection	II: 40, 54, 59, 90 / III: 10, 44, 48, 104, 106 / IV: 30, 31, 102
forest resources	II: 1, 8, 10, 92 / III: 12, 13, 14, 74, 75, 76, 84, 103, 106 / IV: 5, 12, 14, 24, 28, 29, 30, 75, 97, 101
forest road	II: 40, 42 / III: 71
forest type	I: 7 / II: 7, 9 / IV: 6, 13
forest utilization	I: 2, 11 / II: 8, 38, 81, 87, 88, 89, 92, 93, 100 / III: 7, 9, 13, 59, 83, 84, 86, 104 / IV: 9, 14, 89, 96, 101, 102
forestry	III: 14, 75 / IV: 12, 14, 18, 72, 74, 75, 89, 91, 95, 100, 101
forestry law	II: 93
fruit	I: 71 / II: 19, 81, 82, 83, 84 / IV: 39
fruit tree	II: 46, 81, 82, 83, 84, 95 / III: 22, 27, 35, 93, 109 / IV: 39
fuelwood	I: 13 / II: 13, 62, 78, 79, 91 / III: 2, 3, 6, 55, 57, 75, 77, 78, 79, 80, 81, 83, 84, 86, 90, 100, 101, 102, 104, 105 / IV: 43, 90
fuelwood tree species	I: 13 / II: 13, 62, 78 / IV: 37
fumigation	II: 18
fungi damage	I: 71, 72 / II: 18, 43, 55, 57, 58, 60 / III: 47, 73
fungicide	II: 54, 59, 60
fungus	II: 31, 39, 43, 56, 57, 83 / III: 47, 73
g	
generation	IV: 71
genetic resources	I: 64 / II: 11, 49 / III: 17, 23, 40, 108 / IV: 59
geographical feature	III: 8, 18
geological feature	III: 67
germination	I: 15, 16, 17, 20, 22, 24, 25, 26 / II: 17, 18, 19, 20, 22, 23, 24, 25, 26, 34, 36, 38, 51, 57 / III: 27, 28, 29, 30, 32 / IV: 46, 47, 49
girdling	II: 52
global forest management	II: 100 / III: 16 / IV: 2, 10, 12, 21, 22, 23, 25, 29, 45
glue	I: 100
grafting	I: 66 / II: 29
grassland	III: 33
graze	IV: 95, 96
grazing forest	IV: 96
ground floor plant	II: 85
growing stock	I: 83, 84, 102 / II: 9, 62 / III: 40 / IV: 71

<u>KEY WORD</u>	<u>PAGE</u>
growth	I: 36, 75, 76, 77, 78, 79, 82 / II: 13, 14, 21, 23, 24, 27, 28, 32, 33, 35, 36, 37, 44, 45, 46, 47, 51, 61, 62, 64, / III: 31, 39, 49, 50, 51, 52 / IV: 1, 5, 27, 33, 34, 35, 50, 52, 57, 58, 60, 67, 68, 69, 70, 71, 72, 73, 83
growth acceleration	II: 16, 39 / IV: 56
growth inhibitor	I: 107
growth promotion	II: 22, 31, 45 / IV: 56
growth rate	I: 79, 80 / II: 48, 62, 63 / III: 21 / IV: 61
guideline	II: 100 / III: 7, 10, 11, 15, 22, 29, 39, 58, 60, 61, 62, 70, 71, 82, 97, 102, 103, 104 / IV: 49, 51, 55, 59, 91, 103
gully	II: 73
h	
handbook	III: 8, 55, 75
hard wood	I: 10, 22 / II: 16, 42, 43, 79 / III: 7, 23, 52
harvesting	II: 38, 39, 78, 81 / III: 55
heart rot	I: 71, 72 / II: 57
heart-wood	II: 77 / III: 73
height increment/growth	I: 25, 46 / II: 47 / III: 50 / IV: 32, 67
herbicide	II: 53
heredity	I: 8, 108 / III: 40
hillside erosion control	I: 55 / II: 39, 73, 74 / III: 69, 70
hillside work	II: 71, 75 / III: 61, 70
home garden	III: 84, 93
hormone	I: 26, 27, 28, 29, 30, 31, 35 / II: 20, 25
humus layer	II: 10 / III: 33
hybridization	I: 64, 65 / IV: 40, 41
hydrology	III: 18, 63, 67
i	
improvement cutting	I: 62 / II: 50, 52 / III: 42
increment	II: 34, 62, 63 / III: 50
indigenous species	II: 63 / III: 27, 56 / IV: 8, 32, 45, 55, 73
industry of forest products	II: 76, 77, 78, 98 / III: 12, 75
infertile forest land	II: 74
infiltration	II: 67 / III: 38, 63
infiltration capacity	I: 92 / II: 73
inoculation	II: 31, 37, 39, 83 / III: 36, 73
insect damage	I: 67, 68, 69, 70, 71 / II: 54, 55, 56, 58, 59, 60, 61 / III: 47, 48 / IV: 41, 49, 65
insecticide	II: 56, 58, 59 / III: 48
intensive forestry	II: 92
intercropping	I: 4 / II: 67, 89, 93 / III: 78, 81, 89, 91, 92, 93, 94 / IV: 85
intolerant tree	I: 105 / IV: 73
introduced variety	II: 16
irrigation	III: 18 / IV: 77
l	
land conservation	I: 107 / III: 10, 11, 60, 61, 63, 69, 70, 71 / IV: 31, 77, 79
land description	I: 8
land preparation	II: 34
land slide	II: 75 / III: 69, 70
land-use	I: 2, 11 / II: 68, 72, 95 / III: 13, 34, 58, 63, 69, 79, 81, 88, 89, 93, 97, 98, 101, 103, 104, 106, 108 / IV: 2, 4, 9, 11, 24, 31, 53, 82, 85, 87, 91, 98

<u>KEY WORD</u>	<u>PAGE</u>
leaf	I: 11 /IV: 2
Legume tree	III: 23 /IV: 35, 37, 42, 43, 44, 90
lesser-known species	II: 77, 79
lesser-used species	II: 77
life history	II: 58
light intensity	I: 38, 43, 44, 63 /II: 32 /III: 42 /IV: 53, 70
line planting	I: 40, 41, 45 /III: 90
litter	I: 1, 11 /II: 10, 30 /IV: 53, 64
litter layer	II: 41 /III: 17, 38, 65 /IV: 64
logged-over area	I: 7, 46, 88
logging	I: 5, 6 /II: 41, 64, 66 /III: 46, 55, 59, 66 /IV: 60, 63
logging machine	III: 53, 55, 66
logging operation	I: 9 /III: 46, 55
m	
mahogany	I: 32, 54, 55, 60, 66 /II: 25, 45, 69 /IV: 41, 63, 68, 80
man-made forest	I: 76, 91 /II: 11 /IV: 5, 53, 65, 69
management plan	I: 87 /III: 58
mangrove	I: 1, 2, 3, 4, 5, 86 /II: 1, 3, 4, 5, 6, 8, 9, 32, 99 /III: 7, 13, 17 /IV: 72, 73
mean annual increment	I: 73 /II: 62, 63 /III: 50 /IV: 68, 71
measurement	III: 52 /IV: 69
mechanization	III: 34 /IV: 72, 96
meteorology	II: 8, 97 /IV: 10, 22
microorganism	I: 65 /II: 14, 15, 31 /III: 26 /IV: 57
micropropagation	III: 41
minor forest products	I: 10, 82, 85, 101, 102, 103, 104 /II: 5, 12, 80, 81, 83, 84, 85, 86, 92 / III: 23, 76
mixed forest	I: 94
monoculture	I: 56 /III: 16, 35
mortality	II: 18, 34 /III: 28 /IV: 5, 27, 32, 55, 57
mother tree	II: 51 /IV: 47
mulching	I: 57 /II: 35
multiple purpose forestry	I: 11, 3 /II: 68, 83, 86, 88, 91, 92, 93, 95, 100, 101 /III: 3, 4, 6, 12, 17, 23, 29, 58, 76, 81, 83, 84, 85, 90, 93 /IV: 42
multipurpose trees	III: 26, 93, 94 /IV: 1, 23, 35, 36, 37, 40, 42, 43, 44, 49, 54, 59, 72, 86
mushroom	II: 83
mycorrhiza	I: 49 /III: 36 /IV: 51, 56
mycorrhizal fungi	I: 38, 49, 50, 53 /II: 31, 39 /IV: 56, 57
n	
national forest	I: 62, 63 /II: 51 /III: 4, 7
national park	III: 103
native tree species	I: 6, 23 /IV: 32
natural enemy	I: 70
natural forest	I: 56, 75, 86 /II: 1, 8, 11, 38, 47, 62, 66 /III: 5, 10, 16, 33, 35, 42, 43 /IV: 5, 23, 26, 29, 51, 53, 58, 60, 61, 62, 63, 70, 73, 75, 100, 102
natural regeneration	I: 7, 8, 39, 43, 44, 51, 86, 108 /II: 6, 37, 38, 51, 52 /III: 10, 22, 25, 42, 43 /IV: 23, 39, 58, 60, 62
natural resources	III: 12, 14, 84, 85, 91, 104 /IV: 11, 22, 25, 95, 97
nitrogen fixation	II: 16, 31, 37, 95 /III: 26, 29 /IV: 36, 43, 90
non-timber products	II: 15, 81, 82, 83, 84, 86, 94, 98 /III: 11, 23, 55, 58, 74, 75, 76, 84, 92, 95, 102 /IV: 57, 81, 82, 83, 84, 103
nurse tree	III: 95 /IV: 34

<u>KEY WORD</u>	<u>PAGE</u>
nursery	I: 34, 35, 37, 109 / II: 26, 27, 28, 29, 55, 57, 58, 60 / III: 29, 47 / IV: 49, 51, 56
nursery operation	I: 37, 109 / II: 21, 23, 27, 28, 29, 30, 38, 39, 40, 42 / III: 31 / IV: 48, 49, 50, 51, 54, 56
nursery stock	II: 29
o	
overmature forest	II: 57
p	
palms	III: 26, 94, 95
particleboard	I: 97 / II: 42, 79
peat	I: 53
peat swamp forest	II: 7
pest and disease	II: 7 / III: 47
pest damage	I: 37, 42, 55 / IV: 43, 49, 65
pesticide	I: 62, 63
pF	I: 23
phenology	I: 12 / II: 146
phenology	I: 17, 19, 21, 23, 108 / II: 7, 97 / III: 19 / IV: 29, 30, 47, 48
photosynthesis	I: 108
physical characteristic	I: 56, 92 / II: 41, 73 / III: 33
physical quality of wood	II: 76, 78 / III: 73
pine	I: 14, 54, 55, 60, 91, 92, 93 / II: 17, 18, 21, 22, 26, 29, 30, 34, 36, 37, 39, 45, 47, 56, 57, 58, 59, 62, 64, 74, 78, 99 / III: 22, 25, 31, 33, 34, 39, 41, 45, 47, 48, 51, 53, 54, 62, 66, 72, 73 / IV: 33, 34, 35, 46, 52, 65, 67, 68, 69, 71
pioneer species	I: 7 / IV: 33
plant community	II: 6, 99 / IV: 6, 7, 22
plant propagation	II: 15, 20 / IV: 44
plantation	I: 11, 14, 51, 54, 68, 69, 70, 81, 92, 97 / II: 1, 13, 32, 35, 40, 41, 42, 47, 48, 54, 55, 56, 63, 64, 65, 70, 73, 83, 95 / III: 1, 3, 7, 11, 15, 16, 22, 25, 26, 32, 33, 34, 35, 37, 39, 40, 43, 45, 47, 48, 49, 52, 53, 55, 56, 57, 58, 62, 66, 72, 74, 78, 80, 81, 93, 100, 105 / IV: 1, 5, 25, 26, 41, 44, 45, 46, 51, 52, 65, 67, 68, 69, 70, 75
planting	I: 57, 85 / II: 16, 32, 33, 34, 35, 36, 39, 42, 44, 45, 46, 74, 85 / III: 32, 35, 36, 37, 42, 47, 50, 57, 90, 97 / IV: 38, 50, 55, 57, 88
planting distance	II: 33, 34, 35, 44 / IV: 58
planting interval	III: 51, 91
plywood	I: 98, 100 / II: 42, 78
pollen	II: 10
pollination	I: 65 / II: 10
potting media	II: 27 / III: 31 / IV: 50
pre-sowing seed treatment	I: 24, 25, 26 / II: 22, 23, 24, 25, 26 / III: 28, 32 / IV: 49
pre-yarding	II: 64 / III: 53
precipitation	I: 89 / II: 10, 69 / III: 72
productive forest	I: 87
progeny test	III: 24 / IV: 58
propagation	III: 27, 41 / IV: 23, 37, 38, 40, 44, 49
protected area	III: 103
protection forest	I: 3, 107
provenance	III: 24, 25, 30
provenance test	II: 16 / III: 21, 24, 25 / IV: 32, 33, 34, 35, 38, 41, 46, 58
pulp	I: 99, 101 / III: 34, 57 / IV: 82

KEY WORD

PAGE

r

rainfall interception	II: 68, 69, 71 / III: 63, 65, 66
rate of discharge	I: 88 / II: 69
rattan	I: 103, 104 / II: 5, 26, 55, 80, 81, 83, 85, 86 / III: 26 / IV: 83
reforestation	II: 11, 12, 13, 15, 30, 40, 43, 80, 93, 94, 98 / III: 16, 57 / IV: 33
regeneration	I: 45, 46, 86 / II: 3, 47, 50, 52, 96 / III: 19, 32, 51, 57 / IV: 8, 47
regeneration by sprout	II: 35
remote sensing	III: 46
research and development	II: 4, 9, 49, 96, 97, 98, 99, 101 / III: 16, 26, 41, 58, 71, 74, 78, 87, 88, 89, 90, 97, 101, 105, 106, 107, 108, 109 / IV: 7, 19, 20, 38, 62, 92, 93, 94, 95, 96, 99, 100, 103
research study	II: 95, 96
research system	II: 96, 97, 98, 101 / III: 74, 101, 105, 106, 107, 108, 109 / IV: 36, 40, 42, 85, 89, 95, 96
revegetation on cut slope	III: 71
root density	II: 1
root nodule	I: 52 / II: 14, 15, 16, 37 / III: 36
root nodule bacteria	II: 14, 15
root pruning	I: 32
root system	I: 28, 35, 49, 107 / II: 22, 31 / III: 36 / IV: 1, 52, 57, 66
rooting	I: 28, 29, 30, 31 / II: 21, 25
rotation	II: 65 / III: 37
run-off of soil	I: 94, 95, 96 / II: 72, 73, 74, 75, 88 / III: 64
rural community	III: 98 / IV: 59, 74, 84, 85, 92, 93

s

salinity	II: 10 / III: 11, 23, 36
salinization	III: 18
sap-wood	II: 77
savanna	III: 3, 15, 22, 32, 34, 35, 36
saw dust	I: 36 / II: 21, 26, 78
sawn timber	II: 78
secondary forest	I: 9, 39 / II: 5, 9, 52, 62 / IV: 62
sediment yield	II: 69, 70, 73 / III: 69, 71
seed	I: 16, 18, 20, 21, 22, 23, 24, 25, 26, 39, 40 / II: 3, 4, 16, 17, 18, 19, 20, 22, 23, 24, 25, 26, 38, 43, 51, 55, 57 / III: 19, 26, 27, 28, 29, 30, 31, 32, 37, 40, 41 / IV: 1, 18, 36, 41, 46, 47, 48, 49, 51
seed cleaning	I: 22
seed collection	I: 15, 17, 19, 20 / II: 17, 20 / III: 28, 31 / IV: 48
seed orchard	I: 23 / II: 16, 29, 48 / III: 40 / IV: 59
seed origin	I: 64 / III: 29 / IV: 41, 48
seed production	II: 18, 19, 20, 39, 40, 44, 48 / III: 28, 29, 30, 31 / IV: 47, 49
seed selection	III: 30, 31
seed storage	I: 15, 16, 20, 21 / II: 17, 19, 20, 22 / III: 29, 30, 31 / IV: 46, 47
seed test	II: 19
seed tree	I: 23, 86 / III: 30 / IV: 47
seed viability	I: 9, 16, 21, 39 / II: 17, 18, 19 / III: 29, 31 / IV: 46, 47
seedling	I: 25, 33, 34, 35, 37, 40, 42, 43, 44, 45, 49, 50, 52, 63 / II: 13, 14, 16, 21, 22, 23, 24, 26, 27, 28, 29, 30, 33, 35, 36, 37, 43, 44, 45, 46, 55, 57, 58, 60 / III: 29, 30, 31 / IV: 40, 48, 50, 52, 53, 57, 59
seedling age	I: 30
seedling fertilizer	II: 27
selection of seedling	II: 37

<u>KEY WORD</u>	<u>PAGE</u>
selective cutting	I: 61, 83 / II: 6, 7, 50, 51, 52 / III: 42 / IV: 60, 61, 62, 63
semi-arid	III: 2, 4, 5, 6, 11, 32, 69 / IV: 103
semi-arid region	III: 10, 19, 27, 36, 37, 69, 89, 92 / IV: 45
sericulture	II: 82, 97
shading	I: 35
shelterbelt	III: 69, 70 / IV: 79
shifting cultivation	I: 106 / II: 41, 75, 89, 91, 94 / III: 6, 19, 38, 62, 68, 80, 85, 89, 94, 98, 99 / IV: 8
shoot	IV: 64
shrub	I: 90 / III: 23, 26, 27, 71, 74, 96 / IV: 37, 40, 43, 53, 73
silvicultural machine	III: 34
silvicultural technique	I: 41, 45, 51, 61 / II: 7, 15, 30, 32, 33, 34, 38, 39, 40, 42, 43, 47, 50, 66, 81, 83, 84, 96 / III: 7, 11, 22, 25, 27, 32, 35, 36, 37, 40, 42, 43, 70, 103, 105 / IV: 25, 26, 30, 37, 38, 39, 42, 51, 54, 55, 57, 89, 95, 103
site classification	III: 30 / IV: 93
site condition	II: 51 / III: 22, 30 / IV: 45, 52, 69, 93
site preparation	II: 33
site quality	III: 49, 50, 53 / IV: 83
social and economic analysis	I: 106 / II: 53, 89, 90, 92, 100 / III: 2, 12, 15, 56, 61, 62, 87, 88, 93, 95, 97, 98, 100, 102 / IV: 59, 81, 82, 86, 87, 88, 89, 92, 93, 100, 104
social forestry	I: 106 / II: 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 100 / III: 5, 6, 7, 25, 61, 63, 64, 81, 82, 83, 84, 85, 86, 87, 90, 91, 95, 96, 97, 98, 99, 102 / IV: 84, 88, 89
soil	I: 92 / III: 33, 34, 36, 37, 38 / IV: 6, 51, 52, 53, 54, 56
soil condition	III: 58
soil conservation	II: 12, 71, 75, 80, 88, 90 / III: 29, 37, 38, 57, 61, 63, 64, 65, 68, 69, 70, 71, 83, 88, 91, 92, 93, 104 / IV: 10, 11, 15, 30, 77, 78, 79, 98
soil ecology	III: 39
soil fertility	I: 5, 56 / II: 59 / III: 33, 37, 38, 45, 58, 96 / IV: 52, 78
soil improvement	I: 53, 55 / III: 15, 33 / IV: 10, 44, 77
soil loss	IV: 76
soil management	II: 32 / III: 38, 63 / IV: 77
soil map	III: 34, 39
soil moisture	II: 33, 41 / III: 17
soil nutrient	IV: 2, 8, 26, 51, 53, 54, 58
soil profile	II: 29
soil survey	I: 5, 56 / II: 29, 32 / III: 34, 39
soil texture	I: 5, 37, 53, 54, 74, 95 / II: 6, 31, 35, 41, 59, 67, 73 / III: 35, 38, 39 / IV: 3, 51, 53, 56
soil type	I: 5, 6 / II: 29, 32, 51, 70 / IV: 34
sowing	II: 23, 24, 25, 26, 27, 32
spacing	I: 105
species trial	I: 12 / II: 13, 14, 16, 62 / III: 22, 24 / IV: 32, 37, 38, 41, 56, 68
stand	II: 31 / III: 54 / IV: 67, 68
stand age	I: 79, 80
stand composition	II: 5, 9 / III: 52 / IV: 20, 21, 61
stand condition	I: 7, 50, 52 / IV: 6, 20, 21, 60, 62
standing density	II: 48 / III: 39, 50, 52 / IV: 20
standing tree volume	I: 83 / II: 61 / III: 54 / IV: 70
standing tree volume table	I: 80, 82, 84 / III: 53, 54 / IV: 68, 70
stem flow	II: 68, 69, 70 / III: 66
stem volume	I: 80, 81, 84 / II: 61, 65 / III: 51 / IV: 67, 68, 73
stream work	II: 73, 75 / III: 60, 64
study and training	II: 91, 95, 96 / III: 103 / IV: 72, 91, 99, 102, 103

<u>KEY WORD</u>	<u>PAGE</u>
stump	I: 52 / II: 35
stump-planting	II: 46
succession	I: 8, 9 / II: 6 / III: 10, 16, 19, 98 / IV: 3, 13, 21, 22, 26, 27, 28, 61, 71
sun-shade	I: 35 / II: 28
surface fire	III: 44
surface runoff	I: 94, 96 / II: 68, 70, 73, 74, 75 / III: 69
survival	I: 32, 33, 34, 41, 46, 47 / II: 13, 14, 23, 28, 32, 33, 34, 35, 36, 37, 44, 45, 46, 47 / III: 21, 31, 39, 43
sustainable management of forest	II: 8, 65, 66, 98, 99, 100 / III: 1, 5, 7, 9, 13 / IV: 4, 12, 13, 14, 15, 17, 21, 29, 88, 97, 98, 99, 104
t	
teak	II: 48 / III: 35, 74 / IV: 54, 69, 80
temperature	IV: 21
tending	I: 39, 41, 61, 62 / II: 30, 45, 47
termite	I: 68, 70 / III: 47
texture	II: 77
thin forest	III: 54
thinning	II: 30, 47, 48, 71, 73 / III: 39, 40, 51, 53
through fall	II: 68, 69, 70 / III: 66
tissue culture	I: 65 / II: 20, 48, 49 / III: 41
tolerant tree	I: 35 / IV: 33, 73
top soil	II: 41
torrent work	II: 75 / III: 60, 69
training	III: 8, 30, 40, 55, 70, 104, 105, 109 / IV: 72, 84, 91, 102, 103
transpiration	I: 12, 108 / II: 10 / III: 63
tree density	I: 2 / II: 9 / III: 51 / IV: 1
tree disease	I: 37, 67, 71 / II: 15, 42, 43, 54, 55, 56, 57, 58, 60 / III: 40, 47 / IV: 49
tree form	III: 52
tree growth	I: 74 / III: 24, 51, 52, 90 / IV: 32, 69, 72
tree height	I: 82 / II: 9, 65
tree improvement	I: 64 / III: 29, 40, 41
tree species	I: 6, 10 / II: 11, 12, 13, 15, 16, 32, 33, 36, 54, 61, 76, 77, 80, 95 / III: 17, 19, 23, 24, 25, 26, 27, 29, 37, 49, 74, 79, 81, 90, 96, 97, 109 / IV: 1, 2, 3, 18, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 50, 56, 58, 67, 71, 73, 80, 89, 90, 93
treeless land	II: 13
tropic	IV: 2, 3, 10, 95
tropical forest	I: 9, 10, 74, 76 / III: 16, 103, 108 / IV: 1, 2, 3, 4, 8, 9, 12, 16, 21, 28, 30, 54, 60, 71, 102, 104
tropical rain forest	I: 83, 108 / III: 10, 17, 19, 43, 59 / IV: 8, 11, 21, 22, 26, 70
turbidity	I: 94 / II: 72 / III: 66
u	
uncontrolled cutting	I: 94
under planting	I: 41, 42, 48 / II: 30, 34, 37, 38, 80, 83, 84 / IV: 53, 56
undergrowth	I: 6 / II: 8, 31, 99 / IV: 1, 65
useful species	II: 11 / III: 26 / IV: 41
v	
variety	I: 12
vegetation	I: 90 / II: 2, 4, 6, 7, 8, 74, 80 / III: 15, 18, 20, 63, 67 / IV: 7, 11, 28, 53, 78
vegetative propagation	I: 26, 27, 28, 29, 30, 31, 66 / II: 20, 21, 25, 27, 40 / III: 40 / IV: 58, 59

<u>KEY WORD</u>	<u>PAGE</u>
vegetation survey	II: 8 / IV: 7
veneer	II: 78
village forestry	III: 25, 58, 76, 77, 95, 96
virgine forest	II: 51
volume	IV: 67
volume table	IV: 73
w	
water balance	I: 89, 90, 91, 92 / II: 71, 72 / III: 62, 65, 67
water conservation	III: 6, 36, 57, 60, 61, 64, 65, 67, 69, 70, 92, 104 / IV: 30, 77, 78, 79, 98
water quality	III: 59, 65, 66
water storage	III: 36, 63
watering	II: 26 / III: 17
watershed	I: 4, 88, 89 / II: 68, 71, 72, 73, 75, 98 / III: 61, 65, 67, 69, 70 / IV: 27, 76, 77
watershed conservation	IV: 7, 76, 77
watershed management	I: 95 / II: 67, 68, 71, 73 / III: 60, 61, 62, 63, 64, 65, 69, 70, 71 / IV: 74, 76, 77
weeding	II: 44, 47 / III: 39 / IV: 52
wilding	I: 33, 34, 35, 46, 47, 48 / II: 37
wind	III: 63 / IV: 3, 65, 66, 79
wind damage	IV: 3, 34, 65, 66, 79
wood chemistry	I: 99, 101 / II: 85 / IV: 103
wood drying	IV: 81
wood physics	I: 101 / II: 77, 78 / IV: 80, 82
wood quality	I: 98 / II: 77, 79 / III: 25, 72, 74 / IV: 1, 80, 82
wood residue	I: 100
wood utilization	II: 78 / III: 3, 12, 74 / IV: 5, 9, 29, 38, 54, 74, 81, 82, 92, 93, 104
wood work	I: 103 / II: 77, 79, 80 / III: 12 / IV: 80
wooden ware	I: 102 / II: 77
y	
yield	III: 94, 95
yield table	II: 61, 63 / III: 50, 53 / IV: 72
yield volume, yields	I: 82, 83 / II: 61, 63, 64 / III: 49, 50, 51, 90

