

























Appendix 2-5 Photomicrographs of the Polished Sections(6/9)






Appendix 2-5 Photomicrographs of the Polished Sections(7/9)



Appendix 2-5 Photomicrographs of the Polished Sections(8/9)



Appendix 2-5 Photomicrographs of the Polished Sections(9/9)



1. The first part of the document discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes that proper record-keeping is essential for transparency and accountability, particularly in financial matters. The text outlines various methods for organizing and storing these records, including digital databases and physical filing systems. It also highlights the need for regular audits and reviews to ensure the integrity and accuracy of the data.

2. The second part of the document focuses on the legal and regulatory requirements that govern record-keeping. It details the specific rules and standards that apply to different industries and sectors, such as healthcare, finance, and government. The text explains how these regulations are designed to protect the privacy and security of sensitive information, as well as to ensure compliance with applicable laws. It provides a comprehensive overview of the key provisions and offers practical advice on how to navigate these complex requirements.

3. The third part of the document addresses the challenges and risks associated with record-keeping. It identifies common pitfalls, such as data loss, corruption, and unauthorized access, and discusses strategies to mitigate these risks. The text also explores the impact of technological advancements, such as cloud storage and artificial intelligence, on record-keeping practices. It emphasizes the importance of staying up-to-date with the latest trends and innovations in the field to ensure the effectiveness and efficiency of record-keeping systems.


4. The final part of the document provides a summary of the key points and offers concluding thoughts on the importance of record-keeping. It reiterates the message that proper record-keeping is not just a legal obligation, but a fundamental aspect of good business and organizational practice. The text encourages readers to take a proactive approach to record-keeping and to seek professional advice when needed to ensure full compliance and optimal performance.

5. The first part of this section discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes that proper record-keeping is essential for transparency and accountability, particularly in financial matters. The text outlines various methods for organizing and storing these records, including digital databases and physical filing systems. It also highlights the need for regular audits and reviews to ensure the integrity and accuracy of the data.

6. The second part of this section focuses on the legal and regulatory requirements that govern record-keeping. It details the specific rules and standards that apply to different industries and sectors, such as healthcare, finance, and government. The text explains how these regulations are designed to protect the privacy and security of sensitive information, as well as to ensure compliance with applicable laws. It provides a comprehensive overview of the key provisions and offers practical advice on how to navigate these complex requirements.

7. The third part of this section addresses the challenges and risks associated with record-keeping. It identifies common pitfalls, such as data loss, corruption, and unauthorized access, and discusses strategies to mitigate these risks. The text also explores the impact of technological advancements, such as cloud storage and artificial intelligence, on record-keeping practices. It emphasizes the importance of staying up-to-date with the latest trends and innovations in the field to ensure the effectiveness and efficiency of record-keeping systems.

8. The final part of this section provides a summary of the key points and offers concluding thoughts on the importance of record-keeping. It reiterates the message that proper record-keeping is not just a legal obligation, but a fundamental aspect of good business and organizational practice. The text encourages readers to take a proactive approach to record-keeping and to seek professional advice when needed to ensure full compliance and optimal performance.



Appendix 2-6(1) Assay Results of Ore Samples(Surface Survey)

Ser.no.	Sampl.No.	Local grid(X-Y)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
1	H0-1	72 - 93	0.01	<25	0.01	tr	tr	tr	tr	tr	tr	
2	H0-2	73 - 95	-	<25	0.01	tr	tr	tr	tr	tr	tr	
3	H0-3	69 - 95	-	<25	0.02	tr	0.01	tr	tr	tr	tr	
4	H0-4	70 - 94	-	<25	0.03	tr	0.01	tr	tr	tr	tr	
5	H0-5	70 - 94	-	<25	0.03	tr	0.01	tr	tr	tr	tr	
6	H0-6	70 - 93	-	<25	0.04	tr	tr	tr	tr	tr	tr	
7	H0-7	69 - 93	-	<25	0.01	tr	tr	tr	tr	tr	0.02	
8	H0-8	69 - 92	-	<25	0.01	tr	tr	tr	tr	tr	0.01	
9	H0-9	69 - 92	-	<25	0.04	tr	tr	tr	tr	0.01	tr	
10	F0-1	69 - 92	-	<25	0.05	tr	tr	tr	tr	tr	tr	
11	F0-2	70 - 93	-	<25	tr	tr	tr	tr	tr	tr	tr	
12	F0-3	71 - 93	-	<25	tr	tr	tr	tr	tr	tr	tr	
13	F0-4	70 - 86	-	<25	tr	tr	tr	tr	tr	tr	tr	
14	F0-5	71 - 94	-	<25	tr	tr	tr	tr	tr	tr	tr	
15	F0-6	71 - 95	-	<25	tr	tr	tr	tr	tr	tr	tr	
16	F0-7	71 - 86	-	<25	tr	tr	tr	tr	tr	tr	tr	
17	F0-8	68 - 96	-	<25	tr	tr	tr	tr	tr	tr	tr	
18	F0-9	71 - 90	-	<25	tr	tr	tr	tr	tr	tr	tr	
19	F0-10	71 - 89	-	<25	tr	tr	tr	tr	tr	tr	tr	
20	F0-11	70 - 89	-	<25	0.01	tr	tr	tr	tr	tr	tr	
21	F0-12	69 - 88	-	<25	0.02	tr	tr	tr	tr	tr	tr	
22	F0-13	62 - 88	-	<25	tr	tr	tr	tr	tr	tr	tr	
23	F0-14	74 - 88	-	<25	tr	tr	tr	tr	tr	tr	tr	
24	F0-15	71 - 90	-	<25	tr	tr	tr	tr	tr	tr	tr	
25	F0-16	70 - 84	-	<25	0.01	tr	0.05	tr	tr	tr	0.02	
26	F0-17	73 - 82	-	<25	tr	tr	tr	tr	tr	tr	0.07	
27	F0-18	72 - 86	0.01	<25	0.05	tr	0.05	tr	tr	tr	tr	
28	F0-19	69 - 92	-	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
29	F0-20	69 - 92	-	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
30	F0-21	69 - 92	-	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	

Appendix 2-6(2) Assay Results of Ore Samples(Sautbay Drillcore 1/7)

ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
1	S-10 1	59.8 ~ 61.5	1.7	-	<25	<0.01	<0.01	<0.01	<0.01	
2	S-10 2	61.5 ~ 62.7	1.2	0.01	<25	0.03	<0.01	<0.01	0.01	
3	S-10 3	62.7 ~ 64	1.3	-	<25	0.02	<0.01	<0.01	0.02	
4	S-10 4	64 ~ 65.3	1.3	-	<25	0.01	<0.01	<0.01	<0.01	
5	S-10 5	86.4 ~ 87.5	1.1	-	<25	0.04	<0.01	<0.01	<0.01	
6	S-10 6	87.5 ~ 89	1.5	-	<25	0.09	<0.01	<0.01	<0.01	
7	S-10 7	89 ~ 91	2.0	-	<25	0.05	<0.01	<0.01	0.04	
8	S-10 8	91 ~ 93.6	2.6	-	<25	<0.01	<0.01	<0.01	<0.01	
9	S-10 9	126.1 ~ 128	1.9	-	<25	<0.01	<0.01	<0.01	<0.01	
10	S-10 10	128 ~ 129.1	1.1	-	<25	0.01	<0.01	<0.01	<0.01	
11	S-10 11	129.1 ~ 130	0.9	0.03	<25	<0.01	<0.01	<0.01	<0.01	
12	S-10 12	138.2 ~ 139.5	1.3	-	<25	0.02	<0.01	<0.01	0.01	
13	S-10 13	139.5 ~ 141.1	1.6	0.01	<25	0.01	<0.01	<0.01	<0.01	
14	S-10 14	203.1 ~ 205	1.9	0.03	<25	0.02	<0.01	<0.01	0.01	
15	S-10 15	205 ~ 206.7	1.7	0.03	<25	<0.01	<0.01	<0.01	<0.01	
16	S-10 16	254.5 ~ 255.9	1.4	0.01	<25	<0.01	<0.01	<0.01	<0.01	
17	S-10 17	255.9 ~ 257.2	1.3	0.01	<25	<0.01	<0.01	<0.01	<0.01	
18	S-10 18	257.2 ~ 258.8	1.6	0.01	<25	<0.01	<0.01	<0.01	<0.01	
19	S-10 19	258.8 ~ 260	1.2	0.1	<25	<0.01	<0.01	<0.01	<0.01	
20	S-10 20	260 ~ 261	1.0	0.4	<25	<0.01	<0.01	<0.01	<0.01	
21	S-10 21	261 ~ 262	1.0	0.06	<25	<0.01	<0.01	<0.01	<0.01	
22	S-10 22	262 ~ 263	1.0	-	<25	<0.01	<0.01	<0.01	<0.01	
23	S-10 23	263 ~ 263.8	0.8	-	<25	<0.01	<0.01	<0.01	<0.01	
24	S-10 24	300 ~ 301.6	1.6	0.3	<25	<0.01	<0.01	<0.01	0.01	
25	S-10 25	301.6 ~ 304	2.4	0.01	<25	<0.01	<0.01	<0.01	<0.01	
26	S-10 26	304 ~ 306	2.0	0.03	<25	<0.01	<0.01	<0.01	0.02	
27	S-10 27	306 ~ 308.2	2.2	0.03	<25	<0.01	<0.01	<0.01	0.01	
28	S-10 28	308.2 ~ 309.8	1.6	-	<25	<0.01	<0.01	<0.01	<0.01	
29	S-10 29	309.8 ~ 311.4	1.6	0.06	<25	<0.01	<0.01	<0.01	<0.01	
30	S-10 30	316.2 ~ 318.2	2.0	-	<25	<0.01	<0.01	<0.01	0.03	



Appendix 2-6(2) Assay Results of Ore Samples(Sautbay Drillcore 2/7)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
31	S-10 31	319.3 ~ 320.4	1.1	-	<25	<0.01	<0.01	<0.01	0.04	
32	S-10 32	328.8 ~ 329.5	0.7	0.05	<25	<0.01	<0.01	<0.01	0.01	
33	S-10 33	344.5 ~ 346	1.5	0.05	<25	<0.01	<0.01	<0.01	0.02	
34	S-10 34	346 ~ 347.4	1.4	0.06	<25	<0.01	<0.01	<0.01	0.01	
35	S-10 35	347.4 ~ 348.6	1.2	0.1	<25	<0.01	<0.01	<0.01	0.02	
36	S-20 1	78.4 ~ 80.8	2.4	-	12.2	0.06	tr	tr	tr	
37	S-20 2	80.8 ~ 82.9	2.1	-	<1	0.04	tr	tr	0.01	
38	S-20 3	85.8 ~ 87	1.2	tr	1.2	0.03	tr	tr	tr	
39	S-20 4	87 ~ 88.3	1.3	-	<1	0.02	tr	tr	0.02	
40	S-20 5	91.7 ~ 93.2	1.5	-	<1	0.02	tr	tr	tr	
41	S-20 6	93.2 ~ 95	1.8	-	<1	tr	tr	tr	tr	
42	S-20 7	95 ~ 96.4	1.4	-	<1	tr	tr	tr	tr	
43	S-20 8	215.2 ~ 216	0.8	-	<1	tr	tr	tr	tr	
44	S-20 9	216 ~ 217	1.0	-	<1	tr	tr	tr	tr	
45	S-20 10	217 ~ 218	1.0	-	<1	tr	tr	tr	tr	
46	S-20 11	218 ~ 219	1.0	-	<1	tr	tr	tr	tr	
47	S-20 12	256.3 ~ 258	1.7	-	<1	0.01	tr	tr	tr	
48	S-20 13	260.7 ~ 262	1.3	-	<1	0.01	tr	tr	tr	
49	S-20 14	262 ~ 263.6	1.6	-	<1	0.02	tr	tr	tr	
50	S-20 15	275.6 ~ 277	1.4	-	<1	0.03	tr	tr	tr	
51	S-20 16	277 ~ 278.6	1.6	0.1	<1	tr	tr	tr	tr	
52	S-20 17	278.6 ~ 280.5	1.9	tr	<1	tr	tr	tr	tr	
53	S-20 18	283.5 ~ 285	1.5	-	<1	tr	tr	tr	tr	
54	S-20 19	285 ~ 286.8	1.8	-	<1	tr	tr	tr	tr	
55	S-20 20	286.8 ~ 287.9	1.1	tr	<1	tr	tr	tr	tr	
56	S-20 21	291 ~ 292.5	1.5	-	<1	tr	tr	tr	tr	
57	S-20 22	292.5 ~ 294.3	1.8	-	<1	tr	tr	tr	tr	
58	S-20 23	296.5 ~ 298	1.5	tr	<1	tr	tr	tr	tr	
59	S-20 24	298 ~ 299.5	1.5	tr	1.2	tr	tr	tr	tr	
60	S-20 25	299.5 ~ 300.7	1.2	-	<1	tr	tr	tr	tr	

Appendix 2-6(2) Assay Results of Ore Samples(Sautbay Drillcore 3/7)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
61	S-20 26	306.5 ~ 308	1.5	-	<1	tr	tr	tr	tr	
62	S-20 27	308 ~ 309.8	1.8	-	<1	tr	tr	tr	tr	
63	S-20 28	310.8 ~ 312	1.2	-	<1	tr	tr	tr	tr	
64	S-20 29	312 ~ 314	2.0	-	<1	0.01	tr	tr	tr	
65	S-20 30	314 ~ 315	1.0	0.1	<1	0.01	tr	tr	tr	
66	S-20 31	315 ~ 316	1.0	0.5	<1	tr	tr	tr	0.07	
67	S-20 32	316 ~ 317	1.0	0.2	<1	tr	tr	tr	0.07	
68	S-20 33	317 ~ 318	1.0	tr	<1	tr	tr	tr	0.03	
69	S-20 34	318 ~ 319.4	1.4	0.1	<1	tr	tr	tr	0.01	
70	S-20 35	319.4 ~ 320.9	1.5	0.2	<1	tr	tr	tr	0.03	
71	S-20 36	359.3 ~ 360	0.7	0.7	<1	tr	tr	tr	0.17	
72	S-20 37	360 ~ 360.9	0.9	0.1	<1	tr	tr	tr	0.03	
73	S-20 38	365.3 ~ 367	1.7	tr	<1	tr	tr	tr	0.01	
74	S-20 39	367 ~ 368.3	1.3	tr	1.6	tr	tr	tr	tr	
75	S-20 40	368.3 ~ 369.2	0.9	0.3	<1	tr	tr	tr	0.15	
76	S-20 41	369.2 ~ 370.6	1.4	0.2	<1	tr	tr	tr	tr	
77	S-20 42	370.6 ~ 372	1.4	0.2	1.2	0.01	tr	tr	0.03	
78	S-20 43	372 ~ 373	1.0	0.1	<1	0.01	tr	tr	0.02	
79	S-20 44	389.1 ~ 390	0.9	1.4	<1	0.01	tr	tr	0.03	
80	S-20 45	390 ~ 391	1.0	0.4	<1	0.02	tr	tr	tr	
81	S-20 46	391 ~ 392	1.0	0.5	<1	0.03	tr	tr	0.03	
82	S-20 47	392 ~ 393.4	1.4	0.2	<1	0.01	tr	tr	0.08	
83	S-20 48	393.4 ~ 395	1.6	0.1	<1	0.01	tr	tr	tr	
84	S-20 49	395 ~ 396.7	1.7	0.1	<1	0.01	tr	tr	0.03	
85	S-20 50	396.7 ~ 397.55	0.85	0.4	<1	0.02	tr	tr	0.12	
86	S-20 51	397.55 ~ 398.5	0.95	0.5	<1	0.01	tr	tr	0.03	
87	S-20 52	398.5 ~ 400	1.5	tr	<1	0.01	tr	tr	0.04	
88	S-20 53	400 ~ 402.1	2.1	-	<1	0.01	tr	tr	tr	
89	S-20 54	402.1 ~ 404	1.9	-	<1	tr	tr	tr	tr	
90	S-20 55	404 ~ 405.8	1.8	2.8	<1	tr	tr	tr	tr	

Appendix 2-6(2) Assay Results of Ore Samples(Sautbay Drillcore 4/7)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
91	S-20 56	405.8 ~ 406.9	1.1	tr	<1	0.02	tr	tr	tr	
92	S-20 57	406.9 ~ 408	1.1	2.2	<1	0.03	tr	tr	tr	
93	S-20 58	408 ~ 409	1.0	0.1	<1	0.03	tr	tr	tr	
94	S-20 59	409 ~ 410	1.0	0.2	<1	0.01	tr	tr	tr	
95	S-20 60	410 ~ 410.9	0.9	tr	<1	0.02	tr	tr	tr	
96	S-20 61	410.9 ~ 412.1	1.2	0.1	<1	0.02	tr	tr	tr	
97	S-20 62	412.1 ~ 413	0.9	tr	<1	tr	tr	tr	tr	
98	S-20 63	413 ~ 414	1.0	0.2	<1	tr	tr	tr	0.19	
99	S-20 64	414 ~ 415	1.0	0.1	<1	0.01	tr	tr	0.16	
100	S-20 65	415 ~ 416.7	1.7	tr	<1	0.01	tr	tr	0.04	
101	S-20 66	416.7 ~ 418	1.3	0.2	<1	0.05	tr	tr	0.27	
102	S-20 67	418 ~ 419	1.0	0.1	<1	0.05	tr	tr	0.3	
103	S-20 68	419 ~ 419.9	0.9	tr	<1	0.02	tr	tr	0.03	
104	S-20 69	419.9 ~ 420.7	0.8	0.3	<1	0.1	tr	tr	0.42	
105	S-30 1	131.4 ~ 133	1.6	-	<25	0.03	<0.01	<0.01	<0.01	
106	S-30 2	133 ~ 135.4	2.4	-	<25	0.02	<0.01	<0.01	<0.01	
107	S-30 3	135.4 ~ 137.2	1.8	0.01	<25	0.01	<0.01	<0.01	<0.01	
108	S-30 4	137.2 ~ 138.5	1.3	0.01	<25	0.01	<0.01	0.03	0.12	
109	S-30 5	138.5 ~ 140.9	2.4	-	<25	0.02	<0.01	0.03	0.07	
110	S-30 6	140.9 ~ 142.5	1.6	0.03	<25	0.04	<0.01	0.05	0.16	
111	S-30 7	142.5 ~ 145.5	3.0	0.01	<25	0.02	<0.01	0.02	0.12	
112	S-30 8	153.1 ~ 154.6	1.5	0.01	<25	<0.01	<0.01	<0.01	<0.01	
113	S-30 9	154.6 ~ 156.2	1.6	-	<25	<0.01	<0.01	<0.01	<0.01	
114	S-30 10	160.1 ~ 161.1	1.0	-	<25	<0.01	<0.01	<0.01	<0.01	
115	S-30 11	167.3 ~ 168.5	1.2	-	<25	<0.01	<0.01	<0.01	<0.01	
116	S-30 12	168.5 ~ 170	1.5	-	<25	<0.01	<0.01	<0.01	<0.01	
117	S-30 13	175.8 ~ 176.8	1.0	0.01	<25	<0.01	<0.01	<0.01	<0.01	
118	S-30 14	182.8 ~ 183.5	0.7	0.8	<1	<0.01	<0.01	<0.01	0.6	
119	S-30 15	210 ~ 210.4	0.4	1	<1	0.01	<0.01	<0.01	0.27	
120	S-30 16	241 ~ 242.5	1.5	0.1	<25	<0.01	<0.01	<0.01	0.05	

Appendix 2-6(2) Assay Results of Ore Samples(Sautbay Drillcore 5/7)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
121	S-30 17	271.8 ~ 273.2	1.4	0.1	<25	<0.01	<0.01	<0.01	0.06	
122	S-30 18	293.4 ~ 294.5	1.1	0.06	<25	<0.01	<0.01	<0.01	0.18	
123	S-30 19	294.5 ~ 295.7	1.2	0.06	<25	<0.01	<0.01	<0.01	0.19	
124	S-30 20	295.7 ~ 298	2.3	0.03	<25	0.01	<0.01	<0.01	0.1	
125	S-30 21	298 ~ 300	2.0	0.03	<25	0.01	<0.01	<0.01	0.06	
126	S-30 22	300 ~ 301	1.0	1.6	1.2	<0.01	<0.01	<0.01	0.76	
127	S-30 23	319.8 ~ 321.2	1.4	0.06	<25	<0.01	<0.01	<0.01	0.16	
128	S-30 24	321.2 ~ 322.35	1.15	0.8	1.2	0.01	<0.01	<0.01	0.48	
129	S-30 25	322.35 ~ 323.7	1.35	0.4	<1	<0.01	<0.01	<0.01	0.06	
130	S-30 26	323.7 ~ 324.7	1.0	1.6	<1	0.01	<0.01	<0.01	0.42	
131	S-30 27	324.7 ~ 326	1.3	2	<1	0.01	<0.01	<0.01	0.58	
132	S-30 28	326 ~ 327.8	1.8	0.06	<25	<0.01	<0.01	<0.01	0.16	
133	S-30 29	327.8 ~ 329.4	1.6	0.06	<25	<0.01	<0.01	<0.01	0.11	
134	S-30 30	329.4 ~ 331	1.6	0.03	<25	<0.01	<0.01	<0.01	0.12	
135	S-30 31	331 ~ 332.4	1.4	0.8	<1	0.02	<0.01	<0.01	0.32	
136	S-30 32	332.4 ~ 334.05	1.65	0.1	<25	<0.01	<0.01	0.02	0.33	
137	S-30 33	334.05 ~ 336	1.95	0.01	<25	<0.01	<0.01	0.01	0.08	
138	S-30 34	336 ~ 337.4	1.4	0.5	<25	<0.01	<0.01	<0.01	0.8	
139	S-30 35	337.4 ~ 338.5	1.1	0.8	<25	0.02	<0.01	<0.01	1.4	
140	S-30 36	346.2 ~ 348	1.8	0.01	<25	0.01	<0.01	<0.01	0.16	
141	S-30 37	348 ~ 350.4	2.4	0.01	<25	0.01	<0.01	<0.01	0.05	
142	S-30 38	350.4 ~ 352	1.6	1.2	<1	<0.01	<0.01	0.02	0.06	
143	S-30 39	352 ~ 354	2.0	-	<25	<0.01	<0.01	0.01	0.17	
144	S-30 40	354 ~ 356	2.0	-	<25	<0.01	<0.01	<0.01	0.05	
145	S-30 41	356 ~ 358	2.0	-	<25	<0.01	<0.01	<0.01	<0.01	
146	S-30 42	358 ~ 359.6	1.6	0.8	<1	<0.01	<0.01	<0.01	0.08	
147	S-30 43	359.6 ~ 360.6	1.0	1.6	<1	0.05	<0.01	<0.01	2.4	
148	S-30 44	360.6 ~ 361.6	1.0	2	2.4	0.1	<0.01	<0.01	1.7	
149	S-30 45	361.6 ~ 362.9	1.3	1.4	2.5	0.08	<0.01	<0.01	2.7	
150	S-30 46	362.9 ~ 365	2.1	0.08	<25	<0.01	<0.01	<0.01	0.1	

Appendix 2-6(2) Assay Results of Ore Samples(Sautbay-Drillcore 6/7)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
151	S-30 47	365 ~ 367	2.0	0.06	<25	0.01	<0.01	<0.01	0.09	
152	S-30 48	367 ~ 369	2.0	0.03	<25	0.01	<0.01	<0.01	0.11	
153	S-30 49	369 ~ 370	1.0	0.1	<25	0.01	<0.01	<0.01	0.17	
154	S-30 50	370 ~ 372	2.0	0.05	<25	0.01	<0.01	<0.01	0.06	
155	S-30 51	372 ~ 374	2.0	0.03	<25	0.01	<0.01	<0.01	0.01	
156	S-30 52	374 ~ 376	2.0	0.03	<25	0.02	<0.01	<0.01	0.04	
157	S-30 53	376 ~ 378	2.0	0.06	<25	0.01	<0.01	<0.01	0.04	
158	S-30 54	378 ~ 380	2.0	0.4	<25	0.03	<0.01	<0.01	0.13	
159	S-30 55	380 ~ 381.4	1.4	0.4	<25	0.01	<0.01	<0.01	0.08	
160	S-40 1	27.3 ~ 28.1	0.8	tr	<1	0.03	tr	tr	0.12	
161	S-40 2	88.6 ~ 89.5	0.9	0.2	<1	0.07	tr	tr	tr	
162	S-40 3	89.5 ~ 90.8	1.3	tr	<1	tr	tr	tr	tr	
163	S-40 4	90.8 ~ 91.8	1.0	tr	<1	0.02	tr	tr	tr	
164	S-40 5	91.8 ~ 93.1	1.3	tr	<1	tr	tr	tr	tr	
165	S-40 6	128.8 ~ 130.4	1.6	0.1	<1	0.05	tr	tr	tr	
166	S-40 7	130.4 ~ 132	1.6	0.1	<1	0.07	tr	tr	tr	
167	S-40 8	132 ~ 133	1.0	0.1	<1	0.1	tr	tr	0.05	
168	S-40 9	133 ~ 134.5	1.5	tr	<1	0.01	tr	tr	tr	
169	S-40 10	134.5 ~ 135.75	1.25	tr	<1	tr	tr	tr	tr	
170	S-40 11	135.75 ~ 137.4	1.65	0.1	<1	tr	tr	tr	tr	
171	S-40 12	137.4 ~ 139	1.6	tr	<1	tr	tr	tr	tr	
172	S-40 13	139 ~ 140.7	1.7	tr	<1	tr	tr	tr	tr	
173	S-40 14	140.7 ~ 142.6	1.9	0.1	<1	tr	tr	tr	tr	
174	S-40 15	157.35 ~ 158.8	1.45	tr	<1	tr	tr	tr	tr	
175	S-40 16	158.8 ~ 160.2	1.4	-	<1	tr	tr	tr	0.03	
176	S-40 17	160.2 ~ 162.3	2.1	tr	<1	tr	tr	tr	tr	
177	S-40 18	162.3 ~ 164.5	2.2	tr	<1	tr	tr	tr	0.03	
178	S-40 19	164.5 ~ 167.5	3.0	tr	<1	tr	tr	tr	tr	
179	S-40 20	202.3 ~ 204	1.7	tr	<1	0.01	tr	tr	0.01	
180	S-40 21	204 ~ 205.5	1.5	tr	<1	tr	tr	tr	tr	



Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 1/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
1	T-00 1	0.0 ~ 2.0	2.0	-	1.6	0.02	0.06	0.06	<0.01	
2	T-00 2	2.0 ~ 4.0	2.0	-	<1	<0.01	0.02	<0.01	<0.01	
3	T-00 3	4.0 ~ 6.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
4	T-00 4	6.0 ~ 8.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
5	T-00 5	8.0 ~ 10.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
6	T-00 6	10.0 ~ 12.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
7	T-00 7	12.0 ~ 14.0	2.0	tr	<1	<0.01	0.02	0.04	<0.01	
8	T-00 8	14.0 ~ 16.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
9	T-00 9	16.0 ~ 18.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
10	T-00 10	18.0 ~ 20.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
11	T-10 1	370.0 ~ 371.0	1.0	tr	<1	<0.01	<0.01	0.01	0.05	
12	T-10 2	371.0 ~ 372.0	1.0	tr	<1	0.02	<0.01	0.02	0.04	
13	T-10 3	372.0 ~ 373.0	1.0	tr	<1	0.02	<0.01	0.02	<0.01	
14	T-10 4	373.0 ~ 374.5	1.5	tr	<1	0.01	<0.01	0.01	<0.01	
15	T-10 5	382.5 ~ 384.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
16	T-10 6	384.5 ~ 386.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
17	T-10 7	386.5 ~ 388.5	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
18	T-10 8	388.5 ~ 390.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
19	T-10 9	390.5 ~ 392.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
20	T-10 10	392.5 ~ 394.5	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
21	T-10 11	394.5 ~ 396.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
22	T-10 12	396.5 ~ 398.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
23	T-10 13	398.5 ~ 400.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
24	T-10 14	400.5 ~ 402.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
25	T-10 15	402.5 ~ 404.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
26	T-10 16	404.5 ~ 406.5	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
27	T-10 17	406.5 ~ 408.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
28	T-10 18	408.5 ~ 410.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
29	T-10 19	410.5 ~ 412.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
30	T-10 20	412.5 ~ 413.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 2/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
31	T-10 21	413.5 ~ 414.5	1.0	-	<1	<0.01	<0.01	<0.01	0.03	
32	T-10 22	414.5 ~ 415.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
33	T-10 23	415.5 ~ 416.5	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
34	T-10 24	416.5 ~ 418.5	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
35	T-10 25	418.5 ~ 420.5	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
36	T-10 26	420.5 ~ 422.5	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
37	T-10 27	422.5 ~ 424.5	2.0	tr	<1	<0.01	<0.01	<0.01	0.02	
38	T-10 28	424.5 ~ 426.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
39	T-10 29	426.5 ~ 428.5	2.0	-	<1	0.01	<0.01	<0.01	0.02	
40	T-10 30	450.1 ~ 452.1	2.0	tr	1.2	<0.01	<0.01	<0.01	<0.01	
41	T-10 31	452.1 ~ 454.1	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
42	T-10 32	454.1 ~ 456.1	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
43	T-10 33	456.1 ~ 457.3	1.2	-	<1	<0.01	<0.01	<0.01	<0.01	
44	T-10 34	462.0 ~ 464.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
45	T-10 35	465.1 ~ 467.1	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
46	T-10 36	467.1 ~ 469.1	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
47	T-10 37	469.1 ~ 471.1	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
48	T-10 38	471.1 ~ 473.1	2.0	-	<1	<0.01	<0.01	<0.01	0.02	
49	T-10 39	473.1 ~ 474.6	1.5	-	<1	<0.01	<0.01	<0.01	<0.01	
50	T-10 40	478.2 ~ 480.2	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
51	T-10 41	526.0 ~ 527.8	1.8	tr	<1	<0.01	<0.01	<0.01	<0.01	
52	T-10 42	928.1 ~ 930.1	2.0	-	<1	0.03	<0.01	0.05	<0.01	
53	T-10 43	930.1 ~ 931.1	1.0	tr	2.6	0.05	0.01	0.11	<0.01	
54	T-10 44	931.1 ~ 932.1	1.0	tr	<1	0.02	<0.01	0.02	<0.01	
55	T-10 45	932.1 ~ 933.1	1.0	-	<1	0.02	<0.01	0.03	<0.01	
56	T-10 46	933.1 ~ 934.1	1.0	-	<1	<0.01	<0.01	0.02	<0.01	
57	T-10 47	934.1 ~ 935.1	1.0	tr	<1	<0.01	0.01	0.04	<0.01	
58	T-10 48	935.1 ~ 936.1	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
59	T-10 49	936.1 ~ 937.1	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
60	T-10 50	937.1 ~ 938.1	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	



Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 3/17)

Ser.no.	Sampl.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
61	T-10 51	938.1 ~ 939.7	1.6	tr	<1	<0.01	<0.01	<0.01	<0.01	
62	T-20 1	211.5 ~ 212.5	1.0	0.2	1.2	0.03	0.02	<0.01	<0.01	
63	T-20 2	212.5 ~ 213.5	1.0	0.4	2.6	0.05	<0.01	<0.01	0.02	
64	T-20 3	213.5 ~ 214.5	1.0	0.2	1.2	0.03	<0.01	<0.01	<0.01	
65	T-20 4	214.5 ~ 215.5	1.0	1.8	1.2	0.11	<0.01	<0.01	<0.01	
66	T-20 5	215.5 ~ 216.5	1.0	2.0	<1	0.08	<0.01	<0.01	0.02	
67	T-20 6	216.5 ~ 217.5	1.0	1.1	1.2	0.11	<0.01	<0.01	<0.01	
68	T-20 7	217.5 ~ 218.5	1.0	1.2	1.4	0.11	<0.01	<0.01	0.02	
69	T-20 8	218.5 ~ 219.5	1.0	0.4	<1	0.13	<0.01	<0.01	<0.01	
70	T-20 9	219.5 ~ 221.0	1.5	0.5	1.6	0.10	<0.01	<0.01	<0.01	
71	T-20 10	221.0 ~ 222.3	1.3	0.6	1.6	0.08	<0.01	<0.01	<0.01	
72	T-20 11	222.3 ~ 223.5	1.2	0.8	2.4	0.32	<0.01	<0.01	0.02	
73	T-20 12	223.5 ~ 224.5	1.0	1.2	2.5	0.10	0.05	0.15	0.11	
74	T-20 13	224.5 ~ 225.5	1.0	0.8	<1	0.04	<0.01	<0.01	0.04	
75	T-20 14	225.5 ~ 226.5	1.0	0.4	<1	0.07	<0.01	<0.01	0.05	
76	T-20 15	226.5 ~ 228.4	1.9	0.5	2.4	0.06	<0.01	<0.01	0.06	
77	T-20 16	228.4 ~ 229.4	1.0	17.3	3.6	0.02	<0.01	<0.01	<0.01	
78	T-20 17	229.4 ~ 230.4	1.0	13.2	6.6	0.01	<0.01	<0.01	<0.01	
79	T-20 18	230.4 ~ 231.4	1.0	8.8	2.6	0.03	0.01	<0.01	0.05	
80	T-20 19	231.4 ~ 232.8	1.4	0.4	<1	0.04	<0.01	<0.01	0.02	
81	T-20 20	232.8 ~ 234.4	1.6	0.9	<1	0.05	0.01	<0.01	0.06	
82	T-20 21	234.4 ~ 235.4	1.0	8.4	3.2	0.04	<0.01	<0.01	0.06	
83	T-20 22	235.4 ~ 236.4	1.0	3.0	6.4	0.03	<0.01	<0.01	<0.01	
84	T-20 23	236.4 ~ 237.4	1.0	6.0	3.8	0.07	<0.01	<0.01	<0.01	
85	T-20 24	237.4 ~ 239.4	2.0	1.2	1.6	0.02	<0.01	<0.01	<0.01	
86	T-20 25	357.5 ~ 359.5	2.0	tr	1.2	<0.01	<0.01	<0.01	<0.01	
87	T-20 26	359.5 ~ 360.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
88	T-20 27	360.5 ~ 362.5	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
89	T-20 28	362.5 ~ 363.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
90	T-20 29	363.5 ~ 364.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 4/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
91	T-20 30	364.5 ~ 365.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
92	T-20 31	365.5 ~ 366.5	1.0	tr	1.2	0.02	<0.01	<0.01	<0.01	
93	T-20 32	366.5 ~ 367.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
94	T-20 33	367.5 ~ 368.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
95	T-20 34	368.5 ~ 369.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
96	T-20 35	369.5 ~ 370.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
97	T-20 36	370.5 ~ 371.5	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
98	T-20 37	371.5 ~ 372.5	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
99	T-20 38	372.5 ~ 373.5	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
100	T-20 39	373.5 ~ 374.5	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	
101	T-20 40	374.5 ~ 375.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
102	T-20 41	385.0 ~ 386.0	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
103	T-20 42	386.0 ~ 387.0	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
104	T-20 43	387.0 ~ 388.0	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	
105	T-20 44	388.0 ~ 389.0	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
106	T-20 45	389.0 ~ 390.0	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
107	T-20 46	390.0 ~ 391.0	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	
108	T-20 47	391.0 ~ 392.0	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
109	T-20 48	392.0 ~ 393.0	1.0	-	<1	<0.01	<0.01	0.02	<0.01	
110	T-20 49	401.1 ~ 402.7	1.6	0.4	<1	0.02	0.02	0.02	<0.01	
111	T-20 50	402.7 ~ 403.7	1.0	0.1	<1	<0.01	0.03	0.10	<0.01	
112	T-20 51	478.8 ~ 479.3	0.5	tr	<1	<0.01	0.02	0.01	<0.01	
113	T-20 52	481.8 ~ 482.8	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
114	T-20 53	482.8 ~ 484.4	1.6	-	<1	<0.01	<0.01	0.01	<0.01	
115	T-20 54	486.1 ~ 487.1	1.0	tr	<1	<0.01	0.01	0.08	<0.01	
116	T-20 55	487.1 ~ 488.1	1.0	-	<1	<0.01	0.01	0.02	<0.01	
117	T-20 56	488.1 ~ 489.1	1.0	-	<1	<0.01	<0.01	0.01	<0.01	
118	T-20 57	489.1 ~ 490.1	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
119	T-20 58	490.1 ~ 491.1	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
120	T-20 59	491.1 ~ 492.0	0.9	tr	<1	<0.01	<0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench.5/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
121	T-20 60	492.0 ~ 492.6	0.6	tr	<1	<0.01	<0.01	<0.01	<0.01	
122	T-20 61	493.9 ~ 494.9	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
123	T-20 62	494.9 ~ 495.9	1.0	tr	<1	<0.01	<0.01	0.01	<0.01	
124	T-20 63	495.9 ~ 496.9	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
125	T-20 64	496.9 ~ 498.3	1.4	tr	<1	0.02	<0.01	<0.01	<0.01	
126	T-20 65	500.2 ~ 501.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
127	T-20 66	501.2 ~ 502.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
128	T-20 67	502.2 ~ 503.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
129	T-20 68	503.2 ~ 504.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
130	T-20 69	504.2 ~ 505.2	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	
131	T-20 70	505.2 ~ 506.2	1.0	-	1.2	<0.01	<0.01	<0.01	<0.01	
132	T-20 71	506.2 ~ 507.2	1.0	-	1.2	<0.01	<0.01	0.03	<0.01	
133	T-20 72	507.2 ~ 508.2	1.0	0.2	<1	0.02	<0.01	<0.01	<0.01	
134	T-20 73	508.2 ~ 509.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
135	T-20 74	509.2 ~ 510.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
136	T-20 75	510.2 ~ 511.2	1.0	-	<1	0.02	<0.01	0.02	<0.01	
137	T-20 76	511.2 ~ 512.2	1.0	-	2.4	0.01	<0.01	<0.01	<0.01	
138	T-20 77	512.2 ~ 513.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
139	T-20 78	513.2 ~ 514.2	1.0	tr	2.4	<0.01	<0.01	0.01	<0.01	
140	T-20 79	514.2 ~ 515.2	1.0	tr	1.8	0.01	<0.01	<0.01	<0.01	
141	T-20 80	515.2 ~ 516.2	1.0	tr	2.0	0.01	<0.01	<0.01	<0.01	
142	T-20 81	516.2 ~ 517.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
143	T-20 82	517.2 ~ 518.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
144	T-20 83	518.2 ~ 519.2	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
145	T-20 84	519.2 ~ 520.2	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
146	T-20 85	520.2 ~ 521.2	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
147	T-20 86	521.2 ~ 522.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
148	T-20 87	522.2 ~ 523.5	1.3	tr	<1	<0.01	<0.01	<0.01	<0.01	
149	T-20 88	550.8 ~ 551.8	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	
150	T-20 89	554.3 ~ 555.7	1.4	tr	<1	<0.01	<0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkar Trench 6/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
151	T-20 90	566.3 ~ 568.3	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
152	T-20 91	568.3 ~ 570.3	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
153	T-20 92	570.3 ~ 572.3	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
154	T-20 93	572.3 ~ 574.3	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
155	T-20 94	574.3 ~ 576.3	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
156	T-20 95	576.3 ~ 578.3	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
157	T-20 96	578.3 ~ 580.3	2.0	-	<1	<0.01	<0.01	0.02	<0.01	
158	T-20 97	580.3 ~ 582.3	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
159	T-20 98	582.3 ~ 584.3	2.0	tr	1.2	<0.01	<0.01	<0.01	<0.01	
160	T-20 99	584.3 ~ 586.3	2.0	-	<1	<0.01	<0.01	0.02	<0.01	
161	T-20 100	586.3 ~ 588.3	2.0	0.5	<1	<0.01	<0.01	<0.01	<0.01	
162	T-20 101	588.3 ~ 590.3	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
163	T-20 102	590.3 ~ 592.3	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
164	T-20 103	592.3 ~ 594.3	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
165	T-20 104	594.3 ~ 596.3	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
166	T-20 105	596.3 ~ 598.3	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
167	T-20 106	604.3 ~ 606.3	2.0	tr	1.8	0.01	<0.01	<0.01	<0.01	
168	T-20 107	606.3 ~ 608.3	2.0	-	1.8	<0.01	<0.01	<0.01	<0.01	
169	T-20 108	608.3 ~ 610.3	2.0	-	2.0	<0.01	<0.01	<0.01	<0.01	
170	T-20 109	818.7 ~ 820.7	2.0	tr	1.2	0.03	<0.01	<0.01	0.03	
171	T-20 110	829.8 ~ 831.8	2.0	-	<1	0.01	<0.01	0.02	0.02	
172	T-20 111	831.8 ~ 833.1	1.3	-	1.6	0.03	<0.01	0.10	0.04	
173	T-20 112	833.1 ~ 835.1	2.0	-	1.6	0.03	<0.01	<0.01	0.01	
174	T-20 113	835.1 ~ 837.1	2.0	-	<1	0.02	<0.01	0.01	0.01	
175	T-20 114	837.1 ~ 839.1	2.0	tr	<1	<0.01	<0.01	<0.01	0.02	
176	T-20 115	839.1 ~ 841.1	2.0	-	<1	<0.01	<0.01	<0.01	0.01	
177	T-20 116	841.1 ~ 843.1	2.0	-	<1	<0.01	<0.01	<0.01	0.01	
178	T-20 117	843.1 ~ 844.7	1.6	-	<1	<0.01	<0.01	<0.01	0.01	
179	T-20 118	844.7 ~ 846.7	2.0	-	<1	0.01	<0.01	<0.01	0.02	
180	T-20 119	846.7 ~ 848.7	2.0	-	<1	<0.01	<0.01	<0.01	0.02	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 7/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
181	T-20 120	848.7 ~ 850.7	2.0	-	<1	<0.01	<0.01	<0.01	0.02	
182	T-20 121	859.7 ~ 861.7	2.0	0.1	<1	0.01	<0.01	<0.01	0.01	
183	T-20 122	861.7 ~ 863.7	2.0	0.2	<1	0.01	<0.01	<0.01	0.01	
184	T-20 123	863.7 ~ 865.7	2.0	-	<1	0.01	<0.01	<0.01	0.02	
185	T-20 124	865.7 ~ 866.4	0.7	-	<1	<0.01	<0.01	<0.01	0.03	
186	T-20 125	866.4 ~ 868.4	2.0	tr	<1	<0.01	<0.01	<0.01	0.01	
187	T-20 126	868.4 ~ 870.4	2.0	tr	<1	0.02	<0.01	<0.01	0.03	
188	T-20 127	239.4 ~ 240.2	0.8	10.3	<1	0.03	tr	tr	tr	
189	T-20 128	240.2 ~ 241.6	1.4	6.0	<1	0.03	tr	tr	tr	
190	T-20 129	241.6 ~ 242.9	1.3	6.4	<1	tr	tr	tr	tr	
191	T-20 130	242.9 ~ 243.9	1.0	24.2	<1	tr	tr	tr	tr	
192	T-20 131	243.9 ~ 244.6	0.7	3.4	<1	0.20	tr	0.01	0.01	
193	T-20 132	244.6 ~ 245.6	1.0	31.4	<1	0.07	tr	tr	tr	
194	T-20 133	245.6 ~ 246.6	1.0	3.8	<1	0.21	tr	0.02	tr	
195	T-20 134	246.6 ~ 247.6	1.0	46.8	<1	0.08	tr	tr	tr	
196	T-20 135	247.6 ~ 248.6	1.0	42.4	<1	0.12	tr	tr	0.20	
197	T-20 136	249.3 ~ 250	0.7	2.8	<1	0.03	tr	tr	tr	
198	T-20 137	252.1 ~ 253.4	1.3	7.0	<1	0.02	tr	tr	tr	
199	T-20 138	256 ~ 257.7	1.7	0.7	<1	0.04	tr	0.02	tr	
200	T-20 139	260.2 ~ 261.5	1.3	4.2	<1	0.04	tr	0.01	0.06	
201	T-20 140	261.5 ~ 263	1.5	2.0	<1	0.04	tr	0.04	0.02	
202	T-20 141	263 ~ 264.3	1.3	1.0	<1	0.03	tr	0.03	0.06	
203	T-20 142	287.9 ~ 290	2.1	1.2	<1	0.01	tr	tr	tr	
204	T-30 1	192.2 ~ 193.2	1.0	tr	1.8	0.02	<0.01	<0.01	<0.01	
205	T-30 2	193.2 ~ 194.2	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
206	T-30 3	194.2 ~ 195.2	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
207	T-30 4	195.2 ~ 196.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
208	T-30 5	196.2 ~ 197.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
209	T-30 6	197.2 ~ 198.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
210	T-30 7	198.2 ~ 199.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 8/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
211	T-30 8	199.2 ~ 201.2	2.0	tr	1.6	<0.01	<0.01	<0.01	<0.01	
212	T-30 9	201.2 ~ 203.2	2.0	tr	1.2	<0.01	<0.01	<0.01	<0.01	
213	T-30 10	203.2 ~ 205.2	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
214	T-30 11	205.2 ~ 207.2	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
215	T-30 12	207.2 ~ 209.2	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
216	T-30 13	209.2 ~ 210.8	1.6	tr	<1	0.01	<0.01	<0.01	<0.01	
217	T-30 14	210.8 ~ 213.0	2.2	tr	<1	0.03	<0.01	<0.01	<0.01	
218	T-30 15	213.0 ~ 215.0	2.0	tr	<1	0.01	<0.01	<0.01	<0.01	
219	T-30 16	215.0 ~ 217.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
220	T-30 17	217.0 ~ 219.0	2.0	tr	<1	0.01	<0.01	<0.01	<0.01	
221	T-30 18	219.0 ~ 221.0	2.0	tr	1.2	0.01	<0.01	<0.01	<0.01	
222	T-30 19	221.0 ~ 223.0	2.0	tr	1.2	<0.01	<0.01	<0.01	<0.01	
223	T-30 20	226.0 ~ 228.0	2.0	tr	1.2	<0.01	<0.01	<0.01	<0.01	
224	T-30 21	228.0 ~ 230.0	2.0	tr	1.2	<0.01	<0.01	<0.01	<0.01	
225	T-30 22	230.0 ~ 232.0	2.0	tr	1.6	0.01	0.01	0.03	<0.01	
226	T-30 23	232.0 ~ 234.0	2.0	tr	1.6	<0.01	<0.01	<0.01	<0.01	
227	T-30 24	234.0 ~ 236.0	2.0	tr	1.6	<0.01	0.02	0.04	<0.01	
228	T-30 25	236.0 ~ 238.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
229	T-30 26	253.8 ~ 255.8	2.0	0.4	<1	0.02	<0.01	0.01	<0.01	
230	T-30 27	255.8 ~ 257.8	2.0	tr	<1	0.03	0.07	<0.01	<0.01	
231	T-30 28	257.8 ~ 259.8	2.0	0.1	<1	0.01	<0.01	0.02	<0.01	
232	T-30 29	261.0 ~ 263.5	2.5	tr	<1	<0.01	<0.01	0.01	<0.01	
233	T-30 30	280.3 ~ 282.0	1.7	tr	<1	0.01	<0.01	<0.01	<0.01	
234	T-30 31	282.0 ~ 284.0	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
235	T-30 32	284.0 ~ 286.0	2.0	tr	1.6	0.01	<0.01	0.02	<0.01	
236	T-30 33	286.0 ~ 288.0	2.0	tr	<1	0.01	<0.01	0.03	<0.01	
237	T-30 34	288.0 ~ 290.0	2.0	tr	<1	0.02	<0.01	<0.01	<0.01	
238	T-30 35	290.0 ~ 292.0	2.0	tr	1.6	0.01	<0.01	0.03	<0.01	
239	T-30 36	308.6 ~ 310.6	2.0	tr	<1	0.02	<0.01	<0.01	0.03	
240	T-30 37	318.6 ~ 320.6	2.0	-	<1	<0.01	<0.01	<0.01	0.02	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 9/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	AU(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
241	T-30 38	321.5 ~ 322.8	1.3	tr	<1	0.02	<0.01	<0.01	0.02	
242	T-30 39	322.8 ~ 324.3	1.3	-	<1	0.01	<0.01	<0.01	0.03	
243	T-30 40	449.0 ~ 450.0	1.5	0.1	1.2	0.05	0.02	<0.01	0.04	
244	T-40 1	337.5 ~ 338.5	1.0	-	<1	0.02	<0.01	<0.01	<0.01	
245	T-40 2	338.5 ~ 339.5	1.0	-	1.2	0.01	<0.01	<0.01	<0.01	
246	T-40 3	339.5 ~ 340.5	1.0	-	<1	0.02	<0.01	0.01	<0.01	
247	T-40 4	340.5 ~ 341.5	1.0	-	<1	0.01	<0.01	<0.01	<0.01	
248	T-40 5	341.5 ~ 342.5	1.0	-	<1	0.01	<0.01	<0.01	<0.01	
249	T-40 6	342.5 ~ 343.5	1.0	-	1.2	0.01	<0.01	<0.01	<0.01	
250	T-40 7	343.5 ~ 344.5	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
251	T-40 8	344.5 ~ 345.5	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
252	T-40 9	345.5 ~ 347.2	1.7	-	<1	0.01	<0.01	<0.01	<0.01	
253	T-40 10	348.7 ~ 349.7	1.0	-	1.6	0.02	<0.01	<0.01	<0.01	
254	T-40 11	349.7 ~ 350.7	1.0	-	<1	0.01	<0.01	<0.01	<0.01	
255	T-40 12	350.7 ~ 351.7	1.0	-	<1	0.01	<0.01	<0.01	<0.01	
256	T-40 13	165.0 ~ 166.0	1.0	-	<1	0.01	<0.01	<0.01	0.03	
257	T-40 14	166.0 ~ 167.0	1.0	0.1	<1	0.08	<0.01	<0.01	0.04	
258	T-40 15	167.0 ~ 168.0	1.0	tr	<1	0.01	<0.01	<0.01	0.02	
259	T-40 16	168.0 ~ 169.0	1.0	0.1	<1	0.01	<0.01	<0.01	0.05	
260	T-40 17	169.0 ~ 170.0	1.0	-	<1	0.01	<0.01	<0.01	0.04	
261	T-40 18	170.0 ~ 171.0	1.0	-	<1	<0.01	<0.01	<0.01	0.03	
262	T-40 19	185.0 ~ 186.0	1.0	tr	<1	0.04	<0.01	<0.01	0.03	
263	T-40 20	186.0 ~ 188.0	2.0	tr	<1	<0.01	<0.01	<0.01	0.03	
264	T-40 21	188.0 ~ 190.0	2.0	-	<1	<0.01	<0.01	<0.01	0.03	
265	T-40 22	190.0 ~ 192.0	2.0	tr	<1	<0.01	<0.01	<0.01	0.02	
266	T-40 23	192.0 ~ 193.0	1.0	tr	<1	<0.01	<0.01	<0.01	0.04	
267	T-40 24	204.2 ~ 205.2	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	
268	T-40 25	205.2 ~ 206.2	1.0	0.1	<1	0.03	0.01	<0.01	<0.01	
269	T-40 26	206.2 ~ 207.2	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
270	T-40 27	207.2 ~ 208.2	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 10/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
271	T-40 28	210.6 ~ 211.6	1.0	tr	<1	0.04	<0.01	<0.01	<0.01	
272	T-40 29	211.6 ~ 212.3	1.0	tr	1.2	0.03	0.01	0.01	<0.01	
273	T-40 30	212.3 ~ 213.3	0.7	tr	<1	0.02	<0.01	0.01	<0.01	
274	T-40 31	233.5 ~ 235.0	1.0	tr	<1	0.03	<0.01	0.02	<0.01	
275	T-40 32	245.5 ~ 247.0	1.5	tr	<1	0.02	<0.01	<0.01	<0.01	
276	T-40 33	171.0 ~ 172.0	1.0	0.3	<1	<0.01	0.01	<0.01	<0.01	
277	T-40 34	172.0 ~ 173.0	1.0	0.1	<1	<0.01	0.01	<0.01	<0.01	
278	T-40 35	173.0 ~ 174.0	1.0	0.7	1.2	<0.01	<0.01	<0.01	<0.01	
279	T-40 36	732.0 ~ 734.0	1.0	-	<1	<0.01	<0.01	<0.01	0.04	
280	T-40 37	734.0 ~ 736.0	2.0	-	1.2	0.05	<0.01	<0.01	0.05	
281	T-50 1	152.2 ~ 153.2	1.0	tr	<1	0.01	0.02	<0.01	<0.01	
282	T-50 2	156.5 ~ 158.5	2.0	tr	<1	0.02	0.01	0.02	<0.01	
283	T-50 3	158.5 ~ 160.5	2.0	tr	<1	<0.01	<0.01	<0.01	<0.01	
284	T-50 4	161.7 ~ 163.5	1.8	tr	<1	0.02	0.02	<0.01	<0.01	
285	T-50 5	169.8 ~ 170.9	1.1	tr	1.2	0.04	0.02	<0.01	<0.01	
286	T-50 6	170.9 ~ 172.0	1.1	tr	1.2	0.04	0.01	<0.01	<0.01	
287	T-50 7	174.7 ~ 176.7	2.0	tr	1.4	0.04	0.01	<0.01	<0.01	
288	T-50 8	271.3 ~ 273.3	2.0	tr	1.6	0.02	<0.01	0.02	<0.01	
289	T-50 9	275.1 ~ 276.3	1.2	tr	<1	0.01	<0.01	0.03	<0.01	
290	T-50 10	303.5 ~ 304.2	0.7	tr	1.2	0.01	<0.01	<0.01	<0.01	
291	T-50 11	320.0 ~ 322.0	2.0	tr	<1	0.03	<0.01	<0.01	<0.01	
292	T-50 12	322.0 ~ 324.0	2.0	tr	<1	0.02	<0.01	<0.01	<0.01	
293	T-50 13	324.0 ~ 326.3	2.3	tr	1.8	0.02	<0.01	<0.01	<0.01	
294	T-50 14	355.0 ~ 357.0	2.0	tr	<1	0.01	<0.01	<0.01	<0.01	
295	T-50 15	357.0 ~ 359.0	2.0	tr	1.2	<0.01	<0.01	<0.01	<0.01	
296	T-50 16	359.0 ~ 361.0	2.0	tr	<1	0.01	<0.01	0.01	<0.01	
297	T-50 17	361.0 ~ 363.0	2.0	tr	<1	0.01	<0.01	0.01	<0.01	
298	T-50 18	363.0 ~ 365.0	2.0	tr	<1	0.01	<0.01	0.02	<0.01	
299	T-50 19	365.0 ~ 367.0	2.0	tr	<1	0.01	<0.01	<0.01	<0.01	
300	T-50 20	367.0 ~ 369.0	2.0	tr	<1	0.01	<0.01	<0.01	<0.01	



Appendix 2-6(3) Assay Results of Ore Samples(Bulutukan Trench II/17)

Ser. no.	Samp. no.	Position(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
301	T-50 21	470.0 ~ 472.0	2.0	tr	<1	<0.01	<0.01	<0.01	
302	T-50 22	472.0 ~ 474.0	2.0	tr	1.6	<0.01	<0.01	<0.01	
303	T-50 23	474.0 ~ 475.4	1.4	tr	<1	0.01	<0.01	<0.01	
304	T-50 24	483.9 ~ 485.9	2.0	tr	<1	0.01	<0.01	<0.01	
305	T-50 25	485.9 ~ 487.9	2.0	tr	<1	<0.01	0.02	<0.01	
306	T-50 26	487.9 ~ 489.9	2.0	tr	<1	0.02	<0.01	<0.01	
307	T-50 27	489.9 ~ 491.9	2.0	-	1.2	<0.01	<0.01	0.02	
308	T-50 28	491.9 ~ 493.9	2.0	-	<1	<0.01	<0.01	0.02	
309	T-50 29	613.5 ~ 614.5	1.0	-	<1	<0.01	<0.01	0.02	
310	T-50 30	616.0 ~ 617.0	1.0	-	<1	<0.01	<0.01	<0.01	
311	T-60 1	199.7 ~ 202.0	2.3	1.2	1.6	0.08	0.03	tr	tr
312	T-60 2	202.0 ~ 204.0	2.0	0.4	<1	0.01	tr	tr	tr
313	T-60 3	204.0 ~ 206.0	2.0	0.1	<1	0.02	0.02	tr	tr
314	T-60 4	206.0 ~ 206.7	0.7	0.4	<1	0.05	tr	tr	tr
315	T-60 5	207.3 ~ 209.6	2.3	0.4	<1	0.03	0.02	tr	tr
316	T-60 6	209.6 ~ 211.6	2.0	0.8	<1	0.02	tr	tr	tr
317	T-60 7	211.6 ~ 214.0	2.4	0.4	1.2	0.04	0.03	tr	tr
318	T-60 8	214.0 ~ 216.0	2.0	0.2	<1	0.10	tr	tr	tr
319	T-60 9	216.0 ~ 218.5	2.5	tr	<1	0.02	tr	tr	tr
320	T-60 10	218.5 ~ 220.5	2.0	0.2	<1	0.02	tr	tr	tr
321	T-60 11	220.5 ~ 222.5	2.0	0.4	<1	0.05	0.03	tr	tr
322	T-60 12	222.5 ~ 224.5	2.0	0.2	<1	0.03	0.03	tr	tr
323	T-60 13	224.5 ~ 226.5	2.0	tr	<1	0.02	tr	tr	tr
324	T-60 14	226.5 ~ 228.5	2.0	-	1.4	0.02	tr	tr	tr
325	T-60 15	228.5 ~ 230.5	2.0	-	1.2	0.02	0.01	tr	tr
326	T-60 16	230.5 ~ 232.5	2.0	-	<1	0.03	tr	tr	tr
327	T-60 17	232.5 ~ 234.5	2.0	-	1.6	0.01	tr	tr	tr
328	T-60 18	234.5 ~ 236.5	2.0	-	<1	0.01	tr	tr	tr
329	T-60 19	236.5 ~ 238.0	1.5	tr	<1	0.01	tr	tr	tr
330	T-60 20	238.0 ~ 240.0	2.0	-	<1	0.01	tr	tr	tr

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 12/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
331	T-60 21	240.0 ~ 242.0	2.0	-	<1	0.03	tr	0.13	tr	
332	T-60 22	242.0 ~ 244.0	2.0	tr	<1	0.01	0.01	0.13	tr	
333	T-60 23	244.0 ~ 246.0	2.0	-	<1	tr	tr	0.04	tr	
334	T-60 24	246.0 ~ 248.0	2.0	tr	<1	0.02	tr	tr	tr	
335	T-60 25	248.0 ~ 250.0	2.0	0.1	<1	0.01	tr	tr	tr	
336	T-60 26	250.0 ~ 252.0	2.0	tr	<1	0.02	tr	tr	tr	
337	T-60 27	252.0 ~ 254.0	2.0	-	<1	0.01	tr	tr	tr	
338	T-60 28	265.5 ~ 267.0	1.5	-	<1	0.01	tr	tr	tr	
339	T-60 29	344.0 ~ 345.5	1.5	0.1	<1	tr	tr	tr	tr	
340	T-60 30	587.0 ~ 589.0	2.0	-	<1	0.03	tr	tr	tr	
341	T-60 31	599.0 ~ 601.0	2.0	-	<1	0.02	0.02	<0.01	<0.01	
342	T-60 32	601.0 ~ 602.3	1.3	-	<1	0.03	0.01	<0.01	<0.01	
343	T-60 33	602.3 ~ 604.0	1.7	-	<1	0.03	0.01	<0.01	<0.01	
344	T-60 34	624.0 ~ 625.0	1.0	-	<1	0.01	<0.01	<0.01	<0.01	
345	T-60 35	636.5 ~ 638.5	2.0	tr	<1	0.03	0.01	<0.01	<0.01	
346	T-60 36	638.5 ~ 640.5	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
347	T-60 37	640.5 ~ 642.5	2.0	tr	1.2	0.04	0.01	<0.01	<0.01	
348	T-60 38	642.5 ~ 644.5	2.0	0.2	<1	0.03	0.01	<0.01	<0.01	
349	T-60 39	644.5 ~ 645.7	1.2	-	<1	0.03	<0.01	<0.01	<0.01	
350	T-60 40	645.7 ~ 647.7	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
351	T-60 41	647.7 ~ 649.7	2.0	tr	<1	0.01	<0.01	<0.01	<0.01	
352	T-60 42	665.0 ~ 667.0	2.0	-	<1	0.01	0.01	<0.01	<0.01	
353	T-60 43	667.0 ~ 668.3	1.3	tr	<1	0.02	<0.01	<0.01	<0.01	
354	T-60 44	669.7 ~ 671.3	1.6	-	<1	0.02	0.02	<0.01	<0.01	
355	T-60 45	671.3 ~ 673.3	2.0	-	<1	0.04	0.01	0.02	<0.01	
356	T-60 46	673.3 ~ 675.3	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
357	T-60 47	675.3 ~ 677.3	2.0	-	1.6	0.02	0.01	<0.01	<0.01	
358	T-60 48	677.3 ~ 679.3	2.0	-	1.2	0.01	<0.01	<0.01	<0.01	
359	T-60 49	688.0 ~ 690.4	2.4	-	1.6	0.04	0.01	<0.01	<0.01	
360	T-60 50	690.4 ~ 692.8	2.4	-	<1	0.02	0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 13/17)

ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
361	T-60 51	692.8 ~ 695.0	2.2	0.4	1.2	0.02	0.01	<0.01	<0.01	
362	T-60 52	695.0 ~ 697.0	2.0	tr	<1	0.01	<0.01	<0.01	<0.01	
363	T-60 53	697.0 ~ 698.0	1.0	-	<1	0.03	<0.01	<0.01	<0.01	
364	T-70 1	260.0 ~ 262.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
365	T-70 2	262.0 ~ 264.0	2.0	0.01	<1	0.01	<0.01	<0.01	<0.01	
366	T-70 3	264.0 ~ 266.0	2.0	-	<1	0.07	<0.01	0.01	<0.01	
367	T-70 4	266.0 ~ 268.0	2.0	-	<1	0.02	<0.01	<0.01	0.02	
368	T-70 5	268.0 ~ 270.0	2.0	0.03	<1	0.03	<0.01	<0.01	<0.01	
369	T-70 6	270.0 ~ 272.0	2.0	-	<1	0.05	<0.01	0.01	<0.01	
370	T-70 7	272.0 ~ 274.0	2.0	-	<1	0.11	<0.01	0.01	<0.01	
371	T-70 8	274.0 ~ 276.0	2.0	0.01	<1	0.07	<0.01	<0.01	<0.01	
372	T-70 9	298.0 ~ 300.0	2.0	-	<1	<0.01	<0.01	0.01	<0.01	
373	T-70 10	300.0 ~ 302.0	2.0	-	<1	0.01	<0.01	0.01	<0.01	
374	T-70 11	302.0 ~ 304.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
375	T-70 12	372.5 ~ 373.5	1.0	-	<1	0.03	<0.01	0.01	<0.01	
376	T-70 13	395.5 ~ 397.5	2.0	-	<1	<0.01	<0.01	0.01	<0.01	
377	T-70 14	397.5 ~ 399.5	2.0	-	<1	0.03	<0.01	0.01	<0.01	
378	T-70 15	460.0 ~ 462.0	2.0	-	<1	0.03	<0.01	0.03	<0.01	
379	T-70 16	464.5 ~ 466.0	1.5	-	<1	<0.01	<0.01	<0.01	<0.01	
380	T-70 17	492.5 ~ 495.5	2.0	-	<1	<0.01	<0.01	<0.01	0.02	
381	T-70 18	497.5 ~ 499.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
382	T-70 19	501.5 ~ 503.5	2.0	-	<1	<0.01	<0.01	<0.01	0.02	
383	T-70 20	503.5 ~ 505.5	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
384	T-70 21	511.0 ~ 513.0	2.0	-	<1	0.06	<0.01	<0.01	<0.01	
385	T-70 22	536.3 ~ 537.0	0.7	-	<1	0.07	<0.01	<0.01	<0.01	
386	T-70 23	538.5 ~ 540.5	2.0	-	<1	0.09	<0.01	0.01	<0.01	
387	T-70 24	548.7 ~ 550.7	2.0	-	<1	0.05	<0.01	0.03	<0.01	
388	T-70 25	550.7 ~ 552.7	2.0	-	<1	0.02	0.01	0.02	<0.01	
389	T-70 26	573 ~ 574	1.0	-	<1	0.04	<0.01	0.03	<0.01	
390	T-70 27	609 ~ 610	1.0	-	<1	0.02	<0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 14/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
391	T-70 28	624 ~ 626	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
392	T-80 1	312.2 ~ 314	1.8	0.03	<1	0.03	<0.01	<0.01	<0.01	
393	T-80 2	314 ~ 316	2.0	0.05	<1	0.02	<0.01	<0.01	<0.01	
394	T-80 3	316 ~ 318	2.0	0.01	<1	0.01	<0.01	<0.01	<0.01	
395	T-80 4	318 ~ 320	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
396	T-80 5	320 ~ 322	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
397	T-80 6	322 ~ 323	1.0	-	<1	0.02	<0.01	<0.01	<0.01	
398	T-80 7	323 ~ 325.5	2.5	-	<1	0.02	<0.01	<0.01	<0.01	
399	T-80 8	325.5 ~ 327.5	2.0	0.01	<1	<0.01	<0.01	<0.01	<0.01	
400	T-80 9	327.5 ~ 329.5	2.0	0.01	<1	<0.01	<0.01	<0.01	<0.01	
401	T-80 10	329.5 ~ 331.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
402	T-80 11	331.5 ~ 333.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
403	T-80 12	333.5 ~ 334.5	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
404	T-80 13	334.5 ~ 337	2.5	0.01	<1	<0.01	<0.01	<0.01	<0.01	
405	T-80 14	356.5 ~ 357.5	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
406	T-80 15	357.5 ~ 359	1.5	0.03	<1	<0.01	<0.01	<0.01	<0.01	
407	T-80 16	368.2 ~ 369.5	1.3	-	<1	0.02	<0.01	<0.01	<0.01	
408	T-80 17	369.5 ~ 370	0.5	-	<1	0.02	<0.01	<0.01	<0.01	
409	T-80 18	370 ~ 372	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
410	T-80 19	372 ~ 374	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
411	T-80 20	374 ~ 376	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
412	T-80 21	376 ~ 378	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
413	T-80 22	378 ~ 380	2.0	-	<1	0.01	<0.01	0.01	<0.01	
414	T-80 23	380 ~ 382	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
415	T-80 24	382 ~ 383	1.0	0.03	<1	0.05	<0.01	0.03	<0.01	
416	T-80 25	383 ~ 385	2.0	0.01	<1	0.03	<0.01	0.01	<0.01	
417	T-80 26	385 ~ 386	1.0	0.01	<1	0.04	0.01	0.02	<0.01	
418	T-80 27	395 ~ 396.5	1.5	0.01	<1	0.05	0.02	0.05	<0.01	
419	T-80 28	397.5 ~ 398.5	1.0	0.03	<1	0.03	0.02	0.06	<0.01	
420	T-80 29	425.5 ~ 427	1.5	-	<1	0.03	<0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 15/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
421	T-80 30	438 ~ 440	2.0	-	<1	0.06	<0.01	0.01	<0.01	
422	T-80 31	444 ~ 446	2.0	-	<1	0.03	<0.01	<0.01	<0.01	
423	T-80 32	446 ~ 447.3	1.3	-	<1	0.01	<0.01	<0.01	<0.01	
424	T-80 33	450.5 ~ 452.7	2.2	-	<1	<0.01	<0.01	<0.01	<0.01	
425	T-80 34	530.3 ~ 532	1.7	-	<1	<0.01	<0.01	<0.01	<0.01	
426	T-80 35	532 ~ 534	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
427	T-80 36	534 ~ 536	2.0	0.01	<1	<0.01	<0.01	<0.01	<0.01	
428	T-80 37	536 ~ 538	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
429	T-80 38	538 ~ 540	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
430	T-80 39	540 ~ 542	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
431	T-80 40	542 ~ 544	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
432	T-80 41	544 ~ 546	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
433	T-80 1	396.8 ~ 397.8	1.0	-	<1	<0.01	0.03	<0.01	<0.01	
434	T-80 2	401.7 ~ 404.0	2.3	0.01	<1	<0.01	<0.01	<0.01	<0.01	
435	T-80 3	404.0 ~ 406.0	2.0	0.01	<1	0.04	<0.01	0.02	<0.01	
436	T-80 4	406.0 ~ 408.0	2.0	-	<1	0.05	<0.01	0.02	<0.01	
437	T-80 5	408.0 ~ 410.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
438	T-80 6	410.0 ~ 412.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
439	T-80 7	412.0 ~ 413.5	1.5	-	<1	0.02	<0.01	<0.01	<0.01	
440	T-80 8	413.5 ~ 414.5	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
441	T-80 9	414.5 ~ 416.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
442	T-80 10	431.5 ~ 433.5	2.0	-	<1	0.04	<0.01	0.02	<0.01	
443	T-80 11	433.5 ~ 434.7	1.2	-	<1	0.03	<0.01	<0.01	<0.01	
444	T-80 12	434.7 ~ 436.7	2.0	0.03	<1	<0.01	<0.01	<0.01	<0.01	
445	T-80 13	442.4 ~ 444.4	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
446	T-80 14	444.4 ~ 446.4	2.0	0.01	<1	<0.01	<0.01	<0.01	<0.01	
447	T-80 15	446.4 ~ 448.4	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
448	T-80 16	448.4 ~ 450.4	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
449	T-80 17	450.4 ~ 452.4	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
450	T-80 18	452.4 ~ 454.4	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 16/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
451	T-90 19	454.4 ~ 456.4	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
452	T-90 20	456.4 ~ 458.4	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
453	T-90 21	458.4 ~ 459.4	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	
454	T-90 22	529.0 ~ 531.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
455	T-90 23	531.0 ~ 533.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
456	T-90 24	533.0 ~ 535.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
457	T-90 25	535.0 ~ 537.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
458	T-90 26	537.0 ~ 539.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
459	T-90 27	539.0 ~ 541.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
460	T-90 28	552.3 ~ 554.0	1.7	-	<1	<0.01	<0.01	0.01	<0.01	
461	T-90 29	554.0 ~ 555.0	1.0	-	<1	<0.01	<0.01	0.01	<0.01	
462	T-90 30	559.5 ~ 561.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
463	T-90 31	561.5 ~ 563.5	2.0	-	<1	0.01	<0.01	0.02	<0.01	
464	T-90 32	563.5 ~ 565.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
465	T-90 33	565.5 ~ 567.5	2.0	-	<1	<0.01	<0.01	0.02	<0.01	
466	T-90 34	567.5 ~ 569.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
467	T-90 35	569.5 ~ 571.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
468	T-90 36	571.5 ~ 573.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
469	T-90 37	573.5 ~ 575.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
470	T-90 38	575.5 ~ 577.5	2.0	0.01	<1	<0.01	<0.01	<0.01	0.02	
471	T-90 39	577.5 ~ 579.8	2.3	0.01	<1	0.10	<0.01	<0.01	<0.01	
472	T-100 1	231.8 ~ 232.4	0.6	tr	<1	0.03	<0.01	<0.01	<0.01	
473	T-100 2	232.4 ~ 233.4	1.0	0.1	<1	0.03	<0.01	<0.01	<0.01	
474	T-100 3	233.4 ~ 235.0	1.6	0.2	<1	0.06	<0.01	<0.01	<0.01	
475	T-100 4	235.0 ~ 237.0	2.0	-	<1	0.03	<0.01	<0.01	<0.01	
476	T-100 5	237.0 ~ 239.0	2.0	0.3	<1	0.03	<0.01	<0.01	<0.01	
477	T-100 6	239.0 ~ 241.0	2.0	-	<1	0.02	<0.01	<0.01	<0.01	
478	T-100 7	241.0 ~ 242.4	1.4	tr	<1	0.02	<0.01	<0.01	<0.01	
479	T-100 8	244.0 ~ 245.3	1.3	0.1	<1	0.05	<0.01	<0.01	0.04	
480	T-100 9	248.0 ~ 250.0	2.0	-	<1	0.02	<0.01	<0.01	<0.01	

Appendix 2-6(3) Assay Results of Ore Samples(Bulutkan Trench 17/17)

Ser.no.	Samp.no.	Position(m)	Length(m)	Au(g/t)	Ag(5/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Discriptions
481	T-100 10	250.0 ~ 252.0	2.0	-	<1	0.03	<0.01	<0.01	0.26	
482	T-100 11	252.0 ~ 253.5	1.5	tr	<1	0.04	<0.01	<0.01	0.24	
483	T-100 12	253.5 ~ 256.0	2.5	0.1	<1	0.03	<0.01	<0.01	0.06	
484	T-100 13	256.0 ~ 257.5	1.5	0.4	<1	0.05	<0.01	<0.01	0.06	
485	T-100 14	257.5 ~ 259.0	1.5	0.2	<1	0.03	<0.01	<0.01	0.09	
486	T-100 15	259.0 ~ 261.0	2.0	0.2	<1	0.02	<0.01	0.04	<0.01	
487	T-100 16	261.0 ~ 264.0	3.0	tr	<1	0.03	<0.01	<0.01	<0.01	
488	T-100 17	410.0 ~ 412.0	2.0	tr	<1	0.02	<0.01	<0.01	<0.01	
489	T-100 18	412.0 ~ 413.5	1.5	tr	<1	0.02	<0.01	<0.01	<0.01	
490	T-100 19	435.0 ~ 437.0	2.0	-	<1	0.02	<0.01	<0.01	<0.01	
491	T-100 20	439.0 ~ 440.0	1.0	-	<1	0.02	<0.01	0.04	0.03	
492	T-100 21	442.6 ~ 444.0	1.4	tr	<1	0.02	<0.01	<0.01	<0.01	
493	T-100 22	444.0 ~ 446.0	2.0	-	<1	0.03	0.02	0.05	<0.01	
494	T-100 23	446.0 ~ 448.5	2.5	tr	<1	<0.01	<0.01	<0.01	<0.01	
495	T-100 24	448.5 ~ 450.5	2.0	tr	<1	0.02	<0.01	<0.01	<0.01	
496	T-100 25	450.5 ~ 452.5	2.0	-	<1	0.02	<0.01	<0.01	<0.01	
497	T-100 26	452.5 ~ 454.5	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
498	T-100 27	454.5 ~ 456.0	1.5	-	<1	0.02	<0.01	<0.01	0.02	
499	T-100 28	694.0 ~ 696.7	2.7	tr	<1	0.02	0.02	<0.01	<0.01	
500	T-100 29	696.7 ~ 698.5	1.8	tr	<1	0.02	0.01	<0.01	<0.01	
501	T-100 30	698.5 ~ 700.0	1.5	-	<1	0.02	<0.01	<0.01	<0.01	
502	T-100 31	700.0 ~ 702.0	2.0	-	<1	0.01	0.01	<0.01	<0.01	
503	T-100 32	702.0 ~ 704.0	2.0	tr	<1	0.01	0.01	<0.01	<0.01	
504	T-100 33	704.0 ~ 706.0	2.0	tr	<1	0.01	0.01	0.01	0.01	
505	T-100 34	706.0 ~ 708.0	2.0	tr	<1	0.01	<0.01	<0.01	<0.01	
506	T-100 35	708.0 ~ 710.0	2.0	-	<1	<0.01	<0.01	<0.01	<0.01	
507	T-100 36	710.0 ~ 712.0	2.0	-	1.6	0.02	<0.01	<0.01	<0.01	
508	T-100 37	832.0 ~ 834.0	2.0	-	1.2	0.03	0.01	0.02	0.01	
509	T-100 38	834.0 ~ 836.5	2.5	-	1.2	0.03	<0.01	0.02	<0.01	
510	T-100 39	872.0 ~ 874.0	2.0	-	<1	0.01	<0.01	<0.01	<0.01	
511	T-100 40	874.0 ~ 875.0	1.0	-	<1	0.02	0.01	<0.01	<0.01	
512	T-100 41	880.2 ~ 880.5	0.3	-	1.6	0.02	0.01	0.02	<0.01	

Appendix 2-6(4) Assay Results of Ore Samples(Bulutkan Drillcore 1/10)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
1	B-10 1	18.1 ~ 19	0.9	tr	<1	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
2	B-10 2	19 ~ 20	1.0	tr	<1	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
3	B-10 3	20 ~ 21	1.0	tr	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
4	B-10 4	21 ~ 22	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
5	B-10 5	22 ~ 23	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
6	B-10 6	23 ~ 24	1.0	tr	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
7	B-10 7	24 ~ 25	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
8	B-10 8	25 ~ 26	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
9	B-10 9	26 ~ 27	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
10	B-10 10	27 ~ 28	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
11	B-10 11	28 ~ 29	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
12	B-10 12	29 ~ 30	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
13	B-10 13	30 ~ 31	1.0	tr	1.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
14	B-10 14	31 ~ 32	1.0	tr	1.2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
15	B-10 15	32 ~ 33	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
16	B-10 16	33 ~ 34.6	1.6	tr	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
17	B-10 17	36.8 ~ 38	1.2	tr	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
18	B-10 18	38 ~ 39	1.0	tr	1.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
19	B-10 19	39 ~ 40	1.0	tr	1.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
20	B-10 20	40 ~ 41.2	1.2	tr	1.2	<0.01	0.01	0.23	<0.01	<0.01	<0.01	<0.01	
21	B-10 21	41.2 ~ 42	0.8	tr	1.2	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
22	B-10 22	42 ~ 43	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
23	B-10 23	43 ~ 44	1.0	tr	<1	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	
24	B-10 24	44 ~ 45	1.0	tr	<1	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	
25	B-10 25	45 ~ 46	1.0	0.1	<1	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
26	B-10 26	46 ~ 47	1.0	tr	<1	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
27	B-10 27	47 ~ 48	1.0	tr	<1	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
28	B-10 28	48 ~ 49	1.0	tr	<1	0.04	<0.01	<0.01	0.2	<0.01	<0.01	<0.01	
29	B-10 29	49 ~ 50	1.0	tr	<1	0.02	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
30	B-10 30	50 ~ 51	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	



Appendix 2-6(4) Assay Results of Ore Samples(Bulutkan Drillcore 2/10)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
31	B-10 31	51 ~ 52	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	
32	B-10 32	52 ~ 53	1.0	tr	<1	0.02	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	
33	B-10 33	53 ~ 53.9	0.9	tr	<1	0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
34	B-10 34	53.9 ~ 54.25	0.35	tr	1.2	0.1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
35	B-10 35	54.3 ~ 55	0.75	tr	1.2	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
36	B-10 36	55 ~ 56	1.0	tr	1.6	0.02	0.01	<0.01	0.01	<0.01	<0.01	<0.01	
37	B-10 37	56 ~ 57	1.0	tr	1.2	0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	
38	B-10 38	57 ~ 58	1.0	tr	<1	0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
39	B-10 39	58 ~ 59	1.0	tr	<1	0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
40	B-10 40	59 ~ 60	1.0	tr	<1	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
41	B-10 41	60 ~ 61	1.0	tr	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
42	B-10 42	61 ~ 62	1.0	tr	<1	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
43	B-10 43	62 ~ 63	1.0	-	1.2	0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
44	B-10 44	63 ~ 64	1.0	tr	1.2	0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
45	B-10 45	64 ~ 65	1.0	tr	<1	0.02	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
46	B-10 46	65 ~ 66.1	1.1	tr	<1	0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
47	B-10 47	66.1 ~ 67	0.9	tr	<1	0.08	<0.01	<0.01	0.08	<0.01	<0.01	<0.01	
48	B-10 48	67 ~ 68	1.0	tr	<1	0.04	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
49	B-10 49	68 ~ 69	1.0	0.1	<1	0.15	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
50	B-10 50	69 ~ 69.6	0.6	tr	1.2	0.05	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
51	B-10 51	69.6 ~ 71	1.4	tr	<1	0.04	<0.01	0.04	<0.01	<0.01	<0.01	<0.01	
52	B-10 52	71 ~ 72	1.0	0.1	1.2	0.04	<0.01	<0.01	0.21	<0.01	<0.01	<0.01	
53	B-10 53	72 ~ 73	1.0	tr	<1	0.02	<0.01	<0.01	0.07	<0.01	<0.01	<0.01	
54	B-10 54	73 ~ 74	1.0	0.1	<1	0.03	<0.01	<0.01	0.08	<0.01	<0.01	<0.01	
55	B-10 55	74 ~ 75	1.0	tr	<1	0.03	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
56	B-10 56	75 ~ 76	1.0	tr	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
57	B-10 57	76 ~ 77	1.0	tr	<1	0.03	<0.01	<0.01	0.13	<0.01	<0.01	<0.01	
58	B-10 58	77 ~ 78	1.0	tr	<1	0.01	<0.01	<0.01	0.15	<0.01	<0.01	<0.01	
59	B-10 59	78 ~ 79.4	1.4	tr	1.2	0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
60	B-10 60	79.4 ~ 80.3	0.9	tr	<1	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	

Appendix 2-6(4) Assay Results of Ore Samples(Bulutkan Drill core 3/10)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
61	B-10 61	80.3 ~ 81	0.7	1.4	<1	<0.01	<0.01	<0.01	0.62	<0.01	<0.01	<0.01	
62	B-10 62	81 ~ 82	1.0	tr	<1	<0.01	<0.01	<0.01	0.08	<0.01	<0.01	<0.01	
63	B-10 63	82 ~ 83	1.0	tr	<1	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
64	B-10 64	83 ~ 83.4	0.4	tr	1.6	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
65	B-10 65	83.4 ~ 84.2	0.8	0.8	<1	0.14	<0.01	<0.01	0.24	<0.01	<0.01	<0.01	
66	B-10 66	84.2 ~ 84.8	0.6	0.8	2.4	0.17	<0.01	<0.01	0.58	<0.01	<0.01	<0.01	
67	B-10 67	84.8 ~ 86	1.2	0.8	<1	0.09	<0.01	<0.01	0.2	<0.01	<0.01	<0.01	
68	B-10 68	86 ~ 87	1.0	4.6	<1	0.06	<0.01	<0.01	0.02	0.02	<0.01	<0.01	
69	B-10 69	87 ~ 88	1.0	1.0	<1	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
70	B-10 70	88 ~ 89	1.0	tr	1.2	0.08	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	
71	B-10 71	89 ~ 90	1.0	0.1	<1	0.05	<0.01	<0.01	0.05	<0.01	<0.01	<0.01	
72	B-10 72	90 ~ 91	1.0	tr	1.2	0.05	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	
73	B-10 73	91 ~ 92	1.0	tr	1.2	0.22	0.04	<0.01	0.04	<0.01	<0.01	0.4	
74	B-10 74	92 ~ 93	1.0	0.7	1.2	0.06	<0.01	<0.01	0.3	<0.01	<0.01	<0.01	
75	B-10 75	93 ~ 94	1.0	0.3	1.6	0.05	<0.01	<0.01	0.08	<0.01	<0.01	<0.01	
76	B-10 76	94 ~ 95	1.0	0.6	<1	0.05	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	
77	B-10 77	95 ~ 96	1.0	tr	<1	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
78	B-10 78	96 ~ 97	1.0	0.1	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
79	B-20 1	15 ~ 16	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
80	B-20 2	16 ~ 17	1.0	0.01	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
81	B-20 3	17 ~ 18	1.0	-	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
82	B-20 4	18 ~ 18.9	0.9	-	<1	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
83	B-20 5	21.2 ~ 22	0.8	-	<1	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
84	B-20 6	22 ~ 23	1.0	-	<1	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
85	B-20 7	23 ~ 24	1.0	-	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
86	B-20 8	24 ~ 25	1.0	-	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
87	B-20 9	25 ~ 26	1.0	-	<1	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
88	B-20 10	26 ~ 27	1.0	-	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
89	B-20 11	27 ~ 28	1.0	-	<1	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
90	B-20 12	28 ~ 29	1.0	-	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	

Appendix 2-6(4) Assay Results of Ore Samples(Bulutkan Drillcore 4/10)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
91	B-20 13	29 ~ 30	1.0	-	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
92	B-20 14	30 ~ 31	1.0	-	<1	0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	
93	B-20 15	31 ~ 32	1.0	-	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
94	B-20 16	32 ~ 33	1.0	-	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
95	B-20 17	33 ~ 34	1.0	-	<1	0.02	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	
96	B-20 18	34 ~ 35	1.0	-	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
97	B-20 19	35 ~ 36	1.0	-	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
98	B-20 20	36 ~ 37	1.0	-	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
99	B-20 21	37 ~ 38	1.0	-	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
100	B-20 22	38 ~ 39	1.0	-	<1	0.02	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	
101	B-20 23	39 ~ 40	1.0	-	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
102	B-20 24	40 ~ 41	1.0	-	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
103	B-20 25	41 ~ 42	1.0	-	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
104	B-20 26	42 ~ 43	1.0	-	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
105	B-20 27	43 ~ 44	1.0	-	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
106	B-20 28	44 ~ 45	1.0	-	<1	0.09	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
107	B-20 29	45 ~ 46	1.0	-	<1	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
108	B-20 30	46 ~ 47.1	1.1	-	<1	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
109	B-20 31	48 ~ 49	1.0	-	<1	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
110	B-20 32	49 ~ 50.3	1.3	-	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
111	B-20 33	50.3 ~ 51	0.7	-	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
112	B-20 34	51 ~ 52	1.0	-	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
113	B-20 35	52 ~ 53	1.0	-	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
114	B-20 36	53 ~ 54	1.0	0.01	<1	0.04	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	
115	B-20 37	54 ~ 55	1.0	-	<1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
116	B-20 38	55 ~ 56	1.0	-	<1	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
117	B-20 39	56 ~ 57	1.0	-	<1	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
118	B-20 40	57 ~ 58	1.0	-	<1	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
119	B-20 41	58 ~ 59	1.0	0.01	<1	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
120	B-20 42	59 ~ 60	1.0	-	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	

Appendix 2-6(4) Assay Results of Ore Samples(Bulutkan Drillcore 5/10)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
121	B-20 43	60 ~ 61	1.0	-	<25	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
122	B-20 44	61 ~ 62	1.0	-	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
123	B-20 45	62 ~ 63.1	1.1	-	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
124	B-20 46	63.1 ~ 64	0.9	0.03	<25	0.02	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	
125	B-20 47	64 ~ 64.8	0.8	0.01	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
126	B-20 48	64.8 ~ 66	1.2	-	<25	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
127	B-20 49	66 ~ 67	1.0	-	<25	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
128	B-20 50	67 ~ 68	1.0	-	<25	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
129	B-20 51	68 ~ 69	1.0	-	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
130	B-20 52	69 ~ 70	1.0	0.01	<25	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
131	B-20 53	70 ~ 70.65	0.65	-	<25	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
132	B-20 54	75.6 ~ 76.4	0.8	0.03	<25	0.16	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	
133	B-20 55	77.8 ~ 79	1.2	0.1	<25	0.09	<0.01	<0.01	0.26	<0.01	<0.01	<0.01	
134	B-20 56	79 ~ 80	1.0	-	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
135	B-20 57	80 ~ 81	1.0	-	<25	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
136	B-20 58	81 ~ 82	1.0	0.01	<25	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
137	B-20 59	82 ~ 83	1.0	-	<25	0.02	<0.01	0.01	0.04	<0.01	<0.01	<0.01	
138	B-20 60	83 ~ 84	1.0	0.01	<25	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
139	B-20 61	84 ~ 85	1.0	0.01	<25	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
140	B-20 62	85 ~ 85.9	0.9	-	<25	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
141	B-20 63	89.2 ~ 90	0.8	-	<25	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
142	B-20 64	90 ~ 91	1.0	-	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
143	B-20 65	91 ~ 92	1.0	-	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
144	B-20 66	92 ~ 93	1.0	-	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
145	B-20 67	93 ~ 94	1.0	-	<25	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
146	B-20 68	94 ~ 95	1.0	0.01	<25	0.07	<0.01	<0.01	0.21	<0.01	<0.01	<0.01	
147	B-20 69	95 ~ 95.5	0.5	-	<25	0.37	<0.01	<0.01	0.13	<0.01	<0.01	<0.01	
148	B-20 70	103 ~ 103.7	0.5	0.06	<25	0.18	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
149	B-20 71	107 ~ 108	1.1	-	<25	0.03	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	
150	B-20 72	108 ~ 109	1.0	0.01	<25	0.02	<0.01	0.02	0.02	<0.01	<0.01	<0.01	

Appendix 2-6(4) Assay Results of Ore Samples(Bulutkan Drillcore 6/10)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
151	B-20 73	109 ~ 110	1.0	0.01	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
152	B-20 74	110 ~ 111	1.0	0.01	<25	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
153	B-20 75	111 ~ 112	1.0	0.03	<25	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	
154	B-20 76	112 ~ 113	1.0	-	<25	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	
155	B-20 77	113 ~ 113.5	0.5	0.03	<25	0.07	<0.01	0.95	<0.01	<0.01	<0.01	0.01	
156	B-30 1	28.3 ~ 29	0.7	-	<25	0.02	<0.01	0.02	<0.01	<0.01	<0.01	0.01	
157	B-30 2	29 ~ 30	1.0	-	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
158	B-30 3	30 ~ 31	1.0	-	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
159	B-30 4	31 ~ 32	1.0	-	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
160	B-30 5	38.2 ~ 39	0.8	-	<25	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
161	B-30 6	39 ~ 40	1.0	-	<25	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
162	B-30 7	40 ~ 41	1.0	-	<25	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
163	B-30 8	41 ~ 42	1.0	0.01	<25	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
164	B-30 9	42 ~ 43.4	1.4	-	<25	<0.01	<0.01	0.02	0.01	<0.01	<0.01	0.01	
165	B-30 10	49.6 ~ 49.9	0.3	0.01	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
166	B-30 11	58.9 ~ 60	1.1	-	<25	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
167	B-30 12	60 ~ 61	1.0	-	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
168	B-30 13	61 ~ 62	1.0	-	<25	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
169	B-30 14	62 ~ 63	1.0	-	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
170	B-30 15	63 ~ 64	1.0	-	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
171	B-30 16	64 ~ 65	1.0	-	<25	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	
172	B-30 17	65 ~ 66	1.0	-	<25	0.08	<0.01	<0.01	0.02	<0.01	<0.01	0.02	
173	B-30 18	66 ~ 67	1.0	-	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
174	B-30 19	67 ~ 68	1.0	-	<25	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
175	B-30 20	69 ~ 70	1.0	0.03	<25	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
176	B-30 21	69 ~ 69.8	0.8	-	<25	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
177	B-30 22	69.8 ~ 71	1.2	0.01	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
178	B-30 23	71 ~ 72	1.0	0.01	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	
179	B-30 24	72 ~ 73	1.0	-	<25	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
180	B-30 25	73 ~ 74	1.0	0.01	<25	0.06	<0.01	<0.01	<0.01	<0.01	0.01	0.03	

Appendix 2-6(4) Assay Results of Ore Samples(Bulutkan Drillcore 7/10)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
181	B-30 26	74 ~ 75.2	1.2	-	<25	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	
182	B-30 27	75.2 ~ 76	0.8	-	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
183	B-30 28	76 ~ 77	1.0	-	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
184	B-30 29	77 ~ 78	1.0	0.03	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
185	B-30 30	78 ~ 79	1.0	0.03	<25	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
186	B-30 31	79 ~ 80	1.0	0.03	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
187	B-30 32	80 ~ 81.4	1.4	0.4	<1	tr	tr	tr	tr	tr	tr	0.02	
188	B-30 33	81.4 ~ 82	0.6	0.4	<1	tr	tr	tr	tr	tr	tr	0.02	
189	B-30 34	82 ~ 83	1.0	2.2	45.8	0.12	tr	tr	tr	tr	tr	0.02	
190	B-30 35	83 ~ 84	1.0	2.4	26.4	0.06	tr	tr	tr	tr	tr	0.02	
191	B-30 36	84 ~ 85.2	1.2	0.1	<1	tr	tr	tr	tr	tr	tr	0.09	
192	B-30 37	85.2 ~ 86	0.8	tr	<1	0.02	tr	tr	tr	tr	tr	0.01	
193	B-30 38	86 ~ 87	1.0	tr	<1	0.02	tr	tr	tr	tr	tr	0.02	
194	B-30 39	87 ~ 88	1.0	tr	<1	0.01	tr	tr	tr	tr	tr	0.01	
195	B-30 40	88 ~ 89	1.0	tr	<1	0.01	tr	tr	tr	tr	tr	0.02	
196	B-30 41	89 ~ 90	1.0	tr	<1	tr	tr	tr	tr	tr	tr	0.02	
197	B-30 42	90 ~ 90.8	0.8	tr	<1	tr	tr	tr	tr	tr	tr	0.02	
198	B-30 43	90.8 ~ 91.8	1.0	-	<1	0.02	tr	tr	tr	tr	tr	0.02	
199	B-30 44	91.8 ~ 93	1.2	-	<1	tr	tr	tr	tr	tr	tr	0.01	
200	B-30 45	93 ~ 94	1.0	-	<1	tr	tr	tr	tr	tr	tr	0.01	
201	B-30 46	94 ~ 95	1.0	-	<1	tr	tr	tr	tr	tr	tr	0.01	
202	B-30 47	95 ~ 96	1.0	-	<1	tr	tr	tr	tr	tr	tr	0.01	
203	B-30 48	96 ~ 97	1.0	tr	<1	tr	tr	tr	tr	tr	tr	0.01	
204	B-30 49	97 ~ 98	1.0	-	<1	tr	tr	tr	tr	tr	tr	0.01	
205	B-40 1	9.6 ~ 11	1.4	-	<1	0.02	tr	tr	tr	tr	tr	0.01	
206	B-40 2	11 ~ 12.9	1.9	tr	<1	0.02	tr	tr	tr	tr	tr	0.01	
207	B-40 3	22.3 ~ 24.3	2.0	-	<1	tr	tr	tr	tr	tr	tr	0.01	
208	B-40 4	26.4 ~ 29	2.6	-	<1	0.01	tr	tr	tr	tr	tr	0.02	
209	B-40 5	29 ~ 31	2.0	tr	<1	0.01	tr	tr	tr	tr	tr	tr	
210	B-40 6	31 ~ 33.2	2.2	-	<1	tr	tr	tr	tr	tr	tr	tr	
211	B-40 7	33.2 ~ 35	1.8	-	<1	0.01	tr	tr	tr	tr	tr	tr	

Appendix 2-6(4) Assay Results of Ore Samples(Bulutkan Drillcore 8/10)

Ser.no.	Samp.no.	Depth(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
212	B-40 8	35 ~ 37	-	<1	tr	tr	tr	tr	tr	tr	0.01	
213	B-40 9	44.3 ~ 46	-	<1	tr	tr	tr	tr	tr	tr	0.01	
214	B-40 10	46 ~ 48	-	<1	tr	tr	tr	tr	tr	tr	0.01	
215	B-40 11	48 ~ 50	-	<1	tr	tr	tr	tr	tr	tr	0.01	
216	B-40 12	50 ~ 52.3	-	<1	tr	tr	tr	tr	tr	tr	0.01	
217	B-40 13	72.5 ~ 74	-	<1	tr	tr	tr	tr	tr	tr	tr	
218	B-40 14	74 ~ 75.1	tr	<1	tr	tr	tr	tr	tr	tr	0.01	
219	B-40 15	75.1 ~ 77	tr	<1	0.02	tr	tr	tr	tr	tr	0.01	
220	B-40 16	77 ~ 78.9	tr	<1	0.03	tr	tr	tr	tr	tr	tr	
221	B-40 17	78.9 ~ 80.9	tr	<1	0.04	tr	tr	tr	tr	tr	0.01	
222	B-50 1	7 ~ 8.5	-	<25	0.07	0.01	0.03	0.01	0.01	0.01	0.01	
223	B-50 2	8.5 ~ 10	-	<25	0.02	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	
224	B-50 3	11 ~ 12.5	-	<25	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	
225	B-50 4	12.5 ~ 13.8	0.03	<25	0.01	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	
226	B-50 5	13.8 ~ 15.5	-	<25	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	
227	B-50 6	15.5 ~ 17	-	<25	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
228	B-50 7	18 ~ 20	-	<25	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
229	B-50 8	26.1 ~ 28	-	<25	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
230	B-50 9	44.7 ~ 46.5	-	<25	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
231	B-50 10	46.5 ~ 48	0.01	<25	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
232	B-50 11	64.2 ~ 66	0.01	<25	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
233	B-50 12	108 ~ 109.8	-	<25	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	
234	B-50 13	49 ~ 51	-	<25	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	
235	B-50 14	51 ~ 53	-	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
236	B-50 15	54 ~ 55.5	0.01	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
237	B-50 16	55.5 ~ 57	0.01	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
238	B-50 17	57 ~ 59	0.03	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
239	B-50 18	80 ~ 81	0.01	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
240	B-50 19	115 ~ 116	0.01	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
241	B-60 1	9.5 ~ 11.8	-	<25	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
242	B-60 2	19 ~ 21	0.03	<25	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	

Appendix 2-6(4) Assay Results of Ore Samples(Bulutkan Drillcore 9/10)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
243	B-60 3	39.3 ~ 41.7	2.4	0.03	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
244	B-60 4	45.6 ~ 47.6	2.0	0.01	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
245	B-60 5	47.6 ~ 49.6	2.0	0.01	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
246	B-60 6	60 ~ 62.5	2.5	0.03	<25	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
247	B-60 7	62.5 ~ 64.8	2.3	0.01	<25	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
248	B-60 8	95.6 ~ 96.9	1.3	0.05	<25	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
249	B-60 9	96.9 ~ 98.2	1.3	0.03	<25	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
250	B-60 10	111 ~ 112.4	1.2	0.01	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
251	B-60 11	116 ~ 118	2.3	0.05	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
252	B-60 12	122 ~ 122.8	1.0	0.03	<25	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
253	B-60 13	123 ~ 124.1	1.3	0.03	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
254	B-60 14	142 ~ 144	2.0	0.01	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
255	B-70 1	0 ~ 2	2.0	3.6	1.6	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	
256	B-70 2	2 ~ 4	2.0	1.0	<1	0.03	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	
257	B-70 3	4 ~ 6	2.0	14.6	<1	0.06	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	
258	B-70 4	6 ~ 8.7	2.7	0.6	1.6	0.05	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	
259	B-70 5	8.7 ~ 9.6	0.9	4	1.2	0.09	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	
260	B-70 6	9.6 ~ 10.4	0.8	2	1.6	0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	
261	B-70 7	10.4 ~ 11.5	1.1	0.4	<25	0.1	<0.01	0.01	0.06	<0.01	<0.01	<0.01	
262	B-70 8	11.5 ~ 13	1.5	0.4	<25	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	
263	B-70 9	13 ~ 14.5	1.5	0.5	<25	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
264	B-70 10	14.5 ~ 15.6	1.1	0.4	<25	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
265	B-70 11	15.6 ~ 16.6	1.0	6.6	2.8	0.08	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	
266	B-70 12	36.1 ~ 37.1	1.0	0.8	1.6	0.03	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	
267	B-70 13	37.1 ~ 38.6	1.5	40	6.6	0.09	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
268	B-70 14	38.6 ~ 40	1.4	3.8	1.6	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
269	B-70 15	40 ~ 41	1.0	2.2	1.6	0.09	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
270	B-70 16	41 ~ 43.1	2.1	77.8	8.8	0.12	<0.01	<0.01	0.56	<0.01	<0.01	<0.01	
271	B-70 17	43.1 ~ 45	1.9	5.4	2.2	0.08	<0.01	<0.01	0.06	<0.01	<0.01	<0.01	
272	B-70 18	45 ~ 46.2	1.2	0.8	<1	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
273	B-70 19	46.2 ~ 47	0.8	65.3	15.6	0.14	<0.01	<0.01	0.05	<0.01	<0.01	<0.01	



Appendix 2-6(4) Assay Results of Ore Samples(Bulutkan Drillcore 10/10)

Ser.no.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Cu(%)	Pb(%)	Zn(%)	As(%)	Bi(%)	Mo(%)	W03(%)	Discriptions
274	B-70 20	47 ~ 48	1.0	12	6.4	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
275	B-70 21	48 ~ 49	1.0	1.6	1.2	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
276	B-70 22	49 ~ 50	1.0	4.4	2.4	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
277	B-70 23	50 ~ 51	1.0	2.4	2.6	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
278	B-70 24	51 ~ 52.1	1.1		<25	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
279	B-70 25	52.1 ~ 54.2	2.1	0.8	<1	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
280	B-70 26	54.2 ~ 55.3	1.1	0.2	<25	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
281	B-70 27	55.3 ~ 57	1.7	0.2	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
282	B-70 28	57 ~ 59	2.0	0.1	<25	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
283	B-70 29	59 ~ 61	2.0	0.2	<25	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
284	B-70 30	61 ~ 63	2.0	0.5	<25	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
285	B-70 31	63 ~ 65	2.0	0.3	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
286	B-70 32	65 ~ 66.5	1.5	0.2	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
287	B-70 34	74.8 ~ 76.5	1.7	0.1	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
288	B-70 35	16.6 ~ 18	1.4	0.01	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
289	B-70 36	19 ~ 20	1.0	0.01	<25	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
290	B-70 37	20 ~ 21	1.0	0.03	<25	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
291	B-70 38	21 ~ 22	1.0	0.1	<25	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
292	B-70 39	22 ~ 23	1.0	0.5	<1	0.2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
293	B-70 40	24 ~ 25	1.0	0.01	<25	0.12	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
294	B-70 41	25 ~ 26	1.0	0.01	<25	0.15	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
295	B-70 42	26 ~ 27	1.0	0.8	<1	0.1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
296	B-70 43	27 ~ 28	1.0	0.08	<25	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
297	B-70 44	29 ~ 30	1.0	0.1	<25	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
298	B-70 45	30 ~ 31	1.0	0.03	<25	0.05	<0.01	0.01	<0.01	<0.01	0.01	<0.01	
299	B-70 46	31 ~ 32	1.0	0.03	<25	0.04	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
300	B-70 47	32 ~ 33	1.0	0.05	<25	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
301	B-70 48	34 ~ 35	1.0	0.06	<25	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
302	B-70 49	35 ~ 36.1	1.1	0.05	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
303	B-70 50	69 ~ 71	2.0	0.1	<25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
304	B-70 51	71 ~ 73	2.0	0.03	<25	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	

Q

Q

Appendix 2-7 (1) Assay Results of Rock Samples(Surface Survey 1/3)

Ser.no.	Samp.No.	Local grid(X-Y)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
1	HG-1	69 - 92	-	3	100	6	50	30	-	6	<10	
2	HG-2	73 - 93	-	0.5	50	5	60	30	-	6	<10	
3	HG-3	73 - 93	10	1	200	30	100	20	-	8	<10	
4	HG-4	72 - 92	-	1.5	80	15	60	30	-	7	<10	
5	HG-5	72 - 94	-	0.8	100	15	70	40	-	10	<10	
6	HG-7	73 - 95	-	1.5	70	6	70	30	-	7	<10	
7	HG-8	73 - 95	-	1	100	5	50	20	-	5	<10	
8	HG-9	69 - 95	-	0.8	60	5	<50	30	-	<5	<10	
9	HG-10	70 - 95	-	0.5	300	30	80	50	-	15	-	
10	HG-11	69 - 95	-	2	100	8	300	50	-	10	-	
11	HG-12	70 - 93	-	1.5	80	7	70	20	-	6	<10	
12	HG-14	74 - 91	-	0.5	50	20	80	50	-	7	<10	
13	HG-16	74 - 93	-	0.7	60	6	50	30	-	6	<10	
14	HG-18	74 - 90	-	1.5	100	7	60	30	-	6	<10	
15	HG-22	69 - 93	-	0.8	150	5	60	30	-	8	<10	
16	HG-23	69 - 94	-	1.5	100	6	70	20	-	5	<10	
17	HG-24	68 - 94	-	1.5	80	15	60	30	-	8	<10	
18	HG-25	68 - 93	-	0.7	60	8	60	30	-	6	<10	
19	HG-26	68 - 93	-	1.5	150	15	60	30	-	6	<10	
20	HG-27	69 - 92	-	<0.5	20	7	100	30	-	<5	-	
21	HG-28	70 - 92	-	0.8	70	4	60	20	-	5	-	
22	FG-1	69 - 92	-	<0.5	10	8	<50	30	-	<5	-	
23	FG-2	70 - 93	-	8	80	8	70	50	-	20	<10	
24	FG-3	71 - 93	10	0.7	20	4	<50	30	-	<5	-	
25	FG-4	72 - 92	10	<0.5	80	8	70	40	-	7	<10	
26	FG-5	71 - 93	-	2	100	8	70	30	-	8	<10	
27	FG-6	71 - 94	-	<0.5	80	7	80	40	-	7	-	
28	FG-7	71 - 95	-	3	150	10	70	50	-	15	<10	
29	FG-8	70 - 96	-	0.5	60	80	100	100	-	6	<10	
30	FG-9	69 - 95	-	<0.5	20	10	50	30	-	<5	-	

Appendix 2-7 (1) Assay Results of Rock Samples(Surface Survey 2/3)

Ser.no.	Samp.no.	Local grid(X-Y)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
31	FG-10	68 - 95	-	1	70	6	60	30	-	6	<10	
32	FG-11	68 - 96	-	0.8	100	10	60	30	-	<5	<10	
33	FG-12	67 - 95	-	0.8	70	7	<50	20	-	5	<10	
34	FG-13	69 - 91	-	1	80	8	60	30	-	7	<10	
35	FG-14	68 - 91	10	0.8	70	6	<50	20	-	6	<10	
36	FG-15	67 - 91	10	2	150	15	150	30	-	6	<10	
37	FG-16	66 - 91	-	1.5	100	10	70	30	-	5	<10	
38	FG-17	71 - 90	-	0.6	80	8	70	30	-	5	<10	
39	FG-18	70 - 89	-	1	80	8	60	30	-	5	<10	
40	FG-19	70 - 89	-	0.8	80	7	60	30	-	<5	<10	
41	FG-20	69 - 88	10	1	70	15	70	30	-	<5	-	
42	FG-21	68 - 91	-	3	100	20	80	30	-	10	<10	
43	FG-22	70 - 87	-	1.5	80	7	70	20	-	6	<10	
44	FG-23	70 - 87	-	1	60	7	60	30	-	7	<10	
45	FG-24	71 - 87	-	1	70	15	50	30	-	5	<10	
46	FG-25	71 - 88	-	1	70	8	60	20	-	5	<10	
47	FG-26	72 - 88	-	0.6	40	7	50	20	-	<5	<10	
48	FG-27	73 - 89	-	0.7	40	5	50	20	-	6	<10	
49	FG-28	73 - 88	-	0.6	50	5	<50	20	-	5	<10	
50	FG-29	74 - 88	-	0.7	50	5	50	20	-	<5	<10	
51	FG-30	75 - 87	-	0.8	50	8	50	20	-	6	<10	
52	FG-31	72 - 89	-	<0.5	40	7	50	20	-	<5	<10	
53	FG-32	71 - 90	-	0.5	40	6	50	20	-	5	<10	
54	FG-33	69 - 91	-	0.5	50	4	50	20	-	<5	<10	
55	FG-34	69 - 91	-	2	80	7	80	30	-	5	<10	
56	FG-35	67 - 91	-	1.5	80	20	60	20	-	10	<10	
57	FG-36	65 - 88	10	1	70	7	50	20	-	5	-	
58	FG-37	68 - 84	-	<0.5	60	15	80	40	-	5	-	
59	FG-38	69 - 84	-	1.5	100	30	70	30	-	5	<10	
60	FG-39	69 - 84	-	0.6	100	8	70	20	-	<5	<10	

Appendix 2-7 (1) Assay Results of Rock Samples(Surface Survey 3/3)

Ser.no.	Samp.No.	Local grid(X-Y)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
61	FG-40	70 - 84	-	1	50	5	70	30	-	5	<10	
62	FG-41	70 - 84	-	1.5	80	5	70	20	-	5	<10	
63	FG-42	71 - 84	-	1.5	100	8	50	30	-	6	<10	
64	FG-43	71 - 83	-	1.5	70	8	70	20	-	<5	<10	
65	FG-44	72 - 83	-	0.5	50	7	50	20	-	<5	<10	
66	FG-45	74 - 83	10	1.5	70	6	50	20	-	<5	<10	
67	FG-46	73 - 83	10	2	100	8	70	40	-	6	<10	
68	FG-47	73 - 82	-	<0.5	20	5	50	20	-	<5	-	
69	FG-48	74 - 81	-	0.5	50	5	60	30	-	5	<10	
70	FG-49	73 - 81	-	<0.5	60	5	70	30	-	<5	-	
71	FG-50	72 - 81	-	<0.5	80	10	50	40	-	5	<10	
72	FG-51	72 - 80	-	<0.5	15	5	<50	10	-	<5	-	
73	FG-52	71 - 80	10	3	100	10	50	30	-	40	<10	
74	FG-53	70 - 79	-	0.7	50	7	<50	20	-	5	<10	
75	FG-54	71 - 85	-	<0.5	30	6	60	60	-	<5	-	
76	FG-55	71 - 85	-	<0.5	150	8	70	80	-	6	<10	
77	FG-56	72 - 85	-	2	100	7	70	30	-	6	<10	
78	FG-57	72 - 85	-	<0.5	80	8	80	40	-	6	-	
79	FG-58	73 - 85	-	<0.5	15	4	<50	20	-	<5	-	
80	FG-59	73 - 85	-	0.7	70	3	60	30	-	5	<10	
81	FG-60	70 - 84	-	2	50	5	50	20	-	<5	<10	
82	FG-61	70 - 83	-	1	60	8	50	20	-	20	<10	
83	FG-62	70 - 83	-	3	100	40	<50	30	-	7	<10	
84	FG-63	69 - 82	-	0.6	80	8	50	20	-	7	<10	
85	FG-64	68 - 83	-	0.7	60	7	60	20	-	5	<10	
86	FG-65	69 - 87	10	1	60	6	50	20	-	7	-	
87	FG-66	70 - 86	-	1.5	50	8	50	20	-	6	<10	
88	FG-67	71 - 86	-	0.8	100	6	50	20	-	7	<10	
89	FG-68	71 - 86	-	0.8	70	5	50	20	-	6	<10	
90	FG-69	72 - 86	10	1.5	70	6	70	20	-	6	<10	
91	FG-70	71 - 86	10	1	100	8	60	40	-	6	<10	

Appendix 2-7(2) Assay Results of Rock Samples(Bulutkan Frenches 1/24)

ser.no.	SamO.No.	Position(m)	Length(m)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
1	T-1G 1	300.0 ~ 302.5	2.5	30	<1.0	40	80	400	70	<6	6	<10	
2	T-1G 2	302.5 ~ 305.0	2.5	30	<1.0	30	100	150	100	-	7	10	
3	T-1G 3	305.0 ~ 307.5	2.5	50	<1.0	20	20	50	50	-	<5	<10	
4	T-1G 4	307.5 ~ 310.0	2.5	10	<1.0	50	70	60	150	-	6	10	
5	T-1G 5	310.0 ~ 312.5	2.5	10	<1.0	40	40	100	200	-	5	20	
6	T-1G 6	312.5 ~ 315.0	2.5	60	<1.0	20	20	50	100	-	<5	15	
7	T-1G 7	315.0 ~ 317.5	2.5	50	<1.0	30	30	80	80	-	<5	10	
8	T-1G 8	317.5 ~ 320.0	2.5	10	<1.0	30	30	40	50	-	5	<10	
9	T-1G 9	320.0 ~ 322.5	2.5	10	1.2	50	60	<50	150	-	5	20	
10	T-1G 10	322.5 ~ 325.0	2.5	-	2.6	20	20	<50	30	-	<5	-	
11	T-1G 11	325.5 ~ 328.0	2.5	-	<1.0	70	30	70	40	-	8	-	
12	T-1G 12	328.0 ~ 330.5	2.5	-	1.4	100	20	<50	40	-	7	-	
13	T-1G 13	330.5 ~ 333.0	2.5	-	1.6	80	20	70	30	-	10	<10	
14	T-1G 14	333.0 ~ 335.5	2.5	10	<1.0	80	30	60	30	-	7	-	
15	T-1G 15	335.5 ~ 338.0	2.5	10	1.2	150	30	70	40	-	10	-	
16	T-1G 16	338.0 ~ 340.5	2.5	-	1.2	300	50	70	50	-	60	-	
17	T-1G 17	340.5 ~ 343.0	2.5	-	1.2	200	30	60	50	-	50	-	
18	T-1G 18	343.0 ~ 345.5	2.5	10	1.6	70	30	70	40	-	8	-	
19	T-1G 19	345.5 ~ 348.0	2.5	-	2.8	60	8	60	20	-	5	<10	
20	T-1G 20	348.0 ~ 350.5	3.0	10	<1.0	50	8	60	20	-	7	-	
21	T-1G 21	350.5 ~ 353.0	5.0	-	1.6	60	8	60	30	-	6	-	
22	T-1G 22	353.0 ~ 355.5	5.0	-	<1.0	80	10	80	30	-	6	-	
23	T-1G 23	355.5 ~ 358.0	5.0	-	<1.0	70	7	60	20	-	5	-	
24	T-1G 24	358.0 ~ 360.5	5.0	-	<1.0	70	8	50	30	-	5	<10	
25	T-1G 25	360.5 ~ 363.0	1.6	-	<1.0	60	7	60	30	-	7	-	
26	T-1G 26	363.0 ~ 365.5	4.7	10	<1.0	60	10	60	30	-	7	<10	
27	T-1G 27	365.5 ~ 368.0	1.1	10	<1.0	70	10	50	40	-	5	-	
28	T-1G 28	368.0 ~ 370.5	3.6	-	<1.0	60	10	50	30	-	<5	-	
29	T-1G 29	370.5 ~ 373.0	5.0	-	<1.0	80	20	80	80	-	7	<10	
30	T-1G 30	373.0 ~ 375.5	5.0	-	<1.0	80	10	80	50	-	8	<10	

Appendix 2-7(2) Assay Results of Rock Samples(Bulutukan Trenches-2/24)

Ser. no.	Sam. no.	Position(m)	Length(m)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
31	T-1G 31	490.2 ~ 495.2	5.0	10	<1.0	150	20	70	50	-	6	<10	
32	T-1G 32	495.2 ~ 500.2	5.0	-	<1.0	150	20	70	30	-	6	-	
33	T-1G 33	500.2 ~ 505.2	5.0	10	<1.0	100	30	60	30	-	7	<10	
34	T-1G 34	505.2 ~ 510.2	5.0	10	<1.0	100	20	60	40	-	10	-	
35	T-1G 35	510.2 ~ 515.2	5.0	-	<1.0	60	10	50	20	-	<5	-	
36	T-1G 36	515.2 ~ 520.2	5.0	10	<1.0	150	20	70	30	-	15	-	
37	T-1G 37	520.2 ~ 526.0	5.8	10	1.6	150	10	60	30	-	10	-	
38	T-1G 38	527.8 ~ 532.8	5.0	-	<1.0	80	10	80	40	-	15	-	
39	T-1G 39	532.8 ~ 537.8	5.0	-	<1.0	70	8	70	20	-	6	-	
40	T-1G 40	537.8 ~ 542.8	5.0	-	<1.0	60	20	60	20	-	15	<10	
41	T-1G 41	542.8 ~ 547.8	5.0	-	<1.0	60	20	60	30	-	6	-	
42	T-1G 42	547.8 ~ 552.8	5.0	-	<1.0	60	20	60	20	-	10	<10	
43	T-1G 43	552.8 ~ 557.8	5.0	-	2.4	60	15	50	20	-	5	-	
44	T-1G 44	557.8 ~ 560.2	2.4	-	<1.0	70	10	80	30	-	7	-	
45	T-1G 45	851.0 ~ 856.0	5.0	-	<1.0	50	10	50	20	-	<5	-	
46	T-1G 46	856.0 ~ 861.0	5.0	-	1.8	70	70	50	80	-	6	-	
47	T-1G 47	861.0 ~ 866.0	5.0	-	2.4	50	20	60	20	-	5	-	
48	T-1G 48	866.0 ~ 871.0	5.0	-	1.2	60	10	60	20	-	7	-	
49	T-1G 49	871.0 ~ 876.0	5.0	-	<1.0	40	10	50	20	-	6	-	
50	T-1G 50	876.0 ~ 881.0	5.0	-	<1.0	50	30	60	30	-	6	-	
51	T-1G 51	881.0 ~ 886.0	5.0	-	2.8	50	15	50	40	-	5	-	
52	T-1G 52	886.0 ~ 891.0	5.0	-	1.6	80	20	60	30	-	5	-	
53	T-1G 53	891.0 ~ 896.0	5.0	-	<1.0	50	50	70	30	-	6	-	
54	T-1G 54	896.0 ~ 901.0	5.0	-	<1.0	60	20	100	30	-	6	-	
55	T-1G 55	901.0 ~ 906.0	5.0	10	<1.0	100	10	70	30	-	5	-	
56	T-1G 56	906.0 ~ 911.0	5.0	-	2.2	200	20	60	40	-	6	-	
57	T-1G 57	911.0 ~ 916.0	5.0	-	1.6	100	10	60	20	-	6	-	
58	T-1G 58	916.0 ~ 921.0	5.0	-	1.2	150	8	70	30	-	6	-	
59	T-1G 59	921.0 ~ 926.5	5.5	-	<1.0	150	8	60	20	-	6	-	
60	T-1G 60	926.5 ~ 928.1	1.6	-	2.4	200	7	80	20	-	6	-	

Appendix 2-7(2) Assay Results of Rock Samples(Bulutukan Trenches-3/24)

Ser.no.	SamO.no.	Position(m)	Length(m)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
61	T-26 1	160.0 ~ 165.0	5.0	-	<1.0	50	20	70	60	-	6	<10	
62	T-26 2	165.0 ~ 170.0	5.0	-	<1.0	40	30	60	40	-	6	<10	
63	T-26 3	170.0 ~ 176.2	6.2	-	<1.0	50	20	50	30	-	6	10	
64	T-26 4	176.2 ~ 181.2	5.0	-	<1.0	50	10	60	40	-	5	<10	
65	T-26 5	181.2 ~ 186.2	5.0	-	<1.0	30	30	50	30	-	5	<10	
66	T-26 6	186.2 ~ 192.6	6.4	-	<1.0	40	15	60	40	-	5	-	
67	T-26 7	192.6 ~ 197.6	5.0	10	1.3	70	8	70	50	-	6	<10	
68	T-26 8	197.6 ~ 202.8	5.2	10	11	80	10	50	60	-	8	<10	
69	T-26 9	202.8 ~ 206.9	4.1	400	4.5	100	15	60	70	-	8	<10	
70	T-26 10	206.9 ~ 211.5	4.6	200	<1.0	80	6	60	40	-	5	<10	
71	T-26 11	320.0 ~ 325.0	5.0	10	1.9	100	10	60	70	-	20	<10	
72	T-26 12	325.0 ~ 330.0	5.0	30	1.9	100	5	70	80	-	6	<10	
73	T-26 13	330.0 ~ 335.0	5.0	10	1	80	10	80	40	-	8	<10	
74	T-26 14	335.0 ~ 340.0	5.0	-	<1.0	100	8	70	60	-	6	<10	
75	T-26 15	340.0 ~ 345.0	5.0	-	<1.0	100	6	60	30	-	10	<10	
76	T-26 16	345.0 ~ 350.9	5.9	10	<1.0	70	10	80	40	-	6	<10	
77	T-26 17	354.5 ~ 357.0	2.5	-	<1.0	60	10	70	40	-	5	<10	
78	T-26 18	375.5 ~ 376.3	2.8	-	2	80	20	60	40	-	8	10	
79	T-26 19	380.0 ~ 382.0	2.0	-	2.1	80	10	60	70	-	10	<10	
80	T-26 20	382.0 ~ 383.4	1.4	-	<1.0	70	20	50	40	-	15	<10	
81	T-26 21	383.4 ~ 385.0	1.6	-	<1.0	70	15	50	50	-	10	<10	
82	T-26 22	392.0 ~ 396.2	4.2	-	1.3	60	15	70	50	-	6	<10	
83	T-26 23	396.2 ~ 399.4	3.2	-	1.8	50	10	60	30	-	5	<10	
84	T-26 24	399.4 ~ 401.0	1.6	40	1.6	40	20	60	40	-	6	<10	
85	T-26 25	403.7 ~ 408.7	5.0	-	1.6	60	300	400	40	-	7	<10	
86	T-26 26	403.7 ~ 413.7	5.0	-	2.6	60	100	800	50	-	6	<10	
87	T-26 27	413.7 ~ 418.7	5.0	10	2.7	70	100	800	70	-	8	<10	
88	T-26 28	418.7 ~ 423.7	5.0	-	2.6	70	60	600	60	-	8	<10	
89	T-26 29	423.7 ~ 428.7	5.0	-	5	150	30	400	60	-	7	<10	
90	T-26 30	428.7 ~ 433.7	5.0	-	3.1	80	20	300	40	-	5	<10	



Appendix 2-7(2) Assay Results of Rock Samples(Bulutkan Trenches 4/24)

Ser.no.	Samono.	Position(m)	Length(m)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
91	T-2G 31	433.7 ~ 435.0	1.3	-	3.2	150	20	40	50	-	5	<10	
92	T-2G 32	473.5 ~ 476.0	2.5	-	<1.0	70	5	80	20	-	6	-	
93	T-2G 33	476.0 ~ 477.3	1.3	-	<1.0	80	8	70	30	-	6	<10	
94	T-2G 34	477.3 ~ 478.8	1.5	-	<1.0	50	6	70	20	-	5	-	
95	T-2G 35	479.3 ~ 481.8	2.5	10	<1.0	70	10	80	30	-	6	-	
96	T-2G 36	484.4 ~ 486.1	1.7	-	<1.0	60	10	100	30	-	6	<10	
97	T-2G 37	492.6 ~ 493.9	1.3	-	<1.0	70	10	80	20	-	6	-	
98	T-2G 38	498.3 ~ 500.2	1.9	-	<1.0	60	8	100	30	-	5	-	
99	T-2G 39	523.5 ~ 526.0	2.5	10	<1.0	70	10	70	20	-	6	<10	
100	T-2G 40	526.0 ~ 528.5	2.5	-	<1.0	70	8	80	30	-	6	<10	
101	T-2G 41	528.5 ~ 531.0	2.5	-	<1.0	70	10	70	30	-	6	<10	
102	T-2G 42	531.0 ~ 533.5	2.5	-	<1.0	70	10	70	20	-	6	<10	
103	T-2G 43	533.5 ~ 536.0	2.5	-	<1.0	60	8	100	30	-	6	<10	
104	T-2G 44	536.0 ~ 538.5	2.5	-	<1.0	70	15	80	40	-	8	<10	
105	T-2G 45	538.5 ~ 541.0	2.5	-	<1.0	70	15	80	40	-	15	<10	
106	T-2G 46	541.0 ~ 543.5	2.5	-	<1.0	60	10	100	50	-	8	<10	
107	T-2G 47	543.5 ~ 546.0	2.5	-	<1.0	70	15	80	40	-	10	<10	
108	T-2G 48	546.0 ~ 548.5	2.5	-	<1.0	60	10	70	40	-	10	<10	
109	T-2G 49	548.5 ~ 550.8	2.3	-	<1.0	70	15	60	30	-	8	-	
110	T-2G 50	551.8 ~ 554.3	2.5	-	<1.0	80	15	50	20	-	10	-	
111	T-2G 51	555.7 ~ 558.3	2.6	-	<1.0	70	15	70	100	-	10	-	
112	T-2G 52	558.3 ~ 560.8	2.5	-	1.2	60	10	70	50	-	10	<10	
113	T-2G 53	560.8 ~ 563.3	2.5	10	<1.0	50	15	70	60	-	6	<10	
114	T-2G 54	563.3 ~ 566.3	3.0	-	<1.0	50	50	100	30	-	6	<10	
115	T-2G 55	598.3 ~ 600.8	2.5	-	1.9	60	30	100	50	-	6	<10	
116	T-2G 56	600.8 ~ 604.3	3.5	-	1.6	60	20	70	20	-	5	<10	
117	T-2G 57	610.3 ~ 613.3	3.0	-	1.8	80	20	150	30	-	15	<10	
118	T-2G 58	800.5 ~ 805.5	5.0	-	1.9	300	15	300	50	-	15	<10	
119	T-2G 59	805.5 ~ 810.5	5.0	-	2.1	300	15	200	50	-	15	<10	
120	T-2G 60	810.5 ~ 813.0	2.5	10	3.8	300	30	200	50	-	8	<10	

Appendix 2-7(2) Assay Results of Rock Samples(Bulutkan Trenches 5/24)

Ser.no.	Samo.no.	Position(m)	Length(m)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
121	T-26 61	813.0 ~ 815.5	2.5	100	1.3	80	30	150	60	-	20	<10	
122	T-26 62	815.5 ~ 818.7	3.2	-	<1.0	80	20	100	60	-	10	<10	
123	T-26 63	820.7 ~ 823.7	3.0	-	<1.0	100	20	200	30	-	10	<10	
124	T-26 64	823.7 ~ 826.2	2.5	10	1.7	150	20	200	60	-	8	<10	
125	T-26 65	826.2 ~ 829.8	3.6	-	1	150	10	200	40	-	8	<10	
126	T-26 66	834.0 ~ 836.8	2.8	10	<1.0	60	30	60	30	-	7	<10	
127	T-26 67	870.4 ~ 872.9	2.5	-	1.4	80	60	100	80	-	10	<10	
128	T-26 68	872.9 ~ 875.4	2.5	-	1.5	50	50	70	60	-	10	<10	
129	T-26 69	875.4 ~ 877.9	2.5	10	1.3	150	40	200	30	-	40	<10	
130	T-26 70	877.9 ~ 880.4	2.5	10	2.5	100	40	150	40	-	20	<10	
131	T-26 71	880.4 ~ 882.9	2.5	-	1.3	80	30	200	30	-	8	<10	
132	T-26 72	882.9 ~ 885.4	2.5	10	1.7	100	70	100	40	-	6	<10	
133	T-26 73	885.4 ~ 888.4	3.0	-	1	80	15	<50	20	-	<5	<10	
134	T-26 74	888.4 ~ 890.9	2.5	-	<1.0	50	10	60	30	-	5	-	
135	T-26 75	890.9 ~ 893.4	2.5	-	<1.0	50	15	60	30	-	7	-	
136	T-26 76	893.4 ~ 895.9	2.5	-	<1.0	50	10	60	50	-	8	-	
137	T-26 77	895.9 ~ 898.4	2.5	10	<1.0	100	15	70	20	-	<5	-	
138	T-26 78	898.4 ~ 900.9	2.5	-	1	100	20	200	30	-	8	<10	
139	T-26 79	900.9 ~ 903.4	2.5	-	<1.0	50	15	80	30	-	10	<10	
140	T-26 80	903.4 ~ 905.9	2.5	-	<1.0	30	10	50	20	-	6	<10	
141	T-26 81	905.9 ~ 909.7	3.8	-	<1.0	50	10	70	40	-	6	<10	
142	T-26 82	909.7 ~ 912.2	2.5	-	<1.0	40	10	60	20	-	5	-	
143	T-26 83	912.2 ~ 914.7	2.5	-	<1.0	30	10	100	30	-	6	<10	
144	T-26 84	914.7 ~ 917.2	2.5	-	<1.0	20	10	70	30	-	7	<10	
145	T-26 85	917.2 ~ 919.7	2.5	-	<1.0	30	15	100	30	-	8	<10	
146	T-26 86	919.7 ~ 922.2	2.5	-	<1.0	40	15	100	50	-	7	<10	
147	T-26 87	922.2 ~ 924.5	2.3	10	<1.0	50	15	70	40	-	7	-	
148	T-26 88	924.5 ~ 927.0	2.5	-	<1.0	80	30	80	50	-	8	-	
149	T-26 89	927.0 ~ 930.0	3.0	-	<1.0	100	20	100	40	-	10	<10	
150	T-26 90	257.7 ~ 258.5	0.8	100	1	100	30	100	50	-	10	<10	

Appendix 2-7(2) Assay Results of Rock Samples(Bulutkan Trenches 6/24)

Ser.no.	Sampl.no.	Position(m)	Length(m)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
151	T-2G 91	264.3 ~ 270.0	5.7	5	<0.5	70	8	<50	20	-	5	-	
152	T-2G 92	270.0 ~ 275.0	5.0	70	1	100	6	70	50	-	10	-	
153	T-2G 93	275.0 ~ 277.0	2.0	5	<0.5	80	8	400	30	-	5	-	
154	T-2G 94	277.0 ~ 282.0	5.0	20	1.5	100	5	150	30	-	6	-	
155	T-2G 95	282.0 ~ 286.3	4.3	10	1.5	100	8	80	30	-	5	<10	
156	T-2G 96	286.3 ~ 287.9	1.6	15	0.5	60	10	60	20	-	6	<10	
157	T-2G 97	290.0 ~ 291.3	1.3	8	1.5	100	8	70	30	-	15	<10	
158	T-2G 98	314.0 ~ 320.0	6.0	10	1	150	15	70	60	-	10	<10	
159	T-3G 1	170.0 ~ 172.5	2.5	60	<0.5	50	20	70	40	-	6	<10	
160	T-3G 2	172.5 ~ 175.0	2.5	20	<0.5	80	10	80	40	-	10	-	
161	T-3G 3	175.0 ~ 177.5	2.5	10	3	50	15	50	80	-	5	-	
162	T-3G 4	177.5 ~ 180.0	2.5	<5	0.5	100	15	60	40	-	<5	<10	
163	T-3G 5	180.0 ~ 182.5	2.5	<5	<0.5	150	10	70	30	-	5	-	
164	T-3G 6	182.5 ~ 185.0	2.5	10	0.5	80	20	60	50	-	6	<10	
165	T-3G 7	185.0 ~ 187.5	2.5	100	0.5	100	100	100	60	-	6	-	
166	T-3G 8	187.5 ~ 190.0	2.5	-	0.5	80	15	60	50	-	5	-	
167	T-3G 9	190.0 ~ 192.2	2.2	10	0.5	70	15	70	40	-	5	-	
168	T-3G 10	303.0 ~ 306.0	3.0	-	0.6	50	30	80	40	-	5	-	
169	T-3G 11	318.0 ~ 320.5	2.5	70	1.5	70	50	80	20	-	6	-	
170	T-3G 12	320.5 ~ 324.0	3.5	8	1	70	80	400	60	-	5	-	
171	T-3G 13	324.0 ~ 326.3	2.3	40	0.6	80	300	300	30	-	6	-	
172	T-3G 14	326.3 ~ 328.8	2.5	30	0.8	100	40	150	30	-	6	-	
173	T-3G 15	328.8 ~ 331.3	2.5	100	1	100	50	80	50	-	7	-	
174	T-3G 16	331.3 ~ 333.8	2.5	10	0.5	80	30	60	40	-	6	<10	
175	T-3G 17	339.8 ~ 341.0	1.2	-	<0.5	40	20	50	20	-	<5	-	
176	T-3G 18	343.5 ~ 346.0	2.5	10	0.5	50	40	80	50	-	<5	-	
177	T-3G 19	346.0 ~ 348.5	2.5	6	<0.5	40	40	60	30	-	5	-	
178	T-3G 20	348.5 ~ 351.0	2.5	10	0.6	60	20	70	40	6	<5	<10	
179	T-3G 21	351.0 ~ 355.7	4.7	<5	<0.5	30	10	100	30	-	<5	-	
180	T-3G 22	355.7 ~ 360.3	4.6	<5	<0.5	60	20	70	30	-	5	-	

Appendix 2-7(2) Assay Results of Rock Samples (Bujurukan Trenches 1/24)

Ser. no.	SamO.no.	Position(m)	Length(m)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
181	T-3G 23	372.0 ~ 374.5	2.5	8	0.6	100	30	100	30	-	7	<10	
182	T-3G 24	374.5 ~ 377.0	2.5	10	1.5	200	20	50	50	-	6	<10	
183	T-3G 25	377.0 ~ 379.5	2.5	5	0.8	100	8	80	40	-	6	<10	
184	T-3G 26	379.5 ~ 382.0	2.5	<5	0.8	100	10	80	40	-	6	<10	
185	T-3G 27	382.0 ~ 384.5	2.5	<5	0.6	150	20	50	40	-	5	-	
186	T-3G 28	384.5 ~ 388.6	4.1	8	0.8	150	15	60	30	-	5	-	
187	T-3G 29	310.6 ~ 315.0	4.4	-	0.8	100	10	80	40	-	10	<10	
188	T-3G 30	315.0 ~ 318.6	3.6	15	0.6	80	30	80	40	-	7	-	
189	T-3G 31	319.1 ~ 321.5	2.4	6	<0.5	50	10	50	40	-	5	-	
190	T-3G 32	324.3 ~ 326.8	2.5	6	<0.5	60	10	60	40	-	5	-	
191	T-3G 33	326.8 ~ 329.3	2.5	<5	<0.5	60	10	50	30	-	6	-	
192	T-3G 34	329.3 ~ 331.8	2.5	<5	<0.5	60	10	50	30	-	5	<10	
193	T-3G 35	331.8 ~ 334.3	2.5	10	<0.5	70	15	50	40	-	5	-	
194	T-3G 36	334.3 ~ 336.8	2.5	<5	0.5	70	15	50	40	-	5	-	
195	T-3G 37	336.8 ~ 338.5	1.7	5	<0.5	60	10	50	40	-	6	-	
196	T-3G 38	338.5 ~ 341.5	3.0	6	<0.5	50	40	50	40	-	5	-	
197	T-3G 39	341.5 ~ 344.0	2.5	10	<0.5	60	30	<50	40	-	8	-	
198	T-3G 40	344.0 ~ 346.5	2.5	8	<0.5	70	15	<50	40	-	5	-	
199	T-3G 41	346.5 ~ 349.0	2.5	10	<0.5	200	10	50	30	-	<5	-	
200	T-3G 42	349.0 ~ 351.5	2.5	10	<0.5	150	10	50	40	-	7	<10	
201	T-3G 43	351.5 ~ 355.5	4.0	8	<0.5	100	15	50	30	-	6	<10	
202	T-3G 44	355.5 ~ 360.2	4.7	6	<0.5	80	30	100	40	-	5	<10	
203	T-3G 45	361.0 ~ 366.0	5.0	<5	<0.5	100	10	80	40	-	5	-	
204	T-3G 46	371.0 ~ 377.0	6.0	<5	<0.5	100	8	60	30	-	5	-	
205	T-3G 47	377.0 ~ 382.0	5.0	10	0.5	100	10	150	40	-	5	-	
206	T-3G 48	382.0 ~ 384.0	2.0	-	0.5	150	30	150	60	-	<5	-	
207	T-3G 49	388.0 ~ 393.0	5.0	10	0.5	60	30	70	30	-	5	-	
208	T-3G 50	395.0 ~ 400.0	5.0	8	<0.5	80	30	70	30	-	8	-	
209	T-3G 51	400.0 ~ 405.0	5.0	30	0.5	150	70	80	40	-	20	-	
210	T-3G 52	405.0 ~ 410.0	5.0	10	0.5	200	40	80	50	-	8	-	

Appendix 2-7(2) Assay Results of Rock Samples(Bulutkan Trenches 8/24)

Ser.no.	Same.no.	Position(m)	Length(m)	Au(ppb)	Ag(ppm)	Cu(ppm)	Pb(ppm)	Zn(ppm)	As(ppm)	Bi(ppm)	Mo(ppm)	W(ppm)	Discriptions
211	T-3G 53	410.0 ~ 415.0	5.0	-	<0.5	70	40	100	20	-	-	<5	-
212	T-3G 54	415.0 ~ 417.7	2.7	-	0.6	100	30	70	30	-	-	8	-
213	T-3G 55	417.7 ~ 420.2	2.5	-	<0.5	80	50	80	30	-	-	20	-
214	T-3G 56	420.2 ~ 422.7	2.5	-	0.5	70	30	70	70	-	-	30	-
215	T-3G 57	422.7 ~ 425.0	2.3	-	<0.5	80	20	100	20	-	-	20	-
216	T-3G 58	425.0 ~ 428.0	3.0	-	0.6	100	20	80	20	-	-	7	-
217	T-3G 59	428.0 ~ 433.0	5.0	40	1.5	150	10	150	20	-	-	5	-
218	T-3G 60	433.0 ~ 438.0	5.0	40	0.7	70	30	100	30	-	-	30	-
219	T-3G 61	438.0 ~ 441.5	3.5	40	0.5	100	30	200	30	-	-	50	-
220	T-3G 62	441.5 ~ 443.5	2.0	30	0.7	100	20	400	40	-	-	30	-
221	T-3G 63	443.5 ~ 449.0	5.5	30	1.5	400	10	300	30	-	-	6	-
222	T-3G 64	450.0 ~ 455.0	5.0	15	2	100	10	150	30	-	-	5	-
223	T-3G 65	455.0 ~ 456.0	1.0	30	3	100	20	150	40	-	-	7	-
224	T-3G 66	458.0 ~ 460.0	2.0	5	1.5	80	8	100	30	-	-	6	-
225	T-3G 67	471.0 ~ 476.0	5.0	20	0.7	150	20	70	30	-	-	5	-
226	T-3G 68	476.0 ~ 481.0	5.0	10	1	100	10	100	30	-	-	10	-
227	T-3G 69	481.0 ~ 486.0	5.0	20	0.8	70	8	50	20	-	-	6	-
228	T-3G 70	486.0 ~ 491.0	5.0	6	0.7	100	8	50	20	-	-	6	<10
229	T-3G 71	491.0 ~ 496.0	5.0	20	1	70	8	50	30	-	-	7	-
230	T-3G 72	496.0 ~ 500.0	4.0	<5	0.8	80	5	70	20	-	-	5	-
231	T-3G 73	503.0 ~ 506.0	3.0	5	1	60	10	60	20	-	-	7	-
232	T-3G 74	506.0 ~ 508.5	2.5	-	1.5	70	7	80	30	-	-	7	-
233	T-3G 75	508.5 ~ 511.0	2.5	20	2	500	20	70	40	-	-	8	-
234	T-3G 76	511.0 ~ 513.5	2.5	15	1.5	300	20	80	30	-	-	8	-
235	T-3G 77	513.5 ~ 518.0	4.5	5	1	100	30	80	50	-	-	50	-
236	T-3G 78	531.0 ~ 532.5	1.5	6	1	70	6	70	20	-	-	5	<10
237	T-3G 79	542.0 ~ 549.5	7.5	-	1	100	8	100	20	-	-	6	-
238	T-3G 80	549.5 ~ 555.0	5.5	10	1	150	10	200	40	-	-	6	-
239	T-3G 81	555.0 ~ 560.0	5.0	6	1.5	80	15	100	30	-	-	6	-
240	T-3G 82	560.0 ~ 564.9	4.9	20	2	70	80	70	80	-	-	8	-