

Fig. 13-23 Land Use Temporal Change (1987 - 1992)




Fig. 13-25 Location of Water Sources for Potable Water




Fig. 13-26 Location of Channel Water Survey

Intake Point and St. 4 ~ St. 10




Fig. 13-27 Change of Water Discharge from Channels




Fig. 13-28 Change of TIN Load from Channels




Fig. 13-29 Change of Phosphorous Load from Channels




Fig. 13-30 Water Intaking to the Plantation at TOMA Point




Fig. 13-31 Water Introducing to the Tributary of Channels




Fig. 13-32 Water Stored in Channel named the Queb Cacao





Fig. 13-33 History on Coastal Topographical Movement at Paquita River Mouth



(1953)



(1982)

Fig. 13-34 Aerophotographs of Paquita River Mouth from 1953 to 1982




Fig. 13-35 Movement of Damas Sand Bank from 1947



Fig. 13-36 Current Situation of Playa Coast near Quepos City




Fig. 13-37 Fishing Ground in Quepos Area





Fig. 13-39 (a) Seasonal Salinity Change Record at Shrimp Breeding Pond





Fig. 13-39 (b) Seasonal Salinity Change Record at Shrimp Breeding Pond






Fig. 13-40 Tourism Development Plan at Puntarenanse Area







REPUBLIC OF COSTA RICA	
LOS LLANOS HYDROELECTRIC POWER DEVELOPMENT PROJECT	
Facility Arrangement Plan	
Fig. 13 - 41	Date:




Fig. 13-42 Transmission Route




Fig. 13-44 Diffusion Area of Paqueta River Water to Sea




Fig. 13-45 Supply of Organic Matter from Mangrove Leaves and Food Chains





Fig. 13-46 Interrelationships between major Physico-Chemical Factors and the Extent and Nature of the Mangrove Plant Cover




Fig. 13-47 Scale on Salinity Tolerance





Figure 20 Growth (measured as grams of dry weight per plant) of *Avicennia marina* at various seawater concentrations over varying periods (24 months - B. Clough; 11 months - Downton 1982; 6 months - C.D. Field).




Figure 24 Results of model simulation of Florida mangrove ecosystem. Rates of gross photosynthesis and level of nutrients in system with initial conditions of high nutrient level, mean rates of metabolism and three rates of nutrient input. The response in the mangrove biomass of the system is shown for the same conditions (after Lugo, Sell and Snedaker 1976).






Fig. 13-50 Water Flow changes at St.4 and from Channels in plantation



- 27/02/95
- 01/03/95
- × 28/02/95
- ▲ 29/03/95

Fig. 13-51 Relationships between Salinity in Estero Negro and Water Flow Rate from Channel






Fig. 13-52 Relationships between Salinity in Naranjo River Mouth and Water Flow rate at Londres Point

} from Landsat Images



1 m³/sec(86400 m³/day) r = 935 m

2 m³/sec(172800 m³/day) r = 1430 m

4 m³/sec(350000 m³/day) r = 2190 m

Fig. 13-53 Diffusion of River Water from Naranjo River

Table 13-1 Monthly Records of Precipitation (from ICE)

Month	mm		
	Baltolo	llorona	Naranjillo
1	70.3	72.2	124.3
2	30.6	38.8	119.4
3	71.0	71.3	131.2
4	157.2	161.4	387.6
5	423.9	426.2	827.8
6	412.2	399.7	803.0
7	451.4	442.3	738.9
8	523.3	528.7	880.3
9	553.3	599.1	909.8
10	641.6	647.2	1026.7
11	398.8	387.9	515.5
12	149.7	145.4	204.5
Annual	3876.3	3916.7	6634.7

* Bartolo, Llorona : 1970-1989

Naranjillo : 1981-1991

** ICE (1993)

Table 13-2 Detailed Data of Precipitation

(Baltolo)													(mm)
Year	1	2	3	4	5	6	7	8	9	10	11	12	Annual
1941	5.1	77.5	20.3	170.7	266.4	116.1	489.0	451.4	589.0	319.0	345.4	187.7	3,037.6
1942	0.0	11.7	190.5	217.9	593.6	646.4	217.9	369.1	435.1	1,093.7	607.6	58.9	4,442.4
1943	91.7	0.0	0.0	102.9	374.7	369.6	271.8	423.4	283.2	793.8	387.4	92.7	3,191.2
1944	31.8	0.0	30.2	278.9	318.5	504.7	415.8	509.3	561.8	619.0	191.3	109.5	3,570.8
1945	160.8	0.0	3.8	264.7	442.0	359.2	393.2	375.7	252.2	678.4	314.5	153.9	3,398.4
1946	98.6	0.0	0.0	35.1	374.9	131.3	156.7	162.3	412.8	619.3	350.8	216.2	2,558.0
1947	19.6	0.0	ND	ND	ND	449.3	832.9	315.2	364.7	826.5	384.3	273.6	3,466.1
1948	60.2	ND	28.7	ND	ND	323.6	332.7	355.6	604.5	506.5	403.4	111.8	2,727.0
1949	45.7	4.6	19.6	170.4	495.6	485.6	732.3	614.4	373.4	816.6	242.6	304.8	4,305.6
1950	62.2	6.4	65.5	101.6	285.8	564.1	425.5	468.6	398.5	564.4	423.7	172.2	3,538.5
1951	84.3	30.7	3.0	84.6	267.2	300.7	585.2	317.5	332.5	381.0	254.3	88.1	2,729.1
1952	10.9	6.4	30.0	117.9	548.4	566.2	368.8	571.5	369.8	573.5	342.1	132.6	3,638.1
1953	130.8	11.4	0.0	221.5	549.9	350.5	271.8	273.1	464.8	449.6	442.0	214.6	3,380.0
1954	5.1	40.6	36.6	135.9	571.8	525.8	378.5	397.5	464.8	936.2	303.5	98.6	3,894.9
1955	53.3	2.5	0.0	78.7	440.7	487.2	840.7	492.5	442.7	1,528.6	808.0	723.1	5,898.0
1956	183.4	ND	27.7	161.8	545.1	420.1	369.6	556.3	527.1	1,077.2	744.5	87.6	4,700.4
1957	12.7	0.0	0.0	42.4	465.3	369.3	503.2	405.6	207.8	461.0	309.9	83.3	2,860.5
1958	79.2	12.7	120.9	188.5	396.7	425.5	395.2	590.0	510.0	321.1	398.8	201.9	3,640.5
1959	88.6	28.4	17.8	85.9	295.4	528.8	486.4	424.4	407.2	601.7	328.4	22.1	3,315.1
1960	54.6	33.8	49.5	98.6	420.9	289.8	486.7	646.4	317.5	1,392.7	358.9	30.5	4,179.9
1961	41.1	56.6	28.4	167.9	175.0	464.8	463.6	614.7	555.0	414.3	444.0	189.5	3,614.9
1962	0.0	0.8	6.1	264.7	503.9	665.2	410.7	260.4	670.1	654.1	152.4	191.0	3,779.4
1963	97.8	36.8	2.0	157.7	190.0	404.9	540.3	324.1	371.1	719.3	581.7	45.5	3,471.2
1964	26.4	19.8	47.8	300.2	279.9	688.8	401.6	720.6	428.2	730.8	481.1	150.9	4,276.1
1965	110.5	29.5	6.4	34.3	210.1	296.2	381.0	293.6	539.0	618.0	194.3	150.4	2,863.3
1966	78.5	49.8	142.2	151.1	688.6	518.7	472.2	617.5	487.9	815.8	167.1	292.6	4,482.0
1967	63.2	19.6	63.5	166.9	309.9	632.5	596.4	516.1	703.8	357.6	704.1	420.6	4,554.2
1968	120.9	142.7	41.7	127.3	384.5	544.6	423.2	645.9	475.7	150.3	374.7	84.6	3,516.1
1969	15.3	72.6	46.8	128.0	455.0	423.8	210.4	505.0	410.9	1,077.3	464.9	156.0	3,966.0
1970	185.9	104.5	157.6	159.9	377.8	452.7	639.8	919.6	625.2	778.7	281.4	206.5	4,889.6
1971	116.9	3.8	112.0	92.1	557.4	610.0	351.6	543.8	684.5	538.7	240.7	44.0	3,895.5
1972	242.9	0.0	39.4	62.3	473.6	58.1	275.1	341.6	408.6	271.1	380.1	161.7	2,714.5
1973	9.1	14.8	51.8	139.3	445.6	51.8	478.4	901.9	341.5	698.7	401.5	101.9	3,636.3
1974	180.5	0.0	105.9	150.4	623.5	470.7	481.4	429.6	589.7	1,148.2	309.0	44.7	4,533.6
1975	46.4	57.9	ND	137.5	639.5	389.8	609.1	395.4	770.9	425.7	1,023.4	425.7	4,921.3
1976	24.4	0.0	0.0	217.4	340.6	921.7	361.9	419.6	587.8	657.9	272.3	145.5	3,949.1
1977	30.2	49.5	97.3	97.3	186.4	461.0	546.9	491.5	556.0	281.9	482.9	96.8	3,377.7
1978	3.8	19.3	61.1	178.1	652.4	344.9	601.1	759.0	371.1	839.2	413.6	110.6	4,354.2
1979	58.4	22.7	123.0	183.9	459.2	444.3	284.8	609.4	409.6	833.2	238.7	79.5	3,746.7
1980	213.9	16.0	3.8	250.7	341.3	455.4	411.3	366.3	732.7	603.9	466.2	158.9	4,020.4
1981	0.0	92.4	16.4	537.0	650.2	608.4	517.8	704.2	372.6	562.6	608.0	144.2	4,813.8
1982	80.4	19.0	74.4	176.1	563.3	188.7	353.2	288.0	654.5	424.5	92.9	27.2	2,942.2
1983	3.7	8.5	ND	42.4	76.5	186.2	191.0	243.5	355.4	268.6	378.0	122.2	1,876.0
1984	71.4	22.6	22.7	138.6	383.5	402.3	297.2	382.0	672.5	792.0	539.3	56.3	3,780.4
1985	13.7	7.1	23.0	78.6	346.4	408.7	393.9	560.8	859.6	1,365.4	255.5	347.9	4,660.6
1986	0.0	3.1	22.8	177.7	565.9	278.2	381.2	356.6	562.2	699.9	286.6	47.7	3,381.9
Total	3,113.9	1,136.1	1,940.2	6,875.4	18,532.9	19,586.2	20,029.0	21,930.5	22,515.5	31,287.5	18,175.8	7,366.1	172,489.1
PROM	67.7	25.8	45.1	156.3	421.2	425.8	435.4	476.8	489.5	680.2	395.1	160.1	3,778.9
D.S	62.5	31.9	47.8	88.5	147.3	170.9	150.5	166.6	144.9	307.7	178.8	127.9	759.8

Table 13-3 Monthly Average Inflow at Los Llanos Site

Catchment Area : 148.7 km²
 Q2802= 1.04128 * Q2801 - 0.81483 r = 0.95 Q95%(347th.day) = 3.91 m³/s
 Unit : m³/s

Year	May	Jun.	Jul.	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Average
1971	25.32	36.54	26.57	36.09	41.78	32.31	23.17	11.72	10.91	6.24	4.61	8.19	21.98
1972	16.27	13.97	13.59	16.35	18.83	25.27	21.37	12.35	6.42	4.70	4.30	6.16	13.35
1973	11.20	24.67	22.53	30.33	33.95	38.43	19.52	15.51	17.40	6.90	4.93	6.10	19.12
1974	16.24	26.10	17.97	20.05	26.29	34.88	20.47	9.24	6.11	4.63	4.58	5.25	15.99
1975	16.79	18.55	19.61	24.69	30.63	30.51	27.14	12.85	7.50	4.49	3.59	4.08	16.78
1976	9.07	14.71	11.92	12.78	20.09	23.82	15.99	8.66	5.38	4.32	3.94	4.64	11.31
1977	9.34	14.56	11.02	21.06	23.54	27.46	22.17	11.27	5.98	4.47	4.23	8.99	13.67
1978	12.42	19.47	19.73	22.81	26.74	30.42	21.08	11.62	6.89	5.05	4.52	7.46	15.74
1979	17.92	19.44	18.13	21.06	28.31	30.33	20.79	11.91	8.53	5.67	4.20	6.23	16.12
1980	13.20	18.52	18.76	18.92	21.26	24.46	26.42	12.68	7.83	5.62	5.05	8.65	15.11
1981	24.89	27.85	18.99	23.74	18.59	23.72	20.60	10.05	8.52	5.57	5.63	7.11	16.34
1982	19.45	14.59	14.67	14.71	18.03	21.30	12.62	6.49	4.50	4.27	4.95	5.47	11.81
1983	7.33	13.93	11.26	14.17	22.53	27.05	26.73	14.58	8.24	6.95	5.92	6.05	13.73
1984	17.48	21.79	24.60	20.57	24.57	27.75	22.79	9.32	5.02	3.86	3.16	3.62	15.44
1985	11.25	17.10	17.64	23.74	26.41	32.10	22.71	16.98	7.86	4.74	3.73	4.83	15.83
1986	13.31	17.77	17.10	15.02	18.16	25.98	17.37	8.66	5.30	3.99	3.30	5.12	12.61
1987	13.67	15.66	19.59	23.22	18.08	19.43	15.37	9.41	5.71	4.00	3.48	4.02	12.71
1988	11.15	18.94	19.80	27.91	35.41	31.86	15.89	8.84	5.73	3.53	2.80	3.64	15.52
1989	12.09	14.23	14.45	20.48	27.57	22.30	16.91	15.68	8.22	5.28	4.68	6.39	14.03
1990	16.25	19.67	20.17	20.38	21.96	29.29	21.14	13.70	10.81	5.62	4.33	6.29	15.87
1991	13.12	18.96	18.02	17.99	19.65	22.15	16.88	11.40	6.35	5.49	3.79	4.32	13.24
1992	6.94	17.92	20.11	15.77	26.67	25.86	19.43	11.70	5.84	4.59	4.12	5.35	13.69
1993	16.89	19.13	17.16	19.18	29.06	22.28	14.14	9.65	6.09	4.76	4.03	3.93	13.90
Total	331.59	444.07	413.39	481.02	578.11	628.96	460.70	264.27	168.14	114.74	97.87	131.89	343.87
Average	14.42	19.31	17.97	20.91	25.14	27.35	20.03	11.49	7.31	4.99	4.26	5.73	14.95
Min.	6.94	13.93	11.02	12.78	18.03	19.43	12.62	6.48	4.50	3.53	2.80	3.62	11.31
Max.	25.32	36.54	26.57	36.09	41.78	38.43	27.14	16.98	14.40	6.95	5.92	8.99	21.98

Table 13-4 (a) Monthly Average Inflow at Londres Station

Catchment Area : 210.2 km² Annual Precipitation 6577 mm

Unit : m³/s

Year	May	Jun	Jul	Aug	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Average
1971	52.03	81.67	54.12	78.14	93.66	68.19	45.26	19.67	18.03	9.03	6.22	12.77	44.95
1972	29.57	24.29	23.50	29.56	35.06	50.45	40.98	20.96	9.35	6.37	5.71	9.31	23.86
1973	16.86	48.85	44.02	66.24	72.33	84.06	36.84	27.63	25.39	10.27	6.75	8.81	37.68
1974	29.44	52.49	33.26	38.29	52.86	74.67	39.01	14.70	8.79	6.26	6.18	7.36	30.31
1975	31.18	34.58	36.85	49.12	64.47	63.20	55.53	21.89	11.38	6.02	4.59	5.40	32.16
1976	14.89	25.84	19.99	21.80	38.24	47.18	28.73	13.55	7.51	5.75	5.17	6.31	19.64
1977	15.18	25.92	18.15	40.62	46.52	55.82	42.85	18.75	8.57	6.00	5.63	15.32	24.95
1978	21.15	36.61	37.02	44.36	53.83	63.39	40.44	19.42	10.19	6.94	6.08	11.61	29.37
1979	33.13	36.60	33.46	40.57	58.43	63.63	39.92	20.00	13.44	8.02	5.55	9.23	30.31
1980	22.85	34.75	35.52	35.34	40.81	48.28	53.11	21.58	11.95	7.93	6.96	13.86	27.74
1981	49.45	56.93	35.41	46.78	34.60	46.50	39.64	16.21	13.26	7.84	7.96	10.64	30.56
1982	37.02	25.59	25.89	25.87	33.55	40.85	21.44	9.46	6.04	5.68	6.83	7.69	20.60
1983	11.17	24.28	18.62	24.80	43.63	54.65	54.27	25.81	12.71	10.33	8.45	8.80	24.79
1984	32.61	42.00	48.60	38.97	48.55	55.26	44.47	14.86	6.90	5.00	3.91	4.70	29.03
1985	18.86	31.10	32.48	46.97	52.97	67.82	44.53	31.11	12.02	6.44	4.79	6.63	29.79
1986	24.30	32.65	31.08	26.52	33.48	51.99	31.67	13.55	7.39	5.21	4.13	7.16	22.46
1987	23.68	28.00	36.74	45.21	33.26	36.45	27.42	14.98	8.08	5.21	4.42	5.30	22.54
1988	18.62	35.86	37.28	56.83	77.21	67.31	28.70	13.88	8.14	4.48	3.38	4.74	29.83
1989	20.32	24.89	25.28	38.83	55.92	43.08	30.66	28.18	12.68	7.35	6.33	9.43	25.27
1990	29.32	36.89	38.27	38.70	42.23	60.35	40.56	23.75	17.73	7.95	5.75	9.20	29.37
1991	22.55	35.38	33.16	33.42	36.92	42.84	30.78	19.12	9.20	7.71	4.88	5.75	23.59
1992	10.43	33.18	37.96	28.14	53.85	51.66	36.38	19.70	8.31	6.11	5.83	8.57	25.01
1993	27.18	23.56	25.20	40.86	59.83	50.03	28.62	14.34	8.20	5.33	4.95	7.03	24.70
Total	593.79	831.91	761.86	935.94	1162.21	1288.66	881.81	443.10	255.26	157.23	130.45	195.62	638.50
Average	25.82	36.17	33.12	40.69	50.53	56.03	38.34	19.27	11.10	6.84	5.67	8.51	27.76
Min.	10.43	23.56	18.15	21.80	33.26	36.45	21.44	9.46	6.04	4.48	3.38	4.70	19.64
Max.	52.03	81.67	54.12	78.14	93.66	84.06	55.53	31.11	25.39	10.33	8.45	15.32	44.95

Table 13-4 (b) Results on Water Flow rate Measurement:(1994-1995)

Date	m ³ /sec		
	Los Llanos	Londres	Brujo
14/04/94	2.80	4.70	
27/04/94	3.05	6.20	
11/05/94	4.30	9.10	
08/06/94	8.00	15.30	
13/07/94	13.60	37.90	
31/08/94	18.30	30.30	
14/09/94	28.30	49.30	
30/11/94	14.60	28.80	
14/12/94	8.80	15.20	2.51
05/01/95	6.45	8.67	1.67
19/01/95	4.97	7.10	1.13
02/02/95	4.77	6.73	1.44
09/03/95	3.03	4.15	0.44
22/03/95	4.01	5.84	
05/04/95	4.60	12.20	5.44

Table 13-5 Water Quality at P.H. Los Llanos Point

items*	(mg/l)				
	ph	DO	BOD	PO ₄ -P	NO ₃ -N
Max.	7.95	11.80	2.22	0.59	0.99
Min.	7.35	7.96	0.32	0.10	0.08
Mean	7.70	8.65	0.96	0.20	0.47

*1992-5samples,1993-12samples.

Table 13-6 Water Quality of Paquita River

Month	(mg/l)				
	ph	DO	BOD	PO ₄ -P	NO ₃ -N
September	7.26	7.77	0.70	0.42	0.02

Table 13-7 Concentration of Nutrients and BOD in river Water (mg/l)

Date/Items	Brujo	SP.LLanos	Londres	Paquita
02-09/02/95				
BOD	1.900	1.170	1.300	0.220
PO ₄ -P	0.070	0.070	0.060	0.090
T-P	0.110	0.140	0.090	0.180
O-P	0.040	0.070	0.030	0.090
NH ₄ -N	0.003	0.007	0.017	0.019
NO ₂ -N	0.004	0.012	0.008	0.007
NO ₃ -N	<0.001	<0.001	<0.001	0.002
TIN	0.007	0.019	0.025	0.028
15-22/02/95				
BOD	0.640	-	1.720	1.000
PO ₄ -P	0.110	-	0.070	0.090
T-P	0.120	-	0.110	0.120
O-P	0.010	-	0.040	0.030
NH ₄ -N	0.012	-	0.018	0.032
NO ₂ -N	0.005	-	0.007	0.009
NO ₃ -N	0.001	-	<0.001	<0.001
TIN	0.018	-	0.025	0.041
29/03/95				
BOD	0.590	0.540	0.770	1.900
PO ₄ -P	0.090	<0.01	0.070	0.090
T-P	0.070	0.130	0.120	0.150
O-P	-	0.130	0.050	0.060
NH ₄ -N	<0.001	0.063	0.003	<0.001
NO ₂ -N	<0.001	0.004	0.002	0.001
NO ₃ -N	0.001	<0.001	<0.001	0.001
TIN	0.001	0.067	0.005	0.002
27/04/95				
BOD	0.660	0.070	0.680	0.400
PO ₄ -P	0.100	0.060	0.100	0.130
T-P	0.160	0.130	0.170	0.310
O-P	0.060	0.070	0.070	0.180
NH ₄ -N	0.062	0.073	0.064	0.087
NO ₂ -N	0.001	<0.001	0.001	<0.001
NO ₃ -N	0.001	<0.001	0.001	<0.001
TIN	0.064	0.073	0.066	0.087
28/06/95				
BOD	-	1.400	1.360	-
PO ₄ -P	-	0.160	0.110	-
T-P	-	0.270	0.260	-
O-P	-	0.110	0.150	-
NH ₄ -N	-	<0.001	<0.001	-
NO ₂ -N	-	0.002	0.001	-
NO ₃ -N	-	0.001	0.001	-
TIN	-	0.003	0.002	-

Table 13-8 Groundwater Level Change and Water Quality

Station	Date	Time	WaterLevel(m)	Cl(mg/l)	NO ₃ -N(mg/l)	PO ₄ -P(mg/l)
W-1	21/2	9:45	2.45	1,250.00	5.70	0.050
W-2	21/2	10:50	2.46	790.00	2.12	0.002
W-3	21/2	12:00	2.35	10.30	0.06	1.220
W-4	21/2	12:50	2.56	6.42	-0.01	0.110
W-5	21/2	14:10	2.37	0.12	ND	0.020
W-6	21/2	15:40	4.84	1.16	-0.01	0.310
W-1	28/3	12:30	2.72	4,200.00	ND	ND
W-2	28/3	13:35	2.18	2,100.00	ND	ND
W-3	28/3	14:30	2.15	10.00	0.20	ND
W-4	28/3	16:30	2.25	3.90	0.40	ND
W-5	28/3	16:55	2.90	1.20	1.10	ND
W-6	28/3	17:20	4.90	1.50	3.00	ND
W-1	26/4	15:45	2.52			
W-2	26/4	16:00	2.23			
W-3	26/4	16:30	1.25			
W-4	26/4	16:55	1.56			
W-5	26/4	17:25	2.55			
W-6	26/4	17:50	4.00			

notes: Water levels are relative value measured from top of wells.

Table 13-9 Fish Species Found at Naranjo and Paquita River

Species	Naranjo	Paquita	Remarks
Poeciliidae			
<i>Poecilia gilli</i>	○	○	Altitude 10~1220m
<i>Pocillioptis turrubatrensis</i>		○	Altitude 0~120m
Eleotridae			
<i>Gobiomorus maculatus</i>	○	○	Altitude 0~115m
<i>Hemieleotris latifasciatus</i>	○	○	Altitude 5~110m
<i>Dormitator latifrons</i>	○		Altitude 0~30m
Gobiidae			
<i>Awaous transandeanus</i>	○	○	Altitude 0~120m
Hemulidae			
<i>Pomadasys batanus</i>	○	○	Altitude 0~640m
Cichlidae			
<i>Cichlasoma longimanus</i>	○	○	Altitude 0~100m
<i>Cichlasoma sp.</i>		○	Altitude 0~100m
<i>Cichlasoma seiboklii</i>	○	○	Altitude 10~840m
Characidae			
<i>Astyanax fasciatus</i>	○	○	Altitude 0~100m
<i>Brycon behreac</i>	○	○	Altitude 10~640m
<i>Cheirodon terrabae</i>	○	○	Altitude 10~680m
<i>Roebooides ilseae</i>	○	○	Altitude 10~660m
Mugilidae			
<i>Mugil cephalus</i>	○		Only living in river mouth and Estero Negro
Lutjanidae			
<i>Lutjanus movemfasciatus</i>	○		
<i>Lutjanus argentiventris</i>	○		
Centropomidae			
<i>Centropomus robalito</i>	○		

*May 1995.

Table 13-10 Classification of Sea Turtle Landing Site

	Area	Species	Priority
1	PIRO	POR CONFIRMAR	3
2	CARATE	POR CONFIRMAR	3
3	MADRIGAL	POR CONFIRMAR	3
4	DOMINICAL	NINGUNA	4
5	BARU	L.o.	2
6	HATILLO	POR CONFIRMAR	2
7	SAVEGRE	POR CONFIRMAR	2
8	MATAPALO	POR CONFIRMAR	2
9	MANUEL ANTONIO	L.o., CH.a.	3
10	PALO SECO	L.o., D.c.	3
11	ESTERILLOS	POR CONFIRMAR	2
12	PUNTA MALA	L.o.	2
13	HERHOSA SUR	D.c.	2
14	CURU	POR CONFIRMAR	3
15	HUERTO	POR CONFIRMAR	3
16	POCHOTE	POR CONFIRMAR	3
17	TANBOR	POR CONFIRMAR	3
18	MONTEZUMA	POR CONFIRMAR	4
19	COCAL	POR CONFIRMAR	3
20	MAL PAIS	POR CONFIRMAR	3
21	CALETA	POR CONFIRMAR	2
22	COYOTE	L.o.	2
23	JAVILLA	L.o.	2
24	BEJUCO	POR CONFIRMAR	4
25	ISLITA	POR CONFIRMAR	2
26	CAMARONAL	POR CONFIRMAR	2
27	CARRILLO	NINGUNA	4
28	SAMARA	NINGUNA	4
28	GARZA	NINGUNA	4
29	GUIDONES	NINGUNA	4
30	NOSARA	POR CONFIRMAR	3
31	SAN JUANILLO	POR CONFIRMAR	3
32	JUNQUILLAL	POR CONFIRMAR	3
33	AVELLANAS	L.o., D.c.	2
34	LANGOSTA	L.o., D.c.	1
35	TAMARINDO	POR CONFIRMAR	4
36	GRANDE	L.o., D.c.	1
37	REAL	CH.a.	2
38	NOMBRE DE JESUS	L.o., CH.a., D.c.	1

L. olivacea C. agassizi D. coriacea E. imbricata

Table 13-11 Endangered Species of Tree

Family	Species	General Name
A. Grade (A)		
<i>Bignoniaceae</i>	<i>Tabebuia guayacán</i>	guayacán
<i>Boraginaceae</i>	<i>Cordia gerascanthus</i>	laurel negro
<i>Caesalpiniaceae</i>	<i>Copaifera sp (*)</i> <i>Mora oleifera</i>	camfbar alcomoque
	<i>Tachigalia versicolor</i>	pellejode toro
<i>Caryocaraceae</i>	<i>Anthodiscus sp (*)</i> <i>Caryocar costaricense</i>	ajo negro ajo
<i>Fabaceae</i>	<i>Myroxylon balsamum</i> <i>Paramachaerium gruberi</i>	bálsamo chirraco sangrillo
<i>Humiriaceae</i>	<i>Humiriastrum diguense var. costaricense (.)</i> <i>Vantanea barbourii (+)</i>	níspero lorito chiricano
<i>Juglandaceae</i>	<i>Oreomunnea pterocarpa (+)</i>	gavilán
<i>Lauraceae</i>	<i>Caryodaphnopsis burgueri (+)</i>	cocobola
<i>Lecythidaceae</i>	<i>Couratari scoit-mori</i> <i>Lecythis ampla</i>	cachimbo olla de mono júcaro
<i>Meliaceae</i>	<i>Swietenia humilis</i>	caoba
<i>Mimosaceae</i>	<i>Parkia pendula</i> <i>Pithecelobium pseudo-tamarindus</i>	tamarindo de montaña cashá
<i>Moraceae</i>	<i>Batocarpus costaricensis</i> <i>Brosimum costaricanum (+)</i>	ojoche macho ojoche
<i>Podocarpaceae</i>	<i>Podocarpus guatemalensis</i>	ciprecillo, pinillo
<i>Zygophyllaceae</i>	<i>Guaiacum sanctum</i>	guayacán real
B. Grade (B)		
<i>Anacardiaceae</i>	<i>Astronium graveolens</i>	ron ron
<i>Caesalpiniaceae</i>	<i>Copaifera aromatica</i>	camfbar

(Continue)

	<i>Cynometra</i>	guapinol
	<i>hemitomophylla (+)</i>	negro
	<i>Peltogyne</i>	nazareno
	<i>purpurea</i>	
	<i>Prioria</i>	cativo
	<i>copaifera</i>	
<i>Fabaceae</i>	<i>Dalbergia</i>	cocobolo
	<i>retusa</i>	
	<i>Platymiscium</i>	crístóbal
	<i>pleiostachyum</i>	
	<i>Platymiscium</i>	cachimbo
	<i>polystachyum</i>	crístóbal
	<i>Dussia</i>	sangregao
	<i>macroprophyllata</i>	
<i>Fagaceae</i>	<i>Quercus</i>	roble
	<i>brenesii</i>	
	<i>Quercus</i>	roble
	<i>oocarpa</i>	
	<i>Quercus</i>	roble
	<i>tonduzii (+)</i>	
<i>Lecythidaceae</i>	<i>Cowatari</i>	cachimbo
	<i>panamensis</i>	
<i>Meliaceae</i>	<i>Cedrela</i>	cedro dulce
	<i>tonduzii (+)</i>	
<i>Mimosaceae</i>	<i>Lysiloma</i>	quebracho
	<i>divaricatum</i>	
<i>Oleaceae</i>	<i>Minquartia</i>	manú
	<i>guianensis</i>	
<i>Sapotaceae</i>	<i>Mastichodendron</i>	tempisque
	<i>capiri var.</i>	
	<i>tempisque</i>	
<i>Theaceae</i>	<i>Pelliciera</i>	mangle
	<i>ritophorae</i>	piñuela
<i>Vochysiaceae</i>	<i>Quelea aff.</i>	masicarán
	<i>paraensis</i>	areño
C. Grado (C)		
<i>Fagaceae</i>	<i>Quercus</i>	roble negro
	<i>costaricensis</i>	
<i>Magnoliaceae</i>	<i>Magnolia</i>	magnolia
	<i>poasana (+)</i>	
<i>Podocarpaceae</i>	<i>Podocarpus</i>	cipresillo
	<i>oleifolius</i>	
	<i>Prumnopitys</i>	cipresillo
	<i>standleyi (+)</i>	

(+) Especies Endémicas

(*) Especies nuevas para el país (?)

(.) Subespecie endémica

FUENTE: PROGRAMA DE PATRIMONIO NATURAL, FUNDACION NEOTROPICA

Preparado por: Quirico Jiménez M.

Revisado por: Luis J. Poveda

Nelson Zamora V.

Pablo E. Sánchez

Table 13-12 Flora in the Premontane Rain Forest (bp-P) Region

Species	Common Name
<i>Schyzolobium parahybum</i>	Gallonazo
<i>Symphonia globulifera</i>	Cerillo
<i>Albizzia carbonaria</i>	Carboncillo
<i>Calophyllum brasiliense</i>	Cedro maria
<i>Persea</i> sp	Aquacaton
<i>Ocotea</i> sp	Ira
<i>Protium Costaricensis</i>	Copal
<i>Brosimum alicastrum</i>	Ojoche
	Escobillo
<i>Cecropia obtusifolia</i>	Guarumo
<i>Croton gossypifolius</i>	Tarqua
	Guabo colorado
<i>Inga oerstediana</i>	Guaba
<i>Dendropanax arboreus</i>	Fosforillo
<i>Oreopanax xalapensis</i>	Papayillo
<i>Trema micrantha</i>	Capulin
<i>Heliocarpus appendiculatus</i>	Burio
<i>Pourouma aspera</i>	Chumico
<i>Piper nodosum</i>	Rabo raton
<i>Vismia ferruginea</i>	Achotillo
<i>Brosimum utile</i>	Baco
<i>Carapa quianensis</i>	Caobilla
<i>Garapa</i> sp	Cedro macho
<i>Dilodendron costaricense</i>	Comenegro
<i>Lonchocarpus</i> sp	Chaperno
	Colpalchi de montana
<i>Virola</i> sp	Fruta dorada
	Golondrino
<i>Ficus</i> sp	Hiqueron
<i>Guarea</i> sp	Ocora
<i>Batocarpus costaricensis</i>	Ojoche macho
<i>Hieronyma alchorneoides</i>	Pilon
<i>Nectandra</i> sp	Quizarra
<i>Pterocarpus hayesii</i>	Sangrillo
<i>Sapium</i> sp	Yos
<i>Pouteria</i> sp	Zapotillo
<i>Schyzolobium parahybum</i>	Gallinazo
<i>Symphonia globulifera</i>	Cerillo
<i>Albizzia</i>	Carbonallo
<i>Cedrela salvadorensis</i>	Cedro maria
<i>Persea</i> sp	Aquacaton
<i>Octoca</i> sp	Ira
<i>Mora megistoperma</i>	Mora
<i>Brosimum alicastrum</i>	Ojoche
<i>Cecropia obtusifolia</i>	Guarumo
<i>Croton draco</i>	Tarqua

Table 13-13 Flora in the Tropical West Forest (bmh-t) Region

Species	Common Name
<i>Simaruba glauca</i>	Aceituno
<i>Rollinia</i>	Anonillo
<i>Lonchocarpus</i> sp	Chaperno
<i>Phoebe</i> sp	Aquacatillo
<i>Ocotea Stenoneura</i>	Quizarra amarillo
<i>Brosimum utile</i>	Baco
<i>Luehea seemannii</i>	Guacimo colorado
	Escobillo
<i>Cupania glabra</i>	Cascua
<i>Ficus</i> sp	Chilamate
<i>Spondras mombin</i>	Jobo
<i>Croton niveus</i>	Colpalchi
<i>Batocarpus costaricensis</i>	Ojoche macho
<i>Pouteria viridis</i>	Zapote
<i>Chrysophyllum panamense</i>	Caimito
<i>Tabebuia rosea</i>	Roble sabana
<i>Ceiba pentandra</i>	Ceiba
<i>Delonix regia</i>	Malinche
<i>Croton</i> sp	Targua
<i>Gliricidia sepium</i>	Madero negro
<i>Erythrina costaricensis</i>	Poró
<i>Goethalsia meiantha</i>	Guacimo blanco
<i>Ochroma lagopus</i>	Balsa
<i>Tabebuia chrysantha</i>	Corteza
<i>Miquartia quianensis</i>	Manu
<i>Platymiscium polystachyum</i>	Cristobal
<i>Peltogyne purpurea</i>	Nazareno
<i>Albizia carbonaria</i>	Carboncillo
<i>Vochysia quatemalensis</i>	Mayo
<i>Hieronyma alchorneoides</i>	Pilon
<i>Cedrela odorata</i>	Cedro amargo
<i>Schyzolobium parahybum</i>	Gallinazo
<i>Carapa quianensis</i>	Caobilla
<i>Terminalia amazonia</i>	Amarillon
<i>Viltex cooperi</i>	Cuajada
<i>Cassia grandis</i>	Carao
<i>Anacardium excelsum</i>	Espavel
<i>Inga</i> sp	Guaba
<i>Diphysa robinoides</i>	Guachipelin
<i>Psidium</i> sp	Guayaba
<i>Zanthoxylum panamense</i>	Lagartillo
<i>Ficuz</i>	Higueron
<i>Cordia alliodora</i>	Laurel
<i>Bombacopsis pochota</i>	Pochote
<i>Hymenaea courbaril</i>	Guapinol
<i>Virola sebifera</i>	Fruta dorada
<i>Trema micrantha</i>	Capulin
<i>Piper</i> sp	Piper
<i>Cecropia insignis</i>	Guarumo
<i>Heliocarpus</i> sp	Burio
<i>Sapium aucuparium</i>	Yos
<i>Protium costaricensis</i>	Copal
<i>Dendropanax arboreus</i>	Fosforillo

Table 13-14 Trees existing in the Reservoir Area

Species	Common Name	Grade
<i>Brosimum utile</i>	Baco	
<i>Carapa guianensis</i>	Caobilla	
<i>Guarea</i> sp.	Cedro macho	
<i>Dilodendron costaricense</i>	Comenegro	
<i>Lonchocarpus</i> sp.	Chaperno	
	Copalchi de montana	
<i>Virola</i> sp.	Fruta dorada	
	Glondrino	
<i>Ficus</i> sp.	Higueron	
<i>Guarea</i> sp.	Ocora	
<i>Batocarpus costariensis</i>	Ojoche macho	A
<i>Hieronyma alchorneoides</i>	Pilon	
<i>Nectandra</i> sp.	Quizarra	
<i>Prterocarpus hayesii</i>	Sangrillo	
<i>Sapium</i> sp.	Yos	
<i>Pouteria</i> sp.	Zapotillo	

*Grade of Tree Species is categorized by the preciousness from rank A (quite important) to C (important).

Table 13-15 Plant Types at Dam Site (from ICE)

Family	Species
Papilionaceae	<u>Platymiscium sp.</u>
	Myroxilon balsamun
Bibnobiaceae	Tabebuia chrisantha
	Jacaranda copala
Mimosaceae	Acacia sp.
	Pentaclethra macroloba
Melastomaceae	Miconia sp.
Maraceae	Cecropia sp.
	Ficus sp.
Bombacaceae	Ochroma sp.
Anacardiaceae	Mangifera indica
Boraginaceae	Cordia alliodora
	Cordia nitida
Caesalpiaceae	Cassia emarginata L.
	Swartzia panamensis
Lauraceae	Ocotea sp.
Myraceae	Psidium guajava L.
Helioconiaceae	Heliconia sp.
Cyatheaceae	Cyathca arborea
Palmae	Prestoea allenii
Simaroubaceae	Simarouba sp.
Loranthaceae	Phoradendrum sp.
Bromeliaceae	Tillandsia sp.
Euphorbiaceae	Croton gossypifalius
Gramineae	Pennisetum purpureum
Cyperaceae	Cyperus sp.
Piperaceae	Piper sp.
Proteaceae	Roupala sp.
Cunoniaceae	Winmannia sp.
Burseraceae	<u>Tetragastris sp.</u>

*Underline shows the Species protected from their extinction.

Table 13-16 Plant Type at Power House Point (from ICE)

Family	Species
	Myriocarpa longipes
	Inga fagifolia(?)
	Inga tonduzii
	Inga quaternata
	Inga densiflora
Piperaceae	Piper bauritum
	Piper arboreum
	Piper auritum
	Piper biseriatum
	Piper colonense
	Piper nudifolium
Heliconiaceae	Heliconia sp.
Mimosaceae	Acacia melanoceros
	Genipa americana
Cyatheaceae	Cyathea sp.
	Geichnia sp.
	Heliotropus sp.
Combretaceae	Terminalia oblonga
Maraceae	Cecropia obtusifolia
Lauraceae	Cassia biflora
Leguminosae	Pithecolobium longifolium(?)
	Pithecolobium sp.
Gramineae	Gynerium sagittatum
Araceae	Anthurium acutifolium
	Anthurium brenesii
	Anthurium grandifolium
Broneliaceae	Tillandsia sp.
Ipocynaceae	Thevetia ahouai
	Pilea costaricensis
	Pilea donnell-smithi
	Pilea angustifolia
Urticaceae	Boehmeria aspera
Begoniaceae	Begonia multinervia
Solanaceae	Solanum americanum
	Solanum torvum
Meliaceae	Guarea grandifolia
Meliaceae	Trichilia adolphi
	Hoffmania bullata
	Hoffmania psychotriifolia
	Xytheringia solanaceae
	Xytheringia sp.
Myrtaceae	Psidium sp.
Myrtaceae	Eugenia sp.
	Hamelia sp.
	Pentagonia sp.
Rubiaceae	Psychotria angustifolia
	Psychotria macrophylla
	Psychotria elata
	Psychotria pilosa
	Sarcoccharis naranjoana
Caesalpinaceae	Cassia pallida
	Irartea durissima
Palmae	Chamaedorea pinnatifrons
Rutaceae	Zanthoxylum panamense
Piperaceae	Peperomia alata

(Continue)

Piperaceae	Peperomia costaricensis Peperomia cyclophylla Peperomia lignescens Peperomia saligna Urera baccifera Urera caracasana
Lauraceae	Cassia sp. Ocotea sp. Nectandra salicifolia
Acanthaceae	Aphelandra lingua bobis Aphelandra sp. Justicia netalica Justicia oersredii Justicia urophylla Justicia sp.
Euphorbiaceae	Croton draco Croton gossipifolius Croton punctatus Croton xalapensis
Euphorbiaceae	Spathiphyllum friedrichstalii Spathiphyllum wendlandi Tournefortia sp. Gouannia lupuloides Baunna guianensis Calliandra grandifolia(?)
Leguminosae	Cecropia insignis
Moraceae	Cecropia peltata Pourouma bicolor
Moraceae	Vismia ferruginea
Araceae	Dieffenbachia sp.
Maraceae	Ficus sp.
Leguminosae	Machaerium arboreum
Leguminosae	Erythrina sp. Elaphoglossum sp. Thelypterium sp. Xanthosoma robustum Stemmadenia donell-smithi Clibadium sp. Tabernaemontana sp. Rudgea sp. Clusia sp.
Guttiferae	Cuphea cartagensis
Lythraceae	Colouana sp.
Bombacaceae	Ochroma lagopus
Proteaceae	Protea sp.
Amaranthaceae	Iresine altissima Posoqueria latifolia
Moraceae	Ficus colubrinae Ficus hartwegii Ficus macbridei Ficus ovalis Wikania banisteriae

Table 13-17 Salinity of Water at Quepos Mangrove Area

Station	Q-a		Q-b		Q-c		Q-d		Q-e	
Date	1955.03.07									
Time	0800		0755		0615		0625		0655	
Items	T	S	T	S	T	S	T	S	T	S
Depth(m)	2		2.5		3		3		3	
0m	29.4	32.55	29.4	32.55	29.4	32.6	29.4	32.45	29.4	32.0
1m	29.4	32.55	29.3	32.55	29.4	32.55	29.4	32.56	29.4	32.54
2m	29.4	32.55	29.0	32.65	29.4	32.6	29.4	32.56	29.4	32.61
3m			29.3	32.65	29.5	32.6	29.4	32.65	29.4	32.61

Table 13-18 Salinity of Water at Savegre Mangrove Area

Station	S-1		S-2		S-3		S-4		S-5	
Date	1995.02.25									
Time	11:40		12:03		12:15		12:30		12:43	
Item	T	S	T	S	T	S	T	S	T	S
0m	27.1	1	30.7	31.8	31	32.7	31.8	32.79	32	32.3
0.5m	29.8	28	30.7	32	31	32.75	31.4	32.85		
1m	32.3	32.47								
2m	31.4	32.62								
Depth(m)	2.7		1		1		0.9		0.6	
Time	14:13									
Item	T	S	T	S	T	S	T	S		
0m	27.9	8	32	32	32	32.15	33	32.74		
0.5m	28.3	11.6	32	32.1			32.4	32.3		
1m	30	23.8								
2m										
Depth(m)	2		1		0.5		1.3			
Time	16:25									
Item	T	S								
0m	29.3	5.5								
0.5m	30	12.1								
1m										
2m										
Depth(m)	0.9									

Table 13-19 Fauna Found at Dam Site (from ICE)

Manmalls,Aves	Species
Mammals	
Cebidae	<u>Alouatta palliata</u>
Sciuridae	Sciurus sp.
Didelphidae	Didelphis marsupialis
Dasypodidae	Dasypus novemcinctus
Procyonidae	Procyon sp.
	<u>Nasua narica</u>
Dasyproctidae	<u>Aqouti paca</u>
	Dasyprocta punctata
Mustelidae	<u>Eira barbara</u>
Aves	
Fringilidae	Sporophila americana
Tyrannidae	Tyrannus melancholicus
Psittacidae	<u>Aratinga sp.</u>
Accipitridae	Buteo sp.
	Elanoides forficatus
Tharaupidae	Chlorophonia sp.
	Euphonia hirundinacea
Cuculidae	Crotophaga sp.
Hirundinidae	Notiocnelidon cyanoieuca
Cathartidae	Coragyps atratus
Columbidae	Columbina passerina
Turdidae	Turdus grayi
Ardeidae	Bubulecus ibis

*Underline shows the Species protected from their extinction.

Table 13-20 Species of Fish and Reptiles Found at Dam Site (from ICE)

Reptiles,Fish	Species
Reptiles	
Iguanidae	Iguana Iguana
	Analis insignes
	<u>Ctenosaura similis</u>
Telidae	Amebia undulata
Elapidae	Micrurus nigrocintus
Viperidae	Bothrops nummifer
Colubridae	Imantodes cenchoa
	Spilotes pullatus
Viperidae	Bothrops asper
Boldae	Boa constrictor
Fish	
Mugilidae	Agonostomus monticola
Cichlidae	Cichlasoma sp.
Pocilidae	Poecilia sp.
Characidae	Brycon sp.

*Underline shows the Species protected from their Extinction.

Table 13-21 Type of Insects at Dam Site (from ICE)

Insect	Species
Zygoptera	Caballitos del diablo
Anisoptera	Libelulas pipilachos
Dermapteros	Tijeretas
Heteropera	Chinches
Apocrita	Abejas-hormigas-avispas
Coleopteros	Escarabajos
Rnopalocera	Mariposas
Cyclorrhapha	Moscas
Salatatoris	Saltamontes grillos
Blattaria	Cucarahas
Phasmida	Insectos palo

Table 13-22 Industrial situation in related County

Area	First	Second	Third (1987)	Others	Industrial		Commercial	
					1992	1994	1992	1994
Costa Rica	31.4	19.9	38.3	10.4	0.88	0.82	30.0	30.6
Trrazu (Enterprise)	69.1	8.7	19.4	2.7	0.43	1.08	41.8	28.8
Aguirre Enterprize	52.5	10.0	24.7	12.8	1.58	1.33	32.5	26.1
							(Coopesantos)	(I.C.E)

*Unit : %

Table 13-23 Socio-economical indicator of Aquirre and Parrita County

Indicator	Maximun level	Subject area
Population density	20	15.20
Socio-economical indicator	20	5.75
Residencial organization	10	5.30
Land utilization situation	10	1.53
Land development means	15	12.87
Land development situation	15	5.77
Infrastructure	10	1.07

Source : MAG,SEPSA,MIDEPLAN,IICA(1993)

Table 13-24 SIS Rank of Aguirre and Parrita County

County	District	Rank
Aguirre	Quepos	5.13
	Savegre	9.13
Parrita	Naranjito	8.63
	Pattita	8.00

*SIS value:

SIS rank: 1-highest value, 10-lowest value.

Source: MIDEPLAN. SISD (1991), Comparison between 1973 and 1984.

Table 13-25 Change of Agricultural Production

Crops	1990	1991	1992	1993	1994
Permanent					
Palm	11,602,500	12,285,000	12,967,500	13,377,000	13,650,000
Achiote	136	145	164	263	454
Vanilla	182	196	224	224	280
Pepper	960	1,000	1,080	1,180	1,200
Cacao	770	980	10,850	1,155	1,260
Annual					
Rice	323,454	323,454	363,878	377,332	434,000
Maize	2,868	3,156	3,156	3,156	3,168
Kidney bean	18,729	19,967	23,087	26,207	27,269
Biannual					
Papaya	1,800	2,400	2,800	3,600	10,000
Banana	2,200	2,200	2,288	2,376	3,520
Pine	840	893	924	945	1,050
Total	11,954,439	12,639,391	13,375,951	13,793,438	14,132,201

*Unit : 1000 Colones.

Table 13-26 Agricultural Production at Down Stream Area in Naranjo River Basin

Crops	Area(ha)	Total tones	Total colones
Permanent			
Palm	6,500		13,650,000
Achiote	5		454
Vanilla	2		280
Pepper	2		1,200
Cacao	10		1,260
Annual			
Rice	1,550		434,000
Maize	80		3,128
Kidney bean	520		27,269
Biannual			
Papaya	5		10,000
Banana	11		3,520
Pine	1		1,050
Total	8,686		14,132,161

*Date is in 1994. Unit of total colones in this table is 1,000 colones

Table 13-27 Outline of Local Community at Project Area

District	Population	Industry	Traffic	Service water	Utilization of rivers	Remarks
San Joaquin	60 persons with 23 families(25 elementary school pupils). The population increases temporarily during the harvest period of coffee.	Agriculture -- The coffee is the main product. Cacao was the main product 8 years ago, but has shifted to coffee.	There are 10 cars in the village. The traffic volume is 5 to 10 cars daily.	The water is taken in the gravity method using a hose from the 2 km upper stream side apart from the school. This water is supplied by the county.	No utilization of river.	Hearing from the school teachers.
Naranjo						The traffic convenience is bad, and we gave up visiting this district. According to a teacher named San Joaquin, this village is of small households consisting of 6 families and is a small community of only 2 resident families. The remaining 4 families live in this district seasonally.
Santa Cecilia	Residents are only 22 persons of 3 families. Additional 4 families have their houses in this district and come to their homes from time to time. The population temporarily increases during the coffee harvest period.	Agriculture(coffee plantation)	1 or 2 cars daily. The number of cars increases only during the harvest season.	Every household takes water using a hose from a spring. (Gravity system).		
Napoles	133 persons with 31 families. 22 primary school pupils.	The coffee is the main production in the industry. In addition, they produce a small amount of sugar millet and a small amount of vegetables for self consumption.	20 to 30 cars pass the road daily. Private Jeeps are used for movement of habitants.	There is a spring apart by 1.5km, and AYA built up the water service supply system which is managed the village.	Fishing as a hobby by the inhabitants, who catch MACHOCA, RONCAD or MACHIN, etc. from Rio Naranjillo.	Hearing survey from the primary school teachers.
Naranjillo	The population of about 120 persons with 20 families. The same families are consecutively living and there is no inflow of new population.	There is an agriculture. 1. Coffee, 2. Cattle breeding(Being used for meat and milk. For information, it is said that the cattle for milk at the high land and the cattle for meat at low land are being bred). 3. Achiole(the natural dye for dying the rice, macaroni, spaghetti into red color)	This district has 10 to 11 cars.	Each individual takes water using a hose from the spring in the farm field. (The common possession also exist in these water services).		Hearing survey from the neighbor farmers.

District	Population	Industry	Traffic	Service water	Utilization of rivers	Remarks
Paso Real	About 100 persons with 14 families because 1 family consists of 7 persons. The population decreased as compared with that in 5 years ago. There was no electric service 10 years ago when 2 to 3 families went out, but they didn't come back even after the electric service was started since then.	The main industries are agriculture and stock raising, stock raising, and the agriculture produce Achote, corn and kidney beans. The Achote is sold through the church, but because the unit price has risen this year, marking a nice record.	Stock raising traders have 2 cars.	Each of household has its own spring.	The river is used for recreation and bathing.	The road is bad and the access to this village was difficult, and we encountered the collapse of road in the midway to this village, and also the cut off of road due to the fall of rocks and needed many hours to reach there. The hearing survey was taken from the primary school teachers.
Londres	There are 1500 persons including those of neighborhood. 150 houses are located at the center. 60 to 80 persons or 20 families are increasing every year at the locations whose conditions are looked naive. The sight seeing visitors come to this district at the week end. During the dry season, about more than 2,000 persons may come to this area for sending the camping life from San Marcos.	The main industry is stock living and agriculture, but because the topography is complex, the stock living is much more than the agriculture. The agriculture produces mainly the kidney beans, and partially produce the Achote and corn (for self consumption). The jobless people go to Manuel Antonio and the like to find the job.	About more than 20 cars of peddlers come daily from Monday to Friday. The sight seeing visitors come to this area at the week end. The number of cars owned by town is 26 cars at the center and 32 to 33 cars in total.	The water is taken from the mountain ridge called "Nara", and group-controlled. The water shortage is caused during the dry season as the population has increased, and the people must go to Naranjo River to scoop the water. As a plan, they plan to install a large water supply system. But at Sahalo, Bigajual Arriba, and Bigajual Abajo, each family takes water from Nara can not be utilized because of the slope. The water comes out of well if drilled by about 10 m depth. Further, Avegrada Arroyo utilizes the spring water.	During the dry season, the river ship flowing down to LLAMAROW from the Londres bridge has sight seeing visitors in object. The play fishing is partially being done but not so prosperous.	Londres includes many areas. Namely 1. Bupnos Airos al Sureste. 2. Sahalo. 3. Bigajual Arriba. 4. Bigajual Abajo. 5. El Negro. 6. Carro Nava, and 7. Avegrade Arroyo. This town has the history for about 50 years.
Naranjito	The number of household is from 100 to 150, and the population is from 600 to 650 persons. The number of primary school pupil is 120. The population has slightly increased in the past 5 years.	The main industry is stock living and agriculture, and the former is more prosperous. The agriculture produces the fruits (Ryoukan, Orange) for self consumption, and also the kidney beans and corn. However, many persons go to Manuel Antonio and Quepos for their works.	About 50 cars pass through the road although this news is not so much sure. There are 25 to 26 cars in the town. The bus convenience is nice, and there are about 7 bus services between Quepos and Naranjito.	The Spring water from the high land is utilized but tends to be lack. Because the Nara water controller was living in the neighborhood, we asked him a question how much of money the household has to pay, it costs 200 Colones per month (there is no water service meter) and that money is applied to the water control. The spring water volume is measured by the water service bureau of San Jose. (AYA), but he didn't know the measured result.	The river is utilized for such recreation as fishing and bathing.	

District	Population	Industry	Traffic	Service water	Utilization of rivers	Remarks
Esquipulas	<p>The population of about 50 persons with 10 families including 18 primary school pupils. The population remains almost unchanged though there is the entry and exist of persons due to the immigration. Such a case can be thought that a landlord sells a land and the other people settle there.</p>	<p>The main industry is the agriculture which produces the kidney beans, corns, Achote, Guayaba, ajal and ajadzaki beans, and the other crops for self consumption. (The altitude is too low for the coffee plantation). In addition, they produce the foliage plants, vanilla, etc. The foreigners are many as the landlord (American, Italian, Japanese). In addition, the sight seeing business can be imagined.</p>	<p>The traffic volume of around 8 cars per day on the average, with 5 to 8 cars on the week day and 10 to 15 cars on the end of week days. The village holds one car, but there are bus service to Quepos 3 times a day, at 6 AM, 12 noon and 6 PM. The fee is \$6 Colones one way. Though it is commonly in the other villages, it seemed to us that the persons having no car goes to the town by walk, on a horse and by the riding together on another person's car (paying some money).</p>	<p>The same spring is commonly used among Naranjito, Villa Nueva and Esquipulas. This is the water service supply only to the colonies.</p>	<p>The river is used for fishing, river ship flowing down, recreation area, and also bathing during the summer season. The fish that can be caught are Machaca, Mochin, Cancero species of river shrimp). A landlord (a foreigner?) has a plan to do the recreation for the purpose of the sight seeing (walking, eating lunch, etc.), and it is added that a tourist visited the village 2 to 3 weeks ago. The future development is still unknown.</p>	<p>Hearing survey from the primary school teachers.</p>
Villa Nueva	<p>About 300 persons with 150 families (including the households without any children). The number of primary school children is about 50 persons. The population has been gradually increasing since 10 years ago.</p>	<p>The agriculture is the main industry. They produce the pine apples, oranges, and mamon chino. The sales are entrusted to the cars going to San Jose. The pasturing also exists but is less in production volume. There are many people having the agricultural land but going to Quepos for their work. (Employees at hotels and store clerks).</p>	<p>The daily traffic is about 20 cars per day. This is because there are many ocedders from Quepos. The town has 5 to 6 car owners are foreigners in many cases. The said number of cars include the number of taxis. The persons in the town going to another large town must ride together on another person's car, or utilize a bus. The buses start this town 4 times a day at 5, 9 AM, 12 noon and 5 PM, and go up to the upper stream 3 times out of them. (The people of Esquipulas use this bus). The road passed just one or 1.5 years ago, and before it, they had to walk or utilize a horse.</p>	<p>Water is taken from the same water source as that of Esquipulas.</p>	<p>The river is used for fishing (2 to 3 fish per person at most) or recreation when the water is clear during dry season (January to April and December to February?). The river is not utilized during the rainy season.</p>	<p>1. This colony has a history of about 10 years and is not written on the map. 2. We don't hear about any new development plan but it seems to us that a foreigner plans it. In other words, the foreigner is planning to buy the land for utilizing it to the sight seeing purpose.</p>

Table 13-28 Urbarization degree and occupational situation

Category	Grade(% of ur- banization(1984)	Occupation	
		1973	1984
Costa Rica	44.5		
Trrazu	11.1		
•Total population		7,542	8,845
•Population more than 12 years		4,536(60.1)	6,176(69.8)
•Inactive popula.		2,376(52.4)	3,092(50.1)
•Active popula.		2,160(47.6)	3,084(49.9)
Occupatinal		2,036(94.3)	2,959(95.9)
Unemployed		123(5.7)	125 (4.1)
•Occupational and suspending		2,089	3,049
Salaried man		1,020(48.8)	1,605(52.6)
Private enterprise		643 (30.8)	981 (32.2)
Employer		32 (1.5)	60 (2.0)
Dependent family		394(18.9)	403 (13.2)
S.Marcos	18.0		
S.Lorenzo	0.0		
S.Carlos	0.0		
Aguirre	33.0		
•Total population		14,437	13,319
•Population more than 12 years		8,517(58.8)	9,032(67.8)
•Inactive popula.		4,324(50.8)	4,576(50.7)
•Active popula.		4,193(49.2)	4,456(49.3)
Occupatinal		3,948(94.2)	4,020(90.2)
Unemployed		245 (5.8)	436(9.8)
•Occupational and suspending		4,077	4,366
Salaried man		2,905(71.3)	3,187(73.0)
Private enterprise		778(19.1)	765 (17.5)
Employer		6(0.1)	142 (3.3)
Dependent family		388(9.5)	272 (6.2)
Quepos	47.0		
Savegre	0.0		
Naranjito	0.0		

Table 13-29 Attainment degree related to social needs Aquirre and Parrita

Items	Aguierre	Parrita
Hygeine(Nourishment)	middle	middle
Education	slightly low	quite low
Housing	low	slightly low
Fundamental needs	middle	middle
Migration to urban area	-12.00	-4.0
Unemployment rate in relation to economical population	10.0%	7.0%
Temporary unemployment rate	16.0%	15.0%
Agricultural area	76.7%	83.3%
Fundamental needs	65.5%	38.0%

Source : MIDEPLAN,SISD(1991)

Table 13-30 Outline of Palm Plantation

Items	Contents of hearing survey
Business starting year	1958
Area	3,500 ha
Number of employees	350 persons (at present), 600 persons (at the prosperous period).
Irrigation area	600 ha
Water sampling position and water volume	<ul style="list-style-type: none"> · One location at 2 m³/sec from Naranjo River. · there is the additional plan of 0.5 m³/sec in 1966. · There is the irrigation plan to the south end area of plantation from the Savegre River in the year of 1996.
Water sampling period and method	The water shall be taken by installing a stone accumulated weir on the side of river during the dry season (December to April). The water volume flowing into the plantation increases during the rainy season.
Effects of irrigation	<ul style="list-style-type: none"> · The quality of non-irrigated area is worse than that of irrigated area. · Young trees require especially much water. · The entire area can not be irrigated because of the shortage in budget.
Production volume	<ul style="list-style-type: none"> · The old trees require the water of 12 tons/y/ha, while the young trees require 26 tons/y/ha. · Almost no harvest for 30 years in the south half of the plantation.
Production amount	The old trees produce the amount of \$325/ha/y while the young trees the amount of \$650/ha/y.
Structural ratio	The old trees occupy 70% while the young trees the remaining 30%.
Disaster from flood	No disaster because the water decreases soon though there is the flood. No damage even in case of the 130 mm/5 hours.
Fertilizer	Using a small volume of 3 kinds of Roundup, Goal and Galant. Using Dipel as the insecticides.
Wells	There are 3 wells inside the plantation, for their use to the palm factory service water and the inhabitants' potable water. The drain water from the palm factory is stored once in a pond, and is released to the irrigation water channel via the sewage disposal facilities.
Mangrove	Because the mangrove forest located between the plantation and the sea coast is of privately owned land, the mangrove is deforested and shrunk for the rice paddy crop.

* Palma Tica Office

** African Palm (*Elaeis guianensis*)

Table 13-31 Composition of Water Quality of Channels

St.	Na	Ca	Mg	Cl	SO ₄	HCO ₃
Well	0.30	1.38	0.61	0.11	0.21	1.89
Toma (1)	0.16	0.01	0.38	0.01	0.08	1.05
(2)	-	-	-	-	-	-
(3)	0.16	0.01	0.49	0.02	0.16	1.29
(4)	0.16	0.01	0.50	0.02	0.17	1.66
(5)	0.17	0.02	0.46	0.03	0.23	1.46
St.4 (1)	0.66	0.04	0.49	0.28	0.18	1.96
(2)	64.00	1.34	2.04	71.00	6.27	2.34
(3)	103.00	3.82	3.88	129.00	10.60	2.33
(4)	88.00	2.52	3.00	115.00	10.60	2.34
(5)	151.00	6.51	5.20	180.00	18.50	1.92
St.6 (1)	0.18	0.04	0.31	0.03	0.07	0.97
(2)	0.30	0.06	0.65	0.07	0.06	2.23
(3)	0.22	0.05	0.55	0.06	0.12	1.69
(4)	0.28	0.06	0.60	0.11	0.09	1.87
(5)	0.20	0.10	0.62	0.09	1.00	1.19
St.7 (1)	0.80	0.03	0.85	0.27	0.20	3.56
(2)	-	-	-	-	-	-
(3)	-	-	-	-	-	-
(4)	-	-	-	-	-	-
(5)	-	-	-	-	-	-
St.8 (1)	0.61	0.04	0.48	0.03	0.12	2.38
(2)	0.21	0.05	0.51	0.05	0.10	2.39
(3)	0.20	0.05	0.52	0.03	0.10	1.57
(4)	0.02	0.05	0.52	0.05	0.10	1.63
(5)	0.17	0.04	0.39	0.06	0.11	1.17
St.9 (1)	0.25	0.02	0.66	0.06	0.09	2.20
(2)	0.22	0.03	0.71	0.04	0.09	2.07
(3)	0.19	0.02	0.67	0.03	0.09	1.85
(4)	0.23	0.18	0.65	0.08	0.12	1.31
(5)	0.16	0.19	0.33	0.11	0.12	1.51
St.10 (1)	0.13	0.03	0.37	0.01	0.06	1.50
(2)	-	-	-	-	-	-
(3)	-	-	-	-	-	-
(4)	-	-	-	-	-	-
(5)	-	-	-	-	-	-

*Date : (1)-00/09/94, (2)-25/01/95, (3)-01/02/95, (4)-15/02/95, (5)-22/03/95

Table 13-32 Concentration of Nutrients and BOD in Channel Water

Date/Items	TOMA	St.4	St.6	St.7	St.8	St.9	St.10
20/09/94							
Flow Rate	0.200	0.510	1.790	0.050	0.200	1.830	0.030
PO ₄ -P	0.052	0.049	0.029	0.044	0.055	0.047	0.026
T-P	0.129	0.099	0.077	0.128	0.131	0.067	0.082
O-P	0.077	0.050	0.048	0.084	0.076	0.020	0.053
NO ₃ -N	0.090	<0.01	0.030	0.040	0.030	0.520	0.010
T-N	0.427	0.362	0.491	0.577	0.641	0.773	0.326
15/12/94							
Flow Rate	dry	0.150	0.360	0.000	0.000	0.340	0.000
06/01/95							
Flow Rate	dry	0.590	0.050	dry	0.040	0.330	dry
18-19/01/95							
Flow Rate	1.440	0.200	0.030	dry	0.010	0.810	dry
25/01/95							
PO ₄ -P		0.050	0.500		0.170	0.150	
T-P		1.030	0.700		0.900	0.280	
O-P		0.980	0.200		0.730	0.130	
NH ₄ -N		0.319	0.223		0.195	0.085	
NO ₂ -N		0.019	0.012		0.070	0.008	
NO ₃ -N		0.005	<0.001		<0.001	0.001	
TIN		0.214	0.235		0.202	0.094	
01-02/02/95							
Flow Rate	1.240	0.380	0.020	dry	0.000	0.420	dry
BOD	0.760	3.020	1.000		1.570	0.630	
PO ₄ -P	0.090	0.180	0.430		0.280	0.150	
T-P	0.150	0.490	0.610		0.490	0.280	
O-P	0.060	0.310	0.180		0.210	0.130	
NH ₄ -N	0.042	0.046	0.043		0.073	0.037	
NO ₂ -N	0.009	0.010	0.009		0.009	0.003	
NO ₃ -N	<0.001	0.005	<0.001		<0.001	0.001	
TIN	0.051	0.061	0.052		0.082	0.041	
15/02/95							
BOD	0.630	2.900	2.300		1.900	1.300	
PO ₄ -P	0.060	0.060	0.400		0.180	0.700	
T-P	0.120	0.550	0.640		0.430	0.980	
O-P	0.060	0.490	0.240		0.250	0.280	
NH ₄ -N	0.032	0.036	0.024		0.089	0.079	
NO ₂ -N	0.003	0.011	0.008		0.005	0.020	
NO ₃ -N	<0.001	0.006	0.001		0.001	0.002	
TIN	0.035	0.047	0.033		0.095	0.101	
22/02/95							
Flow Rate	?	?	0.020	dry	0.000	0.720	dry

	(1.7)	0.700 Backward	dry	0.000	(1.8)	dry	
08/03/95							
Flow Rate	1.440	0.530	0.020	dry	0.000	0.660	dry
23/03/95							
Flow Rate	1.460	0.820	0.520	dry	0.000	1.480	dry
22/03/95							
BOD	0.680	2.070	1.040		1.450	4.600	
PO ₄ -P	0.100	0.030	0.340		0.240	1.290	
T-P	0.350	0.150	0.610		0.560	2.140	
O-P	0.250	0.150	0.270		0.320	0.850	
NH ₄ -N	0.033	0.156	0.121		0.068	0.518	
NO ₂ -N	0.003	0.022	0.037		0.013	0.035	
NO ₃ -N	0.001	0.017	0.002		0.001	0.005	
TIN	0.037	0.195	0.160		0.082	0.558	
06/04/95	1.520	0.700	1.220	dry	0	3.170	dry
19/04/95							
BOD	1.240	8.80?	2.440		2.720	5.160	
PO ₄ -P	0.070	0.120	0.090		0.300	0.650	
T-P	0.150	0.380	0.220		0.540	0.940	
O-P	0.080	0.260	0.130		0.240	0.290	
NH ₄ -N	0.036	0.116	0.089		0.066	0.119	
NO ₂ -N	0.004	0.015	0.031		0.002	0.011	
NO ₃ -N	<0.001	0.002	0.001		0.001	0.004	
TIN	0.040	0.133	0.121		0.069	0.134	
10/05/95							
BOD	0.440	1.360	4.480		1.760	2.070	
PO ₄ -P	0.210	0.270	0.260		0.280	2.020	
T-P	0.370	1.010	0.650		0.480	2.350	
O-P	0.160	0.740	0.390		0.200	0.330	
NH ₄ -N	0.029	0.012	0.056		0.020	0.075	
NO ₂ -N	0.008	0.012	0.016		0.007	0.025	
NO ₃ -N	0.006	<0.001	<0.001		0.001	0.001	
TIN	0.043	0.024	0.072		0.028	0.101	

Table 13-33 Water Flow Rate and Nutrient Load in Channels

Date/Items	TOMA	St.4	St.6	St.7	St.8	St.9	St.10
20/09/94							
Water Flow Rate	0.20	0.51	1.79	0.05	0.20	1.83	0.03
PO ₄ -P	0.86	2.16	4.49	0.19	0.95	7.43	0.07
TIN(NO ₃ -N)	1.56	0.44	4.63	4.17	0.52	82.80	0.03
15/12							
Water Flow Rate	dry	0.15	0.36	0	0	0.34	0
06/01							
Water Flow Rate	dry	0.59	0.05	dry	0.04	0.33	dry
18-19/01/95							
Water Flow Rate	1.44	0.2	0.03	dry	0.01	0.81	dry
25/01							
PO ₄ -P		0.86	1.3	dry	0.15	10.5	dry
TIN		3.70	7.16	dry	0.17	6.58	dry
01-02/02							
Water Flow Rate	1.24	0.38	0.02	dry	0	0.42	dry
PO ₄ -P	0.96	5.90	0.74	dry	0	5.44	dry
TIN	5.46	2.00	0.09	dry	0	1.49	dry
15/02							
PO ₄ -P	?	1.79	0.69	dry	0	9.07	dry
TIN	?	1.54	0.06	dry	0	3.67	dry
22/02							
Water Flow Rate	? (1.7)	? (0.7)	0.02 (Backward)	dry (dry)	0 (0)	0.72 (1.8)	dry (dry)
08/03							
Water Flow Rate	1.44	0.53	0.02	dry	0	0.66	dry
23/03							
Water Flow Rate	1.46	0.82	0.52	dry	0	1.48	dry
22/03							
PO ₄ -P	?	2.13	15.3	dry	0	165	dry
TIN	?	13.8	7.2	dry	0	71.4	dry
06/04/95	1.52	0.70	1.22	dry	0	3.17	dry
19/04							
Water Flow Rate	?	?	?	?	?	?	?
PO ₄ -P							
TIN							
10/05							
Water Flow Rate	?	91	1.19	dry	0	0.7	?
PO ₄ -P		21.7	26.7	dry		122	
TIN		1.89	7.4	dry		6.11	

* [dry] means no water in channel. [0] means the condition under no flow.

** Load Unit : kg/day, Flow Rate : m³/sec.

*** () on the water flow rate shows the volume by rough estimation.

Table 13-34 Agricultural Production at Cerritos Village

Crops	Area(ha)	Total colones
Permanent		
Palm	100	210,000
Annual		
Rice	170	47,600
Maize	3	119
Kidney bean	2	105
Biannual		
Papaya	5	8,000
Banana	5	1,600
Pine	1	1,050
Total	286	268,474

*Unit of total colones is 1,000 colones.

Table 13-35 Catch in Fishing Zone (1993)

Items#	Zone 1	Zone 2	Zone 3	Total(%)
Larga S.	328	64	536	928(0.12)
Small S.	40419	17893	29925	88237(11.9)
Separate	20602	4059	38259	62920(8.5)
Chatarra	93410	9728	48569	151707(20.4)
Agria-Cola	10178	2834	3381	16393(2.2)
Cabrilla	24156	4389	43995	72540(9.8)
Pargo Seda	1415	1717	8906	12038(1.6)
Dorado	70936	2982	41173	115091(15.5)
Marlin B.	7082	80	2191	9353(1.3)
Marlin R.	4265	275	2767	7307(1.0)
Treacher	22035	0	9824	31859(4.3)
Pez Vera	0	0	0	0(0.0)
Pez Espeda	1133	0	6001	7134(1.0)
.....				
T. P. E.(1)	295959	41021	235527	575507(77.4)
.....				
Sardina	1398	7	59	1464(0.2)
Atun	6416	350	10580	17346(2.3)
.....				
T. Pela. (2)	7814	357	10639	18810(2.5)
.....				
Cazon	26442	7203	30361	64006(8.6)
Posta	34209	2915	31708	68832(9.3)
Maco	2140	484	1557	4181(0.6)
.....				
T. Ti. (3)	62791	10602	63626	137019(18.4)
.....				
A. P.(1, 2, 3)	366584	54980	309792	731336(98.3)
.....				
Camaron B.	0	0	0	0(0.0)
Camaron C.	0	0	0	0(0.0)
Camaron R.	0	0	0	0(0.0)
Camaron F.	0	0	0	0(0.0)
Camaron Ca.	0	0	0	0(0.0)
Camaron Re.	0	0	0	0(0.0)
Camaron T.	0	0	0	0(0.0)
.....				
T. C. (4)	0	0	0	0(0.0)
.....				
Lang Pacifica	0	0	0	0(0.0)
Lang Caribe	0	0	0	0(0.0)
.....				
T. Langosta(5)	0	0	0	0(0.0)
.....				
Calamar	1825	108	744	2677(0.4)
Pulpo	0	0	0	0(0.0)
Pianguas	316	0	2885	3201(0.4)
Canbute	0	0	0	0(0.0)
.....				
T. M. (6)	2141	108	3629	5878(0.8)
.....				
B. T. (4, 5, 6)	2141	108	3629	5878(0.8)
.....				
Alota Tiburon	3631	167	2963	6761(0.9)
.....				
C. T. Otros(7)	3631	167	2963	6761(0.9)
.....				
Sun	372336(50.1)	55255(7.4)	316384(42.5)	743975(100.0)

Table 13-36 Catch in Fishery at Quepos Area (Big Boat: 1993)

Itemst	1	2	3	4	5	6	7	8	9	10	11	12	Total
Large S.	0	0	0	1	0	0	0	0	0	0	6	0	7
Small S.	447	3341	4676	2206	5665	3245	3124	1271	1530	2119	1671	2279	31594
Separate	1899	6499	4181	485	7218	4365	3687	2444	3592	4362	4534	5011	48277
Chatarra	3154	11406	14918	5868	8853	4687	5781	5301	7255	8309	10659	11154	97345
Agria-Cola	443	1004	927	92	67	76	52	122	293	219	82	11	3388
Cabrilla	0	32	28	0	110	80	244	0	27	207	76	2	806
Pargo Seda	0	0	27	0	0	0	0	0	0	0	0	0	27
T.P.E(1)	5943	22282	24757	8652	21933	12453	12888	9138	12697	15216	17028	18457	181444
Sardina	0	0	3000	0	0	0	0	0	0	0	0	0	3000
Atun	45	79	58	0	0	0	0	30	0	36	23	0	271
T. Pela. (2)	45	79	3058	0	0	0	0	30	0	36	23	0	3271
Cazon	32	14	160	48	1948	675	709	71	181	212	241	17	4308
Posta	0	46	109	139	293	310	1018	539	266	253	98	39	3110
Maco	176	347	171	155	0	0	0	0	0	0	0	0	849
T. Ti. (3)	208	407	440	342	2241	958	1727	610	447	465	339	56	8267
A.P.(1, 2, 3)	6196	22768	28255	8994	24174	13438	14615	9778	13144	15717	17390	18513	192982
Camaron B.	935	2818	1744	809	688	520	516	579	3302	2773	3441	5558	23683
Camaron C.	949	632	935	162	797	4	44	0	0	65	199	7	3794
Camaron R.	5113	14569	28060	22440	28778	21222	22540	20364	11622	7820	5767	10810	199105
Camaron F.	1287	5485	3677	5549	4410	15225	17351	10262	10366	18842	13491	10562	118307
Camaron Ca.	0	790	5137	22321	25154	0	15624	14262	1439	36043	3883	0	124633
Camaron Re.	0	0	0	0	363	0	0	0	192	0	1460	241	2256
Camaron T.	1363	1736	330	1218	237	968	2468	4515	10955	11808	12157	10341	58094
T. C. (4)	9647	26028	41883	52499	60427	37039	58543	49982	37876	77151	40378	37519	529872
Calamar	0	0	0	0	0	0	0	0	0	0	43	0	43
Pianguas	0	0	0	0	0	0	0	0	0	0	0	0	0
T. M. (6)	0	0	0	0	0	0	0	0	0	0	43	0	43
B. T. (4, 5, 6)	9647	26028	41883	52499	60427	37939	58543	49982	37876	77151	40421	37519	529915
SUM	15843	48786	70138	61493	84601	51377	73158	59760	51020	92868	57811	56032	722897

*Large S= , Small S= , Separate= , Chatarra=Oiversas
 Agri-Cola=Micropogon altipinnis, Cynoscion jameicensis, Cabrilla=Epinephelus sp.
 , Pargo Seda=Lutjanus jordani, Centropomus , sp., Dorado=Coryphaena hippurus,
 Marlin(1)=Makaria indica, Marlin(2)=Tetrapturus audax, Makaria mazara, Treacher=
 Alopias supersiliosus, Pez Espada=Makaria sp., Sardina=Opisthonema oglinum
 Atun=Thunnus albacares, Cazon=Carcharhinus leucas-C. limbatus, Posta=Sphyrnidae
 , Charcharinidae, Maco=Alpidae, Camaron Titi=Xiphopenaus riveti
 , Calamar=Loligo spp., Pianguas=Andara tuberculosa, Aleta,
 Aleta Tiburon= , Camaron B. = Penaeus vannanai, Camaron C. =Penaeus
 californiensis, Camaron R. =Penaeus occidentalis, Camaron P. =Solenocera agasizii,
 Camaron Ca. =Heterocarpus vicarius, Camaron Re. =

Table 13-37 Catch in Fishery at Quepos Area (Small Boat: 1993)

Totals†	1	2	3	4	5	6	7	8	9	10	11	12	Total
Large S.	74	147	92	218	122	273	1062	447	9	94	0	164	2702
Small S.	17679	20849	18758	12559	7032	11350	20999	11344	752	10297	1669	4225	137521
Separate	9929	9505	12298	14551	11824	4809	6007	4591	2686	7013	4381	5875	93473
Chatarra	20716	36410	27835	32519	22064	12162	27179	12252	4937	12893	4953	1587	215507
Agria-Cola	2747	2965	3012	4714	1746	1207	5821	2175	80	1812	23	57	26359
Cabrilla	8805	17562	13967	15079	11310	5819	5696	7034	3984	11263	6127	9487	116133
Pargo Seda	118	2073	6997	1938	792	229	3	158	412	312	11136	11823	35871
Dorado	13331	14424	27798	30582	19305	9549	18913	11096	3322	10327	3921	7726	170394
Marlin(1)	210	377	115	1864	5025	1759	5888	2761	1519	920	687	161	21286
Marlin(2)	128	579	900	3013	1955	729	941	680	478	1470	1589	379	12841
Treacher	182	2252	8589	5975	8305	6556	8421	8237	3156	6119	4673	1361	63828
Pez espada	292	6329	467	12	0	36	149	17	0	16	22	0	7337
T. P. E. (1)	74211	113473	120718	123022	89460	54588	101079	60792	21337	62536	39181	42835	903252
Sardina	1100	246	28	20	70	0	13	0	0	55	0	0	1532
Atun	1965	2530	4291	3240	1807	3510	664	505	1538	193	263	151	20657
T. Pela. (2)	3065	2776	4319	3260	1877	3510	677	505	1538	248	263	151	22189
Cazon	5444	15100	5710	12946	7704	17103	17309	20390	11862	15572	9128	9311	147579
Posta	3959	12085	8215	21458	14389	8723	15725	6439	2577	8366	5247	5723	112900
Maco	747	984	1653	52	744	0	1275	272	0	93	43	0	5663
T. Ti. (3)	10150	28169	15576	34456	22837	25826	34309	27101	14439	24031	14418	15038	266350
A. P. (1, 2, 3)	87426	144418	140613	160738	114194	83924	136065	86398	37314	85815	53862	58024	1191791
Camaron titi	0	0	0	0	0	0	0	0	0	29	0	0	29
T. C. (4)	0	0	0	0	0	0	0	0	0	29	0	0	29
Calamar	0	1185	163	617	537	173	151	123	0	0	0	0	2949
Pianguas	750	757	316	746	96	521	537	3483	320	5333	512	985	14374
T. M. (6)	750	1942	479	1381	633	694	688	3606	320	5333	512	985	17323
B. T. (4, 5, 6)	750	1942	479	1381	633	694	688	3606	320	5362	512	985	17352
Aleta. T	108	662	2116	1842	1112	919	82	1785	0	1	0	0	8627
C. T. O. (7)	108	662	2116	1842	1112	919	82	1785	0	1	0	0	8627
Sum	88284	147022	143208	163961	115939	85537	136835	93789	37643	92178	54374	59009	1217770

†Large S= , Small S= , Separate= , Chatarra=Oiversas
 Agria-Cola=Micropogon altipinnis, Cynoscion jameicensis, Cabrilla=Epinephelus sp.
 , Pargo Seda=Lutjanus jordani, Centropomus , sp., Dorado=Coryphaena hippurus,
 Marlin(1)=Makaria indica, Marlin(2)=Tetrapturus audax, Makaria nazara, Treacher=
 Alopias supersilius, Pez Espada=Makaria sp., Sardina=Opisthonema oglinum
 Atun=Thunnus albacares, Cazon=Carcharhinus leucas-C. limbatus, Posta=Sphyrnidae
 , Charcharinidae, Maco=Alpidae, Camaron Titi=Xiphopenaus riveti
 , Calamar=Loligo spp., Pianguas=Andara tuberculosa, Aleta.
 Aleta Tiburon= , Camaron B. = Penaeus vannamei, Camaron C. =Penaeus
 californiensis, Camaron R. =Penaeus occidentalis, Camaron F. =Solenocera agasizii,
 Camaron Ca. =Heterocarpus vicarius, Camaron Re. =

Table 13-38 Scale of Work

Items	Description	Civil Works	
Care of River			
Diversion Tunnel	D=6.0 m, L=225 m	Tunnel Ex. Lining conc.	8,800 m ³ 2,200 m ³
Cofferdam	Upstream H=20.5 m Downstream H=11.5 m	Concrete Concrete	3,400 m ³ 1,200 m ³
Dam	Concrete gravity dam H=62.4 m, L=114.0 m	Excavation Concrete	58,100 m ³ 89,200 m ³
Power Intake	Inclined type Q _{max.} =27 m ³ /sec	Excavation Concrete	9,250 m ³ 1,000 m ³
Headrace Tunnel	Pressure tunnel Q _{max.} =27 m ³ /sec D=3.1 m, L=5540 m	Tunnel Ex. Lining conc.	69,200 m ³ 24,600 m ³
Surge Tank	Restric Oriffice type Shaft D=8.0 m	Shaft Ex. Lining conc.	3,700 m ³ 1,100 m ³
Penstock	Embedded type D=3.1~2.2 m L=1540*1 Line D=1.25 m L= 26*2 Lines	Tunnel Ex. Lining conc.	19,500 m ³ 10,900 m ³
Powerhouse	Outdoor type W=21 m*L=39 m*H28.5 m	Excavation Concrete	60,200 m ³ 6,800 m ³
Tailrace	Open channel W=20 m, L=43 m	Excavation Concrete	1,400 m ³ 2,200 m ³
Switchyard	Out door type 20 m*120 m	Excavation Concrete	9,300 m ³ 6,200 m ³

Table 13-39 Main equipment to be used

1. Equipment for Dam Construction

Name	Specification	Power (ps)	Weight (ton)	Number
Excavation works				
Bull dozer	20~30 ton class	160~290	20~40	4
Wheel loader	Bucket 2 m ³	155	12.4	4
Dump truck	20~30 ton class	290~430	20~30	8
Crawler drill	Drifter 180 kg Air consump. 17m ³ /min		5.1	2
Leg drill	Jack 40 kg class Air consump. 3 m ³ /min		0.04	8
Compressor	Discharge 21 m ³ /min	195	4.1	2
Water pump	Discharge 0.5 m ³ /min	3.7 KW	0.2	2
Concrete works				
1) Quarry				
Bull dozer	30 ton class	290	40	2
Wheel loader	Bucket 2 m ³	155	12.4	4
Dump truck	30 ton class	430	27	3
Crawler drill	Drifter 180 kg Air consump. 17m ³ /min			
Compressor	Discharge 9 m ³ /min	75 KW	2.6	1
Water pump	Discharge 0.5 m ³ /min	3.7 KW	0.2	1

Name	Specification	Power (ps)	Weight (ton)	Number
2) Crashing plant	(50~130 ton/hr)			
Joe crusher	Entrance 100x120 cm	130 KW	90	1
Corn crusher	Mantle 130 cm	95 KW	29	2
Rod mill	Drum 210x360 cm	190	55	1
Vib. feeder		5	3	3
Apron feeder	150x400 cm	8	21	1
Belt-conveyer, others				1
Water pump	Q-4 m ³ /min, h=30 m	37	0.75	3
3) Batching plant	(60~100 m ³ /hr)			
Mixer	Autmation, Forced mixing type 1.5 m 60 m ³ /hr	82 KW	63.4	1
Cement silo	500 ton	0.75KW	38	2
Water pump	Q-4 m ³ /sec, h=30 m	37 KW	0.75	2
4) Transportation	(60 m ³ /hr)			
Truck mixer	3.0 m ³	220	7.4	5
Incline	3.0 m ³			1
5) Placing (60 m ³ /hr)				
Diesel car	6 ton class	78	6	2
Dolly	Capa. 3 m ³	--	4.5	2
Cable crane	One tower swing Capa. 13.5 ton	514 KW	303	1
	Fixed type Capa. 3 ton	67 KW	33	1

Name	Specification	Power (ps)	Weight (ton)	Number
Bucket	Capa. 3 m3	--	--	2
Vibrator	LS			
Water pump	Capa. 2 m3/min	110KW	1	2
6) Cooling works Cooling plant	Refrigerating plant Capa. 200 JRT	180 KW	5.4	1
7) Grouting works Boring machine	Capa. 27 m/min	5 KW	0.3	2
Grout pump	Capa. 30-70 lt/min	3.7 KW	0.2	2
Grout mixer	Mixer 200 liter	2	0.2	2

2. Equipment for Headrace Tunnel (For half section of the tunnel between Adit B and Adit-C)

Name	Specification	Power (ps)	Weight (ton)	Number
Excavation Works				
(1) Drilling works				
Drill jambo, 2 booms, Rail type Air driving	Drifter 90 kg	49.3	7.0	1
Compressor	Stationary type 22 m ³ /hr	125 KW	--	1
(2) Mucking works				
Tractor loader, Rail type Air driving	Bucket 0.35m ³	18.0	8.5	1
Train loader	Capa. 15 m ³ Gauge 762 or 914mm	18 ps/or 24 KW	16.8	1
Cherry picker				1
(3) Transportation works (Inside of the tunnel)				
Battery car	10 ton car	54.4 KW	12.4	2
Trolley	Capa. 4.5 m ³	--	3.2	5
Chiplar				1
(4) Supporting works				
Shotcrete	Capa. 4 m ³ /hr	30.0	0.6	1
Concrete plant (NATM)	Portable type Capa. 10 m ³ /hr	20.4 KW	7.5	1
(5) Transportation works (Outside of the tunnel)				
Dump truck	Capa. 11 ton	240.00	11.00	2
(6) Disposal area				
Bull dozer	Capa. 20 ton	160.00	16.20	1

Name	Specification	Power (ps)	Weight (ton)	Number
Lining concrete works				
Concrete plant	Capa. 10 m ³ /hr Tilting mixer	7.5 KW	7.4	1
Cement silo	Capa. 50 ton	0.75 KW	6.2	1
Concrete pump	Capa. 10 m ³ /hr	22 KW	1.4	1
Agitator car	Capa. 3 m ³ /hr	11 KW	4.0	1
Crashing plant	Capa. 120m ³ /hr	Common use		1
Consolidation grouting works (Around Tunne).				
Drilling	Boring machine	10.0	0.44	1
Grout pump				1
Grout mixer				1
Mortar injection works (Gap between lining conc. and rock)				
Grout pump	0.8-1.2 m ³ /hr	25.0	3.1	1
Grout mixer	---			1

Table 13-40 Construction Schedule

Item	1 st		2 nd		3 rd		4 th		Remarks									
	2	4	6	8	10	12	2	4		6	8	10	12	2	4	6	8	10
Preparatory works and Camp Facilities	Comencement of filling Reservoir																	
Road Construction	Comencement of Construction																	
Gate of River	Diverting River																	
Diversion Tunnel	Plug																	
Coffer-dam	Comencement of Power Operation																	
Dam																		
Height	52.4m																	
Crest length	114.0m																	
Power intake																		
Headrace Tunnel	Adit																	
Surge Tank	Open Ex. Shaft																	
Penstock	Ex. Shaft																	
Embedded type D=3.1 ~ 2.2m x 1 line	Conc. Shaft																	
D=1.25m x 2 lines	Conc. Shaft																	
Power-house & Switchyard	Ex.																	
Outdoor type	Conc. Architecture																	
Tailrace																		
Hydraulic Equipment																		
Electromechanical Equipment	Test																	
Switchyard	Test																	
Transmission Line	Land acquisition																	
Telecommunication	Test																	

Table 13-41 Project Items

High Water Level	EL. 477.4 m
Low Water Level	EL. 470.0 m
Effective Storage Capacity	653 x 10³ m³
Tail Water Level	EL. 84.0 m
Gross Head	389.7 m
Effective Head	359.4 m
Maximum Discharge	27 m³/s
Installed Capacity	85 MW
Firm Power Output	82.7 MW
Annual Available Energy	389 GWh
Firm Energy	107 GWh
Secondary Energy	282 GWh

Main Facilities

Dam	Concrete Gravity Type	62.4 m x 114 m
Headrace		3.1 m x 5,540 m
Surge Tank		8.0 m x 58 m
Penstock	Tunnel Type	3.10 m - 1.25 x 1,570 m
Powerhouse	Open Type	
	Francis Turbine	

Table 13-42 Change on Water Flow Rate by project Implementation

Items	Annual Mean		Max. Monthly Mean		Mia. Monthly Mean	
	Without	With	Without	With	Without	With
Location						
Los Llanos	15.0	15.0	27.4	27.4	4.3	4.3
Londres	27.8	13.2	56.0	30.8	5.7	1.4
Naranjo						
Intake	28.4	14.1	57.5	33.4	5.8	1.5
Mouth	36.8	22.6	74.6	50.5	7.6	3.3
Paqueta						
P.H.	3.7	17	7.5	32	0.8	5.0
Cerritos	9.8	24.1	20.0	44.1	2.0	6.3
Mouth	22.1	36.5	44.9	69.0	4.6	8.8

* m³/sec

Table 13-43 Monthly Inflow at Cerritos Site without Project Implementation

Catchment Area 68 km² Annual Precipitation 7.241 mm

Unit : m³/s

Year	May	Jun.	Jul.	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Average
1971	18.53	29.09	19.28	27.83	33.36	24.29	16.12	7.01	6.42	3.22	2.22	4.55	15.99
1972	10.53	8.65	8.37	10.53	12.49	17.97	14.60	7.47	3.33	2.27	2.03	3.32	8.46
1973	6.72	17.40	15.68	23.59	25.76	29.94	13.12	9.84	9.04	3.66	2.40	3.14	13.36
1974	10.49	18.69	11.85	13.64	18.83	26.59	13.89	5.24	3.13	2.23	2.20	2.62	10.78
1975	11.11	12.32	13.12	17.49	22.96	22.51	19.78	7.80	4.05	2.14	1.63	1.92	11.40
1976	5.30	9.20	7.12	7.76	13.62	16.80	10.23	4.83	2.67	2.05	1.84	2.25	6.97
1977	5.41	9.23	6.46	14.47	16.57	19.88	15.26	6.68	3.05	2.14	2.01	5.46	8.88
1978	7.53	13.04	13.19	15.80	19.17	22.58	14.40	6.92	3.63	2.47	2.17	4.14	10.42
1979	11.80	13.04	11.92	14.45	20.81	22.66	14.22	7.12	4.79	2.86	1.98	3.29	10.74
1980	8.14	12.38	12.65	12.59	14.53	17.20	18.92	7.69	4.26	2.82	2.48	4.94	9.88
1981	17.61	20.28	12.61	16.66	12.32	16.56	14.12	5.77	4.72	2.79	2.84	3.79	10.84
1982	13.19	9.11	9.22	9.21	11.95	14.55	7.64	3.37	2.15	2.02	2.43	2.74	7.30
1983	3.98	8.65	6.63	8.83	15.54	19.46	19.33	9.19	4.53	3.68	3.01	3.13	8.83
1984	11.61	14.96	17.31	13.88	17.29	20.04	15.84	5.29	2.46	1.78	1.39	1.67	10.29
1985	6.72	11.08	11.57	16.73	18.87	24.15	15.86	11.08	4.28	2.29	1.71	2.36	10.56
1986	8.65	11.63	11.07	9.45	11.92	18.52	11.28	4.83	2.63	1.86	1.47	2.55	7.99
1987	8.43	9.97	13.09	16.10	11.85	12.98	9.77	5.34	2.88	1.86	1.57	1.89	7.98
1988	6.63	12.77	13.28	20.24	27.50	23.97	10.22	4.94	2.90	1.60	1.20	1.69	10.58
1989	7.24	8.86	9.00	13.83	19.92	15.34	10.92	10.04	4.52	2.62	2.25	3.36	8.99
1990	10.44	13.14	13.63	13.78	15.04	21.49	14.45	8.46	6.31	2.83	2.05	3.28	10.41
1991	8.03	12.60	11.81	11.90	13.15	15.26	10.96	6.81	3.28	2.75	1.74	2.05	8.36
1992	3.71	11.82	13.52	10.02	19.18	18.40	12.96	7.02	2.96	2.18	2.08	3.05	8.91
1993	9.68	8.39	8.98	14.55	21.31	17.82	10.19	5.11	2.92	1.90	1.76	2.50	8.76
Total	211.49	296.29	271.35	333.35	413.93	458.97	314.07	157.82	90.91	56.00	46.46	69.67	226.69
Average	9.20	12.88	11.80	14.49	18.00	19.96	13.66	6.86	3.95	2.43	2.02	3.03	9.86
Min.	3.71	8.39	6.46	7.76	11.85	12.98	7.64	3.37	2.15	1.60	1.20	1.67	6.97
Max.	18.53	29.09	19.28	27.83	33.36	29.94	19.78	11.08	9.04	3.66	3.01	5.46	15.99

Table 13-44 Monthly Inflow at Cerritos Site with Project Implementation

Catchment Area : 230 km²

Unit : m³/s

Year	May	Jun.	Jul.	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Average
1971	43.53	54.09	44.28	52.83	58.36	49.29	39.29	18.73	17.33	9.46	6.83	12.74	33.89
1972	26.80	22.62	21.96	26.88	31.32	42.97	35.97	19.82	9.75	6.97	6.33	9.48	21.74
1973	17.92	42.07	38.21	48.59	50.76	54.94	32.64	25.35	23.44	10.56	7.33	9.24	30.09
1974	26.73	43.69	29.82	33.69	43.83	51.59	34.36	14.48	9.24	6.86	6.78	7.87	25.74
1975	27.90	30.87	32.73	42.18	47.96	47.51	44.78	20.65	11.55	6.63	5.22	6.00	27.00
1976	14.37	23.91	19.04	20.54	33.71	40.62	25.22	13.49	8.05	6.37	5.78	6.89	18.25
1977	14.75	23.79	17.48	35.53	40.11	44.88	37.43	17.95	9.03	6.61	6.24	14.45	22.35
1978	19.95	32.51	32.92	38.61	44.17	47.58	35.48	18.54	10.52	7.52	6.69	11.60	25.51
1979	29.72	32.48	30.05	35.51	45.81	47.66	35.01	19.03	13.32	8.53	6.18	9.52	26.07
1980	21.34	30.90	31.41	31.51	35.79	41.66	43.92	20.37	12.09	8.44	7.53	13.59	24.88
1981	42.50	45.28	31.60	40.40	30.91	40.28	34.72	15.82	13.24	8.36	8.47	10.90	26.87
1982	32.64	23.70	23.89	23.92	29.98	35.85	20.26	9.86	6.65	6.29	7.38	8.21	19.05
1983	11.31	22.58	17.89	23.00	38.07	44.46	44.33	23.77	12.77	10.63	8.93	9.18	22.24
1984	29.09	36.75	41.91	34.45	41.86	45.04	38.63	14.61	7.48	5.64	4.55	5.29	25.44
1985	17.97	28.18	29.21	40.47	43.87	49.15	38.57	28.06	12.14	7.03	5.44	7.19	25.61
1986	21.96	29.40	28.17	24.47	30.08	43.52	28.65	13.49	7.93	5.85	4.77	7.67	20.50
1987	22.10	25.63	32.68	39.32	29.93	32.41	25.14	14.75	8.59	5.86	5.05	5.91	20.61
1988	17.78	31.71	33.08	45.24	52.50	48.97	26.11	13.78	8.63	5.13	4.00	5.33	24.36
1989	19.33	23.09	23.45	34.31	44.92	37.64	27.83	25.72	12.74	7.90	6.93	9.75	22.80
1990	26.69	32.81	33.80	34.16	37.00	46.49	35.59	22.16	17.12	8.45	6.38	9.57	25.85
1991	21.15	31.56	29.83	29.89	32.80	37.41	27.84	18.21	9.63	8.24	5.53	6.37	21.54
1992	10.65	29.74	33.63	25.79	44.18	43.40	32.39	18.72	8.80	6.77	6.20	8.40	22.39
1993	26.57	27.52	26.14	33.73	46.31	40.10	24.33	14.76	9.01	6.66	5.79	6.43	22.28
Total	542.76	724.87	683.17	795.04	934.22	1013.43	769.48	422.09	259.05	170.74	144.33	201.56	555.06
Average	23.60	31.52	29.70	34.57	40.62	44.06	33.46	18.35	11.26	7.42	6.28	8.76	24.13
Min.	10.65	22.58	17.48	20.54	29.93	32.41	20.26	9.86	6.65	5.13	4.00	5.29	18.25
Max.	43.53	54.09	44.28	52.83	58.36	54.94	44.78	28.06	23.44	10.63	8.93	14.45	33.89

Table 13-45 Monthly Inflow at the Mouth of Paqueta River without Project Implementation

Catchment Area : 178.5 km² Annual Precipitation 6.207 mm

Unit : m³/s

Year	May	Jun.	Jul.	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Average
1971	41.70	65.45	43.37	62.62	75.06	54.65	36.27	15.76	14.45	7.24	4.98	10.23	35.98
1972	23.70	19.47	18.83	23.69	28.10	40.43	32.84	16.80	7.49	5.11	4.58	7.46	19.04
1973	15.11	39.15	35.28	53.09	57.97	67.37	29.52	22.14	20.35	8.23	5.41	7.06	30.06
1974	23.59	42.07	26.66	30.69	42.36	59.84	31.26	11.78	7.04	5.02	4.95	5.90	24.26
1975	24.99	27.71	29.53	39.37	51.67	50.65	44.50	17.54	9.12	4.82	3.68	4.33	25.66
1976	11.93	20.71	16.02	17.47	30.65	37.81	23.02	10.86	6.02	4.61	4.14	5.06	15.69
1977	12.17	20.77	14.55	32.55	37.28	44.74	34.34	15.03	6.87	4.81	4.51	12.28	19.99
1978	16.95	29.34	29.67	35.55	43.14	50.80	32.41	15.56	8.17	5.56	4.87	9.30	23.44
1979	26.55	29.33	26.82	32.51	46.83	50.99	31.99	16.03	10.77	6.43	4.45	7.40	24.17
1980	18.31	27.85	28.47	28.32	32.71	38.69	42.56	17.29	9.58	6.36	5.58	11.11	22.24
1981	39.63	45.62	28.38	37.49	27.73	37.27	31.77	12.99	10.63	6.28	6.38	8.53	24.39
1982	29.67	20.51	20.75	20.73	26.89	32.74	17.18	7.58	4.84	4.55	5.47	6.16	16.42
1983	8.95	19.46	14.92	19.88	34.97	43.80	43.49	20.68	10.19	8.28	6.77	7.05	19.87
1984	26.13	33.66	38.95	31.23	38.91	45.09	35.64	11.91	5.53	4.01	3.13	3.77	23.16
1985	15.11	24.92	26.03	37.64	42.45	54.35	35.69	24.93	9.63	5.16	3.84	5.31	23.76
1986	19.47	26.17	24.91	21.25	26.83	41.67	25.38	10.86	5.92	4.18	3.31	5.74	17.97
1987	18.98	22.44	29.44	36.23	26.66	29.21	21.97	12.01	6.48	4.18	3.54	4.25	17.95
1988	14.92	28.74	29.88	45.54	61.88	53.94	23.00	11.12	6.52	3.59	2.71	3.80	23.80
1989	16.28	19.95	20.26	31.12	44.82	34.53	24.57	22.58	10.16	5.89	5.07	7.56	20.23
1990	23.50	29.56	30.67	31.01	33.84	48.37	32.51	19.03	14.21	6.37	4.61	7.37	23.42
1991	18.07	28.35	26.58	26.78	29.59	34.33	24.67	15.32	7.37	6.13	3.91	4.61	18.81
1992	8.36	26.59	30.42	22.55	43.16	41.40	29.16	15.79	6.66	4.90	4.67	6.87	20.04
1993	21.78	18.88	20.20	32.75	47.95	40.09	22.94	11.49	6.57	4.27	3.97	5.63	19.71
Total	475.87	666.71	610.57	750.08	931.42	1032.76	706.70	355.11	204.57	126.01	104.55	156.77	510.09
Average	20.69	28.99	26.55	32.61	40.50	44.90	30.73	15.44	8.89	5.48	4.55	6.82	22.18
Min.	8.36	18.88	14.55	17.47	26.66	29.21	17.18	7.58	4.84	3.59	2.71	3.77	15.69
Max.	41.70	65.45	43.37	62.62	75.06	67.37	44.50	24.93	20.35	8.23	6.77	12.28	35.98

Table 13-46 Monthly Inflow at the Mouth of Paqueta River with Project Implementation

Catchment Area : 178.5 km²

Unit : m³/s

Year	May	Jun.	Jul.	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Average
1971	66.70	90.45	68.37	87.62	100.06	79.65	59.44	27.48	25.36	13.48	9.59	18.42	53.89
1972	39.97	33.44	32.42	40.04	46.93	65.43	54.21	29.15	13.91	9.81	8.88	13.62	32.32
1973	26.31	63.82	57.81	78.09	82.97	92.37	49.04	37.65	34.75	15.13	10.34	13.16	46.79
1974	39.83	67.07	44.63	50.74	67.36	84.84	51.73	21.02	13.15	9.65	9.53	11.15	39.23
1975	41.78	46.26	49.14	64.06	76.67	75.65	69.50	30.39	16.62	9.31	7.27	8.41	41.26
1976	21.00	35.42	27.94	30.25	50.74	61.63	39.01	19.52	11.40	8.93	8.08	9.70	26.97
1977	21.51	35.33	25.57	53.61	60.82	69.74	56.51	26.30	12.85	9.28	8.74	21.27	33.46
1978	29.37	48.81	49.40	58.36	68.14	75.80	53.49	27.18	15.06	10.61	9.39	16.76	38.53
1979	44.47	48.77	44.95	53.57	71.83	75.99	52.78	27.94	19.30	12.10	8.65	13.63	39.50
1980	31.51	46.37	47.23	47.24	53.97	63.15	67.56	29.97	17.41	11.98	10.63	19.76	37.23
1981	64.52	70.62	47.37	61.23	46.32	60.99	52.37	23.04	19.15	11.85	12.01	15.64	40.43
1982	49.12	35.10	35.42	35.44	44.92	54.04	29.80	14.07	9.34	8.82	10.42	11.63	28.18
1983	16.28	33.39	26.18	34.05	57.50	68.80	68.49	35.26	18.43	15.23	12.69	13.10	33.28
1984	43.61	55.45	63.55	51.80	63.48	70.09	58.43	21.23	10.55	7.87	6.29	7.39	38.31
1985	26.36	42.02	43.67	61.38	67.45	79.35	58.40	41.91	17.49	9.90	7.57	10.14	38.81
1986	32.78	43.94	42.01	36.27	44.99	66.67	42.75	19.52	11.22	8.17	6.61	10.86	30.48
1987	32.65	38.10	49.03	59.45	44.74	48.64	37.34	21.42	12.19	8.18	7.02	8.27	30.59
1988	26.07	47.68	49.68	70.54	86.88	78.94	38.89	19.96	12.25	7.12	5.51	7.44	37.58
1989	28.37	34.18	34.71	51.60	69.82	56.83	41.48	38.26	18.38	11.17	9.75	13.95	34.04
1990	39.75	49.23	50.84	51.39	55.80	73.37	53.65	32.73	25.02	11.99	8.94	13.66	38.86
1991	31.19	47.31	44.60	44.77	49.24	56.48	41.55	26.72	13.72	11.67	7.70	8.93	31.99
1992	15.30	44.51	50.53	38.32	68.16	66.40	48.59	27.49	12.50	9.49	8.79	12.22	33.52
1993	38.67	38.01	37.36	51.93	72.95	62.37	37.08	21.14	12.66	9.03	8.00	9.56	33.23
Total	807.14	1095.29	1022.39	1211.77	1451.71	1587.22	1162.11	619.38	372.71	240.75	202.42	288.66	838.46
Average	35.09	47.62	44.45	52.69	63.12	69.01	50.53	26.93	16.20	10.47	8.80	12.55	36.45
Min.	15.30	33.39	25.57	30.25	44.74	48.64	29.80	14.07	9.34	7.12	5.51	7.39	26.97
Max.	66.70	90.45	68.37	87.62	100.06	92.37	69.50	41.91	34.75	15.23	12.69	21.27	53.89

Table 13-47 Monthly Average Inflow at the River Mouth of Naranja without Project Implementation

Catchment Area : 332 km² Annual Precipitation 5.543 mm

Unit : m³/s

Year	May	Jun.	Jul.	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	Average
1971	69.26	108.71	72.04	104.01	124.67	90.77	60.25	26.18	24.00	12.02	8.28	17.00	59.77
1972	39.36	32.33	31.28	39.35	46.67	67.16	54.55	27.90	12.45	8.48	7.60	12.39	31.63
1973	25.11	65.03	58.60	88.17	96.28	111.90	49.04	36.78	33.80	13.67	8.99	11.73	49.92
1974	39.19	69.87	44.27	50.97	70.36	99.40	51.93	19.57	11.70	8.33	8.23	9.80	40.30
1975	41.50	46.03	49.05	65.39	85.82	84.13	73.92	29.14	15.15	8.01	6.11	7.19	42.62
1976	19.82	34.40	26.61	29.02	50.90	62.80	38.24	18.04	10.00	7.65	6.88	8.40	26.06
1977	20.21	34.50	24.16	54.07	61.92	74.30	57.04	24.96	11.41	7.99	7.49	20.39	33.20
1978	28.15	48.73	49.28	59.05	71.66	84.38	53.83	25.85	13.56	9.24	8.09	15.45	38.94
1979	44.10	48.72	44.54	54.00	77.78	84.70	53.14	26.62	17.89	10.68	7.39	12.29	40.15
1980	30.42	46.26	47.28	47.04	54.32	64.27	70.70	28.73	15.91	10.56	9.26	18.45	36.93
1981	65.82	75.78	47.14	62.27	46.06	61.90	52.77	21.58	17.65	10.44	10.60	14.16	40.51
1982	49.28	34.06	34.46	34.44	44.66	54.38	28.54	12.59	8.04	7.56	9.09	10.24	27.28
1983	14.87	32.32	24.79	33.01	58.08	72.75	72.24	34.36	16.92	13.75	11.25	11.71	33.00
1984	43.41	55.91	64.69	51.87	64.63	74.89	59.20	19.78	9.18	6.66	5.20	6.26	38.47
1985	25.11	41.40	43.24	62.52	70.51	90.28	59.28	41.41	16.00	8.57	6.38	8.83	39.46
1986	32.35	43.46	41.37	35.30	44.57	69.21	42.16	18.04	9.84	6.94	5.50	9.53	29.85
1987	31.52	37.27	48.91	60.18	44.27	48.52	36.50	19.94	10.76	6.94	5.88	7.06	29.81
1988	24.79	47.73	49.62	75.65	102.78	89.60	38.20	18.48	10.84	5.96	4.50	6.31	39.54
1989	27.05	33.13	33.65	51.69	74.44	57.35	40.81	37.51	16.88	9.78	8.43	12.55	33.61
1990	39.03	49.11	50.94	51.51	56.21	80.33	53.99	31.61	23.60	10.58	7.65	12.25	38.90
1991	30.02	47.10	44.14	44.49	49.15	57.03	40.97	25.45	12.25	10.26	6.50	7.65	31.25
1992	13.88	44.17	50.53	37.46	71.68	68.77	48.43	26.22	11.06	8.13	7.76	11.41	33.29
1993	36.18	31.36	33.54	54.39	79.64	66.60	38.10	19.09	10.92	7.09	6.59	9.36	32.74
Total	790.42	1107.39	1014.14	1245.86	1547.06	1715.38	1173.81	589.83	339.79	209.29	173.65	260.40	847.25
Average	34.37	48.15	44.09	54.17	67.26	74.58	51.04	25.64	14.77	9.10	7.55	11.32	36.84
Min.	13.88	31.36	24.16	29.02	44.27	48.52	28.54	12.59	8.04	5.96	4.50	6.26	26.06
Max.	69.26	108.71	72.04	104.01	124.67	111.90	73.92	41.41	33.80	13.75	11.25	20.39	59.77