


Y 35,000

20°25'

Y 30,000



LEGEND

- 1 : Whole rock analysis
- 2 : X-ray powder diffractometry test
- 3 : Thin section
- 4 : Polished section
- 5 : Ore analysis
- 6 : Nannoplankton





20°25'

Y 30,000

Y 25,000

20°20'

105°10'

X-20,000


X-15,000

105°05'


X-10,000

105°00'

X-5,000







LEGEND

- 1 : Whole rock analysis
- 2 : X-ray powder diffractometry test
- 3 : Thin section
- 4 : Polished section
- 5 : Ore analysis
- 6 : Nannoplankton



20°25'

Y 30,000

Y 25,000

20°20'

X - 15,000

105°05'

X - 10,000


105°00'

X - 5,000










Y 15,000

20°15'

Y 10,000




LEGEND

- 1 : Whole rock analysis
- 2 : X-ray powder diffractometry test
- 3 : Thin section
- 4 : Polished section
- 5 : Ore analysis
- 6 : Nonnoplankton









LEGEND

- 1 : Whole rock analysis
- 2 : X-ray powder diffractometry test
- 3 : Thin section
- 4 : Polished section
- 5 : Ore analysis
- 6 : Nannoplankton



Y 10,000

Y 5,000

20'10"

X-15,000

105°05'

X-10,000

X-5,000

105°00'