


Y 15,000

20°15'



Y 10,000

Y 5,000



LEGEND

- Station Point, No.
- Transmitter Dipole
- 100 Contour of Apparent Resistivity



Y 15,000


20°15'

Y 10,000

Y 5,000
20°10'

LEGEND

- 210
○ Station Point, No.
- Transmitter Dipole
- 100
○ Contour of Apparent Resistivity (Ω·m)



20°15'

20°10'

X-15,000

105°05'

X-10,000

105°00'

X-5,000


Y 15,000

20°15'

Y 10,000

Y 5,000

20°10'









Scale 1 : 25,000




JAPAN INTERNATIONAL COOPERATION AGENCY
METAL MINING AGENCY OF JAPAN

APRIL 1986

LEGEND


-  Station Point, No.
-  Transmitter Dipole
-  Contour of Apparent Resistivity





105°05'

105°00'




Y 15,000

20°15'

Y 10,000


Y 5,000

20°10'



LEGEND

- Station Point, No.
- Transmitter Dipole
- 100 Contour of Apparent Resistivity (Ω-m)



Y 15,000

20°15'

Y 10,000

Y 5,000

20°10'


X-15,000

105°05'




X-10,000

105°00'

X-5,000



LEGEND

-  Station Point, No.
-  Transmitter Dipole
-  Contour of Apparent Resistivity (Ωm)