

表2-4-1

プロジェクト地点における降雨観測記録

観測期間: 1994年3月~1995年3月

年 月 日	雨量		年 月 日	雨量		年 月 日	雨量		年 月 日	雨量	
	mm	日数		mm	日数		mm	日数		mm	日数
1993			17	2.5		31	7.0		12月計	05.0	
3 4	2.0		11月計	15.5		3月計	82.0		1995		
5	2.5		12 1	2.0		4 8	1.0		1 1	13.0	2
6	4.5	6	13	37.5		24	0.5		2	13.5	
7	14.5		25	12.0		29	8.0		7	0.5	
8	23.5		28	3.0		4月計	9.5		10	2.5	
9	10.0		12月計	54.5		5 1	15.5	2	11	11.5	
20	5.5		1994			2	2.5	18.0	12	14.5	
3月計	62.5		1 1			4	24.0		13	44.5	6
4 2	0.5		2	74.0	4	5	11.5	36.0	14	4.0	
8	1.0		3		78.0	6	0.5		15	5.0	
9	0.5		4	4.0		8	1.5		18	0.5	
10	27.5	4	14	9.5	2	12	3.5		25	1.5	
11	0.5		15	10.5	20.0	5月計	59.0		28	22.0	
19	2.5		22	8.5		6 16	4.5		1月計	33.0	
20	10.0	2	28	7.0		8 1	2.0		2 6	11.0	
26	6.5		29	12.5	4	9 7	4.5		7	7.5	3
30	0.5		30	37.0	62.5	10 1	14.0		8	0.5	19.0
4月計	49.5		31	6.0		17	27.5	2	10	0.5	
5 2	3.5		1月計	63.0		18	7.0	31.5	11	0.5	2
3	5.5		2 8	3.5		24	21.0		20	1.0	2
4	0.5	4	10	6.0		26	3.5		21	3.0	4.0
5	14.5		11	3.5	4	10月計	73.0		2月計	24.0	
12	4.0		12	5.5	15.5	14	6.5	2	3 7	7.5	
13	2.0	3	13	0.5		15	1.0	7.5	8	3.5	3
14	10.5		15	26.5	2	18	24.0		9	11.0	
22	7.0		16	0.5	27.0	19	13.0		11	5.5	2
27	2.0		21	1.0		20	56.0	5	12	0.5	6.0
5月計	49.5		22	3.5		21	25.5	238.5	14	4.0	
6 2	3.0	2	23	1.0	6	22	1.0		15	1.5	4
3	6.0	9.0	24	1.5	60.5	11月計	246.0		16	24.5	30.5
7	1.0		25	8.5		1	13.0	2	17	0.5	
17	4.0		26	45.0		2	13.5	26.5	24	1.5	2
19	1.0		2月計	106.5		11	0.5		25	2.5	4.5
6月計	15.0		2	1.0		14	2.5		28	4.0	
10 15	1.0		5	52.5	2	15	11.5	28.5	3月計	66.5	
10 23	2.5		6	8.0	60.5	16	14.5				
10月計	3.5		13	3.0		18	44.5	2			
11 1	9.0		15	8.0		19	4.0	48.5			
14	1.0	2	17	0.5		28	5.0				
15	3.0	4.0	23	2.0		31	1.0				

表2-4-2 プロジェクト地点における雨量観測記録 観測期間：1995年4月～12月

年月日	日降雨量記録				連続雨量		年月日	日降雨量記録				連続雨量			
	日 雨量 mm	ピーク雨量記録			日数	合計 雨量 mm		日 雨量 mm	ピーク雨量記録			日数	合計 雨量 mm		
		時間 min.	雨量 mm	強度 mm/h					時間 min.	雨量 mm	強度 mm/h				
1995 4 2	2.0				2	5.5	1995 8 22	1.5							
3	3.5						8月計	1.5							
9	0.5				3	42.5	9 24	34.0	55	32.5	35				
10	37.0						28	1.5	15	1.5	6				
11	5.0						9月計	35.5							
13	5.5				2	6.0	10 2	28.5	75	14.0	12				
14	0.5						28	22.5	40	19.0	29				
18	30.5	85	11.0	8	2	41.5	20	4.0	12						
19	11.0	15	6.0	24			25	3.0	7						
28	0.5						10月計	51.0							
4月計	79.0						11 1	1.0							
5 4	13.5	35	13.0	22	4	51.5	2	12.5	60	8.0	8	4	26.5		
5	25.0	15	12.0	48			3	10.0	90	8.0	5				
		90	7.0	5			4	3.0	30	2.5	5				
		12	12.0	60			7	24.5	10	9.5	57	2	27.5		
		60	4.5				8	3.0	10	2.0	12				
6 10.0	100	7.0	4				19	12.5	60	11.0	11	5	109.0		
7 3.0							20	42.5	230	15.0	4				
9 1.0								180	20.0	7					
5月計	53.0						21	29.5	90	14.0	9				
6 1 1.5					2	8.5		30	3.0	6					
2 7.0	20	6.5	20				22	23.5	270	18.0	5				
9 32.0	20	30.5	92		2	33.0	23	1.0							
10 1.0							11月計	163.0							
28 34.0	42	31.0	44		2	37.5	12 9	8.0	180	8.0	3	4	15.0		
	2	3.0	90				10	4.0							
29 3.5							11	1.0							
6月計	79.0						12	2.0							
7 1 16.5	15	5.5	22				21	0.5				2	3.0		
	10	4.0	24				26	0.5							
	30	5.5	11				27	2.5							
3 6.0	30	5.0	10				12月計	18.5							
24 12.5	70	11.0	9												
7月計	35.0														

表2-4-3 プロジェクト地点における雨量観測記録 観測期間：1996年1月～8月

年月日	日降雨量記録				連続雨量		年月日	日降雨量記録				連続雨量			
	日	ピーク雨量記録			日数	合計雨量 mm		日	ピーク雨量記録			日数	合計雨量 mm		
		雨量 mm	時間 min.	雨量 mm					強度 mm/h	雨量 mm	時間 min.			雨量 mm	強度 mm/h
1996 1	2	5.0	30	2.5	5	72.0	3	20	7.5	20	5.0	15	8	33.5	
	3	8.0					21	7.5	20	4.5	14				
	4	35.0	180	17.0	6		22	1.5							
			180	15.5	5		23	7.0	40	3.0	5				
	5	14.0	50	4.0	4		24	6.0	60	6.0	6				
	6	15.0	60	6.5	7		25	0.5							
			100	6.0	4		26	2.5							
	18	2.0					27	1.0							
	20	0.5					29	1.0							
	1月計	96.0					30	1.5				2			2.5
2	5	1.0			6	60.5	3月計	152.0			4	9.5			
2	6	16.5	110	8.0			4	6	1.5						
	7	8.0	50	2.5			3	7	3.0						
	8	5.0	180	9.5			3	8	1.0						
	9	26.0	140	8.0			3	9	4.0						
	10	4.0	95	3.0			2	12	16.0					2	21.0
	19	2.0					2	13	5.0						
	20	0.5					2	15	16.0						
	26	0.5					2	17	2.5						
	27	9.0	110	7.5			4	20	4.5					2	31.0
	29	1.0			8	112.0	21	26.5							
	2月計	1.0	73.5				4月計	80.0							
3	1	20.0	80	8.0			6	5	10	6.5					
			50	5.0			6	24	0.5						
	2	21.0	200	19.5			6	30	1.5						
	3	10.5	110	8.0			4	5月計	8.5						
	4	9.5	120	3.5			2	6	2	10.0					
	5	5.5	210	3.5			1	20	1.5						
	6	34.5	330	31.5			6	21	0.5						
	7	10.0	40	3.5			5	6月計	12.0						
			140	5.5	2										
	9	1.0			3	5.0									
	10	3.0													
	11	1.0													

表2-5-1 プロジェクト地点の日別気象観測記録 1993年3月~4月

月	日	日照	降水	日射量	蒸発	気圧	気温 ℃			湿度 %			風速 m/s			風向
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
3	1	538	0.0	7.60		1011.3	22.4	1.5	11.4	88.9	16.6	64.4	4.1	0.1	1.9	NE
	2	487	0.0	6.25		1007.1	21.4	4.4	11.8	81.6	31.0	55.1	5.5	0.3	3.1	N
	3	585	0.0	10.00		1006.9	20.2	4.2	11.8	90.1	31.6	60.9	6.1	0.0	2.2	WSW
	4	413	2.0	7.71		1002.2	20.6	1.0	11.3	96.4	26.0	62.0	11.0	0.0	2.3	E
	5	471	2.5	10.45		993.1	16.8	5.5	10.5	95.6	42.1	75.1	7.9	0.1	2.0	NE
	6	3	4.5	0.17		1002.4	11.3	2.9	8.3	96.2	66.8	85.5	6.9	0.1	2.8	NE
	7	21	14.5	0.37		994.2	13.3	6.7	9.2	94.4	65.4	83.9	7.0	0.2	3.0	E
	8	6	23.5	0.26		1000.5	8.5	6.4	7.3	95.1	78.5	88.7	4.9	0.3	2.8	NE
	9	66	10.0	0.92		1006.5	11.4	4.3	7.4	98.4	57.7	85.8	6.5	0.0	2.4	NE
	10	592	0.0	12.54		1007.5	14.7	2.7	8.5	95.8	36.0	67.9	6.8	0.1	2.5	NE
	11	619	0.0	11.48		1009.9	14.6	0.7	7.5	91.3	35.6	60.1	7.5	0.0	2.9	N
	12	624	0.0	13.06		1016.2	15.0	2.9	8.8	73.2	31.9	54.1	6.6	0.1	3.3	N
	13	541	0.0	11.66		1016.3	14.3	2.0	8.2	94.1	36.8	62.3	3.9	0.0	1.6	NE
	14	522	0.0	11.07		1015.0	16.0	1.5	8.6	91.4	32.8	66.0	5.0	0.1	1.8	NW
	15	595	0.0	12.54		1015.7	16.8	3.2	9.3	95.0	31.2	67.4	5.5	0.1	1.8	S
	16	622	0.0	12.36		1014.1	17.0	0.6	8.4	95.5	21.1	59.0	4.8	0.1	1.9	SW
	17	626	0.0	11.49		1010.6	18.1	0.2	9.8	85.6	23.6	56.8	5.6	0.4	2.3	NE
	18	452	0.0	4.49		1008.3	17.1	3.4	10.0	96.5	41.7	70.5	4.9	0.2	2.7	NE
	19	430	0.0	8.45		1011.6	17.3	2.6	9.8	97.9	44.5	75.2	6.8	0.1	2.7	S
	20	11	5.5	0.24		1012.1	13.6	5.2	9.9	96.4	49.0	84.9	9.4	0.1	2.4	E
	21	481	0.0	12.71		1015.1	16.8	4.6	9.2	86.8	20.4	50.0	7.6	0.2	3.1	NE
	22	604	0.0	9.38		1018.7	19.1	0.6	9.6	96.0	38.8	74.2	4.1	0.0	1.7	SW
	23	637	0.0	6.22		1018.4	21.8	3.3	11.7	96.3	37.6	72.6	4.1	0.0	1.7	WSW
	24	650	0.0	5.81		1014.1	23.6	3.4	13.0	92.4	19.8	66.1	3.0	0.1	1.5	WSW
	25	652	0.0	6.65		1009.9	25.9	4.5	14.4	93.7	22.3	64.7	3.3	0.0	1.5	WSW
	26	587	0.0	5.74		1011.8	24.6	4.9	14.5	95.8	33.2	70.5	5.6	0.0	2.2	SW
	27	654	0.0	6.35		1012.1	26.6	5.7	15.6	93.3	20.8	63.3	3.7	0.0	1.3	NW
	28	563	0.0	5.22		1007.6	28.0	7.6	17.6	90.7	24.0	58.4	4.7	0.3	2.5	NW
	29	602	0.0	5.26		1013.9	20.3	5.4	13.8	92.4	37.3	66.2	7.0	0.0	2.9	SW
	30	593	0.0	7.28		1016.1	20.9	3.5	11.8	96.1	34.1	71.8	2.5	0.1	1.3	NW
	31	486	0.0	4.04		1010.1	26.2	3.9	16.6	97.3	29.3	60.2	5.1	0.3	2.0	E
4	1	199	0.0	0.97		1004.7	21.9	13.5	17.5	91.8	54.2	73.0	6.0	0.2	2.8	SW
	2	528	0.5	8.78		1008.8	18.1	5.1	12.6	95.8	43.1	70.0	9.5	0.1	3.9	SW
	3	658	0.0	7.73		1013.5	19.7	2.6	11.0	94.3	31.1	66.9	3.6	0.1	1.7	WSW
	4	629	0.0	7.27		1011.4	24.3	2.5	12.9	91.7	22.7	60.1	3.7	0.1	1.4	NW
	5	667	0.0	7.80		1007.4	26.7	5.3	15.6	91.6	24.4	60.7	5.8	0.6	2.8	WSW
	6	614	0.0	5.88		1006.6	24.3	6.7	15.5	91.0	36.7	68.5	2.8	0.1	1.4	NW
	7	531	0.0	4.73		1003.0	21.5	9.0	14.3	91.0	43.5	70.6	7.7	0.0	2.7	WSW
	8	349	1.0	3.58		1006.4	18.7	6.6	12.8	93.7	52.0	77.3	9.4	0.1	2.6	SW
	9	468	0.5	7.20		1006.6	20.8	19.5	15.0	93.4	43.3	75.3	7.9	0.1	3.0	SW
	10	120	27.5	1.27		1003.4	19.2	6.3	12.0	92.4	55.4	82.9	7.8	0.2	2.9	SSW
	11	601	0.5	9.35		1008.2	18.5	3.1	11.2	92.6	32.0	66.8	5.5	0.1	2.2	NW
	12	379	0.0	4.54		1011.4	17.0	5.6	12.2	93.7	51.1	76.8	5.1	0.1	1.8	SW
	13	109	0.0	1.17		1011.4	16.6	11.5	13.8	93.6	68.9	86.3	4.0	0.1	1.5	NE
	14	394	0.0	9.41		1011.1	22.4	7.9	13.3	94.8	42.7	79.8	2.4	0.1	0.9	WSW
	15	507	0.0	8.72		1011.9	24.0	9.1	16.7	93.0	51.5	73.8	2.3	0.1	1.4	S
	16	15	0.0	0.03		1010.7	24.4	10.8	14.9	93.8	46.2	83.0	2.2	0.0	1.0	NW
	17	370	0.0	4.60		1006.7	28.9	13.8	19.8	90.1	26.6	69.3	4.6	0.1	1.5	NW
	18	79	0.0	0.55		1004.3	23.9	14.4	18.3	91.8	51.2	74.9	4.2	0.3	1.8	NW
	19	464	2.5	6.55		1004.0	22.5	12.7	17.6	93.2	53.8	75.5	8.2	0.1	3.1	SW
	20	715	10.0	11.15		1007.2	21.9	8.6	14.6	92.4	34.7	67.5	9.0	0.0	2.4	WSW
	21	651	0.0	11.42		1008.3	23.6	5.9	13.9	95.5	33.1	72.0	4.7	0.1	1.9	WSW
	22	728	0.0	9.18		1008.2	23.5	8.6	15.3	95.2	13.5	51.3	6.6	0.1	3.1	NE
	23	728	0.0	10.21		1008.0	24.4	4.1	14.9	92.4	20.9	54.3	4.3	0.1	1.9	N
	24	577	0.0	5.46		1004.0	27.1	6.2	17.6	92.2	18.3	54.2	6.1	0.3	2.5	NW
	25	378	0.0	1.90		1001.0	24.8	12.5	18.2	89.9	37.3	65.8	5.2	0.1	2.3	SW
	26	557	6.5	5.51		1001.8	24.0	9.6	17.0	96.4	47.3	73.0	8.1	0.1	2.6	SW
	27	499	0.0	6.68		1003.4	23.9	11.2	16.4	95.1	42.8	76.5	6.8	0.1	2.0	SW
	28	579	0.0	6.31		1001.8	24.1	10.2	16.9	91.9	42.6	69.4	6.2	0.0	2.1	WSW
	29	663	0.0	7.22		1004.4	25.8	9.3	17.1	94.0	28.6	66.9	3.6	0.2	1.7	W
	30	664	0.5	6.50		1000.8	29.0	8.8	18.8	92.1	23.1	58.5	5.2	0.2	2.1	ENE

表2-5-2 プロジェクト地点の気象観測記録 1993年5月~6月

月	日	日照	降水	日射量	蒸発	気圧	気温 °C			湿度 %			風速 m/s			風向
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
5	1	433	0.0	3.05		996.2	26.4	12.5	18.7	93.0	36.4	67.2	7.1	0.1	2.0	WSW
	2	169	3.5	4.11		1000.6	18.3	9.6	13.7	95.4	53.5	83.7	4.5	0.1	1.6	S
	3	501	5.5	8.83		1006.3	22.2	8.8	14.4	91.1	40.9	76.6	6.2	0.0	1.4	S
	4	624	0.5	7.74		1004.7	23.4	9.8	16.6	92.6	33.8	68.2	6.3	0.1	2.1	S
	5	7	14.5	0.41		1001.0	17.6	13.0	15.3	91.9	62.6	62.6	6.1	0.1	2.6	NE
	6	344	0.0	3.14		1003.2	21.0	13.0	16.4	92.7	56.8	80.0	5.8	0.0	1.8	SW
	7	527	0.0	6.06		1008.0	24.0	13.6	17.8	93.0	54.1	76.4	4.8	0.0	1.8	SSW
	8	479	0.0	4.17		1006.5	27.1	11.7	19.6	92.2	41.6	70.5	4.1	0.1	1.9	NE
	9	501	0.0	5.91		1003.1	29.2	17.7	22.5	89.2	33.4	61.6	6.0	0.1	2.5	NE
	10	596	0.0	5.35		1002.6	26.5	15.9	20.3	92.6	33.6	71.5	6.2	0.1	2.4	WSW
	11	424	0.0	4.01		1003.4	23.1	13.2	17.3	93.7	44.6	74.6	6.0	0.1	1.8	NW
	12	160	4.0	2.04		1001.1	19.8	12.9	15.8	93.5	60.8	82.6	5.2	0.0	1.8	E
	13	216	2.0	4.18		1004.2	21.0	11.9	15.1	92.2	54.9	83.2	4.8	0.1	1.6	S
	14	0	10.5	0.13		1007.8	16.8	12.1	15.0	91.2	77.7	86.4	3.4	0.0	1.7	S
	15	543	0.0	5.45		1006.6	25.0	11.3	18.1	91.0	46.3	73.0	5.8	0.0	1.8	SW
	16	342	0.0	3.61		1000.3	29.0	15.0	20.4	89.9	34.0	70.2	7.4	0.2	2.4	N
	17	692	0.0	4.39		1004.0	24.7	14.0	18.8	92.2	38.5	69.4	5.4	0.1	2.0	SSW
	18	611	0.0	7.74		1006.4	26.0	13.7	19.1	91.9	33.9	69.7	4.0	0.1	1.5	SW
	19	508	0.0	10.42		1007.3	26.8	12.2	18.7	92.5	37.6	71.9	5.7	0.1	1.7	WSW
	20	735	0.0	11.49		1006.8	28.3	11.3	19.5	91.4	34.5	67.2	5.0	0.1	1.7	SW
	21	734	0.0	18.78		1005.3	28.4	11.4	19.5	93.3	41.7	70.5	7.2	0.1	2.1	SW
	22	395	7.0	10.74		1005.5	27.1	13.3	18.3	93.8	40.4	78.2	7.1	0.0	1.7	S
	23	30	0.0	0.30		1006.6	23.8	14.1	18.0	91.8	58.6	82.1	4.9	0.1	1.4	WSW
	24	537	0.0	18.75		1006.3	29.4	13.1	20.7	93.1	38.8	71.4	5.9	0.1	1.7	S
	25	571	0.0	12.72		1003.6	29.7	14.7	21.8	92.9	38.7	69.5	5.8	0.1	1.8	SSW
	26	416	0.0	8.64		1005.2	26.9	16.1	20.3	92.0	49.3	73.9	5.3	0.1	1.9	SE
	27	488	2.0	11.93		1008.8	28.5	15.1	20.3	92.1	37.2	74.7	6.1	0.1	1.5	N
	28	758	0.0	17.56		1010.0	30.2	12.2	20.9	91.9	27.7	68.3	6.1	0.1	2.0	S
	29	736	0.0	14.77		1008.1	35.2	13.9	23.7	92.8	25.6	62.9	5.2	0.1	1.9	S
	30	543	0.0	5.29		1002.7	32.7	16.5	24.0	91.5	38.0	68.4	6.6	0.1	2.1	S
	31	693	0.0	18.06		1001.0	34.0	16.8	24.3	93.1	19.7	67.5	8.4	0.1	2.5	SW
6	1	735	0.0	13.29		1003.1	30.7	15.4	23.1	93.9	37.3	68.7	7.4	0.1	2.5	SW
	2	242	3.0	5.79		1003.1	29.8	15.6	20.7	92.6	36.3	75.6	15.6	0.1	2.1	NW
	3	450	6.0	16.75		1001.1	31.1	17.1	25.7	87.1	21.8	43.6	15.4	0.5	3.2	WSW
	4	747	0.0	23.03		1001.6	31.4	15.2	22.9	91.5	3.2	61.7	6.0	0.1	2.2	S
	5	752	0.0	23.84		999.6	34.3	15.2	23.7	90.6	19.4	62.3	8.0	0.1	2.9	SW
	6	398	0.0	10.87		998.1	28.7	16.5	21.2	92.0	39.7	70.8	8.0	0.1	2.2	SSW
	7	321	1.0	14.69		998.2	30.0	14.8	20.0	91.8	29.0	70.0	5.7	0.1	1.6	W
	8	294	0.0	6.98		1000.7	27.5	11.8	16.8	93.3	29.8	75.3	5.2	0.1	1.5	SSW
	9	767	0.0	20.84		1003.9	31.7	11.3	21.6	91.3	30.2	60.3	6.9	0.1	2.3	S
	10	652	0.0	19.49		1005.3	33.4	13.3	23.3	92.0	27.3	62.1	7.9	0.1	2.3	S
	11	754	0.0	25.39		1004.3	35.7	14.6	25.2	95.7	16.1	52.8	5.5	0.1	1.6	W
	12	735	0.0	27.31		1001.3	36.9	14.9	25.9	89.3	18.5	55.6	7.1	0.2	2.2	S
	13	601	0.0	25.12		1001.1	37.1	18.5	26.4	94.2	14.9	62.4	6.8	0.0	2.3	S
	14	609	0.0	22.85		1001.6	35.5	16.9	25.8	93.9	28.6	62.1	6.6	0.1	2.2	SW
	15	667	0.0	15.83		999.9	33.1	18.4	25.5	94.0	34.4	64.9	5.8	0.1	2.3	SW
	16	705	0.0	22.68		998.6	31.3	19.3	25.6	88.8	24.8	60.5	7.6	0.0	3.5	SW
	17	203	4.0	4.59		1000.3	27.5		20.1	91.2		76.7	4.8	0.0	0.9	NW
	18	176	0.0	1.97		1003.0	28.2		21.9	89.8		67.2	7.0	0.1	2.6	WSW
	19	306	1.0	5.81		1004.8	26.5	14.4	20.2	91.0	41.8	74.6	9.6	0.1	2.1	SW
	20	326	0.0	8.88		1006.3	29.4	11.8	17.0	91.3	28.5	74.7	5.3	0.1	1.3	NNE
	21	562	0.0	24.28		1006.5	35.2	16.7	28.9	80.0	5.9	26.7	6.5	0.0	2.0	NNE
	22	764	0.0	26.25		1005.5	38.0	12.3	26.1	88.5	10.9	44.0	4.2	0.1	1.8	WSW
	23	759	0.0	22.96		1002.8	40.7	14.6	27.9	85.0	12.7	46.5	6.6	0.0	2.2	WSW
	24	393	0.0	14.20		1002.0	39.6	16.6	25.3	85.0	17.8	58.3	6.4	0.0	2.1	ESE
	25	512	0.0	21.11		997.6	38.1	19.9	31.1	78.7	24.5	43.0	6.9	0.0	3.5	SW
	26	752	0.0	25.20		996.5	34.8	15.6	25.9	91.4	31.2	62.4	5.7	0.0	2.2	SW
	27	598	0.0	18.17		997.1	32.4	19.4	25.2	94.4	42.6	67.3	7.0	0.0	2.8	SW
	28	582	0.0	12.83		1002.3	31.0	19.0	25.2	88.3	44.7	67.1	7.3	0.0	2.4	SW
	29	651	0.0	23.83		1004.5	33.6	17.6	25.4	93.0	28.5	65.2	7.4	0.0	2.1	SW
	30	614	0.0	20.02		1002.8	32.5	18.1	25.2	92.0	41.9	68.3	6.6	0.0	2.4	SW

表2-5-3 プロジェクト地点の気象観測記録 1993年7月~8月

月	日	日照	降水	日射量	蒸発	気圧	気温℃			湿度%			風速 m/s			最多 風向
		min	mm	MJ	mm	hPa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
7	1	629	0.0	20.82		1001.1	33.7	19.7	26.1	92.6	37.4	66.0	7.0	0.0	2.1	SW
	2	698	0.0	21.74		999.8	32.9	18.7	26.0	89.2	41.8	66.4	5.5	0.0	2.1	SW
	3	691	0.0	26.95		1002.8	35.4	18.7	28.1	92.7	13.5	43.1	7.0	0.0	3.5	NE
	4	802	0.0	25.95		1003.4	36.4	24.3	30.3	28.0	13.2	19.9	9.7	3.2	6.5	NE
	5	788	0.0	27.93		1001.1	36.9	21.7	30.5	32.5	14.6	22.0	9.7	3.2	6.6	NE
	6	769	0.0	27.67		997.6	36.4	23.2	29.9	49.6	19.0	29.8	9.3	0.6	5.3	NE
	7	752	0.0	24.34		997.3	35.9	16.5	26.8	89.8	24.3	51.2	7.6	0.0	2.3	WSW
	8	726	0.0	24.96		999.5	35.0	17.5	26.5	89.3	39.2	63.1	6.1	0.0	2.3	SW
	9	715	0.0	23.66		999.6	34.1	19.4	27.1	92.5	38.1	65.1	6.0	0.0	2.2	S
	10	690	0.0	22.84		997.0	34.5	21.8	27.8	86.1	40.2	63.3	7.1	0.0	2.8	SW
	11	746	0.0	25.06		995.1	34.8	20.3	27.7	91.0	26.0	60.7	7.9	0.0	2.6	SW
	12	786	0.0	27.35		997.6	36.4	20.1	27.6	93.1	17.9	51.9	8.3	0.2	2.8	SW
	13	745	0.0	26.10		999.2	35.0	17.0	26.3	86.9	37.2	61.0	5.8	0.0	2.2	SW
	14	464	0.0	12.50		997.1	32.3	18.9	25.4	91.7	38.0	67.1	6.9	0.0	2.7	SW
	15	721	0.0	24.90		999.1	32.0	18.8	25.9	89.9	45.2	65.2	6.7	0.0	2.7	SW
	16	742	0.0	25.26		1000.7	34.0	19.5	26.7	94.4	37.3	66.6	7.4	0.0	2.6	S
	17	776	0.0	27.51		1000.0	35.6	17.4	26.8	94.8	32.1	64.5	7.3	0.0	2.6	S
	18	673	0.0	26.54		998.6	35.8	19.5	27.2	97.4	33.8	65.7	6.8	0.0	2.3	SW
	19	654	0.0	26.11		997.3	35.1	18.8	27.1	94.0	38.9	65.3	6.8	0.0	2.4	SW
	20	668	0.0	24.24		997.8	33.8	20.3	27.2	94.6	46.9	68.6	6.5	0.0	2.5	SW
	21	706	0.0	25.74		1000.2	33.8	21.4	27.7	97.2	44.0	68.2	6.2	0.0	2.3	S
	22	301	0.0	6.78		1001.3	31.0	22.9	27.0	90.7	53.9	71.8	4.4	0.0	2.0	SSW
	23	202	0.0	4.07		999.2	31.0	24.4	27.3	87.0	55.5	71.8	5.1	0.0	2.5	SW
	24	427	0.0	15.50		995.8	32.9	22.5	27.4	91.2	49.2	70.7	6.2	0.0	2.7	WSW
	25	565	0.0	20.98		996.8	35.0		23.2	91.3		68.6	7.5	0.0	2.9	SW
	26	692	0.0	24.80		1000.7	34.1	21.0	28.1	92.6	47.9	69.5	7.1	0.0	2.8	S
	27	694	0.0	23.56		1002.4	35.1	22.4	28.8	91.5	44.0	68.4	5.9	0.0	2.8	SW
	28	585	0.0	23.35		1000.9	33.9	24.2	28.8	88.5	49.2	69.1	6.6	0.0	2.8	WSW
	29	667	0.0	25.23		1000.0	34.3	23.8	28.9	88.0	49.4	68.2	5.9	0.1	2.8	SSE
	30	726	0.0	29.96		997.7	41.2	20.9	30.9	94.0	12.7	52.9	5.8	0.0	2.2	N
	31	706	0.0	27.05		994.1	40.9	20.3	29.4	92.2	10.2	58.8	7.3	0.1	2.4	SW
8	1	664	0.0	24.54		995.5	36.1	21.2	28.5	93.2	45.7	67.0	6.6	0.1	2.3	SW
	2	661	0.0	26.20		998.9	35.6	21.2	27.9	92.5	38.3	66.3	6.7	0.1	2.4	SW
	3	672	0.0	25.54		998.6	35.0	20.7	27.7	94.0	42.6	66.7	6.5	0.0	2.5	SSE
	4	665	0.0	27.82		997.3	36.6	22.0	28.6	90.9	28.9	64.0	6.2	0.1	2.1	SW
	5	705	0.0	25.04		997.0	34.9	21.1	28.4	92.4	47.2	68.6	6.3	0.1	2.5	SSE
	6	522	0.0	21.25		997.3	33.6	23.5	28.3	90.0	51.1	68.2	6.8	0.1	2.6	SW
	7	651	0.0	22.67		998.8	34.0	22.4	27.7	89.9	49.2	67.9	9.2	0.1	2.6	SSE
	8	645	0.0	23.15		998.8	33.8	21.9	27.7	89.3	52.1	68.4	7.0	0.1	2.6	SW
	9	543	0.0	23.23		998.7	35.2	22.5	28.3	93.2	36.8	68.9	7.3	0.1	2.7	SW
	10	659	0.0	23.86		997.8	34.8	22.4	27.9	90.6	40.5	68.0	7.9	0.0	2.6	SW
	11	624	0.0	21.40		998.5	33.1	22.8	27.1	90.5	39.7	62.4	8.2	0.1	3.0	WSW
	12	541	0.0	12.80		998.6	32.5	21.4	26.8	89.4	40.0	62.9	6.9	0.0	2.4	WSW
	13	653	0.0	24.79		999.1	35.4	19.9	27.9	84.4	25.0	51.6	6.8	0.1	2.9	NE
	14	741	0.0	26.44		1000.6	37.1	19.3	28.7	83.5	23.1	48.0	7.0	0.1	3.1	NE
	15	746	0.0	26.60		1002.3	36.1	18.2	27.8	85.1	31.9	54.8	7.2	0.0	2.2	WSW
	16	242	0.0	3.70		999.4	35.3	24.3	29.2	88.5	45.0	65.4	6.6	0.0	2.8	SSW
	17	528	0.0	17.47		998.4	35.3	21.6	27.9	90.1	40.4	68.3	7.2	0.1	2.6	SW
	18	676	0.0	23.16		999.3	36.1	20.8	28.0	93.5	31.2	65.8	7.1	0.1	2.5	S
	19	649	0.0	19.97		1001.0	33.3	21.6	27.1	89.5	45.7	70.0	6.1	0.1	2.5	S
	20	469	0.0	12.36		1000.5	33.3	22.4	27.3	91.6	47.1	68.4	5.8	0.1	2.7	WSW
	21	653	0.0	21.96		999.8	33.9	20.8	27.3	87.1	45.5	67.4	6.7	0.1	2.3	SW
	22	736	0.0	26.24		1000.3	37.4	18.8	28.6	89.8	12.2	45.1	7.2	0.1	3.6	N
	23	733	0.0	26.51		1000.5	35.9	16.3	26.2	83.7	21.9	52.7	6.0	0.1	2.0	S
	24	704	0.0	23.51		1000.8	33.6	17.1	25.8	85.3	47.1	61.4	6.1	0.0	2.2	SSE
	25	607	0.0	19.28		997.9	32.7	20.7	26.8	90.1	45.0	68.1	6.4	0.1	2.4	SW
	26	505	0.0	16.50		996.7	32.9	21.7	27.3	91.3	49.6	68.3	5.8	0.1	2.2	SSE
	27	651	0.0	21.86		998.1	35.2	20.5	27.6	89.6	43.8	67.2	6.5	0.1	2.2	SW
	28	616	0.0	22.09		1000.1	37.9	20.8	28.1	91.4	28.8	67.8	5.8	0.1	1.9	SSW
	29	605	0.0	23.00		1000.8	37.5	20.9	28.9	92.6	29.2	65.4	6.6	0.0	2.0	SSE
	30	644	0.0	23.92		999.3	39.5	20.9	29.3	87.0	20.4	57.2	6.7	0.1	1.7	S
	31	559	0.0	19.37		998.4	34.5	21.2	27.9	89.3	41.4	63.6	6.3	0.1	2.1	S

表2-5-4

プロジェクト地点の気象観測記録

1993年9月~10月

月	日	日照	降水	日照量	蒸発	気圧	気温℃			湿度%			風速 m/s			最多 風向	
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均		
9	1			14.45		1001.2	31.6	19.7	25.6	85.0	37.7	59.0	6.9	0.0	2.5	SW	
	2	565	0.0	19.32		1000.1	32.0	20.6	25.9	86.7	34.4	60.0	5.8	0.1	2.3	SW	
	3	633	0.0	12.52		1001.2	30.9	18.4	24.6	89.6	47.5	63.7	6.0	0.0	2.2	SW	
	4	572	0.0	20.09		1002.8	32.1	18.9	25.6	88.8	42.2	62.7	6.1	0.1	2.1	S	
	5	634	0.0	17.73		1003.3	32.0	19.6	25.3	82.4	39.5	60.9	6.8	0.1	2.3	WSW	
	6	655	0.0	21.92		1003.0	34.8	18.6	26.3	90.5	20.9	52.0	6.4	0.1	1.9	NNE	
	7	685	0.0	21.60		1001.2	32.8	16.2	25.1	78.3	25.1	45.2	5.7	0.1	2.5	S	
	8	682	0.0	22.15		1001.4	34.1	14.6	24.7	78.7	23.1	51.6	6.2	0.0	1.9	S	
	9	677	0.0	22.67		1001.1	35.1	15.5	24.7	87.9	23.1	57.3	5.1	0.1	1.7	S	
	10																
	11	669	0.0	20.49		1001.0	34.7	15.7	25.0	88.8	34.2	63.3	6.0	0.1	2.0	SSE	
	12	627	0.0	17.38		1001.1	32.6	18.4	25.1	93.6	43.0	66.4	5.5	0.1	2.0	S	
	13	617	0.0	18.82		1002.4	34.7	19.1	26.3	90.0	39.8	64.2	5.9	0.0	1.7	S	
	14	626	0.0	19.29		1003.1	35.2	18.9	26.6	86.8	39.7	65.5	4.8	0.0	1.8	SSE	
	15																
	16	521	0.0	19.28		1002.4	34.4	20.1	27.2	85.8	38.4	63.8	4.8	0.1	1.6	SSE	
	17	616	0.0	20.33		1001.1	38.2	19.1	27.8	89.9	24.4	59.6	6.9	0.1	2.1	SSE	
	18	611	0.0	18.58		1001.8	36.2	17.7	26.5	86.7	34.1	62.1	5.4	0.0	1.7	SSW	
	19	615	0.0	19.49		1002.7	36.1	18.5	26.8	93.2	22.2	63.7	5.6	0.0	1.6	SSW	
	20	577	0.0	16.25		1001.5	35.4	17.7	26.5	92.8	32.7	65.1	6.5	0.1	2.2	SSW	
	21	640	0.0	16.97		1001.4	31.9	19.8	25.6	89.8	20.1	38.5	10.6	0.5	6.1	NNE	
	22	662	0.0	15.81		1004.3	28.1	18.6	22.7	39.6	25.4	31.6	11.0	4.3	7.8	N	
	23	673	0.0	15.87		1005.0	29.6	17.5	23.3	47.4	28.0	36.9	8.1	0.1	5.0	N	
	24	663	0.0	19.48		1004.5	33.3	10.9	22.0	70.8	20.2	44.4	3.2	0.0	1.4	SSE	
	25	619	0.0	17.59		1002.4	34.6	11.5	22.8	73.5	22.2	49.0	6.4	0.0	1.9	S	
	26	626	0.0	17.41		1004.2	32.7	13.3	22.8	83.5	37.8	61.3	5.7	0.0	1.7	S	
	27	614	0.0	17.03		1003.7	32.8	13.9	22.8	89.8	34.4	64.8	5.4	0.1	1.8	S	
	28	514	0.0	15.28		1002.6	30.5	16.0	22.8	88.2	47.4	69.1	5.6	0.1	1.8	SSW	
	29	571	0.0	15.12		1001.9	31.6	16.0	23.6	89.8	40.6	66.8	6.1	0.1	2.0	SSW	
	30	468	0.0	8.79		1003.4	29.8	16.8	23.4	92.4	52.3	70.9	6.0	0.1	2.2	SW	
10	1	587	0.0	16.31		1004.8	32.3	18.2	24.9	91.5	25.5	61.0	5.2	0.1	2.0	SSW	
2	544	0.0	13.32		1004.8	30.5	17.3	23.6	86.9	40.0	63.1	5.2	0.0	1.9	SW		
3	569	0.0	15.42		1004.4	31.2	16.7	23.2	89.9	25.8	65.0	6.3	0.1	1.8	SW		
4	603	0.0	15.68		1006.9	32.6	14.6	22.9	84.5	27.7	60.5	4.3	0.0	1.6	SSW		
5	552	0.0	13.58		1006.3	31.0	14.1	22.6	83.2	39.4	62.7	6.0	0.0	1.7	SW		
6	468	0.0	8.84		1006.9	29.6	15.7	22.1	88.9	42.4	68.2	6.0	0.0	2.2	SW		
7	601	0.0	14.17		1008.8	29.2	13.6	21.0	84.2	38.9	67.0	6.2	0.0	1.7	S		
8																	
9																	
10																	
11	620	0.0	16.46		1006.3	34.5	11.2	22.3	60.2	14.2	38.9	3.0	0.1	1.3	NE		
12	567	0.0	13.89		1006.7	34.5	11.7	22.3	52.7	18.4	36.3	3.3	0.0	1.6	NE		
13	576	0.0	13.29		1008.5	35.2	12.6	23.0	50.0	20.2	36.5	2.7	0.1	1.3	S		
14	602	0.0	15.23		1008.8	36.2	12.2	23.1	57.1	16.5	35.4	3.4	0.1	1.4	N		
15	606	0.0	14.48		1008.3	35.5	11.7	23.0	51.7	18.1	33.8	3.3	0.1	1.5	-		
16																	
17																	
18	591	0.0	14.89		1011.8	36.2	10.9	22.4	53.1	16.0	33.1	2.7	0.1	1.4	N		
19	590	0.0	13.27		1010.4	35.6	9.8	22.3	50.3	18.7	32.8	5.3	0.1	1.6	NNE		
20	553	0.0	12.77		1008.4	37.0	11.6	23.2	63.5	19.4	36.3	4.3	0.1	1.4	NE		
21	577	0.0	12.94		1007.0	35.0	12.3	22.9	47.5	20.0	34.6	3.1	0.1	1.4	NE		
22	503	0.0	10.61		1010.0	32.6	14.4	23.6	51.5	34.2	41.2	6.1	0.2	2.2	SSW		
23	516	0.0	9.49		1009.6	32.8	16.2	23.6	60.1	36.2	43.4	3.2	0.1	1.4	NE		
24	538	0.0	11.59		1007.7	34.3	14.1	22.9	61.0	25.5	45.6	3.2	0.1	1.4	SSW		
25	551	0.0	12.11		1007.0	33.9	10.2	21.2	64.3	22.4	44.8	3.7	0.0	1.2	S		
26	512	0.0	10.40		1005.8	32.6	10.6	20.7	65.3	26.8	45.2	3.4	0.1	1.4	SW		
27	379	0.0	4.91		1003.9	31.4	11.7	20.9	63.4	29.9	47.8	4.0	0.0	1.2	S		
28	547	0.0	9.27		1006.3	26.4	14.6	20.6	67.4	33.8	46.9	10.5	0.1	5.4	NNE		
29	561	0.0	9.96		1011.0	27.4	7.7	17.3	57.8	29.8	42.8	3.3	0.1	1.5	NE		
30	176	0.0	1.90		1010.9	25.3	7.8	17.3	62.5	41.6	50.6	7.6	0.1	3.4	NNE		
31	366	0.0	5.95		1007.5	25.4	17.0	20.0	65.4	42.4	51.2	8.0	2.9	5.2	NNE		

表2-5-5 プロジェクト地点の気象観測記録 1993年11月~12月

月	日	日照	降水	日射量	蒸発	気圧	気温 °C			湿度 %			風速 m/s			風向	
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均		
11	1	0	9.0	0.00		1007.0	17.7	8.6	13.9	96.0	42.1	69.8	5.8	0.1	3.0	NE	
	2	575	0.0	9.42		1011.0	20.9	2.9	11.2	100.	30.2	67.9	3.4	0.0	1.5	SSW	
	3	570	0.0	9.40		1015.4	22.7	1.9	10.9	93.7	26.1	64.1	2.5	0.0	1.1	NW	
	4	514	0.0	9.05		1015.6	23.7	1.6	11.7	85.7	20.3	56.0	2.6	0.0	1.0	NW	
	5	592	0.0	9.07		1012.8	24.8	3.1	12.6	88.9	23.2	53.1	4.0	0.0	1.4	NW	
	6	524	0.0	8.74		1010.6	27.1	4.0	14.5	74.9	27.0	52.0	2.8	0.0	1.3	SSW	
	7	419	0.0	6.66		1010.2	27.6	7.3	16.2	76.7	28.3	50.9	2.7	0.0	1.1	E	
	8	420	0.0	5.11		1008.7	27.2	7.3	16.7	77.4	33.8	55.0	2.6	0.0	1.0	SSW	
	9	257	0.0	3.05		1005.4	24.4	10.3	17.1	91.5	57.0	71.7	7.4	0.0	2.0	WSW	
	10	324	0.0	5.03		998.1	26.3	11.8	18.0	92.3	27.5	57.1	9.4	0.1	3.0	N	
	11	355	0.0	5.24		1002.7	22.0	11.1	16.4	44.7	27.9	37.5	12.0	2.8	7.6	NE	
	12	311	0.0	3.76		1011.8	13.1	5.0	9.8	43.2	23.5	32.3	13.0	2.8	7.7	NE	
	13	563	0.0	6.84		1020.6	12.0	0.5	6.8	42.1	25.4	32.1	12.6	1.1	6.4	NE	
	14	30	1.0	0.58		1017.0	11.4	-2.1	5.7	89.3	32.0	46.2	8.2	0.0	2.9	E	
	15	503	3.0	6.49		1013.3	13.1	-0.5	6.6	92.0	43.9	69.8	9.5	0.3	4.6	E	
	16	526	0.0	6.79		1016.6	15.9	-2.8	5.6		35.9	70.2	2.6	0.0	1.4	NW	
	17	0	2.5	0.00		1012.3	13.0	5.4	9.4	97.0	48.8	71.8	5.4	0.0	2.4	E	
	18	434	0.0	5.46		1011.4	16.2	4.2	10.1	97.0	47.2	72.9	6.0	0.9	3.2	E	
	19	482	0.0	5.69		1016.5	18.1	1.5	9.0	91.7	35.0	63.8	4.3	0.4	2.5	NE	
	20	436	0.0	5.59		1017.6	20.5	1.6	11.3	75.3	26.6	48.1	6.9	0.6	3.2	NE	
	21	224	0.0	1.83		1015.1	23.4	6.7	13.8	53.7	21.3	39.2	6.5	0.3	3.0	N	
	22	455	0.0	4.95		1011.9	25.5	3.6	13.4	61.0	24.0	44.3	6.1	0.0	2.9	E	
	23	439	0.0	6.00		1008.5	24.3	7.0	14.9	62.6	28.3	45.4	5.6	0.3	2.1	NW	
	24	448	0.0	6.09		1008.8	23.3	3.4	12.7	70.8	33.0	53.8	3.4	0.0	1.5	NE	
	25	115	0.0	1.10		1010.3	19.4	5.6	12.6	82.0	47.3	60.7	3.3	0.0	1.3	NE	
	26	354	0.0	2.30		1012.9	17.0	7.8	12.0	89.4	30.7	44.8	10.1	0.4	5.9	N	
	27	506	0.0	5.69		1015.2	13.6	5.7	8.9	39.7	30.0	35.0	11.9	3.0	7.3	NW	
	28	522	0.0	5.73		1017.2	15.4	-2.9	6.3	50.7	28.3	40.3	7.3	0.2	2.8	NW	
	29	503	0.0	5.97		1019.9	16.7	-4.2	5.8	57.9	30.1	43.0	2.9	0.0	1.0	NW	
	30	55	0.0	0.48		1015.6	15.4	4.7	10.9	66.4	37.7	47.1	8.1	0.4	3.9	E	
12	1	171	2.0	1.32		1012.7	14.8	8.3	11.2	94.8	52.7	64.8	9.6	2.1	5.1	E	
	2	462	0.0	5.58		1015.1	17.7	3.0	9.6	96.9	45.5	75.3	2.9	0.0	1.2	N	
	3	367	0.0	4.72		1014.7	18.3	0.2	8.5	95.6	30.9	64.5	3.0	0.0	1.2	NW	
	4	512	0.0	5.79		1012.4	20.5	-0.7	8.7	82.8	26.5	54.7	4.7	0.0	1.7	N	
	5	509	0.0	6.14		1012.2	20.5	-1.9	8.1	69.5	27.6	48.8	3.0	0.0	1.1	NW	
	6	454	0.0	5.40		1013.2	20.0	-0.6	10.9	69.5	32.8	47.5	8.9	0.0	3.8	E	
	7	304	0.0	3.82		1012.7	19.7	7.1	12.7	57.0	33.2	48.8	8.8	0.9	4.0	N	
	8																
	9	350	0.0	3.36		1013.8	18.6	7.6	12.9	91.8		52.4	3.2	0.1	1.3	NE	
	10																
	11																
	12	0	37.5	0.00		1003.4	15.9	7.3	10.1	91.0	55.9	79.4	10.1	0.0	3.8	NE	
	13	65	0.0	0.77		1011.1	15.8	5.6	10.2	82.1	48.6	66.8	7.1	0.4	2.8	N	
	14	487	0.0	5.21		1018.9	17.1	2.7	8.6	92.2	45.9	76.1	2.3	0.0	1.0	NW	
	15																
	16	449	0.0	4.74		1019.8	16.8	2.2	8.5	93.1	45.5	76.5	2.5	0.0	0.7	NW	
	17	198	0.0	1.53		1017.5	14.8	4.6	8.7	92.7	57.6	81.0	2.5	0.0	1.0	NW	
	18	447	0.0	4.02		1019.0	17.4	2.5	8.3	91.5	42.7	76.3	2.8	0.0	1.1	NW	
	19	0	0.0	0.00													
	20	416	0.0	4.99		1015.8	17.7	3.1	8.8	81.5	33.0	62.1	7.6	1.0	3.4	N	
	21	478	0.0	5.12		1014.1	19.2	1.5	9.4	85.3	32.4	62.1	6.9	1.6	3.4	N	
	22	462	0.0	4.79		1013.0	20.6	2.9	10.8	87.9	34.2	65.2	5.0	0.0	2.4	NW	
	23	387	0.0	3.86		1012.0	20.8	5.8	12.1	87.5	41.3	69.1	3.4	0.0	1.5	N	
	24	347	0.0	3.96		1015.0	19.1	3.8	11.3	92.9	47.8	74.8	3.1	0.0	0.7	NW	
	25	0	12.0	0.00		1016.0	13.9	10.3	12.0	96.2	78.8	87.8	4.0	0.0	1.1	NE	
	26	0	0.0	0.01		1015.6	19.9	11.5	15.0	90.7	58.3	73.4	6.3	0.1	2.8	NE	
	27	354	0.0	3.21		1012.2	16.6	10.0	13.2	83.8	52.2	69.2	6.3	0.3	3.4	E	
	28	0	3.0	0.03		1012.7	15.2	11.8	13.3	90.7	76.6	85.8	3.4	0.0	1.5	E	
	29	43	0.0	0.54		1014.2	17.4	8.8	12.9	90.5	57.9	81.0	2.8	0.0	1.6	N	
	30	297	0.0	2.66		1016.3	18.0	6.9	11.5	90.7	48.1	78.4	2.7	0.0	1.1	NW	
	31	0	0.0	0.42		1014.9	17.1	5.7	12.4	89.6	56.9	74.7	6.1	0.0	2.1	N	

表2-5-6 プロジェクト地点の日気象観測記録 1994年1月~2月

月	日	日照	降水	日射量	蒸発	気圧	気温 °C			湿度 %			風速 m/s			風向
		min	mm	kJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
1	1		74.0													
	2															
	3															
	4	52	4.0	0.39		1004.7	13.0	5.4	9.6	90.4	64.3	80.9	4.4	0.0	1.6	NE
	5	497	0.0	5.89		1015.1	16.6	1.8	7.9	93.4	31.2	73.7	2.5	0.0	1.2	NW
	6	381	0.0	2.98		1017.4	14.5	2.6	8.2	90.8	48.4	75.1	2.6	0.0	1.0	NW
	7	504	0.0	4.43		1017.5	17.1	2.4	8.2	91.7	40.5	77.1	2.3	0.0	1.0	NW
	8	514	0.0	6.03		1017.1	20.1	1.8	9.4	94.8	34.7	75.8	2.8	0.0	1.0	NW
	9	525	0.0	6.50		1016.7	19.7	3.0	9.9	85.5	28.5	65.7	4.6	0.0	2.2	N
	10	438	0.0	5.08		1013.9	19.8	1.8	10.7	86.1	28.3	57.5	5.2	0.0	2.5	E
	11	295	0.0	2.31		1011.9	16.7	7.1	12.4	90.2	43.7	62.5	8.8	0.6	4.5	E
	12	467	0.0	5.61		1015.3	18.1	4.5	10.3	92.1	42.4	74.1	2.8	0.1	1.5	NW
	13	592	0.0	4.58		1014.1	19.2	6.9	12.4	87.9	41.5	62.8	7.6	1.3	4.0	E
	14	226	9.5	1.85		1009.5	18.4	9.6	12.4	92.8	40.8	64.5	11.0	1.9	5.7	E
	15	428	10.5	3.97		1002.7	15.1	4.3	10.1	93.4	52.4	77.4	5.6	0.0	2.9	NW
	16	425	0.0	5.68		1005.5	15.8	2.4	8.7	95.4	50.9	81.2	2.3	0.0	1.0	NE
	17	471	0.0	5.31		1016.4	17.7	5.7	10.5	92.6	49.9	77.7	2.8	0.0	1.3	NW
	18	492	0.0	5.75		1023.4	19.2	5.3	11.0	91.5	45.6	75.5	2.5	0.0	1.1	NW
	19	525	0.0	6.95		1018.2	18.9	3.3	9.9	96.1	36.9	75.3	2.4	0.0	1.0	NW
	20	500	0.0	6.40		1015.0	19.1	1.7	9.1	94.9	39.7	78.3	4.2	0.0	1.5	W
	21	33	0.0	0.47		1012.8	13.0	3.1	8.4	93.1	63.5	82.6	2.8	0.0	1.0	E
	22	308	8.5	3.05		1007.5	13.9	8.3	10.4	92.7	49.3	74.7	5.6	0.0	2.3	E
	23	536	0.0	6.87		1011.2	15.9	2.5	9.4	77.0	29.0	53.3	5.5	1.3	3.4	N
	24	528	0.0	7.05		1010.9	15.9	-0.8	7.1	91.1	38.3	69.4	3.0	0.0	1.0	N
	25	437	0.0	7.10		1008.9	16.0	2.4	8.2	94.4	37.7	71.8	2.9	0.0	1.3	SW
	26	499	0.0	6.22		1011.6	16.5	0.7	8.0	94.6	45.5	76.2	2.8	0.0	0.9	SSW
	27	145	0.0	1.15		1015.7	15.0	3.7	8.8	94.7	61.9	83.0	2.9	0.0	1.3	N
	28	341	7.0	3.03		1010.2	16.1	6.8	11.0	86.3	45.1	67.1	9.9	2.1	5.9	E
	29	0	12.5	0.00		1004.0	10.2	7.9	9.0	91.8	63.6	81.4	7.6	0.7	3.9	NE
	30	0	37.0	0.00		1004.0	12.3	8.3	9.7	94.8	78.6	88.3	10.3	0.0	2.5	E
	31	326	6.0	2.05		1002.8	12.2	3.8	8.3	92.7	54.0	81.1	5.1	0.0	1.9	E
2	1	436	0.0	7.23		1009.3	13.5	2.0	8.0	85.9	31.1	57.4	5.4	0.0	2.7	N
	2	565	0.0	7.68		1018.1	11.7	-0.4	4.6	82.4	29.2	60.3	7.3	0.9	3.0	NE
	3	579	0.0	8.30		1020.4	12.2	-1.8	4.0	91.3	25.8	62.1	3.7	0.0	1.7	NE
	4	524	0.0	7.41		1017.6	12.6	-2.5	4.1	93.2	35.4	71.2	2.5	0.0	1.5	NW
	5	540	0.0	8.34		1016.6	15.2	-0.9	6.0	95.3	39.2	72.3	3.8	0.2	1.7	NW
	6	567	0.0	8.62		1017.7	17.8	-1.5	6.6	96.7	32.5	74.3	2.8	0.0	1.0	NW
	7	432	0.0	7.99		1011.0	19.4	-1.0	9.1	93.3	26.1	65.7	7.4	0.0	2.0	E
	8	458	3.5	8.64		1005.7	16.4	7.1	11.4	94.6	49.3	72.7	8.1	0.0	2.2	E
	9	143	0.0	3.11		1009.2	15.4	4.8	7.8	91.7	55.9	83.0	2.4	0.0	1.0	E
	10	146	6.0	1.49		1007.2	14.9	9.0	11.8	90.6	50.0	71.8	4.8	0.3	2.1	E
	11	307	3.5	4.28		1002.3	13.9	6.6	10.3	92.5	55.8	79.3	5.2	0.0	2.2	NE
	12	246	5.5	3.35		1003.2	13.6	4.7	8.9	94.9	58.1	84.6	3.4	0.0	1.5	E
	13	516	0.5	8.59		1003.2	15.9	5.0	10.2	91.7	50.5	77.2	4.3	0.0	2.4	NW
	14	450	0.0	8.68		1010.6	16.6	1.6	8.9	91.8	29.1	75.0	2.4	0.0	1.0	NW
	15	58	26.5	0.51		1007.4	12.5	5.5	8.4	92.7	62.9	84.4	6.9	0.0	2.8	E
	16	478	0.5	8.81		1009.8	10.7	2.4	6.7	91.8	35.7	55.2	11.7	0.5	6.6	NE
	17	592	0.0	9.83		1020.3	14.3	0.3	6.2	90.2	30.0	54.6	7.8	0.0	3.6	N
	18	604	0.0	11.20		1022.1	16.4	-3.1	5.3	92.2	34.8	71.6	3.0	0.0	1.1	NW
	19	603	0.0	9.47		1017.3	18.6	-2.0	7.4	92.2	28.6	61.6	7.5	0.0	2.2	E
	20	590	0.0	10.68		1013.1	19.3	1.3	9.3	85.2	29.9	61.3	7.0	0.5	3.5	E
	21	335	1.0	3.91		1008.8	17.9	4.0	9.8	92.1	34.4	73.2	5.7	0.0	2.2	N
	22	119	3.5	1.42		1005.3	13.7	4.5	9.1	95.7	57.1	84.7	3.5	0.0	1.4	NE
	23	358	1.0	4.10		1006.9	15.1	5.1	11.0	92.3	50.7	75.2	5.1	0.1	2.3	NE
	24	397	1.5	6.96		1012.9	16.2	3.8	9.4	92.3	52.3	80.2	4.5	0.0	1.6	SW
	25	184	8.5	2.36		1014.4	14.2	7.1	10.2	93.0	68.4	86.3	6.4	0.0	1.9	E
	26	103	45.0	1.67		1007.9	13.1	6.5	10.2	92.2	69.7	85.5	8.0	0.0	3.1	NE
	27	265	0.0	3.01		1008.4	16.7	4.8	10.2	88.5	41.6	63.4	7.3	0.4	3.9	N
	28	628	0.0	13.18		1012.2	19.0	4.0	11.1	93.3	33.7	61.8	5.5	0.0	2.4	N

表2-5-7 プロジェクト地点の気象観測記録 1994年3月~4月

月	日	日照 min	降水 mm	日射量 MJ	蒸発 mm	気圧 hPa	気温 °C			湿度 %			風速 m/s			風向
							最大	最小	平均	最大	最小	平均	最大	最小	平均	
3	1	607	0.0	12.78		1018.0	18.8	2.5	10.3	93.3	47.8	76.1	2.7	0.0	1.2	SW
	2	81	1.0	0.28		1017.5	18.1		9.7	91.8		85.3	2.4	0.0	1.2	S
	3	404	0.0	* 故障		1014.3	18.2	6.5	12.6	94.5	55.0	79.5	4.4	0.1	1.1	SSW
	4	214	0.0	* 故障		1011.5	17.6	8.3	12.8	93.7	56.8	78.2	3.3	0.1	1.0	SSW
	5	393	52.5	* 故障		1003.7	18.3	9.3	13.0	91.7	50.7	77.6	7.7	0.1	2.2	SW
	6	393	8.0	* 故障		997.1	13.9	6.8	10.1	90.3	39.6	68.2	12.1	0.0	4.8	N
	7	640	0.0	* 故障		1006.7	12.9	1.5	8.0	78.1	33.9	45.7	11.1	2.1	6.8	N
	8	639	0.0	* 故障		1009.7	15.2	0.4	7.2	91.5	29.2	62.4	3.8	0.0	1.6	NNW
	9	519	0.0	* 故障		1007.1	16.6	1.1	8.5	91.7	32.8	67.0	4.2	0.3	2.2	ESE
	10	498	0.0	* 故障		1005.6	18.3	2.4	9.9	93.8	35.8	70.2	3.7	0.2	1.8	ENE
	11	533	0.0	* 故障		1000.5	20.3	2.6	11.2	91.9	27.3	55.4	9.4	0.1	4.0	N
	12	636	0.0	* 故障		999.8	16.0	3.9	9.8	84.7	34.0	51.9	8.8	0.8	5.4	N
	13	435	3.0	* 故障		1004.0	16.3	4.9	10.6	93.0	46.5	73.7	6.9	0.1	3.2	N
	14	596	0.0	* 故障		1009.7	16.5	5.4	11.1	95.1	44.8	73.7	5.8	0.1	2.0	SSW
	15	396	8.0	* 故障		1011.3	18.8	4.9	11.1	92.6	36.9	78.1	6.4	0.1	2.1	SSW
	16	503	0.0	* 故障		1015.5	18.8	5.5	12.1	95.3	58.4	80.1	5.1	0.1	1.7	SW
	17	543	0.5	* 故障		1014.5	18.9	7.7	13.3	92.0	55.1	78.6	6.2	0.1	2.1	SW
	18	448	0.0	* 故障		1011.6	20.4	4.7	12.8	93.4	32.7	73.2	2.5	0.1	1.2	NNW
	19	571	0.0	* 故障		1007.8	21.1	8.7	14.8	89.6	39.2	65.0	5.1	0.0	1.8	N
	20	678	0.0	17.76		1006.6	22.1	4.5	13.6	91.7	26.8	61.5	4.5	0.1	1.9	ENE
	21	577	0.0	14.08		1007.9	20.6	5.4	12.8	95.8	52.9	78.8	5.2	0.0	1.8	SSW
	22	506	0.0	13.62		1012.0	21.2	7.9	13.4	95.0	47.7	80.1	4.8	0.0	1.8	SW
	23	385	2.0	10.95		1012.1	20.7	6.6	12.3	93.8	48.9	80.1	5.5	0.0	1.7	SW
	24	549	0.0	11.96		1011.2	19.8	4.1	11.2	95.2	32.6	74.1	3.2	0.0	1.1	WNW
	25	645	0.0	17.79		1010.3	23.0	3.4	13.2	89.6	32.1	64.4	2.5	0.0	1.1	W
	26	653	0.0	17.29		1011.4	22.9	6.4	13.9	91.7	39.2	70.7	4.2	0.0	1.5	WSW
	27	526	0.0	12.97		1013.7	21.1	5.7	12.7	95.6	46.7	76.1	4.5	0.0	1.4	WSW
	28	429	0.0	6.88		1011.8	19.3	6.7	12.8	93.3	48.0	76.1	2.6	0.0	0.9	SSE
	29	170	0.0	2.09		1007.7	18.8	6.3	12.7	92.3	55.7	78.5	5.3	0.0	2.0	N
	30	577	0.0	14.21		1005.0	23.4	9.1	16.1	90.3	33.9	66.9	2.8	0.0	1.4	ENE
	31	42	7.0	0.80		1007.0	16.1	9.6	13.1	93.5	70.6	83.6	6.1	0.0	2.3	N
4	1	545	0.0	11.15		1002.1	19.1	9.3	14.0	91.8	59.2	78.1	8.2	0.0	2.6	WSW
	2	619	0.0	13.11		1006.0	21.3	9.7	15.3	91.8	54.5	78.1	8.3	0.0	3.0	SW
	3	533	0.0	17.46		1009.7	21.8	9.6	15.2	93.6	44.5	76.0	5.4	0.0	1.6	SW
	4	682	0.0	19.07		1011.0	25.6	6.8	15.7	92.8	36.4	72.4	3.7	0.0	1.4	WSW
	5	607	0.0	20.25		1009.4	28.0	7.4	17.2	91.0	25.4	68.7	2.5	0.1	1.3	NW
	6	477	0.0	8.70		1006.3	27.4	10.8	17.9	90.9	35.7	68.9	9.2	0.0	2.6	N
	7	497	0.0	9.21		1009.0	21.3	10.0	15.5	92.9	50.3	75.5	5.4	0.0	1.8	WSW
	8	591	1.0	10.24		1009.6	19.3	7.0	13.5	95.8	51.7	76.2	7.4	0.1	2.9	SW
	9	634	0.0	16.09		1009.4	21.7	7.1	14.2	93.3	43.7	72.1	6.3	0.0	2.5	SW
	10	678	0.0	18.71		1011.1	22.7	6.7	14.7	93.6	38.7	69.2	2.7	0.1	1.1	S
	11	710	0.0	22.61		1012.6	25.9	5.8	15.7	92.2	24.7	64.2	3.0	0.0	1.1	W
	12	693	0.0	22.02		1010.2	28.7	4.7	16.3	91.3	32.8	66.6	4.6	0.1	1.6	S
	13	707	0.0	24.27		1005.8	31.0	7.2	18.7	94.2	22.3	65.0	3.4	0.1	1.4	WSW
	14	709	0.0	24.28		1005.6	31.3	8.8	19.5	91.6	24.2	63.0	3.0	0.1	1.3	WSW
	15	689	0.0	24.50		1007.2	32.1	8.5	20.0	91.9	24.1	65.3	3.7	0.1	1.2	SSW
	16	418	0.0	8.92		1007.9	25.4	11.3	17.8	93.7	45.3	76.0	3.0	0.1	1.7	S
	17	474	0.0	11.28		1007.2	25.6	10.2	17.3	94.9	47.5	75.2	3.7	0.1	1.4	S
	18	578	0.0	20.62		1005.5	29.8	8.6	18.6	92.3	35.9	70.5	4.1	0.0	1.3	SW
	19	484	0.0	17.20		1003.2	31.9	12.1	21.3	88.5	26.2	67.6	3.0	0.0	1.2	WSW
	20	422	0.0	7.94		999.1	31.2	16.3	23.2	90.7	33.8	66.3	4.0	0.0	1.7	N
	21	563	0.0	12.91		998.9	30.9	14.1	21.0	94.2	30.9	66.9	4.0	0.0	1.7	SSW
	22	496	0.0	14.54		998.1	28.1	9.3	18.2	94.7	33.8	68.1	4.2	0.1	1.7	N
	23	493	0.0	12.40		995.3	25.5	13.9	19.6	87.4	42.1	66.2	10.8	0.1	4.4	N
	24	301	0.5	4.19		1004.2	20.7	11.1	14.7	95.4	60.7	83.1	5.5	0.1	2.1	SE
	25	539	0.0	13.54		1005.9	22.2	8.2	14.7	95.1	41.4	75.4	4.9	0.1	1.6	WSW
	26	484	0.0	15.97		1004.9	23.6	7.3	14.8	93.2	41.0	75.0	4.5	0.1	1.1	WNW
	27	660	0.0	23.50		1004.3	26.7	7.3	16.5	92.2	26.0	68.7	4.3	0.1	1.5	SSW
	28	703	0.0	24.53		1002.2	30.4	7.8	20.2	91.9	23.0	54.5	7.3	0.1	2.6	ENE
	29	106	8.0	1.41		1000.5	19.2	12.2	16.4	91.1	53.2	73.5	11.5	0.1	4.4	ENE
	30	666	0.0	21.59		1002.3	26.4	11.7	18.2	93.5	33.3	72.2	6.0	0.2	2.2	SSW

表2-5-8 プロジェクト地点の気象観測記録 1994年5月~6月

月	日	日照	降水	日射量	蒸発	気圧	気温℃			湿度%			風速 m/s			風向	
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均		
5	1	203	15.5	4.46													
	2	372	2.5	8.23		1003.6	20.7	12.2	14.8	91.9	54.5	82.4	6.0	0.1	1.5	SSW	
	3	434	0.0	13.15		1001.5	24.6	10.3	16.6	92.2	36.9	72.5	5.0	0.0	1.4	SSW	
	4	459	24.0	13.95		1001.6	24.3	10.5	15.6	91.3	43.9	78.1	6.2	0.1	1.7	SSW	
	5	506	11.5	12.29		1004.5	21.6	9.3	15.0	91.7	53.1	81.0	6.0	0.1	1.9	SSW	
	6	509	0.5	13.06		1007.6	23.2	11.3	16.4	92.0	54.7	78.2	6.6	0.0	2.0	SW	
	7	676	0.0	22.39		1007.3	24.0	10.7	17.1	91.5	36.8	69.5	3.0	0.0	1.2	WSW	
	8	304	1.5	8.48		1003.6	22.4	11.3	15.9	92.0	51.4	78.1	5.5	0.0	2.6	W	
	9	604	0.0	14.08		1005.9	23.3	11.8	17.6	92.8	49.3	74.5	6.4	0.0	2.4	SW	
	10	503	0.0	12.74		1007.7	23.7	12.1	17.8	92.4	47.3	74.1	4.1	0.0	1.4	SSW	
	11	266	0.0	7.73		1002.9	26.0	11.3	17.2	92.7	29.3	75.7	6.6	0.1	1.9	NNW	
	12	431	3.5	9.57		1001.1	23.2	8.9	15.4	93.0	50.9	80.7	6.0	0.1	1.9	SW	
	13	694	0.0	22.34		1005.7	26.4	9.3	17.9	91.8	30.7	66.3	6.2	0.1	2.0	WSW	
	14	727	0.0	24.92		1008.4	27.8	11.4	19.1	91.9	25.5	65.6	4.8	0.1	1.7	WSW	
	15	726	0.0	25.15		1008.6	29.6	11.0	19.8	92.7	22.4	64.3	6.1	0.1	1.8	SSW	
	16	762	0.0	27.07		1003.0	30.6	10.4	20.3	92.1	18.5	57.1	5.1	0.1	1.8	WSW	
	17	774	0.0	28.57		1003.5	32.5	9.5	21.3	90.8	14.1	54.6	3.4	0.1	1.4	E	
	18	775	0.0	29.69		1006.3	35.3	11.0	23.4	92.0	14.5	52.7	3.1	0.1	1.5	WSW	
	19	750	0.0	28.89		1003.2	37.2	11.8	24.2	89.2	14.6	55.1	5.4	0.1	1.6	SSW	
	20	737	0.0	27.76		1002.0	37.5	11.8	24.7	93.3	16.3	54.7	3.7	0.2	1.6	S	
	21	734	0.0	28.21		1002.9	37.8	13.1	25.3	93.1	16.8	56.6	3.7	0.1	1.5	S	
	22	731	0.0	26.14		1003.3	36.8	14.6	24.9	95.5	22.2	62.3	4.9	0.1	2.0	SSW	
	23	718	0.0	26.69		1001.3	37.9	14.4	25.4	94.7	22.6	62.3	5.5	0.1	1.8	SSW	
	24	739	0.0	29.01		999.5	39.3	14.8	26.6	93.9	15.9	60.3	5.6	0.1	1.9	SSW	
	25	634	0.0	25.10		1000.6	36.8	16.9	25.6	92.8	22.9	62.5	6.0	0.2	2.1	SSW	
	26	733	0.0	25.65		1000.8	35.4	15.0	25.3	90.2	28.0	59.6	5.4	0.1	2.0	S	
	27	698	0.0	24.72		999.6	37.6	18.1	26.3	93.0	24.7	56.8	5.6	0.1	1.9	SSW	
	28	720	0.0	24.58		998.7	35.7	16.0	25.5	88.0	31.8	57.1	4.9	0.1	1.8	SSW	
	29	502	0.0	20.67		999.3	35.2	15.8	25.1	91.8	34.5	65.6	4.9	0.1	1.9	S	
	30	540	0.0	21.51		999.7	37.8	18.4	26.4	92.2	26.0	66.4	6.4	0.1	2.3	SSW	
	31	579	0.0	22.67		998.9	35.2	17.4	25.2	91.4	35.1	67.7	6.5	0.1	2.2	SW	
6	1	626	0.0	17.13		995.9	32.0	19.1	25.3	90.0	41.2	65.4	6.4	0.1	2.5	SW	
	2	486	0.0	19.18		996.7	32.7	19.0	24.2	90.7	21.2	57.4	9.3	0.1	2.6	N	
	3	777	0.0	24.95		1000.5	32.1	17.0	24.6	87.8	14.6	27.4	8.6	0.2	5.5	NNE	
	4	780	0.0	26.80		1000.6	35.7	15.3	25.3	80.2	13.8	34.8	7.4	0.4	3.9	NNE	
	5	728	0.0	24.37		1000.3	34.4	12.3	23.4	92.4	28.7	58.3	5.0	0.1	1.8	SW	
	6	726	0.0	24.35		999.7	33.6	13.2	23.6	93.6	29.2	63.0	5.7	0.1	1.9	SW	
	7	730	0.0	24.51		1000.4	34.0	15.4	24.4	94.3	26.2	61.5	4.9	0.2	2.0	SSW	
	8	727	0.0	24.79		1000.6	35.7	14.9	25.2	93.1	20.3	58.1	5.0	0.1	2.2	WSW	
	9	693	0.0	21.25		1002.5	33.5	17.2	23.5	93.4	32.7	60.0	5.5	0.1	2.5	WSW	
	10	737	0.0	22.52		1003.4	32.9	13.7	23.0	88.9	29.9	61.3	7.0	0.1	2.4	SW	
	11	699	0.0	17.51		1002.7	29.3	14.5	22.7	90.8	49.6	69.2	6.3	0.1	2.3	SW	
	12	679	0.0	20.82		1003.4	32.5	15.5	24.3	94.4	39.5	66.8	6.0	0.1	2.1	SW	
	13	667	0.0	20.54		1003.0	34.1	16.3	24.9	92.0	39.7	66.8	6.1	0.1	2.2	SW	
	14	712	0.0	20.82		1002.0	33.6	18.0	25.3	92.3	40.3	68.0	5.7	0.1	2.2	SW	
	15	640	0.0	11.99		999.6	30.8	17.3	24.7	93.6	48.7	70.6	5.2	0.1	2.3	SSW	
	16	502	4.5	14.00		998.1	29.7	17.5	23.0	92.8	46.6	74.1	8.8	0.1	2.8	SW	
	17	678	0.0	20.37		1002.8	30.0	15.9	23.0	91.7	40.4	63.0	5.9	0.1	2.6	SW	
	18	729	0.0	22.61		1003.6	32.7	16.8	24.7	92.0	33.5	64.0	6.1	0.1	2.3	WSW	
	19	618	0.0	18.57		1001.1	34.9	14.9	25.1	91.9	20.5	59.1	6.9	0.4	2.4	WSW	
	20	779	0.0	28.83		1000.2	37.1	15.2	26.9	94.3	8.6	44.2	9.2	0.1	3.6	NNE	
	21																
	22	710	0.0	24.93		998.1	35.4	17.0	26.2	92.2	36.9	65.0	6.7	0.1	2.6	SW	
	23	629	0.0	23.86		997.9	34.1	17.4	25.9	93.8	36.4	65.9	6.4	0.1	2.7	SW	
	24																
	25	753	0.0	25.80		997.4	35.4	19.5	27.5	91.3	20.5	54.9	8.4	0.1	3.5	SW	
	26	809	0.0	26.68		1001.6	31.7	19.1	26.0	30.7	19.6	25.0	13.9	4.7	9.4	NNE	
	27	820	0.0	24.83		999.4	34.3	21.7	28.2	35.2	22.1	27.7	11.3	3.0	8.1	NNE	
	28	814	0.0	26.28		999.0	37.1	20.9	28.5	73.6	17.1	31.2	7.0	0.6	3.7	NNE	
	29	797	0.0	28.77		998.5	38.0	15.9	27.7	90.7	23.3	49.5	7.3	0.1	2.6	WSW	
	30	773	0.0	27.93													

表2-5-9

プロジェクト地点の気象観測記録

1994年7月~8月

月	日	日照	降水	日照量	蒸発	気圧	気温 °C			湿度 %			風速 m/s			風向	
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均		
7	1	733	0.0	30.67		998.3	38.9	18.0	28.2	90.1	9.4	50.1	6.8	0.1	2.4	SW	
	2	774	0.0	27.57		998.6	36.0	17.4	27.1	84.9	36.2	60.0	6.1	0.1	2.3	SW	
	3	693	0.0	21.57		998.1	33.5	20.2	27.2	93.6	45.8	67.5	6.2	0.1	2.7	SW	
	4	679	0.0	23.74		997.4	34.6	20.6	27.6	93.0	43.0	67.4	6.0	0.1	2.4	SW	
	5	787	0.0	27.32		996.3	34.7	19.5	27.6	92.4	27.8	61.9	7.4	0.1	3.0	S	
	6	726	0.0	27.38		996.2	36.5	19.1	27.5	96.3	29.8	64.6	7.6	0.1	2.9	SW	
	7	716	0.0	26.23		995.6	35.8	21.0	27.8	90.4	36.0	64.5	6.5	0.1	2.7	S	
	8	663	0.0			995.9	35.9	20.6	27.8	92.5	38.2	68.5	7.3	0.1	3.2	SW	
	11	611	0.0	20.80		997.8	33.3	21.2	27.5	89.1	44.9	67.3	6.1	0.1	2.9	S	
	12	619	13.5	13.30		998.3	31.5	23.8	27.4	81.2	43.5	65.0	5.6	1.4	3.0	SW	
	13	348	0.0	7.47		997.0	30.8	23.4	26.8	82.5	54.4	68.9	6.3	0.1	2.6	SW	
	14	534	0.0	14.27		993.5	32.4	25.0	27.8	82.8	49.6	69.7	6.7	0.7	3.8	WSW	
	16	543	0.0	13.96		993.5	32.5	24.1	27.5	87.0	53.2	71.3	7.1	1.3	3.9	SW	
	17	471	0.0	15.53		995.1	33.6	25.2	28.2	84.1	49.8	70.5	7.9	1.7	3.9	WSW	
	18	449	0.0	13.19		995.9	33.3	22.2	26.7	88.9	43.8	69.9	9.3	0.1	2.7	WSW	
	19	461	33.0	15.57		997.0	33.1	17.9	24.3	95.2	42.6	75.8	8.6	0.1	2.1	S	
	20	768	0.0	26.61		998.4	35.2	18.6	26.4	94.6	21.7	64.0	7.4	0.1	2.9	SW	
	21	648	0.0	24.52		998.1	34.7	19.2	26.1	93.2	36.9	73.3	6.6	0.1	2.6	S	
	22	733	0.0	25.74		996.5	35.5	20.1	27.1	92.7	41.0	72.4	6.5	0.1	2.3	S	
	23	678	0.0	26.17		995.8	35.3	21.9	27.9	90.5	41.9	69.7	6.6	0.1	2.7	SW	
	24	662	0.0	24.97		995.8	35.6	22.8	28.4	91.2	41.2	69.1	7.5	0.1	2.7	SW	
	25	670	0.0	25.70		996.9	35.6	22.0	28.4	91.9	37.6	67.2	7.2	0.1	2.7	SW	
	26	671	0.0	24.80		997.3	32.9	22.0	27.6	91.6	35.4	68.7	6.7	0.1	2.8	SW	
	27	729	0.0	26.94		995.6	34.8	21.1	28.2	91.0	27.4	63.2	6.8	0.1	2.8	SW	
	28	705	0.0	26.70		995.4	34.3	21.2	27.6	91.8	43.1	68.3	6.7	0.1	2.5	SW	
	29	654	0.0	19.36		995.3	33.4	22.7	27.7	90.8	47.2	69.1	6.9	0.1	2.9	SW	
	30	650	0.0	19.31		995.8	33.2	21.6	27.4	90.6	47.0	68.8	6.6	0.1	3.3	SW	
	31	570	0.0	16.66		994.5	32.6	22.4	27.6	83.8	47.7	65.1	8.7	0.5	3.7	SW	
	8	1	433	2.0	12.70		995.0	29.9	18.7	22.7	93.4	47.8	75.3	7.6	0.1	2.2	S
		2	745	0.0	20.24		996.9	34.6	16.1	24.8	91.9	23.8	63.9	7.4	0.1	2.7	NW
		3	759	0.0	25.95		997.6	36.6	17.7	27.4	87.9	19.4	48.5	8.2	0.6	4.0	N
4		760	0.0	26.20		997.7	36.8	16.8	26.5	92.6	21.0	58.2	8.0	0.1	2.6	WSW	
5		742	0.0	24.65		997.7	34.5	18.9	26.7	87.3	36.7	62.5	6.9	0.1	2.4	SW	
6			0.0														
7			0.0														
8		677	0.0	22.66		1000.8	34.4	21.4	27.5	93.6	45.1	71.0	6.6	0.1	2.6	SW	
9		609	0.0	22.18		999.6	34.8	22.4	28.1	91.9	42.0	69.4	6.9	0.1	2.7	SW	
10		654	0.0	21.93		997.6	35.7	22.7	28.3	89.4	35.5	67.6	8.0	0.1	2.9	SW	
11		706	0.0	23.78		998.0	36.0	20.1	27.5	95.9	37.2	67.5	6.7	0.1	2.4	SSE	
12		634	0.0	24.11		999.1	37.0	18.0	27.1	93.8	27.7	64.5	6.0	0.1	2.3	S	
13		709	0.0	23.55		998.8	36.0	17.8	27.2	82.8	41.9	64.3	5.3	0.1	2.0	SSE	
14		670	0.0	22.72		998.4	37.2	20.9	28.4	92.2	38.1	69.2	5.7	0.1	2.1	SSE	
15		661	0.0	25.20		997.3	41.4	21.3	30.0	93.3	23.4	67.1	5.1	0.1	1.9	SSE	
16		640	0.0	26.45		994.7	40.1	20.3	29.7	96.3	23.1	64.2	7.2	0.1	2.4	SSE	
17		695	35.0	26.34		991.7	39.6	20.8	29.8	87.8	16.7	53.0	6.9	0.1	2.8	WSW	
18		714	54.0	25.86		996.2	36.8	20.9	28.4	89.6	15.6	52.7	6.9	0.1	2.9	NE	
19		653	0.0	23.85		996.6	35.1	20.8	27.2	89.2	34.5	64.9	6.4	0.1	2.1	SW	
20		657	0.0	22.62		998.4	34.6	21.0	27.5	90.1	45.7	67.2	6.9	0.1	2.1	SW	
21		665	0.0	23.12		999.1	36.9	21.1	28.3	94.2	32.2	69.6	6.4	0.1	2.1	SW	
22		669	0.0	27.42													
23		727	0.0	25.23		997.5	36.7	16.4	26.5	88.0	23.6	55.7	6.8	0.1	2.3	SSE	
24		713	0.0	23.83		996.6	35.3	17.4	26.6	92.4	29.7	60.1	6.9	0.1	2.3	SW	
25		647	0.0	22.66		997.1	34.6	18.9	26.6	92.0	43.0	67.0	6.6	0.1	2.4	S	
26		648	0.0	22.10		997.5	34.5	19.8	26.6	91.8	44.4	70.4	6.0	0.1	2.0	S	
27		579	0.0	15.83		996.7	32.1	20.6	26.6	91.6	53.9	73.3	5.4	0.1	2.1	SW	
28		579	0.0	15.82		996.2	32.8	22.5	27.4	91.6	39.5	67.3	6.4	0.1	2.3	WSW	
29		629	0.0	19.02		998.8	33.1	20.0	26.5	88.3	46.7	67.2	6.2	0.1	2.3	SW	
30		690	0.0	23.40		999.4	35.2	19.3	26.5	87.9	27.8	63.2	6.2	0.1	2.0	WSW	
31		701	0.0	23.69		999.0	33.7	18.1	26.4	90.2	37.3	63.4	6.6	0.1	2.0	SSE	

表2-5-10 プロジェクト地点の気象観測記録 1994年9月~10月

月	日	日照	降水	日時置	蒸発	気圧	気温 ℃			湿度 %			風速 m/s			風向	
		min	mm	MJ	mm	hPa	最大	最小	平均	最大	最小	平均	最大	最小	平均		
9	1	657	0.0	21.68		997.5	34.3	19.0	26.9	82.4	44.7	61.8	6.3	0.1	2.2	SSE	
	2	654	0.0	20.23		996.6	33.0	22.0	27.5	92.4	53.7	71.5	6.4	0.1	2.4	SSE	
	3	447	0.0	14.39		997.2	32.2	22.1	26.4	92.4	39.5	74.4	6.3	0.1	1.8	SSE	
	4	654	0.0	20.68		1000.0	33.4	20.2	26.9	89.9	51.9	69.8	6.1	0.1	2.3	SW	
	5	633	0.0	20.33		1001.0	32.9	21.9	27.4	93.4	51.0	72.0	5.6	0.1	2.1	SW	
	6	587	0.0	19.67		999.6	33.5	21.7	27.6	92.2	51.7	71.6	5.3	0.1	2.1	WSW	
	7	562	4.5	17.60		999.1	33.4	22.2	26.6	91.9	44.8	75.9	13.6	0.1	1.8	SSE	
	8	697	0.0	21.43		1001.7	34.8	18.0	26.3	89.4	21.1	45.0	8.4	0.4	3.9	NNE	
	9	690	0.0	22.36		1002.8	35.2	16.0	25.4	91.5	30.7	58.3	5.6	0.1	1.7	SSE	
	10	679	0.0	20.33		1001.7	34.8	17.3	25.6	90.0	31.8	64.4	6.1	0.1	2.0	SSE	
	11	526	0.0	18.19		1001.2	32.8	18.4	25.1	89.9	47.8	71.2	5.2	0.1	1.7	S	
	12	619	0.0	18.68		1003.6	32.9	20.7	26.2	92.9	47.9	68.8	5.1	0.1	1.6	SW	
	13	640	0.0	20.11		1003.1	35.8	18.4	26.4	87.1	32.3	62.7	4.4	0.1	1.6	SSE	
	14	648	0.0	22.40		1000.6	39.7	18.8	28.6	82.5	21.0	47.9	3.1	0.1	1.4	S	
	15	647	0.0	22.35		999.3	39.6	17.3	28.3	79.6	20.1	43.0	2.4	0.1	1.2	N	
	16	401	0.0	14.10		999.5	36.0	19.0	27.5	90.0	28.9	62.8	6.1	0.1	1.9	S	
	17	467	0.0	15.03		1002.8	36.2	20.4	27.5	92.0	34.0	66.4	3.3	0.1	1.1	SE	
	18	606	0.0	18.77		1000.9	38.9	20.7	30.0	82.1	23.6	47.1	6.1	0.1	1.9	WSW	
	19	559	0.0	16.57		1000.4	35.4	21.8	27.8	91.2	42.9	71.6	6.6	0.1	2.4	SSW	
	20	410	0.0	9.23		1000.5	32.5	20.7	27.0	83.3	54.1	66.7	5.0	0.1	2.2	S	
	21	517	0.0	13.35		1003.8	32.7	22.5	27.7	90.2	48.5	68.8	5.4	0.0	1.7	WSW	
	22	535	0.0	15.80		1006.8	33.9	20.8	26.5	91.2	37.0	71.3	2.9	0.1	1.1	S	
	23																
	24																
	25																
	26	514	0.0	10.38		1005.2	31.9	20.0	25.8	90.8	48.9	67.4	4.9	0.1	2.0	S	
	27	537	0.0	13.89		1004.1	32.2	18.4	24.7	83.4	39.6	63.8	5.3	0.1	1.8	SW	
	28	593	0.0	15.82		1005.2	33.5	18.0	25.4	85.1	31.0	58.7	4.8	0.0	1.5	SSE	
	29	613	0.0	16.40		1006.7	34.9	17.9	25.5	87.3	26.6	56.6	3.0	0.1	1.2	S	
	30	618	0.0	16.78		1005.4	35.9	16.0	25.6	87.2	21.7	47.1	3.3	0.1	1.5	SW	
10	1	501	14.0	14.11	3.6	1005.2	33.9	17.2	23.6	93.9	38.7	66.8	8.7	0.1	1.9	SSW	
	2	600	0.0	16.13	3.4	1005.4	32.8	17.3	24.0	93.7	26.7	70.0	2.8	0.1	1.2	SW	
	3		0.0		3.0												
	4		0.0		4.2												
	5	584	0.0	15.19	4.6	1003.2	37.3	17.3	26.4	89.3	23.3	52.5	4.2	0.1	2.0	N	
	6	568	0.0	15.72	6.5	1002.8	37.4	16.7	25.8	84.1	22.1	54.0	2.8	0.1	1.2	S	
	7	600	0.0	16.55	2.5	1004.3	37.8	16.9	26.3	83.0	18.3	51.0	3.2	0.1	1.3	NNE	
	8	587	0.0	15.88	4.4	1005.6	38.0	15.8	25.5	84.1	18.4	47.5	3.0	0.1	1.3	SSW	
	9	604	0.0	16.28	4.4	1006.8	37.5	13.9	25.2	74.3	17.0	39.9	3.4	0.1	1.4	NW	
	10	441	0.0	11.02	3.6	1008.4	35.7	14.0	25.2	59.7	21.6	39.0	2.8	0.1	1.3	NW	
	11	441	0.0	11.84	3.5	1003.2	35.5	15.9	24.7	72.6	28.7	48.2	3.6	0.0	1.3	N	
	12	518	0.0	11.34	4.4	1007.8	35.8	18.8	26.5	82.1	29.7	51.6	6.9	0.1	2.4	N	
	13	247	0.0	3.60	1.8	1006.4	27.8	16.9	21.9	95.3	61.8	75.7	5.1	0.1	1.7	S	
	14	461	0.0	10.73	2.7	1004.6	32.0	14.9	22.6	96.1	28.4	61.9	3.7	0.1	1.3	N	
	15	609	0.0	13.45	3.5	1006.1	31.6	15.7	23.8	77.9	22.5	46.4	7.0	0.1	2.7	NNE	
	16	476	0.0	12.03	2.7	1004.1	30.6	10.4	20.5	94.6	27.9	59.8	5.6	0.0	1.8	SW	
	17	0	27.5	0.13	2.5	1002.6	19.8	16.4	17.8	95.8	70.2	86.7	4.8	0.1	2.0	NNE	
	18	213	7.0	5.32	1.0	1005.6	24.4	15.3	17.9	91.0	54.9	82.2	7.2	0.1	1.2	NNE	
	19	597	0.0	12.18	2.0	1003.3	26.3	13.0	18.9	91.7	37.0	72.7	2.6	0.1	1.0	N	
	20	556	0.0	11.76	2.7	1010.6	28.0	12.6	19.6	91.6	33.9	67.5	2.5	0.1	1.2	NNE	
	21	547	0.0	11.41	3.5	1007.8	29.1	14.8	21.1	90.0	35.5	66.2	3.6	0.1	1.9	NE	
	22	463	0.0	10.00	3.5	1006.4	30.5	15.9	22.7	89.6	36.0	61.4	5.3	0.5	3.1	E	
	23	398	0.0	6.96	3.5	1007.4	31.1	18.1	24.5	81.2	37.2	57.4	6.7	1.1	3.5	E	
	24	128	21.0	1.48	2.0	1008.2	29.4	16.9	21.8	91.9	46.0	76.6	5.9	0.1	2.5	N	
	25	508	0.0	10.58	2.0	1007.5	28.0	15.3	20.7	92.9	39.6	73.4	2.6	0.1	1.1	WSW	
	26	475	3.5	7.45	1.5	1007.9	26.9	15.5	20.3	91.8	49.8	77.1	13.8	0.1	1.6	S	
	27	426	0.0	10.42	1.0	1009.5	26.9	15.0	21.2	91.5	39.2	67.8	2.2	0.1	1.1	WSW	
	28	577	0.0	10.53	2.0	1009.6	28.6	12.3	19.4	91.5	28.9	68.4	2.5	0.1	0.9	N	
	29	541	0.0	9.34	1.0	1007.9	29.5	13.1	20.5	86.0	27.8	59.0	4.2	0.1	1.6	NW	
	30	562	0.0	10.67	3.0	1006.2	29.1	12.7	19.9	89.3	29.5	62.0	2.5	0.1	1.3	NW	
	31	555	0.0	9.72	3.0	1008.7	28.5	11.5	18.9	93.0	29.4	64.1	2.8	0.1	1.4	NW	

表2-5-II プロジェクト地点の気象観測記録 1994年11月~12月

月	日	日照	降水	日揮	蒸発	気圧	気温 ℃			湿度 %			風速 m/s			風向
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
11	1	567	0.0	10.14	3.0	1012.1	29.4	12.5	20.0	84.5	29.4	59.3	4.0	0.7	2.2	NNE
	2	530	0.0	8.86	3.0	1012.3	30.0	12.6	20.5	85.6	32.7	60.9	4.4	0.1	2.4	N
	3	506	0.0	6.47	2.0	1009.0	28.7	13.7	20.1	88.7	30.6	62.4	3.4	0.1	2.0	N
	4	513	0.0	8.30	3.0	1005.8	28.7	12.6	19.9	86.3	33.8	60.3	3.7	0.2	1.9	NW
	5	573	0.0	8.87	10.0	1006.1	24.1	12.6	18.1	64.1	25.1	42.3	9.9	1.4	6.1	NE
	6	309	0.0	3.12	7.0	1001.8	16.9	8.9	12.9	48.2	32.4	40.8	15.4	3.2	9.6	N
	7	296	0.0	3.47	6.0	1003.9	15.8	7.6	11.5	50.8	35.1	41.8	13.7	1.5	9.2	N
	8	579	0.0	8.27	2.0	1015.4	19.1	3.1	10.8	66.3	28.7	47.4	5.5	0.1	2.1	NNE
	9	516	0.0	7.90	0.0	1018.7	20.4	1.1	9.8	67.3	29.7	50.1	2.5	0.1	1.4	N
	10	544	0.0	5.69	3.0	1017.1	20.5	3.0	10.9	72.8	39.3	56.5	3.0	0.1	1.6	NW
	11	473	0.0	6.31	2.0	1015.6	21.8	4.6	12.5	81.8	38.9	60.8	3.5	0.1	1.8	NW
	12	486	0.0	7.06	2.0	1012.4	22.5	4.8	13.1	87.6	39.8	62.5	3.3	0.1	1.3	N
	13	320	0.0	3.30	1.5	1007.5	22.4	6.0	14.0	85.5	44.5	64.2	3.6	0.1	1.6	NNE
	14	154	6.5	1.06	4.5	1004.8	18.2	11.3	14.1	94.4	58.5	81.3	6.9	0.1	2.2	NE
	15	20	1.0	0.27	1.0	1004.9	16.4	11.4	14.1	89.1	58.9	71.8	7.2	1.2	4.0	NE
	16	65	0.0	0.60	1.0	1003.3	18.3	12.6	14.9	91.6	62.1	78.9	4.8	0.1	2.8	NNE
	17	466	0.0	6.36	0.0	1004.9	21.5	7.8	13.6	95.0	43.1	78.6	3.1	0.1	1.3	SSW
	18	174	24.0	2.56	0.0	1008.1	19.5	8.4	13.2	93.1	56.6	84.8	6.0	0.1	1.7	NNE
	19	0	132	0.00	0.0	1004.4	16.3	13.4	14.5	91.1	79.9	88.1	8.2	0.5	3.5	E
	20	0	56.0	0.02	0.0	1005.2	15.1	11.4	13.2	91.6	78.9	85.9	7.8	0.3	3.3	NE
	21	178	25.5	1.49	0.0	1005.6	16.5	11.9	13.7	90.8	68.7	82.6	10.0	0.1	2.7	E
	22	0	1.0	0.00	0.0	1006.7	14.6	12.4	13.2	89.7	74.7	84.9	4.0	0.0	1.7	N
	23	0	0.0	0.00	2.0	1005.6	12.6	7.6	10.7	90.0	54.5	71.2	7.4	0.0	2.6	N
	24	545	0.0	5.70	4.0	1009.7	15.7	5.8	10.4	80.7	46.1	63.7	7.2	1.5	3.5	N
	25	485	0.0	5.31	2.0	1009.4	17.1	4.8	9.9	91.8	37.3	72.2	4.4	0.0	1.8	NW
	26	489	0.0	5.80	1.0	1004.3	17.1	4.4	10.6	92.4	36.5	68.4	3.5	0.1	1.4	S
	27	18	0.0	0.19	3.0	1002.2	12.3	5.7	9.6	89.3	49.7	58.1	8.1	1.8	4.5	N
	28	522	0.0	5.53	2.9	1010.5	13.0	2.4	6.9	73.5	20.8	51.0	6.7	0.1	3.3	N
	29	040	0.0	0.23	0.0	1012.7	9.9	4.4	7.1	73.4	49.5	60.7	6.5	1.4	3.7	NNE
	30	530	0.0	5.95	2.0	1008.5	15.9	2.8	8.3	79.4	23.5	54.9	5.0	0.1	2.9	N
12	1	310	2.0	2.88	2.0	1007.6	14.2	5.1	8.7	91.4	44.1	71.8	7.1	0.3	3.3	NE
	2	96	4.0	0.75	2.0	1001.6	9.9	3.5	7.0	92.3	47.1	68.4	9.7	1.9	5.5	N
	3	529	0.0	5.41	2.0	1008.2	7.6	2.4	4.6	57.9	35.2	45.2	13.4	0.2	7.6	NNE
	4	453	0.0	3.95	1.0	1010.5	10.8	-1.3	4.1	85.7	35.2	61.4	4.8	0.1	1.9	SW
	5	424	0.0	4.86	1.0	1017.2	12.4	-1.0	4.2	88.9	34.7	64.6	4.7	0.0	2.2	E
	6	518	0.0	5.13	1.0	1027.1	11.0	-1.7	3.8	88.8	31.1	64.0	5.7	0.0	2.5	E
	7	516	0.0	5.31	1.0	1026.5	12.6	-2.6	3.6	92.9	36.2	70.3	2.3	0.1	1.2	NW
	8	111	0.0	0.91	1.0	1022.4	11.2	-0.7	5.0	96.0	51.8	79.8	3.0	0.0	1.0	NW
	9	201	0.0	1.25	1.0	1020.3	13.6	0.3	5.9	99.1	45.1	78.1	3.0	0.1	1.3	NW
	10	246	0.0	1.47	1.0	1018.7	14.3	2.0	7.5	90.9	49.1	71.9	5.6	0.1	2.9	N
	11	213	5.0	1.87	0.0	1018.6	13.4	2.1	7.8	96.1	45.6	78.5	3.3	0.1	1.8	N
	12	246	0.0	1.86	0.0	1015.2	12.3	4.2	8.1	94.8	58.9	82.1	2.8	0.1	1.3	N
	13	290	0.0	2.55	1.0	1015.6	13.7	2.1	8.4	92.6	50.6	78.8	2.7	0.1	1.2	NW
	14	96	3.0	1.11	0.0	1014.8	13.9	9.1	10.7	93.9	68.4	83.7	4.2	0.1	1.5	E
	15	0	1.5	0.00	0.0	1014.4	12.2	9.1	10.4	89.3	60.9	72.9	7.5	1.4	3.3	E
	16	0	68.0	0.00	0.0	1009.2	11.2	9.0	9.7	94.1	83.7	90.2	7.7	1.4	3.9	ESE
	17	0	0.0	0.00	1.0	1007.9	8.3	4.0	6.3	73.3	51.2	61.6	7.0	1.9	4.8	N
	18	27	10.5	0.15	0.0	1007.6	10.0	4.0	6.8	93.1	62.9	79.8	5.8	0.1	2.4	NNE
	19	0	8.0	0.00	0.0	1005.5	7.4	3.4	6.0	93.2	68.1	84.1	6.4	0.1	2.7	N
	20	265	0.0	1.96	1.0	1015.9	9.4	1.3	4.8	78.3	46.0	64.0	5.1	0.1	2.8	N
	21	355	0.0	3.27	1.0	1023.3	12.4	0.1	5.4	90.7	44.9	74.0	3.2	0.1	2.0	N
	22	353	0.0	3.05	1.0	1021.0	12.5	1.8	6.5	89.2	53.0	73.5	7.1	2.0	3.8	N
	23	353	0.0	3.77	1.0	1020.9	13.9	3.1	7.2	92.8	45.6	77.4	3.7	0.1	2.0	N
	24	517	0.0	5.38	1.0	1022.0	15.6	0.5	7.1	96.2	41.8	76.1	3.2	0.0	1.1	NW
	25	526	0.0	5.63	0.0	1020.1	16.5	0.8	7.0	94.2	33.0	74.4	2.4	0.1	1.0	NW
	26	453	0.0	5.06	1.0	1016.3	16.1	1.3	7.8	90.5	41.1	73.7	3.4	0.0	1.2	NW
	27	83	0.0	0.72	4.0	1008.5	13.9	8.2	11.2	77.3	44.5	53.3	10.6	2.2	6.5	NNE
	28	6	2.0	0.04	1.0	1011.3	11.7	8.6	10.0	84.8	53.3	68.0	9.4	2.8	5.8	E
	29	263	0.0	1.63	1.0	1013.8	14.7	5.4	9.8	90.9	44.6	68.9	7.1	1.5	3.2	E
	30	335	0.0	2.90	1.0	1013.2	15.4	3.9	8.2	95.6	44.1	77.1	3.1	0.0	1.4	N
	31	392	1.0	4.77	0.5	1014.2	14.7	2.7	8.2	96.5	49.7	81.0	2.3	0.0	0.9	N

表2-5-12

プロジェクト地点の気象観測記録

1995年1月~2月

月	日	日照	降水	日照量	蒸発	気圧	気温 °C			湿度 %			風速 m/s			風向
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
1	1	0	13.0	0.00	0.0	1012.4	12.1	8.7	10.3	96.1	79.1	89.1	3.0	0.1	1.3	NNE
	2	0	13.5	0.02	0.0	1013.8	14.8	11.2	12.4	89.9	64.7	86.7	6.2	0.1	1.4	NW
	3	494	0.0	5.53	0.0	1013.1	18.8	8.2	12.7	91.5	49.5	77.8	3.4	0.1	1.4	E
	4	371	0.0	2.99	0.0	1010.0	18.5	7.4	11.7	92.8	49.9	77.4	4.9	0.1	2.3	E
	5	211	0.0	1.84	1.0	1016.3	16.7	6.4	10.2	94.3	49.6	82.4	2.9	0.1	1.2	NNE
	6	383	0.0	3.15	1.0	1018.3	17.8	5.2	10.7	93.8	46.2	76.5	4.8	0.1	2.0	NNE
	7	153	0.5	1.43	0.5	1013.6	16.8	8.6	11.9	95.3	52.9	77.2	8.4	0.1	2.8	NNE
	8	505	0.0	6.03	1.0	1015.0	18.1	5.5	10.6	93.9	45.1	77.7	2.7	0.1	1.0	N
	9	519	0.0	5.92	0.5	1011.8	17.8	2.0	8.7	94.2	37.5	72.7	2.3	0.1	1.1	NW
	10	376	2.5	4.27	0.0	1005.6	14.9	5.7	10.0	95.0	56.5	79.2	3.3	0.0	1.5	NNE
	11	43	11.5	0.49	0.0	1003.5	11.4	7.9	9.4	94.1	74.0	87.2	5.0	0.1	2.2	NE
	12	351	14.5	3.45	0.0	1007.0	15.0	7.5	11.0	95.4	60.4	84.0	4.2	0.1	1.8	SSE
	13	11	44.5	0.12	0.0	1012.0	13.7	10.6	11.9	92.6	81.0	89.2	4.9	0.5	2.7	E
	14	454	4.0	6.16	0.0	1014.4	18.3	11.1	13.7	91.2	45.9	71.9	6.3	1.3	3.4	E
	15	337	5.0	3.12	0.0	1007.5	17.7	7.9	12.8	89.3	43.7	66.5	5.5	0.1	3.0	E
	16	376	0.0	3.94	1.0	1009.4	12.7	5.9	8.6	94.6	61.3	81.3	4.2	0.1	1.6	S
	17	116	0.0	1.07	1.0	1010.1	11.7	6.3	8.4	93.3	50.1	75.5	4.7	0.0	2.0	N
	18	267	0.5	2.96	1.0	1015.3	10.6	0.5	5.8	93.9	34.1	56.9	6.6	0.5	3.8	N
	19	404	0.0	4.96	0.0	1022.7	10.8	-0.9	3.9	85.3	35.2	63.2	4.7	0.0	2.0	N
	20	448	0.0	4.24	1.0	1023.1	11.3	-1.2	4.0	93.5	39.6	70.9	4.2	0.3	1.9	N
	21	0	0.0	0.02	0.0	1020.0	7.9	-0.6	2.9	95.9	48.1	82.1	2.4	0.0	1.2	NW
	22	483	0.0	6.12	1.0	1020.8	11.8	-0.8	4.6	96.3	37.9	70.2	3.4	0.0	2.1	N
	23	196	0.0	1.77	1.0	1020.3	12.4	0.2	5.9	94.1	45.0	76.7	3.5	0.3	1.8	N
	24	518	0.0	6.44	0.5	1017.8	15.1	0.4	7.9	97.4	46.0	74.5	2.7	0.0	1.3	N
	25	8	1.5	0.07	0.0	1014.3	10.7	7.2	9.0	95.4	77.3	88.8	2.6	0.1	1.1	NE
	26	464	0.0	6.12	0.0	1016.2	16.3	4.1	9.4	95.9	55.1	80.7	3.0	0.1	1.5	SSW
	27	505	0.0	6.42	1.0	1019.0	17.3	6.6	10.6	94.2	48.6	77.8	3.3	0.1	1.7	N
	28	158	22.0	1.62	3.0	1013.3	13.9	5.6	9.4	93.4	57.6	81.0	9.4	0.1	2.9	N
	29	574	0.0	7.56	1.0	1014.0	14.5	2.9	7.7	91.4	35.3	64.4	4.7	0.1	2.1	NW
	30	33	0.0	0.40	1.0	1016.0	12.6	1.6	7.2	93.6	56.7	83.6	2.5	0.0	1.1	N
	31	459	0.0	7.41	0.0	1016.1	17.2	6.1	10.3	94.9	43.4	73.0	2.6	0.0	1.0	NW
2	1	538	0.0	7.51	1.0	1018.1	18.2	3.1	10.0	91.6	36.1	72.8	2.8	0.1	1.3	NW
	2	543	0.0	7.97	1.0	1013.4	18.2	3.8	10.2	88.3	41.9	69.6	3.3	0.1	1.4	NW
	3	549	0.0	7.82	3.0	1010.1	15.9	3.1	9.6	78.8	27.3	50.5	8.7	0.9	3.6	NNE
	4	528	0.0	7.89	3.0	1005.5	17.8	0.6	8.3	86.4	31.2	55.4	8.9	0.5	4.1	NNE
	5	516	0.0	7.86	2.0	1003.6	13.8	1.2	6.9	93.2	32.1	56.9	4.6	0.2	2.2	NNE
	6	0	11.0	0.03	0.0	1003.6	8.3	0.6	5.8	97.1	66.4	84.5	5.6	0.3	2.9	NNE
	7	0	7.5	0.04	0.5	1000.5	11.1	6.8	8.2	94.9	72.5	87.7	5.1	0.0	2.1	NNE
	8	370	0.5	6.37	0.5	1006.5	14.1	5.4	8.7	95.9	50.4	82.9	2.2	0.0	0.1	S
	9	382	0.0	4.99	0.0	1013.1	14.4	2.7	9.0	93.4	53.9	80.7	4.1	0.1	1.4	S
	10	331	0.5	5.01	1.5	1016.0	16.0	7.7	11.3	94.6	55.5	83.2	3.2	0.0	1.4	SE
	11	443	0.5	8.60	0.5	1018.1	18.2	7.8	12.3	93.9	47.7	78.0	2.1	0.0	0.7	NE
	12	572	0.0	9.57	1.0	1017.8	19.2	4.8	11.1	95.4	47.2	77.9	3.0	0.0	1.1	SSW
	13	576	0.0	10.35	2.0	1014.1	21.1	3.4	11.8	93.0	28.8	65.6	4.1	0.0	1.5	NE
	14	552	0.0	7.25	3.0	1007.7	19.9	7.1	12.4	90.1	32.8	59.6	6.0	0.3	3.3	NNE
	15	574	0.0	9.41	1.0	1007.7	19.5	4.4	11.2	96.1	36.2	70.5	4.7	0.1	1.9	N
	16	508	0.0	9.04	2.0	1012.2	18.2	4.1	10.6	96.3	49.2	76.9	7.1	0.1	1.9	SW
	17	573	0.0	9.75	2.0	1013.3	19.7	3.9	11.1	94.6	31.3	71.6	3.4	0.1	1.7	ENE
	18	557	0.0	9.51	1.0	1014.5	19.1	4.9	11.3	95.1	39.8	73.5	2.9	0.1	1.5	NW
	19	523	0.0	9.68	1.0	1016.2	18.4	4.0	10.7	96.3	49.4	79.9	3.2	0.1	1.2	SW
	20	62	1.0	0.76	1.0	1014.7	13.6	8.6	10.9	95.3	71.7	88.8	3.1	0.0	1.1	E
	21	332	3.0	6.60	1.0	1009.7	20.1	6.0	12.2	92.1	41.0	74.2	7.5	0.5	2.9	N
	22	610	0.0	10.40	4.0	1009.5	19.2	6.9	12.6	91.4	35.6	56.3	8.8	0.5	4.5	N
	23	628	0.0	11.95	2.0	1012.8	20.6	3.1	11.3	94.9	29.0	58.0	6.2	0.3	2.3	SW
	24	588	0.0	11.71	2.0	1014.0	19.2	2.4	10.1	96.0	35.6	74.5	2.5	0.1	1.1	NW
	25	615	0.0	11.94	2.0	1009.5	21.4	3.2	11.6	95.2	26.5	68.5	2.9	0.1	1.6	N
	26	461	0.0	8.52	2.0	1009.7	20.1	6.3	12.6	95.4	37.0	70.9	5.0	0.1	2.3	N
	27	580	0.0	10.84	2.0	1015.7	20.1	5.9	12.3	97.9	44.7	77.7	4.0	0.0	1.5	SW
	28	576	0.0	11.55	1.0	1015.6	20.6	5.2	12.3	96.5	46.5	78.5	3.2	0.1	1.3	NSW

表2-5-13 プロジェクト地点の気象観測記録 1995年3月~4月

月	日	日照	降水	日射量	蒸発	気圧	気温℃			湿度%			風速 m/s			風向
		min	mm	MJ	mm	hPa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
3	1	590	0.0	11.41	3.0	1011.3	22.5	7.3	13.5	96.1	29.2	66.6	8.1	0.1	2.4	N
	2	643	0.0	13.92	3.0	1013.9	24.9	3.7	13.4	87.0	15.1	55.4	3.4	0.3	1.8	NW
	3	638	0.0	13.94	4.0	1014.6	24.2	3.3	13.4	90.7	25.1	62.5	3.4	0.1	1.6	W
	4	626	0.0	12.58	3.0	1012.6	24.1	4.8	13.7	92.8	25.0	64.3	3.2	0.1	1.8	NW
	5	585	0.0	13.13	4.0	1010.1	25.8	5.9	15.0	90.6	24.4	62.5	5.2	0.3	2.3	NW
	6	340	0.0	7.01	3.0	1004.1	23.6	9.3	15.8	95.8	37.7	63.7	7.9	0.2	3.7	E
	7	370	7.5	5.92	1.5	1006.6	16.8	8.7	12.2	97.8	55.8	81.5	8.7	0.1	3.0	SW
	8	343	3.5	6.76	1.5	1013.0	18.6	5.4	11.9	95.0	47.1	81.7	4.8	0.2	2.0	SW
	9	522	11.0	12.57	2.0	1012.5	18.9	7.7	12.9	94.4	44.8	79.2	5.4	0.1	1.9	SW
	10	647	0.0	14.12	3.0	1011.7	19.4	5.0	11.7	96.3	36.4	70.4	3.2	0.0	1.3	W
	11	422	5.5	6.56	0.5	1008.4	16.9	5.9	10.3	94.7	47.1	82.3	3.9	0.1	1.6	SW
	12	537	0.5	13.28	2.5	1007.8	18.9	4.8	11.4	93.5	30.0	68.6	4.8	0.2	1.8	NW
	13	548	0.0	11.93	3.0	1011.0	17.9	1.2	9.8	93.9	35.7	69.6	5.0	0.0	1.4	SSW
	14	115	4.0	1.14	1.0	1009.8	15.4	5.6	9.9	94.8	42.5	79.7	4.8	0.2	2.3	NE
	15	513	1.5	10.46	2.0	1000.2	19.1	9.2	13.5	93.7	48.0	70.5	9.0	1.2	4.3	E
	16	196	24.5	2.09	1.0	997.2	14.2	6.9	11.2	94.1	75.1	87.3	8.6	0.0	2.5	E
	17	614	0.5	14.66	2.5	1006.9	23.6	3.6	11.5	94.6	43.1	76.3	4.8	0.0	1.6	SSW
	18	315	0.0	4.04	1.0	1008.8	16.7	7.2	12.0	95.2	55.3	82.2	3.5	0.0	1.1	SW
	19	524	0.0	13.22	2.0	1009.6	19.5	6.0	12.3	96.1	46.2	80.3	3.4	0.1	1.5	SW
	20	650	0.0	15.66	2.0	1011.5	22.0	5.8	13.6	95.3	41.3	74.9	2.8	0.0	1.2	WSW
	21	664	0.0	16.32	3.0	1010.6	23.1	6.0	13.7	94.7	33.3	72.4	3.4	0.1	1.4	WSW
	22	592	0.0	15.43	3.0	1008.1	24.2	6.5	14.5	93.2	33.4	69.1	3.5	0.0	1.4	WSW
	23	532	0.0	10.67	2.5	1006.4	20.7	6.8	13.1	94.1	43.6	75.9	3.6	0.1	1.3	SSW
	24	368	1.5	7.34	2.0	1003.3	18.1	7.3	11.9	94.5	41.6	76.7	6.4	0.0	2.4	SW
	25	467	2.5	7.03	1.5	1006.0	13.9	5.0	8.8	96.5	41.5	75.0	5.5	0.0	1.7	N
	26	589	0.0	15.14	3.0	1011.8	15.6	3.2	8.8	90.1	24.2	59.0	5.2	0.1	1.9	NE
	27	510	0.0	12.93	1.0	1014.7	18.3	1.5	10.5	96.0	44.3	71.5	5.5	0.1	2.1	SW
	28	319	4.0	4.26	2.0	1012.8	15.5	8.5	12.0	95.8	68.4	84.4	4.5	0.1	2.0	S
	29	261	0.0	3.16	1.0	1007.9	16.7	7.8	12.1	93.6	56.6	79.8	3.4	0.1	1.4	N
	30	651	0.0	12.75	3.0	1006.6	21.0	5.0	13.3	94.0	43.7	72.1	6.6	0.0	1.9	SW
	31	409	0.0	9.61	1.0	1012.1	19.6	6.7	13.3	94.1	43.5	74.7	3.0	0.0	1.2	WSW
4	1	460	0.0	7.10	1.0	1006.1	21.3	6.3	14.1	95.0	44.3	74.8	2.6	0.1	1.4	NNW
	2	597	2.0	14.45	5.0	1001.4	18.6	7.8	13.9	93.9	36.1	67.5	7.7	0.1	3.8	SW
	3	323	3.5	3.10	1.5	1005.1	12.4	6.6	9.2	92.2	57.6	78.0	6.2	0.0	2.7	NE
	4	604	0.0	17.08	3.0	1012.2	18.6	4.1	11.3	94.0	25.2	58.7	4.8	0.1	2.1	NNW
	5	671	0.0	16.16	3.0	1016.7	20.9	2.1	11.4	96.9	37.6	70.8	4.6	0.1	1.7	SW
	6	666	0.0	17.60	3.0	1016.4	23.3	4.1	13.6	95.9	33.4	67.4	3.6	0.1	1.5	SW
	7	555	0.0	16.92	2.0	1011.2	24.7	6.2	14.5	95.5	31.5	72.3	4.2	0.0	1.5	S
	8	306	0.0	4.51	2.0	1003.8	21.7	6.0	14.4	96.4	38.9	74.1	3.2	0.1	1.0	NW
	9	257	0.5	3.33	2.5	996.8	24.4	8.3	16.1	92.8	34.1	70.8	6.4	0.1	2.6	NE
	10	277	37.0	5.65	4.0	997.9	19.4	11.9	14.3	94.8	58.7	84.4	8.1	0.1	3.0	SSW
	11	550	5.0	14.73	3.0	1007.1	17.7	7.9	12.2	94.7	45.3	70.6	5.4	0.1	2.4	SW
	12	403	0.0	9.52	2.0	1011.1	17.0	4.8	11.1	97.5	46.7	78.1	2.7	0.0	1.4	NNW
	13	372	5.5	8.32	2.5	1004.4	21.2	8.9	15.1	92.7	50.6	73.2	5.7	1.6	3.0	NE
	14	465	0.5	13.53	3.5	1004.5	20.3	11.9	15.6	92.6	49.4	72.8	7.5	0.2	3.1	SW
	15	651	0.0	16.71	3.0	1009.6	20.9	9.5	14.9	97.2	44.1	74.3	5.1	0.1	1.5	SSW
	16	550	0.0	18.63	2.0	1006.2	23.1	6.9	14.9	95.4	33.2	71.8	4.5	0.1	1.4	W
	17	498	0.0	12.76	2.0	1000.2	24.9	12.2	17.6	92.6	25.0	67.4	4.3	0.1	1.5	SSW
	18	86	30.5	0.93	1.0	997.2	17.2	10.8	13.8	95.0	71.5	86.8	7.2	0.1	2.1	SW
	19	612	11.0	18.68	3.5	1000.9	20.3	9.3	14.1	94.0	38.6	73.9	5.9	0.3	2.7	N
	20	720	0.0	19.86	3.0	1007.6	20.6	9.0	14.6	93.5	37.9	68.1	5.9	0.0	2.2	S
	21	701	0.0	20.95	2.0	1008.0	24.0	7.4	15.6	95.1	25.2	67.2	3.1	0.0	1.2	SSW
	22	634	0.0	18.98	2.0	1007.6	25.0	7.7	15.8	93.2	32.2	72.7	6.0	0.0	1.7	S
	23	525	0.0	17.09	3.0	1006.8	25.9	11.0	17.2	96.9	34.1	76.5	6.1	0.1	1.7	S
	24	623	0.0	19.27	4.0	1004.5	26.3	9.6	17.3	94.0	37.8	73.2	5.3	0.1	1.6	SW
	25	455	0.0	16.58	2.0	1005.0	25.6	10.9	17.5	94.9	44.5	76.0	4.9	0.0	1.5	S
	26	521	0.0	17.36	3.0	1006.1	27.1	12.5	18.6	93.5	42.5	75.6	5.4	0.0	1.5	SW
	27	483	0.0	10.65	3.0	1004.7	26.6	12.5	19.2	94.2	42.4	73.4	4.2	0.0	1.4	WSW
	28	350	0.5	7.07	2.0	1000.7	23.6	12.9	18.7	91.0	37.3	72.9	8.3	0.1	3.1	N
	29	695	0.0	18.32	3.0	1005.3	25.4	10.0	17.7	94.1	35.0	70.3	5.1	0.1	1.9	SW
	30	669	0.0	20.09	4.0	1004.1	28.4	9.4	19.3	94.6	22.1	61.1	3.4	0.1	1.5	NE

表2-5-14

プロジェクト地点の日気観測記録

1995年5月~6月

月	日	日照	降水	日射量	蒸発	気圧	気温 °C			湿度 %			風速 m/s			風向
		min	mm	kJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
5	1	503	0.0	10.21	3.0	996.8	29.8	12.0	21.0	90.6	28.8	60.4	6.6	0.2	2.2	NNE
	2	506	0.0	13.56	3.0	1000.0	24.8	13.3	18.2	93.0	50.7	75.7	9.2	0.1	2.5	SW
	3	582	0.0	13.69	5.5	1006.5	24.5	11.7	17.3	91.2	47.0	73.3	6.6	0.0	2.3	SW
	4	391	13.5	10.8	2.0	1005.6	22.1	12.4	16.0	94.1	45.0	79.7	6.7	0.1	2.0	ENE
	5	329	25.0	4.87	5.0	1004.2	18.5	12.1	14.7	95.1	60.7	83.9	5.1	0.1	2.0	S
	6	156	10.0	5.95	1.0	1004.2	17.4	11.8	13.5	93.1	53.2	82.5	3.8	0.0	1.7	ENE
	7	318	3.5	6.93	3.5	1009.0	18.6	9.5	13.7	93.4	53.0	81.2	5.3	0.0	1.8	ENE
	8	581	0.0	14.44	3.0	1013.6	21.1	7.5	14.4	93.7	54.4	77.3	7.5	0.0	2.5	SW
	9	216	1.0	3.24	1.0	1012.4	20.5	12.6	17.0	94.1	62.9	80.2	4.1	0.0	1.7	SW
	10	444	0.0	12.51	3.0	1008.2	23.1	12.7	17.6	94.6	51.2	78.4	4.8	0.0	1.5	SSW
	11	706	0.0	22.37	4.0	1006.2	26.7	11.8	18.6	93.6	39.6	74.2	5.6	0.0	1.6	S
	12	733	0.0	24.91	4.0	1008.1	30.5	11.6	20.9	92.9	27.4	67.2	3.2	0.0	1.2	SSW
	13	730	0.0	26.04	5.0	1007.4	33.3	13.5	23.1	93.0	21.7	62.5	4.1	0.1	1.6	SSW
	14	749	0.0	26.05	6.0	1003.6	34.2	14.3	23.9	93.5	20.0	61.6	5.6	0.0	1.7	S
	15	738	0.0	23.46	5.0	1002.5	31.0	13.7	21.9	94.7	27.9	67.6	5.5	0.1	2.0	SSW
	16	739	0.0	21.96	5.0	1003.3	27.6	12.5	20.2	95.8	37.9	67.2	5.1	0.1	1.9	SW
	17	578	0.0	14.89	5.0	1003.2	26.2	13.6	19.8	94.5	42.2	69.1	5.8	0.1	2.1	SW
	18	709	0.0	22.26	5.0	1003.7	28.6	15.1	21.3	92.5	37.5	67.2	6.3	0.1	2.2	S
	19	660	0.0	19.15	5.0	1004.5	28.4	13.5	20.6	94.8	42.3	67.5	5.4	0.1	1.9	S
	20	717	0.0	23.34	5.0	1004.0	32.3	13.2	22.1	94.1	29.1	62.0	5.5	0.1	1.6	S
	21	768	0.0	26.31	7.0	1006.7	35.0	13.1	24.1	93.1	22.9	56.0	5.6	0.1	1.8	S
	22	774	0.0	29.77	6.0	1004.5	40.0	14.8	27.7	90.8	10.7	47.9	4.2	0.1	1.5	ENE
	23	783	0.0	31.28	7.0	993.4	41.3	17.1	29.5	84.5	11.9	44.7	3.5	0.1	1.6	NW
	24	757	0.0	29.85	7.0	993.7	41.1	17.1	28.7	94.1	10.8	51.7	5.5	0.1	1.9	SSW
	25	718	0.0	26.94	6.0	993.1	38.8	14.9	26.3	95.7	17.2	56.4	5.6	0.1	1.9	S
	26	337	0.0	6.54	4.0	1000.1	36.6	19.6	26.6	91.8	22.0	61.5	7.6	0.1	2.6	ENE
	27	670	0.0	20.94	7.0	1000.3	36.0	17.4	26.4	93.6	30.7	65.7	5.8	0.1	2.7	S
	28	655	0.0	23.19	7.0	1001.4	36.9	20.5	28.3	94.2	24.3	55.2	5.8	0.1	2.3	N
	29	635	0.0	21.24	6.0	1002.6	35.6	19.2	27.2	90.3	30.1	57.7	7.5	0.1	2.9	NW
	30	644	0.0	22.06	7.0	1001.9	35.0	18.4	26.3	91.4	33.4	62.5	5.8	0.1	2.0	SW
	31	710	0.0	22.74	7.0	1002.0	33.9	17.0	25.0	92.8	37.3	65.6	7.5	0.1	2.3	SW
6	1	364	1.5	6.48	3.5	1003.4	27.7	17.7	22.3	96.4	53.5	79.0	7.2	0.1	2.1	SW
	2	565	7.0	16.48	3.0	1004.3	30.1	14.7	21.3	96.7	41.4	75.5	8.8	0.1	1.6	SW
	3	635	0.0	16.31	4.0	1004.2	29.7	17.1	23.3	93.4	53.2	74.5	6.2	0.1	2.2	SW
	4	375	0.0	12.73	5.0	1003.8	30.2	20.7	24.7	92.3	46.6	72.0	5.9	0.1	1.9	SW
	5	620	0.0	18.23	6.0	1003.5	31.7	19.6	24.7	91.9	44.3	71.0	6.8	0.1	2.5	SW
	6	458	0.0	10.37	5.0	1003.0	30.0	19.9	24.6	91.6	40.6	69.9	6.1	0.1	2.1	SW
	7	549	0.0	17.43	6.0	1002.4	32.2	19.3	25.0	92.1	40.8	69.9	6.4	0.1	2.2	SW
	8	450	0.0	11.41	5.0	1001.0	32.0	19.7	24.4	95.4	42.1	66.3	8.8	0.1	2.0	ENE
	9	466	32.0	11.53	8.0	1000.2	31.2	17.0	22.3	95.3	42.4	70.6	9.0	0.3	2.9	NE
	10	125	1.0	4.58	2.0	1002.7	27.6	20.9	24.4	89.8	52.0	71.4	5.5	0.1	2.5	S
	11	618	0.0	18.54	5.0	1003.7	30.0	20.0	24.4	92.5	43.0	73.3	5.9	0.1	2.0	SW
	12	682	0.0	20.54	6.0	1004.4	32.8	18.5	24.8	93.3	39.3	68.1	5.9	0.1	1.7	SW
	13	717	0.0	23.35	6.0	1002.6	34.4	17.8	25.5	93.4	34.6	67.7	6.0	0.1	1.9	SW
	14	670	0.0	23.72	7.0	1000.3	35.3	19.8	26.7	94.6	31.5	65.2	5.9	0.1	2.1	NW
	15	678	0.0	24.03	7.0	999.5	35.7	18.6	27.2	92.6	31.3	63.4	5.2	0.1	2.3	SW
	16	730	0.0	24.91	8.0	998.4	38.0	19.1	27.8	96.0	20.1	63.5	7.0	0.1	2.2	NW
	17	647	0.0	23.09	7.0	1000.0	33.5	20.6	26.7	94.5	45.8	69.4	5.8	0.1	2.1	SW
	18	734	0.0	23.01	7.0	999.1	34.4	20.6	26.9	93.8	41.5	70.5	6.0	0.1	2.5	SW
	19	407	0.0	9.51	5.0	1001.0	32.4	21.7	26.7	93.6	48.5	71.4	4.9	0.1	2.0	S
	20	421	0.0	8.71	5.0	1001.4	31.1	20.4	25.7	93.5	50.7	71.8	5.4	0.1	2.2	S
	21	714	0.0	23.23	16.0	1001.1	33.1	18.8	26.6	94.2	19.4	45.1	12.3	0.1	5.3	NNE
	22	799	0.0	25.92	10.0	1001.5	35.9	19.2	27.7	64.4	14.9	30.7	7.7	0.4	4.0	NE
	23	789	0.0	27.01	8.0	999.9	37.1	15.3	26.5	86.4	19.7	52.2	4.7	0.1	1.7	NW
	24	742	0.0	24.18	6.0	998.4	34.2	16.6	25.5	91.2	36.5	66.4	6.1	0.1	2.0	S
	25	712	0.0	20.07	6.0	999.0	33.8	18.9	25.9	95.3	39.5	67.3	4.6	0.1	1.7	NW
	26	735	0.0	23.71	5.0	999.1	35.6	18.5	27.1	94.8	39.7	67.2	4.9	0.0	1.7	SW
	27	717	0.0	22.62	7.0	997.1	34.5	19.3	27.0	95.1	47.5	70.7	4.7	0.1	1.7	SW
	28	267	34.0	6.68	3.0	990.3	31.3	18.1	25.0	97.0	56.9	80.4	10.7	0.1	3.1	SSW
	29	570	3.5	14.27	5.0	996.0	28.6	20.3	25.3	89.1	51.1	71.2	6.0	0.2	2.3	SSW
	30	555	0.0	16.60	5.0	1001.5	29.9	19.7	23.4	93.0	54.3	77.1	8.8	0.0	1.9	ESE

表2-5-15

プロジェクト地点の気象観測記録

1995年7月~8月

月	日	日照	降水	日射量	蒸発	気圧	気温 °C			湿度 %			風速 m/s			風向
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
7	1	360	16.5	10.30	5.0	1000.2	29.1	17.5	22.2	92.8	58.9	82.4	15.4	0.0	2.1	S
	2	760	0.0	26.47	6.0	993.6	34.5	16.4	25.0	92.2	22.2	65.2	3.3	0.0	1.3	SSW
	3	317	6.0	8.76	3.0	995.8	28.0	20.7	23.8	92.3	61.3	81.2	9.4	0.0	1.7	ESE
	4	701	0.0	22.23	4.0	1000.2	31.7	18.3	24.6	92.5	44.1	73.4	5.2	0.0	1.5	SW
	5	633	0.0	24.35	5.0	998.3	35.2	20.7	26.6	93.2	29.0	72.2	5.7	0.1	1.7	SW
	6	640	0.0	25.95	11.0	996.2	36.6	20.3	27.5	93.3	17.1	60.2	8.0	0.1	2.4	NNE
	7	788	0.0	27.59	6.0	996.9	37.6	21.3	28.4	90.6	14.4	40.5	6.3	0.3	3.4	NNE
	8	765	0.0	24.95	4.0	996.4	35.0	17.2	26.6	94.8	32.8	66.4	5.5	0.1	2.1	SW
	9	575	0.0	12.96	6.0	995.0	31.0	21.8	26.2	93.3	46.9	70.6	4.8	0.1	1.8	WSW
	10	442	0.0	15.26	5.0	992.4	32.5	20.5	26.5	89.9	38.9	63.1	5.5	0.1	2.2	WSW
	11	708	0.0	18.43	6.0	993.5	30.5	20.1	25.3	92.3	41.6	68.2	5.6	0.1	2.1	SW
	12	235	0.0	6.34	5.0	996.2	30.9	18.0	24.2	93.3	41.3	69.1	4.6	0.1	2.1	WSW
	13	720	0.0	20.85	5.0	999.1	32.2	19.7	25.7	91.9	46.2	70.0	5.1	0.1	1.9	SW
	14	626	0.0	15.36	6.0	998.2	31.5	20.5	25.7	93.8	43.9	73.5	5.4	0.1	1.7	WSW
	15	671	0.0	23.41	7.0	996.6	32.9	21.3	28.9	93.8	44.9	71.8	5.2	0.1	2.1	SW
	16	718	0.0	22.11	7.0	995.0	33.5	20.9	26.8	94.0	45.3	72.4	5.8	0.1	2.1	SW
	17	676	0.0	22.33	6.0	993.9	32.9	20.9	27.1	93.6	46.8	71.5	5.2	0.1	2.2	SW
	18	655	0.0	20.79	6.0	994.7	33.9	21.6	27.5	93.9	43.6	70.3	5.2	0.1	2.0	SW
	19	733	0.0	25.19	6.0	995.6	34.7	21.0	27.9	94.7	32.9	68.2	6.0	0.1	1.9	WSW
	20	701	0.0	24.32	7.0	994.4	34.3	20.6	27.4	95.1	43.5	72.8	5.2	0.1	2.3	SW
	21	678	0.0	26.04	6.0	993.1	35.0	21.0	27.8	93.9	32.0	67.5	5.2	0.1	1.8	SW
	22	713	0.0	25.14	8.0	992.0	34.0	20.6	27.7	93.5	33.3	68.9	5.9	0.1	2.2	SW
	23	600	0.0	16.09	7.0	993.0	32.8	21.9	26.6	91.7	45.1	75.7	7.8	0.1	2.5	WSW
	24	374	12.5	14.21	4.5	997.2	29.7	21.2	24.3	93.3	56.5	81.4	6.7	0.1	1.6	SW
	25	703	0.0	24.07	5.0	997.8	32.5	21.1	26.5	93.1	47.0	72.6	4.5	0.1	1.5	WSW
	26	736	0.0	26.59	6.0	998.1	36.6	20.2	27.5	92.7	23.9	64.9	5.2	0.1	1.8	WSW
	27	761	0.0	28.20	7.0	998.0	38.0	17.7	26.3	90.6	17.6	52.0	4.8	0.1	1.8	WSW
	28	755	0.0	25.39	6.0	995.4	34.1	17.7	26.4	90.6	28.7	61.3	4.8	0.1	1.8	WSW
	29	722	0.0	25.81	7.0	995.8	35.4	17.7	26.6	96.6	20.7	55.6	5.5	0.1	2.1	WSW
	30	726	0.0	25.23	6.0	995.9	34.8	17.8	26.4	88.0	31.5	64.0	5.1	0.1	1.8	S
	31	740	0.0	23.80	6.0	996.4	34.5	18.5	26.4	95.8	47.1	71.2	4.6	0.1	1.9	SW
8	1	634	0.0	22.91	6.0	998.0	33.6	19.2	26.6	96.2	51.0	74.0	5.5	0.1	1.7	S
	2	640	0.0	20.80	6.0	997.0	32.9	22.0	27.5	95.0	55.1	73.2	5.5	0.1	1.8	S
	3	420	0.0	15.83	4.0	994.4	33.1	22.7	27.3	89.5	50.4	74.3	4.1	0.1	1.7	WSW
	4	574	0.0	13.24	6.0	995.0	32.1	23.2	27.1	91.3	45.2	72.8	5.0	0.1	2.2	WSW
	5	506	0.0	14.12	5.0	998.1	32.2	22.7	27.5	91.3	50.9	72.4	4.1	0.1	1.9	SW
	6	520	0.0	18.50	5.0	996.6	32.7	23.7	28.1	92.0	53.7	73.7	5.1	0.1	2.0	S
	7	450	0.0	17.95	6.0	996.6	32.8	24.1	28.2	90.8	53.7	73.9	4.6	0.1	2.3	SSW
	8	698	0.0	23.91	6.0	996.6	34.8	21.4	27.7	93.9	37.9	70.9	5.7	0.1	1.8	S
	9	646	0.0	24.09	6.0	996.0	34.4	19.5	26.8	96.0	34.0	69.7	5.2	0.1	1.7	WSW
	10	681	0.0	22.58	6.0	997.2	34.6	20.5	26.7	92.2	40.6	69.6	4.3	0.1	1.8	WSW
	11	640	0.0	23.01	6.0	996.8	34.6	20.0	26.9	94.9	42.4	73.1	4.9	0.1	1.9	SW
	12	693	0.0	24.20	6.0	996.9	35.6	22.2	27.8	95.6	32.2	72.2	4.5	0.1	1.5	S
	13	739	0.0	26.11	5.0	997.7	37.4	19.2	28.5	94.4	20.4	49.7	5.8	0.1	2.2	NNE
	14	741	0.0	24.62	6.0	997.2	34.8	16.1	26.4	92.2	33.4	62.6	4.7	0.1	1.7	S
	15	683	0.0	22.48	5.0	996.1	33.5	19.8	26.6	94.4	47.5	73.4	5.1	0.1	1.9	SSW
	16	687	0.0	21.12	6.0	996.6	32.4	20.5	26.4	95.2	48.6	72.0	4.8	0.1	1.8	SW
	17	672	0.0	21.09	5.0	998.6	32.0	20.3	26.4	93.9	49.0	72.4	5.1	0.1	1.8	ESE
	18	648	0.0	19.53	5.0	1000.1	32.4	20.9	27.0	93.0	50.2	71.7	4.6	0.1	1.9	WSW
	19	659	0.0	20.25	6.0	1000.0	32.7	21.9	27.5	92.5	55.4	74.6	5.6	0.1	1.9	WSW
	20	623	0.0	19.87	6.0	999.3	32.8	23.7	27.6	90.7	55.3	75.4	5.3	0.1	2.1	SW
	21	500	0.0	12.37	4.0	998.2	32.1	23.2	27.4	94.0	55.8	75.4	5.2	0.1	2.1	SW
	22	539	1.5	12.24	5.5	997.2	32.5	23.3	27.4	92.5	49.6	72.9	5.5	0.1	2.2	S
	23	550	0.0	15.93	5.0	997.2	31.4	19.2	25.6	93.9	47.2	73.4	5.6	0.1	1.7	ESE
	24	548	0.0	19.52	5.0	999.4	32.2	20.5	25.3	90.6	43.4	69.7	10.0	0.1	1.7	S
	25	660	0.0	19.58	3.0	1001.7	33.0	19.3	26.2	90.1	50.4	72.1	5.7	0.1	1.7	S
	26	617	0.0	19.68	4.0	1002.0	35.1	20.1	26.8	96.6	36.9	72.4	3.8	0.1	1.5	SW
	27	644	0.0	19.62	5.0	999.2	36.0	19.9	27.1	92.6	37.4	71.4	4.4	0.1	1.6	SW
	28	633	0.0	19.44	5.0	998.1	33.8	21.1	27.4	93.5	50.6	75.4	5.4	0.1	1.7	S
	29	667	0.0	19.78	5.0	997.7	33.8	22.4	27.7	92.6	43.0	72.7	6.0	0.1	1.9	S
	30	611	0.0	14.76	5.0	999.2	32.1	19.3	26.1	92.9	39.9	68.1	5.6	0.1	2.0	SW
	31	642	0.0	18.64	4.0	1002.1	32.4	20.3	26.3	93.6	50.1	73.4	6.0	0.1	2.1	S

表2-5-16

プロジェクト地点の気象観測記録

1995年9月~10月

月	日	日照	降水	日射量	蒸発	気圧	気温℃			湿度%			風速 m/s			風向
		min	mm	M.J	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
9	1	673	0.0	19.54	5.0	1001.1	33.3	20.2	26.8	91.1	50.4	71.9	5.6	0.1	1.9	S
	2	576	0.0	18.47	4.0	999.2	31.6	17.7	25.4	96.5	45.8	69.7	5.2	0.1	2.0	SW
	3	560	0.0	12.79	4.0	998.0	32.3	21.1	26.4	91.4	46.8	67.7	5.5	0.1	2.1	WSW
	4	508	0.0	15.68	5.0	996.9	31.0	20.3	25.2	91.5	50.8	70.9	6.2	0.1	2.1	SW
	5	558	0.0	15.58	4.0	1000.0	32.9	20.9	26.0	93.7	41.4	69.4	4.7	0.1	1.7	
	6	571	0.0	15.95	4.0	1003.0	33.0	20.4	26.3	93.6	47.4	70.3	4.1	0.1	1.6	S
	7	561	0.0	13.62	4.0	1001.9	32.0	20.4	25.7	90.4	44.3	70.2	5.4	0.1	1.7	S
	8	495	0.0	13.73	4.0	1000.2	31.7	20.8	24.7	93.0	43.8	74.4	6.6	0.1	1.8	S
	9	690	0.0	19.91	5.0	1001.2	34.1	15.7	25.2	95.0	22.3	61.1	5.7	0.1	2.0	WSW
	10	659	0.0	17.84	5.0	1001.4	33.3	17.8	24.8	93.4	38.9	67.4	4.1	0.1	1.5	SSW
	11	669	0.0	19.55	4.0	1001.9	34.3	17.1	25.4	95.2	33.3	68.1	2.6	0.1	1.1	SSE
	12	650	0.0	20.92	4.0	1003.0	33.5	13.6	27.0	90.8	16.0	53.7	2.4	0.1	1.3	SSW
	13	612	0.0	17.04	4.0	1004.7	35.4	18.4	26.2	95.9	41.9	69.5	5.8	0.1	1.7	S
	14	553	0.0	16.33	5.0	1003.9	34.3	17.9	25.8	91.5	38.8	68.8	4.6	0.1	1.6	SW
	15	513	0.0	13.29	4.0	1003.3	32.8	19.6	25.7	92.5	45.6	70.5	5.4	0.1	1.7	S
	16	333	0.0	8.55	4.0	1003.6	32.5	21.3	26.1	92.2	46.9	72.2	4.4	0.1	1.6	S
	17	162	0.0	2.08	5.0	1003.7	28.9	20.4	22.6	92.1	59.6	84.6	1.7	0.1	0.7	N
	18	575	0.0	15.56	5.0	1000.1	33.7	19.8	28.1	91.8	27.5	58.5	6.2	0.0	2.6	SW
	19	633	0.0	16.01	7.5	1000.1	31.1	19.6	24.6	92.3	22.5	50.6	10.3	0.1	4.3	NE
	20	697	0.0	16.04	8.0	1003.7	30.1	17.1	22.9	35.3	15.0	25.0	9.2	1.3	5.9	NE
	21	676	0.0	17.60	3.0	1007.8	30.8	8.9	20.6	80.4	14.8	37.9	3.3	0.1	1.6	N
	22	631	0.0	15.58	6.0	1006.2	31.6	8.9	20.2	89.3	22.1	51.4	4.6	0.1	1.4	S
	23	534	0.0	11.79	4.0	1002.6	31.3	14.0	22.7	89.9	41.7	63.4	5.0	0.1	1.8	SW
	24	302	34.0	8.84	6.0	1001.5	30.2	17.8	21.6	95.6	42.2	81.4	8.9	0.2	2.5	NE
	25	615	0.0	15.62	1.5	1004.7	30.3	17.0	22.6	93.4	20.6	61.1	4.8	0.1	1.7	NE
	26	658	0.0	16.87	4.0	1007.6	31.4	11.3	20.9	93.3	18.5	58.4	4.2	0.1	1.4	WSW
	27	618	0.0	15.11	3.5	1006.6	31.0	12.7	21.7	95.1	31.6	69.3	5.2	0.1	1.4	SW
	28	537	1.5	11.34	1.5	1004.0	30.2	17.7	21.7	94.4	42.4	78.7	13.7	0.1	1.3	ENE
	29	498	0.0	12.71	2.5	1004.2	30.8	16.1	23.0	93.2	34.4	71.0	4.7	0.1	1.8	S
	30	540	0.0	11.24	3.5	1002.4	30.8	18.6	24.2	93.4	44.0	73.8	7.1	0.1	2.3	SSE
10	1	612	0.0	14.68	3.5	1004.1	32.0	16.1	23.4	94.8	34.5	68.6	3.7	0.1	1.4	S
	2	112	28.5	0.92	3.5	1001.4	23.7	14.4	18.5	92.7	52.6	85.5	9.2	0.1	2.4	ENE
	3	649	0.0	12.63	5.0	1009.0	23.5	12.3	17.8	63.6	25.5	42.2	9.5	1.7	5.6	NE
	4	663	0.0	13.36	3.0	1012.6	25.5	10.4	17.9	71.6	24.3	45.4	6.4	0.2	2.9	NE
	5	527	0.0	11.25	3.0	1011.2	26.2	8.6	16.7	88.8	20.7	56.1	4.3	0.1	1.9	NE
	6	633	0.0	14.28	3.0	1008.7	29.4	7.3	18.1	93.2	17.2	57.3	2.8	0.1	1.2	N
	7	568	0.0	14.58	5.0	1007.5	31.2	7.6	18.9	94.8	14.7	49.5	5.6	0.1	1.8	NE
	8	647	0.0	13.97	5.0	1006.6	29.5	10.8	19.9	96.8	18.6	40.7	5.6	0.1	2.4	NE
	9	630	0.0	13.22	3.0	1006.1	30.9	10.8	19.8	81.2	20.6	49.5	4.7	0.1	1.9	NE
	10	483	0.0	12.03	3.0	1005.3	31.2	8.2	17.9	95.1	19.4	60.2	3.1	0.1	1.0	NE
	11	576	0.0	13.00	3.0	1004.6	29.5	12.4	22.9	86.3	19.4	36.8	4.6	0.1	1.9	ENE
	12	636	0.0	12.68	7.0	1007.4	28.1	11.1	19.3	82.4	24.5	49.6	6.6	0.1	2.5	NE
	13	629	0.0	13.31	4.0	1008.5	29.6	7.0	17.8	96.2	20.9	62.4	3.3	0.1	1.1	S
	14	615	0.0	12.82	3.5	1006.7	30.4	8.9	18.3	92.8	20.8	61.4	3.6	0.1	1.2	S
	15	538	0.0	11.91	3.0	1004.3	29.0	8.1	18.3	96.8	26.7	67.8	4.1	0.1	1.3	SSE
	16	596	0.0	11.62	3.0	1004.7	30.5	9.9	18.8	95.2	24.8	62.1	2.2	0.1	0.9	SW
	17	544	0.0	10.73	5.0	1006.4	32.6	9.5	20.6	91.4	20.3	54.3	4.0	0.1	1.8	S
	18	546	0.0	10.52	4.0	1008.2	32.9	11.2	21.4	93.9	21.2	62.2	2.8	0.1	1.3	S
	19	527	0.0	9.93	3.5	1007.3	31.0	14.7	21.6	96.5	30.5	71.5	4.4	0.1	1.5	S
	20	617	0.0	10.89	7.5	1005.6	27.2	9.8	18.8	97.4	17.9	46.8	7.0	0.1	3.3	NE
	21	501	0.0	11.10	3.0	1007.0	28.5	6.4	16.5	83.6	19.7	51.2	3.1	0.1	1.2	SW
	22	565	0.0	10.11	3.0	1007.3	26.9	7.2	17.1	94.8	36.2	66.2	3.9	0.1	1.2	S
	23	548	0.0	9.53	2.5	1007.9	27.1	10.2	17.7	95.2	32.0	69.5	3.5	0.1	1.2	S
	24	430	0.0	7.73	3.0	1011.0	28.1	10.9	19.0	89.3	32.2	61.2	2.8	0.1	1.1	SW
	25	429	0.0	7.67	3.0	1012.3	30.3	15.8	21.7	77.4	26.7	52.0	2.9	0.4	1.7	N
	26	527	0.0	9.14	5.0	1010.5	33.5	14.2	22.4	70.4	21.4	48.2	5.6	0.4	2.7	N
	27	481	0.0	8.85	4.5	1008.8	33.7	15.0	22.9	92.0	23.5	53.3	3.9	0.1	2.1	N
	28	240	22.5	2.12	1.5	1008.4	23.6	15.4	18.7	59.5	59.5	84.6	5.2	0.1	1.3	NE
	29	476	0.0	7.27	1.0	1008.9	24.2	12.4	17.6	95.9	42.1	72.8	2.9	0.1	1.1	SW
	30	584	0.0	9.16	4.0	1010.9	23.5	9.6	15.9	92.9	43.2	63.4	4.5	0.1	1.7	NE
	31	590	0.0	9.25	2.5	1011.0	24.3	5.6	15.3	90.0	35.7	58.9	3.0	0.1	1.1	ENE

表2-5-17 プロジェクト地点の気候観測記録 1995年11月~12月

月	日	日照	降水	日照量	蒸発	気圧		気温℃			湿度%			風速 m/s			風向
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均		
11	1	570	1.0	0.45	2.5	1005.3	25.8	15.0	20.7	90.4	41.4	56.2	6.0	0.6	1.8	NE	
	2	010	12.5	0.06	1.0	1003.2	17.7	13.6	15.3	93.7	60.5	65.2	4.9	0.1	2.0	NE	
	3	281	10.0	4.71	1.5	1006.0	21.3	11.4	15.7	92.9	55.7	80.6	2.9	0.1	1.3	NE	
	4	212	3.0	2.89	1.5	1011.2	21.7	10.2	15.2	92.9	49.4	81.8	5.4	0.0	1.7	N	
	5	400	0.0	5.94	1.0	1010.7	24.7	13.7	18.0	91.6	45.6	75.6	3.5	0.1	1.8	N	
	6	452	0.0	6.69	1.0	1007.1	25.1	11.0	17.2	93.4	47.2	78.1	3.9	0.1	1.3	N	
	7	002	24.5	0.05	2.5	997.9	17.8	11.5	14.3	93.0	63.2	82.7	6.2	0.0	1.9	SW	
	8	507	3.0	6.35	0.0	1002.3	17.2	8.9	12.6	91.9	45.1	70.3	7.2	0.3	2.9	SW	
	9	196	0.0	2.52	0.0	1007.3	16.1	8.7	12.2	93.1	63.0	82.2	4.1	0.0	1.6	ESE	
	10	124	0.0	0.61	2.0	1010.1	12.8	4.1	8.3	93.0	44.0	63.9	8.3	0.1	3.0	N	
	11	579	0.0	7.16	1.0	1020.8	15.3	0.6	6.6	91.7	40.2	63.7	4.9	0.5	1.9	NE	
	12	577	0.0	7.33	2.0	1018.3	16.8	-1.3	6.5	91.9	40.5	70.3	3.0	0.0	1.0	N	
	13	560	0.0	6.39	1.0	1016.0	17.7	-0.7	7.6	93.0	39.9	69.6	2.3	0.0	0.9	NW	
	14	556	0.0	6.43	1.0	1018.1	21.1	0.9	9.8	96.8	41.0	72.4	2.5	0.0	1.0	NW	
	15	546	0.0	6.72	2.0	1018.7	22.5	3.3	11.6	93.3	37.3	67.4	3.4	0.4	1.9	N	
	16	466	0.0	6.20	1.0	1015.2	24.1	4.1	12.2	92.8	46.6	71.1	3.2	0.0	1.4	E	
	17	521	0.0	6.47	2.0	1012.1	24.5	4.1	12.7	90.4	50.4	72.3	2.9	0.0	1.2	NW	
	18	496	0.0	6.24	2.0	1009.6	24.7	5.9	14.2	87.5	49.1	70.0	2.8	0.1	1.6	NW	
	19	050	12.5	0.21	0.5	1007.7	16.8	7.4	12.5	92.4	69.6	87.9	4.3	0.1	1.6	SSE	
	20	000	42.5	0.38	1.5												
	21	290	29.5	3.81	2.0	1005.7	19.1	9.7	14.0	90.0	60.2	82.8	7.9	0.2	2.4	SE	
	22	042	23.5	0.12	0.0	1004.6	12.0	6.4	9.5	90.4	80.8	87.9	6.0	0.2	2.0	SE	
	23	308	1.0	3.00	2.0	1006.0	12.2	4.7	8.2	89.1	62.2	73.1	6.2	0.1	3.1	NE	
	24	234	0.0	1.01	1.5	1012.6	9.8	2.9	5.8	84.8	63.6	67.4	7.8	0.4	3.3	N	
	25	551	0.0	5.69	0.0	1019.0	12.1	0.4	5.5	87.1	50.7	64.9	6.4	0.3	2.4	N	
	26	539	0.0	5.86	0.0	1019.7	13.7	-1.7	4.5	89.2	55.7	76.4	2.2	0.0	0.8	NE	
	27	533	0.0	5.79	0.5	1018.2	15.0	-1.2	5.7	89.3	55.3	76.6	2.6	0.0	1.0	NE	
	28	532	0.0	5.66	0.5	1018.1	16.1	-0.9	6.3	88.5	53.7	75.4	2.1	0.0	0.9	NW	
	29	477	0.0	5.36	0.0	1017.5	16.8	-0.8	7.1	89.7	53.6	75.9	2.1	0.0	0.8	NE	
	30	494	0.0	4.54	0.0	1016.9	17.8	2.5	9.3	89.5	55.0	76.0	2.4	0.0	0.9	NW	
12	1	513	0.0	5.24	1.0	1018.5	18.8	1.7	9.4	90.0	55.1	72.6	3.5	0.0	1.5	NE	
	2	523	0.0	5.33	1.0	1018.1	18.9	3.7	10.8	84.5	51.2	64.2	4.6	0.0	2.7	NE	
	3	521	0.0	5.19	0.0	1014.1	17.5	1.4	8.5	86.9	53.3	68.2	4.3	0.0	1.7	NE	
	4	380	0.0	3.74	2.0	1011.0	16.1	0.6	7.6	87.9	54.6	74.5	2.9	0.0	1.6	N	
	5	234	0.0	2.39	2.0	1010.8	17.8	3.5	8.9	89.0	57.6	72.9	4.9	0.9	2.1	N	
	6	491	0.0	4.64	2.0	1016.5	18.1	1.5	8.1	89.6	58.4	77.8	2.2	0.0	1.0	NW	
	7	389	0.0	3.39	1.0	1015.1	18.0	1.6	8.2	90.4	57.6	76.0	2.6	0.0	0.9	NW	
	8	378	0.0	2.76	2.0	1014.4	15.7	3.2	9.8	85.2	53.0	65.4	7.6	0.1	3.7	N	
	9	000	8.0	0.03	0.0	1015.0	9.8	7.3	8.5	89.4	58.1	77.7	8.5	1.3	4.8	N	
	10	087	4.0	0.77	0.0	1012.7	13.9	7.9	9.7	89.8	60.3	80.8	8.9	0.3	3.0	N	
	11	265	1.0	2.61	0.0	1010.4	15.6	5.6	10.3	89.9	59.5	79.7	5.1	0.4	2.5	NE	
	12	223	2.0	2.17	1.0	1011.4	13.0	6.4	9.2	90.3	62.7	85.2	3.9	0.0	1.3	NE	
	13	455	0.0	5.05	1.0	1015.9	15.8	3.2	8.7	88.7	59.9	76.7	3.2	0.0	1.3	NE	
	14	447	0.0	4.02	1.0	1018.2	15.5	1.6	7.2	89.5	59.9	79.0	2.5	0.0	1.1	NW	
	15	512	0.0	5.41	1.0	1017.0	15.0	0.7	6.6	87.8	50.1	74.7	3.1	0.0	1.5	NW	
	16	456	0.0	4.06	1.0	1017.3	13.6	-0.4	6.1	87.4	50.6	68.8	6.4	0.0	1.9	N	
	17	512	0.0	5.05	2.0	1019.0	13.4	1.4	7.2	74.8	56.7	62.3	7.6	1.8	4.2	N	
	18	497	0.0	4.89	1.0	1021.7	13.4	-0.7	4.7	86.2	54.0	70.9	3.6	0.1	1.9	N	
	19	505	0.0	5.05	1.0	1022.0	13.1	-1.8	4.3	88.4	55.2	72.8	5.5	0.5	2.8	NE	
	20	320	0.0	1.98	1.0	1019.3	13.0	0.0	6.2	85.4	50.0	68.8	6.1	1.0	3.0	ESE	
	21	000	0.5	0.00	0.0	1016.5	8.9	4.0	6.9	89.4	71.4	82.7	3.5	0.6	1.9	N	
	22	474	0.0	5.20	0.5	1016.6	16.6	2.7	8.9	90.4	58.7	77.2	2.8	0.0	1.2	NE	
	23	480	0.0	4.64	1.0	1019.6	16.6	2.5	8.4	88.3	59.3	74.3	5.1	1.1	2.7	NE	
	24	329	0.0	2.21	1.0	1017.8	16.0	2.0	8.3	89.8	53.7	77.0	2.3	0.0	1.1	NW	
	25	154	0.0	1.08	0.0	1014.7	14.6	5.6	9.5	89.5	59.4	80.3	2.2	0.0	0.9	ESE	
	26	012	0.5	0.18	0.0	1015.0	13.5	6.9	10.6	90.9	81.6	88.6	2.6	0.0	0.6	NE	
	27	000	2.5	0.00	1.0	1017.1	13.2	11.2	12.1	90.8	83.1	89.8	2.6	0.1	1.4	NE	
	28		0.0		0.0												
	29		0.0		0.0												
	30		0.0		1.0												
	31		0.0		1.0												

表2-5-18

プロジェクト地点の日照観測記録

1996年1月~2月

月	日	日照	降水	日積	蒸発	気圧	気温℃			湿度%			風速 m/s			風向	
		min	mm	MJ	mm	hPa	最大	最小	平均	最大	最小	平均	最大	最小	平均		
1	1		0.0		1.0												
	2		5.0		0.0												
	3	236	8.0	2.20	0.0	1004.4	16.4	9.1	12.2	90.0	61.1	83.1	4.2	0.0	2.0	NNW	
	4	0	35.0	0.03	0.0	999.8	12.5	10.4	11.1	90.1	83.1	88.3	5.0	0.1	2.2	N	
	5	0	14.0	0.00	0.0	1001.3	12.2	10.2	11.0	89.8	83.4	86.9	4.0	0.0	2.5	N	
	6	142	15.0	1.62	0.0	1001.6	13.9	9.1	10.8	89.6	61.9	82.1	9.7	0.2	2.4	SE	
	7	0	0.0	0.00	0.0	1014.5	8.7	3.7	6.2	88.3	78.2	85.5	1.9	0.1	0.9	N	
	8	330	0.0	1.97	0.0	1016.8	13.2	1.6	6.5	88.4	60.1	79.1	2.8	0.0	1.2	NE	
	9	419	0.0	5.10	0.0	1017.3	14.9	2.0	8.2	87.0	60.7	72.0	4.6	1.2	2.9	NE	
	10	268	0.0	1.68	1.0	1015.5	14.4	5.5	9.1	83.9	61.2	70.7	5.8	1.3	3.1	NE	
	11	497	0.0	5.45	2.0	1013.1	15.6	3.9	9.2	84.9	58.2	67.2	6.7	1.6	3.5	NE	
	12		0.0		3.0												
	13		0.0		1.0												
	14	523	0.0	5.90	1.0	1014.0	16.0	-1.2	5.9	88.8	54.0	76.4	2.6	0.0	1.2	W	
	15	293	0.0	3.79	2.0	1009.1	14.6	2.0	10.8	80.0	58.9	60.5	6.8	1.5	4.3	E	
	16	210	0.0	1.47	3.0	1007.8	13.4	7.3	10.0	69.4	60.0	61.1	8.0	1.2	4.4	E	
	17	256	0.0	1.53	1.0	1004.5	12.7	6.3	9.6	87.4	60.1	66.9	8.2	0.4	4.6	E	
	18	0.0	2.0	0.11	1.0	1003.8	10.4	6.0	7.9	89.3	69.1	82.3	4.7	0.0	2.4	NE	
	19	465	0.0	5.71	0.0	1009.2	13.4	2.1	8.1	90.1	60.0	79.8	2.7	0.0	1.1	E	
	20	230	0.5	1.79	1.5	1014.8	11.8	2.2	7.8	89.6	59.5	78.1	2.6	0.0	1.0	N	
	21	192	0.0	1.64	0.0	1011.6	12.3	2.6	8.0	89.9	60.2	79.0	4.3	0.1	1.6	N	
	22	438	0.0	5.55	1.0	1010.6	13.0	-0.2	6.0	81.2	53.7	66.5	3.8	0.0	1.9	NNW	
	23	248	0.0	1.55	1.0	1013.2	10.9	1.2	6.5	82.8	59.3	68.5	4.4	1.2	2.4	NE	
	24	535	0.0	6.76	1.0	1016.4	13.4	-0.6	6.6	87.8	54.0	65.2	4.7	0.1	2.4	N	
	25	452	0.0	5.43	1.0	1023.5	13.6	-1.2	5.2	88.1	57.6	74.8	3.1	0.0	1.5	N	
	26	379	0.0	2.84	1.0	1020.0	14.0	-0.3	6.6	85.9	58.8	70.3	5.6	0.0	2.3	NE	
	27	278	0.0	2.93	3.0	1013.2	15.8	0.8	8.8	86.5	59.7	66.3	7.8	0.9	3.8	E	
	28	362	0.0	3.49	2.0	1010.9	16.2	3.1	9.4	87.1	59.8	69.6	6.9	1.6	3.7	E	
	29	383	0.0	3.76	1.0	1013.1	15.8	3.1	8.0	89.1	59.5	77.7	2.8	0.0	1.2	NNW	
	30	405	0.0	6.59	1.0	1014.5	17.4	1.4	9.1	89.8	58.7	73.2	4.0	0.0	1.9	E	
	31	189	0.0	1.11	3.0	1009.7	14.8	7.9	11.9	85.9	59.6	63.6	9.3	1.4	5.3	E	
2	1	517	0.0	5.67	0.5	1006.4	18.8	3.9	10.5	88.5	57.4	68.0	11.3	1.0	5.0	NE	
	2	537	0.0	8.32	0.0	1012.9	14.7	-2.4	6.2	86.4	47.2	56.7	9.7	0.3	3.7	NE	
	3	582	0.0	8.71	2.0	1013.1	14.7	-5.2	3.7	87.1	46.7	68.0	3.7	0.0	1.1	NW	
	4	562	0.0	8.18	2.0	1012.2	14.7	-4.5	4.1	88.0	43.3	72.3	2.6	0.0	1.1	WSW	
	5	397	1.0	5.06	1.0	1010.2	13.9	-1.9	6.3	89.4	54.4	74.4	2.6	0.0	1.0	NE	
	6	199	16.5	2.09	2.5	1003.5	13.7	7.9	9.6	90.0	57.1	73.2	8.5	1.2	5.3	E	
	7	000	8.0	0.07	0.0	1008.0	10.8	7.1	8.8	83.3	67.1	76.7	7.4	2.1	4.5	NE	
	8	017	5.0	0.14	3.0	1000.7	15.6	9.5	12.6	85.7	57.3	66.1	11.1	0.1	5.8	E	
	9	071	26.0	0.73	0.0	1002.1	12.9	8.6	10.1	90.0	73.1	86.1	5.4	0.0	2.3	E	
	10	229	4.0	2.30	0.0	1004.1	13.9	8.3	10.7	89.7	57.4	79.9	4.9	0.0	2.1	NE	
	11	555	0.0	8.98	1.0	1010.3	17.2	4.0	10.5	89.5	56.1	77.2	2.0	0.0	1.0	WSW	
	12	501	0.0	9.14	1.0	1015.7	18.8	5.5	11.7	90.5	56.6	76.1	2.1	0.0	0.8	SW	
	13	400	0.0	6.50	3.0	1012.3	17.8	5.4	11.3	89.6	56.9	73.5	5.4	0.0	2.8	E	
	14	302	0.0	2.88	1.0	1007.6	17.0	5.8	11.9	88.4	57.8	68.3	7.7	0.4	4.3	E	
	15	539	0.0	9.12	1.0	1012.2	18.1	2.3	9.7	89.5	56.2	77.4	2.0	0.0	1.0	SSW	
	16	453	0.0	6.97	1.0	1008.3	17.1	4.4	10.4	89.9	58.1	78.8	4.1	0.0	1.0	SW	
	17	493	0.0	4.42	1.0	1006.0	16.4	5.6	10.7	89.5	56.9	78.4	2.1	0.0	0.8	N	
	18	305	0.0	2.43	0.0	1007.7	16.4	6.2	10.6	89.5	57.5	78.3	6.8	0.6	2.5	N	
	19	005	2.0	0.36	1.5	1011.9	14.3	8.8	10.8	89.7	60.2	82.2	5.4	0.8	2.6	NE	
	20	452	0.5	10.50	1.0	1013.9	18.6	6.8	12.3	89.6	56.9	77.5	5.0	0.0	1.6	NE	
	21	555	0.0	10.44	1.0	1015.4	18.5	3.9	10.8	90.1	57.5	79.7	3.3	0.0	1.1	S	
	22	449	0.0	9.69	2.0	1014.8	18.8	6.5	11.7	90.5	56.4	79.1	2.0	0.0	0.9	N	
	23	521	0.0	10.04	2.0	1010.6	22.0	5.1	12.9	89.3	53.7	74.4	2.6	0.0	1.0	WSW	
	24	372	0.0	4.55	2.0	1007.1	21.6	8.1	14.3	88.8	57.2	69.3	4.3	0.1	2.2	SW	
	25	593	0.0	9.59	1.0	1010.5	18.6	7.4	11.9	89.5	57.5	75.1	5.5	0.2	2.4	NE	
	26	542	0.5	11.23	0.5	1008.7	16.9	7.6	11.7	90.9	56.9	73.4	5.2	0.3	2.5	SW	
	27	421	9.0	3.54	1.5	1007.9	11.4	3.0	7.8	90.6	60.7	81.3	6.1	0.0	2.2	E	
	28	570	0.0	11.04	1.0	1011.5	16.0	0.4	7.1	90.3	53.7	77.8	2.4	0.0	1.2	WSW	
	29	574	1.0	11.15	1.0	1009.4	16.9	2.1	9.7	89.5	55.8	73.5	5.2	0.1	1.3	NE	

表2-5-19

プロジェクト地点の気象観測記録

1996年3月~4月

月	日	日照 min	降水 mm	日照 MJ	蒸発 mm	気圧 hPa	気温℃			湿度%			風速 m/s			風向	
							最大	最小	平均	最大	最小	平均	最大	最小	平均		
3	1	091	20.0	0.99	0.0	998.8			9.4			86.3					
	2	238	21.0	3.36	1.0	1000.4	14.5	8.1	9.7	90.4	59.8	83.7	7.4	0.0	2.5	ENE	
	3	411	10.5	5.37	0.0	1006.2	14.6	2.7	9.2	89.9	57.3	81.8	5.9	0.0	2.1	SE	
	4	145	9.5	1.73	0.5	1007.7	13.8	7.9	10.1	90.1	65.7	84.0	4.2	0.0	2.0	NE	
	5	008	5.5	0.81	0.5	1007.4	12.3	7.6	10.1	90.1	70.9	84.8	4.8	0.0	2.1	ENE	
	6	000	34.5	0.04	2.0	996.6	14.9	8.9	11.8	90.2	59.0	77.5	8.7	0.9	3.8	ENE	
	7	000	10.0	0.13	0.5	997.0	13.1	8.3	10.5	90.0	64.2	83.3	5.8	0.0	1.4	NNE	
	8	493	0.0	11.79	2.0	1008.4	17.0	8.1	12.3	89.9	58.4	75.5	3.2	0.0	1.5	NNE	
	9	274	1.0	3.57	0.0	1010.3	14.7	8.5	11.8	89.9	62.8	83.3	2.6	0.0	0.8	ENE	
	10	049	3.0	0.58	0.0	1005.6	13.0	8.5	10.7	90.2	70.0	86.3	3.6	0.0	1.4	ENE	
	11	342	1.0	3.92	1.0	1005.8	16.7	7.7	11.3	90.0	58.4	79.7	3.6	0.0	1.8	N	
	12	617	0.0	14.52	2.0	1008.8	19.7	5.0	11.8	89.3	55.4	73.3	3.9	0.0	1.5	NNE	
	13	624	0.0	13.85	1.0	1008.8	18.7	4.4	11.5	89.6	57.8	77.1	3.6	0.0	1.3	SSW	
	14	568	0.0	11.89	2.0	1007.1	20.4	5.3	12.4	90.1	56.8	77.2	2.3	0.1	1.1	SSW	
	15	661	0.0	14.44	4.0	1005.9	22.6	7.6	15.0	87.4	57.8	69.3	6.0	0.3	2.5	E	
	16	645	0.0	15.43	2.0	1005.0	23.6	7.0	15.0	89.0	57.3	74.6	2.5	0.0	1.3	NW	
	17	420	0.0	6.16	1.0	998.9	21.0	8.9	14.1	90.0	58.3	79.3	7.8	0.0	2.1	SW	
	18	553	0.0	11.77	3.0	997.0	19.0	6.0	12.4	89.8	56.6	71.8	4.3	0.1	1.9	NW	
	19	497	0.0	11.01	1.0	1004.4	18.5	3.3	11.1	89.1	57.4	75.9	4.5	0.0	1.3	SW	
	20	149	7.5	2.02	2.0	1005.1	15.0	9.7	11.5	89.9	64.7	84.5	4.2	0.0	1.1	SSW	
	21	285	7.5	2.88	0.0	1006.5	14.9	9.1	11.1	90.2	63.6	84.5	3.5	0.1	1.4	NW	
	22	507	1.5	8.10	0.5	1005.7	16.8	9.1	11.8	89.8	57.7	79.1	4.6	0.0	1.3	NE	
	23	229	7.0	2.89	1.0	1005.9	14.0	7.2	10.1	89.7	62.5	83.1	4.8	0.0	1.7	SE	
	24	315	6.0	8.13	0.5	1006.1	15.8	4.8	9.6	89.9	56.7	79.9	6.5	0.0	1.3	NNE	
	25	365	0.5	10.01	0.5	1004.8	16.8	3.0	8.5	89.8	56.7	78.4	5.4	0.0	1.2	SW	
	26	504	2.5	13.51	0.5	1007.5		2.3	9.0	89.8	56.5	79.9	5.7	0.0	1.5	SSW	
	27	574	1.0	11.31	1.0	1008.8	16.6	5.3	10.2	90.2	57.3	77.4	5.4	0.0	1.9	SSW	
	28	300	0.0	3.65	1.0	1015.4	15.1	3.1	9.1	89.9	58.9	79.3	3.5	0.0	1.2	NNE	
	29	017	1.0	0.56	2.0	1012.3	14.4	7.0	11.2	89.8	71.5	84.2	4.9	0.4	2.2	ENE	
	30	366	1.5	9.09	0.5	1005.9	20.6	10.7	14.6	89.7	58.3	80.7	4.2	0.1	1.7	ENE	
	31	350	0.0	9.61	2.0	1008.3	20.1	9.3	13.7	89.7	59.7	81.5	4.1	0.1	1.5	ESE	
4	1	583	0.0	10.96	1.0	1007.9	20.7	7.6	13.6	89.8	56.8	78.8	3.2	0.0	1.1	S	
	2	590	0.0	16.59	3.0	1008.2	23.0	8.6	15.2	89.8	57.2	76.2	3.5	0.0	1.5	SW	
	3	605	0.0	17.18	3.0	1010.5	24.2	6.9	15.2	90.0	57.6	77.1	4.2	0.1	1.5	SW	
	4	636	0.0	18.94	2.0	1009.3	26.1	7.8	16.4	89.8	56.7	74.9	2.4	0.1	1.1	WSW	
	5	671	0.0	16.14	3.0	1003.2	26.0	9.0	17.7	88.8	55.9	70.8	3.1	0.1	1.4	ESE	
	6	396	1.5	5.42	1.0	1002.2	19.4	10.1	14.7	89.7	58.0	76.5	6.5	0.1	2.3	SW	
	7	230	3.0	3.26	1.5	1005.2	17.5	7.7	12.2	89.8	57.1	82.4	3.2	0.1	1.3	NNE	
	8	587	1.0	15.02	2.0	1005.2	20.4	10.6	14.4	89.6	57.5	75.0	5.1	0.1	1.8	WSW	
	9	485	4.0	13.06	3.0	1006.9	20.0	9.7	13.5	90.0	57.9	79.8	6.6	0.1	1.8	SSW	
	10	604	0.0	18.40	4.0	1007.9	20.0	6.3	13.3	90.0	56.4	77.4	4.1	0.1	1.4	S	
	11	491	0.0	15.88	8.0	1001.8	22.5	7.9	15.9	89.9	56.5	70.6	6.0	0.1	2.5	ENE	
	12	202	16.0	6.22	4.0	993.5	19.3	10.3	13.7	89.9	60.7	84.1	6.2	0.3	2.7	ENE	
	13	545	5.0	17.44	4.0	1000.5	20.3	9.0	13.4	90.1	56.1	75.2	6.0	0.1	1.9	NNE	
	14	677	0.0	18.12	3.0	1009.9	19.9	5.4	13.1	90.0	56.5	76.2	4.2	0.1	1.5	SSW	
	15	258	16.0	3.04	0.0	1011.7	17.8	9.5	13.6	89.8	65.5	82.4	3.4	0.1	1.3	WSW	
	16	441	0.0	7.23	1.0	1009.2	21.2	9.2	15.0	90.1	57.4	78.0	3.2	0.1	1.2	NNE	
	17	130	2.5	1.61	1.5	1001.7	19.5	11.6	15.1	89.1	57.9	79.0	4.5	0.3	1.9	WSW	
	18	551	0.0	9.34	1.0	1001.6	17.7	5.9	12.0	90.1	58.3	77.2	8.8	0.2	3.1	SW	
	19	702	0.0	16.26	4.0	1007.9	18.8	3.1	10.7	89.2	52.5	72.4	2.8	0.1	1.2	ENE	
	20	000	4.5	0.00	3.0	1008.3	9.0	7.3	8.2	89.3	85.7	88.3	1.9	0.1	1.0	N	
	21	066	26.5	0.80	2.0	1004.5	14.3	8.2	11.3	91.0	80.6	88.0	3.7	0.0	1.3	ESE	
	22	496	0.0	17.56	2.5	1010.1	20.0	5.1	11.8	90.6	54.1	76.7	3.3	0.1	1.3	SW	
	23	272	0.0	2.94	3.0	1011.3	14.6	7.1	12.0	89.1	64.5	79.0	5.5	0.0	1.6	W	
	24	475	0.0	10.97	2.5	1011.0	18.5	7.0	12.6	89.9	57.8	76.1	5.0	0.1	1.4	SSW	
	25	554	0.0	18.51	3.0	1012.8	22.9	9.4	17.1	90.4	53.8	67.8	4.6	0.1	1.9	W	
	26	720	0.0	21.93	2.5	1014.3	24.7	6.5	15.6	90.2	50.5	72.2	1.9	0.1	1.0	N	
	27	739	0.0	23.11	2.5	1011.3	27.7	8.0	17.7	89.2	49.7	71.6	3.3	0.1	1.6	NE	
	28	690	0.0	23.00	2.5	1006.8	29.3	9.2	19.6	88.5	48.4	69.0	3.4	0.1	1.6	ENE	
	29	588	0.0	18.14	3.0	1000.7	31.0	14.1	20.8	89.9	51.1	69.9	6.6	0.1	2.7	N	
	30	605	0.0	19.83	2.5	1004.8	25.6	13.0	18.6	90.6	55.5	73.9	2.8	0.1	1.1	N	

表2-5-20

プロジェクト地点の気象観測記録

1996年5月~6月

月	日	日照	降水	日射量	蒸発	気圧	気温℃			湿度%			風速 m/s			風向	
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均		
5	1	606	0.0	13.20	2.0	1002.3	30.1	11.2	20.3	90.0	56.0	74.7	3.0	0.1	1.0	NNW	
	2	694	0.0	21.12	8.0	1000.1	28.6	12.2	20.4	89.0	56.4	71.5	4.7	0.1	1.9	WSW	
	3	509	0.0	18.24	4.0	1004.0	26.7	11.3	17.9	90.6	54.3	76.9	4.3	0.1	1.7	S	
	4	699	0.0	21.53	5.0	1006.8	27.7	13.0	19.5	89.6	56.3	73.9	4.1	0.1	1.4	S	
	5	631	0.0	22.83	5.0	1005.1	32.0	12.2	21.1	90.3	53.2	75.0	3.9	0.1	1.5	S	
	6	714	0.0	26.09	7.0	1002.2	35.0	13.2	23.5	89.5	44.7	68.7	3.2	0.1	1.2	NNE	
	7	676	0.0	25.47	4.0	1000.6	35.5	13.3	24.8	87.3	44.4	62.6	3.8	0.1	1.1	N	
	8	603	0.0	24.91	6.0	994.7			28.9		43.6	53.2				1.8	
	9	691	0.0	22.77	7.0	995.4	36.5	19.2	27.6	77.8	48.0	57.7	6.7	0.5	3.4	NNE	
	10	368	6.5	9.26	5.5	997.1	30.0	17.0	22.2	90.1	50.9	73.5	9.2	0.1	2.7	N	
	11	611	0.0	16.83	3.0	1002.3	28.1	17.0	21.6	90.0	53.3	75.5	4.4	0.1	1.6	S	
	12	492	0.0	16.31	4.0	1001.9	31.8	15.5	24.1	89.8	53.9	69.1	2.6	0.1	1.4	SE	
	13	715	0.0	19.74	6.0	1002.3	23.7	14.2	22.2	88.2	55.8	72.1	5.1	0.3	2.6	SW	
	14	670	0.0	18.81	5.0	1002.7	29.5	15.3	21.5	89.4	55.2	71.1	3.8	0.1	1.5	SSE	
	15	548	0.0	16.12	5.0	998.8	34.0	13.7	19.8	89.2	53.2	71.7	6.7	0.1	2.4	SSW	
	16	237	0.0	3.02	2.0	1004.2	24.9	13.3	19.0	88.3	54.1	71.8	3.8	0.0	1.6	WSW	
	17	724	0.0	21.62	3.0	1006.3	28.7	10.8	19.6	89.9	53.5	69.4	3.8	0.1	1.4	WSW	
	18	759	0.0	24.24	6.0	1005.5	31.4	11.4	21.4	88.8	53.4	68.7	4.6	0.1	1.8	SW	
	19	641	0.0	19.08	4.0	1003.9	29.9	12.9	20.9	89.1	55.0	71.4	5.5	0.1	2.0	S	
	20	739	0.0	23.53	5.0	1004.2	31.9	13.6	22.3	90.1	54.8	70.9	6.1	0.1	2.1	SW	
	21	704	0.0	24.31	6.0	1005.3	33.7	13.5	23.5	89.7	54.7	69.3	4.9	0.1	1.9	SW	
	22	740	0.0	23.54	5.0	1005.0	35.6	14.5	24.5	89.3	52.3	69.1	5.2	0.1	1.8	SW	
	23	745	0.0	24.94	6.0	1000.7	35.7	14.7	25.0	88.4	51.7	68.1	5.9	0.1	2.0	S	
	24	704	0.5	24.80	5.5	999.3	34.3	15.8	25.8	89.2	41.9	63.9	6.1	0.1	2.4	NNE	
	25	767	0.0	22.42	7.0	1002.6	33.2	13.2	24.1	90.2	41.5	59.6	6.3	0.1	2.0	NE	
	26	305	0.0	6.55	5.0	1003.1	31.7	14.6	21.8	87.5	49.0	68.6	4.7	0.0	1.6	SSW	
	27	665	0.0	16.43	6.0	1002.6	29.0	16.0	23.0	90.2	50.4	66.4	5.1	0.2	2.1	SSW	
	28	692	0.0	13.57	5.0	1001.5	29.7	14.6	21.7	89.6	50.8	67.3	5.1	0.1	1.8	WSW	
	29	712	0.0	16.06	1.0	999.7	29.5	14.1	21.9	90.8	50.7	68.0	4.9	0.1	1.8	WSW	
	30	712	1.5	23.73	3.5	999.7	29.8	14.4	21.8	91.6	48.1	68.5	6.6	0.1	2.3	WSW	
	31	383	0.0	6.31	2.0	1002.4	24.0	14.0	18.8	90.7	51.9	76.4	5.4	0.1	1.8	NW	
6	1	709	0.0	19.26	4.0	1003.2	29.6	11.8	21.0	91.6	50.5	70.2	6.5	0.1	2.2	SW	
	2	393	10.0	4.52	3.0	1001.1	26.7	15.6	20.3	90.9	51.5	79.1	5.5	0.1	1.1	ESE	
	3	731	0.0	22.56	1.0	1001.5	29.7	15.3	22.4	90.6	51.0	70.7	4.6	0.1	1.9	SW	
	4	645	0.0	21.71	7.0	1002.5	31.2	16.6	23.4	90.7	46.3	63.2	5.8	0.1	2.0	S	
	5	650	0.0	26.86	8.0	1003.8	33.2	13.9	23.8	91.3	39.7	61.5	5.1	0.1	2.1	ESE	
	6	793	0.0	26.13	10.0	1001.7	33.5	12.9	25.0	89.0	45.1	56.9	9.3	0.1	4.8	NNE	
	7	759	0.0	27.52	13.0	1000.9	35.6	21.0	28.4	51.3	40.6	44.9	8.6	2.6	5.4	NNE	
	8	807	0.0	28.33	10.0	1002.0	35.9	18.6	27.8	58.5	35.0	40.8	8.4	0.3	4.2	NNE	
	9	809	0.0	29.43	11.0	1000.8	38.6	13.0	26.9	78.3	33.9	49.8	8.9	0.3	3.2	NNE	
	10	804	0.0	28.20	14.0	1001.3	36.5	17.0	28.8	79.5	35.4	42.8	9.0	1.0	5.6	NNE	
	11	787	0.0	27.43	8.0	1001.4	37.4	16.1	27.8	60.7	32.9	38.2	6.7	0.4	2.7	NNE	
	12	747	0.0	27.07	7.0	999.5	39.0	14.4	27.1	88.2	35.0	55.2	5.0	0.1	2.0	SW	
	13	720	0.0	25.20	7.0	998.0	37.9	15.4	26.6	89.1	40.8	60.2	4.6	0.1	1.6	SW	
	14	719	0.0	25.50	8.0	997.4	39.7	17.6	27.9	90.5	36.6	63.2	4.9	0.1	1.6	SSW	
	15	705	0.0	26.09	8.0	991.8	41.3	18.7	28.4	89.9	34.9	64.2	6.0	0.2	1.9	SW	
	16	731	0.0	22.18	7.0	996.3	34.1	20.2	26.9	90.2	43.8	69.0	6.1	0.1	2.3	SW	
	17	609	0.0	16.16	5.0	997.8	31.9	20.0	25.9	90.8	43.9	68.5	5.8	0.1	2.6	WSW	
	18	701	0.0	21.25	8.0	997.7	32.8	21.0	26.5	90.0	43.3	67.2	7.3	0.4	2.8	WSW	
	19	716	0.0	19.58	6.0	998.8	32.3	18.7	25.9	91.8	42.5	66.9	6.3	0.1	2.8	SW	
	20	527	1.5	19.04	6.5	998.8	29.3	17.3	23.1	91.2	44.2	72.2	7.1	0.2	3.3	SW	
	21	766	0.5	24.40	7.5	1002.3	32.8	14.4	23.0	91.7	43.1	65.2	7.4	0.2	2.3	WSW	
	22	781	0.0	25.99	7.0	1002.4	33.8	15.4	24.8	89.8	43.2	61.5	6.1	0.2	2.1	WSW	
	23	784	0.0	26.73	7.0	1001.1	35.4	15.8	25.5	88.5	42.5	63.8	6.2	0.1	2.1	SW	
	24	755	0.0	26.24	8.0	1001.0	36.3	16.2	26.2	90.7	43.6	64.7	5.1	0.1	1.8	SW	
	25	784	0.0	28.80	9.0	999.4	39.7	17.8	28.0	89.2	39.6	63.9	5.7	0.1	2.1	S	
	26	731	0.0	28.55	8.0	998.1	41.0	17.4	29.5	91.5	38.4	63.6	5.3	0.1	1.9	S	
	27	775	0.0	29.02	7.0	998.9	40.5	21.3	30.0	91.7	43.0	62.7	5.1	0.1	1.9	SW	
	28	774	0.0	26.87	9.0	998.0	35.3	20.0	28.0	87.1	43.6	65.1	6.4	0.1	2.3	S	
	29	688	0.0	24.17	8.0	1000.1	33.3	20.2	26.9	91.3	43.6	66.6	6.2	0.1	2.4	SW	
	30	763	0.0	27.17	8.0	1001.5	35.3	19.3	27.4	90.4	43.4	61.7	6.0	0.1	1.9	WSW	

表2-5-21

プロジェクト地点の気象観測記録

1996年7月~8月

月	日	日照	降水	日照量	蒸発	気圧		気温℃			湿度%			風速 m/s			風向
		min	mm	kJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均		
7	1	738	0.0	26.04	7.0	1000.6	34.2	20.8	26.9	89.1	44.4	68.3	5.2	0.1	0.2	SW	
	2	759	0.0	25.65	7.0	1000.0	35.3	20.8	27.7	90.0	44.7	69.0	4.8	0.1	2.0	S	
	3	777	0.0	28.65	9.0	1000.3	38.4	20.5	28.9	89.7	43.6	66.3	5.7	0.1	1.9	S	
	4	752	0.0	26.37	7.0	1001.0	37.1	20.4	28.4	91.5	43.8	66.6	4.7	0.1	1.8	SW	
	5	707	0.0	23.02	7.0	997.5	33.2	20.9	27.4	90.7	53.5	72.2	5.3	0.1	2.1	S	
	6	689	0.0	22.57	6.0	993.4	33.6	21.6	27.6	91.8	49.5	72.3	6.1	0.1	2.4	S	
	7	612	0.0	23.91	7.0	991.7	35.0	23.6	28.4	89.6	47.4	70.7	5.6	0.1	2.4	SW	
	8	716	0.0	25.28	7.0	994.6	35.4	22.7	28.7	90.8	47.4	71.6	6.1	0.1	2.3	SW	
	9	687	0.0	24.24	8.0	996.4	35.6	24.4	29.7	91.0	51.0	71.9	6.0	0.3	2.5	WSW	
	10	593	0.0	22.95	7.0	996.1	35.2	25.0	29.6	90.2	53.4	73.3	5.5	1.0	2.6	S	
	11	339	0.0	15.24	8.0	995.4	34.5	25.9	29.3	89.0	54.6	74.6	4.9	0.9	2.4	WSW	
	12	430	0.0	15.59	7.0	996.4	34.7	24.9	29.2	90.5	52.3	73.4	5.5	0.4	2.2	WSW	
	13	392	0.0	13.50	7.0	997.9	35.3	25.4	29.2	90.2	50.9	73.7	5.4	0.6	2.2	SW	
	14	618	0.0	21.59	5.0	999.7	35.2	24.4	29.4	89.7	50.8	71.1	5.2	0.3	2.3	WSW	
	15	659	0.0	23.51	7.0	997.3	35.1	25.3	29.7	90.8	51.6	70.9	6.0	0.5	2.4	WSW	
	16	563	0.0	21.38	6.0	995.3	35.2	24.9	29.4	90.0	52.3	73.3	5.6	0.5	2.4	S	
	17	598	0.0	23.36	6.0	994.2	35.6	24.8	29.4	89.8	49.7	73.3	5.7	0.1	2.3	SSW	
	18	664	0.0	24.70	7.0	996.1	36.5	24.7	29.5	89.5	45.1	72.2	5.2	0.2	2.2	S	
	19	644	0.0	22.55	6.0	998.3	33.9	21.6	28.0	92.0	50.8	73.2	5.9	0.1	2.2	SW	
	20	487	0.0	18.48	7.0	998.9	34.0	25.4	28.9	90.5	51.0	74.1	5.0	0.5	2.7	WSW	
	21	651	0.0	24.40	7.0	999.0	35.0	24.1	29.1	89.8	50.4	71.8	6.5	0.1	2.3	WSW	
	22	670	0.0	23.95	6.0	997.9	35.8	23.3	29.0	91.7	45.6	72.6	5.5	0.4	2.0	SW	
	23	677	0.0	21.40	7.0	996.5	33.9	23.1	28.4	91.8	49.7	72.6	4.9	0.1	2.0	S	
	24	637	0.0	25.18	5.0	996.3	34.6	23.5	28.7	91.5	45.3	69.3	4.8	0.1	2.0	S	
	25	756	0.0	26.57	7.0	995.7	35.1	21.2	28.4	89.9	44.9	63.4	5.8	0.2	2.0	S	
	26	749	0.0	26.84	7.0	997.7	36.5	21.3	28.2	90.0	45.1	66.6	4.9	0.1	1.9	S	
	27	746	0.0	26.38	7.0	998.4	36.2	21.6	28.3	91.2	45.2	69.2	5.0	0.1	2.0	SW	
	28	760	0.0	28.65	10.0	997.4	39.1	20.4	30.7	92.4	37.6	56.3	8.7	0.1	4.1	NNE	
	29	782	0.0	28.24	12.0	995.7	38.7	21.8	29.8	81.4	37.6	44.4	8.8	0.6	4.6	N	
	30	766	0.0	26.35	8.0	995.2	35.2	18.9	27.4	86.7	43.1	59.4	4.9	0.2	2.0	SW	
	31	715	0.0	24.72	6.0	997.8	33.2	20.8	27.5	89.8	49.2	70.8	5.6	0.2	2.1	S	
8	1	706	0.0	24.52	6.0	1001.0	34.8	22.7	28.2	91.7	50.2	71.9	6.3	0.2	1.9	S	
	2	685	0.0	24.08	6.0	1000.5	35.5	22.1	28.2	92.7	46.1	75.6	5.4	0.1	2.1	S	
	3	660	0.0	19.30	6.0	997.3	33.0	22.7	27.6	91.6	50.0	71.4	5.1	0.1	1.9	S	
	4	606	0.0	21.80	8.0	994.5	34.5	24.2	28.8	86.8	48.6	68.1	4.3	0.6	2.3	SW	
	5	672	0.0	22.43	6.0	996.0	35.0	21.8	28.3	92.8	48.8	70.7	4.6	0.1	1.8	WSW	
	6	679	0.0	23.31	6.0	997.4	35.9	22.4	28.5	90.4	47.8	72.3	5.2	0.1	2.0	SW	
	7	623	0.0	22.67	7.0	995.7	36.2	23.6	29.0	91.1	45.4	72.5	6.1	0.1	2.3	SSW	
	8	725	0.0	26.50	7.0	995.0	38.8	22.0	29.4	92.1	39.0	66.9	6.4	0.1	2.1	WSW	
	9	690	0.0	23.10	6.0	994.9	35.8	22.1	28.5	91.4	44.2	70.0	4.9	0.1	2.0	SW	
	10	641	0.0	19.96	6.0	995.4	33.8	24.1	28.1	91.8	46.4	68.8	5.3	0.1	1.7	S	
	11	558	0.0	21.68	5.0	999.3	34.3	21.5	27.1	85.6	45.9	65.9	6.0	0.1	1.6	S	
	12	690	0.0	24.51	6.0	1001.6	36.2	21.0	27.9	90.2	45.1	66.9	5.0	0.1	1.8	SW	
	13	710	0.0	24.68	8.0	999.4	37.0	21.2	28.6	91.5	44.4	67.5	5.2	0.1	2.0	S	
	14	590	0.0	22.55	6.0	995.3	36.4	20.0	27.7	92.3	43.6	69.2	6.0	0.1	1.9	S	
	15	603	0.0	23.13	5.0	994.3	36.9	20.8	28.0	91.5	45.6	70.2	5.4	0.1	1.8	SW	
	16	675	0.0	23.25	7.0	995.6	36.3	22.0	28.7	90.6	46.0	69.5	6.0	0.1	2.0	SW	
	17	681	0.0	23.00	7.0	995.8	36.5	22.7	29.0	91.3	45.1	69.9	5.6	0.1	1.9	SW	
	18	658	0.0	16.30	7.0	995.6	34.2	23.2	28.6	91.1	43.9	70.7	5.4	0.1	2.0	S	
	19	643	0.0	21.02	7.0	995.6	34.9	22.7	28.0	90.7	45.5	67.4	5.3	0.1	1.9	SW	
	20	614	0.0	18.83	5.0	996.0	33.1	20.2	26.5	90.3	45.8	66.6	5.6	0.2	2.3	SW	
	21	619	0.0	20.59	7.0	998.2	33.5	20.9	25.7	90.6	45.5	70.6	8.5	0.1	2.2	S	
	22	590	0.0	18.32	6.0	999.8	33.8	20.8	26.8	89.9	45.0	65.7	4.5	0.1	1.7	WSW	
	23	161	0.0	2.47	9.0	999.6	34.5	22.5	27.2	90.8	45.3	69.7	5.1	0.1	1.9	SW	
	24	651	0.0	21.10	9.0	998.9	33.9	20.3	26.8	89.3	46.2	66.4	5.2	0.1	1.7	SW	
	25	652	0.0	20.42	7.0	999.0	33.7	21.1	26.6	89.1	46.6	67.8	5.3	0.1	1.9	S	
	26	663	0.0	20.45	6.0	999.9	34.4	20.3	26.9	89.7	46.5	68.3	5.4	0.1	2.0	S	
	27	611	0.0	20.64	5.0	1000.1	35.3	21.2	27.4	90.5	45.9	71.1	5.1	0.1	1.9	S	
	28	641	0.0	21.55	7.0	999.7	36.1	20.7	27.7	90.8	45.7	70.0	5.3	0.1	1.9	S	
	29	650	0.0	20.76	6.0	1000.1	35.4	20.3	27.5	90.7	45.7	69.1	4.5	0.1	1.7	S	
	30	643	0.0	20.22	7.0	1000.1	34.7	21.2	27.7	91.8	46.4	69.3	5.0	0.1	1.6	SW	
	31	569	0.0	18.60	8.0	1000.6	35.0	21.7	27.8	91.2	45.2	68.6	5.4	0.1	1.8	SSE	

表2-5-22

1993年旬別・月別気象観測表 (3月~12月)

月	旬	日照	降水量	日射量	蒸発量	気圧	気温 . C			湿度 %			風速 m/s			風向
		min	mm	MJ			mm	hPa	最大	最小	平均	最大	最小	平均	最大	
3	1	324	57.0	5.62		1003.6	22.4	1.0	9.7	98.4	16.6	71.9	11.0	0.0	2.5	NE
	2	501	5.5	9.68		1012.9	18.1	0.2	9.0	97.9	21.1	65.6	9.4	0.0	2.3	NNE
	3	591	0.0	6.78		1013.4	28.0	0.6	13.4	99.3	19.8	65.2	7.6	0.0	1.9	SW
	月	477	62.5	7.34		1010.1	28.0	0.2	10.8	99.3	16.6	67.5	11.0	0.0	2.2	NE
4	1	476	29.5	5.52		1007.0	26.7	2.5	13.9	99.7	22.7	70.5	9.5	0.0	2.5	SW
	2	363	13.0	5.60		1008.6	28.9	3.1	15.2	91.8	26.6	75.3	9.0	0.0	1.7	SW
	3	602	7.0	7.03		1004.4	29.0	4.1	16.6	96.4	13.5	64.1	8.1	0.0	2.2	WSW
	月	480	49.5	6.05		1006.7	29.0	2.5	15.2	99.7	13.5	70.0	9.5	0.0	2.1	SW
5	1	418	24.0	4.87		1003.2	29.2	8.8	17.5	95.4	33.4	73.5	7.1	0.0	2.0	NE
	2	423	16.5	5.34		1004.7	29.0	11.3	17.7	93.7	33.9	74.8	7.4	0.0	1.8	SW
	3	536	9.0	12.50		1005.7	35.2	11.4	21.0	93.8	19.7	71.5	8.4	0.0	1.8	S
	月	461	49.5	7.73		1004.6	35.2	8.8	18.8	95.4	19.7	73.2	8.4	0.0	1.8	SW
6	1	535	10.0	15.55		1001.4	34.3	11.3	21.9	93.9	19.4	65.0	15.6	0.1	2.2	SW
	2	477	5.0	17.82		1002.8	37.1	11.8	22.3	95.7	14.9	66.7	9.6	0.0	1.9	SW
	3	618	0.0	20.88		1001.7	40.7	12.3	26.6	94.4	5.9	54.8	7.4	0.0	2.3	SW
	月	539	15.0	16.95		1002.0	40.7	11.8	23.5	95.7	5.9	62.5	15.6	0.0	2.1	SW
7	1	725	0.0	24.68		999.9	36.9	16.5	27.9	92.7	13.2	48.9	9.7	0.0	3.5	NNE
	2	697	0.0	24.55		999.2	36.4	17.0	26.7	97.4	17.9	63.6	8.3	0.0	2.5	SW
	3	570	0.0	20.63		999.0	41.2	20.3	28.4	97.2	10.2	67.0	7.5	0.0	2.5	SW
	月	661	0.0	23.20		999.0	41.2	16.5	27.7	97.4	10.2	60.1	9.7	0.0	2.8	SW
8	1	638	0.0	24.33		997.8	36.6	20.7	28.1	94.0	28.9	67.4	9.2	0.0	2.4	SW
	2	586	0.0	18.86		999.7	37.1	18.2	27.7	93.5	23.1	61.7	8.2	0.0	2.6	WSW
	3															
9	1	640	0.0	19.14		1001.5	35.1	14.6	25.5	90.5	20.9	58.3	6.9	0.0	2.1	S
	2	606	0.0	18.91		1001.7	38.2	15.7	26.2	93.6	24.4	64.1	6.9	0.0	1.8	SSE
	3	605	0.0	15.93		1003.3	34.6	10.9	23.1	92.4	20.1	53.3	11.0	0.0	3.1	N
	月	617	0.0	17.99		1002.2	38.2	10.9	24.9	93.6	20.1	58.6	11.0	0.0	2.3	S
10	1	572	0.0	14.34			32.3	14.1		91.5	25.5					
	2	591	1.0	14.41		1009.0	37.0	9.3	22.5	63.5	14.2	35.3	5.3	0.0	1.4	NE
	3	475	2.5	9.01		1007.8	35.0	7.7	21.0	67.4	20.0	45.4	10.5	0.0	2.3	NNE
	月	543	3.5	12.47		1007.8	37.0	7.7	22.0	91.5	14.2	46.7	10.5	0.0	1.8	NNE
11	1	416	9.0	6.53		1009.4	27.6	1.6	14.2	96.0	20.3	53.7	9.4	0.0	1.6	NW
	2	364	6.5	4.64		1013.9	22.0	-2.8	9.0	97.0	23.5	54.4	13.0	0.0	4.1	NNE
	3	362	0.0	4.01		1013.5	25.5	-4.2	11.1	89.4	21.3	45.3	11.9	0.0	3.1	N
	月	390	0.0	5.07		1012.3	27.6	-4.2	11.4	97.0	20.3	53.1	13.0	0.0	3.0	NNE
12	1															
	2	352	37.5	3.72		1015.5	20.1	1.4	9.4	93.1	24.1	71.9	10.1	0.0	1.9	N
	3															

表2-5-23

1994年各月·月別気象観測記録表 (1月~12月)

月	旬	日照	降水量	日照量	蒸発量	気圧	気温 .C			湿度 %			風速 m/s			風向
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
1	1	306	78.0	3.30		1011.8	20.1	1.8	10.0	94.8	28.3	75.4	6.3	0.0	1.7	N
	2	422	20.0	4.84		1013.2	19.2	1.7	10.6	96.1	36.9	72.9	11.0	0.0	2.4	NNE
	3	291	71.0	3.36		1009.0	16.5	-0.8	8.9	94.8	29.0	75.3	10.3	0.0	2.3	NNE
	月	338	169.0	3.82		1011.2	20.1	-0.8	9.8	96.1	28.3	74.6	11.0	0.0	2.1	NNE
2	1	439	9.5	6.87		1013.2	19.4	-2.5	7.3	96.7	25.8	69.0	8.1	0.0	1.8	NW
	2	444	36.5	7.52		1010.9	19.3	-3.1	8.1	94.9	28.6	69.9	11.7	0.0	2.5	N
	3	298	60.5	4.57		1009.6	19.0	3.8	10.1	95.7	33.7	76.2	8.0	0.0	2.3	N
	月	400	106.5	6.45		1011.3	19.4	-3.1	8.4	96.7	25.8	71.4	11.7	0.0	2.2	N
3	1	437	61.5	--		1009.1	18.8	1.1	10.2	94.8	29.2	71.3	12.1	0.0	2.3	N
	2	533	11.5	--		1008.1	22.1	2.6	12.0	95.3	26.8	69.1	9.4	0.0	2.5	N
	3	459	9.0	11.14		1010.0	23.4	3.4	13.1	95.8	32.1	75.4	6.1	0.0	1.5	SW
	月	476	82.0	--		1009.1	23.4	1.1	11.8	95.8	26.8	72.0	12.1	0.0	2.1	N
4	1	566	1.0	14.39		1008.2	28.0	6.7	15.3	95.8	25.4	73.5	9.2	0.0	2.0	SW
	2	588	0.0	18.36		1006.4	32.1	4.7	18.8	94.9	22.3	67.9	4.6	0.0	1.3	WSW
	3	500	8.5	14.45		1001.6	30.9	7.3	17.4	95.4	23.0	70.3	11.5	0.0	2.3	SW
	月	558	9.5	15.74		1006.4	32.1	4.7	17.1	95.8	22.3	70.6	11.5	0.0	1.9	SW
5	1	456	55.5	12.28		1004.7	24.8	9.3	16.1	92.8	36.8	77.3	6.6	0.0	1.8	SW
	2	664	3.5	23.16		1005.6	37.5	8.9	20.3	93.3	14.1	62.6	6.6	0.1	1.7	WSW
	3	666	0.0	24.99		1000.4	39.3	13.1	25.6	95.5	15.9	61.4	6.5	0.1	1.9	S
	月	598	59.0	20.30		1003.5	39.3	8.9	20.8	95.5	14.1	66.9	6.6	0.0	1.8	SW
6	1	701	0.0	22.98		1000.0	35.7	12.3	24.2	94.3	13.8	54.7	9.3	0.1	2.7	SW
	2	670	4.5	19.61						94.4	8.6					
	3	741	0.0	24.73		998.7	38.0	14.8	26.7	93.8	12.6	47.5	13.9	0.1	4.5	NNE
	月	704	4.5	22.41		1000.1	38.0	12.3	25.1	94.4	8.6	55.7	13.9	0.1	3.2	SW
7	1	725	0.0	25.95												
	2	545	0.0	16.13		996.3	35.2	17.9	27.0	95.2	21.7	68.9	9.3	0.1	3.0	SW
	3	670	0.0	23.71		996.0	35.6	19.2	27.6	93.2	27.4	68.6	8.7	0.1	2.8	SW
	月	647	0.0	21.99		996.4	38.9	17.4	27.4	96.3	9.4	67.0	9.3	0.1	2.8	SW
8	1	668	2.0	22.19		998.0	36.8	16.1	26.6	93.6	19.4	65.6	8.1	0.1	2.7	SW
	2	674	0.0	24.44			41.6									
	3	659	0.0	22.00		997.8	39.3	16.4	26.9	94.2	10.7	65.1	7.5	0.1	2.1	SW
	月	667	2.0	22.85		997.6	41.6	16.1	27.2	96.3	10.7	64.7	8.2	0.1	2.3	SW
9	1	625	4.5	19.88		999.7	35.2	16.0	26.6	93.4	21.1	66.4	13.6	0.1	2.2	SSE
	2	552	0.0	17.54		1001.1	39.7	17.3	27.4	92.9	20.1	60.8	6.6	0.1	1.7	S
	3	548	0.0	14.19		1005.2	36.1	16.0	26.0	93.2	21.7	59.4	9.8	0.0	1.6	S
	月	575	4.5	17.20		1002.0	39.7	16.0	26.7	93.4	20.1	62.2	13.6	0.0	1.8	SSE
10	1	570	14.0	15.45	40.2	1005.0	38.0	13.9	25.0	93.9	17.0	53.1	8.7	0.1	1.3	SSW
	2	411	34.5	9.23	25.8	1006.6	35.8	10.4	21.4	96.1	22.5	65.2	7.2	0.0	1.6	NNE
	3	470	24.5	8.96	25.0	1007.9	31.1	11.5	21.0	93.0	27.8	66.6	13.8	0.1	1.8	E
	月	483	73.0	11.14	92.0	1006.5	38.0	10.4	22.4	96.1	17.0	61.8	13.8	0.0	1.6	N
11	1	493	0.0	7.10	39.0	1010.2	30.0	1.1	15.4	88.7	25.1	52.1	15.4	0.1	3.8	N
	2	215	219.5	2.76	12.0	1007.1	22.5	4.6	13.7	95.0	38.9	75.6	8.2	0.1	2.3	NNE
	3	280	26.5	3.02	16.0	1007.5	17.1	2.4	10.0	92.4	20.8	66.7	10.0	0.0	2.8	N
	月	329	246.0	4.29	67.0	1008.2	30.0	1.1	13.0	95.0	20.8	64.8	15.4	0.0	3.0	N
12	1	343	6.0	3.19	13.0	1016.0	14.3	-2.6	5.4	99.1	31.1	67.5	13.4	0.0	2.9	NNE
	2	113	96.0	0.95	3.0	1012.3	13.9	1.3	7.9	96.1	45.1	77.5	7.7	0.1	2.5	N
	3	330	3.0	3.29	11.0	1016.7	16.5	0.1	8.0	96.5	33.0	72.4	10.6	0.0	2.6	NNE
	月	264	105.0	2.50	27.0	1015.1	16.5	-2.5	7.1	99.1	31.1	72.5	13.4	0.0	2.7	N

表2-5-24

1995年旬別·月別氣候觀測表

月	旬	日照	降水量	日照量	蒸發量	氣壓	氣溫 °C			濕度 %			風速 m/s			風向
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均	
1	1	301	29.5	3.12	4.0	1012.9	18.8	2.0	10.9	96.1	37.5	79.6	8.4	0.0	1.6	NNE
	2	282	80.0	3.05	4.0	1012.5	18.3	-1.2	8.9	95.4	34.1	74.6	6.6	0.0	2.4	N
	3	306	23.5	3.99	9.5	1017.0	17.3	-0.8	7.7	97.4	35.3	77.5	9.4	0.0	1.6	N
	月	297	133.0	3.40	17.5	1014.2	18.8	-1.2	9.1	97.4	34.1	77.2	9.4	0.0	1.8	N
2	1	375	19.5	5.54	12.5	1000.0	18.2	0.6	8.8	97.1	27.3	72.4	8.9	0.0	2.1	NNE
	2	491	1.5	8.39	14.5	1013.6	21.1	3.4	11.3	96.3	28.8	74.2	7.1	0.1	1.5	N
	3	548	3.0	10.43	16.0	1012.0	21.4	2.4	11.8	97.9	26.5	69.8	8.8	0.0	2.1	N
	月	467	24.0	7.96	43.0	1011.5	21.4	0.6	10.5	97.9	26.5	72.3	8.9	0.0	1.9	N
3	1	530	22.0	11.13	27.0	1011.0	97.8	15.1	68.7	97.8	15.1	68.7	8.7	0.0	2.1	NNE
	2	413	36.5	9.30	17.5	1007.1	23.6	1.2	11.5	96.1	30.0	77.1	9.0	0.0	1.9	E
	3	487	8.0	10.42	23.0	1009.0	24.2	1.5	12.0	96.5	24.2	73.6	6.6	0.0	1.7	SW
	月	487	66.5	10.29	67.5	1009.0	25.8	1.2	12.2	97.8	15.1	73.2	9.0	0.0	1.9	SW
4	1	493	43.0	10.59	27.0	1006.7	24.7	2.1	13.2	96.9	25.2	71.8	8.1	0.0	2.1	SW
	2	490	52.5	13.36	25.5	1004.8	24.9	4.8	14.3	97.5	25.0	73.7	7.5	0.0	2.1	SW
	3	565	0.5	16.63	28.0	1005.2	28.6	7.4	17.6	96.9	22.1	71.8	8.3	0.0	1.7	SW
	月	513	96.0	13.53	80.5	1005.6	28.6	2.1	15.1	97.5	22.1	72.5	8.3	0.0	1.9	SW
5	1	406	53.0	9.62	30.0	1006.0	23.8	7.5	16.3	95.1	28.8	77.2	9.2	0.0	2.0	SW
	2	706	0.0	22.44	49.0	1004.6	34.2	11.6	21.2	95.8	20.0	66.5	6.3	0.0	1.7	S
	3	677	0.0	23.71	71.0	1001.3	41.3	13.1	26.9	95.7	10.7	56.8	7.6	0.1	2.0	S
	月	509	53.0	18.75	150.0	1003.9	41.3	7.5	21.6	95.8	10.7	66.5	9.2	0.0	1.9	S
6	1	462	41.5	12.46	47.5	1002.6	32.2	14.7	23.5	96.7	40.6	71.8	9.0	0.1	2.2	SW
	2	630	0.0	19.94	63.0	1001.0	38.0	17.8	26.2	96.0	20.1	68.4	7.0	0.1	2.1	SW
	3	660	37.5	20.42	71.0	998.3	37.1	15.3	26.0	97.0	14.9	62.8	12.3	0.0	2.5	SW
	月	580	79.0	17.44	181.5	1000.7	38.0	14.7	25.2	97.0	14.9	67.8	12.3	0.0	2.3	SW
7	1	600	22.5	19.88	55.0	996.5	37.6	16.4	25.7	94.8	14.4	67.5	15.4	0.0	2.0	SW
	2	644	0.0	19.91	61.0	991.6	34.7	18.0	26.4	95.1	32.9	70.7	6.0	0.1	2.0	SW
	3	682	50.5	23.50	66.5	995.5	38.0	17.7	26.7	96.6	17.6	66.8	7.8	0.1	2.0	SW
	月	643	35.0	21.17	182.5	995.8	38.0	16.4	26.3	96.6	14.4	68.3	15.4	0.0	2.0	SW
8	1	578	0.0	19.40	56.0	996.5	34.8	19.2	27.3	96.2	34.0	72.4	5.7	0.1	1.8	SW
	2	678	0.0	22.22	56.0	997.9	37.4	16.1	27.1	95.6	20.4	69.7	5.8	0.1	1.8	S
	3	601	1.5	17.41	50.5	999.2	36.0	19.2	26.6	96.6	36.9	72.4	10.0	0.1	1.8	SW
	月	619	1.5	19.61	162.5	997.9	37.4	16.1	27.0	96.6	20.4	71.5	10.0	0.1	1.8	SW
9	1	584	0.0	16.31	41.0	1000.2	36.4	15.7	25.6	96.5	22.3	69.3	6.6	0.1	1.8	SW
	2	542	0.0	14.53	50.5	1002.8	39.5	13.6	25.4	95.9	15.0	62.1	10.3	0.0	2.2	NNE
	3	560	35.5	13.67	35.5	1004.7	31.6	8.9	21.9	95.6	14.8	64.6	13.7	0.1	1.7	S
	月	562	35.5	14.83	130.0	1002.6	39.5	8.9	24.3	96.5	14.8	65.3	13.7	0.0	1.9	S
10	1	552	28.5	12.09	37.0	1007.7	32.0	7.3	18.8	95.1	14.7	55.4	9.5	0.1	2.2	NNE
	2	558	0.0	11.74	43.5	1006.3	32.9	7.0	19.7	97.4	17.9	57.4	7.0	0.1	1.6	NNE
	3	496	22.5	8.35	33.0	1009.4	33.7	5.6	18.6	95.9	19.7	61.9	5.6	0.1	1.4	N
	月	544	51.0	10.65	113.5	1007.7	33.7	5.6	19.0	97.4	14.7	58.4	9.5	0.1	1.7	NNE
11	1	276	54.0	2.57	13.0	983.7	25.8	4.1	15.5	93.7	41.4	69.5	8.3	0.0	1.6	NNE
	2		55.0		14.0											
	3	399	54.0	4.08	6.5	1013.8	19.1	-1.7	7.5	90.4	50.7	75.6	7.9	0.0	1.7	N
	月	370	163.0	4.16	33.5	1002.6	25.8	-1.7	11.6	96.8	37.3	72.4	8.3	0.0	1.6	N
12	1	351	12.0	3.34	11.0	1014.6	18.9	0.6	8.9	90.4	51.2	73.0	8.9	0.0	2.3	NNE
	2	419	3.0	4.03	10.0	1017.2	15.8	-1.8	7.0	90.3	51.0	73.8	7.6	0.0	2.1	N

表2-5-25

1996年布列·月別氣候觀測記錄表 (1月~8月)

月	旬	日照	降水量	日照量	蒸發量	氣壓	氣溫 °C			濕度 %			風速 m/s			風向	
		min	mm	MJ	mm	hpa	最大	最小	平均	最大	最小	平均	最大	最小	平均		
1	1		77.0		2.0												
	2	353	2.5	3.79	15.5	1010.3	16.5	-1.7	8.2	90.1	54.0	71.8	8.2	0.0	2.6	ESE	
	3月	356	0.0	3.78	16.0	1014.2	17.4	-1.2	7.8	89.8	53.7	70.4	9.3	0.0	2.5	N	
2	1	316	60.5	4.12	11.0	1007.2	18.8	-5.2	8.2	90.0	46.7	72.1	11.3	0.0	3.1	ESE	
	2	400	2.5	6.13	11.5	1010.5	18.8	2.3	10.9	90.5	56.1	76.7	7.7	0.0	1.8	ESE	
	3月	510	10.5	9.03	12.0	1010.6	22.0	0.4	10.8	90.9	53.7	75.9	6.1	0.0	1.6	NE	
3	1	179	15.0	2.83	6.5	1003.8	17.0	2.7	10.5	90.4	57.3	82.4	8.7	0.0	2.1	NE	
	2	506	8.5	10.50	19.0	1004.6	23.6	3.3	12.6	90.1	55.4	76.2	7.8	0.0	1.5	SW	
	3月	346	28.5	7.24	9.5	1007.9	20.6	2.3	10.8	90.2	56.5	80.7	6.5	0.0	1.5	NE	
4	1	538	9.5	13.49	23.5	1006.6	26.1	6.3	14.6	90.0	55.9	76.8	6.6	0.0	1.5	SW	
	2	393	41.0	9.51	29.5	1004.6	22.5	3.1	13.0	90.1	52.5	78.3	8.8	0.1	1.8	NNE	
	3月	520	26.5	15.68	26.0	1008.7	31.0	5.1	15.7	91.0	48.4	74.4	6.6	0.0	1.5	N	
5	1	619	6.5	20.55	53.5	1001.1	36.5	11.2	22.6	90.6	43.6	68.8	9.2	0.1	1.7	S	
	2	613	0.0	17.93	43.0	1003.2	34.0	10.8	21.2	90.1	53.2	71.1	6.7	0.0	1.8	SW	
	3月	648	2.0	18.42	53.5	1001.9	35.7	13.2	22.9	91.6	41.5	67.7	6.6	0.0	1.9	SW	
6	1	710	10.0	23.46	80.0	1001.8	38.6	11.8	24.7	91.6	33.9	58.4	9.3	0.1	3.2	NNE	
	2	696	1.5	22.95	70.5	998.1	41.3	14.4	26.6	91.8	32.9	62.4	7.3	0.1	2.3	SW	
	3月	765	0.5	26.79	78.5	1000.2	41.0	14.4	26.9	91.7	38.4	63.8	7.4	0.1	2.0	SW	
7	1	703	0.0	24.86	72.0	997.1	38.4	20.4	28.3	91.8	43.6	70.2	6.1	0.1	2.2	S	
	2	544	0.0	19.99	66.0	996.9	36.5	21.6	29.2	92.0	45.1	72.9	6.0	0.1	2.3	WSW	
	3月	722	0.0	25.69	82.0	997.0	39.1	18.9	28.6	92.4	37.6	65.1	8.8	0.1	2.4	S	
8	1	668	0.0	22.76	64.0	996.7	38.6	21.8	28.4	92.8	39.0	70.8	6.4	0.1	2.0	SW	
	2	642	0.0	21.89	63.0	996.8	37.0	20.0	28.0	92.3	43.6	68.3	6.0	0.1	1.9	SW	
	3月	586	0.0	18.64	77.0	999.6	36.1	20.3	27.1	91.8	45.0	68.7	8.5	0.1	1.8	S	
		630	0.0	21.02	204.0	997.8	38.6	20.0	27.8	92.8	39.0	69.3	8.5	0.1	1.9	S	

表2-5-2 風速と風向の旬別記録 1994年

月	旬	風速 m/s		観測時間	日当り風速 km	最多風向		風向の割合 (%)																				
		最大	平均			方向	日/回	E	ENE	NE	NNE	N	NNE	NE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	概風	
		レウ	レウ																									
1	上旬	11.0	6.3	1.7	42.3	62	N	6.2	6.2	5.0	4.6	5.6	5.3	3.5	0.8	0.4	1.2	0.9	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	5.9	57.8
	中旬	15.0	11.0	2.4	45.9	95	ESE	10.6	4.9	4.0	9.7	10.6	6.2	0.5	0.1	0.1	0.2	0.6	0.8	0.5	0.7	0.1	0.1	0.1	0.1	0.1	4.8	54.2
	下旬	15.6	10.3	2.3	49.0	97	NNE	8.8	7.3	8.8	7.3	8.4	5.8	1.4	0.9	1.0	0.8	0.8	1.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	3.2	51.0
2	上旬	14.2	9.1	1.8	43.0	67	NNW	8.3	8.2	6.0	6.2	3.9	1.7	0.3	0.1	0.8	0.9	1.0	0.7	0.1	0.2	0.2	0.2	0.2	0.2	3.6	8.3	57.0
	中旬	16.8	11.7	2.5	48.4	105	N	12.7	7.3	6.0	7.0	6.4	1.1	1.1	0.0	0.0	0.3	0.5	1.3	0.1	0.1	0.7	1.0	0.1	0.1	3.1	51.6	
	下旬	12.4	8.0	2.3	53.6	107	N	12.0	7.0	6.0	5.6	2.9	1.1	1.1	0.5	1.8	1.9	1.7	2.0	1.3	1.1	1.1	1.1	2.2	4.5	46.4		
3	上旬	16.9	12.1	2.3	43.4	86	N	9.9	9.9	9.3	4.5	2.7	1.3	0.9	0.2	0.1	1.1	2.8	2.6	0.9	0.5	0.5	0.5	0.5	1.1	4.2	56.6	
	中旬	13.5	9.4	2.5	49.4	107	N	14.9	6.0	1.0	1.0	0.5	0.1	0.1	1.4	2.0	6.0	6.8	0.7	0.4	0.4	0.4	0.4	1.6	5.7	50.6		
	下旬	8.3	6.1	1.5	29.1	38	SW	4.9	3.9	3.2	1.4	0.4	0.0	0.0	0.3	0.5	0.2	3.4	4.9	4.6	1.2	1.0	1.1	2.1	2.1	70.9		
4	上旬	12.1	9.2	2.0	41.6	70	SW	12.4	1.8	1.7	1.6	1.1	0.9	0.1	0.2	0.8	1.6	3.9	12.4	10.3	1.1	1.1	1.1	1.1	1.1	1.9	58.4	
	中旬	6.7	4.6	1.3	25.6	29	WSW	5.3	1.9	0.5	0.3	0.0	0.0	0.1	0.0	1.0	4.7	3.9	2.1	5.3	1.6	1.0	0.9	1.1	1.1	1.5	74.4	
	下旬	16.4	11.5	2.3	45.3	90	SW	7.2	4.2	5.3	3.3	2.3	1.5	0.3	1.2	0.9	3.4	6.8	7.2	3.5	0.9	0.9	1.1	1.0	1.5	54.7		
5	上旬	10.6	6.6	1.8	37.1	58	SW	7.4	2.7	2.6	2.0	1.7	1.8	1.0	1.3	1.9	3.2	6.5	7.4	2.0	0.6	0.6	0.3	0.5	0.7	0.7	62.9	
	中旬	11.2	6.5	1.9	39.5	65	S	14.0	0.0	0.0	0.1	0.1	0.0	0.2	1.0	3.4	14.0	5.9	10.9	2.7	0.3	0.2	0.1	0.0	0.0	60.5		
	下旬	15.2	9.3	2.7	55.1	129	SW	13.0	5.7	6.8	2.8	0.8	0.2	0.0	0.1	1.2	2.3	7.7	13.0	8.9	1.1	0.8	0.5	2.2	44.9			
7	上旬	14.5	9.3	3.0	73.1	189	SW	27.1	1.3	0.5	0.4	0.0	0.1	0.2	0.2	1.4	8.5	9.7	27.1	20.3	1.1	0.2	0.2	0.6	0.7	26.9		
	中旬	12.5	8.7	2.8	57.0	138	SW	23.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.7	11.8	8.4	23.5	7.4	0.8	0.2	0.0	0.2	43.0			
	下旬	16.0	8.2	2.7	54.9	127	SW	16.5	5.0	2.0	0.5	0.2	0.5	0.2	0.1	3.0	6.3	7.6	16.5	7.3	2.0	0.5	0.5	2.2	45.1			
9	上旬	11.9	7.5	2.1	42.0	76	SW	9.9	0.3	0.2	0.2	0.4	0.4	0.2	1.4	6.2	8.3	5.3	9.9	7.8	0.2	0.0	0.0	0.0	0.2	58.0		
	中旬	25.0	13.6	2.2	47.0	89	SSE	11.1	1.2	2.0	1.5	1.2	0.4	0.3	1.6	11.1	7.8	3.3	9.0	5.7	0.8	0.0	0.0	0.0	0.3	53.0		
	下旬	13.5	9.8	1.6	31.0	43	S	5.1	1.7	0.6	0.7	0.9	0.9	0.4	0.5	3.8	5.1	3.5	4.1	4.0	1.4	0.1	0.7	0.6	1.3	69.0		
10	上旬	14.4	8.7	1.3	33.1	26	SSW	3.8	2.7	1.8	2.0	0.7	0.2	0.1	0.7	2.5	3.8	2.5	0.9	0.1	0.2	0.8	0.8	0.8	3.2	76.9		
	中旬	11.7	7.2	1.6	30.5	42	NNE	7.4	4.5	7.4	2.8	1.6	1.2	1.1	0.2	1.2	1.6	1.1	2.2	0.3	0.4	0.6	1.1	2.2	69.5			
	下旬	21.3	13.8	1.8	36.8	57	E	6.8	6.7	4.7	3.5	5.1	6.8	2.0	0.4	1.1	0.2	0.1	0.4	0.1	0.4	0.1	0.0	0.4	4.1	63.2		
11	上旬	21.2	15.4	3.8	64.8	213	N	26.0	26.0	17.4	6.6	2.4	0.7	0.5	0.4	0.1	0.1	0.2	0.5	0.3	0.6	0.7	1.7	5.9	35.2			
	中旬	13.6	8.2	2.3	55.9	111	NNE	11.6	7.4	11.6	9.1	8.7	6.1	2.7	1.2	1.0	0.8	0.3	0.1	0.3	0.2	0.2	0.8	3.7	44.1			
	下旬	15.2	10.0	2.8	69.9	159	N	32.3	32.3	18.7	6.2	3.2	1.0	0.0	0.0	0.2	0.5	0.2	0.8	0.6	0.2	0.0	0.6	4.5	30.1			
12	上旬	17.3	13.4	2.9	58.1	146	NNE	14.3	14.2	14.3	5.9	6.6	6.7	1.5	0.4	0.5	0.4	0.6	0.6	0.0	0.0	0.3	0.6	1.1	3.9	41.9		
	中旬	10.4	7.7	2.5	60.1	130	N	16.1	16.1	9.4	9.3	8.1	4.9	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.4	5.3	39.9		
	下旬	15.9	10.6	2.6	54.9	122	ESE	14.5	11.9	8.7	6.0	14.5	5.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	5.4	45.1		

表2-6-3 風速と風向の旬別記録 1995年

月	風速		日平均風速	日平均風速	日平均風速	風向												割合												合計			
	最大	平均				日平均風速	日平均風速	日平均風速	NE	N	NNE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	風速	風向							
1	12.0	8.4	1.4	33.4	40	NNE	4.1	7.8	4.6	5.1	5.5	0.6	0.9	0.0	0.0	0.2	0.2	0.2	0.4	0.2	1.3	1.9	66.6	1.9	66.6								
	19.3	6.6	2.4	60.8	125	N	13.2	6.9	9.0	12.1	6.2	2.8	1.4	2.0	1.0	0.1	0.2	0.1	0.2	0.0	0.5	3.1	29.2	3.1	29.2								
	13.3	9.4	1.6	28.7	40	N	10.0	4.2	3.5	1.6	1.1	0.3	0.0	0.7	1.0	0.1	0.0	0.0	0.0	1.1	2.4	4.4	71.3	2.4	71.3								
2	12.3	8.9	2.1	44.1	40	NNE	13.5	7.9	7.4	5.1	0.6	0.3	0.8	1.0	0.4	0.3	0.2	0.1	0.2	0.6	0.6	3.3	55.9	0.6	55.9								
	10.7	7.1	1.5	31.5	41	N	6.6	4.2	2.1	4.8	1.7	0.4	0.2	0.0	0.8	2.9	0.8	0.2	0.0	0.4	1.7	3.1	68.5	1.7	68.5								
	11.8	8.8	2.1	47.0	85	N	12.1	7.3	2.6	1.2	0.7	0.2	0.1	0.4	0.4	4.9	5.0	1.5	0.7	1.7	5.8	53.0	1.5	53.0									
3	15.6	8.7	2.1	47.0	85	NNW	7.4	4.1	3.3	4.5	2.0	1.1	0.8	0.1	1.3	3.3	3.0	1.4	2.9	1.4	2.0	7.4	53.0	1.4	53.0								
	13.3	9.0	1.9	39.2	64	E	3.3	4.6	3.3	3.2	6.0	1.8	0.4	0.3	2.0	3.8	1.6	0.3	0.7	1.7	1.9	60.8	1.9	60.8									
	14.0	6.6	1.7	32.8	48	SW	7.9	2.7	1.5	0.3	1.0	0.7	0.2	2.5	3.3	7.9	4.7	1.0	0.7	1.2	1.2	1.8	67.2	1.2	67.2								
4	12.2	8.1	2.1	44.6	81	SW	6.6	5.7	2.4	1.8	0.6	0.2	0.1	1.4	2.5	8.5	3.8	0.9	0.6	1.4	1.4	3.9	55.4	1.4	55.4								
	13.6	7.5	2.1	51.3	93	SW	8.0	4.9	5.8	3.3	2.7	1.4	0.9	0.7	2.6	5.9	8.0	1.9	0.4	0.9	3.5	48.7	1.9	48.7									
	13.4	8.1	1.6	32.1	43	SW	5.5	2.2	1.4	1.0	0.5	0.4	0.2	0.8	4.8	5.0	3.1	0.9	0.9	1.2	1.2	1.9	68.0	1.2	68.0								
5	14.2	9.3	2.0	42.4	73	SW	7.9	1.6	2.5	2.3	2.0	2.1	1.7	5.3	5.5	7.9	3.3	0.3	0.3	0.4	0.7	1.6	37.6	0.7	37.6								
	12.0	6.3	1.7	35.8	53	S	11.7	0.4	0.4	0.0	0.0	0.0	0.0	11.7	10.5	5.0	3.1	0.5	0.2	0.2	0.7	1.6	64.2	0.7	64.2								
	12.0	7.6	2.0	41.3	71	S	8.5	2.2	0.8	1.0	1.1	0.5	0.9	8.5	5.5	4.1	4.1	1.2	0.2	0.2	0.7	1.9	58.7	0.7	58.7								
6	14.3	9.0	2.2	42.8	81	SW	12.5	1.2	0.9	1.4	1.6	1.4	0.9	1.4	5.6	4.8	5.3	1.2	1.1	1.1	0.4	0.7	37.3	1.1	37.3								
	15.3	7.0	2.1	47.7	76	SW	16.0	0.2	0.1	0.2	1.0	1.7	0.7	1.4	7.2	5.9	16.0	8.5	0.9	0.1	0.0	0.1	58.3	0.1	58.3								
	17.6	12.3	2.5	47.6	103	SW	9.8	4.1	6.0	4.0	1.2	1.0	0.7	0.9	4.0	6.5	9.8	4.9	0.9	0.1	0.3	0.5	52.4	0.5	52.4								
7	21.5	15.4	2.0	40.6	70	SW	6.8	3.0	6.4	1.2	1.1	1.2	1.7	1.6	3.2	4.1	6.8	6.3	0.7	0.6	0.4	0.6	59.4	0.6	59.4								
	10.3	6.0	2.0	46.5	80	SW	20.4	0.0	0.1	0.0	0.5	0.2	0.1	0.8	4.8	6.7	20.4	11.3	0.5	0.1	0.1	0.0	53.4	0.1	53.4								
	11.4	7.8	2.0	42.9	74	SW	8.6	3.0	2.8	2.3	0.9	0.4	0.2	2.4	6.0	5.4	8.6	9.2	0.6	0.2	0.1	0.5	57.1	0.5	57.1								
8	9.5	5.7	1.8	44.5	69	SW	10.8	0.0	0.0	0.0	0.0	0.0	0.2	4.9	10.1	7.4	10.8	10.4	0.3	0.0	0.0	0.0	55.5	0.0	55.5								
	10.2	5.8	1.8	42.1	65	S	9.8	0.3	2.2	0.7	0.0	0.0	0.3	6.8	9.8	4.4	8.3	8.3	0.3	0.0	0.0	0.0	57.9	0.0	57.9								
	14.6	10.0	1.8	40.1	48	SW	13.0	0.3	0.3	0.1	0.0	0.4	1.1	4.4	10.1	3.5	13.0	5.0	0.9	0.0	0.0	0.2	59.9	0.2	59.9								
9	10.7	6.6	1.8	38.5	60	SW	10.3	0.2	0.2	0.0	0.3	0.6	0.4	2.9	9.6	5.5	10.3	6.2	0.3	0.3	0.8	0.1	61.5	0.1	61.5								
	15.2	10.0	2.2	40.9	78	NNE	12.0	3.0	12.0	2.7	0.2	0.0	0.1	3.2	6.1	3.4	12.0	3.9	0.1	0.0	0.0	0.0	59.1	0.0	59.1								
	24.1	13.7	1.7	32.0	48	S	4.7	3.0	2.7	3.2	1.4	0.5	0.4	3.3	4.7	4.7	3.5	1.3	0.4	0.1	0.8	0.6	67.0	0.6	67.0								
10	15.6	9.5	2.2	51.1	97	NNE	17.1	9.6	17.1	9.9	2.6	1.2	1.7	1.0	0.7	0.4	0.7	0.4	0.1	0.3	0.5	3.5	51.1	0.5	51.1								
	10.8	7.0	1.6	30.7	44	N	6.2	2.5	6.2	5.2	3.3	0.8	0.4	1.7	4.7	2.0	6.2	0.1	0.5	1.1	1.0	69.3	1.0	69.3									
	8.9	5.6	1.7	30.2	44	N	7.8	7.8	46.5	3.3	1.4	0.5	0.2	1.4	1.9	0.8	1.7	1.1	0.2	0.2	0.5	1.4	69.3	0.5	69.3								
11	12.0	8.3	1.6	37.2	51	NNE	5.5	5.5	4.7	2.7	1.5	0.9	0.8	1.8	1.8	1.1	2.9	2.1	0.9	0.7	1.0	2.5	62.8	1.0	62.8								
	12.6	7.9	1.7	32.4	87	N	8.0	8.0	6.6	2.9	1.1	1.9	2.6	0.9	0.6	0.2	0.4	0.2	0.8	0.9	0.4	3.1	67.6	0.4	67.6								
	13.2	8.9	2.3	49.7	99	NNE	17.3	16.8	17.3	6.4	3.9	1.2	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.9	2.0	50.3	0.9	50.3								
12	10.8	7.6	2.1	51.6	94	N	17.0	17.0	12.0	6.1	5.9	2.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	5.5	48.4	1.1	48.4								

単位: mm

観測期間: 1968年～1994年

チュクログラフ農場の月別降雨量記録

表2-7

年	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	年間
1968	201.4	82.2	47.8	6.0	44.0	17.1	8.6	46.0	33.7	10.0	154.6	173.1	824.5
1969	114.4	15.9	103.1	20.5	96.3	22.7	0.1	0.0	20.8	78.8	27.7	111.8	612.1
1970	33.4	104.5	49.4	20.3	53.9	15.7	18.9	0.0	9.7	53.2	83.8	44.3	487.1
1971	20.7	71.1	58.0	159.6	1.2	24.1	0.0	9.1	0.2	10.1	43.9	60.4	458.4
1972	18.8	37.9	38.9	56.1	53.1	64.5	26.0	16.0	114.9	58.7	25.8	0.0	510.7
1973	17.1	68.6	55.4	160.9	79.5	51.6	2.2	0.0	64.2	9.9	49.1	73.4	631.9
1974	133.6	39.4	65.7	77.9	16.3	0.0	0.0	81.3	27.9	62.8	17.1	188.9	710.9
1975	100.4	82.4	56.6	156.2	82.2	3.4	0.0	0.0	2.5	7.1	28.0	28.8	548.6
1976	238.7	79.3	60.8	107.1	148.2	21.8	14.2	3.6	35.3	98.2	90.1	116.4	1.013.7
1977	59.7	60.9	91.4	109.3	123.2	11.5	11.2	0.0	2.0	55.8	20.1	134.4	719.5
1978	176.6	150.8	79.9	74.7	13.7	22.1	0.0	0.0	32.0	57.2	17.9	108.2	733.1
1979	74.5	42.0	34.5	67.1	43.0	46.3	12.1	20.1	2.9	61.2	118.1	178.2	700.0
1980	145.6	87.0	144.6	95.2	33.4	34.9	0.0	0.0	4.2	58.9	40.2	64.1	708.1
1981	233.5	63.5	43.1	37.0	108.9	90.0	3.2	0.0	0.3	18.4	80.1	203.8	881.8
1982	71.2	41.2	48.7	45.9	62.2	14.8	37.3	0.1	24.3	105.8	22.4	42.8	516.5
1983	131.8	149.3	92.4	101.4	45.5	9.5	0.0	3.9	10.9	4.1	88.2	61.3	698.3
1984	119.1	95.0	68.8	118.5	24.8	2.0	13.8	7.8	0.0	1.8	73.2	58.5	583.3
1985	167.4	94.8	96.2	59.1	24.8	9.8	0.0	0.0	2.8	165.5	57.4	17.9	703.8
1986	91.9	52.3	20.6	5.1	109.4	56.7	0.0	0.0	24.5	105.8	87.8	184.5	732.8
1987	171.6	110.2	192.6	29.4	33.9	3.9	15.2	31.1	0.0	29.5	90.8	125.5	834.2
1988	31.6	117.3	207.9	36.9	74.5	52.2	0.0	0.0	21.0	89.5	90.0	79.5	800.0
1989	27.5	0.8	47.5	0.5	31.6	17.5	0.0	3.5	18.6	36.5	95.1	124.2	403.3
1990	34.0	142.3	43.6	73.0	18.8	47.2	2.0	0.0	44.5	43.0	60.3	67.0	575.7
1991	58.6	90.9	44.4	145.0	42.7	2.0	9.0	5.0	18.0	68.6	117.7	546.9	1.148.8
1992	8.0	51.8	26.5	15.2	122.6	36.6	5.9	0.2	40.0	11.8	262.9	131.9	713.4
1993	99.0	39.9	83.9	45.4	78.2	45.0	0.0	3.0	32.5	0.0	27.7	70.9	525.5
1994	180.8	128.5	74.8	23.2	68.4	17.5	27.8	11.0	7.5	85.9	266.7	101.9	994.0
平均	103.7	77.8	73.2	63.4	60.8	27.4	7.7	9.0	22.0	51.4	79.2	114.8	695.2
最少	8.0	0.8	20.6	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	403.3
最大	238.7	150.8	207.9	160.9	148.2	90.0	37.3	81.3	114.9	165.5	266.7	546.9	1.148.0

3. アダナ青果物卸売市場生産物販売価格の推移

- 1 -

付録3. アダナ青果物卸売市場生産物販売価格の推移 (1995年)

Vegetables	S	C	Jan. 3	11	21	Feb. 1	11	21	Mar. 1	11	21	Apr. 1	11	21	May 1	9	20	Jun. 1	10	21
1 ソラマメ bakla	W 1	2										20,000	8,000	7,500	7,500	2,500				
	R 1	2										9,500	3,000	2,000	2,000					
	W 1	2										36,000	10,400	9,750	9,750	2,800				
	R 1	2										32,350	3,900	2,600	2,600					
2 エグクラ bahya	W 1	2																		
	R 1	2																		
3 エントフ bezelya (araka)	W 1	2										32,000	26,000	23,000	18,000	12,000				
	R 1	2										29,100	22,900	28,400	19,500	15,000				
	W 1	2										11,700	12,000	11,700	7,800	8,500				
	R 1	2																		
4 ビーマン biber dolma	W 1	2																		
	R 1	2																		
5 ビーマン biber dolma sera	W 1	2																		
	R 1	2																		
6 ビーマン biber silvri tatli sera	W 1	2										28,000	50,000	49,000	55,000	90,000	110,000	110,000	70,000	40,000
	R 1	2										15,000	18,000	17,000	20,000	30,000	30,000	50,000	30,000	20,000
	W 1	2										49,400	78,000	52,000	71,500	117,000	143,000	144,300	91,000	52,000
	R 1	2										19,500	23,400	22,100	26,000	38,000	65,000	65,000	38,000	26,000
7 トウガラシ biber carliscon	W 1	2																		
	R 1	2																		
8 トマト domates eregli	W 1	2																		
	R 1	2																		
9 トマト domates sera	W 1	2										25,000	15,000	18,000	23,500	25,500	22,000	24,000	27,000	22,000
	R 1	2										8,000	4,000	8,000	8,000	7,000	7,000	7,000	7,000	7,000
	W 1	2										36,500	19,500	27,400	32,500	36,400	32,500	34,000	39,000	29,900
	R 1	2										11,300	5,200	7,900	12,350	13,000	18,900	16,000	15,000	13,000
10 トマト domates Linda	W 1	2																		
	R 1	2																		
11 イングン fasulye Aysekadin	W 1	2																		
	R 1	2																		

Vegetables	S	C	Jan. 3		Feb. 1		Mar. 1		Apr. 1		May 1		Jun. 1		21
			11	21	11	21	11	21	11	21	11	21			
インゲン	W	1	3,500	2,000	19,000	3,300	11,000	4,000	14,000	14,000	14,000	24,000	24,000	40,000	25,000
fasulye Aysekadin sera	R	2													
インゲン	W	1	14,850	14,700	13,000	12,550	14,300	14,300	16,500	19,800	23,400	25,000	25,000	45,500	35,000
fasulye Aysekadin sera	R	2													
インゲン	W	1	19,000	17,000	17,000	16,000	16,000	17,000	17,000	17,000	17,000	17,000	17,000	25,000	19,500
fasulye Ciftchah	R	2													
インゲン	W	1	8,500	7,000	7,500	6,000	6,500	6,500	6,500	6,500	6,500	6,500	6,500	12,000	3,500
fasulye Rodosa	R	2													
インゲン	W	1	27,100	23,100	19,500	20,800	24,400	24,400	14,950	12,350	8,450	13,900	8,750	15,500	15,500
Aysekadin sera	R	2													
ニンゲン	W	1	11,650	9,100	9,100	9,800	14,500	15,000	14,000	15,000	15,000	15,000	15,000	4,000	10,000
havec sari	R	2													
ポワレンソワ	W	1	27,000	7,500	12,000	4,500	22,000	22,000	14,000	14,000	14,000	14,000	14,000	5,200	13,000
Isanak kilo	R	2													
カボチャ	W	1	9,000	3,000	4,000	4,500	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000
kabak dolma	R	2													
カリフラワー	W	1	27,000	7,500	12,000	4,500	22,000	22,000	14,000	14,000	14,000	14,000	14,000	5,200	13,000
karnabahar	R	2													
スイカ	W	1	22,500	9,750	16,900	18,000	20,600	19,500	14,300	16,300	16,300	16,300	16,300	12,000	2,500
karnuz yerli	R	2													
メロン	W	1	11,700	3,900	5,200	8,450	12,350	4,550	4,550	4,550	4,550	4,550	4,550	15,500	13,500
kavun kirkaoc	R	2													
メロン	W	1													
kavun kirkaoc	R	2													
メロン	W	1													
kavun yerli	R	2													

附属3. アダブ青果物卸売市場生産物販売価格の推移 (1995年)

		21	11	11	21	Mar. 1	11	21	Apr. 1	11	21	May 1	9	20	Jun. 1	10	21	
Vegetables																		
23	赤キャベツ	W	15,000	8,000	9,500	6,500	9,500	9,000	9,000	6,500	6,500	12,000	10,000					
	R	18,000	11,700	12,350	8,450	11,700	8,450	8,450	15,000	13,000								
24	赤キャベツ	W	12,000	12,000	14,000	12,000	20,000	20,000	18,000	20,000	20,000	20,000						
	R	16,000	16,000	18,000	18,000	21,000	26,000	26,000	23,000	23,400	26,400							
25	レタス	W	11,700	12,000	12,200	12,000	13,000	13,000	11,700	11,700	11,700	5,200	5,200					
	R	14,200	15,000	15,600	18,200	16,400	8,800	11,700	5,950	4,850	5,200	2,600						
26	パセリ	W	3,000	1,500	1,800	1,700	2,300	2,300	2,700	2,700	1,100	1,500	2,300	1,600	1,400	2,000	1,200	800
	R	2,000	1,950	2,300	2,300	3,000	3,000	3,000	3,500	2,100	1,900	2,600	2,100	1,800	1,200	4,000	1,500	1,500
27	ハツカ	W							4,000									
	R								5,300									
28	ナス	W							27,000			23,000	42,000	27,000	26,000	32,000	14,000	
	R								55,000		42,500	54,000	35,100	23,000	21,700	21,600	18,200	
29	ナス	W																
	R																	
30	西洋ナス	W	10,000	8,500	7,000	7,500	8,500	8,500	8,500	8,500	5,500	5,500						
	R	12,000	11,050	9,100	9,750	11,050	8,450	7,800	7,500									
31	ジャガイモ	W												19,000	18,000	19,000	19,000	15,000
	R													24,700	24,300	24,700	22,100	18,400
32	ジャガイモ	W	3,800	3,800	3,000	14,500	15,000	15,000	14,000	15,000	14,000	21,000	21,000					
	R	12,500	11,700	11,700	18,500	19,800	18,200	18,200	18,200	18,200	18,200	27,300	27,300					
33	ホダイコン	W	8,000	8,500	8,500	2,500	2,700	2,700	2,700	2,700	2,700	2,600						
	R	10,400	8,450	8,450	3,260	3,500	3,500	3,500	3,500	3,500	3,500	2,100						

行第3. アダナ青果物卸売市場生産物販売価格の推移 (1995年)

		21	11	31	11	21	31	11	21	31	11	21	31	11	21	31	11	21	31		
		Jan. 3	Jan. 11	Jan. 21	Jan. 31	Feb. 11	Feb. 21	Feb. 31	Mar. 11	Mar. 21	Mar. 31	Apr. 11	Apr. 21	Apr. 31	May 11	May 21	May 31	Jun. 11	Jun. 21		
Vegetables	S																				
	W 1/2																				
	R 1/2																				
34 キュウリ salatalik	W 1/2	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000	36,000
	W 1/2	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000
	R 1/2	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000	39,000
35 キュウリ salatalik sera	W 1/2	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000	40,000
	R 1/2	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500	49,500
	W 1/2	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000
36 ニンニク sarnisak kuru	R 1/2	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000	35,000
	W 1/2	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000
	R 1/2	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000
37 ニンニク sarnisak yesil	W 1/2																				
	R 1/2																				
	W 1/2	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	7,800	
38 クマネギ soğan kuru	R 1/2	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500	17,500
	W 1/2																				
	R 1/2																				
39 クマネギ soğan Karaböy	W 1/2																				
	R 1/2																				
	W 1/2	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	23,000	
40 クマネギ soğan yesil kilo	R 1/2	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100	29,100

付属3. アダナ青果物卸売市場生果物販売価格の推移 (1995年)

(TL/kg)

- 5 -

Fruits	S	C	Jan. 3		Feb. 1		Mar. 1		Apr. 1		May 1		Jun. 1	
			W	R	W	R	W	R	W	R	W	R		
1. アシ armut frenk	W	1												
	R	2												
2. ヲルメロ ayva	W	1												
	R	2												
3. リンゴ elma Anassa	W	1	13,000		11,000	12,000	13,000	13,000	17,000					
	R	2	15,000		14,300	15,000	14,900	14,900	22,100					
	W	1	18,500	18,000	17,000	18,000	15,000	17,000	19,000	20,000	22,000	27,000	27,000	28,000
	R	2	21,450	23,400	22,100	23,400	21,000	23,400	23,400	26,000	28,100	35,100	35,100	38,400
4. リンゴ elma Staralin	W	1	19,000	18,000	17,000	18,000	17,000	17,000	17,000	17,000	20,000	22,000	22,000	22,000
	R	2	21,450	23,400	22,100	23,400	21,000	23,400	23,400	26,000	28,100	35,100	35,100	38,400
5. リンゴ elma Golden	W	1	19,000	18,000	17,000	18,000	17,000	17,000	17,000	20,000	22,000	22,000	22,000	22,000
	R	2	21,450	23,400	22,100	23,400	21,000	23,400	23,400	26,000	28,100	35,100	35,100	38,400
6. リンゴ elma	W	1												
	R	2												
7. スモモ erik	W	1												
	R	2												
8. スモモ erik Italian	W	1												
	R	2												
9. スモモ erik can	W	1												
	R	2												
10. スモモ erik bari	W	1												
	R	2												
11. グレープフルーツ greyfurt kanli	W	1	9,600	9,500	7,500	9,000	9,000	9,000	9,000	9,000	7,500	11,000	12,000	12,000
	R	2	11,700	10,400	9,750	11,700	11,700	9,800	7,800	9,750	14,300	15,600	15,600	15,600

付属3. アダナ青果物卸売市場生産物販売価格の推移 (1995年)

Fruits	S	C	Jan. 3	11	21	Feb. 1	11	21	Mar. 1	11	21	Apr. 1	11	21	May 1	9	20	Jun. 1	10	21	
																					W
12 グレープフルーツ grey furt	W																				
	R																				
13 イチジク Ireir	W																				
	R																				
14 サクランボ kiraz demirindi	W																				
	R																				
15 酸味サクランボ visne	W																				
	R																				
16 サクランボ kiraz beyaz	W																				
	R																				
17 サクランボ kiraz Napolyon	W																				
	R																				
18 サクランボ kiraz Aksehi (Genizli)	W																				
	R																				
19 レモン limon eks1	W		10,000	8,500	8,500	8,900	8,900	8,900	8,900	11,000	4,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000
	R		13,000	11,500	11,500	10,400	10,400	10,400	10,400	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300
20 レモン limon yatak	W		3,400	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
	R																				
21 ミカン mandarina Freymut	W		2,500	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700
	R		12,350	11,050	11,050	10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,500	10,500
22 ミカン mandarina King	W		8,500	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000	8,000
	R		11,050	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400	10,400

付表3. アダラ青果物卸売市場生果物販売価格の推移 (1995年)

- 7 -

Fruits	S	C	Jan. 3		11		21		Feb. 1		11		21		Mar. 1		11		21		Apr. 1		11		21		May 1		9		20		Jun. 1		10		21	
			W	R	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2		
23 ミカン mandarina yerli																																						
24 バナナ ban	W	1	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000	50,000
	R	2	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000	70,000	65,000
25 オレンジ portakal Washington	W	1	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	9,000	
	R	2	11,300	10,400	11,700	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300	13,000	12,300
26 オレンジ portakal vafra	W	1																																				
	R	2																																				
27 オレンジ portakal yerli	W	1																																				
	R	2																																				
28 オレンジ portakal Valens	W	1																																				
	R	2																																				
29 モモ seftali Bursa	W	1																																				
	R	2																																				
30 モモ seftali yerli	W	1																																				
	R	2																																				
31 モモ seftali R-1	W	1																																				
	R	2																																				
32 プドウ uzun Antep siyah	W	1																																				
	R	2																																				
33 プドウ uzun Antep beyaz	W	1																																				
	R	2																																				

Vegetables	S	O	Jul.		Aug.		Sep.		Oct.		Nov.		Dec.		21
			1	2	1	2	1	2	1	2	1	2	1	2	
1 ソラマメ bakia	W	1													
	R	2													
2 アクラ banva	W	1	27,000	27,000	27,000	27,000	27,000	27,000	27,000	27,000	27,000	27,000	27,000	27,000	27,000
	R	2	25,100	25,100	25,100	25,100	25,100	25,100	25,100	25,100	25,100	25,100	25,100	25,100	25,100
3 ミントワ bezelya (araka)	W	1													
	R	2													
4 ピーマン biber dolaa	W	1	29,000	29,000	29,000	29,000	29,000	29,000	29,000	29,000	29,000	29,000	29,000	29,000	29,000
	R	2	28,100	28,100	28,100	28,100	28,100	28,100	28,100	28,100	28,100	28,100	28,100	28,100	28,100
5 ピーマン biber dolaa sera	W	1													
	R	2													
6 ピーマン biber sivri tatti sera	W	1	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000
	R	2	17,400	17,400	17,400	17,400	17,400	17,400	17,400	17,400	17,400	17,400	17,400	17,400	17,400
7 トウガラシ biber carliston	W	1													
	R	2													
8 トマト domates ereoli	W	1													
	R	2													
9 トマト domates sera	W	1													
	R	2													
10 トマト domates Linda	W	1	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000
	R	2	4,500	4,500	4,500	4,500	4,500	4,500	4,500	4,500	4,500	4,500	4,500	4,500	4,500
11 イングラン fasulye Aysekadin	W	1	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000
	R	2	19,100	19,100	19,100	19,100	19,100	19,100	19,100	19,100	19,100	19,100	19,100	19,100	19,100

付属3. アグナス農産物卸売市場生産物販売価格の推移 (1995年) (TL/kg)

Vegetables	S	C	Jul. 1	11	21	Aug. 1	11	21	Sep. 11	21	Oct. 3	12	21	Nov. 2	11	21	Dec. 1	12	21	
12 インゲン fasulye Aysekadin sera	W	1																		
	R	2																		
インゲン fasulye Ciftchan	W	1	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000	49,000
	R	2	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400	33,400
インゲン fasulye Redosa	W	1	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500	8,500
	R	2	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950	11,950
15 インゲン Aysekadin sera	W	1																		
	R	2																		
ニンジン havuc sarf	W	1	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000
	R	2	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900	12,900
17 ホウレンソウ Isoanak kile	W	1																		
	R	2																		
カボチャ kabak dolea	W	1	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000
	R	2	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300
19 カリフラワー karnabahar	W	1																		
	R	2																		
20 スイマ karviz yerli	W	1	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700
	R	2	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350	12,350
21 メロン kavun kirkaac	W	1	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000	17,000
	R	2	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100	12,100
22 メロン kavun yerli	W	1	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000
	R	2	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800	20,800

付属3. アジア農産物卸売市場(農産物卸売市場)の推移 (1995年)

(TL/kg)

- 11 -

S	C	Jul. 1	11	21	Aug. 1	11	21	Sep. 11	21	Oct. 3	12	21	Nov. 2	11	21	Dec. 1	12	21	
																			W 1
Vegetables																			
23	キャベツ	W 1		9,500	7,500	7,000	7,000	7,000	7,000	7,000	7,000	7,000	7,000	7,000	7,000	7,000	7,000	7,000	7,000
		R 1		12,200	11,050	9,750	9,100	9,100	9,100	9,100	9,100	9,100	9,100	9,100	9,100	9,100	9,100	9,100	9,100
24	赤キャベツ	W 1		15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000	15,000
		R 1		18,500	18,500	18,500	18,500	18,500	18,500	18,500	18,500	18,500	18,500	18,500	18,500	18,500	18,500	18,500	18,500
25	レタス	W 1		12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000
		R 1		15,900	15,900	15,900	15,900	15,900	15,900	15,900	15,900	15,900	15,900	15,900	15,900	15,900	15,900	15,900	15,900
26	パセリ	W 1	1,000	1,500	1,500	2,000	2,500	3,500	3,500	4,000	4,000	4,500	4,500	4,500	4,500	4,500	4,500	4,500	4,500
		R 1	1,300	1,850	1,850	2,350	2,850	3,350	3,350	3,850	4,350	4,350	4,350	4,350	4,350	4,350	4,350	4,350	4,350
27	ハツカ	W 1		4,000	4,000	4,000	4,000	4,000	4,000	4,000	4,000	4,000	4,000	4,000	4,000	4,000	4,000	4,000	4,000
		R 1		5,300	5,300	5,300	5,300	5,300	5,300	5,300	5,300	5,300	5,300	5,300	5,300	5,300	5,300	5,300	5,300
28	ナス	W 1	5,500	5,500	5,500	5,500	5,500	5,500	5,500	5,500	5,500	5,500	5,500	5,500	5,500	5,500	5,500	5,500	5,500
		R 1	8,450	7,150	7,150	7,150	7,150	7,150	7,150	7,150	7,150	7,150	7,150	7,150	7,150	7,150	7,150	7,150	7,150
29	ナス	W 1		8,500	11,000	12,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000
		R 1		12,350	14,300	15,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300
30	西洋ネギ	W 1		11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000	11,000
		R 1		14,350	14,300	15,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300	14,300
31	ジャガイモ	W 1	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000	19,000
		R 1	20,800	24,700	19,500	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200
32	ジャガイモ	W 1	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000
		R 1	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200
33	ジャガイモ	W 1	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000
		R 1	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200	18,200

付属③. アブダビ青果物卸売市場生産物販売価格の推移 (1995年)

Fruits	S	C	Jul. 1		Aug. 1		Sep. 1		Oct. 3		Nov. 2		Dec. 1		21
			21	11	21	11	31	21	11	21	11	21	11		
1 アブ arbut frank	W	2	12,000	20,000	30,000	35,000	37,000	37,000	35,000	35,000	37,000	38,000	39,000	39,000	21
	R	2	10,000	9,500	13,000	18,000	18,000	16,000	14,000	17,000	17,000	18,000	18,000	18,000	21
2 アルメロ ayra	W	2	38,600	38,000	38,000	45,500	48,100	48,100	45,500	48,100	48,100	49,400	49,400	49,400	21
	R	2	13,000	12,350	19,500	23,400	23,400	23,400	17,100	23,400	23,100	23,400	23,400	23,400	21
3 リンゴ elma Anassa	W	2							16,000	35,000	37,000	38,000	38,000	38,000	21
	R	2							13,800	11,800	38,000	48,100	48,000	48,000	21
4 リンゴ elma Stardin	W	2									14,000	16,500	17,000	20,000	21
	R	2									19,300	20,400	22,100	26,000	21
5 リンゴ elma Golden	W	2												26,000	21
	R	2												25,500	21
6 リンゴ elma	W	2												32,350	21
	R	2												33,500	21
7 スモモ erik	W	2												33,000	21
	R	2												33,000	21
8 スモモ erik Italian	W	2	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	20,000	21
	R	2	28,000	28,000	28,000	28,000	28,000	28,000	28,000	28,000	28,000	28,000	28,000	28,000	21
9 スモモ erik can	W	2	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	13,000	21
	R	2												13,000	21
10 スモモ erik sari	W	2												13,000	21
	R	2												13,000	21
11 グレープフルーツ greyfurt kanli	W	2												16,000	21
	R	2												16,500	21

Fruits	S	C	Jul. 1	11	21	Aug. 1	11	21	Sep. 11	21	Oct. 3	12	21	Nov. 2	11	21	Dec. 1	12	21
			W	R	W	R	W	R	W	R	W	R	W	R	W	R	W	R	W
グレープフルーツ grey furt	W	1												15,000	19,000	19,000	15,000	15,000	6,000
	R	2												6,500	7,000	7,000	6,500	6,000	6,000
イチジク incif	W	1				10,000	15,000							19,500	19,500	19,500	11,500	11,500	12,000
	R	2				13,000	20,000							21,000	21,000	21,000	14,000	14,000	12,000
サクランボ kiraz deairhindi	W	1																	
	R	2																	
酸味サクランボ viane	W	1																	
	R	2																	
サクランボ kiraz bevez	W	1																	
	R	2																	
サクランボ kiraz Naoliyon	W	1	40,000	40,000	40,000	70,000													
	R	2	18,000	18,000	20,000	30,000													
サクランボ kiraz Akashir (Genizli)	W	1	52,000	52,000	52,000	91,000													
	R	2	23,400	23,400	26,000	39,000													
レモン limon eks1	W	1											29,000	29,000	29,000	29,000	29,000	29,000	29,000
	R	2											29,750	29,000	29,000	29,000	29,000	29,000	29,000
レモン limon yatak	W	1	28,000	28,000	28,000	30,000	30,000	30,000	42,000	45,000	45,000	45,000	45,000	45,000	45,000	45,000	45,000	45,000	45,000
	R	2	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000	18,000
ミカン mandarina Freyout	W	1																	
	R	2																	
ミカン mandarina King	W	1												17,000	17,000	17,000	15,000	15,000	7,000
	R	2												20,100	20,100	19,500	19,500	19,500	13,000

JICA