


卷末36 ボーリング調査流体包有物温度測定結果一覧表




巻末36 ボーリング調査流體包有物温度測定結果一覧表(1)

| Ser. No. | Sample No.  | Location | Coordinates      | Measured material                                  | No. of measurements | Temperature range and average(°C) |
|----------|-------------|----------|------------------|----------------------------------------------------|---------------------|-----------------------------------|
| 1        | MJ25-46.40  | MJ-25    | N35.294 E761.275 | quartz vein in quartz porphyry                     | 43                  | 355.1-349.0 / 301.4               |
| 2        | MJ25-127.20 | MJ-25    | N35.294 E761.275 | quartz vein in altered rock                        | 7                   | 354.5-375.2 / 370.4               |
| 3        | MJ25-319.20 | MJ-25    | N35.294 E761.275 | quartz vein in altered rock                        | 49                  | 270.7-377.6 / 318.1               |
| 4        | MJ25-554.10 | MJ-25    | N35.294 E761.275 | quartz chalcopyrite vein in granodiorite           | 9                   | 307.1-347.8 / 329.3               |
| 5        | MJ25-102.60 | MJ-25    | N35.294 E761.275 | white oz vein                                      | 20                  | 224.0-308.2 / 283.2               |
| 6        | MJ25-310.05 | MJ-25    | N35.294 E761.275 | quartz vein in altered rock                        | 23                  | 157.8-303.4 / 228.7               |
| 7        | MJ25-497.30 | MJ-25    | N35.294 E761.275 | quartz chalcopyrite pyrite vein in quartz porphyry | 29                  | 270.7-341.8 / 311.9               |
| 8        | MJ27-38.70  | MJ-27    | N35.200 E761.440 | quartz pyrite chalcopyrite vein                    | 28                  | 272.0-407.2 / 323.6               |
| 9        | MJ27-240.50 | MJ-27    | N35.200 E761.440 | quartz bonite vein                                 | 21                  | 328.3 - 352.6 / 335.9             |
| 10       | MJ27-287.30 | MJ-27    | N35.200 E761.440 | quartz molybdenite vein                            | 31                  | 181.5-352.8 / 266.3               |
| 11       | MJ27-386.90 | MJ-27    | N35.200 E761.440 | quartz vein                                        | 26                  | 240.1-355.7 / 310.9               |
| 12       | MJ28-99.70  | MJ-28    | N35.200 E761.440 | quartz chalcopyrite vein                           | 23                  | 216.6-340.6 / 296.5               |
| 13       | MJ28-255.10 | MJ-28    | N35.200 E761.440 | quartz pyrite bonite vein                          | 30                  | 242.6-344.2 / 307.5               |
| 14       | MJ28-500.80 | MJ-28    | N35.200 E761.440 | quartz molybdenite chalcopyrite vein               | 17                  | 257.3-315.5 / 284.9               |
| 15       | MJ29-107.20 | MJ-29    | N35.050 E761.365 | quartz pyrite vein in quartz porphyry              | 35                  | 272.0-351.4 / 318.5               |
| 16       | MJ29-279.60 | MJ-29    | N35.050 E761.365 | quartz vein in diorite porphyry                    | 14                  | 317.8-340.7 / 332.1               |
| 17       | MJ29-404.45 | MJ-29    | N35.050 E761.365 | quartz chalcopyrite vein in granodiorite           | 13                  | 258.6-329.3 / 315.4               |
| 18       | MJ29-571.90 | MJ-29    | N35.050 E761.365 | quartz chalcopyrite vein in diorite porphyry       | 30                  | 257.3-389.2 / 326.1               |
| 19       | MJ30-35.10  | MJ-30    | N35.041 E761.638 | quartz pyrite vein in granodiorite                 | 29                  | 261.0-339.4 / 292.2               |
| 20       | MJ30-97.20  | MJ-30    | N35.041 E761.638 | quartz chalcopyrite vein in quartz porphyry        | 37                  | 245.3-340.6 / 277.9               |
| 21       | MJ30-349.90 | MJ-30    | N35.041 E761.638 | quartz chalcopyrite vein in altered rock           | 23                  | 299.8-333.5 / 316.4               |
| 22       | MJ30-496.20 | MJ-30    | N35.041 E761.638 | quartz bonite vein in altered rock                 | 33                  | 313.1-346.6 / 326.6               |



巻末36 ポーリング調査流体包有物温度測定結果一覧表(2)  
Histogram of the Temperature



巻末36 ボーリング調査流体包有物温度測定結果一覧表(3)  
Histogram of the Temperature



巻末3 6 ポーリング調査流体包有物温度測定結果一覧表(4)  
Histogram of the Temperature



巻末36 ポーリング調査流体包有物温度測定結果一覧表(5)

| サンプル番号  | MJJ25-46.40 | MJJ25-127.20 | MJJ25-319.20 | MJJ25-554.10 | MJJ26-102.6 |
|---------|-------------|--------------|--------------|--------------|-------------|
| 測定値(°C) | 256.1       | 364.5        | 270.7        | 307.1        | 224.0       |
|         | 258.5       | 365.7        | 273.2        | 311.9        | 229.0       |
|         | 261.0       | 370.4        | 278.0        | 311.9        | 231.5       |
|         | 262.2       | 371.6        | 281.7        | 326.3        | 257.3       |
|         | 264.7       | 371.6        | 281.7        | 337.0        | 263.4       |
|         | 265.9       | 374.0        | 286.5        | 337.0        | 263.4       |
|         | 267.1       | 375.2        | 286.5        | 337.0        | 273.2       |
|         | 269.5       |              | 291.4        | 347.8        | 275.6       |
|         | 269.5       |              | 292.6        | 347.8        | 276.8       |
|         | 270.7       |              | 293.8        |              | 279.3       |
|         | 272.0       |              | 295.0        |              | 279.3       |
|         | 279.3       |              | 302.2        |              | 290.2       |
|         | 281.7       |              | 302.2        |              | 296.2       |
|         | 282.9       |              | 303.4        |              | 302.2       |
|         | 286.5       |              | 303.4        |              | 305.8       |
|         | 288.9       |              | 303.4        |              | 311.9       |
|         | 291.4       |              | 303.4        |              | 316.7       |
|         | 291.4       |              | 304.6        |              | 320.3       |
|         | 298.6       |              | 304.6        |              | 329.9       |
|         | 299.8       |              | 304.6        |              | 338.2       |
|         | 301.0       |              | 305.8        |              |             |
|         | 304.6       |              | 307.1        |              |             |
|         | 305.8       |              | 307.1        |              |             |
|         | 305.8       |              | 310.7        |              |             |
|         | 305.8       |              | 310.7        |              |             |
|         | 305.8       |              | 311.9        |              |             |
|         | 307.1       |              | 311.9        |              |             |
|         | 307.1       |              | 315.5        |              |             |
|         | 314.3       |              | 315.5        |              |             |
|         | 314.3       |              | 316.7        |              |             |
|         | 321.5       |              | 322.7        |              |             |
|         | 328.7       |              | 323.9        |              |             |
|         | 328.7       |              | 325.1        |              |             |
|         | 332.3       |              | 328.7        |              |             |
|         | 333.5       |              | 332.3        |              |             |
|         | 333.5       |              | 334.7        |              |             |
|         | 334.7       |              | 345.4        |              |             |
|         | 334.7       |              | 345.4        |              |             |
|         | 337.0       |              | 346.6        |              |             |
|         | 344.2       |              | 347.8        |              |             |
|         | 344.2       |              | 347.8        |              |             |
|         | 346.6       |              | 349.0        |              |             |
|         | 349.0       |              | 353.8        |              |             |
|         |             |              | 353.8        |              |             |
|         |             |              | 362.1        |              |             |
|         |             |              | 369.2        |              |             |
|         |             |              | 369.2        |              |             |
|         |             |              | 374.0        |              |             |
|         |             |              | 377.6        |              |             |
| 平均      | 301.4       | 370.4        | 318.1        | 329.3        | 283.2       |

巻末36 ポーリング調査流体包有物温度測定結果一覧表(6)

| サンプル番号  | MJJ26-310.05 | MJJ26-497.3 | MJJ27-38.7 | MJJ27-240.5 | MJJ27-287.3 |
|---------|--------------|-------------|------------|-------------|-------------|
| 測定値(°C) | 157.8        | 270.7       | 272.0      | 326.3       | 181.5       |
|         | 171.5        | 273.2       | 273.2      | 329.9       | 197.8       |
|         | 172.8        | 296.2       | 280.5      | 329.9       | 214.1       |
|         | 177.8        | 297.4       | 386.5      | 329.9       | 214.1       |
|         | 182.8        | 301.0       | 287.7      | 329.9       | 222.0       |
|         | 192.8        | 301.0       | 290.2      | 331.1       | 252.4       |
|         | 207.8        | 302.2       | 290.2      | 331.1       | 253.6       |
|         | 212.8        | 305.8       | 292.6      | 331.1       | 259.8       |
|         | 220.3        | 307.1       | 295.0      | 332.3       | 278.0       |
|         | 224.0        | 307.1       | 296.2      | 333.5       | 292.6       |
|         | 225.3        | 307.1       | 297.4      | 334.7       | 293.8       |
|         | 226.5        | 308.3       | 299.8      | 335.8       | 293.8       |
|         | 231.5        | 308.3       | 299.8      | 335.8       | 301.0       |
|         | 232.0        | 310.7       | 304.6      | 335.8       | 301.0       |
|         | 236.4        | 310.7       | 322.7      | 337.0       | 313.1       |
|         | 242.6        | 313.1       | 323.9      | 337.0       | 322.7       |
|         | 252.4        | 313.1       | 326.3      | 339.4       | 323.9       |
|         | 265.9        | 315.5       | 327.5      | 341.8       | 323.9       |
|         | 272.0        | 315.5       | 328.7      | 349.0       | 325.1       |
|         | 280.5        | 316.7       | 329.9      | 349.0       | 326.3       |
|         | 281.7        | 320.3       | 331.1      | 352.6       | 326.3       |
|         | 290.3        | 322.7       | 332.3      |             | 326.3       |
|         | 303.4        | 325.1       | 345.4      |             | 328.7       |
|         |              | 327.5       | 347.8      |             | 329.9       |
|         |              | 328.7       | 352.6      |             | 331.1       |
|         |              | 331.1       | 368.1      |             | 333.5       |
|         |              | 332.3       | 369.2      |             | 333.5       |
|         |              | 334.7       | 404.8      |             | 339.4       |
|         |              | 341.8       | 407.2      |             | 343.0       |
|         |              |             |            |             | 350.2       |
|         |              |             |            |             | 352.6       |
| 平均      | 228.7        | 311.9       | 323.6      | 335.9       | 296.3       |

巻末36 ポーリング調査流体包有物温度測定結果一覧表(7)

| サンプル番号  | MJJ27-386.9 | MJJ28-99.7 | MJJ28-255.1 | MJJ28-500.8 | MJJ29-107.20 |
|---------|-------------|------------|-------------|-------------|--------------|
| 測定値(°C) | 240.1       | 216.6      | 242.6       | 257.3       | 272.0        |
|         | 242.6       | 225.3      | 243.8       | 259.8       | 273.2        |
|         | 251.2       | 242.6      | 246.3       | 261.0       | 274.4        |
|         | 258.5       | 252.4      | 247.5       | 262.2       | 280.5        |
|         | 275.6       | 269.5      | 263.4       | 272.0       | 282.9        |
|         | 287.7       | 273.2      | 265.9       | 274.4       | 286.5        |
|         | 297.4       | 276.8      | 297.4       | 276.8       | 288.9        |
|         | 299.8       | 276.8      | 304.6       | 279.3       | 291.4        |
|         | 308.3       | 278.0      | 305.8       | 285.3       | 307.1        |
|         | 313.1       | 278.0      | 305.8       | 287.7       | 308.3        |
|         | 320.3       | 281.7      | 307.1       | 287.7       | 309.5        |
|         | 323.9       | 284.1      | 308.3       | 290.2       | 310.7        |
|         | 326.3       | 286.0      | 309.5       | 298.6       | 316.7        |
|         | 326.3       | 291.4      | 311.9       | 310.7       | 317.9        |
|         | 326.3       | 293.8      | 315.5       | 311.9       | 317.9        |
|         | 326.3       | 296.2      | 315.5       | 313.1       | 321.5        |
|         | 327.5       | 308.3      | 316.7       | 315.5       | 321.5        |
|         | 337.0       | 309.5      | 317.9       |             | 322.7        |
|         | 337.0       | 316.7      | 321.5       |             | 323.9        |
|         | 339.4       | 317.9      | 322.7       |             | 325.1        |
|         | 340.6       | 333.5      | 323.9       |             | 328.7        |
|         | 343.0       | 339.4      | 325.1       |             | 328.7        |
|         | 345.4       | 340.6      | 325.1       |             | 328.7        |
|         | 350.2       |            | 328.7       |             | 329.9        |
|         | 364.5       |            | 338.2       |             | 329.9        |
|         | 365.7       |            | 340.6       |             | 332.3        |
|         |             |            | 341.8       |             | 334.7        |
|         |             |            | 343.0       |             | 338.2        |
|         |             |            | 344.2       |             | 339.4        |
|         |             |            | 344.2       |             | 340.0        |
|         |             |            |             |             | 343.0        |
|         |             |            |             |             | 344.2        |
|         |             |            |             |             | 346.6        |
|         |             |            |             |             | 347.8        |
|         |             |            |             |             | 349.0        |
|         |             |            |             |             | 351.4        |
| 平均      | 310.9       | 296.5      | 307.5       | 284.9       | 318.5        |

巻末36 ポーリング調査流体包有物温度測定結果一覧表(8)

| サンプル番号  | MJJ29-279.60                                                                                                               | MJJ29-404.45                                                                                                      | MJJ29-571.90                                                                                                                                                                                                                                                               | MJJ30-35.15                                                                                                                                                                                                                                                                | MJJ30-97.20                                                                                                                                                                                                                                                                                                                               |
|---------|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 測定値(°C) | 317.9<br>327.5<br>327.5<br>328.7<br>329.9<br>329.9<br>331.1<br>332.3<br>332.3<br>337.0<br>337.0<br>338.2<br>339.4<br>340.6 | 298.6<br>298.6<br>304.6<br>307.1<br>310.7<br>313.1<br>315.5<br>320.3<br>325.1<br>325.1<br>326.3<br>326.3<br>329.3 | 257.3<br>264.7<br>267.1<br>273.2<br>278.0<br>278.0<br>279.3<br>280.5<br>295.0<br>301.0<br>327.5<br>328.7<br>338.2<br>340.6<br>346.6<br>347.8<br>347.8<br>349.0<br>349.0<br>350.2<br>351.4<br>351.4<br>352.6<br>352.6<br>355.0<br>356.1<br>361.9<br>366.9<br>366.9<br>369.2 | 261.0<br>270.7<br>270.7<br>274.4<br>276.8<br>278.0<br>279.3<br>279.3<br>280.5<br>281.7<br>281.7<br>282.9<br>284.1<br>287.7<br>288.9<br>291.4<br>291.4<br>291.4<br>293.8<br>293.8<br>295.0<br>295.0<br>296.2<br>296.2<br>303.4<br>308.3<br>320.3<br>338.2<br>339.4<br>339.4 | 246.3<br>248.3<br>248.3<br>250.0<br>250.0<br>251.2<br>252.4<br>254.9<br>256.1<br>257.3<br>262.2<br>264.7<br>265.9<br>267.1<br>268.3<br>272.0<br>273.2<br>273.2<br>275.6<br>278.0<br>279.3<br>281.7<br>282.7<br>282.9<br>284.1<br>285.3<br>285.3<br>285.3<br>286.5<br>293.8<br>298.6<br>298.6<br>310.7<br>314.3<br>319.1<br>337.0<br>340.6 |
| 平均      | 332.1                                                                                                                      | 315.4                                                                                                             | 326.1                                                                                                                                                                                                                                                                      | 292.2                                                                                                                                                                                                                                                                      | 277.9                                                                                                                                                                                                                                                                                                                                     |

巻末36 ポーリング調査流体包有物温度測定結果一覧表(9)

| サンプル番号  | MJJ30-349.90 | MJJ30-496.20 |
|---------|--------------|--------------|
| 測定値(°C) | 299.8        | 313.1        |
|         | 305.8        | 315.5        |
|         | 307.1        | 316.7        |
|         | 308.3        | 317.9        |
|         | 308.3        | 319.0        |
|         | 309.5        | 319.0        |
|         | 309.5        | 320.3        |
|         | 310.7        | 321.5        |
|         | 311.9        | 321.5        |
|         | 311.9        | 321.5        |
|         | 313.1        | 322.7        |
|         | 315.5        | 322.7        |
|         | 316.7        | 322.7        |
|         | 316.7        | 323.9        |
|         | 317.9        | 323.9        |
|         | 320.3        | 325.1        |
|         | 321.5        | 325.1        |
|         | 321.5        | 325.1        |
|         | 328.7        | 327.5        |
|         | 328.7        | 327.5        |
|         | 329.9        | 327.5        |
|         | 331.1        | 328.7        |
|         | 333.5        | 328.7        |
|         |              | 329.9        |
|         |              | 331.1        |
|         |              | 331.1        |
|         |              | 332.3        |
|         |              | 332.3        |
|         |              | 333.5        |
|         |              | 340.6        |
|         |              | 341.8        |
|         |              | 341.8        |
|         |              | 346.6        |
| 平均      | 316.4        | 326.6        |



卷末37 ボーリング調査鉱石分析結果一覧表



# 分析成績報告書

大手開発(株)地科学部

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1   | MJJ30-300 | <0.1      | 1.0       | 2975      | 12        | 29        | 72        | 2.34    | 0.62    | 1.40   | 2.29    | 296       | 76        | 1.287  |
| 2   | MJJ30-302 | <0.1      | 1.2       | 4273      | 16        | 32        | 92        | 2.05    | -       | -      | -       | -         | -         | -      |
| 3   | MJJ30-304 | <0.1      | 1.4       | 4644      | 16        | 29        | 45        | 2.06    | -       | -      | -       | -         | -         | -      |
| 4   | MJJ30-306 | <0.1      | 1.5       | 7769      | 17        | 18        | 16        | 2.56    | -       | -      | -       | -         | -         | -      |
| 5   | MJJ30-308 | <0.1      | 2.6       | 8229      | 15        | 25        | 138       | 1.69    | -       | -      | -       | -         | -         | -      |
| 6   | MJJ30-310 | <0.1      | 1.1       | 4761      | 12        | 22        | 24        | 1.73    | 0.28    | 1.42   | 1.48    | 123       | 109       | 0.981  |
| 7   | MJJ30-312 | <0.1      | 1.4       | 7989      | 14        | 56        | 110       | 1.52    | -       | -      | -       | -         | -         | -      |
| 8   | MJJ30-314 | <0.1      | 1.0       | 3919      | 12        | 68        | 1437      | 1.47    | -       | -      | -       | -         | -         | -      |
| 9   | MJJ30-316 | <0.1      | 1.1       | 2785      | 16        | 34        | 41        | 1.31    | -       | -      | -       | -         | -         | -      |
| 10  | MJJ30-318 | <0.1      | 1.1       | 3263      | 14        | 24        | 45        | 1.01    | -       | -      | -       | -         | -         | -      |
| 11  | MJJ30-320 | <0.1      | 0.6       | 1850      | 14        | 23        | 46        | 1.62    | 0.41    | 1.36   | 1.60    | 176       | 92        | 0.874  |
| 12  | MJJ30-322 | <0.1      | 0.2       | 3537      | 13        | 23        | 24        | 1.93    | -       | -      | -       | -         | -         | -      |
| 13  | MJJ30-324 | <0.1      | 1.0       | 3759      | 33        | 27        | 24        | 2.91    | -       | -      | -       | -         | -         | -      |
| 14  | MJJ30-326 | <0.1      | 1.1       | 6527      | 14        | 29        | 42        | 1.78    | -       | -      | -       | -         | -         | -      |
| 15  | MJJ30-328 | <0.1      | 0.4       | 3390      | 17        | 27        | 81        | 1.87    | -       | -      | -       | -         | -         | -      |
| 16  | MJJ30-330 | <0.1      | 1.0       | 3254      | 11        | 21        | 52        | 2.26    | 0.34    | 1.23   | 1.64    | 109       | 92        | 1.432  |
| 17  | MJJ30-332 | <0.1      | 1.0       | 3263      | 18        | 15        | 27        | 2.45    | -       | -      | -       | -         | -         | -      |
| 18  | MJJ30-334 | <0.1      | 1.2       | 2840      | 15        | 24        | 20        | 2.18    | -       | -      | -       | -         | -         | -      |
| 19  | MJJ30-336 | <0.1      | 4.2       | 18873     | 14        | 50        | 177       | 2.83    | -       | -      | -       | -         | -         | -      |
| 20  | MJJ30-338 | <0.1      | 9.3       | 21086     | 20        | 40        | 78        | 2.19    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 21  | MJJ30-340 | <0.1      | 15.0      | 34064     | 11        | 35        | 241       | 1.82    | 0.14    | 1.61   | 0.21    | 31        | 126       | 1.329  |
| 22  | MJJ30-342 | <0.1      | 14.5      | 35706     | 15        | 26        | 239       | 2.02    | -       | -      | -       | -         | -         | -      |
| 23  | MJJ30-344 | <0.1      | 6.5       | 19896     | 14        | 24        | 237       | 1.90    | -       | -      | -       | -         | -         | -      |
| 24  | MJJ30-346 | <0.1      | 11.2      | 24872     | 16        | 19        | 162       | 1.99    | -       | -      | -       | -         | -         | -      |
| 25  | MJJ30-348 | <0.1      | 7.8       | 27519     | 15        | 24        | 179       | 2.16    | -       | -      | -       | -         | -         | -      |
| 26  | MJJ30-350 | <0.1      | 14.0      | 43348     | 12        | 19        | 701       | 2.22    | 0.15    | 1.80   | 0.22    | 29        | 133       | 1.450  |
| 27  | MJJ30-352 | <0.1      | 17.9      | 35124     | 14        | 13        | 455       | 2.00    | -       | -      | -       | -         | -         | -      |
| 28  | MJJ30-354 | <0.1      | 9.1       | 24754     | 12        | 13        | 2740      | 1.74    | -       | -      | -       | -         | -         | -      |
| 29  | MJJ30-356 | <0.1      | 5.2       | 16601     | 12        | 14        | 116       | 1.80    | -       | -      | -       | -         | -         | -      |
| 30  | MJJ30-358 | <0.1      | 2.1       | 7081      | 14        | 18        | 118       | 1.87    | -       | -      | -       | -         | -         | -      |
| 31  | MJJ30-360 | <0.1      | 1.5       | 3625      | 11        | 18        | 101       | 1.55    | 0.62    | 0.86   | 2.05    | 286       | 60        | 0.442  |
| 32  | MJJ30-362 | <0.1      | 3.5       | 11415     | 16        | 18        | 59        | 2.12    | -       | -      | -       | -         | -         | -      |
| 33  | MJJ30-364 | <0.1      | 1.8       | 8376      | 14        | 17        | 127       | 1.75    | -       | -      | -       | -         | -         | -      |
| 34  | MJJ30-366 | <0.1      | 1.1       | 3907      | 17        | 21        | 101       | 1.70    | -       | -      | -       | -         | -         | -      |
| 35  | MJJ30-368 | <0.1      | 0.8       | 2521      | 16        | 23        | 31        | 1.68    | -       | -      | -       | -         | -         | -      |
| 36  | MJJ30-370 | <0.1      | 1.1       | 2785      | 10        | 22        | 26        | 1.31    | 0.77    | 0.86   | 1.74    | 246       | 65        | 0.136  |
| 37  | MJJ30-372 | <0.1      | 0.4       | 1595      | 14        | 19        | 35        | 1.49    | -       | -      | -       | -         | -         | -      |
| 38  | MJJ30-374 | <0.1      | 0.5       | 8548      | 12        | 17        | 55        | 2.06    | -       | -      | -       | -         | -         | -      |
| 39  | MJJ30-376 | <0.1      | 1.5       | 11989     | 16        | 17        | 93        | 1.90    | -       | -      | -       | -         | -         | -      |
| 40  | MJJ30-378 | <0.1      | 0.8       | 4676      | 15        | 12        | 112       | 1.38    | -       | -      | -       | -         | -         | -      |
| 41  | MJJ30-380 | <0.1      | 1.9       | 7510      | 10        | 13        | 256       | 1.24    | 0.20    | 1.25   | 1.56    | 95        | 91        | 0.518  |
| 42  | MJJ30-382 | <0.1      | 1.0       | 9383      | 15        | 12        | 189       | 1.52    | -       | -      | -       | -         | -         | -      |
| 43  | MJJ30-384 | <0.1      | 0.4       | 6373      | 14        | 14        | 207       | 1.90    | -       | -      | -       | -         | -         | -      |
| 44  | MJJ30-386 | <0.1      | 1.3       | 7277      | 16        | 10        | 301       | 1.64    | -       | -      | -       | -         | -         | -      |
| 45  | MJJ30-388 | <0.1      | 0.6       | 3393      | 13        | 17        | 146       | 1.59    | -       | -      | -       | -         | -         | -      |
| 46  | MJJ30-390 | <0.1      | 1.0       | 3355      | 10        | 17        | 198       | 1.39    | 0.30    | 1.13   | 1.08    | 103       | 101       | 0.469  |
| 47  | MJJ30-392 | <0.1      | <0.1      | 2688      | 13        | 14        | 241       | 1.22    | -       | -      | -       | -         | -         | -      |
| 48  | MJJ30-394 | <0.1      | <0.1      | 2973      | 13        | 15        | 287       | 1.37    | -       | -      | -       | -         | -         | -      |
| 49  | MJJ30-396 | <0.1      | <0.1      | 2570      | 14        | 15        | 202       | 1.31    | -       | -      | -       | -         | -         | -      |
| 50  | MJJ30-398 | <0.1      | <0.1      | 3269      | 14        | 14        | 116       | 1.37    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 51  | MJJ30-400 | <0.1      | 1.3       | 6375      | 15        | 28        | 206       | 1.38    | 0.23    | 1.26   | 0.90    | 93        | 104       | 0.587  |
| 52  | MJJ30-402 | <0.1      | 0.7       | 2854      | 17        | 25        | 80        | 1.59    | -       | -      | -       | -         | -         | -      |
| 53  | MJJ30-404 | <0.1      | <0.1      | 1670      | 18        | 22        | 171       | 1.57    | -       | -      | -       | -         | -         | -      |
| 54  | MJJ30-406 | <0.1      | 0.6       | 6034      | 16        | 13        | 70        | 1.58    | -       | -      | -       | -         | -         | -      |
| 55  | MJJ30-408 | <0.1      | 2.1       | 7340      | 13        | 14        | 311       | 1.31    | -       | -      | -       | -         | -         | -      |
| 56  | MJJ30-410 | <0.1      | 0.9       | 4248      | 13        | 39        | 120       | 2.45    | 0.41    | 1.45   | 0.68    | 106       | 140       | 0.779  |
| 57  | MJJ30-412 | <0.1      | 0.8       | 5048      | 15        | 51        | 336       | 4.02    | -       | -      | -       | -         | -         | -      |
| 58  | MJJ30-414 | <0.1      | 0.7       | 3960      | 15        | 24        | 191       | 2.23    | -       | -      | -       | -         | -         | -      |
| 59  | MJJ30-416 | <0.1      | 0.4       | 11191     | 12        | 11        | 272       | 1.80    | -       | -      | -       | -         | -         | -      |
| 60  | MJJ30-418 | <0.1      | 1.6       | 11344     | 11        | 14        | 381       | 1.73    | -       | -      | -       | -         | -         | -      |
| 61  | MJJ30-420 | <0.1      | 2.6       | 11017     | 15        | 30        | 533       | 1.44    | 0.17    | 1.67   | 0.55    | 49        | 129       | 0.735  |
| 62  | MJJ30-422 | <0.1      | 0.9       | 10521     | 17        | 17        | 90        | 1.75    | -       | -      | -       | -         | -         | -      |
| 63  | MJJ30-424 | <0.1      | <0.1      | 3450      | 16        | 24        | 90        | 1.34    | -       | -      | -       | -         | -         | -      |
| 64  | MJJ30-426 | <0.1      | 0.7       | 5663      | 14        | 13        | 67        | 1.32    | -       | -      | -       | -         | -         | -      |
| 65  | MJJ30-428 | <0.1      | 1.1       | 7376      | 16        | 16        | 178       | 1.14    | -       | -      | -       | -         | -         | -      |
| 66  | MJJ30-430 | <0.1      | 0.9       | 8060      | 15        | 30        | 157       | 1.85    | 0.41    | 1.25   | 1.40    | 172       | 93        | 0.817  |
| 67  | MJJ30-432 | <0.1      | 0.9       | 7509      | 12        | 14        | 186       | 1.82    | -       | -      | -       | -         | -         | -      |
| 68  | MJJ30-434 | <0.1      | 2.3       | 5467      | 14        | 15        | 183       | 1.50    | -       | -      | -       | -         | -         | -      |
| 69  | MJJ30-436 | <0.1      | 1.2       | 5170      | 17        | 26        | 402       | 1.97    | -       | -      | -       | -         | -         | -      |
| 70  | MJJ30-438 | <0.1      | 0.6       | 5759      | 16        | 20        | 58        | 2.09    | -       | -      | -       | -         | -         | -      |
| 71  | MJJ30-440 | <0.1      | 1.8       | 9092      | 14        | 38        | 87        | 1.76    | 0.18    | 1.62   | 0.35    | 38        | 150       | 0.724  |
| 72  | MJJ30-442 | <0.1      | 0.5       | 3863      | 11        | 10        | 97        | 1.10    | -       | -      | -       | -         | -         | -      |
| 73  | MJJ30-444 | <0.1      | 2.7       | 4823      | 12        | 13        | 56        | 0.81    | -       | -      | -       | -         | -         | -      |
| 74  | MJJ30-446 | <0.1      | 1.3       | 10303     | 13        | 15        | 310       | 1.48    | -       | -      | -       | -         | -         | -      |
| 75  | MJJ30-448 | <0.1      | 0.5       | 6959      | 17        | 14        | 239       | 1.76    | -       | -      | -       | -         | -         | -      |
| 76  | MJJ30-450 | <0.1      | 1.1       | 4444      | 11        | 29        | 331       | 1.65    | 0.38    | 1.27   | 1.40    | 167       | 104       | 0.925  |
| 77  | MJJ30-452 | <0.1      | 1.8       | 4420      | 15        | 10        | 206       | 1.20    | -       | -      | -       | -         | -         | -      |
| 78  | MJJ30-454 | <0.1      | 1.1       | 3395      | 13        | 11        | 65        | 1.12    | -       | -      | -       | -         | -         | -      |
| 79  | MJJ30-456 | <0.1      | 0.9       | 3784      | 12        | 11        | 369       | 1.03    | -       | -      | -       | -         | -         | -      |
| 80  | MJJ30-458 | <0.1      | <0.1      | 3081      | 15        | 12        | 73        | 0.94    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 81  | MJJ30-460 | <0.1      | 0.4       | 3495      | 14        | 27        | 90        | 0.96    | 0.31    | 1.41   | 1.45    | 165       | 103       | 0.302  |
| 82  | MJJ30-462 | <0.1      | 0.2       | 2973      | 17        | 41        | 91        | 0.83    | -       | -      | -       | -         | -         | -      |
| 83  | MJJ30-464 | <0.1      | 0.8       | 3566      | 18        | 18        | 236       | 1.01    | -       | -      | -       | -         | -         | -      |
| 84  | MJJ30-466 | <0.1      | 1.3       | 7283      | 17        | 16        | 190       | 1.19    | -       | -      | -       | -         | -         | -      |
| 85  | MJJ30-468 | <0.1      | 0.6       | 3981      | 17        | 16        | 179       | 1.32    | -       | -      | -       | -         | -         | -      |
| 86  | MJJ30-470 | <0.1      | 1.2       | 3652      | 13        | 36        | 92        | 1.46    | 0.32    | 1.48   | 1.15    | 128       | 127       | 0.678  |
| 87  | MJJ30-472 | <0.1      | 5.4       | 13560     | 19        | 72        | 685       | 1.09    | -       | -      | -       | -         | -         | -      |
| 88  | MJJ30-474 | <0.1      | 2.9       | 9911      | 18        | 14        | 97        | 1.08    | -       | -      | -       | -         | -         | -      |
| 89  | MJJ30-476 | <0.1      | 0.2       | 3318      | 13        | 19        | 293       | 0.95    | -       | -      | -       | -         | -         | -      |
| 90  | MJJ30-478 | <0.1      | <0.1      | 3262      | 15        | 17        | 253       | 0.81    | -       | -      | -       | -         | -         | -      |
| 91  | MJJ30-480 | <0.1      | 2.3       | 9909      | 12        | 38        | 346       | 2.11    | 0.29    | 1.67   | 0.82    | 83        | 165       | 0.599  |
| 92  | MJJ30-482 | <0.1      | 2.3       | 6974      | 19        | 17        | 89        | 1.36    | -       | -      | -       | -         | -         | -      |
| 93  | MJJ30-484 | <0.1      | 2.5       | 10418     | 13        | 31        | 338       | 2.84    | -       | -      | -       | -         | -         | -      |
| 94  | MJJ30-486 | <0.1      | 2.1       | 9377      | 18        | 41        | 248       | 3.56    | -       | -      | -       | -         | -         | -      |
| 95  | MJJ30-488 | <0.1      | 1.4       | 9504      | 17        | 33        | 285       | 2.84    | -       | -      | -       | -         | -         | -      |
| 96  | MJJ30-490 | <0.1      | 3.1       | 10209     | 12        | 32        | 365       | 1.21    | 0.30    | 1.21   | 1.28    | 161       | 103       | 0.588  |
| 97  | MJJ30-492 | <0.1      | 2.9       | 6156      | 14        | 16        | 605       | 1.11    | -       | -      | -       | -         | -         | -      |
| 98  | MJJ30-494 | <0.1      | 4.6       | 9901      | 20        | 19        | 358       | 0.83    | -       | -      | -       | -         | -         | -      |
| 99  | MJJ30-496 | <0.1      | 2.4       | 9837      | 15        | 18        | 336       | 0.79    | -       | -      | -       | -         | -         | -      |
| 100 | MJJ30-498 | <0.1      | 5.4       | 13273     | 21        | 55        | 324       | 0.91    | -       | -      | -       | -         | -         | -      |
| 101 | MJJ30-500 | <0.1      | 6.7       | 23140     | 17        | 41        | 140       | 1.41    | 0.18    | 1.39   | 0.73    | 75        | 123       | 0.883  |
| 102 | MJJ30-502 | <0.1      | 3.6       | 16078     | 17        | 15        | 431       | 1.72    | -       | -      | -       | -         | -         | -      |
| 103 | MJJ30-504 | <0.1      | 4.3       | 20480     | 16        | 6         | 412       | 2.11    | -       | -      | -       | -         | -         | -      |
| 104 | MJJ30-506 | <0.1      | 3.4       | 18823     | 14        | 13        | 183       | 1.78    | -       | -      | -       | -         | -         | -      |
| 105 | MJJ30-508 | <0.1      | 3.0       | 17576     | 17        | 23        | 707       | 1.77    | -       | -      | -       | -         | -         | -      |
| 106 | MJJ30-510 | <0.1      | 1.7       | 10424     | 16        | 30        | 256       | 1.46    | 0.15    | 1.46   | 0.33    | 33        | 133       | 0.742  |
| 107 | MJJ30-512 | <0.1      | 7.8       | 22291     | 14        | 27        | 1065      | 1.81    | -       | -      | -       | -         | -         | -      |
| 108 | MJJ30-514 | <0.1      | 1.0       | 8262      | 17        | 12        | 186       | 1.51    | -       | -      | -       | -         | -         | -      |
| 109 | MJJ30-516 | <0.1      | 2.9       | 12516     | 18        | 43        | 87        | 1.78    | -       | -      | -       | -         | -         | -      |
| 110 | MJJ30-518 | <0.1      | 7.1       | 17106     | 21        | 234       | 574       | 1.24    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 111 | MJJ30-520 | <0.1      | 6.9       | 22401     | 14        | 60        | 528       | 1.35    | 0.20    | 1.36   | 0.23    | 31        | 109       | 0.897  |
| 112 | MJJ30-522 | <0.1      | 6.8       | 22830     | 18        | 27        | 310       | 1.60    | -       | -      | -       | -         | -         | -      |
| 113 | MJJ30-524 | <0.1      | 7.6       | 25998     | 12        | 57        | 901       | 1.47    | -       | -      | -       | -         | -         | -      |
| 114 | MJJ30-526 | <0.1      | 9.9       | 27631     | 20        | 107       | 686       | 1.85    | -       | -      | -       | -         | -         | -      |
| 115 | MJJ30-528 | <0.1      | 8.2       | 24616     | 11        | 32        | 160       | 1.90    | -       | -      | -       | -         | -         | -      |
| 116 | MJJ30-530 | <0.1      | 3.9       | 17216     | 16        | 33        | 98        | 2.24    | 0.31    | 1.52   | 0.34    | 46        | 137       | 0.782  |
| 117 | MJJ30-532 | <0.1      | 3.4       | 12937     | 13        | 49        | 164       | 2.34    | -       | -      | -       | -         | -         | -      |
| 118 | MJJ30-534 | <0.1      | 3.4       | 10184     | 14        | 66        | 266       | 2.32    | -       | -      | -       | -         | -         | -      |
| 119 | MJJ30-536 | <0.1      | 5.1       | 14021     | 79        | 32        | 298       | 2.16    | -       | -      | -       | -         | -         | -      |
| 120 | MJJ30-538 | <0.1      | 6.6       | 21978     | 13        | 25        | 890       | 1.98    | -       | -      | -       | -         | -         | -      |
| 121 | MJJ30-540 | <0.1      | 5.9       | 21664     | 13        | 40        | 594       | 2.10    | 0.26    | 1.56   | 0.26    | 37        | 131       | 0.910  |
| 122 | MJJ30-542 | <0.1      | 3.1       | 12506     | 20        | 47        | 263       | 2.63    | -       | -      | -       | -         | -         | -      |
| 123 | MJJ30-544 | <0.1      | 2.1       | 8551      | 17        | 36        | 51        | 2.51    | -       | -      | -       | -         | -         | -      |
| 124 | MJJ30-546 | <0.1      | 0.9       | 4820      | 18        | 46        | 20        | 3.19    | -       | -      | -       | -         | -         | -      |
| 125 | MJJ30-548 | <0.1      | 2.7       | 7830      | 18        | 41        | 68        | 3.03    | -       | -      | -       | -         | -         | -      |
| 126 | MJJ30-550 | <0.1      | 1.2       | 2932      | 19        | 59        | 23        | 2.71    | 0.45    | 1.47   | 0.62    | 103       | 138       | 0.201  |
| 127 | MJJ30-552 | <0.1      | 1.4       | 10622     | 18        | 101       | 174       | 4.39    | -       | -      | -       | -         | -         | -      |
| 128 | MJJ30-554 | <0.1      | 0.8       | 2617      | 17        | 51        | 20        | 3.21    | -       | -      | -       | -         | -         | -      |
| 129 | MJJ30-556 | <0.1      | 0.6       | 4578      | 15        | 52        | 42        | 3.81    | -       | -      | -       | -         | -         | -      |
| 130 | MJJ30-558 | <0.1      | 0.7       | 4125      | 12        | 29        | 37        | 2.04    | -       | -      | -       | -         | -         | -      |
| 131 | MJJ30-560 | <0.1      | 2.0       | 4366      | 14        | 25        | 284       | 0.93    | 0.16    | 1.34   | 0.30    | 31        | 106       | 0.341  |
| 132 | MJJ30-562 | <0.1      | 1.0       | 3431      | 12        | 23        | 50        | 0.80    | -       | -      | -       | -         | -         | -      |
| 133 | MJJ30-564 | <0.1      | 2.9       | 7737      | 16        | 43        | 50        | 1.61    | -       | -      | -       | -         | -         | -      |
| 134 | MJJ30-566 | <0.1      | 1.9       | 6298      | 19        | 31        | 166       | 1.73    | -       | -      | -       | -         | -         | -      |
| 135 | MJJ30-568 | <0.1      | 1.2       | 4593      | 16        | 22        | 83        | 1.25    | -       | -      | -       | -         | -         | -      |
| 136 | MJJ30-570 | <0.1      | 2.8       | 8978      | 11        | 64        | 102       | 1.60    | 0.25    | 1.18   | 0.49    | 53        | 115       | 0.495  |
| 137 | MJJ30-572 | <0.1      | 2.0       | 7065      | 18        | 30        | 74        | 2.23    | -       | -      | -       | -         | -         | -      |
| 138 | MJJ30-574 | <0.1      | 3.4       | 8048      | 16        | 48        | 97        | 1.69    | -       | -      | -       | -         | -         | -      |
| 139 | MJJ30-576 | <0.1      | 3.1       | 9854      | 15        | 39        | 45        | 1.64    | -       | -      | -       | -         | -         | -      |
| 140 | MJJ30-578 | <0.1      | 2.3       | 10899     | 14        | 34        | 111       | 1.37    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 141 | MJJ30-580 | <0.1      | 4.5       | 10692     | 12        | 45        | 213       | 1.53    | 0.25    | 1.42   | 0.46    | 44        | 117       | 0.493  |
| 142 | MJJ30-582 | <0.1      | 1.5       | 5419      | 16        | 54        | 67        | 1.33    | -       | -      | -       | -         | -         | -      |
| 143 | MJJ30-584 | <0.1      | 2.5       | 4426      | 13        | 20        | 72        | 1.29    | -       | -      | -       | -         | -         | -      |
| 144 | MJJ30-586 | <0.1      | 1.1       | 4339      | 17        | 36        | 80        | 2.54    | -       | -      | -       | -         | -         | -      |
| 145 | MJJ30-588 | <0.1      | 4.8       | 14254     | 18        | 54        | 130       | 2.09    | -       | -      | -       | -         | -         | -      |
| 146 | MJJ30-590 | <0.1      | 3.4       | 9767      | 13        | 42        | 245       | 1.55    | 0.21    | 1.68   | 0.52    | 45        | 137       | 0.649  |
| 147 | MJJ30-592 | <0.1      | 2.8       | 8457      | 15        | 20        | 331       | 1.48    | -       | -      | -       | -         | -         | -      |
| 148 | MJJ30-594 | <0.1      | <0.1      | 5059      | 15        | 32        | 82        | 1.35    | -       | -      | -       | -         | -         | -      |
| 149 | MJJ30-596 | <0.1      | 1.9       | 5552      | 17        | 46        | 83        | 1.96    | -       | -      | -       | -         | -         | -      |
| 150 | MJJ30-598 | <0.1      | 1.6       | 6240      | 14        | 44        | 93        | 1.61    | -       | -      | -       | -         | -         | -      |
| 151 | MJJ30-600 | <0.1      | 1.2       | 6989      | 17        | 32        | 224       | 0.91    | 0.21    | 1.59   | 0.87    | 61        | 108       | 0.496  |
| 152 | MJJ29-350 | <0.1      | 1.7       | 10866     | 16        | 30        | 391       | 3.17    | 0.53    | 2.48   | 1.67    | 147       | 112       | 1.798  |
| 153 | MJJ29-352 | <0.1      | 3.1       | 8681      | 17        | 29        | 208       | 3.24    | -       | -      | -       | -         | -         | -      |
| 154 | MJJ29-354 | <0.1      | 1.6       | 7501      | 18        | 38        | 96        | 4.27    | -       | -      | -       | -         | -         | -      |
| 155 | MJJ29-356 | <0.1      | 0.9       | 7820      | 18        | 28        | 137       | 3.29    | -       | -      | -       | -         | -         | -      |
| 156 | MJJ29-358 | <0.1      | 1.9       | 11099     | 15        | 26        | 237       | 3.67    | -       | -      | -       | -         | -         | -      |
| 157 | MJJ29-360 | <0.1      | 1.7       | 6393      | 16        | 29        | 140       | 3.01    | 0.42    | 2.80   | 1.05    | 117       | 160       | 0.652  |
| 158 | MJJ29-362 | <0.1      | 2.8       | 8641      | 21        | 28        | 134       | 3.54    | -       | -      | -       | -         | -         | -      |
| 159 | MJJ29-364 | <0.1      | 1.4       | 8895      | 16        | 30        | 94        | 3.37    | -       | -      | -       | -         | -         | -      |
| 160 | MJJ29-366 | <0.1      | 2.0       | 9184      | 12        | 20        | 2331      | 3.00    | -       | -      | -       | -         | -         | -      |
| 161 | MJJ29-368 | <0.1      | 0.9       | 5053      | 15        | 24        | 157       | 2.92    | -       | -      | -       | -         | -         | -      |
| 162 | MJJ29-370 | <0.1      | 2.9       | 10241     | 11        | 23        | 233       | 2.46    | 0.24    | 2.27   | 0.78    | 75        | 150       | 1.103  |
| 163 | MJJ29-372 | <0.1      | 2.5       | 7851      | 19        | 22        | 435       | 3.30    | -       | -      | -       | -         | -         | -      |
| 164 | MJJ29-374 | <0.1      | 1.2       | 6365      | 20        | 19        | 200       | 2.81    | -       | -      | -       | -         | -         | -      |
| 165 | MJJ29-376 | <0.1      | 0.8       | 6263      | 18        | 21        | 277       | 3.37    | -       | -      | -       | -         | -         | -      |
| 166 | MJJ29-378 | <0.1      | 1.1       | 6476      | 18        | 23        | 211       | 3.37    | -       | -      | -       | -         | -         | -      |
| 167 | MJJ29-380 | <0.1      | 0.9       | 4102      | 14        | 26        | 177       | 2.36    | 0.36    | 1.85   | 1.26    | 95        | 136       | 1.525  |
| 168 | MJJ29-382 | <0.1      | 0.1       | 6071      | 17        | 22        | 402       | 3.24    | -       | -      | -       | -         | -         | -      |
| 169 | MJJ29-384 | <0.1      | 1.9       | 9747      | 20        | 25        | 417       | 3.21    | -       | -      | -       | -         | -         | -      |
| 170 | MJJ29-386 | <0.1      | 4.0       | 12684     | 17        | 23        | 413       | 2.90    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 171 | MJJ29-388 | <0.1      | 3.9       | 17356     | 14        | 24        | 274       | 3.52    | -       | -      | -       | -         | -         | -      |
| 172 | MJJ29-390 | <0.1      | 2.1       | 14876     | 12        | 25        | 355       | 2.82    | 0.22    | 2.24   | 0.47    | 35        | 164       | 2.084  |
| 173 | MJJ29-392 | <0.1      | 1.9       | 10057     | 22        | 34        | 293       | 3.29    | -       | -      | -       | -         | -         | -      |
| 174 | MJJ29-394 | <0.1      | 1.1       | 8463      | 21        | 28        | 240       | 3.46    | -       | -      | -       | -         | -         | -      |
| 175 | MJJ29-396 | 0.2       | 2.9       | 8716      | 23        | 33        | 443       | 4.62    | -       | -      | -       | -         | -         | -      |
| 176 | MJJ29-398 | <0.1      | 1.4       | 6906      | 21        | 34        | 236       | 3.80    | -       | -      | -       | -         | -         | -      |
| 177 | MJJ29-400 | <0.1      | 0.8       | 4639      | 15        | 34        | 120       | 3.16    | 0.28    | 1.82   | 0.73    | 72        | 161       | 1.430  |
| 178 | MJJ29-402 | <0.1      | 1.6       | 5673      | 17        | 35        | 161       | 3.92    | -       | -      | -       | -         | -         | -      |
| 179 | MJJ29-404 | <0.1      | 0.9       | 6806      | 20        | 34        | 184       | 3.75    | -       | -      | -       | -         | -         | -      |
| 180 | MJJ29-406 | <0.1      | 2.4       | 9674      | 19        | 33        | 74        | 4.82    | -       | -      | -       | -         | -         | -      |
| 181 | MJJ29-408 | <0.1      | 2.6       | 10448     | 21        | 36        | 81        | 4.65    | -       | -      | -       | -         | -         | -      |
| 182 | MJJ29-410 | <0.1      | 2.7       | 16876     | 12        | 27        | 167       | 3.90    | 0.36    | 2.21   | 0.37    | 39        | 156       | 3.036  |
| 183 | MJJ29-412 | <0.1      | 3.0       | 9242      | 24        | 27        | 107       | 3.51    | -       | -      | -       | -         | -         | -      |
| 184 | MJJ29-414 | <0.1      | 1.3       | 9071      | 21        | 29        | 1257      | 2.44    | -       | -      | -       | -         | -         | -      |
| 185 | MJJ29-416 | <0.1      | 2.2       | 10256     | 20        | 23        | 202       | 3.13    | -       | -      | -       | -         | -         | -      |
| 186 | MJJ29-418 | <0.1      | 1.5       | 6933      | 18        | 32        | 215       | 2.94    | -       | -      | -       | -         | -         | -      |
| 187 | MJJ29-420 | <0.1      | 2.2       | 13207     | 13        | 25        | 224       | 2.87    | 0.23    | 1.89   | 0.69    | 54        | 131       | 1.553  |
| 188 | MJJ29-422 | <0.1      | 2.9       | 14119     | 17        | 26        | 267       | 3.39    | -       | -      | -       | -         | -         | -      |
| 189 | MJJ29-424 | <0.1      | 1.9       | 9484      | 16        | 28        | 239       | 3.07    | -       | -      | -       | -         | -         | -      |
| 190 | MJJ29-426 | <0.1      | 3.2       | 10034     | 15        | 25        | 447       | 2.76    | -       | -      | -       | -         | -         | -      |
| 191 | MJJ29-428 | <0.1      | 1.0       | 10334     | 16        | 26        | 1241      | 2.85    | -       | -      | -       | -         | -         | -      |
| 192 | MJJ29-430 | <0.1      | 1.6       | 11628     | 16        | 22        | 288       | 2.21    | 0.33    | 1.43   | 1.03    | 89        | 110       | 1.013  |
| 193 | MJJ29-432 | <0.1      | 1.8       | 10316     | 20        | 18        | 277       | 2.78    | -       | -      | -       | -         | -         | -      |
| 194 | MJJ29-434 | <0.1      | 2.6       | 15494     | 13        | 32        | 1644      | 2.35    | -       | -      | -       | -         | -         | -      |
| 195 | MJJ29-436 | <0.1      | 1.2       | 8555      | 20        | 21        | 214       | 2.41    | -       | -      | -       | -         | -         | -      |
| 196 | MJJ29-438 | <0.1      | 1.5       | 11360     | 17        | 28        | 245       | 2.66    | -       | -      | -       | -         | -         | -      |
| 197 | MJJ29-440 | <0.1      | 2.9       | 15912     | 12        | 27        | 336       | 2.34    | 0.40    | 1.50   | 1.22    | 109       | 96        | 1.192  |
| 198 | MJJ29-442 | <0.1      | 2.0       | 8409      | 13        | 26        | 315       | 2.80    | -       | -      | -       | -         | -         | -      |
| 199 | MJJ29-444 | <0.1      | 1.5       | 7145      | 15        | 31        | 472       | 2.95    | -       | -      | -       | -         | -         | -      |
| 200 | MJJ29-446 | <0.1      | 3.5       | 12379     | 20        | 25        | 120       | 2.55    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 201 | MJJ29-448 | <0.1      | 1.4       | 6913      | 23        | 32        | 84        | 2.62    | -       | -      | -       | -         | -         | -      |
| 202 | MJJ29-450 | <0.1      | 1.1       | 4801      | 13        | 32        | 158       | 2.01    | 0.52    | 1.09   | 1.55    | 153       | 90        | 0.914  |
| 203 | MJJ29-452 | <0.1      | 1.5       | 9113      | 12        | 30        | 415       | 2.69    | -       | -      | -       | -         | -         | -      |
| 204 | MJJ29-454 | <0.1      | 5.5       | 16492     | 13        | 22        | 246       | 2.66    | -       | -      | -       | -         | -         | -      |
| 205 | MJJ29-456 | <0.1      | 1.3       | 9355      | 18        | 24        | 287       | 2.41    | -       | -      | -       | -         | -         | -      |
| 206 | MJJ29-458 | <0.1      | 1.5       | 6223      | 18        | 23        | 170       | 1.74    | -       | -      | -       | -         | -         | -      |
| 207 | MJJ29-460 | <0.1      | 0.6       | 5688      | 16        | 20        | 125       | 2.00    | 0.25    | 1.46   | 1.38    | 79        | 120       | 1.071  |
| 208 | MJJ29-462 | <0.1      | 2.7       | 12961     | 13        | 22        | 589       | 2.58    | -       | -      | -       | -         | -         | -      |
| 209 | MJJ29-464 | <0.1      | 0.7       | 4371      | 13        | 25        | 118       | 1.95    | -       | -      | -       | -         | -         | -      |
| 210 | MJJ29-466 | <0.1      | 0.7       | 4291      | 13        | 95        | 175       | 1.85    | -       | -      | -       | -         | -         | -      |
| 211 | MJJ29-468 | <0.1      | 0.4       | 4010      | 16        | 24        | 142       | 1.83    | -       | -      | -       | -         | -         | -      |
| 212 | MJJ29-470 | <0.1      | 1.0       | 4549      | 12        | 36        | 83        | 2.22    | 0.44    | 1.48   | 1.55    | 149       | 112       | 1.064  |
| 213 | MJJ29-472 | <0.1      | 2.0       | 12510     | 15        | 42        | 2100      | 4.04    | -       | -      | -       | -         | -         | -      |
| 214 | MJJ29-474 | <0.1      | 1.6       | 13416     | 7         | 38        | 6422      | 4.61    | -       | -      | -       | -         | -         | -      |
| 215 | MJJ29-476 | <0.1      | 0.3       | 2595      | 24        | 35        | 60        | 1.40    | -       | -      | -       | -         | -         | -      |
| 216 | MJJ29-478 | <0.1      | <0.1      | 2088      | 18        | 25        | 173       | 1.55    | -       | -      | -       | -         | -         | -      |
| 217 | MJJ29-480 | <0.1      | 2.7       | 7662      | 16        | 24        | 234       | 1.52    | 0.16    | 1.47   | 0.22    | 28        | 127       | 0.743  |
| 218 | MJJ29-482 | <0.1      | 2.1       | 14973     | 25        | 224       | 4072      | 2.49    | -       | -      | -       | -         | -         | -      |
| 219 | MJJ29-484 | <0.1      | <0.1      | 8111      | 5         | 59        | 3972      | 1.80    | -       | -      | -       | -         | -         | -      |
| 220 | MJJ29-486 | <0.1      | 2.2       | 14771     | 19        | 132       | 469       | 2.29    | -       | -      | -       | -         | -         | -      |
| 221 | MJJ29-488 | <0.1      | 3.2       | 10261     | 15        | 1177      | 160       | 1.93    | -       | -      | -       | -         | -         | -      |
| 222 | MJJ29-490 | <0.1      | 1.6       | 7035      | 15        | 296       | 417       | 2.04    | 0.40    | 1.39   | 0.96    | 119       | 121       | 1.061  |
| 223 | MJJ29-492 | <0.1      | 3.2       | 12760     | 16        | 44        | 648       | 1.95    | -       | -      | -       | -         | -         | -      |
| 224 | MJJ29-494 | <0.1      | 3.4       | 11323     | 21        | 33        | 253       | 1.92    | -       | -      | -       | -         | -         | -      |
| 225 | MJJ29-496 | <0.1      | 1.2       | 10657     | 17        | 39        | 2036      | 1.94    | -       | -      | -       | -         | -         | -      |
| 226 | MJJ29-498 | <0.1      | 2.5       | 16326     | 13        | 32        | 841       | 2.46    | -       | -      | -       | -         | -         | -      |
| 227 | MJJ29-500 | <0.1      | 1.3       | 8030      | 19        | 57        | 82        | 2.42    | 0.64    | 1.29   | 1.36    | 187       | 101       | 0.878  |
| 228 | MJJ29-502 | <0.1      | 2.8       | 11639     | 18        | 39        | 713       | 2.21    | -       | -      | -       | -         | -         | -      |
| 229 | MJJ29-504 | <0.1      | 3.4       | 13704     | 20        | 46        | 463       | 2.16    | -       | -      | -       | -         | -         | -      |
| 230 | MJJ29-506 | <0.1      | 3.9       | 16199     | 21        | 39        | 617       | 2.26    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 231 | MJJ29-508 | <0.1      | 2.3       | 7901      | 24        | 42        | 372       | 2.42    | -       | -      | -       | -         | -         | -      |
| 232 | MJJ29-510 | <0.1      | 3.0       | 11101     | 15        | 26        | 469       | 2.01    | 0.48    | 1.23   | 1.20    | 151       | 95        | 0.577  |
| 233 | MJJ29-512 | <0.1      | 0.9       | 4673      | 18        | 23        | 1094      | 2.01    | -       | -      | -       | -         | -         | -      |
| 234 | MJJ29-514 | <0.1      | 2.3       | 8669      | 14        | 31        | 477       | 1.80    | -       | -      | -       | -         | -         | -      |
| 235 | MJJ29-516 | <0.1      | 1.8       | 7822      | 22        | 57        | 2133      | 1.82    | -       | -      | -       | -         | -         | -      |
| 236 | MJJ29-518 | <0.1      | 2.6       | 10254     | 16        | 25        | 421       | 1.88    | -       | -      | -       | -         | -         | -      |
| 237 | MJJ29-520 | <0.1      | 2.8       | 10515     | 16        | 32        | 179       | 1.86    | 0.44    | 1.53   | 1.04    | 162       | 109       | 0.650  |
| 238 | MJJ29-522 | <0.1      | 2.4       | 8993      | 22        | 49        | 342       | 2.11    | -       | -      | -       | -         | -         | -      |
| 239 | MJJ29-524 | <0.1      | 2.0       | 10628     | 23        | 223       | 85        | 2.51    | -       | -      | -       | -         | -         | -      |
| 240 | MJJ29-526 | <0.1      | 1.5       | 8333      | 22        | 55        | 156       | 3.01    | -       | -      | -       | -         | -         | -      |
| 241 | MJJ29-528 | <0.1      | 2.6       | 10852     | 18        | 47        | 416       | 3.61    | -       | -      | -       | -         | -         | -      |
| 242 | MJJ29-530 | <0.1      | 8.8       | 32088     | 10        | 70        | 1820      | 2.17    | 0.47    | 1.98   | 0.20    | 33        | 157       | 1.308  |
| 243 | MJJ29-532 | <0.1      | 6.4       | 18485     | 16        | 15        | 580       | 1.73    | -       | -      | -       | -         | -         | -      |
| 244 | MJJ29-534 | <0.1      | 5.4       | 14252     | 19        | 18        | 452       | 1.55    | -       | -      | -       | -         | -         | -      |
| 245 | MJJ29-536 | <0.1      | 2.3       | 5617      | 20        | 23        | 135       | 1.49    | -       | -      | -       | -         | -         | -      |
| 246 | MJJ29-538 | <0.1      | 3.3       | 12011     | 16        | 20        | 389       | 1.70    | -       | -      | -       | -         | -         | -      |
| 247 | MJJ29-540 | <0.1      | 5.2       | 18164     | 10        | 19        | 326       | 1.38    | 0.14    | 1.67   | 0.18    | 17        | 127       | 0.653  |
| 248 | MJJ29-542 | <0.1      | 2.6       | 7872      | 27        | 80        | 698       | 1.58    | -       | -      | -       | -         | -         | -      |
| 249 | MJJ29-543 | <0.1      | 1.4       | 8273      | 14        | 18        | 364       | 1.56    | -       | -      | -       | -         | -         | -      |
| 250 | MJJ29-546 | <0.1      | 2.5       | 7597      | 21        | 19        | 219       | 1.44    | -       | -      | -       | -         | -         | -      |
| 251 | MJJ29-548 | <0.1      | 2.0       | 7876      | 19        | 15        | 158       | 1.76    | -       | -      | -       | -         | -         | -      |
| 252 | MJJ29-550 | <0.1      | 2.4       | 10499     | 11        | 13        | 385       | 1.19    | 0.16    | 1.90   | 0.32    | 27        | 152       | 0.593  |
| 253 | MJJ29-552 | <0.1      | 1.8       | 7783      | 18        | 30        | 247       | 1.59    | -       | -      | -       | -         | -         | -      |
| 254 | MJJ29-554 | <0.1      | 1.8       | 8748      | 17        | 30        | 383       | 1.68    | -       | -      | -       | -         | -         | -      |
| 255 | MJJ29-556 | <0.1      | 4.6       | 14444     | 19        | 50        | 358       | 2.02    | -       | -      | -       | -         | -         | -      |
| 256 | MJJ29-558 | <0.1      | 2.6       | 9748      | 17        | 37        | 307       | 1.74    | -       | -      | -       | -         | -         | -      |
| 257 | MJJ29-560 | <0.1      | 3.4       | 11969     | 15        | 32        | 349       | 1.72    | 0.20    | 1.98   | 0.38    | 35        | 147       | 0.802  |
| 258 | MJJ29-562 | <0.1      | 5.4       | 18147     | 13        | 79        | 320       | 1.97    | -       | -      | -       | -         | -         | -      |
| 259 | MJJ29-564 | <0.1      | 5.0       | 16491     | 19        | 39        | 460       | 1.84    | -       | -      | -       | -         | -         | -      |
| 260 | MJJ29-566 | <0.1      | 4.4       | 14912     | 28        | 181       | 1067      | 1.77    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 261 | MJJ29-568 | <0.1      | 6.0       | 18852     | 22        | 220       | 1113      | 1.76    | -       | -      | -       | -         | -         | -      |
| 262 | MJJ29-570 | <0.1      | 3.0       | 12031     | 17        | 239       | 229       | 1.27    | 0.18    | 1.60   | 0.18    | 17        | 123       | 0.757  |
| 263 | MJJ29-572 | <0.1      | 3.5       | 10904     | 23        | 132       | 1122      | 1.53    | -       | -      | -       | -         | -         | -      |
| 264 | MJJ29-574 | <0.1      | 4.0       | 14121     | 14        | 50        | 253       | 1.47    | -       | -      | -       | -         | -         | -      |
| 265 | MJJ29-576 | <0.1      | 5.2       | 14966     | 19        | 31        | 181       | 1.76    | -       | -      | -       | -         | -         | -      |
| 266 | MJJ29-578 | <0.1      | 2.8       | 9912      | 17        | 109       | 407       | 1.89    | -       | -      | -       | -         | -         | -      |
| 267 | MJJ29-580 | <0.1      | 3.0       | 11195     | 13        | 31        | 100       | 1.58    | 0.24    | 1.79   | 0.21    | 22        | 146       | 0.697  |
| 268 | MJJ29-582 | <0.1      | 3.7       | 13375     | 18        | 24        | 131       | 1.82    | -       | -      | -       | -         | -         | -      |
| 269 | MJJ29-584 | <0.1      | 4.7       | 17907     | 14        | 44        | 358       | 3.52    | -       | -      | -       | -         | -         | -      |
| 270 | MJJ29-586 | <0.1      | 7.0       | 31565     | 19        | 69        | 168       | 6.50    | -       | -      | -       | -         | -         | -      |
| 271 | MJJ29-588 | <0.1      | 6.9       | 25272     | 14        | 68        | 584       | 4.74    | -       | -      | -       | -         | -         | -      |
| 272 | MJJ29-590 | <0.1      | 1.8       | 8905      | 14        | 111       | 76        | 4.38    | 0.79    | 1.23   | 0.21    | 55        | 138       | 0.319  |
| 273 | MJJ29-592 | <0.1      | 0.7       | 2635      | 15        | 152       | 90        | 5.73    | -       | -      | -       | -         | -         | -      |
| 274 | MJJ29-594 | <0.1      | 1.2       | 4990      | 25        | 137       | 36        | 5.34    | -       | -      | -       | -         | -         | -      |
| 275 | MJJ29-596 | <0.1      | 1.4       | 5481      | 16        | 125       | 298       | 4.87    | -       | -      | -       | -         | -         | -      |
| 276 | MJJ29-598 | <0.1      | 1.3       | 4832      | 15        | 146       | 138       | 5.39    | -       | -      | -       | -         | -         | -      |
| 277 | MJJ29-600 | <0.1      | 1.4       | 6888      | 19        | 139       | 185       | 5.41    | 0.65    | 1.46   | 0.15    | 49        | 180       | 0.258  |
| 278 | MJJ30-4.6 | <0.1      | <0.1      | 562       | 16        | 28        | 69        | 2.58    | -       | -      | -       | -         | -         | -      |
| 279 | MJJ30-6   | <0.1      | 0.6       | 940       | 17        | 20        | 96        | 3.85    | -       | -      | -       | -         | -         | -      |
| 280 | MJJ30-8   | <0.1      | 1.5       | 793       | 28        | 20        | 82        | 3.69    | -       | -      | -       | -         | -         | -      |
| 281 | MJJ30-10  | <0.1      | 0.1       | 578       | 18        | 14        | 63        | 3.23    | 0.07    | 1.54   | 0.19    | 18        | 140       | 0.049  |
| 282 | MJJ30-12  | <0.1      | <0.1      | 656       | 23        | 21        | 43        | 2.91    | -       | -      | -       | -         | -         | -      |
| 283 | MJJ30-14  | <0.1      | 0.2       | 513       | 18        | 25        | 28        | 2.32    | -       | -      | -       | -         | -         | -      |
| 284 | MJJ30-16  | <0.1      | 0.4       | 1133      | 23        | 24        | 45        | 2.10    | -       | -      | -       | -         | -         | -      |
| 285 | MJJ30-18  | <0.1      | 0.9       | 869       | 25        | 23        | 47        | 2.31    | -       | -      | -       | -         | -         | -      |
| 286 | MJJ30-20  | <0.1      | 2.4       | 1100      | 27        | 17        | 95        | 4.49    | 0.06    | 1.30   | 0.37    | 63        | 117       | 0.686  |
| 287 | MJJ30-22  | <0.1      | 0.7       | 1093      | 18        | 15        | 92        | 4.43    | -       | -      | -       | -         | -         | -      |
| 288 | MJJ30-24  | <0.1      | 3.5       | 5737      | 31        | 24        | 163       | 4.93    | -       | -      | -       | -         | -         | -      |
| 289 | MJJ30-26  | <0.1      | 1.2       | 3241      | 30        | 48        | 104       | 4.75    | -       | -      | -       | -         | -         | -      |
| 290 | MJJ30-28  | <0.1      | 0.9       | 1162      | 31        | 82        | 95        | 3.89    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品      | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 291 | MJJ30-30 | <0.1      | 0.3       | 3262      | 29        | 91        | 231       | 4.17    | 0.52    | 1.22   | 0.95    | 145       | 122       | 1.545  |
| 292 | MJJ30-32 | <0.1      | 2.2       | 3184      | 12        | 95        | 141       | 4.10    | -       | -      | -       | -         | -         | -      |
| 293 | MJJ30-34 | <0.1      | 0.6       | 2199      | 21        | 143       | 47        | 4.16    | -       | -      | -       | -         | -         | -      |
| 294 | MJJ30-36 | <0.1      | 0.8       | 1766      | 38        | 139       | 28        | 4.08    | -       | -      | -       | -         | -         | -      |
| 295 | MJJ30-38 | <0.1      | 1.0       | 2145      | 34        | 137       | 62        | 4.68    | -       | -      | -       | -         | -         | -      |
| 296 | MJJ30-40 | <0.1      | 2.5       | 4600      | 41        | 103       | 12        | 4.27    | 0.49    | 1.48   | 0.72    | 114       | 142       | 2.388  |
| 297 | MJJ30-42 | <0.1      | 0.9       | 3390      | 22        | 116       | 15        | 4.41    | -       | -      | -       | -         | -         | -      |
| 298 | MJJ30-44 | <0.1      | 1.0       | 3309      | 20        | 103       | 14        | 4.17    | -       | -      | -       | -         | -         | -      |
| 299 | MJJ30-46 | <0.1      | 2.2       | 5751      | 24        | 55        | 45        | 4.69    | -       | -      | -       | -         | -         | -      |
| 300 | MJJ30-48 | <0.1      | 2.9       | 5693      | 24        | 58        | 4         | 5.22    | -       | -      | -       | -         | -         | -      |
| 301 | MJJ30-50 | <0.1      | 1.9       | 7713      | 14        | 75        | 8         | 5.28    | 0.38    | 1.20   | 0.73    | 99        | 131       | 3.632  |
| 302 | MJJ30-52 | <0.1      | 0.8       | 2488      | 29        | 67        | 7         | 2.86    | -       | -      | -       | -         | -         | -      |
| 303 | MJJ30-54 | <0.1      | 0.9       | 863       | 44        | 71        | 5         | 2.22    | -       | -      | -       | -         | -         | -      |
| 304 | MJJ30-56 | <0.1      | 0.9       | 1685      | 17        | 61        | 6         | 2.54    | -       | -      | -       | -         | -         | -      |
| 305 | MJJ30-58 | <0.1      | 0.7       | 841       | 20        | 68        | 5         | 2.23    | -       | -      | -       | -         | -         | -      |
| 306 | MJJ30-60 | <0.1      | 1.7       | 1547      | 26        | 88        | 12        | 2.68    | 1.28    | 1.12   | 1.28    | 222       | 121       | 0.977  |
| 307 | MJJ30-62 | <0.1      | 0.9       | 1408      | 21        | 59        | 4         | 2.30    | -       | -      | -       | -         | -         | -      |
| 308 | MJJ30-64 | <0.1      | 1.6       | 1700      | 47        | 103       | 8         | 2.73    | -       | -      | -       | -         | -         | -      |
| 309 | MJJ30-66 | <0.1      | 1.2       | 2994      | 21        | 101       | 7         | 2.58    | -       | -      | -       | -         | -         | -      |
| 310 | MJJ30-68 | <0.1      | 0.8       | 1297      | 27        | 283       | 7         | 4.22    | -       | -      | -       | -         | -         | -      |
| 311 | MJJ30-70 | <0.1      | 1.1       | 1267      | 22        | 182       | 5         | 2.52    | 1.25    | 1.10   | 1.55    | 273       | 107       | 0.797  |
| 312 | MJJ30-72 | <0.1      | 0.6       | 1390      | 17        | 580       | 99        | 2.78    | -       | -      | -       | -         | -         | -      |
| 313 | MJJ30-74 | <0.1      | 1.6       | 1960      | 48        | 325       | 8         | 2.83    | -       | -      | -       | -         | -         | -      |
| 314 | MJJ30-76 | <0.1      | 2.4       | 4142      | 28        | 311       | 7         | 3.47    | -       | -      | -       | -         | -         | -      |
| 315 | MJJ30-78 | <0.1      | 0.2       | 1052      | 21        | 268       | 6         | 2.60    | -       | -      | -       | -         | -         | -      |
| 316 | MJJ30-80 | <0.1      | 2.0       | 4106      | 13        | 102       | 3         | 2.93    | 1.14    | 1.06   | 1.37    | 233       | 100       | 1.665  |
| 317 | MJJ30-82 | <0.1      | 2.0       | 3019      | 24        | 90        | 6         | 2.98    | -       | -      | -       | -         | -         | -      |
| 318 | MJJ30-84 | <0.1      | 1.8       | 3038      | 19        | 72        | 6         | 2.67    | -       | -      | -       | -         | -         | -      |
| 319 | MJJ30-86 | <0.1      | 0.3       | 1598      | 18        | 55        | 7         | 2.66    | -       | -      | -       | -         | -         | -      |
| 320 | MJJ30-88 | <0.1      | 1.0       | 1250      | 27        | 80        | 8         | 2.29    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 321 | MJJ30-90  | <0.1      | 1.7       | 4012      | 14        | 50        | 125       | 2.72    | 0.51    | 1.78   | 1.13    | 162       | 152       | 1.761  |
| 322 | MJJ30-92  | <0.1      | 0.1       | 978       | 22        | 63        | 6         | 2.26    | -       | -      | -       | -         | -         | -      |
| 323 | MJJ30-94  | <0.1      | 2.0       | 2663      | 20        | 59        | 95        | 2.41    | -       | -      | -       | -         | -         | -      |
| 324 | MJJ30-96  | <0.1      | 1.8       | 4022      | 20        | 50        | 16        | 2.57    | -       | -      | -       | -         | -         | -      |
| 325 | MJJ30-98  | <0.1      | 0.4       | 5271      | 18        | 45        | 95        | 2.89    | -       | -      | -       | -         | -         | -      |
| 326 | MJJ30-100 | <0.1      | 0.8       | 2391      | 13        | 51        | 19        | 2.51    | 0.78    | 1.37   | 1.47    | 247       | 117       | 1.196  |
| 327 | MJJ30-102 | <0.1      | 0.7       | 4598      | 14        | 35        | 23        | 2.87    | -       | -      | -       | -         | -         | -      |
| 328 | MJJ30-104 | <0.1      | 0.6       | 1422      | 17        | 37        | 24        | 2.90    | -       | -      | -       | -         | -         | -      |
| 329 | MJJ30-106 | <0.1      | 0.4       | 5568      | 17        | 29        | 78        | 3.34    | -       | -      | -       | -         | -         | -      |
| 330 | MJJ30-108 | <0.1      | 0.8       | 4112      | 21        | 32        | 100       | 2.47    | -       | -      | -       | -         | -         | -      |
| 331 | MJJ30-110 | <0.1      | 0.7       | 1822      | 13        | 33        | 45        | 2.29    | 0.55    | 1.33   | 1.49    | 195       | 122       | 0.915  |
| 332 | MJJ30-112 | <0.1      | 1.5       | 2704      | 19        | 33        | 30        | 3.04    | -       | -      | -       | -         | -         | -      |
| 333 | MJJ30-114 | <0.1      | 0.4       | 3527      | 17        | 33        | 13        | 3.09    | -       | -      | -       | -         | -         | -      |
| 334 | MJJ30-116 | <0.1      | 0.2       | 1504      | 21        | 38        | 37        | 2.58    | -       | -      | -       | -         | -         | -      |
| 335 | MJJ30-118 | <0.1      | 0.9       | 6049      | 24        | 342       | 31        | 3.47    | -       | -      | -       | -         | -         | -      |
| 336 | MJJ30-120 | <0.1      | 0.9       | 1949      | 19        | 36        | 24        | 2.85    | 0.56    | 1.91   | 1.10    | 152       | 155       | 1.610  |
| 337 | MJJ30-122 | <0.1      | 0.6       | 2995      | 22        | 38        | 8         | 2.94    | -       | -      | -       | -         | -         | -      |
| 338 | MJJ30-124 | <0.1      | <0.1      | 1288      | 19        | 44        | 6         | 2.75    | -       | -      | -       | -         | -         | -      |
| 339 | MJJ30-126 | <0.1      | 0.4       | 2059      | 19        | 45        | 6         | 2.86    | -       | -      | -       | -         | -         | -      |
| 340 | MJJ30-128 | <0.1      | 0.4       | 1128      | 19        | 45        | 26        | 2.39    | -       | -      | -       | -         | -         | -      |
| 341 | MJJ30-130 | <0.1      | 0.4       | 811       | 19        | 60        | 6         | 2.36    | 1.78    | 1.10   | 1.59    | 371       | 100       | 0.655  |
| 342 | MJJ30-132 | <0.1      | 0.7       | 3628      | 20        | 55        | 82        | 2.83    | -       | -      | -       | -         | -         | -      |
| 343 | MJJ30-134 | <0.1      | 0.6       | 6788      | 18        | 27        | 63        | 3.13    | -       | -      | -       | -         | -         | -      |
| 344 | MJJ30-136 | <0.1      | 0.9       | 2973      | 18        | 51        | 7         | 3.07    | -       | -      | -       | -         | -         | -      |
| 345 | MJJ30-138 | <0.1      | 0.7       | 2573      | 20        | 59        | 33        | 2.92    | -       | -      | -       | -         | -         | -      |
| 346 | MJJ30-140 | <0.1      | 0.7       | 1488      | 18        | 83        | 4         | 2.71    | 0.80    | 1.42   | 1.42    | 231       | 139       | 0.798  |
| 347 | MJJ30-142 | <0.1      | 1.1       | 2639      | 23        | 46        | 16        | 3.06    | -       | -      | -       | -         | -         | -      |
| 348 | MJJ30-144 | <0.1      | 0.8       | 2366      | 18        | 34        | 8         | 2.89    | -       | -      | -       | -         | -         | -      |
| 349 | MJJ30-146 | <0.1      | 0.2       | 1298      | 16        | 43        | 41        | 2.59    | -       | -      | -       | -         | -         | -      |
| 350 | MJJ30-148 | <0.1      | 0.9       | 3739      | 22        | 44        | 16        | 3.29    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 351 | MJJ30-150 | <0.1      | 1.0       | 3362      | 14        | 44        | 72        | 2.56    | 0.65    | 1.27   | 1.47    | 189       | 116       | 1.577  |
| 352 | MJJ30-152 | <0.1      | 0.8       | 3108      | 23        | 39        | 560       | 2.44    | -       | -      | -       | -         | -         | -      |
| 353 | MJJ30-154 | <0.1      | 0.7       | 3296      | 15        | 33        | 43        | 3.19    | -       | -      | -       | -         | -         | -      |
| 354 | MJJ30-156 | <0.1      | 0.5       | 2917      | 17        | 35        | 579       | 1.93    | -       | -      | -       | -         | -         | -      |
| 355 | MJJ30-158 | <0.1      | 1.2       | 5621      | 12        | 35        | 532       | 2.87    | -       | -      | -       | -         | -         | -      |
| 356 | MJJ30-160 | <0.1      | 1.8       | 7535      | 13        | 29        | 108       | 2.59    | 0.28    | 1.49   | 0.90    | 112       | 139       | 1.900  |
| 357 | MJJ30-162 | <0.1      | 0.2       | 2119      | 15        | 29        | 48        | 2.00    | -       | -      | -       | -         | -         | -      |
| 358 | MJJ30-164 | <0.1      | 0.6       | 2803      | 12        | 32        | 53        | 2.04    | -       | -      | -       | -         | -         | -      |
| 359 | MJJ30-166 | <0.1      | 1.6       | 4391      | 16        | 34        | 95        | 2.45    | -       | -      | -       | -         | -         | -      |
| 360 | MJJ30-168 | <0.1      | <0.1      | 1918      | 12        | 33        | 16        | 2.42    | -       | -      | -       | -         | -         | -      |
| 361 | MJJ30-170 | <0.1      | 0.9       | 2477      | 14        | 41        | 38        | 2.33    | 0.60    | 1.31   | 1.40    | 163       | 124       | 0.946  |
| 362 | MJJ30-172 | <0.1      | 0.2       | 1590      | 17        | 31        | 157       | 2.23    | -       | -      | -       | -         | -         | -      |
| 363 | MJJ30-174 | <0.1      | 2.0       | 10248     | 17        | 25        | 386       | 2.34    | -       | -      | -       | -         | -         | -      |
| 364 | MJJ30-176 | <0.1      | 1.2       | 5552      | 15        | 20        | 97        | 1.46    | -       | -      | -       | -         | -         | -      |
| 365 | MJJ30-178 | <0.1      | 0.3       | 2607      | 15        | 44        | 201       | 2.94    | -       | -      | -       | -         | -         | -      |
| 366 | MJJ30-180 | <0.1      | 0.1       | 2035      | 20        | 61        | 22        | 2.62    | 0.94    | 1.58   | 1.24    | 203       | 131       | 0.427  |
| 367 | MJJ30-182 | <0.1      | 0.5       | 2883      | 19        | 48        | 24        | 3.05    | -       | -      | -       | -         | -         | -      |
| 368 | MJJ30-184 | <0.1      | 0.5       | 1891      | 15        | 63        | 14        | 3.40    | -       | -      | -       | -         | -         | -      |
| 369 | MJJ30-186 | <0.1      | 0.7       | 1957      | 20        | 68        | 19        | 3.88    | -       | -      | -       | -         | -         | -      |
| 370 | MJJ30-188 | <0.1      | 1.5       | 4634      | 19        | 52        | 31        | 4.03    | -       | -      | -       | -         | -         | -      |
| 371 | MJJ30-190 | <0.1      | 1.1       | 3827      | 15        | 52        | 142       | 3.46    | 0.52    | 1.59   | 0.80    | 135       | 160       | 1.439  |
| 372 | MJJ30-192 | <0.1      | 1.0       | 3718      | 21        | 41        | 51        | 2.29    | -       | -      | -       | -         | -         | -      |
| 373 | MJJ30-194 | <0.1      | 1.6       | 4991      | 15        | 34        | 21        | 2.32    | -       | -      | -       | -         | -         | -      |
| 374 | MJJ30-196 | <0.1      | 0.7       | 2167      | 22        | 60        | 11        | 2.30    | -       | -      | -       | -         | -         | -      |
| 375 | MJJ30-198 | <0.1      | 1.1       | 2610      | 22        | 66        | 64        | 2.24    | -       | -      | -       | -         | -         | -      |
| 376 | MJJ30-200 | <0.1      | 0.5       | 1078      | 32        | 79        | 12        | 2.22    | 1.75    | 1.17   | 1.49    | 338       | 112       | 0.424  |
| 377 | MJJ30-202 | <0.1      | 0.5       | 765       | 21        | 43        | 18        | 1.81    | -       | -      | -       | -         | -         | -      |
| 378 | MJJ30-204 | <0.1      | 0.1       | 790       | 25        | 54        | 14        | 1.93    | -       | -      | -       | -         | -         | -      |
| 379 | MJJ30-206 | <0.1      | 3.3       | 8289      | 17        | 47        | 57        | 6.65    | -       | -      | -       | -         | -         | -      |
| 380 | MJJ30-208 | <0.1      | 1.4       | 2736      | 16        | 34        | 15        | 2.60    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 381 | MJJ30-210 | <0.1      | 1.5       | 4643      | 21        | 72        | 259       | 2.46    | 0.66    | 1.25   | 1.20    | 185       | 130       | 1.067  |
| 382 | MJJ30-212 | <0.1      | 0.5       | 5855      | 20        | 39        | 468       | 2.00    | -       | -      | -       | -         | -         | -      |
| 383 | MJJ30-214 | <0.1      | 9.0       | 46630     | 15        | 71        | 194       | 5.74    | -       | -      | -       | -         | -         | -      |
| 384 | MJJ30-216 | <0.1      | 1.1       | 5952      | 16        | 28        | 98        | 2.94    | -       | -      | -       | -         | -         | -      |
| 385 | MJJ30-218 | <0.1      | 1.5       | 7711      | 14        | 35        | 222       | 2.08    | -       | -      | -       | -         | -         | -      |
| 386 | MJJ30-220 | <0.1      | 1.5       | 4280      | 19        | 81        | 50        | 2.03    | 0.39    | 1.24   | 1.36    | 182       | 117       | 1.167  |
| 387 | MJJ30-222 | <0.1      | 0.6       | 1835      | 19        | 40        | 81        | 1.55    | -       | -      | -       | -         | -         | -      |
| 388 | MJJ30-224 | <0.1      | 0.4       | 1464      | 17        | 50        | 33        | 1.88    | -       | -      | -       | -         | -         | -      |
| 389 | MJJ30-226 | <0.1      | 0.5       | 1304      | 15        | 139       | 18        | 1.80    | -       | -      | -       | -         | -         | -      |
| 390 | MJJ30-228 | <0.1      | <0.1      | 726       | 14        | 79        | 31        | 1.78    | -       | -      | -       | -         | -         | -      |
| 391 | MJJ30-230 | <0.1      | 0.7       | 1117      | 19        | 63        | 60        | 1.79    | 0.78    | 0.92   | 1.64    | 267       | 106       | 0.416  |
| 392 | MJJ30-232 | <0.1      | 1.1       | 2357      | 18        | 88        | 243       | 2.34    | -       | -      | -       | -         | -         | -      |
| 393 | MJJ30-234 | <0.1      | 0.9       | 2567      | 19        | 52        | 38        | 1.96    | -       | -      | -       | -         | -         | -      |
| 394 | MJJ30-236 | <0.1      | 1.4       | 5008      | 21        | 47        | 23        | 2.09    | -       | -      | -       | -         | -         | -      |
| 395 | MJJ30-238 | <0.1      | 1.3       | 4501      | 14        | 33        | 22        | 3.68    | -       | -      | -       | -         | -         | -      |
| 396 | MJJ30-240 | <0.1      | 1.1       | 3655      | 19        | 34        | 27        | 3.33    | 0.36    | 1.73   | 0.31    | 41        | 165       | 2.732  |
| 397 | MJJ30-242 | <0.1      | 0.9       | 3930      | 13        | 27        | 167       | 2.28    | -       | -      | -       | -         | -         | -      |
| 398 | MJJ30-244 | <0.1      | 1.1       | 4132      | 16        | 27        | 34        | 2.48    | -       | -      | -       | -         | -         | -      |
| 399 | MJJ30-246 | <0.1      | 0.3       | 3462      | 15        | 28        | 99        | 2.29    | -       | -      | -       | -         | -         | -      |
| 400 | MJJ30-248 | <0.1      | 0.5       | 2620      | 14        | 25        | 44        | 3.00    | -       | -      | -       | -         | -         | -      |
| 401 | MJJ30-250 | <0.1      | 1.2       | 3479      | 18        | 39        | 6         | 2.59    | 0.35    | 1.56   | 0.50    | 76        | 149       | 1.771  |
| 402 | MJJ30-252 | <0.1      | <0.1      | 2724      | 14        | 25        | 189       | 2.44    | -       | -      | -       | -         | -         | -      |
| 403 | MJJ30-254 | <0.1      | 0.5       | 2784      | 13        | 19        | 15        | 2.52    | -       | -      | -       | -         | -         | -      |
| 404 | MJJ30-256 | <0.1      | 0.7       | 4672      | 17        | 29        | 32        | 2.42    | -       | -      | -       | -         | -         | -      |
| 405 | MJJ30-258 | <0.1      | <0.1      | 1547      | 12        | 22        | 36        | 1.58    | -       | -      | -       | -         | -         | -      |
| 406 | MJJ30-260 | <0.1      | 0.7       | 2152      | 20        | 47        | 27        | 1.81    | 0.54    | 1.18   | 2.17    | 299       | 102       | 0.765  |
| 407 | MJJ30-262 | <0.1      | 0.6       | 1037      | 17        | 42        | 16        | 2.08    | -       | -      | -       | -         | -         | -      |
| 408 | MJJ30-264 | <0.1      | 0.2       | 1821      | 17        | 33        | 17        | 1.98    | -       | -      | -       | -         | -         | -      |
| 409 | MJJ30-266 | <0.1      | 1.1       | 3437      | 18        | 24        | 30        | 2.12    | -       | -      | -       | -         | -         | -      |
| 410 | MJJ30-268 | <0.1      | 1.3       | 4736      | 15        | 21        | 18        | 2.67    | -       | -      | -       | -         | -         | -      |

エクアドルボーリング調査鉱石分析

| No. | 供試品        | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|------------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 411 | MJJ30-270  | <0.1      | 1.3       | 6441      | 18        | 36        | 32        | 2.20    | 0.32    | 1.57   | 0.71    | 69        | 130       | 1.315  |
| 412 | MJJ30-272  | <0.1      | 1.0       | 2732      | 18        | 31        | 15        | 2.14    |         |        |         |           |           |        |
| 413 | MJJ30-274  | <0.1      | <0.1      | 675       | 16        | 40        | 3         | 2.11    |         |        |         |           |           |        |
| 414 | MJJ30-276  | <0.1      | <0.1      | 833       | 19        | 42        | 4         | 2.09    |         |        |         |           |           |        |
| 415 | MJJ30-278  | <0.1      | 0.2       | 3109      | 19        | 35        | 36        | 2.13    |         |        |         |           |           |        |
| 416 | MJJ30-280  | <0.1      | 0.3       | 1315      | 18        | 47        | 38        | 2.19    | 1.05    | 0.83   | 1.95    | 404       | 73        | 0.536  |
| 417 | MJJ30-282  | <0.1      | <0.1      | 561       | 16        | 33        | 5         | 2.02    |         |        |         |           |           |        |
| 418 | MJJ30-284  | <0.1      | 0.3       | 610       | 14        | 36        | 2         | 2.13    |         |        |         |           |           |        |
| 419 | MJJ30-286  | <0.1      | 0.4       | 1482      | 22        | 32        | 11        | 2.10    |         |        |         |           |           |        |
| 420 | MJJ30-288  | <0.1      | 0.2       | 1843      | 17        | 25        | 10        | 2.31    |         |        |         |           |           |        |
| 421 | MJJ30-290  | <0.1      | 0.4       | 1120      | 20        | 45        | 36        | 1.89    | 1.08    | 0.92   | 1.84    | 300       | 78        | 0.354  |
| 422 | MJJ30-292  | <0.1      | 0.3       | 460       | 13        | 35        | 14        | 2.07    |         |        |         |           |           |        |
| 423 | MJJ30-294  | <0.1      | 0.6       | 1303      | 20        | 26        | 43        | 2.08    |         |        |         |           |           |        |
| 424 | MJJ30-296  | <0.1      | 0.8       | 3354      | 14        | 22        | 45        | 2.45    |         |        |         |           |           |        |
| 425 | MJJ30-298  | <0.1      | 0.4       | 1401      | 18        | 24        | 59        | 3.08    |         |        |         |           |           |        |
| 426 | MJJ29-4.70 | <0.1      | 0.9       | 461       | 20        | 24        | 7         | 2.93    |         |        |         |           |           |        |
| 427 | MJJ29-6    | <0.1      | 0.5       | 284       | 16        | 22        | 9         | 2.59    |         |        |         |           |           |        |
| 428 | MJJ29-8    | <0.1      | 1.3       | 347       | 19        | 19        | 27        | 2.30    |         |        |         |           |           |        |
| 429 | MJJ29-10   | <0.1      | 0.4       | 249       | 15        | 18        | 7         | 1.94    | 0.01    | 1.95   | 0.18    | 16        | 158       | 0.017  |
| 430 | MJJ29-12   | <0.1      | 0.2       | 329       | 17        | 21        | 9         | 2.16    |         |        |         |           |           |        |
| 431 | MJJ29-14   | <0.1      | 1.1       | 287       | 16        | 16        | 9         | 1.81    |         |        |         |           |           |        |
| 432 | MJJ29-16   | <0.1      | 0.1       | 368       | 21        | 19        | 20        | 2.41    |         |        |         |           |           |        |
| 433 | MJJ29-18   | <0.1      | <0.1      | 375       | 18        | 26        | 22        | 2.12    |         |        |         |           |           |        |
| 434 | MJJ29-20   | <0.1      | 0.2       | 541       | 19        | 24        | 26        | 3.07    | 0.05    | 1.77   | 0.19    | 56        | 145       | 0.023  |
| 435 | MJJ29-22   | <0.1      | <0.1      | 484       | 23        | 27        | 9         | 2.69    |         |        |         |           |           |        |
| 436 | MJJ29-24   | <0.1      | 4.0       | 1298      | 21        | 23        | 78        | 9.04    |         |        |         |           |           |        |
| 437 | MJJ29-26   | <0.1      | <0.1      | 579       | 30        | 61        | 49        | 2.55    |         |        |         |           |           |        |
| 438 | MJJ29-28   | <0.1      | 0.4       | 395       | 20        | 46        | 12        | 2.27    |         |        |         |           |           |        |
| 439 | MJJ29-30   | <0.1      | 2.1       | 808       | 22        | 34        | 17        | 7.29    | 0.02    | 2.01   | 0.19    | 11        | 148       | 0.091  |
| 440 | MJJ29-32   | <0.1      | 0.8       | 547       | 50        | 35        | 28        | 4.42    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No. | 供試品      | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 441 | MJJ29-34 | <0.1      | 0.8       | 651       | 28        | 25        | 36        | 4.34    |         |        |         |           |           |        |
| 442 | MJJ29-36 | <0.1      | 1.6       | 467       | 25        | 31        | 39        | 3.33    |         |        |         |           |           |        |
| 443 | MJJ29-38 | <0.1      | 1.1       | 493       | 30        | 39        | 32        | 3.73    |         |        |         |           |           |        |
| 444 | MJJ29-40 | <0.1      | 1.0       | 379       | 27        | 39        | 18        | 2.76    | 0.03    | 1.46   | 0.33    | 50        | 155       | 0.024  |
| 445 | MJJ29-42 | <0.1      | 1.2       | 624       | 25        | 36        | 45        | 3.73    |         |        |         |           |           |        |
| 446 | MJJ29-44 | <0.1      | 1.7       | 563       | 29        | 33        | 42        | 2.98    |         |        |         |           |           |        |
| 447 | MJJ29-46 | <0.1      | 1.1       | 830       | 37        | 35        | 23        | 5.14    |         |        |         |           |           |        |
| 448 | MJJ29-48 | <0.1      | 0.4       | 871       | 36        | 36        | 64        | 4.71    |         |        |         |           |           |        |
| 449 | MJJ29-50 | <0.1      | 1.6       | 948       | 27        | 23        | 173       | 4.93    | 0.03    | 1.75   | 0.17    | 14        | 221       | 0.075  |
| 450 | MJJ29-52 | <0.1      | 0.2       | 512       | 37        | 17        | 113       | 4.77    |         |        |         |           |           |        |
| 451 | MJJ29-54 | <0.1      | 2.0       | 896       | 30        | 28        | 143       | 5.35    |         |        |         |           |           |        |
| 452 | MJJ29-56 | <0.1      | 6.1       | 1405      | 34        | 20        | 767       | 5.42    |         |        |         |           |           |        |
| 453 | MJJ29-58 | <0.1      | 1.7       | 574       | 27        | 26        | 260       | 3.85    |         |        |         |           |           |        |
| 454 | MJJ29-60 | <0.1      | <0.1      | 737       | 43        | 38        | 36        | 2.41    | 0.08    | 1.08   | 0.54    | 126       | 121       | 0.018  |
| 455 | MJJ29-62 | <0.1      | 0.3       | 824       | 36        | 34        | 137       | 2.90    |         |        |         |           |           |        |
| 456 | MJJ29-64 | <0.1      | 0.7       | 678       | 25        | 32        | 123       | 2.03    |         |        |         |           |           |        |
| 457 | MJJ29-66 | <0.1      | 0.7       | 605       | 31        | 33        | 19        | 1.50    |         |        |         |           |           |        |
| 458 | MJJ29-68 | <0.1      | 1.2       | 1030      | 23        | 29        | 135       | 2.03    |         |        |         |           |           |        |
| 459 | MJJ29-70 | <0.1      | 1.0       | 561       | 15        | 26        | 28        | 1.31    | 0.15    | 0.97   | 1.14    | 159       | 95        | 0.018  |
| 460 | MJJ29-72 | <0.1      | 0.3       | 559       | 33        | 35        | 35        | 1.67    |         |        |         |           |           |        |
| 461 | MJJ29-74 | <0.1      | 0.4       | 494       | 18        | 40        | 11        | 1.76    |         |        |         |           |           |        |
| 462 | MJJ29-76 | <0.1      | 1.3       | 692       | 23        | 32        | 21        | 2.08    |         |        |         |           |           |        |
| 463 | MJJ29-78 | <0.1      | 0.5       | 335       | 14        | 25        | 26        | 1.62    |         |        |         |           |           |        |
| 464 | MJJ29-80 | <0.1      | 1.9       | 2403      | 22        | 26        | 128       | 2.40    | 0.21    | 0.98   | 1.36    | 150       | 104       | 0.128  |
| 465 | MJJ29-82 | <0.1      | 1.3       | 342       | 22        | 31        | 14        | 1.73    |         |        |         |           |           |        |
| 466 | MJJ29-84 | <0.1      | 1.0       | 412       | 23        | 34        | 32        | 1.80    |         |        |         |           |           |        |
| 467 | MJJ29-86 | <0.1      | 0.8       | 1200      | 12        | 30        | 30        | 1.66    |         |        |         |           |           |        |
| 468 | MJJ29-88 | <0.1      | 0.4       | 2306      | 18        | 32        | 12        | 1.61    |         |        |         |           |           |        |
| 469 | MJJ29-90 | <0.1      | 2.7       | 9148      | 17        | 29        | 83        | 1.81    | 0.43    | 1.13   | 1.25    | 140       | 120       | 0.392  |
| 470 | MJJ29-92 | <0.1      | 0.9       | 5033      | 12        | 22        | 23        | 1.72    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 471 | MJJ29-91  | <0.1      | 0.5       | 1597      | 17        | 36        | 43        | 1.99    |         |        |         |           |           |        |
| 472 | MJJ29-96  | <0.1      | 0.2       | 2446      | 14        | 36        | 60        | 1.80    |         |        |         |           |           |        |
| 473 | MJJ29-98  | <0.1      | 0.7       | 2070      | 14        | 33        | 17        | 1.95    |         |        |         |           |           |        |
| 474 | MJJ29-100 | <0.1      | 1.9       | 8156      | 14        | 28        | 28        | 1.87    | 0.20    | 1.21   | 0.97    | 106       | 139       | 1.330  |
| 475 | MJJ29-102 | <0.1      | 0.7       | 1935      | 15        | 35        | 28        | 1.75    |         |        |         |           |           |        |
| 476 | MJJ29-104 | <0.1      | 2.4       | 2987      | 12        | 33        | 46        | 1.76    |         |        |         |           |           |        |
| 477 | MJJ29-106 | <0.1      | 0.8       | 2672      | 16        | 38        | 121       | 2.09    |         |        |         |           |           |        |
| 478 | MJJ29-108 | <0.1      | 1.1       | 2634      | 16        | 38        | 22        | 2.05    |         |        |         |           |           |        |
| 479 | MJJ29-110 | <0.1      | 0.8       | 1954      | 17        | 48        | 15        | 2.05    | 1.14    | 0.91   | 1.35    | 189       | 89        | 0.574  |
| 480 | MJJ29-112 | <0.1      | 0.4       | 1578      | 17        | 71        | 14        | 2.20    |         |        |         |           |           |        |
| 481 | MJJ29-114 | <0.1      | 1.5       | 4065      | 19        | 55        | 79        | 2.30    |         |        |         |           |           |        |
| 482 | MJJ29-116 | <0.1      | 2.0       | 3869      | 15        | 39        | 123       | 2.55    |         |        |         |           |           |        |
| 483 | MJJ29-118 | <0.1      | 0.6       | 2373      | 13        | 42        | 63        | 2.06    |         |        |         |           |           |        |
| 484 | MJJ29-120 | <0.1      | 0.8       | 3813      | 16        | 43        | 163       | 1.99    | 0.65    | 0.97   | 1.26    | 228       | 91        | 0.824  |
| 485 | MJJ29-122 | <0.1      | 0.7       | 3399      | 18        | 55        | 157       | 1.92    |         |        |         |           |           |        |
| 486 | MJJ29-124 | <0.1      | 1.1       | 4566      | 18        | 109       | 353       | 2.19    |         |        |         |           |           |        |
| 487 | MJJ29-126 | <0.1      | 0.9       | 1926      | 17        | 61        | 17        | 2.24    |         |        |         |           |           |        |
| 488 | MJJ29-128 | <0.1      | 0.1       | 2026      | 14        | 61        | 140       | 2.26    |         |        |         |           |           |        |
| 489 | MJJ29-130 | <0.1      | 1.1       | 3099      | 16        | 42        | 22        | 2.53    | 0.31    | 0.99   | 1.03    | 100       | 109       | 2.710  |
| 490 | MJJ29-132 | <0.1      | 0.8       | 2453      | 17        | 40        | 519       | 1.95    |         |        |         |           |           |        |
| 491 | MJJ29-134 | <0.1      | 2.0       | 1121      | 14        | 35        | 69        | 1.83    |         |        |         |           |           |        |
| 492 | MJJ29-136 | <0.1      | <0.1      | 1643      | 14        | 33        | 80        | 1.93    |         |        |         |           |           |        |
| 493 | MJJ29-138 | <0.1      | 0.2       | 2132      | 15        | 25        | 358       | 1.95    |         |        |         |           |           |        |
| 494 | MJJ29-140 | <0.1      | 1.4       | 14960     | 20        | 82        | 113       | 1.89    | 0.09    | 1.01   | 0.44    | 48        | 114       | 1.084  |
| 495 | MJJ29-142 | <0.1      | 0.5       | 4303      | 16        | 39        | 61        | 2.05    |         |        |         |           |           |        |
| 496 | MJJ29-144 | <0.1      | 0.6       | 8530      | 14        | 26        | 48        | 2.12    |         |        |         |           |           |        |
| 497 | MJJ29-146 | <0.1      | 0.7       | 2928      | 17        | 34        | 36        | 2.50    |         |        |         |           |           |        |
| 498 | MJJ29-148 | <0.1      | 0.8       | 3429      | 15        | 30        | 69        | 2.55    |         |        |         |           |           |        |
| 499 | MJJ29-150 | <0.1      | 1.4       | 9326      | 17        | 30        | 221       | 2.21    | 0.23    | 1.21   | 0.90    | 119       | 131       | 1.554  |
| 500 | MJJ29-152 | <0.1      | <0.1      | 612       | 16        | 36        | 17        | 1.61    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 501 | MJJ29-154 | <0.1      | 0.6       | 2887      | 13        | 32        | 26        | 2.00    |         |        |         |           |           |        |
| 502 | MJJ29-156 | <0.1      | 4.4       | 19512     | 20        | 138       | 971       | 2.08    |         |        |         |           |           |        |
| 503 | MJJ29-158 | <0.1      | 0.2       | 1422      | 13        | 35        | 87        | 1.46    |         |        |         |           |           |        |
| 504 | MJJ29-160 | <0.1      | 0.3       | 1847      | 16        | 53        | 481       | 1.70    | 1.10    | 0.84   | 1.70    | 340       | 72        | 0.297  |
| 505 | MJJ29-162 | <0.1      | 0.4       | 2467      | 13        | 37        | 262       | 1.56    |         |        |         |           |           |        |
| 506 | MJJ29-164 | <0.1      | 0.6       | 2815      | 12        | 39        | 109       | 1.72    |         |        |         |           |           |        |
| 507 | MJJ29-166 | <0.1      | 0.9       | 2508      | 22        | 48        | 191       | 1.95    |         |        |         |           |           |        |
| 508 | MJJ29-168 | <0.1      | 0.8       | 6479      | 22        | 86        | 675       | 1.89    |         |        |         |           |           |        |
| 509 | MJJ29-170 | <0.1      | 0.9       | 2067      | 17        | 38        | 346       | 1.57    | 0.61    | 1.00   | 1.24    | 216       | 105       | 0.196  |
| 510 | MJJ29-172 | <0.1      | 2.0       | 9274      | 17        | 41        | 176       | 1.94    |         |        |         |           |           |        |
| 511 | MJJ29-174 | <0.1      | 4.0       | 20658     | 17        | 78        | 159       | 2.21    |         |        |         |           |           |        |
| 512 | MJJ29-176 | <0.1      | 0.6       | 2675      | 15        | 59        | 608       | 1.96    |         |        |         |           |           |        |
| 513 | MJJ29-178 | <0.1      | 0.6       | 3380      | 17        | 50        | 220       | 2.04    |         |        |         |           |           |        |
| 514 | MJJ29-180 | <0.1      | 0.3       | 3671      | 19        | 32        | 682       | 2.10    | 0.74    | 0.95   | 1.39    | 300       | 102       | 0.484  |
| 515 | MJJ29-182 | <0.1      | 0.8       | 3564      | 19        | 36        | 570       | 2.12    |         |        |         |           |           |        |
| 516 | MJJ29-184 | <0.1      | 1.5       | 5900      | 20        | 36        | 186       | 2.36    |         |        |         |           |           |        |
| 517 | MJJ29-186 | <0.1      | 0.9       | 4534      | 21        | 38        | 1496      | 1.88    |         |        |         |           |           |        |
| 518 | MJJ29-188 | <0.1      | 2.3       | 12530     | 20        | 63        | 471       | 2.41    |         |        |         |           |           |        |
| 519 | MJJ29-190 | <0.1      | <0.1      | 2389      | 20        | 52        | 105       | 2.15    | 0.83    | 0.77   | 1.50    | 347       | 80        | 0.369  |
| 520 | MJJ29-192 | <0.1      | <0.1      | 3527      | 17        | 33        | 3198      | 2.09    |         |        |         |           |           |        |
| 521 | MJJ29-194 | <0.1      | 0.5       | 3396      | 18        | 56        | 1143      | 2.23    |         |        |         |           |           |        |
| 522 | MJJ29-196 | <0.1      | 0.6       | 921       | 20        | 55        | 49        | 2.37    |         |        |         |           |           |        |
| 523 | MJJ29-198 | <0.1      | 14.0      | 26730     | 17        | 51        | 433       | 3.50    |         |        |         |           |           |        |
| 524 | MJJ29-200 | <0.1      | 3.8       | 17037     | 20        | 29        | 80        | 3.14    | 0.37    | 1.24   | 0.75    | 135       | 123       | 2.161  |
| 525 | MJJ29-202 | <0.1      | 1.3       | 3233      | 21        | 56        | 65        | 2.98    |         |        |         |           |           |        |
| 526 | MJJ29-204 | <0.1      | 1.3       | 2561      | 21        | 63        | 88        | 3.40    |         |        |         |           |           |        |
| 527 | MJJ29-206 | <0.1      | 1.7       | 5696      | 16        | 36        | 280       | 2.64    |         |        |         |           |           |        |
| 528 | MJJ29-208 | <0.1      | 5.7       | 2852      | 18        | 33        | 528       | 1.80    |         |        |         |           |           |        |
| 529 | MJJ29-210 | <0.1      | 1.5       | 5690      | 13        | 40        | 699       | 2.29    | 0.92    | 0.98   | 1.39    | 271       | 91        | 0.793  |
| 530 | MJJ29-212 | <0.1      | 0.8       | 2630      | 20        | 40        | 31        | 2.14    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 531 | MJJ29-214 | <0.1      | 0.6       | 1647      | 21        | 38        | 51        | 1.94    |         |        |         |           |           |        |
| 532 | MJJ29-216 | <0.1      | <0.1      | 726       | 21        | 32        | 23        | 1.77    |         |        |         |           |           |        |
| 533 | MJJ29-218 | <0.1      | 0.4       | 1771      | 19        | 30        | 161       | 1.83    |         |        |         |           |           |        |
| 534 | MJJ29-220 | <0.1      | 0.6       | 2422      | 18        | 38        | 77        | 2.00    | 1.06    | 0.72   | 1.40    | 313       | 62        | 0.359  |
| 535 | MJJ29-222 | <0.1      | 0.7       | 2471      | 20        | 38        | 100       | 2.09    |         |        |         |           |           |        |
| 536 | MJJ29-224 | <0.1      | 1.6       | 4902      | 17        | 39        | 354       | 2.52    |         |        |         |           |           |        |
| 537 | MJJ29-226 | <0.1      | 1.3       | 5214      | 19        | 43        | 17        | 2.64    |         |        |         |           |           |        |
| 538 | MJJ29-228 | <0.1      | 3.2       | 7630      | 17        | 42        | 180       | 2.74    |         |        |         |           |           |        |
| 539 | MJJ29-230 | <0.1      | 1.9       | 5964      | 16        | 32        | 202       | 2.61    | 0.44    | 1.15   | 1.32    | 177       | 117       | 1.038  |
| 540 | MJJ29-232 | <0.1      | 0.7       | 4725      | 21        | 36        | 91        | 2.35    |         |        |         |           |           |        |
| 541 | MJJ29-234 | <0.1      | 1.3       | 5950      | 20        | 33        | 77        | 2.81    |         |        |         |           |           |        |
| 542 | MJJ29-236 | <0.1      | 3.0       | 9436      | 15        | 32        | 266       | 2.65    |         |        |         |           |           |        |
| 543 | MJJ29-238 | <0.1      | 5.7       | 14828     | 19        | 25        | 289       | 2.81    |         |        |         |           |           |        |
| 544 | MJJ29-240 | <0.1      | 5.0       | 19642     | 24        | 30        | 374       | 3.35    | 0.32    | 1.25   | 0.63    | 115       | 146       | 2.127  |
| 545 | MJJ29-242 | <0.1      | 3.8       | 15258     | 17        | 28        | 212       | 2.95    |         |        |         |           |           |        |
| 546 | MJJ29-244 | <0.1      | 2.5       | 8559      | 20        | 73        | 503       | 4.62    |         |        |         |           |           |        |
| 547 | MJJ29-246 | <0.1      | 0.5       | 2277      | 16        | 103       | 93        | 6.39    |         |        |         |           |           |        |
| 548 | MJJ29-247 | <0.1      | 0.5       | 2715      | 13        | 35        | 86        | 2.91    |         |        |         |           |           |        |
| 549 | MJJ29-248 | <0.1      | 0.9       | 4408      | 15        | 34        | 45        | 4.12    |         |        |         |           |           |        |
| 550 | MJJ29-250 | <0.1      | 2.9       | 12548     | 15        | 23        | 841       | 3.10    | 0.21    | 1.31   | 0.60    | 73        | 155       | 1.477  |
| 551 | MJJ29-252 | <0.1      | 1.6       | 7851      | 13        | 36        | 144       | 3.94    |         |        |         |           |           |        |
| 552 | MJJ29-254 | <0.1      | 1.4       | 6597      | 13        | 31        | 183       | 4.03    |         |        |         |           |           |        |
| 553 | MJJ29-256 | <0.1      | 1.0       | 4964      | 17        | 45        | 99        | 2.63    |         |        |         |           |           |        |
| 554 | MJJ29-258 | <0.1      | 1.4       | 8658      | 14        | 28        | 141       | 3.67    |         |        |         |           |           |        |
| 555 | MJJ29-260 | <0.1      | 1.6       | 8632      | 19        | 26        | 285       | 2.93    | 0.40    | 1.02   | 1.38    | 128       | 112       | 1.825  |
| 556 | MJJ29-262 | <0.1      | 1.6       | 10391     | 14        | 26        | 1650      | 2.64    |         |        |         |           |           |        |
| 557 | MJJ29-264 | <0.1      | 2.2       | 10777     | 17        | 24        | 1021      | 2.14    |         |        |         |           |           |        |
| 558 | MJJ29-266 | <0.1      | 0.8       | 7309      | 17        | 23        | 907       | 2.26    |         |        |         |           |           |        |
| 559 | MJJ29-268 | <0.1      | 1.5       | 10433     | 17        | 21        | 1153      | 2.32    |         |        |         |           |           |        |
| 560 | MJJ29-270 | <0.1      | 1.3       | 9412      | 13        | 22        | 915       | 2.32    | 0.50    | 0.85   | 1.18    | 182       | 103       | 1.408  |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 561 | MJJ29-272 | <0.1      | 0.2       | 8256      | 17        | 22        | 923       | 2.01    |         |        |         |           |           |        |
| 562 | MJJ29-274 | <0.1      | 2.6       | 13253     | 18        | 39        | 232       | 2.04    |         |        |         |           |           |        |
| 563 | MJJ29-276 | <0.1      | 2.3       | 14208     | 15        | 24        | 438       | 1.70    |         |        |         |           |           |        |
| 564 | MJJ29-278 | <0.1      | 2.3       | 11864     | 18        | 26        | 641       | 1.90    |         |        |         |           |           |        |
| 565 | MJJ29-280 | <0.1      | 1.7       | 10846     | 13        | 23        | 302       | 2.36    | 0.42    | 0.98   | 0.92    | 144       | 113       | 1.794  |
| 566 | MJJ29-282 | <0.1      | 1.5       | 10157     | 17        | 27        | 253       | 2.28    |         |        |         |           |           |        |
| 567 | MJJ29-284 | <0.1      | 2.1       | 12294     | 15        | 21        | 82        | 2.44    |         |        |         |           |           |        |
| 568 | MJJ29-286 | <0.1      | 1.2       | 8282      | 12        | 15        | 167       | 2.08    |         |        |         |           |           |        |
| 569 | MJJ29-288 | <0.1      | 1.1       | 9184      | 17        | 27        | 165       | 1.87    |         |        |         |           |           |        |
| 570 | MJJ29-290 | <0.1      | 0.5       | 8584      | 15        | 59        | 669       | 1.93    | 0.45    | 1.06   | 0.75    | 156       | 130       | 1.363  |
| 571 | MJJ29-292 | <0.1      | 2.1       | 11582     | 24        | 914       | 561       | 2.19    |         |        |         |           |           |        |
| 572 | MJJ29-294 | <0.1      | 0.9       | 10711     | 18        | 39        | 383       | 2.20    |         |        |         |           |           |        |
| 573 | MJJ29-296 | <0.1      | 1.6       | 12075     | 19        | 19        | 157       | 1.99    |         |        |         |           |           |        |
| 574 | MJJ29-298 | <0.1      | 1.8       | 13132     | 16        | 23        | 410       | 2.16    |         |        |         |           |           |        |
| 575 | MJJ29-300 | <0.1      | 0.8       | 8747      | 14        | 24        | 837       | 1.64    | 0.44    | 0.90   | 0.73    | 158       | 105       | 1.053  |
| 576 | MJJ29-302 | <0.1      | 1.6       | 9099      | 18        | 22        | 1134      | 1.87    |         |        |         |           |           |        |
| 577 | MJJ29-304 | <0.1      | 2.4       | 11454     | 18        | 28        | 1240      | 1.81    |         |        |         |           |           |        |
| 578 | MJJ29-306 | <0.1      | 1.1       | 7280      | 14        | 31        | 621       | 1.98    |         |        |         |           |           |        |
| 579 | MJJ29-308 | <0.1      | 0.9       | 8263      | 17        | 22        | 601       | 1.89    |         |        |         |           |           |        |
| 580 | MJJ29-310 | <0.1      | 1.5       | 10527     | 12        | 20        | 422       | 1.95    | 0.37    | 1.22   | 0.66    | 117       | 115       | 1.095  |
| 581 | MJJ29-312 | <0.1      | 1.1       | 12568     | 14        | 17        | 776       | 2.02    |         |        |         |           |           |        |
| 582 | MJJ29-314 | <0.1      | 1.6       | 8804      | 14        | 19        | 316       | 1.93    |         |        |         |           |           |        |
| 583 | MJJ29-316 | <0.1      | 0.7       | 4117      | 16        | 21        | 781       | 1.84    |         |        |         |           |           |        |
| 584 | MJJ29-318 | <0.1      | 0.2       | 3926      | 16        | 26        | 1303      | 1.85    |         |        |         |           |           |        |
| 585 | MJJ29-320 | <0.1      | 1.3       | 7381      | 13        | 83        | 271       | 2.09    | 0.63    | 1.06   | 1.40    | 216       | 91        | 1.205  |
| 586 | MJJ29-322 | <0.1      | 0.6       | 4668      | 13        | 24        | 573       | 2.01    |         |        |         |           |           |        |
| 587 | MJJ29-324 | <0.1      | 0.6       | 8392      | 17        | 21        | 665       | 2.03    |         |        |         |           |           |        |
| 588 | MJJ29-326 | <0.1      | 1.0       | 4772      | 14        | 24        | 567       | 1.62    |         |        |         |           |           |        |
| 589 | MJJ29-328 | <0.1      | 2.8       | 14925     | 17        | 19        | 571       | 2.62    |         |        |         |           |           |        |
| 590 | MJJ29-330 | <0.1      | 0.2       | 8545      | 10        | 23        | 4069      | 1.55    | 0.24    | 1.22   | 0.24    | 34        | 143       | 1.364  |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 591 | MJJ29-332 | <0.1      | 1.1       | 4964      | 14        | 12        | 140       | 1.90    |         |        |         |           |           |        |
| 592 | MJJ29-334 | <0.1      | 0.7       | 1976      | 11        | 11        | 47        | 1.26    |         |        |         |           |           |        |
| 593 | MJJ29-336 | <0.1      | 0.3       | 1063      | 13        | 9         | 21        | 1.57    |         |        |         |           |           |        |
| 594 | MJJ29-338 | <0.1      | 0.7       | 2387      | 14        | 15        | 81        | 2.12    |         |        |         |           |           |        |
| 595 | MJJ29-340 | <0.1      | 1.1       | 8075      | 15        | 18        | 1339      | 2.28    | 0.26    | 1.06   | 0.75    | 72        | 103       | 2.226  |
| 596 | MJJ29-342 | <0.1      | 0.3       | 6748      | 8         | 21        | 3916      | 2.13    |         |        |         |           |           |        |
| 597 | MJJ29-344 | <0.1      | 1.0       | 6271      | 16        | 27        | 298       | 2.77    |         |        |         |           |           |        |
| 598 | MJJ29-346 | <0.1      | 2.2       | 8478      | 23        | 124       | 987       | 2.20    |         |        |         |           |           |        |
| 599 | MJJ29-348 | <0.1      | 6.8       | 27091     | 12        | 24        | 488       | 3.46    |         |        |         |           |           |        |
| 600 | MJJ25-250 | <0.1      | 1.1       | 4310      | 13        | 30        | 64        | 0.48    | 0.26    | 1.85   | 0.34    | 25        | 142       | 0.248  |
| 601 | MJJ25-252 | <0.1      | 0.6       | 2081      | 14        | 75        | 52        | 0.70    |         |        |         |           |           |        |
| 602 | MJJ25-254 | <0.1      | 0.9       | 2536      | 14        | 45        | 57        | 0.74    |         |        |         |           |           |        |
| 603 | MJJ25-256 | <0.1      | 2.5       | 1786      | 14        | 268       | 46        | 1.43    |         |        |         |           |           |        |
| 604 | MJJ25-258 | <0.1      | 29.1      | 1385      | 14        | 70        | 28        | 1.78    |         |        |         |           |           |        |
| 605 | MJJ25-260 | <0.1      | 18.6      | 3442      | 16        | 185       | 106       | 1.51    | 0.27    | 1.25   | 1.10    | 69        | 115       | 0.654  |
| 606 | MJJ25-262 | <0.1      | 0.7       | 3019      | 16        | 234       | 77        | 1.17    |         |        |         |           |           |        |
| 607 | MJJ25-264 | <0.1      | 0.5       | 1253      | 13        | 252       | 29        | 1.16    |         |        |         |           |           |        |
| 608 | MJJ25-266 | <0.1      | 0.2       | 1425      | 13        | 51        | 42        | 1.27    |         |        |         |           |           |        |
| 609 | MJJ25-268 | <0.1      | 0.2       | 2206      | 17        | 62        | 52        | 1.40    |         |        |         |           |           |        |
| 610 | MJJ25-270 | <0.1      | 1.9       | 7535      | 15        | 41        | 146       | 1.42    | 0.19    | 1.24   | 1.03    | 39        | 123       | 0.842  |
| 611 | MJJ25-272 | <0.1      | <0.1      | 2543      | 14        | 101       | 43        | 1.26    |         |        |         |           |           |        |
| 612 | MJJ25-274 | <0.1      | 0.4       | 2186      | 15        | 48        | 40        | 1.63    |         |        |         |           |           |        |
| 613 | MJJ25-276 | <0.1      | 0.9       | 2955      | 15        | 64        | 53        | 2.02    |         |        |         |           |           |        |
| 614 | MJJ25-278 | <0.1      | 0.2       | 1133      | 16        | 40        | 27        | 1.51    |         |        |         |           |           |        |
| 615 | MJJ25-280 | <0.1      | 0.7       | 2641      | 15        | 35        | 50        | 1.19    | 0.55    | 1.22   | 1.21    | 202       | 95        | 0.207  |
| 616 | MJJ25-282 | <0.1      | 0.5       | 2220      | 31        | 40        | 44        | 1.71    |         |        |         |           |           |        |
| 617 | MJJ25-284 | <0.1      | 0.9       | 4818      | 16        | 35        | 56        | 1.98    |         |        |         |           |           |        |
| 618 | MJJ25-286 | <0.1      | 0.5       | 2361      | 26        | 52        | 34        | 2.37    |         |        |         |           |           |        |
| 619 | MJJ25-288 | <0.1      | 1.4       | 5898      | 18        | 41        | 119       | 2.37    |         |        |         |           |           |        |
| 620 | MJJ25-290 | <0.1      | 1.4       | 4531      | 12        | 11        | 43        | 0.83    | 0.11    | 1.66   | 0.36    | 24        | 136       | 0.217  |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 621 | MJJ25-292 | <0.1      | 0.6       | 3127      | 12        | 22        | 57        | 0.52    |         |        |         |           |           |        |
| 622 | MJJ25-294 | <0.1      | 0.9       | 3919      | 14        | 22        | 62        | 0.62    |         |        |         |           |           |        |
| 623 | MJJ25-296 | <0.1      | 0.8       | 3038      | 17        | 65        | 46        | 0.48    |         |        |         |           |           |        |
| 624 | MJJ25-298 | <0.1      | 0.6       | 3425      | 11        | 32        | 43        | 0.46    |         |        |         |           |           |        |
| 625 | MJJ25-300 | <0.1      | <0.1      | 2073      | 13        | 17        | 28        | 0.47    | 0.20    | 1.76   | 0.39    | 34        | 148       | 0.127  |
| 626 | MJJ25-302 | <0.1      | 1.8       | 7021      | 11        | 22        | 133       | 0.91    |         |        |         |           |           |        |
| 627 | MJJ25-304 | <0.1      | 0.8       | 7747      | 14        | 33        | 133       | 1.68    |         |        |         |           |           |        |
| 628 | MJJ25-306 | <0.1      | 0.6       | 2475      | 17        | 43        | 49        | 1.00    |         |        |         |           |           |        |
| 629 | MJJ25-308 | <0.1      | 2.7       | 8232      | 14        | 57        | 52        | 1.23    |         |        |         |           |           |        |
| 630 | MJJ25-310 | <0.1      | 1.4       | 4127      | 17        | 77        | 31        | 0.75    | 0.29    | 1.47   | 0.26    | 30        | 139       | 0.361  |
| 631 | MJJ25-312 | <0.1      | 11.6      | 22296     | 36        | 900       | 239       | 3.03    |         |        |         |           |           |        |
| 632 | MJJ25-314 | <0.1      | 0.5       | 2368      | 8         | 66        | 317       | 0.41    |         |        |         |           |           |        |
| 633 | MJJ25-316 | <0.1      | 0.6       | 2284      | 11        | 65        | 425       | 0.43    |         |        |         |           |           |        |
| 634 | MJJ25-318 | <0.1      | 0.4       | 2810      | 13        | 79        | 210       | 0.51    |         |        |         |           |           |        |
| 635 | MJJ25-320 | <0.1      | 10.2      | 32761     | 15        | 41        | 238       | 1.08    | 0.36    | 1.21   | 0.16    | 17        | 120       | 1.520  |
| 636 | MJJ25-322 | <0.1      | 0.3       | 1693      | 10        | 22        | 79        | 0.50    |         |        |         |           |           |        |
| 637 | MJJ25-324 | <0.1      | 2.1       | 7340      | 16        | 12        | 44        | 0.95    |         |        |         |           |           |        |
| 638 | MJJ25-326 | <0.1      | 1.0       | 3718      | 18        | 60        | 30        | 3.84    |         |        |         |           |           |        |
| 639 | MJJ25-328 | <0.1      | 2.6       | 8922      | 15        | 51        | 110       | 4.35    |         |        |         |           |           |        |
| 640 | MJJ25-330 | <0.1      | 2.4       | 11789     | 15        | 44        | 130       | 4.17    | 0.85    | 1.00   | 0.56    | 90        | 116       | 0.523  |
| 641 | MJJ25-332 | <0.1      | 2.7       | 12538     | 15        | 48        | 55        | 4.34    |         |        |         |           |           |        |
| 642 | MJJ25-334 | <0.1      | 1.6       | 8649      | 12        | 42        | 76        | 4.28    |         |        |         |           |           |        |
| 643 | MJJ25-336 | <0.1      | 0.8       | 4595      | 17        | 90        | 139       | 5.44    |         |        |         |           |           |        |
| 644 | MJJ25-338 | <0.1      | 2.2       | 8071      | 15        | 77        | 108       | 4.67    |         |        |         |           |           |        |
| 645 | MJJ25-340 | <0.1      | 1.0       | 5035      | 17        | 125       | 236       | 5.50    | 1.03    | 0.76   | 0.46    | 101       | 104       | 0.271  |
| 646 | MJJ25-342 | <0.1      | <0.1      | 3181      | 18        | 172       | 103       | 5.48    |         |        |         |           |           |        |
| 647 | MJJ25-344 | <0.1      | 1.7       | 9289      | 14        | 118       | 112       | 5.83    |         |        |         |           |           |        |
| 648 | MJJ25-346 | <0.1      | 0.2       | 2636      | 16        | 22        | 47        | 1.66    |         |        |         |           |           |        |
| 649 | MJJ25-348 | <0.1      | 0.4       | 1750      | 12        | 23        | 28        | 1.60    |         |        |         |           |           |        |
| 650 | MJJ25-350 | <0.1      | 2.0       | 6322      | 15        | 14        | 48        | 0.71    | 0.23    | 1.37   | 0.29    | 20        | 114       | 0.302  |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 651 | MJJ25-352 | <0.1      | 1.6       | 5081      | 13        | 12        | 35        | 0.87    |         |        |         |           |           |        |
| 652 | MJJ25-354 | <0.1      | 1.1       | 3165      | 14        | 20        | 27        | 1.07    |         |        |         |           |           |        |
| 653 | MJJ25-356 | <0.1      | 0.5       | 1995      | 12        | 17        | 29        | 1.02    |         |        |         |           |           |        |
| 654 | MJJ25-358 | <0.1      | 0.0       | 1955      | 14        | 14        | 25        | 0.90    |         |        |         |           |           |        |
| 655 | MJJ25-360 | <0.1      | 0.4       | 2575      | 14        | 23        | 38        | 0.88    | 0.37    | 1.30   | 0.52    | 47        | 129       | 0.143  |
| 656 | MJJ25-362 | <0.1      | 1.1       | 3922      | 18        | 16        | 52        | 1.40    |         |        |         |           |           |        |
| 657 | MJJ25-364 | <0.1      | 0.4       | 2728      | 22        | 17        | 24        | 1.17    |         |        |         |           |           |        |
| 658 | MJJ25-366 | <0.1      | <0.1      | 2453      | 12        | 16        | 26        | 1.04    |         |        |         |           |           |        |
| 659 | MJJ25-368 | <0.1      | <0.1      | 538       | 13        | 22        | 13        | 0.83    |         |        |         |           |           |        |
| 660 | MJJ25-370 | <0.1      | 2.2       | 2093      | 15        | 17        | 20        | 0.87    | 0.26    | 1.09   | 0.48    | 35        | 93        | 0.118  |
| 661 | MJJ25-372 | <0.1      | 0.9       | 3036      | 15        | 17        | 28        | 0.84    |         |        |         |           |           |        |
| 662 | MJJ25-374 | <0.1      | 0.2       | 1742      | 16        | 21        | 12        | 1.70    |         |        |         |           |           |        |
| 663 | MJJ25-376 | <0.1      | 0.2       | 1375      | 12        | 61        | 18        | 4.65    |         |        |         |           |           |        |
| 664 | MJJ25-378 | <0.1      | 0.4       | 2302      | 16        | 58        | 22        | 4.53    |         |        |         |           |           |        |
| 665 | MJJ25-380 | <0.1      | 0.5       | 2032      | 14        | 54        | 38        | 4.82    | 1.73    | 0.92   | 0.71    | 164       | 129       | 0.093  |
| 666 | MJJ25-382 | <0.1      | 0.2       | 2380      | 13        | 40        | 42        | 3.58    |         |        |         |           |           |        |
| 667 | MJJ25-384 | <0.1      | 2.0       | 8136      | 13        | 18        | 162       | 1.19    |         |        |         |           |           |        |
| 668 | MJJ25-386 | <0.1      | 1.1       | 5866      | 17        | 14        | 130       | 0.91    |         |        |         |           |           |        |
| 669 | MJJ25-388 | <0.1      | 1.6       | 4485      | 13        | 16        | 101       | 0.95    |         |        |         |           |           |        |
| 670 | MJJ25-390 | <0.1      | 1.2       | 3660      | 13        | 13        | 83        | 0.89    | 0.31    | 1.09   | 1.05    | 102       | 90        | 0.314  |
| 671 | MJJ25-392 | <0.1      | 0.9       | 3299      | 11        | 13        | 59        | 0.85    |         |        |         |           |           |        |
| 672 | MJJ25-394 | <0.1      | 1.3       | 4400      | 14        | 13        | 69        | 1.07    |         |        |         |           |           |        |
| 673 | MJJ25-396 | <0.1      | 0.8       | 3317      | 10        | 12        | 78        | 1.05    |         |        |         |           |           |        |
| 674 | MJJ25-398 | <0.1      | 1.4       | 4315      | 14        | 10        | 100       | 0.64    |         |        |         |           |           |        |
| 675 | MJJ25-400 | <0.1      | 2.2       | 8237      | 13        | 21        | 119       | 1.23    | 0.25    | 0.80   | 0.96    | 51        | 61        | 0.610  |
| 676 | MJJ25-402 | <0.1      | 0.6       | 3057      | 18        | 18        | 67        | 0.98    |         |        |         |           |           |        |
| 677 | MJJ25-404 | <0.1      | 1.8       | 8119      | 13        | 17        | 146       | 1.56    |         |        |         |           |           |        |
| 678 | MJJ25-406 | <0.1      | 2.5       | 11078     | 20        | 21        | 203       | 1.77    |         |        |         |           |           |        |
| 679 | MJJ25-408 | <0.1      | 2.1       | 7680      | 17        | 25        | 111       | 6.81    |         |        |         |           |           |        |
| 680 | MJJ25-410 | <0.1      | 2.4       | 8070      | 11        | 16        | 131       | 1.59    | 0.43    | 2.69   | 1.90    | 162       | 81        | 0.564  |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 681 | MJJ25-412 | <0.1      | 0.9       | 4856      | 11        | 16        | 89        | 1.61    |         |        |         |           |           |        |
| 682 | MJJ25-414 | <0.1      | 1.0       | 5508      | 16        | 21        | 128       | 1.82    |         |        |         |           |           |        |
| 683 | MJJ25-416 | <0.1      | 1.0       | 4251      | 14        | 27        | 67        | 1.31    |         |        |         |           |           |        |
| 684 | MJJ25-418 | <0.1      | 0.7       | 3108      | 12        | 19        | 62        | 1.37    |         |        |         |           |           |        |
| 685 | MJJ25-420 | <0.1      | 0.8       | 4164      | 13        | 22        | 191       | 1.98    | 0.91    | 1.66   | 2.22    | 284       | 66        | 0.307  |
| 686 | MJJ25-422 | <0.1      | 1.2       | 3539      | 13        | 38        | 60        | 3.20    |         |        |         |           |           |        |
| 687 | MJJ25-424 | <0.1      | 0.1       | 867       | 13        | 83        | 42        | 5.92    |         |        |         |           |           |        |
| 688 | MJJ25-426 | <0.1      | 0.3       | 1755      | 11        | 90        | 11        | 5.74    |         |        |         |           |           |        |
| 689 | MJJ25-428 | <0.1      | 0.1       | 1358      | 13        | 84        | 13        | 5.59    |         |        |         |           |           |        |
| 690 | MJJ25-430 | <0.1      | 0.9       | 4625      | 11        | 75        | 48        | 5.06    | 3.42    | 1.75   | 0.60    | 102       | 119       | 0.201  |
| 691 | MJJ25-432 | <0.1      | 0.3       | 1244      | 16        | 87        | 8         | 4.89    |         |        |         |           |           |        |
| 692 | MJJ25-434 | <0.1      | <0.1      | 1225      | 13        | 68        | 10        | 4.75    |         |        |         |           |           |        |
| 693 | MJJ25-436 | <0.1      | 0.1       | 1473      | 13        | 57        | 17        | 4.63    |         |        |         |           |           |        |
| 694 | MJJ25-438 | <0.1      | <0.1      | 1204      | 16        | 52        | 18        | 4.41    |         |        |         |           |           |        |
| 695 | MJJ25-440 | <0.1      | 0.3       | 1395      | 16        | 39        | 49        | 3.45    | 1.12    | 2.47   | 0.93    | 137       | 125       | 0.247  |
| 696 | MJJ25-442 | <0.1      | 0.3       | 2551      | 13        | 78        | 49        | 5.26    |         |        |         |           |           |        |
| 697 | MJJ25-444 | <0.1      | <0.1      | 1349      | 13        | 106       | 60        | 5.53    |         |        |         |           |           |        |
| 698 | MJJ25-446 | <0.1      | 0.5       | 3139      | 16        | 113       | 54        | 6.26    |         |        |         |           |           |        |
| 699 | MJJ25-448 | <0.1      | 0.1       | 3040      | 19        | 126       | 35        | 7.31    |         |        |         |           |           |        |
| 700 | MJJ25-450 | <0.1      | <0.1      | 1865      | 14        | 113       | 13        | 5.96    | 2.07    | 2.24   | 0.61    | 103       | 150       | 0.213  |
| 701 | MJJ25-452 | <0.1      | 0.5       | 2526      | 14        | 55        | 14        | 4.31    |         |        |         |           |           |        |
| 702 | MJJ25-454 | <0.1      | 0.4       | 3062      | 14        | 74        | 26        | 5.20    |         |        |         |           |           |        |
| 703 | MJJ25-456 | <0.1      | 0.7       | 2593      | 15        | 63        | 20        | 4.81    |         |        |         |           |           |        |
| 704 | MJJ25-458 | <0.1      | 1.4       | 4951      | 17        | 26        | 25        | 2.01    |         |        |         |           |           |        |
| 705 | MJJ25-460 | <0.1      | 1.4       | 4719      | 12        | 20        | 35        | 1.70    | 0.19    | 3.92   | 0.93    | 50        | 134       | 0.365  |
| 706 | MJJ25-462 | <0.1      | 0.8       | 3057      | 10        | 25        | 24        | 1.49    |         |        |         |           |           |        |
| 707 | MJJ25-464 | <0.1      | 0.5       | 3958      | 15        | 25        | 35        | 1.85    |         |        |         |           |           |        |
| 708 | MJJ25-466 | <0.1      | 0.9       | 4259      | 17        | 30        | 39        | 2.18    |         |        |         |           |           |        |
| 709 | MJJ25-468 | <0.1      | 2.8       | 12166     | 15        | 32        | 51        | 11.08   |         |        |         |           |           |        |
| 710 | MJJ25-470 | <0.1      | 0.3       | 5140      | 13        | 31        | 37        | 2.61    | 0.09    | 4.09   | 0.62    | 27        | 154       | 1.529  |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 711 | MJJ25-472 | <0.1      | 0.2       | 4132      | 18        | 24        | 45        | 2.53    |         |        |         |           |           |        |
| 712 | MJJ25-474 | 0.3       | 0.5       | 2647      | 13        | 23        | 31        | 1.60    |         |        |         |           |           |        |
| 713 | MJJ25-476 | <0.1      | 0.4       | 2024      | 14        | 19        | 23        | 1.38    |         |        |         |           |           |        |
| 714 | MJJ25-478 | <0.1      | 0.3       | 3945      | 15        | 106       | 41        | 4.94    |         |        |         |           |           |        |
| 715 | MJJ25-480 | 0.1       | 0.9       | 2638      | 31        | 47        | 56        | 0.96    | 0.17    | 3.59   | 0.36    | 29        | 132       | 0.806  |
| 716 | MJJ25-482 | <0.1      | 1.0       | 3318      | 19        | 63        | 56        | 1.75    |         |        |         |           |           |        |
| 717 | MJJ25-484 | <0.1      | 1.4       | 5435      | 20        | 163       | 64        | 2.26    |         |        |         |           |           |        |
| 718 | MJJ25-486 | <0.1      | 1.4       | 4567      | 21        | 52        | 53        | 1.83    |         |        |         |           |           |        |
| 719 | MJJ25-488 | <0.1      | 1.5       | 5795      | 21        | 79        | 96        | 2.01    |         |        |         |           |           |        |
| 720 | MJJ25-490 | <0.1      | 1.0       | 5518      | 14        | 54        | 69        | 2.09    | 0.32    | 2.93   | 0.96    | 72        | 129       | 1.001  |
| 721 | MJJ25-492 | <0.1      | 0.9       | 5409      | 15        | 50        | 77        | 1.67    |         |        |         |           |           |        |
| 722 | MJJ25-494 | <0.1      | 1.6       | 6823      | 12        | 33        | 195       | 1.58    |         |        |         |           |           |        |
| 723 | MJJ25-496 | <0.1      | 0.7       | 4730      | 12        | 40        | 123       | 2.47    |         |        |         |           |           |        |
| 724 | MJJ25-498 | <0.1      | 0.7       | 4128      | 17        | 41        | 58        | 2.51    |         |        |         |           |           |        |
| 725 | MJJ25-500 | <0.1      | 1.7       | 7770      | 12        | 41        | 112       | 2.56    | 0.25    | 3.02   | 1.30    | 84        | 125       | 1.483  |
| 726 | MJJ25-502 | <0.1      | 1.9       | 11658     | 13        | 51        | 226       | 2.66    |         |        |         |           |           |        |
| 727 | MJJ25-504 | <0.1      | 0.4       | 2291      | 16        | 67        | 38        | 1.94    |         |        |         |           |           |        |
| 728 | MJJ25-506 | <0.1      | <0.1      | 1669      | 14        | 34        | 22        | 1.51    |         |        |         |           |           |        |
| 729 | MJJ25-508 | <0.1      | 1.1       | 5615      | 19        | 17        | 81        | 1.52    |         |        |         |           |           |        |
| 730 | MJJ25-510 | <0.1      | 0.5       | 4704      | 16        | 21        | 60        | 1.98    | 0.30    | 3.35   | 1.66    | 96        | 117       | 0.829  |
| 731 | MJJ25-512 | <0.1      | 0.4       | 3552      | 15        | 20        | 86        | 1.54    |         |        |         |           |           |        |
| 732 | MJJ25-514 | <0.1      | 1.5       | 4374      | 13        | 161       | 53        | 1.00    |         |        |         |           |           |        |
| 733 | MJJ25-516 | <0.1      | <0.1      | 1075      | 9         | 40        | 261       | 0.71    |         |        |         |           |           |        |
| 734 | MJJ25-518 | <0.1      | 0.3       | 4758      | 12        | 28        | 86        | 1.54    |         |        |         |           |           |        |
| 735 | MJJ25-520 | <0.1      | 1.4       | 3948      | 19        | 143       | 49        | 1.49    | 0.27    | 2.22   | 1.46    | 116       | 95        | 0.893  |
| 736 | MJJ25-522 | <0.1      | 1.0       | 4359      | 15        | 26        | 97        | 1.44    |         |        |         |           |           |        |
| 737 | MJJ25-524 | <0.1      | 0.4       | 4527      | 17        | 18        | 71        | 1.18    |         |        |         |           |           |        |
| 738 | MJJ25-526 | <0.1      | 2.9       | 9869      | 20        | 18        | 118       | 1.35    |         |        |         |           |           |        |
| 739 | MJJ25-528 | <0.1      | 3.3       | 14149     | 14        | 23        | 75        | 1.51    |         |        |         |           |           |        |
| 740 | MJJ25-530 | <0.1      | 1.9       | 6605      | 13        | 16        | 43        | 1.32    | 0.23    | 3.03   | 0.81    | 69        | 116       | 0.435  |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 741 | MJJ25-532 | <0.1      | 1.7       | 5740      | 15        | 12        | 18        | 0.98    |         |        |         |           |           |        |
| 742 | MJJ25-534 | <0.1      | 1.1       | 3904      | 15        | 14        | 36        | 1.51    |         |        |         |           |           |        |
| 743 | MJJ25-536 | <0.1      | 0.3       | 2704      | 14        | 14        | 44        | 1.47    |         |        |         |           |           |        |
| 744 | MJJ25-538 | <0.1      | 0.0       | 2598      | 16        | 17        | 26        | 1.96    |         |        |         |           |           |        |
| 745 | MJJ25-540 | <0.1      | 0.4       | 2212      | 17        | 19        | 30        | 2.03    | 0.32    | 2.70   | 1.04    | 77        | 138       | 0.434  |
| 746 | MJJ25-542 | <0.1      | 0.4       | 2975      | 22        | 26        | 27        | 2.39    |         |        |         |           |           |        |
| 747 | MJJ25-544 | <0.1      | 0.9       | 4808      | 14        | 18        | 45        | 2.05    |         |        |         |           |           |        |
| 748 | MJJ25-546 | <0.1      | 1.6       | 7036      | 17        | 23        | 54        | 2.22    |         |        |         |           |           |        |
| 749 | MJJ25-548 | <0.1      | 2.0       | 9177      | 13        | 16        | 101       | 1.78    |         |        |         |           |           |        |
| 750 | MJJ25-550 | <0.1      | 1.5       | 5713      | 15        | 15        | 38        | 1.82    | 0.20    | 3.04   | 0.79    | 44        | 142       | 0.306  |
| 751 | MJJ25-552 | <0.1      | 1.5       | 6084      | 15        | 17        | 64        | 2.04    |         |        |         |           |           |        |
| 752 | MJJ25-554 | <0.1      | 1.4       | 6689      | 15        | 15        | 41        | 2.35    |         |        |         |           |           |        |
| 753 | MJJ25-556 | <0.1      | 1.0       | 5561      | 17        | 18        | 37        | 1.98    |         |        |         |           |           |        |
| 754 | MJJ25-558 | <0.1      | 1.0       | 5194      | 14        | 14        | 37        | 1.95    |         |        |         |           |           |        |
| 755 | MJJ25-560 | <0.1      | 2.1       | 10749     | 22        | 20        | 89        | 2.42    | 0.16    | 2.70   | 0.73    | 35        | 135       | 0.883  |
| 756 | MJJ25-562 | <0.1      | 2.0       | 14699     | 16        | 14        | 559       | 2.39    |         |        |         |           |           |        |
| 757 | MJJ25-564 | <0.1      | 1.8       | 9640      | 15        | 15        | 49        | 2.42    |         |        |         |           |           |        |
| 758 | MJJ25-566 | <0.1      | 1.1       | 10042     | 14        | 16        | 66        | 2.77    |         |        |         |           |           |        |
| 759 | MJJ25-568 | <0.1      | 5.4       | 20143     | 16        | 20        | 98        | 3.53    |         |        |         |           |           |        |
| 760 | MJJ25-570 | <0.1      | 1.4       | 5790      | 16        | 17        | 39        | 2.07    | 0.13    | 2.96   | 1.04    | 41        | 128       | 0.403  |
| 761 | MJJ25-572 | <0.1      | 1.0       | 5060      | 15        | 14        | 52        | 1.93    |         |        |         |           |           |        |
| 762 | MJJ25-574 | <0.1      | 2.6       | 12822     | 17        | 15        | 127       | 1.81    |         |        |         |           |           |        |
| 763 | MJJ25-576 | <0.1      | 0.4       | 4772      | 16        | 20        | 43        | 1.73    |         |        |         |           |           |        |
| 764 | MJJ25-578 | <0.1      | 0.7       | 4640      | 15        | 19        | 276       | 1.63    |         |        |         |           |           |        |
| 765 | MJJ25-580 | <0.1      | 1.0       | 6257      | 18        | 19        | 88        | 1.83    | 0.51    | 1.18   | 1.18    | 112       | 66        | 0.611  |
| 766 | MJJ25-582 | <0.1      | 0.8       | 3178      | 13        | 16        | 115       | 1.52    |         |        |         |           |           |        |
| 767 | MJJ25-584 | <0.1      | 0.7       | 5433      | 13        | 13        | 175       | 1.39    |         |        |         |           |           |        |
| 768 | MJJ25-586 | <0.1      | 1.9       | 8333      | 13        | 13        | 212       | 1.35    |         |        |         |           |           |        |
| 769 | MJJ25-588 | <0.1      | 1.9       | 8468      | 13        | 16        | 123       | 1.71    |         |        |         |           |           |        |
| 770 | MJJ25-590 | <0.1      | 1.5       | 3902      | 20        | 27        | 80        | 1.29    | 0.18    | 3.26   | 0.77    | 36        | 122       | 0.318  |

エクアドルボーリング調査鉱石分析

| No. | 供試品        | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|------------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 771 | MJJ25-592  | <0.1      | 1.2       | 4585      | 16        | 14        | 41        | 1.66    |         |        |         |           |           |        |
| 772 | MJJ25-594  | <0.1      | 2.0       | 6844      | 12        | 15        | 52        | 1.79    |         |        |         |           |           |        |
| 773 | MJJ25-596  | <0.1      | 0.6       | 2819      | 13        | 16        | 53        | 1.86    |         |        |         |           |           |        |
| 774 | MJJ25-598  | <0.1      | 1.5       | 5208      | 28        | 32        | 65        | 4.02    |         |        |         |           |           |        |
| 775 | MJJ25-600  | <0.1      | 1.1       | 4510      | 15        | 26        | 56        | 2.83    | 0.56    | 2.06   | 1.03    | 122       | 107       | 0.269  |
| 776 | MJJ25-602  | <0.1      | 2.0       | 8166      | 18        | 24        | 87        | 2.54    |         |        |         |           |           |        |
| 777 | MJJ25-4.60 | <0.1      | 1.0       | 281       | 19        | 25        | 37        | 1.42    |         |        |         |           |           |        |
| 778 | MJJ25-6    | <0.1      | 0.2       | 368       | 10        | 18        | 34        | 1.55    |         |        |         |           |           |        |
| 779 | MJJ25-8    | <0.1      | 0.7       | 389       | 12        | 13        | 22        | 1.41    |         |        |         |           |           |        |
| 780 | MJJ25-10   | <0.1      | 0.5       | 764       | 11        | 28        | 31        | 1.55    | 0.20    | 1.34   | 0.67    | 148       | 76        | 0.029  |
| 781 | MJJ25-12   | <0.1      | 2.3       | 599       | 13        | 20        | 61        | 2.37    |         |        |         |           |           |        |
| 782 | MJJ25-14   | <0.1      | 2.3       | 1057      | 14        | 23        | 116       | 2.77    |         |        |         |           |           |        |
| 783 | MJJ25-16   | <0.1      | 3.3       | 775       | 14        | 28        | 55        | 2.02    |         |        |         |           |           |        |
| 784 | MJJ25-18   | <0.1      | 2.9       | 616       | 13        | 32        | 21        | 1.21    |         |        |         |           |           |        |
| 785 | MJJ25-20   | <0.1      | 3.5       | 552       | 11        | 34        | 21        | 1.23    | 0.16    | 1.60   | 1.21    | 127       | 97        | 0.013  |
| 786 | MJJ25-22   | <0.1      | 4.0       | 438       | 13        | 15        | 47        | 1.51    |         |        |         |           |           |        |
| 787 | MJJ25-24   | <0.1      | 2.5       | 1230      | 15        | 25        | 147       | 3.11    |         |        |         |           |           |        |
| 788 | MJJ25-26   | <0.1      | 2.7       | 972       | 16        | 22        | 77        | 2.47    |         |        |         |           |           |        |
| 789 | MJJ25-28   | <0.1      | 0.9       | 1083      | 14        | 26        | 39        | 2.68    |         |        |         |           |           |        |
| 790 | MJJ25-30   | <0.1      | 0.6       | 1051      | 15        | 30        | 8         | 2.29    | 0.47    | 1.85   | 1.11    | 158       | 129       | 0.016  |
| 791 | MJJ25-32   | <0.1      | 2.1       | 629       | 10        | 16        | 19        | 1.85    |         |        |         |           |           |        |
| 792 | MJJ25-34   | <0.1      | 0.7       | 637       | 9         | 21        | 6         | 2.39    |         |        |         |           |           |        |
| 793 | MJJ25-36   | <0.1      | 1.9       | 1189      | 15        | 31        | 27        | 2.80    |         |        |         |           |           |        |
| 794 | MJJ25-38   | <0.1      | 2.1       | 561       | 9         | 19        | 13        | 2.21    |         |        |         |           |           |        |
| 795 | MJJ25-40   | <0.1      | 2.1       | 405       | 9         | 16        | 30        | 1.44    | 0.16    | 1.85   | 1.17    | 138       | 123       | 0.027  |
| 796 | MJJ25-42   | <0.1      | 1.5       | 547       | 9         | 12        | 30        | 1.28    |         |        |         |           |           |        |
| 797 | MJJ25-44   | <0.1      | 2.4       | 508       | 8         | 9         | 60        | 0.96    |         |        |         |           |           |        |
| 798 | MJJ25-46   | <0.1      | 1.3       | 894       | 9         | 13        | 33        | 1.02    |         |        |         |           |           |        |
| 799 | MJJ25-48   | <0.1      | 1.4       | 1350      | 9         | 23        | 48        | 1.30    |         |        |         |           |           |        |
| 800 | MJJ25-50   | <0.1      | 0.8       | 2201      | 12        | 15        | 39        | 1.41    | 0.49    | 1.33   | 1.57    | 246       | 85        | 0.017  |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 801 | MJJ25-52  | <0.1      | 2.4       | 2042      | 10        | 15        | 29        | 1.21    |         |        |         |           |           |        |
| 802 | MJJ25-54  | <0.1      | 1.5       | 1903      | 8         | 16        | 52        | 1.18    |         |        |         |           |           |        |
| 803 | MJJ25-56  | <0.1      | 0.4       | 760       | 4         | 3         | 83        | 0.68    |         |        |         |           |           |        |
| 804 | MJJ25-58  | <0.1      | 2.7       | 2042      | 8         | 7         | 152       | 1.30    |         |        |         |           |           |        |
| 805 | MJJ25-60  | <0.1      | 1.3       | 1776      | 11        | 10        | 45        | 1.07    | 0.15    | 2.03   | 1.22    | 100       | 120       | 0.026  |
| 806 | MJJ25-62  | <0.1      | 1.9       | 2409      | 10        | 9         | 388       | 1.13    |         |        |         |           |           |        |
| 807 | MJJ25-64  | <0.1      | 3.5       | 5512      | 9         | 13        | 508       | 1.75    |         |        |         |           |           |        |
| 808 | MJJ25-66  | <0.1      | 2.4       | 4593      | 8         | 21        | 96        | 2.14    |         |        |         |           |           |        |
| 809 | MJJ25-68  | <0.1      | 1.3       | 6071      | 9         | 21        | 336       | 1.19    |         |        |         |           |           |        |
| 810 | MJJ25-70  | <0.1      | 1.1       | 7722      | 11        | 28        | 871       | 1.20    | 0.33    | 1.65   | 1.31    | 145       | 100       | 0.374  |
| 811 | MJJ25-72  | <0.1      | 1.7       | 5718      | 7         | 20        | 371       | 0.99    |         |        |         |           |           |        |
| 812 | MJJ25-74  | <0.1      | 1.8       | 6793      | 9         | 19        | 284       | 1.03    |         |        |         |           |           |        |
| 813 | MJJ25-76  | <0.1      | 1.1       | 3177      | 13        | 22        | 159       | 1.17    |         |        |         |           |           |        |
| 814 | MJJ25-78  | <0.1      | 1.3       | 1885      | 10        | 14        | 35        | 0.93    |         |        |         |           |           |        |
| 815 | MJJ25-80  | <0.1      | 1.5       | 4590      | 10        | 35        | 127       | 1.48    | 0.48    | 1.79   | 1.28    | 172       | 111       | 0.159  |
| 816 | MJJ25-82  | <0.1      | 1.1       | 4215      | 13        | 33        | 282       | 1.35    |         |        |         |           |           |        |
| 817 | MJJ25-84  | <0.1      | 1.0       | 3627      | 10        | 11        | 1431      | 0.89    |         |        |         |           |           |        |
| 818 | MJJ25-86  | <0.1      | 1.1       | 6252      | 6         | 16        | 914       | 0.97    |         |        |         |           |           |        |
| 819 | MJJ25-88  | <0.1      | 0.2       | 1018      | 11        | 34        | 16        | 3.51    |         |        |         |           |           |        |
| 820 | MJJ25-90  | <0.1      | 2.0       | 7234      | 12        | 15        | 230       | 1.55    | 0.40    | 2.35   | 0.80    | 78        | 148       | 0.212  |
| 821 | MJJ25-92  | <0.1      | 1.2       | 4809      | 11        | 13        | 113       | 1.65    |         |        |         |           |           |        |
| 822 | MJJ25-94  | <0.1      | 1.2       | 4321      | 8         | 15        | 153       | 1.48    |         |        |         |           |           |        |
| 823 | MJJ25-96  | <0.1      | 1.0       | 3335      | 10        | 13        | 321       | 1.61    |         |        |         |           |           |        |
| 824 | MJJ25-98  | <0.1      | 0.5       | 1567      | 11        | 10        | 57        | 1.43    |         |        |         |           |           |        |
| 825 | MJJ25-100 | <0.1      | 1.9       | 5025      | 11        | 13        | 252       | 1.42    | 0.63    | 2.40   | 0.87    | 110       | 151       | 0.231  |
| 826 | MJJ25-102 | <0.1      | 0.7       | 2533      | 10        | 10        | 126       | 1.35    |         |        |         |           |           |        |
| 827 | MJJ25-104 | <0.1      | 1.2       | 2972      | 11        | 12        | 328       | 1.17    |         |        |         |           |           |        |
| 828 | MJJ25-106 | <0.1      | 1.2       | 4119      | 10        | 13        | 357       | 1.11    |         |        |         |           |           |        |
| 829 | MJJ25-108 | <0.1      | 2.8       | 11416     | 12        | 13        | 477       | 0.80    |         |        |         |           |           |        |
| 830 | MJJ25-110 | <0.1      | 0.6       | 3372      | 10        | 10        | 248       | 0.68    | 0.04    | 2.68   | 0.25    | 14        | 153       | 0.255  |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 831 | MJJ25-112 | <0.1      | 0.4       | 1478      | 12        | 18        | 116       | 0.59    |         |        |         |           |           |        |
| 832 | MJJ25-114 | <0.1      | 1.0       | 4115      | 9         | 15        | 232       | 0.62    |         |        |         |           |           |        |
| 833 | MJJ25-116 | <0.1      | <0.1      | 2079      | 12        | 11        | 145       | 0.65    |         |        |         |           |           |        |
| 834 | MJJ25-118 | <0.1      | 1.0       | 3553      | 11        | 8         | 140       | 0.58    |         |        |         |           |           |        |
| 835 | MJJ25-120 | <0.1      | 1.9       | 6180      | 10        | 11        | 299       | 0.55    | 0.15    | 2.79   | 0.39    | 28        | 168       | 0.252  |
| 836 | MJJ25-122 | <0.1      | 4.6       | 13033     | 10        | 9         | 468       | 1.04    |         |        |         |           |           |        |
| 837 | MJJ25-124 | <0.1      | 8.7       | 28557     | 7         | 17        | 783       | 1.92    |         |        |         |           |           |        |
| 838 | MJJ25-126 | <0.1      | 6.2       | 15365     | 2         | 26        | 317       | 0.54    |         |        |         |           |           |        |
| 839 | MJJ25-128 | <0.1      | 15.8      | 40966     | 1         | 22        | 2694      | 1.20    |         |        |         |           |           |        |
| 840 | MJJ25-130 | <0.1      | 2.5       | 6115      | 9         | 21        | 339       | 0.89    | 0.26    | 2.77   | 0.32    | 39        | 164       | 0.288  |
| 841 | MJJ25-132 | <0.1      | 1.1       | 3905      | 10        | 28        | 413       | 0.94    |         |        |         |           |           |        |
| 842 | MJJ25-134 | <0.1      | 1.2       | 3901      | 8         | 19        | 442       | 0.78    |         |        |         |           |           |        |
| 843 | MJJ25-136 | <0.1      | 2.9       | 5421      | 8         | 21        | 491       | 1.03    |         |        |         |           |           |        |
| 844 | MJJ25-138 | <0.1      | 2.2       | 5813      | 8         | 28        | 140       | 1.01    |         |        |         |           |           |        |
| 845 | MJJ25-140 | <0.1      | 1.0       | 3760      | 9         | 31        | 106       | 1.11    | 0.23    | 2.48   | 1.24    | 97        | 137       | 0.270  |
| 846 | MJJ25-142 | <0.1      | 1.2       | 5035      | 9         | 21        | 139       | 1.16    |         |        |         |           |           |        |
| 847 | MJJ25-144 | <0.1      | 0.6       | 1378      | 6         | 10        | 24        | 0.47    |         |        |         |           |           |        |
| 848 | MJJ25-146 | <0.1      | 0.3       | 2555      | 10        | 15        | 81        | 0.87    |         |        |         |           |           |        |
| 849 | MJJ25-148 | <0.1      | 0.5       | 1761      | 7         | 16        | 45        | 0.71    |         |        |         |           |           |        |
| 850 | MJJ25-150 | <0.1      | 1.9       | 4913      | 7         | 19        | 177       | 0.72    | 0.31    | 2.82   | 0.23    | 19        | 150       | 0.221  |
| 851 | MJJ25-152 | <0.1      | 0.5       | 1391      | 12        | 13        | 40        | 0.62    |         |        |         |           |           |        |
| 852 | MJJ25-154 | <0.1      | 0.4       | 1324      | 11        | 29        | 32        | 0.97    |         |        |         |           |           |        |
| 853 | MJJ25-156 | <0.1      | 1.3       | 3195      | 7         | 61        | 82        | 0.69    |         |        |         |           |           |        |
| 854 | MJJ25-158 | <0.1      | 0.2       | 2117      | 9         | 35        | 35        | 0.66    |         |        |         |           |           |        |
| 855 | MJJ25-160 | <0.1      | 0.4       | 1147      | 11        | 27        | 29        | 0.52    | 0.19    | 3.24   | 0.32    | 30        | 159       | 0.103  |
| 856 | MJJ25-162 | <0.1      | 0.7       | 1750      | 8         | 27        | 33        | 0.67    |         |        |         |           |           |        |
| 857 | MJJ25-164 | <0.1      | 0.5       | 2700      | 11        | 54        | 155       | 0.70    |         |        |         |           |           |        |
| 858 | MJJ25-166 | <0.1      | 0.9       | 1783      | 20        | 114       | 216       | 0.62    |         |        |         |           |           |        |
| 859 | MJJ25-168 | <0.1      | 3.1       | 7380      | 25        | 171       | 509       | 1.92    |         |        |         |           |           |        |
| 860 | MJJ25-170 | <0.1      | 1.2       | 3642      | 8         | 18        | 47        | 0.82    | 0.26    | 3.36   | 0.29    | 24        | 160       | 0.251  |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 861 | MJJ25-172 | <0.1      | 0.1       | 985       | 8         | 21        | 23        | 1.01    |         |        |         |           |           |        |
| 862 | MJJ25-174 | <0.1      | <0.1      | 742       | 7         | 23        | 24        | 1.30    |         |        |         |           |           |        |
| 863 | MJJ25-176 | <0.1      | 0.1       | 935       | 9         | 22        | 106       | 1.02    |         |        |         |           |           |        |
| 864 | MJJ25-178 | <0.1      | <0.1      | 888       | 14        | 58        | 19        | 2.59    |         |        |         |           |           |        |
| 865 | MJJ25-180 | <0.1      | <0.1      | 1765      | 10        | 67        | 58        | 3.00    | 1.00    | 1.57   | 1.06    | 141       | 121       | 0.103  |
| 866 | MJJ25-182 | <0.1      | <0.1      | 244       | 9         | 23        | 32        | 0.94    |         |        |         |           |           |        |
| 867 | MJJ25-184 | <0.1      | <0.1      | 730       | 12        | 71        | 33        | 2.10    |         |        |         |           |           |        |
| 868 | MJJ25-186 | <0.1      | <0.1      | 581       | 13        | 63        | 7         | 2.21    |         |        |         |           |           |        |
| 869 | MJJ25-188 | <0.1      | 0.3       | 1428      | 13        | 71        | 10        | 2.51    |         |        |         |           |           |        |
| 870 | MJJ25-190 | <0.1      | 0.3       | 468       | 31        | 75        | 127       | 1.22    | 0.53    | 2.42   | 0.46    | 53        | 140       | 0.214  |
| 871 | MJJ25-192 | <0.1      | 2.3       | 3895      | 12        | 128       | 26        | 1.93    |         |        |         |           |           |        |
| 872 | MJJ25-194 | <0.1      | 3.3       | 3685      | 15        | 165       | 20        | 1.58    |         |        |         |           |           |        |
| 873 | MJJ25-196 | <0.1      | 5.4       | 16050     | 10        | 52        | 68        | 1.61    |         |        |         |           |           |        |
| 874 | MJJ25-198 | <0.1      | 2.2       | 5150      | 12        | 41        | 38        | 1.86    |         |        |         |           |           |        |
| 875 | MJJ25-200 | <0.1      | 0.3       | 3288      | 12        | 68        | 66        | 2.45    | 0.93    | 2.98   | 0.55    | 84        | 180       | 0.405  |
| 876 | MJJ25-202 | <0.1      | <0.1      | 1142      | 12        | 154       | 14        | 2.89    |         |        |         |           |           |        |
| 877 | MJJ25-204 | <0.1      | 0.1       | 419       | 15        | 90        | 6         | 2.99    |         |        |         |           |           |        |
| 878 | MJJ25-206 | <0.1      | <0.1      | 508       | 11        | 65        | 9         | 2.70    |         |        |         |           |           |        |
| 879 | MJJ25-208 | <0.1      | 0.2       | 1618      | 13        | 54        | 10        | 2.28    |         |        |         |           |           |        |
| 880 | MJJ25-210 | <0.1      | 1.0       | 3169      | 8         | 29        | 30        | 1.70    | 0.46    | 2.66   | 0.77    | 56        | 153       | 0.176  |
| 881 | MJJ25-212 | <0.1      | 1.6       | 4892      | 12        | 31        | 57        | 1.64    |         |        |         |           |           |        |
| 882 | MJJ25-214 | <0.1      | <0.1      | 163       | 13        | 45        | 6         | 2.12    |         |        |         |           |           |        |
| 883 | MJJ25-216 | <0.1      | 0.1       | 433       | 11        | 36        | 9         | 1.25    |         |        |         |           |           |        |
| 884 | MJJ25-218 | <0.1      | 0.1       | 329       | 13        | 34        | 10        | 0.99    |         |        |         |           |           |        |
| 885 | MJJ25-220 | <0.1      | 0.3       | 1079      | 20        | 70        | 14        | 0.92    | 0.21    | 3.02   | 0.28    | 33        | 157       | 0.666  |
| 886 | MJJ25-222 | <0.1      | 0.5       | 1022      | 8         | 24        | 21        | 0.55    |         |        |         |           |           |        |
| 887 | MJJ25-224 | <0.1      | 0.4       | 1601      | 10        | 38        | 34        | 0.47    |         |        |         |           |           |        |
| 888 | MJJ25-226 | <0.1      | <0.1      | 336       | 11        | 37        | 11        | 0.46    |         |        |         |           |           |        |
| 889 | MJJ25-228 | <0.1      | 0.5       | 1917      | 8         | 42        | 49        | 0.51    |         |        |         |           |           |        |
| 890 | MJJ25-230 | <0.1      | 1.7       | 4989      | 10        | 23        | 87        | 0.62    | 0.13    | 2.99   | 0.30    | 18        | 146       | 0.221  |

エクアドルボーリング調査鉱石分析

| No. | 供 試 品     | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 891 | MJJ25-232 | <0.1      | 3.3       | 9305      | 16        | 85        | 108       | 0.84    |         |        |         |           |           |        |
| 892 | MJJ25-234 | <0.1      | 1.4       | 4651      | 16        | 675       | 48        | 1.05    |         |        |         |           |           |        |
| 893 | MJJ25-236 | <0.1      | 2.2       | 7181      | 14        | 98        | 78        | 0.61    |         |        |         |           |           |        |
| 894 | MJJ25-238 | <0.1      | 0.7       | 2067      | 12        | 120       | 30        | 0.58    |         |        |         |           |           |        |
| 895 | MJJ25-240 | <0.1      | 0.5       | 1339      | 9         | 52        | 19        | 0.56    | 0.26    | 3.06   | 0.46    | 44        | 167       | 0.207  |
| 896 | MJJ25-242 | <0.1      | 0.7       | 1694      | 10        | 22        | 23        | 0.48    |         |        |         |           |           |        |
| 897 | MJJ25-244 | <0.1      | 0.7       | 2875      | 9         | 19        | 46        | 0.48    |         |        |         |           |           |        |
| 898 | MJJ25-246 | <0.1      | 3.1       | 6624      | 7         | 16        | 41        | 0.62    |         |        |         |           |           |        |
| 899 | MJJ25-248 | <0.1      | 0.3       | 1150      | 8         | 19        | 23        | 0.44    |         |        |         |           |           |        |
| 900 | MJJ26-4   | <0.1      | 0.3       | 274       | 14        | 20        | 18        | 1.52    |         |        |         |           |           |        |
| 901 | MJJ26-6   | <0.1      | <0.1      | 296       | 12        | 16        | 28        | 1.37    |         |        |         |           |           |        |
| 902 | MJJ26-8   | <0.1      | 0.8       | 321       | 15        | 22        | 18        | 1.28    |         |        |         |           |           |        |
| 903 | MJJ26-10  | <0.1      | 0.6       | 231       | 8         | 10        | 44        | 1.42    | 0.04    | 2.18   | 0.40    | 39        | 133       | 0.014  |
| 904 | MJJ26-12  | <0.1      | 0.5       | 523       | 11        | 16        | 90        | 2.52    |         |        |         |           |           |        |
| 905 | MJJ26-14  | <0.1      | <0.1      | 376       | 12        | 14        | 55        | 1.41    |         |        |         |           |           |        |
| 906 | MJJ26-16  | <0.1      | <0.1      | 460       | 9         | 21        | 38        | 1.00    |         |        |         |           |           |        |
| 907 | MJJ26-18  | <0.1      | <0.1      | 388       | 11        | 47        | 62        | 1.38    |         |        |         |           |           |        |
| 908 | MJJ26-20  | <0.1      | <0.1      | 343       | 12        | 28        | 20        | 1.54    | 0.15    | 1.17   | 0.65    | 172       | 60        | 0.008  |
| 909 | MJJ26-22  | <0.1      | <0.1      | 234       | 10        | 20        | 14        | 1.07    |         |        |         |           |           |        |
| 910 | MJJ26-24  | <0.1      | <0.1      | 165       | 11        | 13        | 8         | 0.98    |         |        |         |           |           |        |
| 911 | MJJ26-26  | <0.1      | 0.5       | 173       | 9         | 10        | 43        | 1.29    |         |        |         |           |           |        |
| 912 | MJJ26-28  | <0.1      | 0.4       | 144       | 10        | 22        | 14        | 1.09    |         |        |         |           |           |        |
| 913 | MJJ26-30  | <0.1      | 0.6       | 292       | 12        | 31        | 36        | 1.64    | 0.17    | 1.82   | 1.08    | 157       | 124       | 0.012  |
| 914 | MJJ26-32  | <0.1      | <0.1      | 747       | 16        | 69        | 6         | 2.22    |         |        |         |           |           |        |
| 915 | MJJ26-34  | <0.1      | <0.1      | 396       | 15        | 64        | 26        | 2.26    |         |        |         |           |           |        |
| 916 | MJJ26-36  | <0.1      | 0.5       | 372       | 10        | 13        | 10        | 1.62    |         |        |         |           |           |        |
| 917 | MJJ26-38  | <0.1      | 0.2       | 371       | 11        | 14        | 10        | 1.54    |         |        |         |           |           |        |
| 918 | MJJ26-40  | <0.1      | 0.4       | 345       | 10        | 13        | 6         | 0.96    | 0.32    | 1.20   | 1.76    | 236       | 77        | 0.008  |
| 919 | MJJ26-42  | <0.1      | 0.2       | 394       | 12        | 10        | 5         | 0.81    |         |        |         |           |           |        |
| 920 | MJJ26-44  | <0.1      | 0.3       | 372       | 14        | 15        | 6         | 1.03    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No. | 供 試 品     | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 921 | MJJ26-46  | <0.1      | <0.1      | 409       | 13        | 16        | 5         | 0.90    |         |        |         |           |           |        |
| 922 | MJJ26-48  | <0.1      | 0.8       | 266       | 13        | 17        | 2         | 0.89    |         |        |         |           |           |        |
| 923 | MJJ26-50  | <0.1      | 0.3       | 207       | 13        | 12        | 6         | 0.74    | 0.15    | 1.90   | 1.46    | 220       | 109       | 0.005  |
| 924 | MJJ26-52  | <0.1      | 0.6       | 210       | 12        | 13        | 8         | 0.89    |         |        |         |           |           |        |
| 925 | MJJ26-54  | <0.1      | 0.4       | 225       | 9         | 20        | 6         | 1.14    |         |        |         |           |           |        |
| 926 | MJJ26-56  | <0.1      | 0.9       | 253       | 11        | 19        | 13        | 1.49    |         |        |         |           |           |        |
| 927 | MJJ26-58  | <0.1      | 0.8       | 356       | 13        | 18        | 26        | 1.56    |         |        |         |           |           |        |
| 928 | MJJ26-60  | <0.1      | 0.6       | 432       | 11        | 28        | 12        | 2.23    | 0.20    | 2.19   | 1.02    | 99        | 159       | 0.011  |
| 929 | MJJ26-62  | <0.1      | 0.1       | 771       | 13        | 49        | 5         | 2.48    |         |        |         |           |           |        |
| 930 | MJJ26-64  | <0.1      | 0.5       | 234       | 16        | 20        | 7         | 1.25    |         |        |         |           |           |        |
| 931 | MJJ26-66  | <0.1      | 1.1       | 397       | 20        | 35        | 13        | 1.90    |         |        |         |           |           |        |
| 932 | MJJ26-68  | <0.1      | 0.9       | 753       | 14        | 32        | 22        | 2.43    |         |        |         |           |           |        |
| 933 | MJJ26-70  | <0.1      | 0.8       | 520       | 12        | 20        | 5         | 1.83    | 0.25    | 2.58   | 0.84    | 99        | 154       | 0.009  |
| 934 | MJJ26-72  | <0.1      | 1.4       | 299       | 12        | 12        | 16        | 1.66    |         |        |         |           |           |        |
| 935 | MJJ26-74  | <0.1      | 5.1       | 393       | 10        | 7         | 30        | 1.50    |         |        |         |           |           |        |
| 936 | MJJ26-76  | <0.1      | 2.5       | 216       | 11        | 4         | 19        | 0.82    |         |        |         |           |           |        |
| 937 | MJJ26-78  | <0.1      | 1.4       | 390       | 13        | 15        | 8         | 1.11    |         |        |         |           |           |        |
| 938 | MJJ26-80  | <0.1      | 1.8       | 545       | 16        | 15        | 31        | 1.04    | 0.15    | 3.20   | 0.80    | 67        | 181       | 0.013  |
| 939 | MJJ26-82  | <0.1      | 1.3       | 1746      | 13        | 24        | 78        | 1.34    |         |        |         |           |           |        |
| 940 | MJJ26-84  | <0.1      | 4.7       | 5902      | 14        | 21        | 339       | 1.53    |         |        |         |           |           |        |
| 941 | MJJ26-86  | <0.1      | 10.5      | 20261     | 21        | 260       | 581       | 1.34    |         |        |         |           |           |        |
| 942 | MJJ26-88  | <0.1      | 3.5       | 6657      | 15        | 147       | 226       | 0.93    |         |        |         |           |           |        |
| 943 | MJJ26-90  | <0.1      | 2.6       | 6850      | 10        | 197       | 229       | 1.06    | 0.11    | 2.16   | 0.26    | 43        | 127       | 0.550  |
| 944 | MJJ26-91  | <0.1      | 1.8       | 4838      | 20        | 511       | 126       | 1.69    |         |        |         |           |           |        |
| 945 | MJJ26-92  | <0.1      | 0.6       | 1728      | 15        | 47        | 28        | 1.41    |         |        |         |           |           |        |
| 946 | MJJ26-94  | <0.1      | 0.8       | 1065      | 9         | 28        | 14        | 0.98    |         |        |         |           |           |        |
| 947 | MJJ26-96  | <0.1      | 0.4       | 2118      | 11        | 22        | 35        | 0.77    |         |        |         |           |           |        |
| 948 | MJJ26-98  | <0.1      | 0.2       | 381       | 10        | 23        | 6         | 0.85    |         |        |         |           |           |        |
| 949 | MJJ26-100 | <0.1      | 0.3       | 3520      | 14        | 32        | 56        | 1.63    | 0.15    | 2.65   | 0.81    | 77        | 150       | 0.404  |
| 950 | MJJ26-102 | <0.1      | 1.6       | 4293      | 15        | 14        | 185       | 2.21    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No. | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 951 | MJJ26-104 | <0.1      | 1.8       | 4330      | 10        | 20        | 1312      | 1.93    |         |        |         |           |           |        |
| 952 | MJJ26-106 | <0.1      | <0.1      | 1378      | 9         | 23        | 35        | 1.11    |         |        |         |           |           |        |
| 953 | MJJ26-108 | <0.1      | 0.3       | 1193      | 10        | 16        | 17        | 1.10    |         |        |         |           |           |        |
| 954 | MJJ26-110 | <0.1      | 0.3       | 1402      | 8         | 9         | 20        | 0.74    | 0.16    | 3.30   | 0.18    | 12        | 107       | 0.053  |
| 955 | MJJ26-112 | <0.1      | 0.4       | 1225      | 10        | 10        | 20        | 0.68    |         |        |         |           |           |        |
| 956 | MJJ26-114 | <0.1      | 0.6       | 2231      | 8         | 11        | 53        | 0.72    |         |        |         |           |           |        |
| 957 | MJJ26-116 | <0.1      | 0.5       | 2221      | 10        | 17        | 21        | 0.81    |         |        |         |           |           |        |
| 958 | MJJ26-118 | <0.1      | 1.7       | 5020      | 12        | 26        | 34        | 0.97    |         |        |         |           |           |        |
| 959 | MJJ26-120 | <0.1      | <0.1      | 1817      | 8         | 17        | 20        | 0.81    | 0.18    | 5.06   | 0.60    | 51        | 147       | 0.080  |
| 960 | MJJ26-122 | <0.1      | 3.5       | 6329      | 8         | 16        | 47        | 0.68    |         |        |         |           |           |        |
| 961 | MJJ26-124 | <0.1      | 1.9       | 4572      | 11        | 20        | 42        | 1.11    |         |        |         |           |           |        |
| 962 | MJJ26-126 | <0.1      | 3.3       | 6593      | 13        | 23        | 63        | 0.96    |         |        |         |           |           |        |
| 963 | MJJ26-128 | <0.1      | 0.7       | 3698      | 14        | 32        | 30        | 1.84    |         |        |         |           |           |        |
| 964 | MJJ26-130 | <0.1      | 0.2       | 1742      | 10        | 39        | 6         | 1.39    | 0.34    | 3.36   | 0.93    | 93        | 136       | 0.028  |
| 965 | MJJ26-132 | <0.1      | 0.2       | 1854      | 13        | 31        | 2         | 1.54    |         |        |         |           |           |        |
| 966 | MJJ26-134 | <0.1      | <0.1      | 1778      | 12        | 24        | 2         | 1.37    |         |        |         |           |           |        |
| 967 | MJJ26-136 | <0.1      | 0.5       | 1498      | 13        | 32        | 6         | 1.60    |         |        |         |           |           |        |
| 968 | MJJ26-138 | <0.1      | 0.3       | 878       | 9         | 18        | 15        | 0.84    |         |        |         |           |           |        |
| 969 | MJJ26-140 | <0.1      | 0.5       | 2207      | 10        | 17        | 115       | 0.60    | 0.15    | 5.58   | 0.51    | 31        | 132       | 0.111  |
| 970 | MJJ26-142 | <0.1      | 1.1       | 3814      | 11        | 27        | 136       | 1.43    |         |        |         |           |           |        |
| 971 | MJJ26-144 | <0.1      | 0.3       | 14354     | 12        | 25        | 79        | 0.89    |         |        |         |           |           |        |
| 972 | MJJ26-146 | <0.1      | 0.6       | 839       | 11        | 18        | 19        | 0.99    |         |        |         |           |           |        |
| 973 | MJJ26-148 | <0.1      | 0.2       | 1026      | 10        | 35        | 34        | 1.00    |         |        |         |           |           |        |
| 974 | MJJ26-150 | <0.1      | 0.2       | 1249      | 11        | 22        | 88        | 1.38    | 0.37    | 5.09   | 0.97    | 73        | 134       | 0.061  |
| 975 | MJJ26-152 | <0.1      | <0.1      | 389       | 8         | 25        | 16        | 1.09    |         |        |         |           |           |        |
| 976 | MJJ26-154 | <0.1      | 7.0       | 5367      | 41        | 1495      | 135       | 2.10    |         |        |         |           |           |        |
| 977 | MJJ26-156 | <0.1      | 0.5       | 2370      | 8         | 63        | 68        | 0.95    |         |        |         |           |           |        |
| 978 | MJJ26-158 | <0.1      | 0.4       | 2721      | 9         | 36        | 124       | 0.86    |         |        |         |           |           |        |
| 979 | MJJ26-160 | <0.1      | 0.3       | 2491      | 11        | 20        | 86        | 0.75    | 0.17    | 4.05   | 1.56    | 106       | 103       | 0.106  |
| 980 | MJJ26-162 | <0.1      | 0.4       | 1548      | 10        | 21        | 85        | 1.15    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 981  | MJJ26-164 | <0.1      | <0.1      | 668       | 11        | 39        | 48        | 2.09    |         |        |         |           |           |        |
| 982  | MJJ26-166 | <0.1      | <0.1      | 861       | 10        | 23        | 22        | 1.18    |         |        |         |           |           |        |
| 983  | MJJ26-168 | <0.1      | 0.5       | 1382      | 7         | 23        | 12        | 1.79    |         |        |         |           |           |        |
| 984  | MJJ26-170 | <0.1      | <0.1      | 1089      | 9         | 19        | 6         | 1.50    | 0.53    | 3.87   | 1.15    | 115       | 116       | 0.054  |
| 985  | MJJ26-172 | <0.1      | <0.1      | 790       | 11        | 28        | 8         | 1.60    |         |        |         |           |           |        |
| 986  | MJJ26-174 | <0.1      | <0.1      | 1191      | 10        | 72        | 11        | 1.53    |         |        |         |           |           |        |
| 987  | MJJ26-176 | <0.1      | 4.5       | 3252      | 22        | 4525      | 55        | 2.45    |         |        |         |           |           |        |
| 988  | MJJ26-178 | <0.1      | <0.1      | 1176      | 14        | 112       | 65        | 2.65    |         |        |         |           |           |        |
| 989  | MJJ26-180 | <0.1      | <0.1      | 2426      | 12        | 25        | 55        | 2.32    | 1.09    | 3.51   | 1.37    | 161       | 111       | 0.183  |
| 990  | MJJ26-182 | <0.1      | 0.3       | 1515      | 11        | 17        | 182       | 1.89    |         |        |         |           |           |        |
| 991  | MJJ26-184 | <0.1      | 0.2       | 1303      | 5         | 26        | 24        | 0.46    |         |        |         |           |           |        |
| 992  | MJJ26-186 | <0.1      | 0.5       | 906       | 9         | 22        | 15        | 1.95    |         |        |         |           |           |        |
| 993  | MJJ26-188 | <0.1      | <0.1      | 1103      | 6         | 15        | 44        | 1.19    |         |        |         |           |           |        |
| 994  | MJJ26-190 | <0.1      | <0.1      | 261       | 5         | 15        | 25        | 1.14    | 0.80    | 2.36   | 0.87    | 102       | 87        | 0.029  |
| 995  | MJJ26-192 | 0.2       | 0.4       | 901       | 8         | 14        | 12        | 1.39    |         |        |         |           |           |        |
| 996  | MJJ26-194 | <0.1      | <0.1      | 592       | 9         | 15        | 34        | 1.44    |         |        |         |           |           |        |
| 997  | MJJ26-196 | <0.1      | 1.2       | 3696      | 9         | 12        | 45        | 1.34    |         |        |         |           |           |        |
| 998  | MJJ26-198 | <0.1      | 0.2       | 482       | 7         | 9         | 15        | 0.75    |         |        |         |           |           |        |
| 999  | MJJ26-200 | <0.1      | <0.1      | 833       | 7         | 10        | 27        | 0.73    | 0.28    | 3.53   | 0.93    | 72        | 96        | 0.047  |
| 1000 | MJJ26-202 | <0.1      | 0.3       | 1349      | 8         | 14        | 16        | 0.77    |         |        |         |           |           |        |
| 1001 | MJJ26-204 | <0.1      | 0.4       | 1654      | 7         | 15        | 51        | 0.48    |         |        |         |           |           |        |
| 1002 | MJJ26-206 | <0.1      | 0.2       | 939       | 11        | 18        | 20        | 1.22    |         |        |         |           |           |        |
| 1003 | MJJ26-208 | <0.1      | <0.1      | 616       | 11        | 24        | 19        | 1.91    |         |        |         |           |           |        |
| 1004 | MJJ26-210 | <0.1      | <0.1      | 247       | 9         | 25        | 3         | 2.16    | 1.47    | 2.77   | 1.32    | 180       | 114       | 0.027  |
| 1005 | MJJ26-212 | <0.1      | 0.3       | 672       | 7         | 15        | 14        | 1.31    |         |        |         |           |           |        |
| 1006 | MJJ26-214 | <0.1      | <0.1      | 645       | 7         | 17        | 6         | 1.62    |         |        |         |           |           |        |
| 1007 | MJJ26-216 | <0.1      | 0.2       | 1161      | 10        | 22        | 21        | 2.00    |         |        |         |           |           |        |
| 1008 | MJJ26-218 | <0.1      | 1.0       | 3550      | 9         | 31        | 36        | 1.96    |         |        |         |           |           |        |
| 1009 | MJJ26-220 | <0.1      | 0.6       | 2212      | 10        | 48        | 14        | 2.81    | 1.27    | 2.90   | 1.13    | 148       | 135       | 0.099  |
| 1010 | MJJ26-222 | <0.1      | <0.1      | 1471      | 10        | 49        | 2         | 2.93    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1011 | MJJ26-224 | <0.1      | <0.1      | 956       | 12        | 42        | <1        | 3.16    |         |        |         |           |           |        |
| 1012 | MJJ26-226 | <0.1      | 0.2       | 2593      | 9         | 36        | 11        | 1.96    |         |        |         |           |           |        |
| 1013 | MJJ26-228 | <0.1      | 2.8       | 4921      | 11        | 61        | 30        | 2.44    |         |        |         |           |           |        |
| 1014 | MJJ26-230 | <0.1      | 1.8       | 1225      | 13        | 149       | 6         | 2.91    | 1.31    | 2.84   | 1.29    | 184       | 124       | 0.069  |
| 1015 | MJJ26-232 | <0.1      | 0.3       | 3193      | 10        | 73        | 29        | 2.43    |         |        |         |           |           |        |
| 1016 | MJJ26-234 | <0.1      | 0.4       | 965       | 12        | 143       | 7         | 3.26    |         |        |         |           |           |        |
| 1017 | MJJ26-236 | <0.1      | <0.1      | 301       | 10        | 96        | 2         | 2.41    |         |        |         |           |           |        |
| 1018 | MJJ26-238 | <0.1      | <0.1      | 503       | 11        | 91        | <1        | 2.51    |         |        |         |           |           |        |
| 1019 | MJJ26-240 | <0.1      | 7.1       | 1852      | 9         | 76        | 40        | 1.97    | 0.62    | 4.98   | 0.88    | 79        | 165       | 0.077  |
| 1020 | MJJ26-242 | <0.1      | 1.6       | 2672      | 15        | 133       | 42        | 2.23    |         |        |         |           |           |        |
| 1021 | MJJ26-244 | <0.1      | <0.1      | 2701      | 15        | 146       | 6         | 2.78    |         |        |         |           |           |        |
| 1022 | MJJ26-246 | <0.1      | 2.7       | 20674     | 10        | 230       | 214       | 3.36    |         |        |         |           |           |        |
| 1023 | MJJ26-248 | <0.1      | 7.7       | 8448      | 150       | 1129      | 221       | 5.08    |         |        |         |           |           |        |
| 1024 | MJJ26-250 | <0.1      | 0.2       | 1856      | 9         | 110       | 268       | 1.11    | 0.30    | 4.04   | 0.81    | 99        | 129       | 0.200  |
| 1025 | MJJ26-252 | <0.1      | 1.3       | 2870      | 39        | 621       | 63        | 1.23    |         |        |         |           |           |        |
| 1026 | MJJ26-254 | <0.1      | 4.8       | 4640      | 28        | 254       | 101       | 2.88    |         |        |         |           |           |        |
| 1027 | MJJ26-256 | <0.1      | 9.4       | 3741      | 13        | 586       | 48        | 1.18    |         |        |         |           |           |        |
| 1028 | MJJ26-258 | <0.1      | 7.4       | 5735      | 22        | 222       | 29        | 3.84    |         |        |         |           |           |        |
| 1029 | MJJ26-260 | <0.1      | 6.0       | 3482      | 14        | 166       | 21        | 3.43    | 0.40    | 4.55   | 0.22    | 24        | 186       | 4.417  |
| 1030 | MJJ26-262 | <0.1      | 3.0       | 1857      | 189       | 166       | 24        | 3.14    |         |        |         |           |           |        |
| 1031 | MJJ26-264 | <0.1      | <0.1      | 277       | 9         | 111       | 3         | 3.22    |         |        |         |           |           |        |
| 1032 | MJJ26-266 | <0.1      | <0.1      | 1100      | 11        | 166       | 2         | 2.93    |         |        |         |           |           |        |
| 1033 | MJJ26-268 | <0.1      | <0.1      | 1436      | 12        | 83        | 2         | 1.88    |         |        |         |           |           |        |
| 1034 | MJJ26-270 | <0.1      | 0.3       | 872       | 11        | 160       | 10        | 1.28    | 1.22    | 5.71   | 0.58    | 85        | 193       | 0.238  |
| 1035 | MJJ26-272 | <0.1      | <0.1      | 541       | 10        | 180       | 17        | 0.57    |         |        |         |           |           |        |
| 1036 | MJJ26-274 | <0.1      | <0.1      | 317       | 8         | 68        | 24        | 0.30    |         |        |         |           |           |        |
| 1037 | MJJ26-276 | <0.1      | <0.1      | 342       | 10        | 176       | 9         | 0.36    |         |        |         |           |           |        |
| 1038 | MJJ26-278 | <0.1      | <0.1      | 357       | 6         | 54        | 13        | 0.31    |         |        |         |           |           |        |
| 1039 | MJJ26-280 | <0.1      | <0.1      | 340       | 12        | 28        | 6         | 0.37    | 0.32    | 5.65   | 0.43    | 40        | 150       | 0.064  |
| 1040 | MJJ26-282 | <0.1      | <0.1      | 138       | 56        | 30        | 8         | 0.21    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1041 | MJJ26-284 | <0.1      | 2.3       | 1820      | 5         | 33        | 49        | 0.37    |         |        |         |           |           |        |
| 1042 | MJJ26-286 | <0.1      | <0.1      | 116       | 12        | 17        | 23        | 0.28    |         |        |         |           |           |        |
| 1043 | MJJ26-288 | <0.1      | <0.1      | 181       | 6         | 10        | 18        | 0.14    |         |        |         |           |           |        |
| 1044 | MJJ26-290 | <0.1      | 0.5       | 1099      | 9         | 18        | 27        | 1.83    | 1.01    | 3.06   | 1.33    | 158       | 111       | 0.065  |
| 1045 | MJJ26-292 | <0.1      | 0.6       | 2206      | 10        | 13        | 35        | 0.35    |         |        |         |           |           |        |
| 1046 | MJJ26-294 | <0.1      | 0.9       | 2023      | 11        | 15        | 42        | 0.44    |         |        |         |           |           |        |
| 1047 | MJJ26-296 | <0.1      | 0.8       | 1259      | 16        | 31        | 45        | 0.30    |         |        |         |           |           |        |
| 1048 | MJJ26-298 | <0.1      | <0.1      | 480       | 10        | 19        | 9         | 0.30    |         |        |         |           |           |        |
| 1049 | MJJ26-300 | <0.1      | 0.2       | 1260      | 6         | 15        | 28        | 0.42    | 0.09    | 5.21   | 0.70    | 37        | 135       | 0.081  |
| 1050 | MJJ26-302 | <0.1      | <0.1      | 416       | 10        | 22        | 4         | 0.27    |         |        |         |           |           |        |
| 1051 | MJJ26-304 | <0.1      | 0.1       | 1185      | 10        | 15        | 14        | 0.46    |         |        |         |           |           |        |
| 1052 | MJJ26-306 | <0.1      | 0.9       | 402       | 7         | 12        | 14        | 0.24    |         |        |         |           |           |        |
| 1053 | MJJ26-308 | <0.1      | <0.1      | 345       | 6         | 15        | 15        | 0.31    |         |        |         |           |           |        |
| 1054 | MJJ26-310 | <0.1      | 0.5       | 2414      | 9         | 17        | 35        | 0.48    | 0.06    | 4.91   | 0.36    | 19        | 118       | 0.115  |
| 1055 | MJJ26-312 | <0.1      | 1.1       | 3322      | 6         | 8         | 31        | 0.39    |         |        |         |           |           |        |
| 1056 | MJJ26-314 | <0.1      | 1.0       | 3425      | 7         | 13        | 33        | 0.57    |         |        |         |           |           |        |
| 1057 | MJJ26-316 | <0.1      | 0.2       | 1129      | 10        | 45        | 25        | 1.25    |         |        |         |           |           |        |
| 1058 | MJJ26-318 | <0.1      | 0.3       | 2131      | 14        | 44        | 49        | 1.27    |         |        |         |           |           |        |
| 1059 | MJJ26-320 | <0.1      | 0.5       | 3801      | 13        | 30        | 60        | 1.51    | 0.19    | 4.36   | 0.81    | 70        | 135       | 0.485  |
| 1060 | MJJ26-322 | <0.1      | 0.6       | 3684      | 7         | 10        | 47        | 1.08    |         |        |         |           |           |        |
| 1061 | MJJ26-324 | <0.1      | 0.5       | 3953      | 10        | 13        | 70        | 1.07    |         |        |         |           |           |        |
| 1062 | MJJ26-326 | <0.1      | 1.2       | 5004      | 11        | 15        | 49        | 1.30    |         |        |         |           |           |        |
| 1063 | MJJ26-328 | <0.1      | 0.7       | 3634      | 12        | 14        | 44        | 1.14    |         |        |         |           |           |        |
| 1064 | MJJ26-330 | <0.1      | 1.0       | 4816      | 10        | 51        | 124       | 4.59    | 1.92    | 2.04   | 1.56    | 245       | 115       | 0.361  |
| 1065 | MJJ26-332 | <0.1      | 1.0       | 8641      | 14        | 56        | 219       | 6.53    |         |        |         |           |           |        |
| 1066 | MJJ26-334 | <0.1      | 0.5       | 4187      | 16        | 59        | 42        | 6.34    |         |        |         |           |           |        |
| 1067 | MJJ26-336 | <0.1      | 0.4       | 3178      | 10        | 63        | 39        | 4.75    |         |        |         |           |           |        |
| 1068 | MJJ26-338 | <0.1      | <0.1      | 2114      | 7         | 70        | 19        | 6.76    |         |        |         |           |           |        |
| 1069 | MJJ26-340 | <0.1      | 0.4       | 2450      | 10        | 21        | 62        | 1.63    | 0.22    | 3.57   | 1.25    | 87        | 124       | 0.359  |
| 1070 | MJJ26-342 | <0.1      | 2.0       | 6696      | 10        | 21        | 60        | 2.61    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1071 | MJJ26-344 | <0.1      | 1.0       | 4618      | 13        | 55        | 77        | 2.50    |         |        |         |           |           |        |
| 1072 | MJJ26-346 | <0.1      | 1.2       | 4088      | 10        | 41        | 104       | 3.75    |         |        |         |           |           |        |
| 1073 | MJJ26-348 | <0.1      | 1.5       | 4029      | 9         | 45        | 114       | 4.16    |         |        |         |           |           |        |
| 1074 | MJJ26-350 | <0.1      | 1.9       | 3486      | 12        | 68        | 93        | 5.09    | 1.74    | 2.18   | 1.35    | 208       | 129       | 0.228  |
| 1075 | MJJ26-352 | <0.1      | 1.3       | 3191      | 14        | 45        | 52        | 4.43    |         |        |         |           |           |        |
| 1076 | MJJ26-354 | <0.1      | 2.3       | 7765      | 11        | 60        | 67        | 5.05    |         |        |         |           |           |        |
| 1077 | MJJ26-356 | <0.1      | 2.0       | 7259      | 13        | 76        | 124       | 6.36    |         |        |         |           |           |        |
| 1078 | MJJ26-358 | <0.1      | 0.5       | 2504      | 14        | 73        | 47        | 6.85    |         |        |         |           |           |        |
| 1079 | MJJ26-360 | <0.1      | 0.4       | 1755      | 16        | 53        | 38        | 4.99    | 2.01    | 2.13   | 1.63    | 253       | 95        | 0.130  |
| 1080 | MJJ26-362 | <0.1      | 0.7       | 4467      | 12        | 84        | 69        | 7.48    |         |        |         |           |           |        |
| 1081 | MJJ26-364 | <0.1      | 1.2       | 3642      | 18        | 82        | 17        | 6.92    |         |        |         |           |           |        |
| 1082 | MJJ26-366 | <0.1      | 0.9       | 2436      | 14        | 78        | 20        | 7.15    |         |        |         |           |           |        |
| 1083 | MJJ26-368 | <0.1      | 0.8       | 4181      | 12        | 84        | 30        | 7.26    |         |        |         |           |           |        |
| 1084 | MJJ26-370 | <0.1      | 1.1       | 5307      | 15        | 54        | 107       | 5.28    | 0.73    | 3.65   | 0.75    | 117       | 164       | 0.580  |
| 1085 | MJJ26-372 | <0.1      | 1.6       | 7913      | 13        | 40        | 129       | 5.37    |         |        |         |           |           |        |
| 1086 | MJJ26-374 | <0.1      | 1.9       | 9127      | 14        | 62        | 66        | 7.97    |         |        |         |           |           |        |
| 1087 | MJJ26-376 | <0.1      | 0.9       | 7467      | 17        | 120       | 76        | 9.02    |         |        |         |           |           |        |
| 1088 | MJJ26-378 | <0.1      | 0.4       | 1055      | 9         | 93        | 41        | 5.11    |         |        |         |           |           |        |
| 1089 | MJJ26-380 | <0.1      | 0.2       | 3283      | 13        | 129       | 24        | 6.54    | 1.35    | 3.28   | 0.79    | 212       | 154       | 0.179  |
| 1090 | MJJ26-382 | <0.1      | 0.6       | 4225      | 14        | 144       | 66        | 5.34    |         |        |         |           |           |        |
| 1091 | MJJ26-384 | <0.1      | <0.1      | 1700      | 12        | 139       | 6         | 5.36    |         |        |         |           |           |        |
| 1092 | MJJ26-386 | <0.1      | 0.4       | 2607      | 8         | 261       | 15        | 4.92    |         |        |         |           |           |        |
| 1093 | MJJ26-388 | <0.1      | 0.1       | 4077      | 13        | 122       | 86        | 8.84    |         |        |         |           |           |        |
| 1094 | MJJ26-390 | <0.1      | <0.1      | 1664      | 9         | 111       | 35        | 7.12    | 3.33    | 1.99   | 0.72    | 236       | 89        | 0.270  |
| 1095 | MJJ26-392 | <0.1      | 0.9       | 3692      | 9         | 115       | 28        | 5.48    |         |        |         |           |           |        |
| 1096 | MJJ26-394 | <0.1      | 0.7       | 4152      | 7         | 87        | 31        | 4.38    |         |        |         |           |           |        |
| 1097 | MJJ26-396 | <0.1      | <0.1      | 2005      | 8         | 81        | 16        | 4.16    |         |        |         |           |           |        |
| 1098 | MJJ26-398 | <0.1      | <0.1      | 1832      | 10        | 115       | 14        | 4.89    |         |        |         |           |           |        |
| 1099 | MJJ26-400 | <0.1      | 0.1       | 1038      | 9         | 115       | 20        | 4.65    | 1.72    | 2.74   | 0.63    | 135       | 131       | 0.108  |
| 1100 | MJJ26-402 | <0.1      | 0.6       | 3779      | 10        | 49        | 79        | 2.91    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1101 | MJJ26-404 | <0.1      | <0.1      | 1345      | 13        | 124       | 66        | 4.78    |         |        |         |           |           |        |
| 1102 | MJJ26-406 | <0.1      | <0.1      | 1588      | 13        | 62        | 20        | 3.63    |         |        |         |           |           |        |
| 1103 | MJJ26-408 | <0.1      | <0.1      | 3285      | 9         | 56        | 58        | 3.83    |         |        |         |           |           |        |
| 1104 | MJJ26-410 | <0.1      | 0.7       | 4038      | 9         | 91        | 41        | 4.85    | 0.49    | 2.17   | 0.50    | 68        | 200       | 0.391  |
| 1105 | MJJ26-412 | <0.1      | <0.1      | 1948      | 11        | 141       | 25        | 6.77    |         |        |         |           |           |        |
| 1106 | MJJ26-414 | <0.1      | <0.1      | 2077      | 10        | 144       | 7         | 7.17    |         |        |         |           |           |        |
| 1107 | MJJ26-416 | <0.1      | <0.1      | 955       | 10        | 135       | 5         | 4.60    |         |        |         |           |           |        |
| 1108 | MJJ26-418 | <0.1      | 0.4       | 3467      | 10        | 168       | 37        | 5.32    |         |        |         |           |           |        |
| 1109 | MJJ26-420 | <0.1      | <0.1      | 1586      | 8         | 178       | 19        | 5.91    | 1.66    | 1.70   | 0.40    | 98        | 201       | 0.142  |
| 1110 | MJJ26-422 | <0.1      | <0.1      | 1698      | 11        | 160       | 35        | 4.78    |         |        |         |           |           |        |
| 1111 | MJJ26-424 | <0.1      | 0.4       | 2856      | 15        | 222       | 32        | 5.29    |         |        |         |           |           |        |
| 1112 | MJJ26-426 | <0.1      | <0.1      | 2290      | 11        | 317       | 139       | 6.12    |         |        |         |           |           |        |
| 1113 | MJJ26-428 | <0.1      | <0.1      | 1869      | 67        | 314       | 60        | 5.32    |         |        |         |           |           |        |
| 1114 | MJJ26-430 | <0.1      | 1.3       | 11281     | 44        | 342       | 255       | 4.31    | 0.68    | 2.43   | 0.22    | 38        | 166       | 3.599  |
| 1115 | MJJ26-432 | <0.1      | 0.2       | 2745      | 14        | 352       | 40        | 4.72    |         |        |         |           |           |        |
| 1116 | MJJ26-434 | <0.1      | 0.4       | 4093      | 95        | 224       | 49        | 3.92    |         |        |         |           |           |        |
| 1117 | MJJ26-436 | <0.1      | <0.1      | 2434      | 12        | 250       | 40        | 4.95    |         |        |         |           |           |        |
| 1118 | MJJ26-438 | <0.1      | <0.1      | 3763      | 14        | 324       | 89        | 4.91    |         |        |         |           |           |        |
| 1119 | MJJ26-440 | <0.1      | <0.1      | 2579      | 13        | 92        | 86        | 2.21    | 0.53    | 2.26   | 0.19    | 28        | 130       | 0.929  |
| 1120 | MJJ26-442 | <0.1      | 0.1       | 3262      | 8         | 72        | 265       | 1.17    |         |        |         |           |           |        |
| 1121 | MJJ26-444 | <0.1      | 0.1       | 4120      | 8         | 115       | 115       | 1.72    |         |        |         |           |           |        |
| 1122 | MJJ26-446 | <0.1      | 0.4       | 1435      | 11        | 39        | 33        | 1.03    |         |        |         |           |           |        |
| 1123 | MJJ26-448 | <0.1      | <0.1      | 856       | 12        | 41        | 28        | 0.84    |         |        |         |           |           |        |
| 1124 | MJJ26-450 | <0.1      | 0.4       | 1858      | 8         | 29        | 32        | 0.68    | 0.13    | 2.84   | 0.20    | 15        | 116       | 0.322  |
| 1125 | MJJ26-452 | <0.1      | 6.5       | 13185     | 15        | 326       | 185       | 2.01    |         |        |         |           |           |        |
| 1126 | MJJ26-454 | <0.1      | 0.5       | 2949      | 6         | 102       | 191       | 1.01    |         |        |         |           |           |        |
| 1127 | MJJ26-456 | <0.1      | 0.9       | 2116      | 10        | 59        | 42        | 0.72    |         |        |         |           |           |        |
| 1128 | MJJ26-458 | <0.1      | 0.4       | 1756      | 11        | 58        | 72        | 0.84    |         |        |         |           |           |        |
| 1129 | MJJ26-460 | <0.1      | 0.4       | 3326      | 29        | 267       | 36        | 4.03    | 0.63    | 3.16   | 0.39    | 45        | 227       | 0.824  |
| 1130 | MJJ26-462 | <0.1      | 0.9       | 4404      | 15        | 330       | 78        | 5.42    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品         | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1131 | MJJ26-464   | <0.1      | <0.1      | 2575      | 11        | 186       | 47        | 3.98    |         |        |         |           |           |        |
| 1132 | MJJ26-466   | <0.1      | 2.9       | 7921      | 14        | 601       | 173       | 4.69    |         |        |         |           |           |        |
| 1133 | MJJ26-468   | <0.1      | 0.9       | 3607      | 13        | 242       | 12        | 3.72    |         |        |         |           |           |        |
| 1134 | MJJ26-470   | <0.1      | 1.0       | 4526      | 18        | 391       | 62        | 3.76    | 0.55    | 2.59   | 0.65    | 65        | 171       | 0.530  |
| 1135 | MJJ26-472   | <0.1      | 0.7       | 2143      | 49        | 517       | 16        | 4.30    |         |        |         |           |           |        |
| 1136 | MJJ26-474   | <0.1      | 2.2       | 8555      | 24        | 409       | 283       | 1.60    |         |        |         |           |           |        |
| 1137 | MJJ26-476   | <0.1      | 9.3       | 7947      | 96        | 715       | 826       | 4.25    |         |        |         |           |           |        |
| 1138 | MJJ26-478   | <0.1      | 2.8       | 4955      | 14        | 297       | 39        | 1.09    |         |        |         |           |           |        |
| 1139 | MJJ26-480   | <0.1      | <0.1      | 1374      | 4         | 36        | 35        | 0.64    | 0.20    | 1.20   | 0.12    | 8         | 63        | 0.221  |
| 1140 | MJJ26-482   | <0.1      | <0.1      | 607       | 2         | 27        | 43        | 0.39    |         |        |         |           |           |        |
| 1141 | MJJ26-484   | <0.1      | 1.1       | 4280      | 8         | 390       | 84        | 2.18    |         |        |         |           |           |        |
| 1142 | MJJ26-486   | <0.1      | <0.1      | 1644      | 7         | 123       | 8         | 1.65    |         |        |         |           |           |        |
| 1143 | MJJ26-488   | <0.1      | <0.1      | 544       | 10        | 51        | 12        | 1.42    |         |        |         |           |           |        |
| 1144 | MJJ26-490   | <0.1      | <0.1      | 673       | 7         | 45        | 4         | 1.50    | 0.30    | 2.10   | 0.73    | 51        | 106       | 0.188  |
| 1145 | MJJ26-492   | <0.1      | 0.2       | 1851      | 12        | 71        | 22        | 1.26    |         |        |         |           |           |        |
| 1146 | MJJ26-494   | <0.1      | 0.2       | 844       | 7         | 38        | 12        | 0.75    |         |        |         |           |           |        |
| 1147 | MJJ26-496   | <0.1      | <0.1      | 135       | 5         | 20        | 2         | 0.33    |         |        |         |           |           |        |
| 1148 | MJJ26-498   | <0.1      | <0.1      | 394       | 9         | 35        | 7         | 0.48    |         |        |         |           |           |        |
| 1149 | MJJ26-500   | <0.1      | <0.1      | 419       | 9         | 40        | 7         | 0.68    | 0.19    | 2.13   | 1.07    | 89        | 102       | 0.140  |
| 1150 | MJJ27-5, 79 | <0.1      | 0.7       | 597       | 12        | 46        | 12        | 1.58    |         |        |         |           |           |        |
| 1151 | MJJ27-6     | <0.1      | 2.2       | 612       | 18        | 31        | 301       | 2.29    |         |        |         |           |           |        |
| 1152 | MJJ27-8     | <0.1      | <0.1      | 527       | 12        | 17        | 37        | 1.99    |         |        |         |           |           |        |
| 1153 | MJJ27-10    | <0.1      | 0.3       | 526       | 10        | 16        | 39        | 1.80    | 0.27    | 1.37   | 1.75    | 182       | 83        | 0.024  |
| 1154 | MJJ27-12    | <0.1      | 1.0       | 4283      | 12        | 23        | 163       | 2.29    |         |        |         |           |           |        |
| 1155 | MJJ27-14    | <0.1      | 1.5       | 2792      | 9         | 4         | 369       | 1.45    |         |        |         |           |           |        |
| 1156 | MJJ27-16    | <0.1      | 2.0       | 2575      | 14        | 21        | 350       | 1.93    |         |        |         |           |           |        |
| 1157 | MJJ27-18    | <0.1      | <0.1      | 775       | 13        | 30        | 104       | 1.72    |         |        |         |           |           |        |
| 1158 | MJJ27-20    | <0.1      | <0.1      | 1813      | 15        | 48        | 32        | 1.54    | 0.69    | 1.15   | 2.01    | 300       | 95        | 0.493  |
| 1159 | MJJ27-22    | <0.1      | 0.2       | 1858      | 12        | 72        | 36        | 2.26    |         |        |         |           |           |        |
| 1160 | MJJ27-24    | <0.1      | <0.1      | 2182      | 10        | 53        | 1752      | 1.93    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品      | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1161 | MJJ27-26 | <0.1      | <0.1      | 1056      | 9         | 60        | 103       | 2.24    |         |        |         |           |           |        |
| 1162 | MJJ27-28 | <0.1      | 0.8       | 4768      | 10        | 50        | 62        | 1.99    |         |        |         |           |           |        |
| 1163 | MJJ27-30 | <0.1      | 0.9       | 7115      | 11        | 47        | 170       | 2.11    | 0.75    | 1.46   | 1.37    | 204       | 112       | 0.973  |
| 1164 | MJJ27-32 | <0.1      | 0.1       | 837       | 12        | 47        | 11        | 2.41    |         |        |         |           |           |        |
| 1165 | MJJ27-34 | <0.1      | 0.7       | 3130      | 10        | 38        | 318       | 2.07    |         |        |         |           |           |        |
| 1166 | MJJ27-36 | <0.1      | 0.2       | 1531      | 10        | 28        | 16        | 1.68    |         |        |         |           |           |        |
| 1167 | MJJ27-38 | <0.1      | <0.1      | 1013      | 11        | 33        | 14        | 2.36    |         |        |         |           |           |        |
| 1168 | MJJ27-40 | <0.1      | 0.2       | 883       | 14        | 58        | 21        | 3.68    | 1.97    | 1.23   | 1.38    | 249       | 113       | 0.474  |
| 1169 | MJJ27-42 | <0.1      | 1.1       | 2252      | 10        | 46        | 78        | 2.76    |         |        |         |           |           |        |
| 1170 | MJJ27-44 | <0.1      | 0.4       | 1986      | 9         | 17        | 83        | 1.41    |         |        |         |           |           |        |
| 1171 | MJJ27-46 | <0.1      | 0.3       | 1948      | 16        | 21        | 39        | 2.14    |         |        |         |           |           |        |
| 1172 | MJJ27-48 | <0.1      | 0.2       | 2152      | 10        | 21        | 23        | 2.20    |         |        |         |           |           |        |
| 1173 | MJJ27-50 | <0.1      | 0.8       | 5801      | 16        | 32        | 134       | 3.31    | 0.89    | 1.87   | 1.05    | 146       | 149       | 0.707  |
| 1174 | MJJ27-52 | <0.1      | 0.8       | 4928      | 14        | 28        | 173       | 3.20    |         |        |         |           |           |        |
| 1175 | MJJ27-54 | <0.1      | 0.2       | 1293      | 9         | 25        | 28        | 2.85    |         |        |         |           |           |        |
| 1176 | MJJ27-56 | <0.1      | 0.2       | 1802      | 9         | 23        | 86        | 2.52    |         |        |         |           |           |        |
| 1177 | MJJ27-58 | <0.1      | 0.5       | 3914      | 11        | 17        | 93        | 2.26    |         |        |         |           |           |        |
| 1178 | MJJ27-60 | <0.1      | <0.1      | 776       | 9         | 26        | 37        | 2.51    | 1.06    | 1.43   | 1.26    | 179       | 122       | 0.087  |
| 1179 | MJJ27-62 | <0.1      | 0.5       | 2305      | 9         | 37        | 99        | 2.47    |         |        |         |           |           |        |
| 1180 | MJJ27-64 | <0.1      | 0.3       | 2491      | 12        | 38        | 110       | 2.91    |         |        |         |           |           |        |
| 1181 | MJJ27-66 | <0.1      | 1.8       | 9426      | 13        | 29        | 230       | 2.51    |         |        |         |           |           |        |
| 1182 | MJJ27-68 | <0.1      | 0.4       | 2582      | 12        | 16        | 175       | 1.64    |         |        |         |           |           |        |
| 1183 | MJJ27-70 | <0.1      | 0.6       | 4724      | 10        | 30        | 145       | 1.85    | 0.43    | 1.73   | 1.34    | 185       | 138       | 0.996  |
| 1184 | MJJ27-72 | <0.1      | 0.7       | 3657      | 10        | 43        | 43        | 1.84    |         |        |         |           |           |        |
| 1185 | MJJ27-74 | <0.1      | 0.3       | 2092      | 9         | 118       | 31        | 1.39    |         |        |         |           |           |        |
| 1186 | MJJ27-76 | <0.1      | 1.3       | 7527      | 11        | 44        | 562       | 2.11    |         |        |         |           |           |        |
| 1187 | MJJ27-78 | <0.1      | 0.6       | 3550      | 12        | 32        | 384       | 1.49    |         |        |         |           |           |        |
| 1188 | MJJ27-80 | <0.1      | 0.6       | 4295      | 10        | 36        | 499       | 1.78    | 0.67    | 1.60   | 1.12    | 219       | 116       | 0.772  |
| 1189 | MJJ27-82 | <0.1      | 0.9       | 4913      | 10        | 38        | 210       | 1.64    |         |        |         |           |           |        |
| 1190 | MJJ27-84 | <0.1      | 0.5       | 2622      | 8         | 21        | 128       | 1.06    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1191 | MJJ27-86  | <0.1      | 1.9       | 6164      | 14        | 30        | 292       | 1.72    |         |        |         |           |           |        |
| 1192 | MJJ27-88  | <0.1      | 0.7       | 4358      | 8         | 17        | 145       | 1.10    |         |        |         |           |           |        |
| 1193 | MJJ27-90  | <0.1      | 1.8       | 10037     | 10        | 26        | 242       | 2.04    | 0.53    | 1.65   | 1.33    | 206       | 98        | 0.982  |
| 1194 | MJJ27-92  | <0.1      | 1.4       | 14468     | 10        | 16        | 676       | 1.55    |         |        |         |           |           |        |
| 1195 | MJJ27-94  | <0.1      | 2.2       | 8536      | 10        | 21        | 496       | 1.65    |         |        |         |           |           |        |
| 1196 | MJJ27-96  | <0.1      | 2.0       | 9082      | 11        | 20        | 318       | 1.57    |         |        |         |           |           |        |
| 1197 | MJJ27-98  | <0.1      | 0.9       | 5121      | 10        | 18        | 562       | 1.65    |         |        |         |           |           |        |
| 1198 | MJJ27-100 | <0.1      | 1.7       | 12072     | 8         | 18        | 127       | 2.01    | 0.64    | 1.32   | 1.29    | 230       | 83        | 1.135  |
| 1199 | MJJ27-102 | <0.1      | 0.7       | 7885      | 9         | 20        | 716       | 2.19    |         |        |         |           |           |        |
| 1200 | MJJ27-104 | <0.1      | 0.3       | 2481      | 10        | 24        | 376       | 1.44    |         |        |         |           |           |        |
| 1201 | MJJ27-106 | <0.1      | 1.0       | 4320      | 11        | 34        | 81        | 1.51    |         |        |         |           |           |        |
| 1202 | MJJ27-108 | <0.1      | 0.3       | 2639      | 8         | 23        | 385       | 1.30    |         |        |         |           |           |        |
| 1203 | MJJ27-110 | <0.1      | 0.5       | 6711      | 9         | 28        | 938       | 2.08    | 0.68    | 1.48   | 1.41    | 256       | 91        | 0.830  |
| 1204 | MJJ27-112 | <0.1      | 0.8       | 4282      | 8         | 20        | 428       | 1.32    |         |        |         |           |           |        |
| 1205 | MJJ27-114 | <0.1      | 1.5       | 5633      | 8         | 19        | 316       | 1.52    |         |        |         |           |           |        |
| 1206 | MJJ27-116 | <0.1      | 0.2       | 2281      | 10        | 15        | 100       | 1.14    |         |        |         |           |           |        |
| 1207 | MJJ27-118 | <0.1      | 0.3       | 4472      | 8         | 19        | 316       | 1.61    |         |        |         |           |           |        |
| 1208 | MJJ27-120 | <0.1      | 5.0       | 5314      | 9         | 25        | 316       | 1.68    | 0.77    | 1.53   | 1.70    | 269       | 86        | 0.481  |
| 1209 | MJJ27-122 | <0.1      | 0.2       | 2023      | 14        | 19        | 86        | 1.20    |         |        |         |           |           |        |
| 1210 | MJJ27-124 | <0.1      | 0.6       | 3257      | 10        | 26        | 163       | 1.52    |         |        |         |           |           |        |
| 1211 | MJJ27-126 | <0.1      | 0.7       | 3971      | 8         | 32        | 254       | 1.70    |         |        |         |           |           |        |
| 1212 | MJJ27-128 | <0.1      | 0.4       | 3473      | 11        | 30        | 205       | 1.76    |         |        |         |           |           |        |
| 1213 | MJJ27-130 | <0.1      | 0.3       | 1913      | 11        | 18        | 143       | 1.02    | 0.42    | 1.74   | 1.49    | 183       | 104       | 0.215  |
| 1214 | MJJ27-132 | <0.1      | 0.3       | 2628      | 8         | 22        | 183       | 1.10    |         |        |         |           |           |        |
| 1215 | MJJ27-134 | <0.1      | 0.8       | 3791      | 10        | 21        | 192       | 1.38    |         |        |         |           |           |        |
| 1216 | MJJ27-136 | <0.1      | 1.1       | 6336      | 10        | 19        | 185       | 1.08    |         |        |         |           |           |        |
| 1217 | MJJ27-138 | <0.1      | 0.8       | 4771      | 8         | 14        | 279       | 1.14    |         |        |         |           |           |        |
| 1218 | MJJ27-140 | <0.1      | 28.3      | 2966      | 12        | 18        | 106       | 1.25    | 0.18    | 2.10   | 1.32    | 127       | 130       | 0.400  |
| 1219 | MJJ27-142 | <0.1      | 11.9      | 2299      | 11        | 34        | 76        | 1.41    |         |        |         |           |           |        |
| 1220 | MJJ27-144 | <0.1      | 0.9       | 7464      | 9         | 22        | 144       | 1.71    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1221 | MJJ27-146 | <0.1      | 2.4       | 8502      | 13        | 22        | 179       | 2.45    |         |        |         |           |           |        |
| 1222 | MJJ27-148 | <0.1      | 0.5       | 3008      | 10        | 22        | 74        | 1.52    |         |        |         |           |           |        |
| 1223 | MJJ27-150 | <0.1      | 2.0       | 6785      | 10        | 22        | 140       | 1.41    | 0.19    | 2.19   | 1.02    | 70        | 137       | 0.935  |
| 1224 | MJJ27-152 | <0.1      | 1.6       | 9539      | 10        | 23        | 670       | 2.29    |         |        |         |           |           |        |
| 1225 | MJJ27-154 | <0.1      | 1.2       | 5979      | 8         | 20        | 88        | 1.73    |         |        |         |           |           |        |
| 1226 | MJJ27-156 | <0.1      | 0.8       | 3502      | 10        | 14        | 87        | 1.94    |         |        |         |           |           |        |
| 1227 | MJJ27-158 | <0.1      | 1.2       | 7818      | 13        | 24        | 60        | 2.55    |         |        |         |           |           |        |
| 1228 | MJJ27-160 | <0.1      | 2.4       | 13664     | 10        | 70        | 256       | 2.23    | 0.28    | 2.55   | 0.35    | 37        | 158       | 1.762  |
| 1229 | MJJ27-162 | <0.1      | 1.1       | 7725      | 11        | 40        | 1225      | 1.86    |         |        |         |           |           |        |
| 1230 | MJJ27-164 | <0.1      | 6.4       | 15225     | 10        | 63        | 214       | 1.77    |         |        |         |           |           |        |
| 1231 | MJJ27-166 | <0.1      | 1.6       | 14235     | 9         | 60        | 1007      | 2.50    |         |        |         |           |           |        |
| 1232 | MJJ27-168 | <0.1      | 0.5       | 4677      | 7         | 27        | 244       | 1.44    |         |        |         |           |           |        |
| 1233 | MJJ27-170 | <0.1      | 1.1       | 7902      | 8         | 20        | 482       | 1.47    | 0.22    | 1.92   | 0.66    | 61        | 118       | 0.746  |
| 1234 | MJJ27-172 | <0.1      | 2.2       | 14890     | 10        | 34        | 470       | 2.24    |         |        |         |           |           |        |
| 1235 | MJJ27-174 | <0.1      | 1.4       | 8204      | 11        | 19        | 1282      | 2.03    |         |        |         |           |           |        |
| 1236 | MJJ27-176 | <0.1      | 0.9       | 6029      | 8         | 32        | 206       | 1.88    |         |        |         |           |           |        |
| 1237 | MJJ27-178 | <0.1      | 4.4       | 20999     | 7         | 17        | 979       | 2.53    |         |        |         |           |           |        |
| 1238 | MJJ27-180 | <0.1      | 5.8       | 25556     | 10        | 16        | 213       | 2.71    | 0.28    | 2.13   | 0.54    | 51        | 138       | 1.303  |
| 1239 | MJJ27-182 | <0.1      | 3.5       | 14896     | 10        | 26        | 234       | 2.19    |         |        |         |           |           |        |
| 1240 | MJJ27-184 | <0.1      | 1.8       | 5477      | 9         | 20        | 160       | 2.43    |         |        |         |           |           |        |
| 1241 | MJJ27-186 | <0.1      | 2.7       | 9314      | 6         | 13        | 766       | 1.72    |         |        |         |           |           |        |
| 1242 | MJJ27-188 | <0.1      | 1.7       | 5920      | 8         | 20        | 235       | 2.45    |         |        |         |           |           |        |
| 1243 | MJJ27-190 | <0.1      | 1.3       | 5016      | 11        | 23        | 115       | 2.10    | 0.61    | 1.82   | 0.86    | 111       | 121       | 0.386  |
| 1244 | MJJ27-192 | <0.1      | 1.1       | 4266      | 7         | 17        | 40        | 2.08    |         |        |         |           |           |        |
| 1245 | MJJ27-194 | <0.1      | 1.9       | 5030      | 7         | 10        | 40        | 1.50    |         |        |         |           |           |        |
| 1246 | MJJ27-196 | <0.1      | 3.3       | 9971      | 7         | 12        | 228       | 1.79    |         |        |         |           |           |        |
| 1247 | MJJ27-198 | <0.1      | 1.1       | 3361      | 11        | 18        | 89        | 1.69    |         |        |         |           |           |        |
| 1248 | MJJ27-200 | <0.1      | 1.2       | 3397      | 10        | 28        | 181       | 1.90    | 0.55    | 2.14   | 0.94    | 137       | 152       | 0.321  |
| 1249 | MJJ27-202 | <0.1      | 1.5       | 5445      | 12        | 45        | 190       | 1.48    |         |        |         |           |           |        |
| 1250 | MJJ27-204 | <0.1      | 1.7       | 5562      | 13        | 22        | 217       | 1.24    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1251 | MJJ27-206 | <0.1      | 1.2       | 5040      | 13        | 21        | 284       | 1.00    |         |        |         |           |           |        |
| 1252 | MJJ27-208 | <0.1      | 1.4       | 4770      | 12        | 16        | 334       | 0.97    |         |        |         |           |           |        |
| 1253 | MJJ27-210 | <0.1      | 0.5       | 2536      | 11        | 19        | 204       | 0.98    | 0.34    | 1.53   | 1.30    | 195       | 100       | 0.331  |
| 1254 | MJJ27-212 | <0.1      | 1.0       | 4195      | 6         | 8         | 135       | 0.87    |         |        |         |           |           |        |
| 1255 | MJJ27-214 | <0.1      | 1.3       | 4365      | 8         | 18        | 122       | 0.92    |         |        |         |           |           |        |
| 1256 | MJJ27-216 | <0.1      | 3.7       | 19201     | 11        | 16        | 296       | 1.33    |         |        |         |           |           |        |
| 1257 | MJJ27-218 | <0.1      | 4.4       | 16265     | 8         | 29        | 336       | 1.44    |         |        |         |           |           |        |
| 1258 | MJJ27-220 | <0.1      | 0.7       | 4822      | 8         | 24        | 900       | 1.67    | 0.62    | 1.39   | 1.49    | 262       | 77        | 0.489  |
| 1259 | MJJ27-222 | <0.1      | 2.1       | 8393      | 7         | 11        | 596       | 1.44    |         |        |         |           |           |        |
| 1260 | MJJ27-224 | <0.1      | 1.2       | 6598      | 8         | 14        | 272       | 1.46    |         |        |         |           |           |        |
| 1261 | MJJ27-226 | <0.1      | 1.4       | 4903      | 12        | 17        | 287       | 1.51    |         |        |         |           |           |        |
| 1262 | MJJ27-228 | <0.1      | 0.9       | 3463      | 10        | 17        | 87        | 1.52    |         |        |         |           |           |        |
| 1263 | MJJ27-230 | <0.1      | 1.7       | 6938      | 11        | 21        | 349       | 1.69    | 0.64    | 1.47   | 1.34    | 225       | 84        | 0.427  |
| 1264 | MJJ27-232 | <0.1      | 0.8       | 3065      | 13        | 30        | 87        | 1.70    |         |        |         |           |           |        |
| 1265 | MJJ27-234 | <0.1      | 0.6       | 2172      | 12        | 24        | 209       | 1.39    |         |        |         |           |           |        |
| 1266 | MJJ27-236 | <0.1      | <0.1      | 2102      | 8         | 24        | 46        | 1.20    |         |        |         |           |           |        |
| 1267 | MJJ27-238 | <0.1      | 1.9       | 6343      | 15        | 160       | 875       | 1.04    |         |        |         |           |           |        |
| 1268 | MJJ27-240 | <0.1      | 2.1       | 7524      | 8         | 39        | 735       | 1.30    | 0.36    | 1.85   | 0.72    | 99        | 110       | 0.860  |
| 1269 | MJJ27-242 | <0.1      | 4.5       | 7854      | 34        | 1796      | 394       | 2.34    |         |        |         |           |           |        |
| 1270 | MJJ27-244 | <0.1      | 2.7       | 7893      | 8         | 15        | 146       | 1.03    |         |        |         |           |           |        |
| 1271 | MJJ27-246 | <0.1      | 2.3       | 7484      | 10        | 20        | 469       | 1.13    |         |        |         |           |           |        |
| 1272 | MJJ27-248 | <0.1      | 2.1       | 7643      | 11        | 36        | 298       | 1.09    |         |        |         |           |           |        |
| 1273 | MJJ27-250 | <0.1      | 2.7       | 8269      | 10        | 17        | 268       | 1.21    | 0.33    | 2.30   | 0.77    | 76        | 105       | 0.433  |
| 1274 | MJJ27-252 | <0.1      | 2.4       | 8285      | 10        | 15        | 413       | 1.26    |         |        |         |           |           |        |
| 1275 | MJJ27-254 | <0.1      | 1.5       | 5732      | 10        | 54        | 489       | 1.21    |         |        |         |           |           |        |
| 1276 | MJJ27-256 | <0.1      | 1.1       | 4087      | 9         | 19        | 127       | 1.06    |         |        |         |           |           |        |
| 1277 | MJJ27-258 | <0.1      | 4.4       | 14140     | 8         | 13        | 438       | 1.97    |         |        |         |           |           |        |
| 1278 | MJJ27-260 | <0.1      | 3.2       | 12468     | 9         | 25        | 503       | 1.65    | 0.11    | 2.50   | 0.24    | 18        | 128       | 0.898  |
| 1279 | MJJ27-262 | <0.1      | 7.4       | 21918     | 10        | 62        | 487       | 1.21    |         |        |         |           |           |        |
| 1280 | MJJ27-264 | <0.1      | 2.7       | 7715      | 8         | 83        | 259       | 1.15    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1281 | MJJ27-266 | <0.1      | 0.8       | 4376      | 10        | 20        | 238       | 1.51    |         |        |         |           |           |        |
| 1282 | MJJ27-268 | <0.1      | 1.3       | 5308      | 8         | 12        | 191       | 1.45    |         |        |         |           |           |        |
| 1283 | MJJ27-270 | <0.1      | 2.8       | 9933      | 9         | 59        | 157       | 1.12    | 0.11    | 1.94   | 0.18    | 16        | 94        | 0.511  |
| 1284 | MJJ27-272 | <0.1      | 3.0       | 7143      | 9         | 10        | 168       | 1.13    |         |        |         |           |           |        |
| 1285 | MJJ27-274 | <0.1      | 1.8       | 6815      | 8         | 12        | 114       | 1.27    |         |        |         |           |           |        |
| 1286 | MJJ27-276 | <0.1      | 2.6       | 8458      | 8         | 41        | 342       | 1.21    |         |        |         |           |           |        |
| 1287 | MJJ27-278 | <0.1      | 1.9       | 5888      | 7         | 31        | 72        | 0.92    |         |        |         |           |           |        |
| 1288 | MJJ27-280 | <0.1      | 2.8       | 8883      | 10        | 15        | 209       | 1.29    | 0.30    | 2.44   | 0.31    | 29        | 127       | 0.366  |
| 1289 | MJJ27-282 | <0.1      | 1.1       | 4742      | 8         | 19        | 56        | 1.03    |         |        |         |           |           |        |
| 1290 | MJJ27-284 | <0.1      | 1.5       | 4526      | 8         | 29        | 34        | 1.22    |         |        |         |           |           |        |
| 1291 | MJJ27-286 | <0.1      | 3.1       | 8144      | 10        | 16        | 149       | 1.19    |         |        |         |           |           |        |
| 1292 | MJJ27-288 | <0.1      | 1.0       | 4179      | 11        | 14        | 31        | 1.03    |         |        |         |           |           |        |
| 1293 | MJJ27-290 | <0.1      | 1.3       | 4557      | 10        | 24        | 209       | 1.11    | 0.24    | 2.17   | 0.29    | 28        | 124       | 0.255  |
| 1294 | MJJ27-292 | <0.1      | 2.5       | 7998      | 8         | 27        | 425       | 1.13    |         |        |         |           |           |        |
| 1295 | MJJ27-294 | <0.1      | 1.4       | 4546      | 7         | 18        | 242       | 0.92    |         |        |         |           |           |        |
| 1296 | MJJ27-296 | <0.1      | 0.7       | 2991      | 8         | 15        | 135       | 0.87    |         |        |         |           |           |        |
| 1297 | MJJ27-298 | <0.1      | 1.4       | 5399      | 8         | 14        | 160       | 1.08    |         |        |         |           |           |        |
| 1298 | MJJ27-300 | <0.1      | 3.0       | 8258      | 10        | 45        | 93        | 1.25    | 0.14    | 1.97   | 0.23    | 24        | 115       | 0.379  |
| 1299 | MJJ27-302 | <0.1      | 2.2       | 6166      | 9         | 63        | 78        | 1.48    |         |        |         |           |           |        |
| 1300 | MJJ27-304 | <0.1      | 1.8       | 7515      | 11        | 41        | 183       | 3.53    |         |        |         |           |           |        |
| 1301 | MJJ27-306 | <0.1      | 1.5       | 5634      | 9         | 33        | 67        | 2.58    |         |        |         |           |           |        |
| 1302 | MJJ27-308 | <0.1      | 0.3       | 4680      | 13        | 45        | 50        | 2.97    |         |        |         |           |           |        |
| 1303 | MJJ27-310 | <0.1      | 1.7       | 5674      | 14        | 15        | 92        | 1.25    | 0.48    | 2.17   | 0.50    | 68        | 155       | 0.338  |
| 1304 | MJJ27-312 | <0.1      | 1.4       | 4346      | 8         | 18        | 78        | 1.16    |         |        |         |           |           |        |
| 1305 | MJJ27-314 | <0.1      | 4.4       | 3502      | 9         | 17        | 153       | 1.48    |         |        |         |           |           |        |
| 1306 | MJJ27-316 | <0.1      | 1.1       | 4432      | 9         | 22        | 83        | 1.51    |         |        |         |           |           |        |
| 1307 | MJJ27-318 | <0.1      | 1.7       | 5905      | 10        | 27        | 57        | 1.45    |         |        |         |           |           |        |
| 1308 | MJJ27-320 | <0.1      | 1.7       | 6589      | 9         | 56        | 49        | 1.79    | 1.66    | 1.70   | 0.40    | 98        | 126       | 0.800  |
| 1309 | MJJ27-322 | <0.1      | 10.3      | 8209      | 13        | 334       | 965       | 3.11    |         |        |         |           |           |        |
| 1310 | MJJ27-324 | <0.1      | 0.8       | 2273      | 10        | 39        | 16        | 1.14    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1311 | MJJ27-326 | <0.1      | 2.1       | 6860      | 8         | 40        | 137       | 1.14    |         |        |         |           |           |        |
| 1312 | MJJ27-328 | <0.1      | 2.2       | 5426      | 7         | 10        | 89        | 0.93    |         |        |         |           |           |        |
| 1313 | MJJ27-330 | <0.1      | 4.0       | 12790     | 12        | 22        | 127       | 1.52    | 0.68    | 2.43   | 0.22    | 38        | 106       | 0.540  |
| 1314 | MJJ27-332 | <0.1      | 4.0       | 11384     | 9         | 16        | 241       | 1.24    |         |        |         |           |           |        |
| 1315 | MJJ27-334 | <0.1      | <0.1      | 995       | 9         | 17        | 40        | 0.69    |         |        |         |           |           |        |
| 1316 | MJJ27-336 | <0.1      | 3.5       | 8589      | 9         | 79        | 131       | 1.89    |         |        |         |           |           |        |
| 1317 | MJJ27-338 | <0.1      | 3.4       | 15557     | 8         | 19        | 166       | 4.07    |         |        |         |           |           |        |
| 1318 | MJJ27-340 | <0.1      | 4.1       | 16574     | 11        | 20        | 97        | 3.07    | 0.53    | 2.26   | 0.19    | 28        | 117       | 1.389  |
| 1319 | MJJ27-342 | <0.1      | 0.4       | 3294      | 12        | 50        | 83        | 1.79    |         |        |         |           |           |        |
| 1320 | MJJ27-344 | <0.1      | 2.0       | 5737      | 11        | 31        | 58        | 1.29    |         |        |         |           |           |        |
| 1321 | MJJ27-346 | <0.1      | 0.5       | 3351      | 7         | 36        | 45        | 1.03    |         |        |         |           |           |        |
| 1322 | MJJ27-348 | <0.1      | 1.8       | 5906      | 11        | 24        | 67        | 1.37    |         |        |         |           |           |        |
| 1323 | MJJ27-350 | <0.1      | 2.3       | 6319      | 10        | 27        | 82        | 1.39    | 0.13    | 2.84   | 0.20    | 15        | 90        | 0.437  |
| 1324 | MJJ27-352 | <0.1      | 0.1       | 3048      | 9         | 608       | 43        | 3.91    |         |        |         |           |           |        |
| 1325 | MJJ27-354 | <0.1      | 1.6       | 5860      | 10        | 23        | 60        | 1.31    |         |        |         |           |           |        |
| 1326 | MJJ27-356 | <0.1      | 1.8       | 3425      | 13        | 126       | 24        | 3.39    |         |        |         |           |           |        |
| 1327 | MJJ27-358 | <0.1      | 0.7       | 2283      | 9         | 26        | 25        | 1.29    |         |        |         |           |           |        |
| 1328 | MJJ27-360 | <0.1      | 0.7       | 3278      | 13        | 67        | 28        | 1.63    | 0.63    | 3.16   | 0.39    | 45        | 96        | 0.366  |
| 1329 | MJJ27-362 | <0.1      | 1.0       | 3631      | 12        | 26        | 22        | 1.50    |         |        |         |           |           |        |
| 1330 | MJJ27-364 | <0.1      | 0.4       | 3049      | 10        | 18        | 71        | 1.02    |         |        |         |           |           |        |
| 1331 | MJJ27-366 | <0.1      | 1.2       | 4254      | 13        | 27        | 23        | 1.47    |         |        |         |           |           |        |
| 1332 | MJJ27-368 | <0.1      | 1.0       | 6101      | 8         | 13        | 936       | 0.85    |         |        |         |           |           |        |
| 1333 | MJJ27-370 | <0.1      | 0.6       | 2463      | 12        | 37        | 48        | 1.47    | 0.55    | 2.59   | 0.65    | 65        | 92        | 0.245  |
| 1334 | MJJ27-372 | <0.1      | 0.3       | 1961      | 10        | 49        | 62        | 1.54    |         |        |         |           |           |        |
| 1335 | MJJ27-374 | <0.1      | 2.3       | 8060      | 9         | 22        | 59        | 1.35    |         |        |         |           |           |        |
| 1336 | MJJ27-376 | <0.1      | 2.5       | 8527      | 9         | 12        | 68        | 1.12    |         |        |         |           |           |        |
| 1337 | MJJ27-378 | <0.1      | 1.2       | 3344      | 7         | 12        | 40        | 0.76    |         |        |         |           |           |        |
| 1338 | MJJ27-380 | <0.1      | 2.8       | 8274      | 10        | 12        | 140       | 0.86    | 0.20    | 1.20   | 0.12    | 8         | 106       | 0.351  |
| 1339 | MJJ27-382 | <0.1      | 2.6       | 6451      | 13        | 15        | 65        | 0.96    |         |        |         |           |           |        |
| 1340 | MJJ27-384 | <0.1      | 4.2       | 12141     | 8         | 14        | 87        | 1.01    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1341 | MJJ27-386 | <0.1      | 7.8       | 18472     | 27        | 20        | 153       | 1.34    |         |        |         |           |           |        |
| 1342 | MJJ27-388 | <0.1      | 2.0       | 5992      | 7         | 10        | 151       | 0.96    |         |        |         |           |           |        |
| 1343 | MJJ27-390 | <0.1      | 4.3       | 14284     | 7         | 12        | 142       | 1.29    | 0.30    | 2.10   | 0.73    | 51        | 128       | 0.593  |
| 1344 | MJJ27-392 | <0.1      | 2.6       | 7332      | 9         | 13        | 255       | 1.26    |         |        |         |           |           |        |
| 1345 | MJJ27-394 | <0.1      | 1.9       | 5076      | 12        | 45        | 49        | 0.90    |         |        |         |           |           |        |
| 1346 | MJJ27-396 | <0.1      | 1.5       | 2670      | 14        | 187       | 16        | 0.96    |         |        |         |           |           |        |
| 1347 | MJJ27-398 | <0.1      | 0.7       | 1846      | 12        | 27        | 22        | 0.69    |         |        |         |           |           |        |
| 1348 | MJJ27-400 | <0.1      | 0.3       | 1444      | 16        | 23        | 13        | 1.01    | 0.19    | 2.13   | 1.07    | 89        | 135       | 0.124  |
| 1349 | MJJ27-402 | <0.1      | 0.5       | 2483      | 9         | 14        | 22        | 0.69    |         |        |         |           |           |        |
| 1350 | MJJ27-404 | <0.1      | 0.7       | 2671      | 8         | 18        | 15        | 0.91    |         |        |         |           |           |        |
| 1351 | MJJ27-406 | <0.1      | <0.1      | 1135      | 11        | 20        | 25        | 1.11    |         |        |         |           |           |        |
| 1352 | MJJ27-408 | <0.1      | 1.7       | 3920      | 6         | 12        | 33        | 0.82    |         |        |         |           |           |        |
| 1353 | MJJ27-410 | <0.1      | 0.8       | 2976      | 10        | 14        | 55        | 0.63    | 0.27    | 1.37   | 1.75    | 182       | 163       | 0.291  |
| 1354 | MJJ27-412 | <0.1      | 1.1       | 3375      | 6         | 8         | 23        | 0.56    |         |        |         |           |           |        |
| 1355 | MJJ27-414 | <0.1      | 0.3       | 1450      | 10        | 11        | 12        | 0.62    |         |        |         |           |           |        |
| 1356 | MJJ27-416 | <0.1      | 0.8       | 2379      | 12        | 12        | 16        | 0.54    |         |        |         |           |           |        |
| 1357 | MJJ27-418 | <0.1      | 1.9       | 3891      | 6         | 10        | 27        | 0.54    |         |        |         |           |           |        |
| 1358 | MJJ27-420 | <0.1      | 1.8       | 5202      | 4         | 34        | 50        | 0.60    | 0.63    | 1.45   | 2.01    | 300       | 62        | 0.349  |
| 1359 | MJJ27-422 | <0.1      | 4.3       | 14781     | 9         | 39        | 96        | 1.08    |         |        |         |           |           |        |
| 1360 | MJJ27-424 | <0.1      | 7.6       | 25450     | 12        | 51        | 155       | 1.28    |         |        |         |           |           |        |
| 1361 | MJJ27-426 | <0.1      | 7.5       | 19488     | 12        | 94        | 53        | 1.38    |         |        |         |           |           |        |
| 1362 | MJJ27-428 | <0.1      | 11.5      | 23575     | 13        | 131       | 61        | 1.40    |         |        |         |           |           |        |
| 1363 | MJJ27-430 | <0.1      | 14.4      | 29524     | 16        | 329       | 457       | 1.90    | 0.75    | 1.46   | 1.37    | 204       | 95        | 2.261  |
| 1364 | MJJ27-432 | <0.1      | 4.7       | 14752     | 19        | 172       | 427       | 3.02    |         |        |         |           |           |        |
| 1365 | MJJ27-434 | <0.1      | 1.2       | 3657      | 11        | 24        | 22        | 1.01    |         |        |         |           |           |        |
| 1366 | MJJ27-436 | <0.1      | <0.1      | 3771      | 11        | 17        | 99        | 1.02    |         |        |         |           |           |        |
| 1367 | MJJ27-438 | <0.1      | <0.1      | 3567      | 14        | 35        | 32        | 1.92    |         |        |         |           |           |        |
| 1368 | MJJ27-440 | <0.1      | <0.1      | 3122      | 13        | 16        | 20        | 1.49    | 1.97    | 1.23   | 1.38    | 249       | 131       | 0.412  |
| 1369 | MJJ27-442 | <0.1      | 1.2       | 4147      | 12        | 20        | 28        | 1.17    |         |        |         |           |           |        |
| 1370 | MJJ27-444 | <0.1      | 0.9       | 4703      | 10        | 13        | 30        | 1.11    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1371 | MJJ27-416 | <0.1      | 3.3       | 8374      | 8         | 22        | 53        | 1.01    |         |        |         |           |           |        |
| 1372 | MJJ27-448 | <0.1      | <0.1      | 973       | 8         | 39        | 17        | 1.38    |         |        |         |           |           |        |
| 1373 | MJJ27-450 | <0.1      | 0.3       | 2117      | 11        | 47        | 45        | 1.67    | 0.89    | 1.87   | 1.05    | 146       | 128       | 0.308  |
| 1374 | MJJ27-452 | <0.1      | 2.2       | 5546      | 20        | 3157      | 103       | 2.09    |         |        |         |           |           |        |
| 1375 | MJJ27-454 | <0.1      | 0.7       | 3172      | 10        | 85        | 169       | 1.09    |         |        |         |           |           |        |
| 1376 | MJJ27-456 | <0.1      | 1.3       | 5049      | 11        | 41        | 64        | 1.21    |         |        |         |           |           |        |
| 1377 | MJJ27-458 | <0.1      | 1.2       | 3828      | 7         | 26        | 52        | 0.87    |         |        |         |           |           |        |
| 1378 | MJJ27-460 | <0.1      | 0.3       | 1892      | 13        | 33        | 21        | 0.96    | 1.06    | 1.43   | 1.26    | 179       | 129       | 0.224  |
| 1379 | MJJ27-462 | <0.1      | 2.0       | 4730      | 6         | 20        | 114       | 0.67    |         |        |         |           |           |        |
| 1380 | MJJ27-464 | <0.1      | 1.1       | 3307      | 12        | 25        | 47        | 1.69    |         |        |         |           |           |        |
| 1381 | MJJ27-466 | <0.1      | 1.0       | 5663      | 11        | 32        | 46        | 2.68    |         |        |         |           |           |        |
| 1382 | MJJ27-468 | <0.1      | <0.1      | 724       | 11        | 52        | 4         | 2.69    |         |        |         |           |           |        |
| 1383 | MJJ27-470 | <0.1      | 0.4       | 2683      | 12        | 46        | 22        | 3.05    | 0.43    | 1.73   | 1.34    | 186       | 143       | 0.343  |
| 1384 | MJJ27-472 | <0.1      | 0.9       | 3634      | 13        | 53        | 24        | 3.38    |         |        |         |           |           |        |
| 1385 | MJJ27-474 | <0.1      | 0.3       | 2592      | 10        | 43        | 21        | 3.20    |         |        |         |           |           |        |
| 1386 | MJJ27-476 | <0.1      | 0.2       | 1460      | 13        | 44        | 28        | 2.71    |         |        |         |           |           |        |
| 1387 | MJJ27-478 | <0.1      | 0.6       | 3270      | 13        | 364       | 28        | 3.54    |         |        |         |           |           |        |
| 1388 | MJJ27-480 | <0.1      | <0.1      | 979       | 11        | 24        | 82        | 2.74    | 0.67    | 1.60   | 1.12    | 219       | 117       | 0.243  |
| 1389 | MJJ27-482 | <0.1      | <0.1      | 1127      | 10        | 21        | 18        | 1.92    |         |        |         |           |           |        |
| 1390 | MJJ27-484 | <0.1      | 0.2       | 3373      | 8         | 31        | 97        | 3.10    |         |        |         |           |           |        |
| 1391 | MJJ27-486 | <0.1      | <0.1      | 961       | 12        | 38        | 25        | 3.98    |         |        |         |           |           |        |
| 1392 | MJJ27-488 | <0.1      | <0.1      | 941       | 14        | 35        | 6         | 3.56    |         |        |         |           |           |        |
| 1393 | MJJ27-490 | <0.1      | 0.8       | 3828      | 11        | 31        | 56        | 3.43    | 0.53    | 1.65   | 1.33    | 206       | 111       | 0.206  |
| 1394 | MJJ27-492 | <0.1      | <0.1      | 1378      | 13        | 58        | 75        | 3.31    |         |        |         |           |           |        |
| 1395 | MJJ27-494 | <0.1      | 0.3       | 1737      | 11        | 52        | 29        | 3.60    |         |        |         |           |           |        |
| 1396 | MJJ27-496 | <0.1      | <0.1      | 701       | 13        | 39        | 8         | 3.79    |         |        |         |           |           |        |
| 1397 | MJJ27-498 | <0.1      | 0.4       | 205       | 11        | 31        | 20        | 3.61    |         |        |         |           |           |        |
| 1398 | MJJ27-500 | <0.1      | 0.7       | 2518      | 11        | 36        | 40        | 4.17    | 0.64    | 1.32   | 1.29    | 230       | 80        | 0.138  |
| 1399 | MJJ27-502 | <0.1      | 1.1       | 4127      | 9         | 30        | 132       | 3.29    |         |        |         |           |           |        |
| 1400 | MJJ27-504 | <0.1      | 1.0       | 3710      | 10        | 29        | 37        | 2.23    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1401 | MJJ27-506 | <0.1      | 1.2       | 4629      | 9         | 64        | 52        | 2.87    |         |        |         |           |           |        |
| 1402 | MJJ27-508 | <0.1      | 0.4       | 1720      | 11        | 70        | 15        | 4.21    |         |        |         |           |           |        |
| 1403 | MJJ27-510 | <0.1      | 0.8       | 2634      | 12        | 67        | 33        | 4.27    | 0.68    | 1.48   | 1.41    | 256       | 48        | 0.126  |
| 1404 | MJJ27-512 | <0.1      | 0.8       | 2551      | 10        | 54        | 35        | 3.68    |         |        |         |           |           |        |
| 1405 | MJJ27-514 | <0.1      | 0.7       | 1914      | 13        | 48        | 7         | 3.67    |         |        |         |           |           |        |
| 1406 | MJJ27-516 | <0.1      | 0.6       | 1689      | 7         | 7         | 47        | 0.56    |         |        |         |           |           |        |
| 1407 | MJJ27-518 | <0.1      | 0.2       | 2738      | 6         | 43        | 15        | 3.69    |         |        |         |           |           |        |
| 1408 | MJJ27-520 | <0.1      | 0.4       | 2371      | 8         | 39        | 19        | 3.25    | 0.77    | 1.53   | 1.70    | 269       | 81        | 0.167  |
| 1409 | MJJ27-522 | <0.1      | 0.9       | 3166      | 13        | 57        | 20        | 4.33    |         |        |         |           |           |        |
| 1410 | MJJ27-524 | <0.1      | 0.7       | 2473      | 9         | 38        | 8         | 3.97    |         |        |         |           |           |        |
| 1411 | MJJ27-526 | <0.1      | <0.1      | 1240      | 11        | 30        | 10        | 3.61    |         |        |         |           |           |        |
| 1412 | MJJ27-528 | <0.1      | <0.1      | 1010      | 9         | 28        | 8         | 3.17    |         |        |         |           |           |        |
| 1413 | MJJ27-530 | <0.1      | 1.2       | 3670      | 11        | 53        | 44        | 4.59    | 0.42    | 1.74   | 1.49    | 183       | 76        | 0.161  |
| 1414 | MJJ27-532 | <0.1      | 2.2       | 9229      | 9         | 45        | 133       | 4.07    |         |        |         |           |           |        |
| 1415 | MJJ27-534 | <0.1      | 0.7       | 2959      | 11        | 36        | 20        | 4.16    |         |        |         |           |           |        |
| 1416 | MJJ27-536 | <0.1      | 0.4       | 2466      | 7         | 16        | 19        | 2.11    |         |        |         |           |           |        |
| 1417 | MJJ27-538 | <0.1      | 0.3       | 2390      | 8         | 18        | 26        | 2.57    |         |        |         |           |           |        |
| 1418 | MJJ27-540 | <0.1      | 0.1       | 1701      | 6         | 15        | 95        | 2.09    | 0.18    | 2.10   | 1.32    | 127       | 83        | 0.108  |
| 1419 | MJJ27-542 | <0.1      | 0.4       | 2160      | 12        | 24        | 16        | 2.69    |         |        |         |           |           |        |
| 1420 | MJJ27-544 | <0.1      | 0.2       | 1340      | 7         | 13        | 17        | 1.65    |         |        |         |           |           |        |
| 1421 | MJJ27-546 | <0.1      | 0.8       | 2929      | 10        | 14        | 29        | 1.84    |         |        |         |           |           |        |
| 1422 | MJJ27-548 | <0.1      | 0.2       | 1015      | 7         | 10        | 8         | 1.48    |         |        |         |           |           |        |
| 1423 | MJJ27-550 | <0.1      | 0.6       | 2632      | 9         | 10        | 35        | 1.47    | 0.19    | 2.19   | 1.02    | 70        | 79        | 0.151  |
| 1424 | MJJ27-552 | <0.1      | 1.1       | 4487      | 10        | 9         | 115       | 1.27    |         |        |         |           |           |        |
| 1425 | MJJ27-554 | <0.1      | 1.3       | 5539      | 11        | 17        | 72        | 2.39    |         |        |         |           |           |        |
| 1426 | MJJ27-556 | <0.1      | 0.4       | 2810      | 9         | 24        | 32        | 2.53    |         |        |         |           |           |        |
| 1427 | MJJ27-558 | <0.1      | 1.3       | 5086      | 9         | 15        | 46        | 2.58    |         |        |         |           |           |        |
| 1428 | MJJ27-560 | <0.1      | 3.7       | 20189     | 7         | 53        | 158       | 5.43    | 0.28    | 2.55   | 0.35    | 37        | 116       | 1.322  |
| 1429 | MJJ27-562 | <0.1      | 5.0       | 19077     | 11        | 68        | 224       | 5.40    |         |        |         |           |           |        |
| 1430 | MJJ27-564 | <0.1      | 0.5       | 4365      | 8         | 67        | 19        | 5.61    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供 試 品      | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|------------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1431 | MJJ27-566  | <0.1      | 2.3       | 15119     | 5         | 91        | 574       | 5.35    |         |        |         |           |           |        |
| 1432 | MJJ27-568  | <0.1      | 0.9       | 5802      | 10        | 78        | 151       | 5.08    |         |        |         |           |           |        |
| 1433 | MJJ27-570  | <0.1      | 0.8       | 4317      | 7         | 64        | 85        | 4.89    | 0.22    | 1.92   | 0.66    | 61        | 116       | 0.173  |
| 1434 | MJJ27-572  | <0.1      | 1.0       | 4284      | 8         | 27        | 6         | 3.17    |         |        |         |           |           |        |
| 1435 | MJJ27-574  | <0.1      | 1.0       | 3275      | 11        | 27        | 12        | 3.32    |         |        |         |           |           |        |
| 1436 | MJJ27-576  | <0.1      | 0.4       | 2912      | 9         | 36        | 58        | 3.43    |         |        |         |           |           |        |
| 1437 | MJJ27-578  | <0.1      | 1.5       | 6931      | 11        | 66        | 32        | 4.48    |         |        |         |           |           |        |
| 1438 | MJJ27-580  | <0.1      | 2.5       | 8740      | 13        | 34        | 65        | 4.25    | 0.28    | 2.13   | 0.54    | 51        | 104       | 0.405  |
| 1439 | MJJ27-582  | <0.1      | 1.0       | 4163      | 8         | 38        | 44        | 3.64    |         |        |         |           |           |        |
| 1440 | MJJ27-584  | <0.1      | 0.9       | 3474      | 9         | 36        | 36        | 3.30    |         |        |         |           |           |        |
| 1441 | MJJ27-586  | <0.1      | <0.1      | 1699      | 11        | 44        | 15        | 3.94    |         |        |         |           |           |        |
| 1442 | MJJ27-588  | <0.1      | 0.3       | 2160      | 10        | 49        | 19        | 4.24    |         |        |         |           |           |        |
| 1443 | MJJ27-590  | <0.1      | <0.1      | 3070      | 12        | 74        | 58        | 6.24    | 0.61    | 1.82   | 0.86    | 111       | 108       | 0.173  |
| 1444 | MJJ27-592  | <0.1      | 3.0       | 7952      | 10        | 31        | 39        | 2.64    |         |        |         |           |           |        |
| 1445 | MJJ27-594  | <0.1      | 5.3       | 20201     | 24        | 70        | 61        | 5.01    |         |        |         |           |           |        |
| 1446 | MJJ27-596  | <0.1      | 0.6       | 3622      | 10        | 81        | 25        | 4.13    |         |        |         |           |           |        |
| 1447 | MJJ27-598  | <0.1      | 7.0       | 20742     | 13        | 55        | 90        | 4.02    |         |        |         |           |           |        |
| 1448 | MJJ27-600  | <0.1      | 2.5       | 8470      | 10        | 71        | 68        | 4.59    | 0.55    | 2.14   | 0.94    | 137       | 113       | 0.360  |
| 1449 | MJJ27-602  | <0.1      | 0.6       | 2975      | 11        | 65        | 115       | 4.17    |         |        |         |           |           |        |
| 1450 | MJJ28-5.79 | <0.1      | 0.7       | 1020      | 10        | 27        | 114       | 1.85    |         |        |         |           |           |        |
| 1451 | MJJ28-6    | <0.1      | 0.2       | 929       | 14        | 25        | 36        | 1.48    |         |        |         |           |           |        |
| 1452 | MJJ28-8    | <0.1      | <0.1      | 715       | 17        | 42        | 18        | 1.63    |         |        |         |           |           |        |
| 1453 | MJJ28-10   | <0.1      | 0.3       | 876       | 12        | 28        | 29        | 1.48    | 0.31    | 1.53   | 1.30    | 195       | 70        | 0.022  |
| 1454 | MJJ28-12   | <0.1      | 0.2       | 816       | 14        | 38        | 31        | 1.81    |         |        |         |           |           |        |
| 1455 | MJJ28-14   | <0.1      | 0.2       | 767       | 9         | 24        | 46        | 1.61    |         |        |         |           |           |        |
| 1456 | MJJ28-16   | <0.1      | 0.1       | 907       | 11        | 30        | 43        | 1.41    |         |        |         |           |           |        |
| 1457 | MJJ28-18   | <0.1      | 0.8       | 901       | 12        | 26        | 35        | 1.68    |         |        |         |           |           |        |
| 1458 | MJJ28-20   | <0.1      | 0.5       | 1146      | 11        | 26        | 52        | 1.78    | 0.62    | 1.39   | 1.49    | 262       | 72        | 0.091  |
| 1459 | MJJ28-22   | <0.1      | 0.4       | 2584      | 14        | 49        | 38        | 2.04    |         |        |         |           |           |        |
| 1460 | MJJ28-24   | <0.1      | 0.4       | 1693      | 8         | 33        | 23        | 1.40    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供 試 品    | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1461 | MJJ28-26 | <0.1      | 0.3       | 4050      | 15        | 37        | 152       | 1.60    |         |        |         |           |           |        |
| 1462 | MJJ28-28 | <0.1      | 0.4       | 3032      | 9         | 38        | 70        | 1.89    |         |        |         |           |           |        |
| 1463 | MJJ28-30 | <0.1      | 0.9       | 3459      | 13        | 49        | 81        | 2.01    | 0.64    | 1.47   | 1.34    | 225       | 83        | 0.532  |
| 1464 | MJJ28-32 | <0.1      | 0.6       | 2762      | 12        | 41        | 104       | 1.88    |         |        |         |           |           |        |
| 1465 | MJJ28-34 | <0.1      | <0.1      | 1544      | 15        | 48        | 36        | 2.03    |         |        |         |           |           |        |
| 1466 | MJJ28-36 | <0.1      | 0.6       | 1447      | 14        | 46        | 38        | 2.24    |         |        |         |           |           |        |
| 1467 | MJJ28-38 | <0.1      | 0.7       | 3018      | 13        | 70        | 49        | 3.88    |         |        |         |           |           |        |
| 1468 | MJJ28-40 | <0.1      | 0.4       | 2140      | 16        | 65        | 28        | 3.57    | 0.36    | 1.85   | 0.72    | 99        | 114       | 0.488  |
| 1469 | MJJ28-42 | <0.1      | 0.2       | 1672      | 14        | 67        | 38        | 3.36    |         |        |         |           |           |        |
| 1470 | MJJ28-44 | <0.1      | 1.0       | 4165      | 11        | 80        | 71        | 3.55    |         |        |         |           |           |        |
| 1471 | MJJ28-46 | <0.1      | 0.2       | 2350      | 13        | 88        | 67        | 3.16    |         |        |         |           |           |        |
| 1472 | MJJ28-48 | <0.1      | 0.5       | 1442      | 8         | 38        | 29        | 0.99    |         |        |         |           |           |        |
| 1473 | MJJ28-50 | <0.1      | 1.7       | 7343      | 7         | 86        | 2367      | 1.67    | 0.33    | 2.30   | 0.77    | 76        | 161       | 1.146  |
| 1474 | MJJ28-52 | <0.1      | 0.3       | 1645      | 14        | 67        | 33        | 2.31    |         |        |         |           |           |        |
| 1475 | MJJ28-54 | <0.1      | 0.4       | 2012      | 11        | 63        | 102       | 2.27    |         |        |         |           |           |        |
| 1476 | MJJ28-56 | <0.1      | 0.2       | 1809      | 13        | 70        | 43        | 2.18    |         |        |         |           |           |        |
| 1477 | MJJ28-58 | <0.1      | 0.2       | 1616      | 11        | 67        | 51        | 2.25    |         |        |         |           |           |        |
| 1478 | MJJ28-60 | <0.1      | 0.5       | 3388      | 13        | 61        | 281       | 2.07    | 0.11    | 2.50   | 0.24    | 18        | 93        | 0.596  |
| 1479 | MJJ28-62 | <0.1      | 0.3       | 1308      | 13        | 60        | 18        | 2.38    |         |        |         |           |           |        |
| 1480 | MJJ28-64 | <0.1      | 0.7       | 7705      | 11        | 37        | 114       | 2.36    |         |        |         |           |           |        |
| 1481 | MJJ28-66 | <0.1      | 0.7       | 8111      | 12        | 38        | 147       | 2.27    |         |        |         |           |           |        |
| 1482 | MJJ28-68 | <0.1      | 2.3       | 8484      | 10        | 44        | 63        | 1.27    |         |        |         |           |           |        |
| 1483 | MJJ28-70 | <0.1      | 1.0       | 6732      | 14        | 53        | 260       | 3.30    | 0.11    | 1.94   | 0.18    | 16        | 136       | 1.238  |
| 1484 | MJJ28-72 | <0.1      | 0.9       | 5078      | 11        | 88        | 116       | 3.51    |         |        |         |           |           |        |
| 1485 | MJJ28-74 | <0.1      | 1.2       | 7994      | 15        | 78        | 131       | 3.50    |         |        |         |           |           |        |
| 1486 | MJJ28-76 | <0.1      | 2.1       | 8561      | 11        | 66        | 76        | 3.33    |         |        |         |           |           |        |
| 1487 | MJJ28-78 | 0.1       | 2.8       | 14903     | 12        | 49        | 235       | 3.91    |         |        |         |           |           |        |
| 1488 | MJJ28-80 | <0.1      | 2.6       | 13462     | 9         | 31        | 1017      | 1.75    | 0.30    | 2.44   | 0.31    | 29        | 122       | 0.913  |
| 1489 | MJJ28-82 | <0.1      | 3.8       | 22536     | 10        | 39        | 883       | 3.10    |         |        |         |           |           |        |
| 1490 | MJJ28-84 | <0.1      | 3.3       | 19927     | 13        | 23        | 221       | 2.44    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1491 | MJJ28-86  | <0.1      | 4.3       | 16935     | 9         | 30        | 251       | 2.01    |         |        |         |           |           |        |
| 1492 | MJJ28-88  | <0.1      | 3.9       | 16094     | 8         | 20        | 500       | 1.26    |         |        |         |           |           |        |
| 1493 | MJJ28-90  | <0.1      | 4.5       | 17292     | 9         | 22        | 1295      | 0.99    | 0.24    | 2.17   | 0.29    | 28        | 153       | 0.678  |
| 1494 | MJJ28-92  | <0.1      | 4.2       | 21791     | 8         | 15        | 734       | 1.43    |         |        |         |           |           |        |
| 1495 | MJJ28-94  | <0.1      | 2.9       | 15022     | 12        | 34        | 311       | 2.61    |         |        |         |           |           |        |
| 1496 | MJJ28-96  | <0.1      | 1.6       | 7956      | 10        | 36        | 460       | 1.58    |         |        |         |           |           |        |
| 1497 | MJJ28-98  | <0.1      | 3.2       | 9601      | 11        | 66        | 248       | 1.04    |         |        |         |           |           |        |
| 1498 | MJJ28-100 | <0.1      | 2.2       | 9670      | 8         | 56        | 322       | 1.40    | 0.14    | 1.97   | 0.23    | 24        | 163       | 0.923  |
| 1499 | MJJ28-102 | <0.1      | 0.6       | 7018      | 13        | 24        | 79        | 1.45    |         |        |         |           |           |        |
| 1500 | MJJ28-104 | <0.1      | 1.3       | 7303      | 9         | 30        | 741       | 1.62    |         |        |         |           |           |        |
| 1501 | MJJ28-106 | <0.1      | 1.2       | 7806      | 14        | 24        | 507       | 1.67    |         |        |         |           |           |        |
| 1502 | MJJ28-108 | <0.1      | 1.9       | 8819      | 8         | 114       | 519       | 1.66    |         |        |         |           |           |        |
| 1503 | MJJ28-110 | <0.1      | 1.4       | 6415      | 8         | 32        | 242       | 1.61    | 0.48    | 2.17   | 0.50    | 63        | 123       | 0.832  |
| 1504 | MJJ28-112 | <0.1      | 1.3       | 6191      | 12        | 60        | 434       | 1.81    |         |        |         |           |           |        |
| 1505 | MJJ28-114 | <0.1      | 1.2       | 7884      | 10        | 34        | 216       | 2.24    |         |        |         |           |           |        |
| 1506 | MJJ28-116 | <0.1      | 1.6       | 7499      | 14        | 37        | 385       | 2.24    |         |        |         |           |           |        |
| 1507 | MJJ28-118 | <0.1      | 3.5       | 16417     | 11        | 21        | 2148      | 1.44    |         |        |         |           |           |        |
| 1508 | MJJ28-120 | <0.1      | 2.3       | 10759     | 12        | 44        | 554       | 1.70    | 1.66    | 1.70   | 0.40    | 98        | 119       | 0.643  |
| 1509 | MJJ28-122 | <0.1      | 0.3       | 3705      | 12        | 36        | 161       | 1.49    |         |        |         |           |           |        |
| 1510 | MJJ28-124 | <0.1      | <0.1      | 3084      | 6         | 43        | 2599      | 0.88    |         |        |         |           |           |        |
| 1511 | MJJ28-126 | <0.1      | 1.0       | 5189      | 9         | 27        | 180       | 1.26    |         |        |         |           |           |        |
| 1512 | MJJ28-128 | <0.1      | 8.5       | 19005     | 10        | 62        | 754       | 0.93    |         |        |         |           |           |        |
| 1513 | MJJ28-130 | <0.1      | 4.4       | 15180     | 11        | 51        | 191       | 1.21    | 0.63    | 2.43   | 0.22    | 38        | 131       | 0.623  |
| 1514 | MJJ28-132 | <0.1      | 2.0       | 8227      | 9         | 48        | 86        | 1.34    |         |        |         |           |           |        |
| 1515 | MJJ28-134 | <0.1      | 1.5       | 7209      | 12        | 65        | 247       | 1.69    |         |        |         |           |           |        |
| 1516 | MJJ28-136 | <0.1      | 0.6       | 4589      | 11        | 46        | 277       | 1.29    |         |        |         |           |           |        |
| 1517 | MJJ28-138 | <0.1      | 2.1       | 7362      | 11        | 26        | 939       | 1.14    |         |        |         |           |           |        |
| 1518 | MJJ28-140 | <0.1      | 2.9       | 8334      | 12        | 27        | 197       | 1.05    | 0.53    | 2.26   | 0.19    | 28        | 129       | 0.419  |
| 1519 | MJJ28-142 | <0.1      | 1.9       | 7376      | 8         | 17        | 378       | 0.98    |         |        |         |           |           |        |
| 1520 | MJJ28-144 | <0.1      | 1.4       | 8196      | 10        | 34        | 973       | 1.39    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1521 | MJJ28-146 | <0.1      | 0.5       | 3530      | 9         | 46        | 249       | 1.54    |         |        |         |           |           |        |
| 1522 | MJJ28-148 | <0.1      | 1.8       | 5824      | 13        | 64        | 283       | 1.77    |         |        |         |           |           |        |
| 1523 | MJJ28-150 | <0.1      | 0.4       | 3484      | 13        | 74        | 241       | 1.08    | 0.13    | 2.84   | 0.20    | 15        | 123       | 0.371  |
| 1524 | MJJ28-152 | <0.1      | 1.0       | 8289      | 13        | 104       | 152       | 1.53    |         |        |         |           |           |        |
| 1525 | MJJ28-154 | <0.1      | 0.3       | 1740      | 11        | 36        | 79        | 0.98    |         |        |         |           |           |        |
| 1526 | MJJ28-156 | <0.1      | 0.8       | 2389      | 11        | 58        | 85        | 1.06    |         |        |         |           |           |        |
| 1527 | MJJ28-158 | <0.1      | 10.8      | 36325     | 11        | 66        | 742       | 4.02    |         |        |         |           |           |        |
| 1528 | MJJ28-160 | <0.1      | 2.4       | 8460      | 11        | 67        | 368       | 1.29    | 0.63    | 3.16   | 0.39    | 45        | 120       | 0.553  |
| 1529 | MJJ28-162 | <0.1      | 4.1       | 16440     | 11        | 114       | 527       | 1.02    |         |        |         |           |           |        |
| 1530 | MJJ28-164 | <0.1      | 4.0       | 18660     | 11        | 51        | 100       | 1.70    |         |        |         |           |           |        |
| 1531 | MJJ28-166 | <0.1      | 2.0       | 7870      | 7         | 24        | 235       | 1.15    |         |        |         |           |           |        |
| 1532 | MJJ28-168 | <0.1      | 1.6       | 6710      | 7         | 23        | 261       | 1.23    |         |        |         |           |           |        |
| 1533 | MJJ28-170 | <0.1      | 0.7       | 3931      | 10        | 49        | 516       | 0.93    | 0.55    | 2.59   | 0.65    | 65        | 110       | 0.433  |
| 1534 | MJJ28-172 | <0.1      | 1.5       | 5483      | 12        | 30        | 503       | 0.96    |         |        |         |           |           |        |
| 1535 | MJJ28-174 | <0.1      | 1.1       | 4995      | 10        | 24        | 791       | 0.90    |         |        |         |           |           |        |
| 1536 | MJJ28-176 | <0.1      | 1.4       | 4820      | 7         | 36        | 555       | 1.27    |         |        |         |           |           |        |
| 1537 | MJJ28-178 | <0.1      | 0.5       | 3990      | 11        | 55        | 611       | 0.98    |         |        |         |           |           |        |
| 1538 | MJJ28-180 | <0.1      | 1.5       | 6206      | 13        | 37        | 221       | 1.10    | 0.20    | 1.20   | 0.12    | 8         | 127       | 0.411  |
| 1539 | MJJ28-181 | <0.1      | 1.3       | 4739      | 9         | 61        | 262       | 1.44    |         |        |         |           |           |        |
| 1540 | MJJ28-182 | <0.1      | 1.5       | 6768      | 13        | 74        | 419       | 1.39    |         |        |         |           |           |        |
| 1541 | MJJ28-184 | <0.1      | 3.9       | 9374      | 12        | 29        | 119       | 1.31    |         |        |         |           |           |        |
| 1542 | MJJ28-186 | <0.1      | 2.3       | 5516      | 9         | 27        | 173       | 1.11    |         |        |         |           |           |        |
| 1543 | MJJ28-188 | <0.1      | 1.0       | 8149      | 9         | 24        | 1425      | 1.18    |         |        |         |           |           |        |
| 1544 | MJJ28-190 | <0.1      | 0.6       | 4035      | 7         | 26        | 265       | 1.20    | 0.30    | 2.10   | 0.73    | 51        | 113       | 0.447  |
| 1545 | MJJ28-192 | <0.1      | 1.6       | 7395      | 9         | 22        | 257       | 1.25    |         |        |         |           |           |        |
| 1546 | MJJ28-194 | <0.1      | 0.2       | 4181      | 10        | 40        | 158       | 1.00    |         |        |         |           |           |        |
| 1547 | MJJ28-196 | <0.1      | 0.7       | 3575      | 11        | 105       | 80        | 1.25    |         |        |         |           |           |        |
| 1548 | MJJ28-198 | <0.1      | 2.2       | 6340      | 9         | 38        | 102       | 2.03    |         |        |         |           |           |        |
| 1549 | MJJ28-200 | <0.1      | 0.3       | 2833      | 10        | 34        | 90        | 1.95    | 0.19    | 2.13   | 1.07    | 89        | 144       | 0.182  |
| 1550 | MJJ28-202 | <0.1      | 0.8       | 3215      | 10        | 48        | 71        | 2.26    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1551 | MJJ28-204 | <0.1      | 1.3       | 4979      | 9         | 25        | 36        | 1.65    |         |        |         |           |           |        |
| 1552 | MJJ28-206 | <0.1      | <0.1      | 1230      | 14        | 82        | 17        | 2.94    |         |        |         |           |           |        |
| 1553 | MJJ28-208 | <0.1      | 0.3       | 2123      | 11        | 72        | 31        | 2.66    |         |        |         |           |           |        |
| 1554 | MJJ28-210 | <0.1      | 0.7       | 3787      | 15        | 80        | 69        | 2.63    | 0.27    | 1.37   | 1.75    | 182       | 123       | 0.265  |
| 1555 | MJJ28-212 | <0.1      | 4.9       | 11862     | 15        | 45        | 116       | 2.69    |         |        |         |           |           |        |
| 1556 | MJJ28-214 | <0.1      | 0.9       | 5165      | 12        | 43        | 129       | 2.93    |         |        |         |           |           |        |
| 1557 | MJJ28-216 | <0.1      | 0.8       | 4134      | 12        | 53        | 157       | 3.06    |         |        |         |           |           |        |
| 1558 | MJJ28-218 | <0.1      | 1.5       | 2465      | 14        | 229       | 192       | 1.14    |         |        |         |           |           |        |
| 1559 | MJJ28-220 | <0.1      | 0.8       | 2726      | 9         | 35        | 66        | 1.04    | 0.69    | 1.15   | 2.01    | 300       | 176       | 0.271  |
| 1560 | MJJ28-222 | <0.1      | 0.5       | 2171      | 11        | 38        | 158       | 1.89    |         |        |         |           |           |        |
| 1561 | MJJ28-224 | <0.1      | 1.0       | 3714      | 11        | 19        | 74        | 0.96    |         |        |         |           |           |        |
| 1562 | MJJ28-226 | <0.1      | 2.0       | 6777      | 8         | 25        | 212       | 1.23    |         |        |         |           |           |        |
| 1563 | MJJ28-228 | <0.1      | 1.9       | 6006      | 9         | 42        | 94        | 1.55    |         |        |         |           |           |        |
| 1564 | MJJ28-230 | <0.1      | 0.2       | 584       | 7         | 19        | 122       | 1.00    | 0.75    | 1.46   | 1.37    | 201       | 140       | 0.070  |
| 1565 | MJJ28-232 | <0.1      | 1.9       | 6639      | 10        | 25        | 182       | 1.38    |         |        |         |           |           |        |
| 1566 | MJJ28-234 | <0.1      | 1.4       | 4493      | 9         | 28        | 28        | 0.83    |         |        |         |           |           |        |
| 1567 | MJJ28-236 | <0.1      | 1.8       | 4916      | 15        | 329       | 119       | 2.64    |         |        |         |           |           |        |
| 1568 | MJJ28-238 | <0.1      | 0.4       | 1712      | 10        | 63        | 150       | 2.11    |         |        |         |           |           |        |
| 1569 | MJJ28-240 | <0.1      | 0.6       | 2177      | 15        | 42        | 72        | 2.10    | 1.97    | 1.23   | 1.38    | 249       | 125       | 0.130  |
| 1570 | MJJ28-242 | <0.1      | 0.2       | 1890      | 12        | 53        | 81        | 2.70    |         |        |         |           |           |        |
| 1571 | MJJ28-244 | <0.1      | 0.9       | 3375      | 11        | 28        | 37        | 1.49    |         |        |         |           |           |        |
| 1572 | MJJ28-246 | <0.1      | 0.1       | 1058      | 13        | 46        | 68        | 2.31    |         |        |         |           |           |        |
| 1573 | MJJ28-248 | <0.1      | 0.8       | 2599      | 12        | 63        | 92        | 2.99    |         |        |         |           |           |        |
| 1574 | MJJ28-250 | <0.1      | 1.2       | 4346      | 10        | 23        | 42        | 1.19    | 0.89    | 1.87   | 1.05    | 146       | 166       | 0.220  |
| 1575 | MJJ28-252 | <0.1      | 1.2       | 5510      | 12        | 32        | 91        | 1.24    |         |        |         |           |           |        |
| 1576 | MJJ28-254 | <0.1      | 2.1       | 5501      | 8         | 74        | 69        | 1.09    |         |        |         |           |           |        |
| 1577 | MJJ28-256 | <0.1      | 0.3       | 2117      | 8         | 30        | 46        | 0.85    |         |        |         |           |           |        |
| 1578 | MJJ28-258 | <0.1      | <0.1      | 1216      | 11        | 35        | 370       | 1.34    |         |        |         |           |           |        |
| 1579 | MJJ28-260 | <0.1      | <0.1      | 2191      | 9         | 31        | 38        | 1.40    | 1.06    | 1.43   | 1.26    | 179       | 177       | 0.185  |
| 1580 | MJJ28-262 | <0.1      | 0.6       | 3225      | 10        | 47        | 64        | 2.00    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1581 | MJJ28-264 | <0.1      | 0.3       | 2534      | 11        | 44        | 18        | 2.23    |         |        |         |           |           |        |
| 1582 | MJJ28-266 | <0.1      | 0.1       | 1312      | 11        | 33        | 44        | 1.36    |         |        |         |           |           |        |
| 1583 | MJJ28-268 | <0.1      | 0.5       | 1865      | 12        | 44        | 45        | 1.73    |         |        |         |           |           |        |
| 1584 | MJJ28-270 | <0.1      | 0.8       | 2717      | 9         | 35        | 31        | 1.53    | 0.43    | 1.73   | 1.34    | 186       | 169       | 0.182  |
| 1585 | MJJ28-272 | <0.1      | 0.6       | 2221      | 10        | 31        | 39        | 0.72    |         |        |         |           |           |        |
| 1586 | MJJ28-274 | <0.1      | 0.7       | 2459      | 12        | 33        | 56        | 1.38    |         |        |         |           |           |        |
| 1587 | MJJ28-276 | <0.1      | 1.2       | 4151      | 9         | 18        | 54        | 0.91    |         |        |         |           |           |        |
| 1588 | MJJ28-278 | <0.1      | <0.1      | 3162      | 10        | 17        | 49        | 0.86    |         |        |         |           |           |        |
| 1589 | MJJ28-280 | <0.1      | 0.2       | 1505      | 11        | 17        | 18        | 0.58    | 0.67    | 1.60   | 1.12    | 219       | 130       | 0.109  |
| 1590 | MJJ28-282 | <0.1      | 0.4       | 2693      | 11        | 26        | 26        | 0.72    |         |        |         |           |           |        |
| 1591 | MJJ28-284 | <0.1      | 1.4       | 4033      | 10        | 30        | 39        | 0.79    |         |        |         |           |           |        |
| 1592 | MJJ28-286 | <0.1      | 1.5       | 4656      | 7         | 13        | 47        | 0.72    |         |        |         |           |           |        |
| 1593 | MJJ28-288 | <0.1      | 1.3       | 4263      | 8         | 11        | 66        | 0.57    |         |        |         |           |           |        |
| 1594 | MJJ28-290 | <0.1      | 0.7       | 3935      | 10        | 11        | 34        | 0.72    | 0.53    | 1.65   | 1.33    | 206       | 122       | 0.276  |
| 1595 | MJJ28-292 | <0.1      | 3.7       | 12575     | 9         | 20        | 94        | 1.36    |         |        |         |           |           |        |
| 1596 | MJJ28-294 | <0.1      | 1.4       | 4943      | 10        | 22        | 39        | 0.66    |         |        |         |           |           |        |
| 1597 | MJJ28-296 | <0.1      | 0.8       | 2498      | 11        | 20        | 22        | 0.56    |         |        |         |           |           |        |
| 1598 | MJJ28-298 | <0.1      | 0.6       | 2004      | 8         | 18        | 50        | 1.09    |         |        |         |           |           |        |
| 1599 | MJJ28-300 | <0.1      | 0.5       | 2667      | 12        | 56        | 164       | 3.18    | 0.64    | 1.32   | 1.29    | 230       | 120       | 0.140  |
| 1600 | MJJ28-302 | <0.1      | 0.5       | 2539      | 11        | 28        | 76        | 2.03    |         |        |         |           |           |        |
| 1601 | MJJ28-304 | <0.1      | 1.3       | 4432      | 32        | 44        | 55        | 2.83    |         |        |         |           |           |        |
| 1602 | MJJ28-306 | <0.1      | 0.8       | 3998      | 14        | 52        | 63        | 3.68    |         |        |         |           |           |        |
| 1603 | MJJ28-308 | <0.1      | <0.1      | 1444      | 9         | 42        | 13        | 2.04    |         |        |         |           |           |        |
| 1604 | MJJ28-310 | <0.1      | 0.3       | 1473      | 12        | 45        | 9         | 2.28    | 0.68    | 1.48   | 1.41    | 256       | 112       | 0.396  |
| 1605 | MJJ28-312 | <0.1      | 0.4       | 1223      | 9         | 25        | 8         | 1.42    |         |        |         |           |           |        |
| 1606 | MJJ28-314 | <0.1      | 0.7       | 3809      | 8         | 17        | 40        | 1.66    |         |        |         |           |           |        |
| 1607 | MJJ28-316 | <0.1      | 0.3       | 8558      | 17        | 23        | 38        | 1.68    |         |        |         |           |           |        |
| 1608 | MJJ28-318 | <0.1      | 0.1       | 1101      | 8         | 38        | 77        | 1.93    |         |        |         |           |           |        |
| 1609 | MJJ28-320 | <0.1      | 0.3       | 1851      | 11        | 70        | 86        | 2.62    | 0.77    | 1.53   | 1.70    | 269       | 146       | 0.110  |
| 1610 | MJJ28-322 | <0.1      | 0.3       | 1608      | 14        | 83        | 52        | 3.28    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1611 | MJJ28-324 | <0.1      | 0.7       | 3319      | 16        | 54        | 83        | 3.14    |         |        |         |           |           |        |
| 1612 | MJJ28-326 | <0.1      | <0.1      | 1451      | 9         | 44        | 12        | 2.27    |         |        |         |           |           |        |
| 1613 | MJJ28-328 | <0.1      | 0.2       | 1114      | 10        | 46        | 18        | 2.72    |         |        |         |           |           |        |
| 1614 | MJJ28-330 | <0.1      | <0.1      | 1389      | 17        | 63        | 31        | 3.50    | 0.42    | 1.74   | 1.49    | 183       | 124       | 0.070  |
| 1615 | MJJ28-332 | <0.1      | <0.1      | 358       | 14        | 110       | 5         | 3.43    |         |        |         |           |           |        |
| 1616 | MJJ28-334 | <0.1      | <0.1      | 374       | 15        | 112       | 8         | 3.61    |         |        |         |           |           |        |
| 1617 | MJJ28-336 | <0.1      | 1.8       | 5870      | 16        | 122       | 27        | 3.83    |         |        |         |           |           |        |
| 1618 | MJJ28-338 | <0.1      | 2.0       | 2011      | 14        | 232       | 25        | 4.29    |         |        |         |           |           |        |
| 1619 | MJJ28-340 | <0.1      | 1.1       | 3909      | 14        | 135       | 48        | 4.51    | 0.18    | 2.10   | 1.32    | 127       | 139       | 0.259  |
| 1620 | MJJ28-342 | <0.1      | 0.2       | 1764      | 11        | 35        | 93        | 1.97    |         |        |         |           |           |        |
| 1621 | MJJ28-344 | <0.1      | 1.8       | 6209      | 8         | 23        | 173       | 1.38    |         |        |         |           |           |        |
| 1622 | MJJ28-346 | <0.1      | 3.6       | 11985     | 14        | 35        | 126       | 2.72    |         |        |         |           |           |        |
| 1623 | MJJ28-348 | <0.1      | 0.8       | 3293      | 9         | 41        | 35        | 3.33    |         |        |         |           |           |        |
| 1624 | MJJ28-350 | <0.1      | 1.0       | 4039      | 10        | 16        | 129       | 1.65    | 0.19    | 2.19   | 1.02    | 70        | 125       | 0.240  |
| 1625 | MJJ28-352 | <0.1      | 0.5       | 1699      | 13        | 15        | 17        | 1.34    |         |        |         |           |           |        |
| 1626 | MJJ28-354 | <0.1      | 2.1       | 5411      | 10        | 14        | 117       | 1.16    |         |        |         |           |           |        |
| 1627 | MJJ28-356 | <0.1      | 0.7       | 3130      | 13        | 21        | 28        | 2.04    |         |        |         |           |           |        |
| 1628 | MJJ28-358 | <0.1      | 1.1       | 3811      | 12        | 20        | 53        | 1.73    |         |        |         |           |           |        |
| 1629 | MJJ28-360 | <0.1      | 1.2       | 4596      | 10        | 36        | 19        | 1.68    | 0.28    | 2.55   | 0.35    | 37        | 159       | 0.267  |
| 1630 | MJJ28-362 | <0.1      | 0.3       | 1767      | 16        | 135       | 26        | 4.08    |         |        |         |           |           |        |
| 1631 | MJJ28-364 | <0.1      | 0.1       | 2276      | 8         | 45        | 36        | 2.57    |         |        |         |           |           |        |
| 1632 | MJJ28-366 | <0.1      | <0.1      | 2054      | 12        | 140       | 40        | 4.26    |         |        |         |           |           |        |
| 1633 | MJJ28-368 | <0.1      | 0.2       | 3279      | 11        | 155       | 31        | 5.07    |         |        |         |           |           |        |
| 1634 | MJJ28-370 | <0.1      | 0.3       | 2192      | 13        | 101       | 26        | 2.98    | 0.22    | 1.92   | 0.66    | 61        | 157       | 0.409  |
| 1635 | MJJ28-372 | <0.1      | 1.1       | 5533      | 11        | 49        | 157       | 2.18    |         |        |         |           |           |        |
| 1636 | MJJ28-374 | <0.1      | 0.7       | 3128      | 11        | 17        | 81        | 1.04    |         |        |         |           |           |        |
| 1637 | MJJ28-376 | <0.1      | 1.4       | 4330      | 8         | 23        | 88        | 1.12    |         |        |         |           |           |        |
| 1638 | MJJ28-378 | <0.1      | 1.5       | 5855      | 11        | 49        | 88        | 1.85    |         |        |         |           |           |        |
| 1639 | MJJ28-380 | <0.1      | 0.4       | 1798      | 12        | 111       | 13        | 3.01    | 0.28    | 2.13   | 0.54    | 51        | 172       | 0.475  |
| 1640 | MJJ28-382 | <0.1      | 42.7      | 47059     | 47        | 958       | 718       | 14.32   |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1641 | MJJ28-384 | <0.1      | 7.8       | 16273     | 25        | 448       | 569       | 3.38    |         |        |         |           |           |        |
| 1642 | MJJ28-386 | <0.1      | 1.0       | 3744      | 9         | 293       | 124       | 6.90    |         |        |         |           |           |        |
| 1643 | MJJ28-388 | <0.1      | 2.3       | 16464     | 18        | 235       | 51        | 8.07    |         |        |         |           |           |        |
| 1644 | MJJ28-390 | <0.1      | 3.3       | 13505     | 26        | 212       | 34        | 7.17    | 0.61    | 1.82   | 0.86    | 111       | 125       | 4.096  |
| 1645 | MJJ28-392 | <0.1      | 2.3       | 5461      | 14        | 51        | 480       | 1.08    |         |        |         |           |           |        |
| 1646 | MJJ28-394 | <0.1      | 2.3       | 5478      | 15        | 103       | 118       | 1.39    |         |        |         |           |           |        |
| 1647 | MJJ28-396 | <0.1      | 1.2       | 3901      | 9         | 51        | 210       | 1.25    |         |        |         |           |           |        |
| 1648 | MJJ28-398 | <0.1      | 3.4       | 5058      | 25        | 274       | 110       | 1.34    |         |        |         |           |           |        |
| 1649 | MJJ28-400 | <0.1      | 0.7       | 2112      | 8         | 50        | 27        | 0.82    | 0.55    | 2.14   | 0.94    | 137       | 91        | 0.438  |
| 1650 | MJJ28-402 | <0.1      | 1.6       | 4376      | 11        | 59        | 37        | 1.06    |         |        |         |           |           |        |
| 1651 | MJJ28-404 | <0.1      | 2.0       | 3631      | 13        | 147       | 66        | 1.45    |         |        |         |           |           |        |
| 1652 | MJJ28-406 | <0.1      | 0.4       | 1644      | 11        | 51        | 25        | 1.06    |         |        |         |           |           |        |
| 1653 | MJJ28-408 | <0.1      | 0.8       | 2132      | 9         | 51        | 38        | 1.09    |         |        |         |           |           |        |
| 1654 | MJJ28-410 | <0.1      | 1.9       | 5281      | 12        | 48        | 71        | 1.87    | 0.36    | 2.10   | 0.16    | 22        | 111       | 1.612  |
| 1655 | MJJ28-412 | <0.1      | 0.7       | 2459      | 9         | 69        | 44        | 1.40    |         |        |         |           |           |        |
| 1656 | MJJ28-414 | <0.1      | 1.8       | 5049      | 11        | 45        | 51        | 1.88    |         |        |         |           |           |        |
| 1657 | MJJ28-416 | <0.1      | 0.3       | 1328      | 10        | 35        | 37        | 1.09    |         |        |         |           |           |        |
| 1658 | MJJ28-418 | <0.1      | 3.0       | 5779      | 14        | 110       | 37        | 1.75    |         |        |         |           |           |        |
| 1659 | MJJ28-420 | <0.1      | 1.2       | 5882      | 11        | 42        | 165       | 1.58    | 0.36    | 3.15   | 0.23    | 23        | 141       | 1.347  |
| 1660 | MJJ28-422 | <0.1      | 3.0       | 9693      | 12        | 66        | 119       | 1.46    |         |        |         |           |           |        |
| 1661 | MJJ28-424 | <0.1      | 1.6       | 4155      | 9         | 37        | 60        | 1.35    |         |        |         |           |           |        |
| 1662 | MJJ28-426 | <0.1      | 0.4       | 1967      | 12        | 20        | 45        | 0.83    |         |        |         |           |           |        |
| 1663 | MJJ28-428 | <0.1      | <0.1      | 1225      | 10        | 23        | 20        | 0.96    |         |        |         |           |           |        |
| 1664 | MJJ28-430 | <0.1      | 0.8       | 3616      | 13        | 35        | 23        | 1.33    | 0.31    | 3.45   | 0.31    | 33        | 169       | 0.766  |
| 1665 | MJJ28-432 | <0.1      | 0.3       | 849       | 7         | 18        | 20        | 0.90    |         |        |         |           |           |        |
| 1666 | MJJ28-434 | <0.1      | 0.9       | 2672      | 14        | 52        | 22        | 1.77    |         |        |         |           |           |        |
| 1667 | MJJ28-436 | <0.1      | 0.6       | 1903      | 12        | 26        | 53        | 0.85    |         |        |         |           |           |        |
| 1668 | MJJ28-438 | <0.1      | 0.1       | 1271      | 8         | 19        | 63        | 0.65    |         |        |         |           |           |        |
| 1669 | MJJ28-440 | <0.1      | <0.1      | 635       | 6         | 22        | 15        | 0.67    | 0.10    | 2.92   | 0.32    | 22        | 120       | 0.145  |
| 1670 | MJJ28-442 | <0.1      | 0.3       | 1018      | 7         | 49        | 15        | 0.61    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1671 | MJJ28-444 | <0.1      | <0.1      | 779       | 7         | 28        | 18        | 0.68    |         |        |         |           |           |        |
| 1672 | MJJ28-446 | <0.1      | 0.5       | 1653      | 11        | 47        | 19        | 1.08    |         |        |         |           |           |        |
| 1673 | MJJ28-448 | <0.1      | 0.3       | 1313      | 8         | 36        | 9         | 0.82    |         |        |         |           |           |        |
| 1674 | MJJ28-450 | <0.1      | 0.3       | 1194      | 12        | 45        | 10        | 0.97    | 0.17    | 3.44   | 0.37    | 31        | 139       | 0.379  |
| 1675 | MJJ28-452 | <0.1      | 0.6       | 3108      | 9         | 46        | 50        | 1.08    |         |        |         |           |           |        |
| 1676 | MJJ28-454 | <0.1      | 0.5       | 2276      | 8         | 44        | 18        | 1.19    |         |        |         |           |           |        |
| 1677 | MJJ28-456 | <0.1      | <0.1      | 1881      | 10        | 53        | 31        | 1.19    |         |        |         |           |           |        |
| 1678 | MJJ28-458 | <0.1      | 0.7       | 2624      | 12        | 24        | 32        | 1.10    |         |        |         |           |           |        |
| 1679 | MJJ28-460 | <0.1      | 1.2       | 4022      | 14        | 17        | 49        | 1.19    | 0.23    | 3.17   | 0.49    | 28        | 146       | 0.286  |
| 1680 | MJJ28-462 | <0.1      | 1.0       | 3317      | 15        | 26        | 38        | 1.26    |         |        |         |           |           |        |
| 1681 | MJJ28-464 | <0.1      | <0.1      | 2693      | 10        | 39        | 78        | 1.31    |         |        |         |           |           |        |
| 1682 | MJJ28-466 | <0.1      | <0.1      | 1757      | 11        | 222       | 36        | 6.17    |         |        |         |           |           |        |
| 1683 | MJJ28-468 | <0.1      | 1.9       | 2573      | 10        | 203       | 24        | 6.80    |         |        |         |           |           |        |
| 1684 | MJJ28-470 | <0.1      | 1.1       | 4541      | 11        | 179       | 28        | 5.42    | 0.64    | 2.49   | 0.61    | 81        | 168       | 0.480  |
| 1685 | MJJ28-472 | <0.1      | <0.1      | 2429      | 9         | 249       | 33        | 5.46    |         |        |         |           |           |        |
| 1686 | MJJ28-474 | <0.1      | 1.7       | 5596      | 10        | 50        | 50        | 1.30    |         |        |         |           |           |        |
| 1687 | MJJ28-476 | <0.1      | 3.0       | 8382      | 17        | 102       | 339       | 5.08    |         |        |         |           |           |        |
| 1688 | MJJ28-478 | <0.1      | 2.0       | 6233      | 8         | 28        | 158       | 2.68    |         |        |         |           |           |        |
| 1689 | MJJ28-480 | <0.1      | <0.1      | 1147      | 10        | 56        | 25        | 4.01    | 1.48    | 1.60   | 1.17    | 217       | 128       | 0.183  |
| 1690 | MJJ28-482 | <0.1      | 0.6       | 2305      | 10        | 50        | 84        | 3.58    |         |        |         |           |           |        |
| 1691 | MJJ28-484 | <0.1      | 0.6       | 3166      | 13        | 47        | 18        | 3.75    |         |        |         |           |           |        |
| 1692 | MJJ28-486 | <0.1      | 1.1       | 3847      | 11        | 82        | 6         | 4.23    |         |        |         |           |           |        |
| 1693 | MJJ28-488 | <0.1      | 2.6       | 7725      | 11        | 59        | 12        | 3.91    |         |        |         |           |           |        |
| 1694 | MJJ28-490 | <0.1      | 0.3       | 2253      | 10        | 55        | 9         | 3.80    | 1.06    | 1.92   | 1.33    | 193       | 129       | 0.165  |
| 1695 | MJJ28-492 | <0.1      | <0.1      | 1831      | 13        | 55        | 25        | 3.41    |         |        |         |           |           |        |
| 1696 | MJJ28-494 | <0.1      | 0.2       | 3643      | 10        | 52        | 24        | 3.44    |         |        |         |           |           |        |
| 1697 | MJJ28-496 | <0.1      | 0.7       | 2869      | 10        | 49        | 8         | 3.23    |         |        |         |           |           |        |
| 1698 | MJJ28-498 | <0.1      | 0.9       | 4504      | 8         | 40        | 108       | 3.11    |         |        |         |           |           |        |
| 1699 | MJJ28-500 | <0.1      | 0.2       | 1908      | 10        | 37        | 19        | 2.62    | 0.60    | 2.55   | 0.84    | 97        | 129       | 0.262  |
| 1700 | MJJ28-502 | <0.1      | 0.6       | 2362      | 10        | 45        | 21        | 3.12    |         |        |         |           |           |        |

エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1701 | MJJ28-504 | <0.1      | <0.1      | 1519      | 7         | 33        | 25        | 2.11    |         |        |         |           |           |        |
| 1702 | MJJ28-506 | <0.1      | 0.1       | 694       | 11        | 36        | 10        | 2.15    |         |        |         |           |           |        |
| 1703 | MJJ28-508 | <0.1      | <0.1      | 837       | 11        | 52        | 9         | 3.75    |         |        |         |           |           |        |
| 1704 | MJJ28-510 | <0.1      | <0.1      | 1057      | 12        | 39        | 7         | 2.98    | 0.62    | 3.05   | 0.79    | 94        | 152       | 0.292  |
| 1705 | MJJ28-512 | <0.1      | 0.3       | 1511      | 10        | 51        | 70        | 3.13    |         |        |         |           |           |        |
| 1706 | MJJ28-514 | <0.1      | 0.2       | 2256      | 12        | 69        | 13        | 4.80    |         |        |         |           |           |        |
| 1707 | MJJ28-516 | <0.1      | 0.7       | 2845      | 9         | 67        | 13        | 4.90    |         |        |         |           |           |        |
| 1708 | MJJ28-518 | <0.1      | 0.4       | 1876      | 12        | 27        | 12        | 1.56    |         |        |         |           |           |        |
| 1709 | MJJ28-520 | <0.1      | 0.2       | 2918      | 12        | 34        | 27        | 2.26    | 0.58    | 3.17   | 0.53    | 46        | 155       | 0.395  |
| 1710 | MJJ28-522 | <0.1      | 1.8       | 5822      | 10        | 22        | 24        | 1.64    |         |        |         |           |           |        |
| 1711 | MJJ28-524 | <0.1      | 2.0       | 6720      | 8         | 20        | 14        | 2.04    |         |        |         |           |           |        |
| 1712 | MJJ28-526 | <0.1      | 0.4       | 1929      | 8         | 26        | 13        | 2.32    |         |        |         |           |           |        |
| 1713 | MJJ28-528 | <0.1      | 0.6       | 3067      | 10        | 25        | 60        | 2.39    |         |        |         |           |           |        |
| 1714 | MJJ28-530 | <0.1      | 0.9       | 3203      | 11        | 30        | 114       | 2.59    | 0.38    | 2.39   | 1.20    | 81        | 135       | 0.250  |
| 1715 | MJJ28-532 | <0.1      | 1.2       | 2838      | 9         | 34        | 48        | 2.08    |         |        |         |           |           |        |
| 1716 | MJJ28-534 | <0.1      | 0.3       | 2142      | 8         | 26        | 16        | 2.17    |         |        |         |           |           |        |
| 1717 | MJJ28-536 | <0.1      | 1.8       | 4982      | 11        | 22        | 45        | 1.89    |         |        |         |           |           |        |
| 1718 | MJJ28-538 | <0.1      | 1.2       | 3870      | 10        | 28        | 26        | 2.41    |         |        |         |           |           |        |
| 1719 | MJJ28-540 | <0.1      | 0.1       | 1954      | 12        | 43        | 21        | 2.27    | 0.40    | 3.08   | 0.86    | 73        | 132       | 0.323  |
| 1720 | MJJ28-542 | <0.1      | 0.4       | 1368      | 9         | 22        | 82        | 1.59    |         |        |         |           |           |        |
| 1721 | MJJ28-544 | <0.1      | <0.1      | 1186      | 9         | 26        | 16        | 2.05    |         |        |         |           |           |        |
| 1722 | MJJ28-546 | <0.1      | <0.1      | 2177      | 7         | 24        | 194       | 1.29    |         |        |         |           |           |        |
| 1723 | MJJ28-548 | <0.1      | 0.4       | 1769      | 7         | 36        | 35        | 1.55    |         |        |         |           |           |        |
| 1724 | MJJ28-550 | <0.1      | 0.8       | 2441      | 9         | 28        | 120       | 0.93    | 0.29    | 2.38   | 0.33    | 43        | 92        | 0.225  |
| 1725 | MJJ28-552 | <0.1      | 0.1       | 1661      | 10        | 30        | 31        | 1.59    |         |        |         |           |           |        |
| 1726 | MJJ28-554 | <0.1      | <0.1      | 1499      | 9         | 39        | 67        | 1.97    |         |        |         |           |           |        |
| 1727 | MJJ28-556 | <0.1      | <0.1      | 919       | 19        | 47        | 45        | 1.70    |         |        |         |           |           |        |
| 1728 | MJJ28-558 | <0.1      | <0.1      | 695       | 10        | 61        | 14        | 2.02    |         |        |         |           |           |        |
| 1729 | MJJ28-560 | <0.1      | <0.1      | 156       | 9         | 32        | 6         | 1.23    | 0.42    | 2.49   | 0.67    | 56        | 91        | 0.079  |
| 1730 | MJJ28-562 | <0.1      | <0.1      | 121       | 6         | 43        | <1        | 1.32    |         |        |         |           |           |        |

## エクアドルボーリング調査鉱石分析

| No.  | 供試品       | ppm<br>Au | ppm<br>Ag | ppm<br>Cu | ppm<br>Pb | ppm<br>Zn | ppm<br>Mo | %<br>Fe | %<br>Ca | %<br>K | %<br>Na | ppm<br>Sr | ppm<br>Rb | %<br>S |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|---------|--------|---------|-----------|-----------|--------|
| 1731 | MJJ28-564 | <0.1      | <0.1      | 206       | 9         | 61        | 3         | 1.50    |         |        |         |           |           |        |
| 1732 | MJJ28-566 | <0.1      | <0.1      | 264       | 13        | 68        | 6         | 1.97    |         |        |         |           |           |        |
| 1733 | MJJ28-568 | <0.1      | <0.1      | 1001      | 12        | 70        | 19        | 1.68    |         |        |         |           |           |        |
| 1734 | MJJ28-570 | <0.1      | <0.1      | 640       | 13        | 78        | 17        | 2.33    | 0.55    | 1.56   | 1.20    | 80        | 64        | 0.078  |
| 1735 | MJJ28-572 | <0.1      | 0.3       | 1725      | 12        | 44        | 35        | 1.79    |         |        |         |           |           |        |
| 1736 | MJJ28-574 | <0.1      | 0.4       | 2379      | 11        | 78        | 61        | 2.85    |         |        |         |           |           |        |
| 1737 | MJJ28-576 | <0.1      | <0.1      | 1088      | 12        | 56        | 12        | 2.47    |         |        |         |           |           |        |
| 1738 | MJJ28-578 | <0.1      | <0.1      | 1356      | 12        | 47        | 16        | 2.76    |         |        |         |           |           |        |
| 1739 | MJJ28-580 | <0.1      | <0.1      | 771       | 8         | 40        | 37        | 2.07    | 0.31    | 0.99   | 1.08    | 67        | 48        | 0.154  |
| 1740 | MJJ28-582 | <0.1      | <0.1      | 1236      | 11        | 27        | 6         | 2.02    |         |        |         |           |           |        |
| 1741 | MJJ28-584 | <0.1      | <0.1      | 645       | 11        | 32        | 17        | 2.40    |         |        |         |           |           |        |
| 1742 | MJJ28-586 | <0.1      | <0.1      | 1325      | 10        | 26        | 37        | 1.79    |         |        |         |           |           |        |
| 1743 | MJJ28-588 | <0.1      | <0.1      | 394       | 10        | 24        | 49        | 1.11    |         |        |         |           |           |        |
| 1744 | MJJ28-590 | 0.2       | <0.1      | 590       | 11        | 22        | 36        | 1.70    | 0.18    | 3.37   | 0.81    | 46        | 138       | 0.112  |
| 1745 | MJJ28-592 | <0.1      | <0.1      | 787       | 8         | 21        | 80        | 1.06    |         |        |         |           |           |        |
| 1746 | MJJ28-594 | <0.1      | <0.1      | 750       | 11        | 12        | 19        | 0.61    |         |        |         |           |           |        |
| 1747 | MJJ28-596 | <0.1      | <0.1      | 853       | 9         | 13        | 21        | 0.67    |         |        |         |           |           |        |
| 1748 | MJJ28-598 | <0.1      | 2.1       | 11357     | 14        | 40        | 116       | 1.65    |         |        |         |           |           |        |
| 1749 | MJJ28-600 | <0.1      | 0.4       | 1524      | 9         | 19        | 26        | 0.82    | 0.23    | 2.96   | 1.29    | 66        | 102       | 0.148  |
| 1750 | MJJ28-602 | <0.1      | 0.3       | 1420      | 11        | 27        | 24        | 0.75    |         |        |         |           |           |        |

# CORPORACION DE DESARROLLO E INVESTIGACION

## GEOLOGICO - MINERO - METALURGICA

### DIVISION DE LABORATORIO REPORTE DE ANALISIS QUIMICOS

#### DETERMINACIONES

| CODIGO<br>MUESTR | Zn<br>ppm | Pb<br>ppm | Cu<br>% | Ag<br>ppm | Fe<br>% | Au<br>ppm | Mo<br>ppm |
|------------------|-----------|-----------|---------|-----------|---------|-----------|-----------|
| MJJ 25 - 4.6     | 55        | 35        | 638ppm  | Nd        | 1.89    | Nd        | 85        |
| MJJ 25 - 40      | 95        | 10        | 0.04    | 15        | 1.48    | Nd        | 50        |
| MJJ 25 - 80      | 110       | 10        | 0.49    | 15        | 1.52    | Nd        | 190       |
| MJJ 25 - 120     | 75        | 20        | 0.67    | 15        | 0.58    | Nd        | 335       |
| MJJ 25 - 134     | 70        | 25        | 0.44    | 10        | 0.77    | Nd        | 485       |
| MJJ 25 - 160     | 55        | 10        | 0.14    | 10        | 0.50    | 0.05      | 35        |
| MJJ 25 - 200     | 100       | 5         | 0.42    | 5         | 2.95    | Nd        | 120       |
| MJJ 25 - 240     | 110       | 15        | 0.15    | Nd        | 0.50    | 0.10      | 20        |
| MJJ 25 - 280     | 95        | 10        | 0.29    | 5         | 1.55    | Nd        | 60        |
| MJJ 25 - 320     | 150       | 30        | 0.31    | Nd        | 0.55    | 0.10      | 235       |
| MJJ 25 - 360     | 95        | 60        | 0.29    | Nd        | 1.08    | Nd        | 85        |
| MJJ 25 - 400     | 75        | Nd        | 0.92    | 10        | 1.34    | 0.05      | 150       |
| MJJ 25 - 440     | 120       | 45        | 0.16    | Nd        | 4.87    | 0.05      | 85        |
| MJJ 25 - 480     | 130       | 35        | 0.32    | 10        | 1.20    | 0.05      | 70        |
| MJJ 25 - 520     | 200       | 35        | 1.46    | 10        | 1.84    | 0.05      | 85        |
| MJJ 25 - 560     | 140       | 15        | 1.10    | 15        | 2.84    | 0.10      | 110       |
| MJJ 25 - 600     | 55        | Nd        | 0.62    | 5         | 3.88    | Nd        | 80        |

| CODIGO<br>MUESTR | Zn<br>ppm | Pb<br>ppm | Cu<br>% | Ag<br>ppm | Fe<br>% | Au<br>ppm | Mo<br>ppm |
|------------------|-----------|-----------|---------|-----------|---------|-----------|-----------|
| MJJ 26 - 6       | 60        | 25        | 0.03    | 10        | 1.39    | Nd        | 25        |
| MJJ 26 - 40      | 90        | 20        | 0.04    | 5         | 1.08    | Nd        | Nd        |
| MJJ 26 - 80      | 65        | 20        | 0.06    | 5         | 1.05    | Nd        | 20        |
| MJJ 26 - 92      | 90        | 15        | 0.17    | 5         | 1.35    | Nd        | 45        |
| MJJ 26 - 114     | 55        | 15        | 0.24    | 5         | 0.69    | Nd        | 30        |
| MJJ 26 - 120     | 60        | 25        | 0.19    | 5         | 0.76    | 0.05      | 70        |
| MJJ 26 - 160     | 60        | 25        | 0.26    | 5         | 0.66    | Nd        | 85        |
| MJJ 26 - 200     | 55        | 30        | 0.10    | 5         | 0.79    | Nd        | 40        |
| MJJ 26 - 240     | 98        | 13        | 0.17    | 5         | 2.11    | Nd        | 60        |
| MJJ 26 - 280     | 40        | 20        | 0.04    | 5         | 0.30    | Nd        | 40        |
| MJJ 26 - 320     | 70        | 60        | 0.41    | 5         | 1.40    | Nd        | 65        |
| MJJ 26 - 360     | 105       | 30        | 0.19    | 5         | 4.94    | Nd        | 55        |
| MJJ 26 - 400     | 165       | 10        | 0.12    | Nd        | 5.78    | Nd        | 40        |
| MJJ 26 - 440     | 260       | 15        | 0.25    | 5         | 2.11    | Nd        | 85        |
| MJJ 26 - 480     | 90        | 10        | 0.16    | Nd        | 0.60    | Nd        | 50        |

Nd = No detectable, menor que 5 ppm para Ag y menor que 0.05 para Au.

# CORPORACION DE DESARROLLO E INVESTIGACION

## GEOLOGICO - MINERO - METALURGICA

### DIVISION DE LABORATORIO REPORTE DE ANALISIS QUIMICOS

#### DETERMINACIONES

| CODIGO<br>MUESTR | Zn<br>ppm | Pb<br>ppm | Cu<br>% | Ag<br>ppm | Fe<br>% | Au<br>ppm | Mo<br>ppm |
|------------------|-----------|-----------|---------|-----------|---------|-----------|-----------|
| MJJ 27 - 6       | 130       | 10        | 0.07    | Nd        | 2.09    | 0.10      | 325       |
| MJJ 27 - 40      | 235       | 5         | 0.11    | 5         | 4.91    | Nd        | 400       |
| MJJ 27 - 80      | 155       | Nd        | 0.56    | 5         | 2.04    | Nd        | 585       |
| MJJ 27 - 120     | 120       | Nd        | 0.61    | 5         | 1.89    | Nd        | 250       |
| MJJ 27 - 160     | 170       | Nd        | 1.23    | 5         | 2.26    | Nd        | 315       |
| MJJ 27 - 166     | 130       | 10        | 1.40    | 5         | 2.43    | 0.05      | 1015      |
| MJJ 27 - 200     | 95        | 5         | 0.40    | 10        | 2.26    | Nd        | 215       |
| MJJ 27 - 240     | 85        | 5         | 0.78    | 10        | 1.38    | 0.05      | 700       |
| MJJ 27 - 280     | 85        | Nd        | 0.98    | 10        | 1.26    | 0.05      | 215       |
| MJJ 27 - 320     | 145       | 5         | 0.76    | 10        | 1.86    | 0.05      | 60        |
| MJJ 27 - 360     | 110       | Nd        | 0.36    | 10        | 1.77    | 0.10      | 50        |
| MJJ 27 - 400     | 50        | 5         | 0.16    | 5         | 0.93    | Nd        | 50        |
| MJJ 27 - 440     | 35        | Nd        | 0.36    | 5         | 1.69    | 0.05      | 45        |
| MJJ 27 - 480     | 75        | 15        | 0.11    | 10        | 3.21    | 0.05      | 105       |
| MJJ 27 - 520     | 125       | 10        | 0.31    | 10        | 5.05    | 0.05      | 45        |
| MJJ 27 - 560     | 115       | Nd        | 2.04    | 10        | 6.45    | 0.10      | 150       |
| MJJ 27 - 600     | 110       | 10        | 0.91    | 5         | 5.65    | Nd        | 85        |

| CODIGO<br>MUESTR | Zn<br>ppm | Pb<br>ppm | Cu<br>% | Ag<br>ppm | Fe<br>% | Au<br>ppm | Mo<br>ppm |
|------------------|-----------|-----------|---------|-----------|---------|-----------|-----------|
| MJJ 28 - 6       | 110       | 5         | 0.11    | 10        | 1.56    | Nd        | 65        |
| MJJ 28 - 40      | 135       | 25        | 0.24    | Nd        | 4.13    | Nd        | 50        |
| MJJ 28 - 80      | 95        | 15        | 1.49    | 5         | 4.21    | 0.05      | 230       |
| MJJ 28 - 106     | 40        | 15        | 0.74    | Nd        | 1.66    | Nd        | 510       |
| MJJ 28 - 120     | 90        | 25        | 1.07    | 5         | 1.76    | Nd        | 545       |
| MJJ 28 - 160     | 90        | 25        | 0.69    | 5         | 1.08    | 0.05      | 230       |
| MJJ 28 - 200     | 80        | 15        | 0.33    | 5         | 2.28    | 0.05      | 110       |
| MJJ 28 - 240     | 100       | 10        | 0.25    | 5         | 1.73    | Nd        | 120       |
| MJJ 28 - 280     | 85        | 25        | 0.17    | 5         | 0.61    | Nd        | 35        |
| MJJ 28 - 320     | 105       | 20        | 0.20    | 5         | 2.82    | Nd        | 100       |
| MJJ 28 - 360     | 75        | 20        | 0.51    | 5         | 1.77    | Nd        | 45        |
| MJJ 28 - 398     | 305       | 25        | 0.56    | 10        | 1.28    | Nd        | 120       |
| MJJ 28 - 440     | 80        | 15        | 0.07    | 5         | 0.71    | 0.05      | 50        |
| MJJ 28 - 480     | 210       | 15        | 0.14    | 5         | 4.91    | 0.05      | 40        |
| MJJ 28 - 520     | 95        | 25        | 0.34    | 5         | 2.84    | 0.05      | 60        |
| MJJ 28 - 560     | 125       | 15        | 0.04    | Nd        | 1.64    | Nd        | 25        |
| MJJ 28 - 600     | 70        | 10        | 0.18    | 5         | 0.84    | 0.05      | 40        |

Nd = No detectable, menor que 5 ppm para Ag y menor que 0.05 para Au.

# CORPORACION DE DESARROLLO E INVESTIGACION

## GEOLOGICO - MINERO - METALURGICA

### DIVISION DE LABORATORIO REPORTE DE ANALISIS QUIMICOS

#### DETERMINACIONES

| CODIGO<br>MUESTR | Zn<br>ppm | Pb<br>ppm | Cu<br>% | Ag<br>ppm | Fe<br>% | Au<br>ppm | Mo<br>ppm |
|------------------|-----------|-----------|---------|-----------|---------|-----------|-----------|
| MJJ 29 - 460     | 80        | 10        | 0.72    | 10        | 2.77    | Nd        | 175       |
| MJJ 29 - 462     | 205       | 25        | 1.46    | 10        | 3.10    | 0.05      | 500       |
| MJJ 29 - 464     | 70        | 25        | 0.44    | 5         | 2.34    | 0.10      | 115       |
| MJJ 29 - 466     | 115       | 35        | 0.45    | 10        | 2.11    | 0.10      | 185       |
| MJJ 29 - 468     | 95        | 15        | 0.44    | 10        | 2.24    | 0.05      | 170       |
| MJJ 29 - 470     | 100       | 10        | 0.60    | 5         | 3.11    | Nd        | 90        |
| MJJ 29 - 472     | 80        | 10        | 1.35    | 10        | 4.93    | 0.05      | 2000      |
| MJJ 29 - 474     | 70        | 10        | 1.56    | 10        | 6.20    | 0.05      | 6450      |
| MJJ 29 - 476     | 55        | 30        | 0.27    | 10        | 0.19    | 0.05      | 90        |
| MJJ 29 - 478     | 55        | 15        | 0.24    | 10        | 0.20    | 0.05      | 178       |
| MJJ 29 - 480     | 60        | 15        | 0.81    | 5         | 2.15    | Nd        | 365       |
| MJJ 29 - 482     | 260       | 35        | 1.71    | 5         | 2.82    | 0.05      | 4070      |
| MJJ 29 - 484     | 110       | 10        | 0.88    | 5         | 2.27    | 0.05      | 3725      |
| MJJ 29 - 486     | 185       | 10        | 1.71    | 5         | 2.74    | 0.05      | 460       |
| MJJ 29 - 488     | 1240      | 5         | 1.07    | 5         | 2.44    | Nd        | 180       |
| MJJ 29 - 490     | 515       | 10        | 0.90    | 5         | 2.92    | Nd        | 465       |
| MJJ 29 - 492     | 180       | 10        | 1.36    | 5         | 2.44    | Nd        | 668       |
| <hr/>            |           |           |         |           |         |           |           |
| CODIGO<br>MUESTR | Zn<br>ppm | Pb<br>ppm | Cu<br>% | Ag<br>ppm | Fe<br>% | Au<br>ppm | Mo<br>ppm |
| MJJ 30 - 496     | 113       | 25        | 1.08    | 10        | 1.08    | Nd        | 320       |
| MJJ 30 - 498     | 130       | 20        | 1.59    | 5         | 1.18    | 0.10      | 325       |
| MJJ 30 - 500     | 80        | 35        | 2.67    | 5         | 1.79    | 0.10      | 140       |
| MJJ 30 - 502     | 110       | 25        | 1.17    | Nd        | 1.76    | 0.10      | 250       |
| MJJ 30 - 504     | 125       | 20        | 1.90    | 5         | 2.39    | Nd        | 275       |
| MJJ 30 - 506     | 60        | 10        | 1.85    | 5         | 1.96    | Nd        | 160       |
| MJJ 30 - 508     | 65        | Nd        | 1.69    | Nd        | 1.99    | Nd        | 620       |
| MJJ 30 - 510     | 75        | Nd        | 1.05    | 5         | 1.85    | 0.05      | 270       |
| MJJ 30 - 512     | 80        | Nd        | 2.33    | 5         | 2.11    | Nd        | 965       |
| MJJ 30 - 514     | 50        | Nd        | 0.86    | 5         | 1.93    | 0.10      | 115       |
| MJJ 30 - 516     | 65        | 10        | 1.43    | 5         | 2.34    | 0.05      | 155       |
| MJJ 30 - 518     | 255       | 10        | 1.87    | 5         | 1.82    | 0.05      | 520       |
| MJJ 30 - 520     | 100       | Nd        | 2.00    | 15        | 1.69    | 0.05      | 445       |
| MJJ 30 - 522     | 55        | 10        | 2.20    | 5         | 1.97    | Nd        | 310       |
| MJJ 30 - 524     | 65        | 15        | 2.58    | 5         | 2.08    | 0.05      | 720       |
| MJJ 30 - 526     | 85        | 15        | 2.73    | 5         | 2.10    | 0.05      | 590       |
| MJJ 30 - 528     | 50        | 25        | 2.51    | Nd        | 2.86    | 0.05      | 165       |

Nd = No detectable, menor que 5 ppm para Ag y menor que 0.05 para Au.

)

)


( )

卷末 38 ポーリング調査化学分析結果図




巻末38 ボーリング調査化学分析図 (分析値一覧)


| Borehole |         | Au(ppm) | Ag(ppm) | Cu(ppm) | Pb(ppm) | Zn(ppm) | Mo(ppm) | Fe(%) | Ca(%) | K(%) | Na(%) | Sr(ppm) | Rb(ppm) | S(%) |
|----------|---------|---------|---------|---------|---------|---------|---------|-------|-------|------|-------|---------|---------|------|
| BJJ-25   | Max     | 0.30    | 29.10   | 40966   | 36      | 900     | 2694    | 11.08 | 3.42  | 4.09 | 2.22  | 284     | 180     | 1.53 |
|          | Min     | 0.05    | 0.05    | 163     | 1       | 3       | 6       | 0.41  | 0.04  | 0.76 | 0.16  | 14      | 61      | 0.01 |
|          | Average | 0.05    | 1.45    | 4352    | 13      | 45      | 112     | 1.88  | 0.46  | 2.20 | 0.82  | 83      | 126     | 0.39 |
| BJJ-26   | Max     | 0.20    | 10.50   | 20674   | 189     | 4525    | 1312    | 9.02  | 3.33  | 5.71 | 1.76  | 253     | 227     | 4.42 |
|          | Min     | 0.05    | 0.05    | 116     | 2       | 4       | 2       | 0.14  | 0.04  | 1.17 | 0.12  | 8       | 60      | 0.01 |
|          | Average | 0.05    | 0.93    | 2529    | 14      | 113     | 59      | 2.36  | 0.65  | 3.12 | 0.82  | 103     | 132     | 0.35 |
| BJJ-27   | Max     | 0.05    | 28.30   | 29524   | 34      | 3157    | 1752    | 6.24  | 1.97  | 3.16 | 2.01  | 300     | 163     | 2.26 |
|          | Min     | 0.05    | 0.05    | 205     | 4       | 4       | 4       | 0.54  | 0.11  | 1.15 | 0.12  | 8       | 48      | 0.02 |
|          | Average | 0.05    | 1.67    | 5684    | 10      | 54      | 173     | 2.03  | 0.55  | 1.85 | 1.00  | 138     | 111     | 0.54 |
| BJJ-28   | Max     | 0.20    | 42.70   | 47059   | 47      | 988     | 2599    | 14.32 | 1.97  | 3.45 | 2.01  | 300     | 177     | 4.10 |
|          | Min     | 0.05    | 0.05    | 121     | 6       | 11      | 3       | 0.56  | 0.10  | 0.99 | 0.12  | 8       | 48      | 0.02 |
|          | Average | 0.05    | 1.21    | 4593    | 11      | 57      | 157     | 2.06  | 0.50  | 2.15 | 0.84  | 105     | 128     | 0.46 |
| BJJ-29   | Max     | 0.20    | 14.00   | 32088   | 50      | 1177    | 6422    | 9.04  | 1.14  | 2.80 | 1.70  | 347     | 221     | 3.04 |
|          | Min     | 0.05    | 0.05    | 249     | 5       | 9       | 7       | 1.19  | 0.02  | 0.72 | 0.15  | 11      | 62      | 0.02 |
|          | Average | 0.05    | 1.80    | 7404    | 18      | 48      | 410     | 2.57  | 0.39  | 1.40 | 0.86  | 119     | 124     | 0.99 |
| BJJ-30   | Max     | 0.05    | 17.90   | 48630   | 79      | 580     | 2740    | 6.65  | 1.78  | 1.91 | 2.29  | 404     | 165     | 3.63 |
|          | Min     | 0.05    | 0.05    | 460     | 10      | 6       | 2       | 0.79  | 0.06  | 0.83 | 0.19  | 18      | 60      | 0.05 |
|          | Average | 0.05    | 1.81    | 6344    | 18      | 46      | 146     | 2.28  | 0.50  | 1.36 | 1.06  | 145     | 119     | 0.96 |




巻末38 ボーリング調査化学分析図 (MJJ-25)




巻末38 ボーリング調査化学分析図 (MJJ-26)




巻末38 ポーリング調査化学分析図 (MJJ-27)



巻末38 ボーリング調査化学分析図 (MUJ-28)



巻末38 ボーリング調査化学分析図 (MJJ-29)



港床38ボーリング調査化学分析図 (MUJ-30)

)

)

)

卷末39 ボーリング調査年代測定結果一覧表



巻末39 ボーリング調査年代測定結果一覧表

| Ser.<br>No. | Sample<br>No. | Location | Coordinates |          | Hand specimen description | Age (m.y.) |
|-------------|---------------|----------|-------------|----------|---------------------------|------------|
| 1           | MJ29-245.00   | MJ-29    | N35.050     | E761.365 | quartz porphyry           | 5.88±0.13  |
| 2           | MJ30-339.40   | MJ-30    | N35.041     | E761.638 | strongly altered rock     | 5.94±0.13  |




( )

卷末40 ポーリング調査顕微鏡写真

( )

)






Hole No. : MJJ-25

Depth: 75.20m

Bn: bornite

Cc: chalcocite

Dg: digenite



Hole No. : MJJ-25


Depth: 311.50m

Bn: bornite

Cc: chalcocite

巻末40 ボーリング調査顕微鏡写真(1)






Hole No. : MJJ-26

Depth: 81.40m

Cp: chalcopyrite

Dg: digenite

Cv: coveline



Hole No. : MJJ-26


Depth: 101.40m

Cp: chalcopyrite

Dg: digenite

巻末40 ボーリング調査顕微鏡写真(2)





Hole No. : MJJ-29

Depth: 141.60m

Py: pyrite

Cp: chalcopyrite

Tn: tennantite

Eg: enargite

Bn: bornite



Hole No. : MJJ-30

Depth: 339.40m

Cp: chalcopyrite

Bn: bornite

Tn: tennantite

巻末40 ボーリング調査顕微鏡写真(3)

)

)

( )

卷末 4 1 鉦山開發計畫調查收集資料一覽表

( )

( )



卷末 4 1 鉦山開発計画調査収集資料一覧表

(1) 鉱業関係

1. Ley de minería.
2. Ecuadorian mining law and regulation.
3. Reglamento general de la ley de minería.
4. Reglamento de seguridad minera.

(2) 森林関係

1. Ley forestal y de conservación de áreas naturales y vida silvestre.
2. Reglamento a la ley forestal y de conservación de áreas naturales y vida silvestre.
3. Politicas basicas ambientales del Ecuador.

(3) 水資源

1. Ley de aguas.
2. Reglamento general para la aplicación de la ley de aguas.
3. Organización del regimen institucional de aguas.

(4) 電気関係

1. Ley de regimen del sector electrico.

(5) 労働関係

- 1.Codigo del trabajo.

(6) 税制関係

1. Codigo tributario
2. Ley de regimen tributario interno.
3. Porcentajes de impuesto a la renta.

(7) 統計資料

1. Indice de precios al consumidor área urbana.
2. Informe inflacionario en Cuenca.
3. Encuesta de condiciones de vida.
4. Boletín de precios, salarios y empleo. Oct., 1996 Banco central del Ecuador.
5. Información estadística mensual. Nov. 30 1996 Banco central del Ecuador.
6. Cuentas nacionales del Ecuador 1972-1995.
7. Índices y variaciones del índice de precios de materiales, equipo y maquinaria de la construcción. Oct. 1996 INEC.
8. La tablita de tarifas del impuesto a la renta.
9. Cementos Selva Alegre, costo de operación.
10. EMERNORTE, Cuadro de cargos tarifarios.
11. Concesiones de exploración minera en el canton Cotacachi.



卷末 4 2 気象測定結果一覧表

○

○



卷末42 気象測定結果一覧表 (温度・湿度)

| Date       | 6:00 |     | 12:00 |     | 18:00 |     | 24:00 |     |
|------------|------|-----|-------|-----|-------|-----|-------|-----|
|            | (°C) | (%) | (°C)  | (%) | (°C)  | (%) | (°C)  | (%) |
| 1996/11/22 |      |     | 23.0  | 45  | 17.0  | 95  | 14.0  | 89  |
| 1996/11/23 | 12.0 | 65  | 23.0  | 37  | 16.0  | 89  | 13.0  | 88  |
| 1996/11/24 | 13.5 | 40  | 13.0  | 66  | 22.0  | 30  | 16.0  | 66  |
| 1996/11/25 | 13.5 | 82  | 12.5  | 60  | 21.5  | 34  | 17.5  | 90  |
| 1996/11/26 | 19.0 | 95  | 14.0  | 94  | 15.5  | 100 | 13.5  | 82  |
| 1996/11/27 | 16.0 | 100 | 22.5  | 95  | 16.5  | 67  | 13.0  | 94  |
| 1996/11/28 | 14.5 | 88  | 21.5  | 45  | 17.5  | 68  | 14.5  | 82  |
| 1996/11/29 | 15.5 | 78  | 19.5  | 70  | 15.5  | 66  | 14.0  | 82  |
| 1996/11/30 | 14.0 | 88  | 16.5  | 95  | 16.5  | 84  | 14.0  | 88  |
| 1996/12/1  | 15.5 | 84  | 20.5  | 82  | 15.3  | 89  | 15.0  | 84  |
| 1996/12/2  | 15.0 | 94  | 16.7  | 95  | 14.4  | 94  | 14.3  | 83  |
| 1996/12/3  | 14.4 | 94  | 17.8  | 90  | 14.7  | 94  | 14.0  | 91  |
| 1996/12/4  | 14.8 | 89  | 19.4  | 81  | 16.7  | 80  | 14.6  | 89  |
| 1996/12/5  | 15.6 | 89  | 15.4  | 89  | 15.0  | 89  | 15.5  | 95  |
| 1996/12/6  | 15.0 | 89  | 16.2  | 89  | 15.4  | 94  | 14.0  | 89  |
| 1996/12/7  | 15.2 | 94  | 17.6  | 90  | 16.3  | 89  | 15.4  | 78  |
| 1996/12/8  | 14.2 | 94  | 16.4  | 95  | 14.4  | 89  | 15.3  | 83  |
| 1996/12/9  | 13.5 | 94  | 18.0  | 85  | 15.0  | 94  | 13.4  | 94  |
| 1996/12/10 | 14.2 | 94  | 18.5  | 81  | 15.3  | 94  | 14.4  | 89  |
| 1996/12/11 | 14.6 | 78  | 20.3  | 81  | 16.6  | 95  | 13.6  | 91  |
| 1996/12/12 | 13.7 | 89  | 18.2  | 90  | 16.0  | 95  | 15.8  | 95  |
| 1996/12/13 | 13.8 | 67  | 18.0  | 80  | 13.4  | 88  | 13.0  | 94  |
| 1996/12/14 | 14.5 | 94  | 16.4  | 89  | 15.6  | 95  | 15.5  | 89  |
| 1996/12/15 | 14.2 | 94  | 19.8  | 81  | 15.7  | 95  | 14.8  | 94  |
| 1996/12/16 | 13.6 | 94  | 18.8  | 85  | 16.0  | 95  | 14.8  | 91  |
| 1996/12/17 | 13.7 | 94  | 18.0  | 85  | 15.7  | 95  | 14.5  | 94  |
| 1996/12/18 | 13.4 | 94  | 20.0  | 73  | 15.7  | 95  | 15.0  | 94  |
| 1996/12/19 | 14.8 | 89  | 18.0  | 90  | 15.5  | 89  | 14.8  | 84  |
| 1996/12/20 | 13.8 | 94  | 17.0  | 95  | 16.0  | 95  | 15.2  | 94  |
| 1996/12/21 | 13.5 | 94  | 19.8  | 86  | 16.7  | 85  | 13.8  | 89  |
| 1996/12/22 | 14.0 | 94  | 18.0  | 90  | 16.8  | 95  | 15.8  | 95  |
| 1996/12/23 | 14.7 | 94  | 18.5  | 95  | 16.6  | 95  | 16.0  | 95  |
| 1996/12/24 | 15.0 | 94  | 16.5  | 95  | 15.6  | 95  | 15.7  | 95  |
| 1996/12/25 | 14.8 | 94  | 16.7  | 95  | 15.8  | 95  | 15.6  | 95  |
| 1996/12/26 | 15.4 | 94  | 18.0  | 85  | 15.7  | 95  | 15.4  | 94  |
| 1996/12/27 | 14.9 | 94  | 20.0  | 86  | 15.9  | 95  | 15.7  | 95  |
| 1996/12/28 | 15.3 | 94  | 19.8  | 86  | 15.7  | 95  | 15.4  | 94  |
| 1996/12/29 | 14.8 | 94  | 18.3  | 90  | 16.0  | 95  | 14.7  | 94  |
| 1996/12/30 | 13.8 | 94  | 15.6  | 95  | 14.8  | 94  | 13.7  | 94  |
| 1996/12/31 | 15.4 | 89  | 17.6  | 90  | 15.5  | 84  | 14.8  | 94  |
| 1997/1/1   | 14.5 | 84  | 17.5  | 95  | 15.0  | 91  | 14.8  | 94  |
| 1997/1/2   | 14.6 | 94  | 14.7  | 94  | 15.0  | 94  | 15.0  | 94  |
| 1997/1/3   | 14.8 | 94  | 17.8  | 95  | 15.4  | 89  | 14.6  | 89  |
| 1997/1/4   | 14.5 | 94  | 17.0  | 95  | 15.7  | 95  | 15.0  | 94  |
| 1997/1/5   | 14.8 | 94  | 16.8  | 95  | 15.5  | 95  | 14.8  | 94  |
| 1997/1/6   | 14.6 | 94  | 17.2  | 95  | 15.5  | 95  | 13.6  | 94  |
| 1997/1/7   | 15.8 | 69  | 17.5  | 85  | 14.8  | 94  | 17.2  | 95  |
| 1997/1/8   | 16.0 | 95  | 17.0  | 95  | 15.5  | 95  | 14.8  | 94  |
| 1997/1/9   | 15.4 | 94  | 18.8  | 72  | 15.2  | 94  | 15.1  | 94  |
| 1997/1/10  | 14.7 | 94  | 19.0  | 95  |       |     |       |     |

卷末42 気象測定結果一覧表(雨量)

| Hour<br>Date | 0:00-6:00<br>(mm) | 6:00-12:00<br>(mm) | 12:00-18:00<br>(mm) | 18:00-24:00<br>(mm) | Total<br>(mm) |
|--------------|-------------------|--------------------|---------------------|---------------------|---------------|
| 1996/11/20   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/11/21   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/11/22   | 0.0               | 0.0                | 8.0                 | 0.0                 | 8.0           |
| 1996/11/23   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/11/24   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/11/25   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/11/26   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/11/27   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/11/28   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/11/29   | 1.0               | 0.0                | 2.0                 | 4.0                 | 7.0           |
| 1996/11/30   | 0.0               | 0.5                | 0.0                 | 0.0                 | 0.5           |
| 1996/12/1    | 0.5               | 0.0                | 0.0                 | 9.0                 | 9.5           |
| 1996/12/2    | 2.0               | 0.0                | 0.5                 | 0.0                 | 2.5           |
| 1996/12/3    | 0.0               | 0.0                | 1.0                 | 2.0                 | 3.0           |
| 1996/12/4    | 0.0               | 0.0                | 0.5                 | 11.5                | 12.0          |
| 1996/12/5    | 4.5               | 0.0                | 2.0                 | 9.5                 | 16.0          |
| 1996/12/6    | 0.0               | 0.0                | 0.5                 | 1.0                 | 1.5           |
| 1996/12/7    | 0.0               | 0.0                | 0.5                 | 0.0                 | 0.5           |
| 1996/12/8    | 0.0               | 0.0                | 2.0                 | 6.5                 | 8.5           |
| 1996/12/9    | 3.0               | 0.0                | 0.0                 | 2.0                 | 5.0           |
| 1996/12/10   | 0.0               | 0.0                | 0.5                 | 0.0                 | 0.5           |
| 1996/12/11   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/12/12   | 0.0               | 0.0                | 0.0                 | 4.5                 | 4.5           |
| 1996/12/13   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/12/14   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/12/15   | 0.0               | 0.0                | 0.5                 | 1.0                 | 1.5           |
| 1996/12/16   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/12/17   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/12/18   | 0.0               | 0.0                | 0.0                 | 0.5                 | 0.5           |
| 1996/12/19   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/12/20   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/12/21   | 0.0               | 0.0                | 0.0                 | 1.0                 | 1.0           |
| 1996/12/22   | 0.0               | 0.0                | 0.0                 | 0.5                 | 0.5           |
| 1996/12/23   | 0.0               | 0.0                | 0.0                 | 0.0                 | 0.0           |
| 1996/12/24   | 0.0               | 0.0                | 2.0                 | 0.5                 | 2.5           |
| 1996/12/25   | 0.0               | 0.0                | 4.0                 | 2.5                 | 6.5           |
| 1996/12/26   | 2.0               | 0.0                | 0.5                 | 0.0                 | 2.5           |
| 1996/12/27   | 0.5               | 0.0                | 4.5                 | 2.0                 | 7.0           |
| 1996/12/28   | 1.0               | 2.0                | 1.5                 | 0.0                 | 4.5           |
| 1996/12/29   | 0.0               | 0.0                | 0.0                 | 5.5                 | 5.5           |
| 1996/12/30   | 2.0               | 1.5                | 8.5                 | 7.0                 | 19.0          |
| 1996/12/31   | 3.5               | 5.5                | 10.5                | 8.5                 | 28.0          |
| 1997/1/1     | 1.0               | 0.5                | 0.0                 | 2.5                 | 4.0           |
| 1997/1/2     | 0.0               | 1.0                | 5.0                 | 8.0                 | 14.0          |
| 1997/1/3     | 3.0               | 2.0                | 9.0                 | 20.0                | 34.0          |
| 1997/1/4     | 2.0               | 2.0                | 6.5                 | 12.0                | 22.5          |
| 1997/1/5     | 3.5               | 1.0                | 5.5                 | 1.5                 | 11.5          |
| 1997/1/6     | 1.5               | 5.0                | 2.5                 | 1.5                 | 10.5          |
| 1997/1/7     | 0.5               | 0.0                | 0.0                 | 2.0                 | 2.5           |
| 1997/1/8     | 0.0               | 0.0                | 0.5                 | 1.5                 | 2.0           |
| 1997/1/9     | 0.5               | 2.5                | 1.5                 | 1.0                 | 5.5           |
| 1997/1/10    | 0.0               | 0.0                |                     |                     |               |

卷末 4.2 氣象測定結果一覽表 (風向・風速(msec))

| Date       | Hour | 0    | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   | 14   | 15   | 16   | 17   | 18   | 19   | 20   | 21   | 22   | 23   |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1996/11/20 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      | S    | S    | S    | S    | NNW  | NNW  | NNW  | NNW  | NNW  |
| 1996/11/21 |      | NW   | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | SSW  | S    | S    | S    | S    | S    | SSW  | SSE  | SE   | E    | S    | ESE  | ESE  | NNE  | N    | N    |
| 1996/11/22 |      | 0.00 | 0.00 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.50 | 3.10 | 2.85 | 4.10 | 4.25 | 4.40 | 4.70 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.15 | 0.00 |
| 1996/11/23 |      | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | S    | S    | S    | S    | S    | SSE  | S    | SSE  | S    | S    | SSW  | ESE  | SSW  | SSW  | SSW  | SSW  |
| 1996/11/23 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4.25 | 3.45 | 4.45 | 4.60 | 5.10 | 3.35 | 2.80 | 2.35 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/11/23 |      | SSW  | S    | SW   | NNW  | NNW  | NNW  | NNW  | NNW  | N    | S    | S    | S    | S    | S    | S    | S    | S    | S    | SSW  | SSW  | SSW  | SW   | SW   | SW   |
| 1996/11/24 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.40 | 3.45 | 4.05 | 5.20 | 4.50 | 5.00 | 3.55 | 3.25 | 2.40 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/11/24 |      | SW   | SW   | SW   | SW   | W    | W    | W    | N    | N    | S    | S    | S    | S    | S    | S    | S    | S    | S    | SSW  | SW   | SW   | SW   | SW   | SW   |
| 1996/11/25 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.90 | 4.80 | 3.45 | 4.65 | 4.25 | 3.90 | 3.15 | 3.35 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/11/25 |      | SW   | SW   | SW   | SW   | WSW  | NW   | NW   | SSE  | SSE  | S    | S    | S    | S    | SE   | S    | SSE  | SSW  | SSW  | ESE  | ESE  | E    | E    | E    | E    |
| 1996/11/26 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4.05 | 3.40 | 3.05 | 0.00 | 2.90 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/11/26 |      | E    | SSW  | SSW  | SSW  | SSW  | SW   | SW   | SW   | SW   | S    | SE   | S    | SSE  | S    | S    | S    | S    | S    | SW   | NNW  | NNW  | NNW  | NNW  | NNW  |
| 1996/11/27 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.45 | 2.80 | 0.00 | 2.80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.50 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/11/27 |      | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | S    | S    | S    | S    | S    | S    | S    | SW   | SSW  | S    | SE   | ESE  | ENE  | ENE  | ENE  |
| 1996/11/28 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.55 | 4.30 | 2.45 | 0.00 | 0.00 | 2.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/11/28 |      | ENE  | ENE  | ENE  | ENE  | ENE  | ENE  | ENE  | ENE  | ENE  | S    | S    | S    | S    | S    | S    | S    | S    | S    | SSW  | S    | SE   | ENE  | ENE  | ENE  |
| 1996/11/29 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.45 | 3.05 | 3.05 | 3.15 | 5.30 | 3.80 | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/11/29 |      | SW   | SW   | WSW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | S    | S    | S    | S    | S    | S    | S    | SSE  | SW   | WSW  | WSW  | WSW  | WSW  | WSW  | WSW  |
| 1996/11/30 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.65 | 2.20 | 2.80 | 2.55 | 2.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/11/30 |      | WSW  | W    | NW   | NNW  | NNW  | NNW  | NNW  | NNW  | S    | S    | SSE  | SSE  | S    | S    | S    | S    | SSE  | SW   | WSW  | WSW  | WSW  | WSW  | WSW  | WSW  |
| 1996/12/1  |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.10 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/12/1  |      | N    | N    | N    | N    | N    | N    | N    | N    | NNW  | S    | S    | S    | S    | S    | S    | S    | SSE  | SW   | NNW  | NNW  | NNW  | S    | N    | N    |
| 1996/12/2  |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.25 | 0.00 | 2.30 | 0.00 | 2.55 | 2.40 | 2.95 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/12/2  |      | NW   | ENE  | NNE  | NNE  | NNE  | NNE  | NNE  | NNE  | NNE  | S    | SSW  | SSW  | S    | SSW  | S    | SSW  | SSE  | SE   | SSE  | SSE  | NNW  | NNW  | NNW  | NNW  |
| 1996/12/3  |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/12/3  |      | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | S    | SSE  | SSE  | S    | SSE  | S    | WSW  | WSW  | ESE  | E    | E    | NNW  | NNW  | NNW  | NNW  |
| 1996/12/4  |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.45 | 2.65 | 0.00 | 0.00 | 2.35 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/12/4  |      | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | S    | S    | S    | SSW  | S    | SW   | SSE  | S    | SSW  | S    | SSW  | SSE  | ESE  | ESE  | ESE  |
| 1996/12/5  |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.15 | 2.15 | 0.00 | 2.65 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/12/5  |      | ESE  | E    | E    | E    | NE   | NE   | NE   | NE   | NE   | SSE  | SSW  | SSW  | SE   | SSW  | ESE  | SSW  | S    | S    | S    | S    | S    | S    | S    | S    |
| 1996/12/6  |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.05 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/12/6  |      | NNW  | S    | NW   | NW   | S    | S    | S    | N    | N    | S    | S    | S    | S    | S    | SSE  | S    | S    | S    | SSW  | SE   | NNW  | NNW  | NNW  | NNW  |
| 1996/12/7  |      | 2.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/12/7  |      | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | SSW  | S    | S    | SW   | S    | S    | SW   | S    | SW   | SE   | N    | N    | N    | N    | N    |
| 1996/12/8  |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.90 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1996/12/8  |      | NW   | NW   | NW   | NNW  | NNW  | NNW  | NNW  | NNW  | S    | S    | S    | S    | S    | SSW  | S    | S    | S    | S    | SW   | NE   | NNW  | NNW  | NNW  | NNW  |

卷末 4-2 気象測定結果一覧表 (風向・風速(msec))

| Date       | Hour | 0    | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12   | 13   | 14   | 15   | 16   | 17   | 18   | 19   | 20   | 21   | 22   | 23   |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1996/12/9  |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.35 | 2.55 | 0.00 | 0.00 | 0.00 | 2.03 | 0.00 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | S    | SSW  | S    | SSW  | S    | SSE  | SSW  | SSE  | SSE  | SSE  | SSE  | SSE  | SSW  | SSW  | SSW  |
| 1996/12/10 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.90 | 0.00 | 2.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | SW   | ESE  | ESE  | NE   | SSW  | SSW  | SSW  | SSW  | S    | S    | SSW  | NNW  | SWS  | SSW  | SSE  | S    | S    | S    | S    | NNW  | NNW  | N    | SSW  | N    |
| 1996/12/11 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.05 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.45 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | NNW  | N    | N    | WSW  | NNW  | NNW  | NNW  | NNW  | N    | S    | SE   | S    | S    | S    | S    | S    | S    | SSW  | WSW  | W    | W    | W    | W    | W    |
| 1996/12/12 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.40 | 2.15 | 2.30 | 2.75 | 3.25 | 2.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | SSW  | S    | SSE  | S    | S    | S    | S    | S    | SSW  | SSE  | SE   | SE   | NNW  | NNW  | N    |
| 1996/12/13 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.10 | 3.50 | 2.80 | 3.30 | 2.25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | N    | SSW  | S    | S    | WSW  | WSW  | SSW  | SSE  | S    | S    | SSW  | S    | SE   | ENE  | ENE  | ENE  | ENE  |
| 1996/12/14 |      | 0.00 | 2.15 | 2.05 | 3.05 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.90 | 0.00 | 0.00 | 0.00 | 2.65 | 2.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | ENE  | ESE  | ENE  | ENE  | ENE  | ENE  | ENE  | ENE  | SSW  | S    | SSW  | SSE  | S    | S    | SSW  | S    | S    | S    | S    | S    | S    | SSE  | S    | E    |
| 1996/12/15 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | E    | E    | E    | S    | S    | SSW  | SSW  | SSW  | S    | S    | SE   | SE   | S    | S    | S    | S    | S    | SE   | ESE  | WSW  | E    | E    | S    | S    |
| 1996/12/16 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | NE   | NE   | NE   | N    | NNW  | NNW  | NNW  | N    | NNE  | SSW  | S    | S    | SSE  | S    | ESE  | SSW  | S    | S    | S    | ESE  | SSW  | SSW  | SSW  | S    |
| 1996/12/17 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.00 | 0.00 | 2.70 | 0.00 | 0.00 | 2.05 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | SW   | NNW  | NNW  | NNW  | NNE  | NNW  | NNW  | SW   | SSW  | S    | SSE  | SE   | S    | S    | S    | S    | S    | SSW  | SSE  | SSW  | SSW  | SSW  | SSW  | SSW  |
| 1996/12/18 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.35 | 0.00 | 0.00 | 0.00 | 2.10 | 2.45 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | S    | ESE  | E    | NNW  | NNW  | NNW  | NNW  | NNE  | NNE  | S    | S    | ENE  | S    | S    | S    | S    | S    | S    | S    | SE   | NNE  | WSW  | NNW  | NNW  |
| 1996/12/19 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.20 | 0.00 | 3.10 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | NNW  | NNW  | NNW  | NNW  | NNW  | W    | WSW  | S    | S    | S    | S    | SW   | S    | S    | SSW  | ESE  | S    | S    | S    | SW   | SW   | SW   | SW   | SW   |
| 1996/12/20 |      | 0.00 | 0.00 | 0.00 | 2.15 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.85 | 2.90 | 2.30 | 0.00 | 2.25 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | WSW  | WSW  | NNW  | NNW  | NNW  | NNW  | NNW  | N    | S    | S    | S    | S    | S    | SSE  | S    | S    | SSW  | S    | S    | SSE  | SSE  | SSW  | SSW  | SSE  |
| 1996/12/21 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.05 | 0.00 | 0.00 | 0.00 | 3.65 | 0.00 | 3.00 | 3.60 | 0.00 | 2.55 | 0.00 | 2.05 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | SW   | SW   | SW   | NNW  | NNW  | NNW  | NNW  | N    | NNE  | S    | S    | S    | S    | S    | SW   | S    | SW   | S    | ENE  | ENE  | ENE  | ENE  | NNW  | N    |
| 1996/12/22 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.15 | 0.00 | 2.10 | 0.00 | 3.75 | 3.80 | 0.00 | 2.00 | 0.00 | 0.00 | 2.05 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | N    | N    | N    | NNW  | NNW  | SW   | NNW  | N    | S    | S    | S    | S    | N    | S    | S    | S    | SE   | S    | SW   | S    | SSW  | ESE  | S    | NW   |
| 1996/12/23 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | NW   | NW   | NW   | N    | W    | NNW  | NNW  | NNW  | NNW  | SSW  | SSW  | S    | ESE  | N    | SSW  | SSW  | S    | SSW  | SSW  | S    | S    | E    | SSW  | SSW  |
| 1996/12/24 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.95 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | SSW  | SSW  | SSW  | SSW  | SSW  | SW   | W    | NNW  | S    | S    | S    | S    | S    | S    | S    | S    | S    | S    | S    | S    | S    | S    | S    | NE   |
| 1996/12/25 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | NE   | NE   | NNW  | NNW  | NNW  | NNW  | NNW  | N    | NNE  | S    | S    | S    | S    | SSE  | SSE  | S    | SSE  | SSW  | ESE  | ESE  | E    | E    | E    | E    |
| 1996/12/26 |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.00 | 0.00 | 0.00 | 0.00 | 2.70 | 2.70 | 0.00 | 2.40 | 2.70 | 0.00 | 2.10 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
|            |      | E    | E    | S    | SSW  | SSE  | E    | E    | ENE  | SSW  | SSW  | SSW  | NE   | NNE  | E    | SSE  | ENE  | S    | ESE  | N    | NNW  | SSW  | NNW  | NNW  | NNW  |
|            |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

卷末 4 2 氣象測定結果一覽表 (風向・風速(msec))

| Date       | Hour | 0    | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | 11   | 12  | 13  | 14  | 15  | 16  | 17  | 18  | 19  | 20  | 21  | 22  | 23  |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1996/12/27 |      | NNW  | S    | S    | S    | S    | S    | S    | S    | S    | S    | S    | S    | SW  | SSW | SSW | S   | NE  | S   | SSW | SSW | SSE | NE  | NW  | WSW |
| 1996/12/28 |      | NW   | NW   | NW   | NW   | NNW  | NNW  | NNW  | NNW  | NNW  | S    | S    | S    | S   | S   | S   | S   | S   | SW  | SW  | WSW | WSW | NNW | NNW | NNW |
| 1996/12/29 |      | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | S    | S    | S    | S    | S   | S   | ENE | S   | S   | SSE | SSW | E   | SE  | E   | S   | S   |
| 1996/12/30 |      | S    | S    | SSE  | ESE  | ENE  | ENE  | ENE  | SSE  | S    | S    | S    | SSE  | S   | S   | S   | S   | S   | S   | SSW | SSW | S   | SSW | S   | SSW |
| 1996/12/31 |      | SSW  | S    | S    | S    | SSW  | S    | E    | SSE  | S    | S    | S    | S    | S   | S   | SSE | SSW | S   | S   | ENE | ENE | E   | S   | S   | S   |
| 1997/1/1   |      | ESE  | S    | S    | SSE  | ESE  | E    | E    | SW   | S    | ESE  | S    | SSE  | S   | S   | S   | SSE | ESE | WSW | E   | NE  | NNW | WSW | WSW | WSW |
| 1997/1/2   |      | NW   | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | WSW  | S    | S    | SSE  | S   | S   | S   | S   | SSE | SSW | S   | SSW | S   | S   | SSW | WSW |
| 1997/1/3   |      | S    | NW   | NW   | NW   | NW   | NW   | NW   | NW   | NW   | S    | SSW  | S    | SSW | S   | S   | S   | S   | WSW | SSE | SSW | S   | S   | SSW | WSW |
| 1997/1/4   |      | SSE  | S    | E    | E    | SW   | SW   | S    | SSE  | S    | S    | S    | S    | NNE | S   | ENE | S   | S   | S   | E   | E   | SSE | E   | SW  | S   |
| 1997/1/5   |      | ESE  | S    | ESE  | S    | S    | S    | S    | S    | S    | S    | SW   | S    | SSW | S   | S   | S   | ENE | SSE | ESE | S   | S   | SSE | SSW | SSW |
| 1997/1/6   |      | S    | ESE  | E    | E    | SSW  | ESE  | ESE  | ESE  | SSW  | S    | S    | SSE  | S   | S   | S   | SSW | S   | NE  | NNW | SW  | NNW | N   | NNW | NNW |
| 1997/1/7   |      | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | NNW  | SW   | S    | SSE  | S    | SSW | S   | S   | SSW | SSW | S   | SE  | SE  | SE  | SE  | WSW | NNW |
| 1997/1/8   |      | NNW  | NW   | NW   | NNW  | SW   | SSW  | SSW  | SSW  | S    | S    | S    | S    | S   | S   | S   | S   | S   | SSE | SSW | S   | SE  | S   | SE  | SE  |
| 1997/1/9   |      | WSW  | S    | S    | SSE  | S    | SE   | S    | S    | S    | SSW  | S    | S    | S   | S   | S   | SSE | S   | S   | SSW | S   | SSW | SSW | NNW | NNW |
| 1997/1/10  |      | SSW  | NNW  | S    | NNW  | NNW  | SSW  | NNW  | NNW  | S    | S    | S    | S    | S   | S   | S   | SSE | S   | S   | SSW | S   | SSW | SSW | NNW | NNW |
|            |      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.05 | 3.20 |     |     |     |     |     |     |     |     |     |     |     |     |

