








Apéndice 2 Columna sumaria de los pozos

1941-1942













MJJ8




MJJ9








MJJ12






MJJ13







MJJ20









MJJ 25




MJJ26




MJJ27





MJJ29





Apéndice 3 Datos básicos para el cálculo de reserva

1944

Borehole Name	Easting	Northing	Elevation	Depth
MJJ01	760270.000	35880.000	2105.000	151.500
MJJ02	760251.000	36005.000	2123.000	151.500
MJJ03	760271.000	36180.000	2180.000	151.500
MJJ04	760493.000	35895.000	1918.000	148.800
MJJ05	760483.000	35890.000	1918.000	300.000
MJJ06	760631.000	35850.000	1960.000	150.500
MJJ07	760719.000	35480.000	1768.000	300.850
MJJ08	760754.000	35475.000	1772.000	233.450
MJJ09	760773.000	35265.000	1730.000	150.000
MJJ10	760485.000	35890.000	1912.000	301.300
MJJ11	760650.000	35840.000	1857.000	302.500
MJJ12	760765.000	35790.000	1832.000	302.000
MJJ13	760705.000	35615.000	1795.000	270.000
MJJ14	760755.000	35291.000	1736.990	300.580
MJJ15	760805.000	35135.000	1709.970	301.210
MJJ16	761687.000	34564.000	1769.490	150.730
MJJ17	761815.000	34710.000	1796.750	150.250
MJJ18	761106.000	34864.000	1742.000	302.560
MJJ19	761180.000	35146.000	1817.740	301.030
MJJ20	761180.000	35146.000	1817.740	393.140
MJJ21	761162.000	35145.000	1817.500	307.140
MJJ22	761615.000	34860.000	1911.000	304.080
MJJ23	761490.000	35015.000	2030.050	401.680
MJJ24	761865.000	35040.000	2029.500	401.680
MJJ25	761275.000	35294.000	1978.000	602.580
MJJ26	761275.000	35294.000	1978.000	502.000
MJJ27	761440.000	35200.000	2028.000	602.580
MJJ28	761440.000	35200.000	2028.000	602.580
MJJ29	761383.000	35050.000	2049.000	601.980
MJJ30	761638.000	35041.000	2020.000	602.560

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ04	8.00	8.00	10.00	2.00	0.592	0.001
MJJ04	10.00	10.00	12.00	2.00	0.374	0.000
MJJ04	14.00	14.00	16.00	2.00	0.293	0.000
MJJ04	18.00	18.00	20.00	2.00	0.095	0.001
MJJ04	20.00	20.00	22.00	2.00	0.041	0.001
MJJ04	26.00	26.00	28.00	2.00	0.146	0.000
MJJ04	30.00	30.00	32.00	2.00	1.005	0.003
MJJ04	34.00	34.00	36.00	2.00	1.530	0.011
MJJ04	38.00	38.00	40.00	2.00	0.233	0.000
MJJ04	42.00	42.00	44.00	2.00	0.931	0.029
MJJ04	46.00	46.00	48.00	2.00	1.452	0.014
MJJ04	50.00	50.00	52.00	2.00	2.368	0.045
MJJ04	54.00	54.00	56.00	2.00	3.745	0.046
MJJ04	58.00	58.00	60.00	2.00	2.448	0.026
MJJ04	62.00	62.00	64.00	2.00	2.087	0.007
MJJ04	66.00	66.00	68.00	2.00	3.837	0.022
MJJ04	70.00	70.00	72.00	2.00	2.307	0.218
MJJ04	74.00	74.00	76.00	2.00	2.179	0.492
MJJ04	78.00	78.00	80.00	2.00	2.727	0.294
MJJ04	82.00	82.00	84.00	2.00	2.275	0.912
MJJ04	86.00	86.00	88.00	2.00	1.375	1.239
MJJ04	90.00	90.00	92.00	2.00	1.799	0.283
MJJ04	94.00	94.00	96.00	2.00	1.162	0.687
MJJ04	98.00	98.00	100.00	2.00	1.309	0.750
MJJ04	102.00	102.00	104.00	2.00	2.840	0.034
MJJ04	106.00	106.00	108.00	2.00	1.410	0.017
MJJ04	110.00	110.00	112.00	2.00	1.216	0.012
MJJ04	114.00	114.00	116.00	2.00	0.127	0.003
MJJ04	118.00	118.00	120.00	2.00	0.343	0.003
MJJ04	122.00	122.00	124.00	2.00	0.610	0.009
MJJ04	126.00	126.00	128.00	2.00	0.338	0.011
MJJ04	130.00	130.00	132.00	2.00	0.964	0.002
MJJ04	134.00	134.00	136.00	2.00	0.435	0.003
MJJ04	138.00	138.00	140.00	2.00	0.265	0.001
MJJ04	142.00	142.00	144.00	2.00	0.927	0.008
MJJ04	146.00	146.00	148.00	2.00	0.952	0.012
MJJ05	68.00	68.00	69.00	1.00	0.432	0.002
MJJ05	138.50	138.50	140.00	1.50	0.959	0.002
MJJ05	140.00	140.00	141.40	1.40	0.247	0.000
MJJ05	141.40	141.40	143.80	2.40	3.748	0.000
MJJ05	143.80	143.80	145.80	2.00	0.130	0.000
MJJ06	4.00	4.00	6.00	2.00	0.031	0.003
MJJ06	6.00	6.00	8.00	2.00	0.087	0.002
MJJ06	8.00	8.00	10.00	2.00	0.115	0.010
MJJ06	10.00	10.00	12.00	2.00	0.060	0.006
MJJ06	12.00	12.00	14.00	2.00	0.048	0.003
MJJ06	14.00	14.00	16.00	2.00	0.048	0.008
MJJ06	16.00	16.00	18.00	2.00	0.188	0.009
MJJ06	18.00	18.00	20.00	2.00	0.415	0.046
MJJ06	20.00	20.00	22.00	2.00	0.236	0.016
MJJ06	22.00	22.00	24.00	2.00	0.440	0.010
MJJ06	24.00	24.00	26.00	2.00	0.224	0.011
MJJ06	26.00	26.00	28.00	2.00	0.209	0.010
MJJ06	28.00	28.00	30.00	2.00	0.124	0.003
MJJ06	30.00	30.00	32.00	2.00	0.197	0.032
MJJ06	32.00	32.00	34.00	2.00	0.066	0.001
MJJ06	34.00	34.00	36.00	2.00	0.285	0.002
MJJ06	36.00	36.00	38.00	2.00	0.124	0.001
MJJ06	38.00	38.00	40.00	2.00	0.348	0.005
MJJ06	40.00	40.00	42.00	2.00	0.659	0.001
MJJ06	42.00	42.00	44.00	2.00	0.259	0.003
MJJ06	44.00	44.00	46.00	2.00	0.127	0.001
MJJ06	46.00	46.00	48.00	2.00	0.064	0.000
MJJ06	48.00	48.00	50.00	2.00	0.071	0.002
MJJ06	50.00	50.00	52.00	2.00	0.139	0.003
MJJ06	52.00	52.00	54.00	2.00	0.083	0.008
MJJ06	54.00	54.00	56.00	2.00	0.022	0.000
MJJ06	56.00	56.00	58.00	2.00	0.131	0.088
MJJ06	58.00	58.00	60.00	2.00	0.448	0.013
MJJ06	60.00	60.00	62.00	2.00	0.218	0.006
MJJ06	62.00	62.00	64.00	2.00	0.268	0.002
MJJ06	64.00	64.00	66.00	2.00	0.204	0.002
MJJ06	66.00	66.00	68.00	2.00	0.085	0.002
MJJ06	68.00	68.00	70.00	2.00	0.095	0.004
MJJ06	70.00	70.00	72.00	2.00	0.063	0.003
MJJ06	72.00	72.00	74.00	2.00	0.046	0.002
MJJ06	74.00	74.00	76.00	2.00	0.041	0.007
MJJ06	76.00	76.00	78.00	2.00	0.149	0.006
MJJ06	78.00	78.00	80.00	2.00	0.072	0.009
MJJ06	80.00	80.00	82.00	2.00	0.131	0.004
MJJ06	82.00	82.00	84.00	2.00	0.124	0.005
MJJ06	84.00	84.00	86.00	2.00	0.109	0.010
MJJ06	86.00	86.00	88.00	2.00	0.165	0.010
MJJ06	88.00	88.00	90.00	2.00	0.082	0.002
MJJ06	90.00	90.00	92.00	2.00	0.155	0.003
MJJ06	92.00	92.00	94.00	2.00	0.112	0.009
MJJ06	94.00	94.00	96.00	2.00	0.231	0.009
MJJ06	96.00	96.00	98.00	2.00	0.227	0.003
MJJ06	98.00	98.00	100.00	2.00	0.253	0.019
MJJ06	100.00	100.00	102.00	2.00	0.129	0.005
MJJ06	102.00	102.00	104.00	2.00	0.165	0.004
MJJ06	104.00	104.00	106.00	2.00	0.188	0.006
MJJ06	106.00	106.00	108.00	2.00	0.091	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ06	108.00	108.00	110.00	2.00	0.245	0.011
MJJ06	110.00	110.00	112.00	2.00	0.242	0.010
MJJ06	112.00	112.00	114.00	2.00	0.157	0.009
MJJ06	114.00	114.00	116.00	2.00	0.169	0.013
MJJ06	116.00	116.00	118.00	2.00	0.237	0.014
MJJ06	118.00	118.00	120.00	2.00	0.206	0.006
MJJ06	120.00	120.00	122.00	2.00	0.217	0.003
MJJ06	122.00	122.00	124.00	2.00	0.121	0.002
MJJ06	124.00	124.00	126.00	2.00	0.085	0.003
MJJ06	126.00	126.00	128.00	2.00	0.178	0.004
MJJ06	128.00	128.00	130.00	2.00	0.108	0.001
MJJ06	130.00	130.00	132.00	2.00	0.085	0.007
MJJ06	132.00	132.00	134.00	2.00	0.061	0.005
MJJ06	134.00	134.00	136.00	2.00	0.207	0.006
MJJ06	136.00	136.00	138.00	2.00	0.132	0.006
MJJ06	138.00	138.00	140.00	2.00	0.344	0.005
MJJ06	140.00	140.00	142.00	2.00	0.203	0.010
MJJ06	142.00	142.00	144.00	2.00	0.078	0.003
MJJ06	144.00	144.00	146.00	2.00	0.110	0.004
MJJ06	146.00	146.00	148.00	2.00	0.142	0.004
MJJ06	148.00	148.00	150.00	2.00	0.093	0.031
MJJ07	145.00	145.00	147.00	2.00	0.109	0.000
MJJ07	151.00	151.00	153.00	2.00	0.068	0.000
MJJ07	153.00	153.00	155.00	2.00	0.066	0.000
MJJ07	155.00	155.00	157.00	2.00	0.030	0.003
MJJ07	157.00	157.00	159.00	2.00	0.042	0.000
MJJ07	159.00	159.00	161.00	2.00	0.074	0.000
MJJ07	161.00	161.00	163.00	2.00	0.250	0.000
MJJ07	163.00	163.00	165.00	2.00	0.132	0.001
MJJ07	165.00	165.00	167.00	2.00	0.152	0.001
MJJ07	167.00	167.00	169.00	2.00	0.038	0.000
MJJ08	6.00	6.00	8.00	2.00	0.213	0.004
MJJ08	8.00	8.00	10.00	2.00	0.526	0.017
MJJ08	10.00	10.00	12.00	2.00	1.285	0.025
MJJ08	12.00	12.00	14.00	2.00	0.846	0.027
MJJ08	14.00	14.00	16.00	2.00	0.617	0.002
MJJ08	16.00	16.00	18.00	2.00	0.227	0.001
MJJ08	18.00	18.00	20.00	2.00	0.077	0.001
MJJ08	20.00	20.00	22.00	2.00	0.291	0.015
MJJ08	22.00	22.00	24.00	2.00	0.391	0.024
MJJ08	24.00	24.00	26.00	2.00	0.309	0.016
MJJ08	26.00	26.00	28.00	2.00	0.220	0.013
MJJ08	28.00	28.00	30.00	2.00	0.205	0.011
MJJ08	30.00	30.00	32.00	2.00	0.232	0.007
MJJ08	32.00	32.00	34.00	2.00	0.207	0.013
MJJ08	38.00	38.00	40.00	2.00	0.473	0.013
MJJ08	40.00	40.00	42.00	2.00	0.279	0.015
MJJ08	42.00	42.00	44.00	2.00	0.232	0.014
MJJ08	44.00	44.00	46.00	2.00	0.386	0.008
MJJ08	46.00	46.00	48.00	2.00	0.448	0.014
MJJ08	48.00	48.00	50.00	2.00	0.416	0.011
MJJ08	50.00	50.00	52.00	2.00	0.276	0.014
MJJ08	52.00	52.00	54.00	2.00	0.647	0.018
MJJ08	54.00	54.00	56.00	2.00	0.320	0.044
MJJ08	56.00	56.00	58.00	2.00	0.460	0.046
MJJ08	58.00	58.00	60.00	2.00	0.406	0.048
MJJ08	60.00	60.00	62.00	2.00	0.465	0.016
MJJ08	62.00	62.00	64.00	2.00	0.374	0.032
MJJ08	64.00	64.00	66.00	2.00	0.199	0.025
MJJ08	66.00	66.00	68.00	2.00	0.321	0.007
MJJ08	68.00	68.00	70.00	2.00	0.262	0.004
MJJ08	70.00	70.00	72.00	2.00	0.330	0.043
MJJ08	72.00	72.00	74.00	2.00	0.226	0.008
MJJ08	74.00	74.00	76.00	2.00	0.257	0.006
MJJ08	76.00	76.00	78.00	2.00	0.592	0.009
MJJ08	78.00	78.00	80.00	2.00	0.483	0.012
MJJ08	80.00	80.00	82.00	2.00	0.628	0.022
MJJ08	82.00	82.00	84.00	2.00	2.101	0.131
MJJ08	84.00	84.00	86.00	2.00	1.369	0.023
MJJ08	86.00	86.00	88.00	2.00	0.488	0.010
MJJ08	88.00	88.00	90.00	2.00	0.318	0.011
MJJ08	90.00	90.00	92.00	2.00	0.453	0.006
MJJ08	92.00	92.00	94.00	2.00	0.624	0.004
MJJ08	94.00	94.00	96.00	2.00	0.449	0.015
MJJ08	96.00	96.00	98.00	2.00	0.133	0.001
MJJ08	98.00	98.00	100.00	2.00	0.302	0.010
MJJ08	100.00	100.00	102.00	2.00	0.202	0.001
MJJ08	102.00	102.00	104.00	2.00	0.302	0.013
MJJ08	104.00	104.00	106.00	2.00	0.210	0.005
MJJ08	106.00	106.00	108.00	2.00	0.269	0.008
MJJ08	108.00	108.00	110.00	2.00	0.249	0.009
MJJ08	110.00	110.00	112.00	2.00	0.378	0.022
MJJ08	112.00	112.00	114.00	2.00	0.374	0.011
MJJ08	114.00	114.00	116.00	2.00	0.325	0.005
MJJ08	116.00	116.00	118.00	2.00	0.183	0.010
MJJ08	118.00	118.00	120.00	2.00	0.243	0.009
MJJ08	120.00	120.00	122.00	2.00	0.227	0.004
MJJ08	122.00	122.00	124.00	2.00	0.187	0.002
MJJ08	124.00	124.00	126.00	2.00	0.839	0.008
MJJ08	126.00	126.00	128.00	2.00	0.436	0.004
MJJ08	128.00	128.00	130.00	2.00	0.236	0.002
MJJ08	130.00	130.00	132.00	2.00	0.519	0.011
MJJ08	132.00	132.00	134.00	2.00	0.375	0.010
MJJ08	134.00	134.00	136.00	2.00	0.368	0.003
MJJ08	136.00	136.00	138.00	2.00	0.170	0.002
MJJ08	138.00	138.00	140.00	2.00	0.270	0.009
MJJ08	140.00	140.00	142.00	2.00	0.362	0.021
MJJ08	142.00	142.00	144.00	2.00	0.633	0.014

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ08	144.00	144.00	146.00	2.00	0.090	0.002
MJJ08	146.00	146.00	148.00	2.00	0.630	0.011
MJJ08	148.00	148.00	150.00	2.00	0.234	0.008
MJJ08	150.00	150.00	152.00	2.00	0.289	0.029
MJJ08	152.00	152.00	154.00	2.00	0.356	0.008
MJJ08	154.00	154.00	156.00	2.00	0.254	0.024
MJJ08	156.00	156.00	158.00	2.00	0.199	0.042
MJJ08	158.00	158.00	160.00	2.00	0.385	0.014
MJJ08	160.00	160.00	162.00	2.00	0.372	0.013
MJJ08	162.00	162.00	164.00	2.00	0.495	0.034
MJJ08	164.00	164.00	166.00	2.00	0.520	0.175
MJJ08	166.00	166.00	168.00	2.00	0.529	0.017
MJJ08	168.00	168.00	170.00	2.00	0.665	0.028
MJJ08	170.00	170.00	172.00	2.00	0.553	0.044
MJJ08	172.00	172.00	174.00	2.00	0.884	0.008
MJJ08	174.00	174.00	176.00	2.00	0.778	0.010
MJJ08	176.00	176.00	178.00	2.00	0.119	0.024
MJJ08	178.00	178.00	180.00	2.00	0.316	0.031
MJJ08	180.00	180.00	182.00	2.00	0.843	0.018
MJJ08	182.00	182.00	184.00	2.00	0.970	0.068
MJJ08	184.00	184.00	186.00	2.00	0.429	0.009
MJJ08	186.00	186.00	188.00	2.00	0.348	0.009
MJJ08	188.00	188.00	190.00	2.00	0.375	0.029
MJJ08	190.00	190.00	192.00	2.00	0.469	0.010
MJJ08	192.00	192.00	194.00	2.00	0.443	0.027
MJJ08	194.00	194.00	196.00	2.00	0.555	0.012
MJJ08	196.00	196.00	198.00	2.00	0.628	0.011
MJJ08	198.00	198.00	200.00	2.00	0.472	0.005
MJJ08	200.00	200.00	202.00	2.00	0.619	0.004
MJJ08	202.00	202.00	204.00	2.00	0.364	0.006
MJJ08	204.00	204.00	206.00	2.00	0.339	0.044
MJJ08	206.00	206.00	208.00	2.00	0.615	0.030
MJJ08	208.00	208.00	210.00	2.00	0.412	0.012
MJJ08	210.00	210.00	212.00	2.00	0.410	0.007
MJJ08	212.00	212.00	214.00	2.00	0.296	0.022
MJJ08	214.00	214.00	216.00	2.00	0.410	0.014
MJJ08	216.00	216.00	218.00	2.00	0.595	0.015
MJJ08	218.00	218.00	220.00	2.00	0.856	0.016
MJJ08	220.00	220.00	222.00	2.00	1.804	0.007
MJJ08	222.00	222.00	224.00	2.00	0.905	0.022
MJJ08	224.00	224.00	226.00	2.00	0.934	0.022
MJJ08	226.00	226.00	228.00	2.00	0.264	0.007
MJJ08	228.00	228.00	230.00	2.00	0.822	0.019
MJJ08	230.00	230.00	232.00	2.00	0.255	0.020
MJJ08	232.00	232.00	233.40	1.40	0.127	0.003
MJJ09	10.00	10.00	12.00	2.00	0.197	0.001
MJJ09	12.00	12.00	14.00	2.00	0.531	0.000
MJJ09	14.00	14.00	16.00	2.00	0.757	0.007
MJJ09	16.00	16.00	18.00	2.00	0.422	0.000
MJJ09	18.00	18.00	20.00	2.00	0.384	0.002
MJJ09	20.00	20.00	22.00	2.00	0.292	0.004
MJJ09	22.00	22.00	24.00	2.00	0.093	0.002
MJJ09	24.00	24.00	26.00	2.00	0.057	0.000
MJJ09	26.00	26.00	28.00	2.00	0.051	0.000
MJJ09	28.00	28.00	30.00	2.00	0.170	0.000
MJJ09	30.00	30.00	32.00	2.00	0.094	0.001
MJJ09	32.00	32.00	34.00	2.00	0.104	0.000
MJJ09	34.00	34.00	36.00	2.00	0.045	0.001
MJJ09	36.00	36.00	38.00	2.00	0.298	0.000
MJJ09	38.00	38.00	40.00	2.00	0.354	0.004
MJJ09	40.00	40.00	42.00	2.00	0.124	0.000
MJJ09	42.00	42.00	44.00	2.00	0.156	0.000
MJJ09	44.00	44.00	46.00	2.00	0.141	0.000
MJJ09	46.00	46.00	48.00	2.00	0.425	0.001
MJJ09	48.00	48.00	50.00	2.00	0.347	0.000
MJJ09	50.00	50.00	52.00	2.00	0.132	0.000
MJJ09	52.00	52.00	54.00	2.00	0.204	0.000
MJJ09	54.00	54.00	56.00	2.00	0.226	0.004
MJJ09	56.00	56.00	58.00	2.00	0.475	0.001
MJJ09	58.00	58.00	60.00	2.00	0.192	0.003
MJJ09	60.00	60.00	62.00	2.00	0.159	0.000
MJJ09	62.00	62.00	64.00	2.00	0.212	0.000
MJJ09	64.00	64.00	66.00	2.00	0.123	0.010
MJJ09	66.00	66.00	68.00	2.00	0.131	0.000
MJJ09	68.00	68.00	70.00	2.00	0.105	0.000
MJJ09	70.00	70.00	72.00	2.00	0.122	0.000
MJJ09	72.00	72.00	74.00	2.00	0.116	0.001
MJJ09	74.00	74.00	76.00	2.00	0.122	0.010
MJJ09	76.00	76.00	78.00	2.00	0.178	0.012
MJJ09	78.00	78.00	80.00	2.00	0.199	0.003
MJJ09	80.00	80.00	82.00	2.00	0.392	0.003
MJJ09	82.00	82.00	84.00	2.00	0.140	0.002
MJJ09	84.00	84.00	86.00	2.00	0.238	0.000
MJJ09	86.00	86.00	88.00	2.00	0.250	0.001
MJJ09	88.00	88.00	90.00	2.00	0.136	0.000
MJJ09	90.00	90.00	92.00	2.00	0.182	0.001
MJJ09	92.00	92.00	94.00	2.00	0.216	0.002
MJJ09	94.00	94.00	96.00	2.00	0.089	0.001
MJJ09	96.00	96.00	98.00	2.00	0.205	0.001
MJJ09	98.00	98.00	100.00	2.00	0.298	0.005
MJJ09	100.00	100.00	102.00	2.00	0.233	0.004
MJJ09	102.00	102.00	104.00	2.00	0.148	0.002
MJJ09	104.00	104.00	106.00	2.00	0.174	0.000
MJJ09	106.00	106.00	108.00	2.00	0.096	0.043
MJJ09	108.00	108.00	110.00	2.00	0.111	0.001
MJJ09	110.00	110.00	112.00	2.00	0.128	0.003
MJJ09	112.00	112.00	114.00	2.00	0.317	0.012
MJJ09	114.00	114.00	116.00	2.00	0.097	0.000

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ09	116.00	116.00	118.00	2.00	0.156	0.000
MJJ09	118.00	118.00	120.00	2.00	0.336	0.000
MJJ09	120.00	120.00	122.00	2.00	0.526	0.004
MJJ09	122.00	122.00	124.00	2.00	0.224	0.001
MJJ09	124.00	124.00	126.00	2.00	0.125	0.001
MJJ09	126.00	126.00	128.00	2.00	0.095	0.000
MJJ09	128.00	128.00	130.00	2.00	0.663	0.001
MJJ09	130.00	130.00	132.00	2.00	0.078	0.000
MJJ09	132.00	132.00	134.00	2.00	0.025	0.000
MJJ09	134.00	134.00	136.00	2.00	0.206	0.006
MJJ09	136.00	136.00	138.00	2.00	0.135	0.010
MJJ09	138.00	138.00	140.00	2.00	0.081	0.001
MJJ09	140.00	140.00	142.00	2.00	0.120	0.003
MJJ09	142.00	142.00	144.00	2.00	0.050	0.001
MJJ09	144.00	144.00	146.00	2.00	0.251	0.000
MJJ09	146.00	146.00	148.00	2.00	0.217	0.001
MJJ09	148.00	148.00	150.00	2.00	0.092	0.003
MJJ10	2.00	2.00	3.00	1.00	0.134	0.000
MJJ10	4.00	4.00	5.00	1.00	0.105	0.000
MJJ10	6.70	6.70	7.70	1.00	0.209	0.001
MJJ10	8.20	8.20	9.20	1.00	0.479	0.000
MJJ10	10.00	10.00	11.00	1.00	0.717	0.000
MJJ10	12.00	12.00	13.00	1.00	0.341	0.001
MJJ10	14.00	14.00	15.00	1.00	0.419	0.000
MJJ10	16.00	16.00	17.00	1.00	0.014	0.000
MJJ10	18.00	18.00	19.00	1.00	0.389	0.007
MJJ10	20.00	20.00	21.00	1.00	0.137	0.005
MJJ10	22.00	22.00	23.00	1.00	7.387	0.004
MJJ10	24.00	24.00	25.00	1.00	0.236	0.000
MJJ10	26.00	26.00	27.00	1.00	0.499	0.000
MJJ10	28.00	28.00	29.00	1.00	0.192	0.001
MJJ10	30.00	30.00	31.00	1.00	0.830	0.654
MJJ10	34.00	34.00	35.00	1.00	0.054	0.001
MJJ10	38.00	38.00	39.00	1.00	0.018	0.000
MJJ10	42.00	42.00	43.00	1.00	0.013	0.000
MJJ10	46.00	46.00	47.00	1.00	0.042	0.000
MJJ10	48.00	48.00	49.00	1.00	0.362	0.000
MJJ10	50.00	50.00	51.00	1.00	0.444	0.000
MJJ10	52.00	52.00	53.00	1.00	0.531	0.003
MJJ10	54.00	54.00	55.00	1.00	0.287	0.000
MJJ10	56.00	56.00	57.00	1.00	0.238	0.000
MJJ10	58.00	58.00	59.00	1.00	2.211	0.006
MJJ10	60.00	60.00	61.00	1.00	2.211	0.004
MJJ10	62.00	62.00	63.00	1.00	0.299	0.000
MJJ10	64.00	64.00	65.00	1.00	0.529	0.001
MJJ10	66.00	66.00	67.00	1.00	0.164	0.000
MJJ10	68.00	68.00	69.00	1.00	0.233	0.000
MJJ10	70.00	70.00	71.00	1.00	0.202	0.001
MJJ10	72.00	72.00	73.00	1.00	0.199	0.001
MJJ10	74.00	74.00	75.00	1.00	0.184	0.001
MJJ10	76.00	76.00	77.00	1.00	0.083	0.000
MJJ10	78.00	78.00	79.00	1.00	0.212	0.001
MJJ10	80.00	80.00	81.00	1.00	0.499	0.012
MJJ10	82.00	82.00	83.00	1.00	0.070	0.001
MJJ10	84.00	84.00	85.00	1.00	0.013	0.000
MJJ10	86.00	86.00	87.00	1.00	0.013	0.000
MJJ10	88.00	88.00	89.00	1.00	0.033	0.000
MJJ10	148.00	148.00	149.00	1.00	0.052	0.000
MJJ10	156.00	156.00	157.00	1.00	0.021	0.000
MJJ10	158.00	158.00	159.00	1.00	3.829	0.001
MJJ10	160.00	160.00	161.00	1.00	1.241	0.008
MJJ10	162.00	162.00	163.00	1.00	0.045	0.000
MJJ10	166.00	166.00	167.00	1.00	0.043	0.001
MJJ10	170.00	170.00	171.00	1.00	0.072	0.000
MJJ10	188.00	188.00	189.00	1.00	0.077	0.001
MJJ10	190.00	190.00	191.00	1.00	0.113	0.000
MJJ10	192.00	192.00	193.00	1.00	0.035	0.000
MJJ10	194.00	194.00	195.00	1.00	0.065	0.001
MJJ10	202.00	202.00	203.00	1.00	0.021	0.000
MJJ10	206.00	206.00	207.00	1.00	0.023	0.000
MJJ10	208.00	208.00	209.00	1.00	0.029	0.001
MJJ10	210.00	210.00	211.00	1.00	0.323	0.001
MJJ10	212.00	212.00	213.00	1.00	0.070	0.001
MJJ10	214.00	214.00	215.00	1.00	2.027	0.000
MJJ10	216.00	216.00	217.00	1.00	0.019	0.001
MJJ10	218.00	218.00	219.00	1.00	0.021	0.000
MJJ10	222.00	222.00	223.00	1.00	0.019	0.000
MJJ10	224.00	224.00	225.00	1.00	0.017	0.000
MJJ10	226.00	226.00	227.00	1.00	0.026	0.001
MJJ10	230.00	230.00	231.00	1.00	0.085	0.002
MJJ10	234.00	234.00	235.00	1.00	0.042	0.000
MJJ10	236.00	236.00	237.00	1.00	0.042	0.000
MJJ10	238.00	238.00	239.00	1.00	3.579	0.002
MJJ10	240.00	240.00	241.00	1.00	0.139	0.004
MJJ10	256.00	256.00	257.00	1.00	0.011	0.000
MJJ10	260.00	260.00	261.00	1.00	0.022	0.000
MJJ10	264.00	264.00	265.00	1.00	0.062	0.000
MJJ10	266.00	266.00	267.00	1.00	0.020	0.001
MJJ10	268.00	268.00	269.00	1.00	0.425	0.006
MJJ10	270.00	270.00	271.00	1.00	0.047	0.001
MJJ10	272.00	272.00	273.00	1.00	0.036	0.000
MJJ10	276.00	276.00	277.00	1.00	0.038	0.000
MJJ10	278.00	278.00	279.00	1.00	0.117	0.001
MJJ10	280.00	280.00	281.00	1.00	0.092	0.001
MJJ10	282.00	282.00	283.00	1.00	0.043	0.001
MJJ10	290.00	290.00	291.00	1.00	0.086	0.000
MJJ10	292.00	292.00	293.00	1.00	0.648	0.047
MJJ10	294.00	294.00	295.00	1.00	0.037	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ10	296.00	296.00	297.00	1.00	0.017	0.000
MJJ10	298.00	298.00	299.00	1.00	0.030	0.001
MJJ11	10.00	10.00	11.00	1.00	0.025	0.024
MJJ11	12.00	12.00	13.00	1.00	0.088	0.010
MJJ11	14.00	14.00	15.00	1.00	0.972	0.013
MJJ11	16.00	16.00	17.00	1.00	0.098	0.001
MJJ11	18.00	18.00	19.00	1.00	0.190	0.002
MJJ11	20.00	20.00	21.00	1.00	0.290	0.005
MJJ11	22.00	22.00	23.00	1.00	0.368	0.013
MJJ11	24.00	24.00	25.00	1.00	0.696	0.003
MJJ11	26.00	26.00	27.00	1.00	0.227	0.024
MJJ11	28.00	28.00	29.00	1.00	0.138	0.001
MJJ11	30.00	30.00	31.00	1.00	0.244	0.001
MJJ11	32.00	32.00	33.00	1.00	0.040	0.000
MJJ11	34.00	34.00	35.00	1.00	0.083	0.009
MJJ11	38.00	38.00	39.00	1.00	0.094	0.003
MJJ11	42.00	42.00	43.00	1.00	0.012	0.000
MJJ11	44.00	44.00	45.00	1.00	0.034	0.000
MJJ11	46.00	46.00	47.00	1.00	0.390	0.002
MJJ11	48.00	48.00	49.00	1.00	0.147	0.002
MJJ11	50.00	50.00	51.00	1.00	0.175	0.001
MJJ11	52.00	52.00	53.00	1.00	0.031	0.000
MJJ11	54.00	54.00	55.00	1.00	0.013	0.000
MJJ11	56.00	56.00	57.00	1.00	0.822	0.025
MJJ11	58.00	58.00	59.00	1.00	0.074	0.000
MJJ11	60.00	60.00	61.00	1.00	0.087	0.001
MJJ11	62.00	62.00	63.00	1.00	0.380	0.001
MJJ11	64.00	64.00	65.00	1.00	0.220	0.010
MJJ11	66.00	66.00	67.00	1.00	0.215	0.002
MJJ11	68.00	68.00	69.00	1.00	0.134	0.001
MJJ11	70.00	70.00	71.00	1.00	0.038	0.000
MJJ11	72.00	72.00	73.00	1.00	0.201	0.034
MJJ11	74.00	74.00	75.00	1.00	0.109	0.001
MJJ11	76.00	76.00	77.00	1.00	0.035	0.003
MJJ11	78.00	78.00	79.00	1.00	0.088	0.003
MJJ11	80.00	80.00	81.00	1.00	0.428	0.002
MJJ11	82.00	82.00	83.00	1.00	0.990	0.109
MJJ11	84.00	84.00	85.00	1.00	0.071	0.002
MJJ11	86.00	86.00	87.00	1.00	0.213	0.032
MJJ11	88.00	88.00	89.00	1.00	0.322	0.046
MJJ11	90.00	90.00	91.00	1.00	0.081	0.005
MJJ11	92.00	92.00	93.00	1.00	0.083	0.008
MJJ11	94.00	94.00	95.00	1.00	0.101	0.002
MJJ11	96.00	96.00	97.00	1.00	0.044	0.002
MJJ11	98.00	98.00	99.00	1.00	0.066	0.004
MJJ11	102.00	102.00	103.00	1.00	0.045	0.000
MJJ11	106.00	106.00	107.00	1.00	0.063	0.000
MJJ11	110.00	110.00	111.00	1.00	0.018	0.001
MJJ11	112.00	112.00	113.00	1.00	0.087	0.001
MJJ11	114.00	114.00	115.00	1.00	0.024	0.002
MJJ11	118.00	118.00	119.00	1.00	0.069	0.007
MJJ11	120.00	120.00	121.00	1.00	0.145	0.005
MJJ11	122.00	122.00	123.00	1.00	0.366	0.007
MJJ11	124.00	124.00	125.00	1.00	0.141	0.002
MJJ11	126.00	126.00	127.00	1.00	0.064	0.001
MJJ11	130.00	130.00	131.00	1.00	0.025	0.001
MJJ11	134.00	134.00	135.00	1.00	0.073	0.005
MJJ11	136.00	136.00	137.00	1.00	0.073	0.003
MJJ11	138.00	138.00	139.00	1.00	0.451	0.000
MJJ11	140.00	140.00	141.00	1.00	0.251	0.002
MJJ11	142.00	142.00	143.00	1.00	0.297	0.002
MJJ11	144.00	144.00	145.00	1.00	0.648	0.005
MJJ11	146.00	146.00	147.00	1.00	1.048	0.045
MJJ11	148.00	148.00	149.00	1.00	0.120	0.006
MJJ11	150.00	150.00	151.00	1.00	0.046	0.000
MJJ11	152.00	152.00	153.00	1.00	0.358	0.006
MJJ11	154.00	154.00	155.00	1.00	0.113	0.011
MJJ11	156.00	156.00	157.00	1.00	0.060	0.000
MJJ11	158.00	158.00	159.00	1.00	0.128	0.007
MJJ11	160.00	160.00	161.00	1.00	0.175	0.001
MJJ11	162.00	162.00	163.00	1.00	0.061	0.001
MJJ11	164.00	164.00	165.00	1.00	0.255	0.007
MJJ11	166.00	166.00	167.00	1.00	0.174	0.001
MJJ11	168.00	168.00	169.00	1.00	0.131	0.002
MJJ11	170.00	170.00	171.00	1.00	0.289	0.010
MJJ11	172.00	172.00	173.00	1.00	0.117	0.006
MJJ11	174.00	174.00	175.00	1.00	0.124	0.027
MJJ11	176.00	176.00	177.00	1.00	1.230	0.039
MJJ11	178.00	178.00	179.00	1.00	0.124	0.002
MJJ11	180.00	180.00	181.00	1.00	0.357	0.015
MJJ11	182.00	182.00	183.00	1.00	0.098	0.002
MJJ11	184.00	184.00	185.00	1.00	0.245	0.026
MJJ11	186.00	186.00	187.00	1.00	0.097	0.003
MJJ11	188.00	188.00	189.00	1.00	0.084	0.005
MJJ11	190.00	190.00	191.00	1.00	0.231	0.011
MJJ11	192.00	192.00	193.00	1.00	0.173	0.017
MJJ11	194.00	194.00	195.00	1.00	0.074	0.001
MJJ11	196.00	196.00	197.00	1.00	0.063	0.000
MJJ11	200.00	200.00	201.00	1.00	0.092	0.003
MJJ11	202.00	202.00	203.00	1.00	0.090	0.001
MJJ11	204.00	204.00	205.00	1.00	0.020	0.001
MJJ11	206.00	206.00	207.00	1.00	0.226	0.003
MJJ11	208.00	208.00	209.00	1.00	0.144	0.002
MJJ11	210.00	210.00	211.00	1.00	0.199	0.006
MJJ11	212.00	212.00	213.00	1.00	0.382	0.010
MJJ11	214.00	214.00	215.00	1.00	0.193	0.007
MJJ11	216.00	216.00	217.00	1.00	0.142	0.026
MJJ11	218.00	218.00	219.00	1.00	0.062	0.145

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ11	220.00	220.00	221.00	1.00	0.169	0.015
MJJ11	222.00	222.00	223.00	1.00	0.126	0.066
MJJ11	224.00	224.00	225.00	1.00	0.077	0.004
MJJ11	226.00	226.00	227.00	1.00	0.144	0.026
MJJ11	228.00	228.00	229.00	1.00	0.307	0.012
MJJ11	230.00	230.00	231.00	1.00	1.280	0.025
MJJ11	232.00	232.00	233.00	1.00	0.366	0.009
MJJ11	234.00	234.00	235.00	1.00	0.280	0.072
MJJ11	236.00	236.00	237.00	1.00	0.246	0.025
MJJ11	238.00	238.00	239.00	1.00	0.240	0.016
MJJ11	240.00	240.00	241.00	1.00	0.063	0.002
MJJ11	242.00	242.00	243.00	1.00	0.338	0.133
MJJ11	244.00	244.00	245.00	1.00	0.272	0.020
MJJ11	246.00	246.00	247.00	1.00	0.092	0.004
MJJ11	248.00	248.00	249.00	1.00	0.156	0.009
MJJ11	250.00	250.00	251.00	1.00	0.075	0.003
MJJ11	252.00	252.00	253.00	1.00	0.212	0.025
MJJ11	254.00	254.00	255.00	1.00	0.146	0.005
MJJ11	256.00	256.00	257.00	1.00	0.142	0.006
MJJ11	258.00	258.00	259.00	1.00	0.043	0.005
MJJ11	260.00	260.00	261.00	1.00	0.422	0.005
MJJ11	262.00	262.00	263.00	1.00	0.023	0.000
MJJ11	264.00	264.00	265.00	1.00	0.333	0.011
MJJ11	266.00	266.00	267.00	1.00	0.279	0.013
MJJ11	268.00	268.00	269.00	1.00	0.145	0.002
MJJ11	270.00	270.00	271.00	1.00	0.084	0.008
MJJ11	272.00	272.00	273.00	1.00	0.041	0.000
MJJ11	274.00	274.00	275.00	1.00	0.024	0.001
MJJ11	276.00	276.00	277.00	1.00	0.322	0.042
MJJ11	278.00	278.00	279.00	1.00	0.014	0.000
MJJ11	280.00	280.00	281.00	1.00	0.336	0.018
MJJ11	282.00	282.00	283.00	1.00	0.228	0.011
MJJ11	284.00	284.00	285.00	1.00	0.199	0.018
MJJ11	286.00	286.00	287.00	1.00	0.133	0.004
MJJ11	288.00	288.00	289.00	1.00	0.186	0.007
MJJ11	290.00	290.00	291.00	1.00	0.258	0.009
MJJ11	292.00	292.00	293.00	1.00	0.161	0.007
MJJ11	294.00	294.00	295.00	1.00	0.097	0.002
MJJ11	296.00	296.00	297.00	1.00	0.121	0.001
MJJ11	298.00	298.00	299.00	1.00	0.056	0.004
MJJ12	4.00	4.00	5.00	1.00	0.030	0.002
MJJ12	6.00	6.00	7.00	1.00	0.040	0.005
MJJ12	8.00	8.00	9.00	1.00	0.147	0.004
MJJ12	10.00	10.00	11.00	1.00	0.263	0.003
MJJ12	12.35	12.35	13.35	1.00	0.746	0.132
MJJ12	14.15	14.15	15.15	1.00	0.254	0.247
MJJ12	16.00	16.00	17.00	1.00	0.252	0.008
MJJ12	18.00	18.00	19.00	1.00	0.314	0.003
MJJ12	20.00	20.00	21.00	1.00	0.254	0.002
MJJ12	22.00	22.00	23.00	1.00	0.200	0.004
MJJ12	24.00	24.00	25.00	1.00	0.216	0.019
MJJ12	26.00	26.00	27.00	1.00	0.281	0.067
MJJ12	28.00	28.00	29.00	1.00	0.226	0.019
MJJ12	30.00	30.00	31.00	1.00	0.266	0.007
MJJ12	32.00	32.00	33.00	1.00	0.206	0.008
MJJ12	34.00	34.00	35.00	1.00	0.383	0.009
MJJ12	36.00	36.00	37.00	1.00	0.406	0.004
MJJ12	38.00	38.00	39.00	1.00	0.418	0.025
MJJ12	40.00	40.00	41.00	1.81	0.291	0.022
MJJ12	42.00	42.00	43.00	1.00	0.144	0.004
MJJ12	44.00	44.00	45.00	1.00	0.220	0.010
MJJ12	46.00	46.00	47.00	1.00	0.263	0.010
MJJ12	48.00	48.00	49.00	1.00	0.213	0.010
MJJ12	50.00	50.00	51.00	1.00	0.285	0.009
MJJ12	52.00	52.00	53.00	1.00	0.258	0.010
MJJ12	54.00	54.00	55.00	1.00	0.131	0.004
MJJ12	56.00	56.00	57.00	1.00	0.250	0.022
MJJ12	58.00	58.00	59.00	1.00	0.247	0.004
MJJ12	60.00	60.00	61.00	1.00	0.040	0.001
MJJ12	62.00	62.00	63.00	1.00	0.155	0.006
MJJ12	64.00	64.00	65.00	1.00	0.183	0.004
MJJ12	66.00	66.00	67.00	1.00	0.266	0.006
MJJ12	68.00	68.00	69.00	1.00	0.082	0.009
MJJ12	74.00	74.00	75.00	1.00	0.041	0.002
MJJ12	82.00	82.00	83.00	1.00	0.079	0.001
MJJ12	88.00	88.00	89.00	1.00	0.141	0.003
MJJ12	90.00	90.00	91.00	1.00	0.190	0.002
MJJ12	92.00	92.00	93.00	1.00	0.082	0.017
MJJ12	98.00	98.00	99.00	1.00	0.071	0.001
MJJ12	102.00	102.00	103.00	1.00	0.206	0.003
MJJ12	104.00	104.00	105.00	1.00	0.184	0.009
MJJ12	106.00	106.00	107.00	1.00	0.175	0.005
MJJ12	108.00	108.00	109.00	1.00	0.337	0.005
MJJ12	110.00	110.00	111.00	1.00	0.069	0.001
MJJ12	112.60	112.60	113.60	1.00	0.176	0.018
MJJ12	114.00	114.00	115.00	1.00	0.133	0.012
MJJ12	116.00	116.00	117.00	1.00	0.147	0.008
MJJ12	118.00	118.00	119.00	1.00	0.076	0.003
MJJ12	120.00	120.00	121.00	1.00	0.072	0.004
MJJ12	122.00	122.00	123.00	1.00	0.625	0.025
MJJ12	124.00	124.00	125.00	1.00	0.068	0.003
MJJ12	130.00	130.00	131.00	1.00	0.059	0.001
MJJ12	138.00	138.00	139.00	1.00	0.020	0.001
MJJ12	144.00	144.00	145.00	1.00	0.458	0.011
MJJ12	146.00	146.00	147.00	1.00	0.164	0.001
MJJ12	148.40	148.40	149.40	1.00	0.106	0.001
MJJ12	150.00	150.00	151.00	1.00	0.166	0.003
MJJ12	152.00	152.00	153.00	1.00	0.135	0.002

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ12	154.00	154.00	155.00	1.00	0.246	0.006
MJJ12	156.00	156.00	157.00	1.00	0.091	0.003
MJJ12	158.00	158.00	159.00	1.00	0.177	0.003
MJJ12	160.00	160.00	161.00	1.00	0.219	0.003
MJJ12	162.00	162.00	163.00	1.00	0.138	0.002
MJJ12	164.00	164.00	165.00	1.00	0.056	0.003
MJJ12	170.00	170.00	171.00	1.00	0.094	0.004
MJJ12	178.00	178.00	179.00	1.00	0.071	0.001
MJJ12	184.00	184.00	185.00	1.00	0.089	0.007
MJJ12	186.00	186.00	187.00	1.00	0.113	0.006
MJJ12	188.00	188.00	189.00	1.00	0.219	0.008
MJJ12	190.00	190.00	191.00	1.00	0.113	0.013
MJJ12	192.10	192.10	193.10	1.00	0.057	0.002
MJJ12	194.00	194.00	195.00	1.00	0.230	0.015
MJJ12	196.00	196.00	197.00	1.00	0.036	0.001
MJJ12	202.00	202.00	203.00	1.00	0.090	0.006
MJJ12	210.00	210.00	211.00	1.00	0.033	0.000
MJJ12	218.00	218.00	219.00	1.00	0.081	0.000
MJJ12	226.00	226.00	227.00	1.00	0.041	0.000
MJJ12	232.00	232.00	233.00	1.00	0.084	0.001
MJJ12	234.00	234.00	235.00	1.00	0.110	0.000
MJJ12	236.00	236.00	237.00	1.00	0.075	0.002
MJJ12	242.00	242.00	243.00	1.00	0.084	0.000
MJJ12	248.00	248.00	249.00	1.00	0.152	0.003
MJJ12	250.00	250.00	251.00	1.00	0.155	0.002
MJJ12	254.00	254.00	255.00	1.00	0.179	0.004
MJJ12	258.00	258.00	259.00	1.00	0.057	0.001
MJJ12	266.00	266.00	267.00	1.00	0.057	0.002
MJJ12	274.00	274.00	275.00	1.00	0.057	0.002
MJJ12	282.00	282.00	283.00	1.00	0.045	0.001
MJJ12	288.00	288.00	289.00	1.00	0.025	0.001
MJJ12	290.00	290.00	291.00	1.00	0.311	0.003
MJJ12	292.00	292.00	293.00	1.00	0.040	0.000
MJJ12	294.00	294.00	295.00	1.00	0.057	0.001
MJJ12	296.00	296.00	297.00	1.00	0.034	0.001
MJJ12	298.00	298.00	299.00	1.00	0.138	0.002
MJJ12	300.00	300.00	301.00	1.00	0.066	0.001
MJJ13	2.71	2.71	3.71	1.29	0.215	0.003
MJJ13	4.00	4.00	5.00	2.00	0.175	0.002
MJJ13	6.00	6.00	7.00	2.00	0.192	0.001
MJJ13	8.00	8.00	9.00	2.00	0.129	0.001
MJJ13	10.00	10.00	11.00	1.00	0.050	0.002
MJJ13	11.00	11.00	12.00	1.00	0.093	0.001
MJJ13	12.00	12.00	13.00	2.00	0.060	0.003
MJJ13	14.00	14.00	15.00	2.00	0.224	0.008
MJJ13	16.00	16.00	17.00	2.00	0.073	0.002
MJJ13	18.00	18.00	19.00	1.00	0.109	0.002
MJJ13	19.00	19.00	20.00	1.00	0.066	0.004
MJJ13	20.00	20.00	21.00	2.00	0.057	0.007
MJJ13	22.00	22.00	23.00	2.00	0.940	0.001
MJJ13	24.00	24.00	25.00	2.00	0.081	0.003
MJJ13	26.00	26.00	27.00	1.00	0.017	0.000
MJJ13	27.00	27.00	28.00	1.00	0.028	0.004
MJJ13	28.00	28.00	29.00	2.00	0.071	0.005
MJJ13	30.00	30.00	31.00	2.00	0.402	0.082
MJJ13	32.00	32.00	33.00	2.00	0.070	0.014
MJJ13	34.00	34.00	35.00	1.00	0.102	0.007
MJJ13	35.00	35.00	36.00	1.00	0.174	0.021
MJJ13	36.00	36.00	37.00	2.00	0.163	0.010
MJJ13	38.00	38.00	39.00	2.00	0.166	0.005
MJJ13	40.00	40.00	41.00	2.00	0.250	0.004
MJJ13	42.00	42.00	43.00	1.00	0.139	0.019
MJJ13	43.00	43.00	44.00	1.00	0.187	0.005
MJJ13	44.00	44.00	45.00	2.00	0.130	0.007
MJJ13	46.00	46.00	47.00	2.00	0.164	0.023
MJJ13	48.00	48.00	49.00	2.00	0.075	0.006
MJJ13	50.00	50.00	51.00	1.00	0.280	0.000
MJJ13	51.00	51.00	52.00	1.00	0.263	0.005
MJJ13	52.00	52.00	53.00	2.00	0.188	0.002
MJJ13	54.00	54.00	55.00	2.00	0.225	0.002
MJJ13	56.00	56.00	57.00	2.00	0.063	0.004
MJJ13	58.00	58.00	59.00	1.00	1.769	0.022
MJJ13	59.00	59.00	60.00	1.00	0.296	0.003
MJJ13	60.00	60.00	61.00	2.00	0.292	0.007
MJJ13	62.00	62.00	63.00	2.00	0.063	0.002
MJJ13	64.00	64.00	65.00	2.00	0.072	0.001
MJJ13	66.00	66.00	67.00	1.00	0.627	0.008
MJJ13	67.00	67.00	68.00	1.00	0.483	0.015
MJJ13	68.00	68.00	69.00	2.00	0.332	0.019
MJJ13	70.00	70.00	71.00	2.00	0.799	0.005
MJJ13	72.00	72.00	73.00	2.00	0.133	0.004
MJJ13	74.00	74.00	75.00	1.00	1.276	0.033
MJJ13	75.00	75.00	76.00	1.00	0.687	0.014
MJJ13	76.00	76.00	77.00	2.00	0.651	0.028
MJJ13	78.00	78.00	79.00	2.00	0.043	0.006
MJJ13	80.00	80.00	81.00	2.00	0.450	0.006
MJJ13	82.00	82.00	83.00	1.00	0.191	0.056
MJJ13	83.00	83.00	84.00	1.00	0.206	0.009
MJJ13	84.00	84.00	85.00	2.00	0.278	0.005
MJJ13	86.00	86.00	87.00	2.00	0.502	0.007
MJJ13	88.00	88.00	89.00	2.00	0.399	0.047
MJJ13	90.00	90.00	91.00	1.00	0.604	0.013
MJJ13	91.00	91.00	92.00	1.00	0.009	0.048
MJJ13	92.00	92.00	93.00	2.00	0.875	0.015
MJJ13	94.00	94.00	95.00	2.00	0.564	0.009
MJJ13	96.00	96.00	97.00	2.00	0.874	0.015
MJJ13	98.00	98.00	99.00	1.00	0.334	0.014
MJJ13	99.00	99.00	100.00	1.00	0.221	0.009

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ13	100.00	100.00	101.00	2.00	0.808	0.025
MJJ13	102.00	102.00	103.00	2.00	0.031	0.012
MJJ13	104.00	104.00	105.00	2.00	0.853	0.027
MJJ13	106.00	106.00	107.00	1.00	0.447	0.001
MJJ13	107.00	107.00	108.00	1.00	0.260	0.010
MJJ13	108.00	108.00	109.00	2.00	0.495	0.004
MJJ13	110.00	110.00	111.00	2.00	0.470	0.020
MJJ13	112.00	112.00	113.00	2.00	0.149	0.009
MJJ13	114.00	114.00	115.00	1.00	0.067	0.023
MJJ13	115.00	115.00	116.00	2.00	0.316	0.016
MJJ13	117.00	117.00	118.00	2.00	0.470	0.008
MJJ13	119.00	119.00	120.00	1.00	0.442	0.122
MJJ13	120.00	120.00	121.00	2.00	0.286	0.012
MJJ13	122.00	122.00	123.00	1.00	0.170	0.019
MJJ13	123.00	123.00	124.00	2.00	0.166	0.018
MJJ13	125.00	125.00	126.00	1.40	0.431	0.004
MJJ13	126.40	126.40	127.40	1.00	0.525	0.008
MJJ13	128.20	128.20	129.20	1.00	0.302	0.005
MJJ13	130.00	130.00	131.00	1.00	0.694	0.001
MJJ13	131.00	131.00	132.00	1.00	0.280	0.001
MJJ13	132.00	132.00	133.00	2.00	0.098	0.002
MJJ13	134.00	134.00	135.00	2.00	0.214	0.001
MJJ13	136.00	136.00	137.00	2.00	0.625	0.033
MJJ13	138.00	138.00	139.00	1.00	0.475	0.004
MJJ13	139.00	139.00	140.00	1.00	0.465	0.018
MJJ13	140.00	140.00	141.00	2.00	0.266	0.006
MJJ13	142.00	142.00	143.00	2.00	0.326	0.024
MJJ13	144.00	144.00	145.00	2.00	0.870	0.024
MJJ13	146.00	146.00	147.00	1.00	0.782	0.003
MJJ13	147.00	147.00	148.00	1.00	0.163	0.018
MJJ13	148.00	148.00	149.00	2.00	0.589	0.021
MJJ13	150.00	150.00	151.00	2.00	0.737	0.011
MJJ13	152.00	152.00	153.00	2.00	0.324	0.020
MJJ13	154.00	154.00	155.00	1.00	0.072	0.142
MJJ13	155.00	155.00	156.00	1.00	0.161	0.011
MJJ13	156.00	156.00	157.00	2.00	0.524	0.024
MJJ13	158.00	158.00	159.00	2.00	0.364	0.013
MJJ13	160.00	160.00	161.00	2.00	0.399	0.010
MJJ13	162.00	162.00	163.00	1.00	0.412	0.007
MJJ13	163.00	163.00	164.00	1.00	0.448	0.016
MJJ13	164.00	164.00	165.00	2.00	0.448	0.008
MJJ13	166.00	166.00	167.00	2.00	0.963	0.037
MJJ13	168.00	168.00	169.00	2.00	0.737	0.009
MJJ13	170.00	170.00	171.00	1.00	0.784	0.038
MJJ13	171.00	171.00	172.00	2.00	0.481	0.011
MJJ13	173.00	173.00	174.00	2.20	0.449	0.017
MJJ13	175.20	175.20	176.20	2.00	0.431	0.080
MJJ13	177.20	177.20	178.20	0.80	0.431	0.008
MJJ13	178.00	178.00	179.00	1.00	0.521	0.041
MJJ13	179.00	179.00	180.00	1.60	0.500	0.061
MJJ13	180.60	180.60	181.60	1.40	0.409	0.032
MJJ13	182.00	182.00	183.00	2.00	0.385	0.017
MJJ13	184.00	184.00	185.00	2.00	0.251	0.014
MJJ13	186.00	186.00	187.00	1.00	0.630	0.014
MJJ13	187.00	187.00	188.00	1.00	0.296	0.058
MJJ13	188.00	188.00	189.00	2.00	0.382	0.014
MJJ13	190.00	190.00	191.00	2.00	0.419	0.019
MJJ13	192.00	192.00	193.00	2.00	0.536	0.028
MJJ13	194.00	194.00	195.00	1.00	0.609	0.032
MJJ13	195.00	195.00	196.00	1.00	0.399	0.011
MJJ13	196.00	196.00	197.00	2.00	0.335	0.008
MJJ13	198.00	198.00	199.00	2.00	0.338	0.015
MJJ13	200.00	200.00	201.00	2.00	0.577	0.016
MJJ13	202.00	202.00	203.00	1.00	0.308	0.016
MJJ13	203.00	203.00	204.00	2.00	0.413	0.023
MJJ13	204.00	204.00	205.00	2.00	0.390	0.012
MJJ13	206.00	206.00	207.00	2.00	0.290	0.009
MJJ13	208.00	208.00	209.00	2.00	0.588	0.010
MJJ13	210.00	210.00	211.00	1.00	0.681	0.056
MJJ13	211.00	211.00	212.00	1.00	0.482	0.024
MJJ13	212.00	212.00	213.00	2.00	0.318	0.018
MJJ13	214.00	214.00	215.00	2.00	0.714	0.113
MJJ13	216.00	216.00	217.00	2.00	0.865	0.080
MJJ13	218.00	218.00	219.00	1.00	1.110	0.062
MJJ13	219.00	219.00	220.00	1.00	0.057	0.589
MJJ13	220.00	220.00	221.00	2.00	0.952	0.013
MJJ13	222.00	222.00	223.00	2.00	0.763	0.010
MJJ13	224.00	224.00	225.00	2.00	0.735	0.012
MJJ13	226.00	226.00	227.00	1.00	1.368	0.019
MJJ13	227.00	227.00	228.00	1.00	0.308	0.003
MJJ13	228.00	228.00	229.00	2.00	0.310	0.013
MJJ13	230.00	230.00	231.00	2.00	0.668	0.013
MJJ13	232.00	232.00	233.00	2.00	0.277	0.003
MJJ13	234.00	234.00	235.00	1.00	0.411	0.006
MJJ13	235.00	235.00	236.00	1.00	0.301	0.018
MJJ13	236.00	236.00	237.00	2.00	0.252	0.008
MJJ13	238.00	238.00	239.00	2.00	0.236	0.006
MJJ13	240.00	240.00	241.00	2.00	0.216	0.004
MJJ13	242.00	242.00	243.00	1.00	0.413	0.015
MJJ13	243.00	243.00	244.00	1.00	0.397	0.010
MJJ13	244.00	244.00	245.00	2.00	0.192	0.008
MJJ13	246.00	246.00	247.00	2.00	0.457	0.026
MJJ13	248.00	248.00	249.00	2.00	0.388	0.035
MJJ13	250.00	250.00	251.00	1.00	0.584	0.036
MJJ13	251.00	251.00	252.00	1.00	0.454	0.048
MJJ13	252.00	252.00	253.00	2.00	0.856	0.108
MJJ13	254.00	254.00	255.00	2.00	0.382	0.015
MJJ13	256.00	256.00	257.00	2.00	0.311	0.017

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ13	258.00	258.00	259.00	1.00	0.319	0.031
MJJ13	259.00	259.00	260.00	1.00	0.223	0.003
MJJ13	261.00	261.00	262.00	1.00	0.400	0.022
MJJ13	262.00	262.00	263.00	2.00	0.419	0.027
MJJ13	264.00	264.00	265.00	2.00	0.494	0.011
MJJ13	266.00	266.00	267.00	1.00	0.538	0.007
MJJ13	267.00	267.00	268.00	1.00	0.460	0.019
MJJ13	268.00	268.00	269.00	2.00	0.326	0.024
MJJ14	1.00	1.00	2.00	1.00	0.030	0.003
MJJ14	2.00	2.00	3.00	1.00	0.055	0.006
MJJ14	3.00	3.00	4.00	1.00	0.145	0.013
MJJ14	4.00	4.00	5.00	1.00	0.084	0.002
MJJ14	5.00	5.00	6.00	1.00	0.210	0.001
MJJ14	6.00	6.00	7.00	1.00	0.043	0.001
MJJ14	7.00	7.00	8.00	1.00	0.065	0.000
MJJ14	8.00	8.00	9.00	1.00	0.094	0.001
MJJ14	9.00	9.00	10.00	1.00	0.130	0.000
MJJ14	10.00	10.00	11.00	1.00	0.077	0.000
MJJ14	11.00	11.00	12.00	1.00	0.087	0.000
MJJ14	12.00	12.00	13.00	1.00	0.226	0.000
MJJ14	13.00	13.00	13.90	0.90	0.188	0.000
MJJ14	13.90	13.90	14.90	1.00	0.379	0.002
MJJ14	14.90	14.90	15.90	1.00	0.447	0.002
MJJ14	15.90	15.90	16.40	0.50	0.510	0.001
MJJ14	16.40	16.40	17.40	1.00	0.209	0.000
MJJ14	17.40	17.40	18.40	1.00	0.237	0.001
MJJ14	18.40	18.40	19.40	1.00	0.147	0.000
MJJ14	19.40	19.40	20.00	0.60	0.090	0.000
MJJ14	20.00	20.00	21.00	1.00	0.159	0.000
MJJ14	21.00	21.00	22.00	1.00	0.308	0.001
MJJ14	22.00	22.00	23.00	1.00	0.248	0.000
MJJ14	23.00	23.00	24.00	1.00	0.394	0.002
MJJ14	24.00	24.00	25.00	1.00	0.384	0.000
MJJ14	25.00	25.00	26.00	1.00	0.235	0.000
MJJ14	26.00	26.00	27.00	1.00	0.239	0.000
MJJ14	27.00	27.00	28.00	1.00	0.375	0.004
MJJ14	28.00	28.00	29.00	1.00	0.644	0.018
MJJ14	29.00	29.00	30.00	1.00	0.428	0.010
MJJ14	30.00	30.00	31.00	1.00	0.177	0.000
MJJ14	31.00	31.00	32.00	1.00	0.089	0.000
MJJ14	32.00	32.00	33.00	1.00	0.197	0.002
MJJ14	33.00	33.00	34.00	1.00	0.459	0.042
MJJ14	34.00	34.00	35.00	1.00	0.259	0.010
MJJ14	35.00	35.00	36.00	1.00	0.744	0.008
MJJ14	36.00	36.00	37.00	1.00	0.670	0.028
MJJ14	37.00	37.00	38.00	1.00	0.482	0.033
MJJ14	38.00	38.00	39.00	1.00	0.182	0.001
MJJ14	39.00	39.00	40.00	1.00	0.218	0.000
MJJ14	40.00	40.00	41.00	1.00	0.255	0.001
MJJ14	41.00	41.00	42.00	1.00	0.257	0.003
MJJ14	42.00	42.00	43.00	1.00	0.193	0.003
MJJ14	43.00	43.00	44.00	1.00	0.486	0.001
MJJ14	44.00	44.00	44.60	0.60	0.344	0.011
MJJ14	44.60	44.60	45.00	0.40	0.319	0.005
MJJ14	45.00	45.00	46.00	1.00	0.193	0.001
MJJ14	46.00	46.00	47.00	1.00	0.249	0.004
MJJ14	47.00	47.00	48.00	1.00	0.228	0.001
MJJ14	48.00	48.00	49.00	1.00	0.569	0.003
MJJ14	49.00	49.00	50.00	1.00	0.408	0.003
MJJ14	50.00	50.00	51.00	1.00	0.143	0.002
MJJ14	51.00	51.00	52.00	1.00	0.140	0.004
MJJ14	52.00	52.00	53.00	1.00	0.184	0.001
MJJ14	53.00	53.00	54.00	1.00	0.126	0.001
MJJ14	54.00	54.00	55.00	1.00	0.188	0.012
MJJ14	55.00	55.00	56.00	1.00	0.143	0.007
MJJ14	56.00	56.00	57.00	1.00	0.062	0.003
MJJ14	57.00	57.00	58.00	1.00	0.114	0.001
MJJ14	58.00	58.00	59.00	1.00	0.686	0.001
MJJ14	59.00	59.00	60.00	1.00	0.115	0.001
MJJ14	60.00	60.00	61.00	1.00	0.224	0.003
MJJ14	61.00	61.00	62.00	1.00	0.178	0.011
MJJ14	62.00	62.00	63.00	1.00	0.194	0.006
MJJ14	63.00	63.00	64.00	1.00	0.217	0.003
MJJ14	64.00	64.00	65.00	1.00	0.280	0.002
MJJ14	65.00	65.00	66.00	1.00	0.245	0.006
MJJ14	66.00	66.00	67.00	1.00	0.480	0.002
MJJ14	67.00	67.00	68.00	1.00	0.644	0.004
MJJ14	68.00	68.00	68.40	0.40	0.458	0.028
MJJ14	68.40	68.40	69.00	0.60	0.216	0.003
MJJ14	69.00	69.00	69.40	0.40	0.142	0.002
MJJ14	69.40	69.40	70.00	0.60	0.135	0.001
MJJ14	70.00	70.00	71.00	1.00	0.039	0.000
MJJ14	71.00	71.00	72.00	1.00	0.032	0.001
MJJ14	72.00	72.00	73.00	1.00	0.046	0.005
MJJ14	73.00	73.00	74.00	1.00	0.146	0.004
MJJ14	74.00	74.00	75.00	1.00	0.117	0.003
MJJ14	75.00	75.00	76.00	1.00	0.114	0.016
MJJ14	76.00	76.00	77.00	1.00	0.084	0.003
MJJ14	77.00	77.00	78.00	1.00	0.212	0.053
MJJ14	78.00	78.00	79.00	1.00	0.138	0.005
MJJ14	79.00	79.00	80.00	1.00	0.141	0.007
MJJ14	80.00	80.00	81.00	1.00	0.252	0.007
MJJ14	81.00	81.00	82.00	1.00	0.367	0.007
MJJ14	82.00	82.00	83.00	1.00	0.369	0.006
MJJ14	83.10	83.10	84.10	1.00	0.173	0.004
MJJ14	84.00	84.00	85.00	1.00	0.182	0.006
MJJ14	85.00	85.00	86.00	1.00	0.087	0.006
MJJ14	86.00	86.00	87.00	1.00	0.151	0.006

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ14	87.00	87.00	88.00	1.00	0.080	0.012
MJJ14	88.00	88.00	89.00	1.00	0.158	0.011
MJJ14	89.00	89.00	90.00	1.00	0.183	0.005
MJJ14	90.00	90.00	91.00	1.00	0.197	0.015
MJJ14	91.00	91.00	92.00	1.00	0.134	0.003
MJJ14	92.00	92.00	93.00	1.00	0.307	0.038
MJJ14	93.00	93.00	94.00	1.00	0.148	0.009
MJJ14	94.00	94.00	94.90	0.90	0.186	0.039
MJJ14	94.90	94.90	96.00	1.10	0.250	0.247
MJJ14	96.00	96.00	96.65	0.65	0.370	0.038
MJJ14	96.65	96.65	97.65	1.00	0.295	0.021
MJJ14	97.65	97.65	98.60	0.95	0.348	0.037
MJJ14	98.60	98.60	99.00	0.40	0.224	0.005
MJJ14	99.00	99.00	100.00	1.00	0.371	0.025
MJJ14	100.00	100.00	100.40	0.40	0.393	0.077
MJJ14	100.40	100.40	101.40	1.00	0.122	0.003
MJJ14	101.40	101.40	102.40	1.00	0.222	0.010
MJJ14	102.40	102.40	103.00	0.60	0.177	0.005
MJJ14	103.00	103.00	104.00	1.00	0.323	0.029
MJJ14	104.00	104.00	105.00	1.00	0.140	0.009
MJJ14	105.00	105.00	106.00	1.00	0.155	0.005
MJJ14	106.00	106.00	107.00	1.00	0.092	0.025
MJJ14	107.00	107.00	108.00	1.00	0.114	0.031
MJJ14	108.00	108.00	109.00	1.00	0.127	0.018
MJJ14	109.00	109.00	110.00	1.00	0.113	0.001
MJJ14	110.00	110.00	111.00	1.00	0.172	0.023
MJJ14	111.00	111.00	112.00	1.00	0.232	0.018
MJJ14	112.00	112.00	113.00	1.00	0.155	0.004
MJJ14	113.00	113.00	114.00	1.00	0.155	0.007
MJJ14	114.00	114.00	115.00	1.00	0.334	0.017
MJJ14	115.00	115.00	116.00	1.00	0.192	0.006
MJJ14	116.00	116.00	116.70	0.70	0.079	0.002
MJJ14	116.70	116.70	117.60	0.90	0.233	0.011
MJJ14	117.60	117.60	118.00	0.40	0.265	0.006
MJJ14	118.00	118.00	119.00	1.00	0.194	0.007
MJJ14	119.00	119.00	120.00	1.00	0.302	0.018
MJJ14	120.00	120.00	121.00	1.00	0.120	0.019
MJJ14	121.00	121.00	122.00	1.00	0.453	0.006
MJJ14	122.00	122.00	125.00	3.00	0.228	0.003
MJJ14	125.00	125.00	126.00	1.00	0.166	0.064
MJJ14	126.00	126.00	127.00	1.00	0.354	0.069
MJJ14	127.00	127.00	128.00	1.00	0.256	0.021
MJJ14	128.00	128.00	129.00	1.00	0.412	0.015
MJJ14	129.00	129.00	130.00	1.00	0.426	0.013
MJJ14	130.00	130.00	131.00	1.00	0.200	0.004
MJJ14	131.00	131.00	132.00	1.00	0.240	0.009
MJJ14	132.00	132.00	133.00	1.00	0.495	0.018
MJJ14	133.00	133.00	134.00	1.00	0.333	0.024
MJJ14	134.00	134.00	135.00	1.00	0.496	0.012
MJJ14	135.00	135.00	136.00	1.00	0.341	0.009
MJJ14	136.00	136.00	137.00	1.00	0.235	0.004
MJJ14	137.00	137.00	138.00	1.00	0.150	0.007
MJJ14	138.00	138.00	139.00	1.00	0.202	0.013
MJJ14	139.00	139.00	140.00	1.00	0.194	0.009
MJJ14	140.00	140.00	141.00	1.00	0.522	0.030
MJJ14	141.00	141.00	142.00	1.00	0.429	0.006
MJJ14	142.00	142.00	143.00	1.00	0.380	0.047
MJJ14	143.00	143.00	144.00	1.00	0.338	0.019
MJJ14	144.00	144.00	145.00	1.00	0.312	0.038
MJJ14	145.00	145.00	146.00	1.00	0.366	0.003
MJJ14	146.00	146.00	147.00	1.00	0.086	0.001
MJJ14	147.00	147.00	147.70	0.70	0.222	0.007
MJJ14	147.70	147.70	148.00	0.30	0.201	0.002
MJJ14	148.00	148.00	149.00	1.00	0.267	0.025
MJJ14	149.00	149.00	150.00	1.00	0.911	0.025
MJJ14	150.00	150.00	151.00	1.00	0.785	0.042
MJJ14	151.00	151.00	152.00	1.00	0.223	0.007
MJJ14	152.00	152.00	153.00	1.00	0.185	0.003
MJJ14	153.00	153.00	154.00	1.00	0.165	0.002
MJJ14	154.00	154.00	155.00	1.00	0.295	0.005
MJJ14	155.00	155.00	156.00	1.00	0.180	0.003
MJJ14	156.00	156.00	157.00	1.00	0.572	0.022
MJJ14	157.00	157.00	158.00	1.00	0.373	0.010
MJJ14	158.00	158.00	159.00	1.00	0.430	0.006
MJJ14	159.00	159.00	160.00	1.00	0.402	0.002
MJJ14	160.00	160.00	161.00	1.00	0.272	0.014
MJJ14	161.00	161.00	162.00	1.00	0.207	0.004
MJJ14	162.00	162.00	163.00	1.00	0.206	0.002
MJJ14	163.00	163.00	164.00	1.00	0.550	0.002
MJJ14	164.00	164.00	165.00	1.00	0.182	0.005
MJJ14	165.00	165.00	166.00	1.00	0.375	0.010
MJJ14	166.00	166.00	167.00	1.00	0.521	0.002
MJJ14	167.00	167.00	168.00	1.00	0.401	0.039
MJJ14	168.00	168.00	169.00	1.00	0.208	0.015
MJJ14	169.00	169.00	170.00	1.00	0.345	0.008
MJJ14	170.00	170.00	171.00	1.00	0.276	0.003
MJJ14	171.00	171.00	172.00	1.00	0.637	0.060
MJJ14	172.00	172.00	173.00	1.00	0.689	0.129
MJJ14	173.00	173.00	174.00	1.00	0.324	0.010
MJJ14	174.00	174.00	175.00	1.00	0.476	0.006
MJJ14	175.00	175.00	176.00	1.00	0.255	0.010
MJJ14	176.00	176.00	177.00	1.00	0.242	0.007
MJJ14	177.00	177.00	178.00	1.00	0.382	0.081
MJJ14	178.00	178.00	179.00	1.00	0.363	0.051
MJJ14	179.00	179.00	180.00	1.00	0.157	0.006
MJJ14	180.00	180.00	180.55	0.55	0.277	0.006
MJJ14	180.55	180.55	181.00	0.45	0.154	0.044
MJJ14	181.00	181.00	182.00	1.00	0.126	0.015

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ14	182.00	182.00	183.00	1.00	0.260	0.004
MJJ14	183.00	183.00	184.00	1.00	0.293	0.002
MJJ14	184.00	184.00	185.00	1.00	0.225	0.058
MJJ14	185.00	185.00	186.00	1.00	0.145	0.014
MJJ14	186.00	186.00	187.00	1.00	0.125	0.007
MJJ14	187.00	187.00	188.00	1.00	0.224	0.014
MJJ14	188.00	188.00	189.00	1.00	0.159	0.001
MJJ14	189.00	189.00	190.00	1.00	0.076	0.001
MJJ14	190.00	190.00	191.00	1.00	0.223	0.006
MJJ14	191.00	191.00	192.00	1.00	0.089	0.001
MJJ14	192.00	192.00	193.00	1.00	0.063	0.008
MJJ14	193.00	193.00	194.00	1.00	0.086	0.001
MJJ14	194.00	194.00	195.00	1.00	0.087	0.002
MJJ14	195.00	195.00	196.00	1.00	0.114	0.004
MJJ14	196.00	196.00	197.00	1.00	0.208	0.022
MJJ14	197.00	197.00	198.00	1.00	0.204	0.002
MJJ14	198.00	198.00	199.00	1.00	0.085	0.005
MJJ14	199.00	199.00	200.00	1.00	0.085	0.001
MJJ14	200.00	200.00	201.00	1.00	0.099	0.019
MJJ14	201.00	201.00	202.00	1.00	0.106	0.001
MJJ14	202.00	202.00	203.00	1.00	0.043	0.002
MJJ14	203.00	203.00	204.00	1.00	0.065	0.002
MJJ14	204.00	204.00	205.00	1.00	0.093	0.003
MJJ14	205.00	205.00	206.00	1.00	0.081	0.003
MJJ14	206.00	206.00	207.00	1.00	0.095	0.006
MJJ14	207.00	207.00	208.00	1.00	0.442	0.041
MJJ14	208.00	208.00	209.00	1.00	0.466	0.053
MJJ14	209.00	209.00	210.00	1.00	1.150	0.033
MJJ14	210.00	210.00	211.00	1.00	0.728	0.013
MJJ14	211.00	211.00	212.00	1.00	1.635	0.094
MJJ14	212.00	212.00	213.00	1.00	0.565	0.072
MJJ14	213.00	213.00	214.00	1.00	0.328	0.009
MJJ14	214.00	214.00	215.00	1.00	0.254	0.017
MJJ14	215.00	215.00	216.00	1.00	0.365	0.011
MJJ14	216.00	216.00	217.00	1.00	0.144	0.002
MJJ14	217.00	217.00	218.00	1.00	0.081	0.001
MJJ14	218.00	218.00	218.60	0.60	0.134	0.003
MJJ14	218.60	218.60	219.60	1.00	0.408	0.003
MJJ14	219.60	219.60	220.33	0.73	0.398	0.002
MJJ14	220.33	220.33	221.00	0.67	0.128	0.002
MJJ14	221.00	221.00	222.00	1.00	0.197	0.002
MJJ14	222.00	222.00	223.00	1.00	0.167	0.003
MJJ14	223.00	223.00	224.00	1.00	0.179	0.006
MJJ14	224.00	224.00	225.00	1.00	0.165	0.002
MJJ14	225.00	225.00	225.25	0.25	0.244	0.003
MJJ14	225.25	225.25	226.25	1.00	1.663	0.073
MJJ14	226.25	226.25	227.25	1.00	2.795	0.001
MJJ14	227.25	227.25	228.00	0.75	1.477	0.039
MJJ14	228.00	228.00	229.00	1.00	0.196	0.004
MJJ14	229.00	229.00	230.00	1.00	0.125	0.002
MJJ14	230.00	230.00	231.00	1.00	0.663	0.009
MJJ14	231.00	231.00	232.00	1.00	0.334	0.005
MJJ14	232.00	232.00	233.00	1.00	0.224	0.002
MJJ14	233.00	233.00	234.00	1.00	0.376	0.001
MJJ14	234.00	234.00	235.00	1.00	0.201	0.006
MJJ14	235.00	235.00	236.00	1.00	0.418	0.006
MJJ14	236.00	236.00	237.00	1.00	0.624	0.007
MJJ14	237.00	237.00	238.00	1.00	0.825	0.052
MJJ14	238.00	238.00	239.20	1.20	0.096	0.071
MJJ14	239.20	239.20	240.00	0.80	0.539	0.251
MJJ14	240.00	240.00	240.45	0.45	0.308	0.694
MJJ14	240.45	240.45	241.00	0.55	0.261	0.134
MJJ14	241.00	241.00	242.00	1.00	0.863	0.072
MJJ14	242.00	242.00	243.00	1.00	0.259	0.002
MJJ14	243.00	243.00	244.00	1.00	0.201	0.009
MJJ14	244.00	244.00	245.00	1.00	0.142	0.002
MJJ14	245.00	245.00	246.00	1.00	0.182	0.002
MJJ14	246.00	246.00	247.00	1.00	0.111	0.001
MJJ14	247.00	247.00	248.00	1.00	0.233	0.011
MJJ14	248.00	248.00	249.00	1.00	0.449	0.005
MJJ14	249.00	249.00	250.00	1.00	0.374	0.006
MJJ14	250.00	250.00	250.50	0.50	0.371	0.004
MJJ14	250.50	250.50	251.00	0.50	0.149	0.002
MJJ14	251.00	251.00	252.00	1.00	0.246	0.001
MJJ14	252.00	252.00	253.00	1.00	0.165	0.004
MJJ14	253.00	253.00	254.00	1.00	0.090	0.001
MJJ14	254.00	254.00	255.00	1.00	0.096	0.005
MJJ14	255.00	255.00	256.00	1.00	0.282	0.001
MJJ14	256.00	256.00	257.00	1.00	0.150	0.009
MJJ14	257.00	257.00	258.00	1.00	0.590	0.006
MJJ14	258.00	258.00	259.00	1.00	0.667	0.005
MJJ14	259.00	259.00	260.00	1.00	0.157	0.004
MJJ14	260.00	260.00	261.00	1.00	0.760	0.003
MJJ14	261.00	261.00	261.50	0.50	0.676	1.011
MJJ14	261.50	261.50	262.50	1.00	0.096	0.805
MJJ14	262.50	262.50	263.50	1.00	0.012	0.079
MJJ14	263.50	263.50	263.70	0.20	0.034	0.909
MJJ14	263.70	263.70	264.00	0.30	0.914	0.036
MJJ14	264.00	264.00	265.00	1.00	0.615	0.010
MJJ14	265.00	265.00	266.00	1.00	0.288	0.004
MJJ14	266.00	266.00	267.00	1.00	0.211	0.002
MJJ14	267.00	267.00	268.00	1.00	0.432	0.018
MJJ14	268.00	268.00	269.00	1.00	0.158	0.004
MJJ14	269.00	269.00	270.00	1.00	0.175	0.012
MJJ14	270.00	270.00	271.00	1.00	0.125	0.006
MJJ14	271.00	271.00	272.00	1.00	0.213	0.004
MJJ14	272.00	272.00	273.00	1.00	0.167	0.004
MJJ14	273.00	273.00	274.00	1.00	0.112	0.002

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ14	274.00	274.00	275.00	1.00	0.127	0.005
MJJ14	275.00	275.00	276.00	1.00	0.377	0.006
MJJ14	276.00	276.00	277.00	1.00	0.439	0.013
MJJ14	277.00	277.00	278.00	1.00	0.326	0.015
MJJ14	278.00	278.00	279.00	1.00	0.737	0.025
MJJ14	279.00	279.00	279.90	0.90	0.382	0.005
MJJ14	279.90	279.90	281.00	1.10	0.579	0.010
MJJ14	281.00	281.00	282.00	1.00	0.258	0.009
MJJ14	282.00	282.00	283.00	1.00	0.443	0.040
MJJ14	283.00	283.00	284.00	1.00	0.240	0.012
MJJ14	284.00	284.00	285.00	1.00	0.363	0.011
MJJ14	285.00	285.00	285.24	0.24	0.559	0.013
MJJ14	285.24	285.24	286.24	1.00	0.199	0.005
MJJ14	286.24	286.24	287.00	0.76	0.188	0.006
MJJ14	287.00	287.00	288.00	1.00	0.396	0.012
MJJ14	288.00	288.00	289.00	1.00	0.484	0.013
MJJ14	289.00	289.00	290.00	1.00	0.231	0.010
MJJ14	290.00	290.00	291.00	1.00	0.660	0.019
MJJ14	291.00	291.00	292.00	1.00	0.619	0.016
MJJ14	292.00	292.00	293.00	1.00	0.744	0.008
MJJ14	293.00	293.00	294.00	1.00	0.340	0.064
MJJ14	294.00	294.00	295.00	1.00	0.183	0.020
MJJ14	295.00	295.00	296.00	1.00	0.080	0.028
MJJ14	296.00	296.00	297.00	1.00	0.102	0.010
MJJ14	297.00	297.00	298.00	1.00	0.193	0.004
MJJ14	298.00	298.00	298.50	0.50	0.154	0.007
MJJ14	298.50	298.50	299.50	1.00	0.242	0.006
MJJ14	299.50	299.50	300.50	1.00	0.206	0.007
MJJ15	5.00	5.00	6.00	1.00	0.051	0.001
MJJ15	10.00	10.00	11.00	1.00	0.037	0.000
MJJ15	15.00	15.00	16.00	1.00	0.033	0.000
MJJ15	20.00	20.00	21.00	1.00	0.045	0.000
MJJ15	25.00	25.00	26.00	1.00	0.021	0.000
MJJ15	30.00	30.00	31.00	1.00	0.031	0.000
MJJ15	35.00	35.00	36.00	1.00	0.013	0.000
MJJ15	40.00	40.00	41.00	1.00	0.016	0.000
MJJ15	45.00	45.00	46.00	1.00	0.015	0.000
MJJ15	50.00	50.00	51.00	1.00	0.062	0.000
MJJ15	55.00	55.00	56.00	1.00	0.017	0.000
MJJ15	60.00	60.00	61.00	1.00	0.053	0.000
MJJ15	65.00	65.00	66.00	1.00	0.145	0.000
MJJ15	66.00	66.00	67.00	1.00	0.268	0.001
MJJ15	67.00	67.00	68.00	1.00	0.134	0.000
MJJ15	70.00	70.00	71.00	1.00	0.086	0.000
MJJ15	75.00	75.00	76.00	1.00	0.074	0.000
MJJ15	78.00	78.00	79.00	1.00	0.054	0.000
MJJ15	79.00	79.00	80.00	1.00	0.182	0.000
MJJ15	80.00	80.00	81.00	1.00	0.072	0.000
MJJ15	85.00	85.00	86.00	1.00	0.039	0.000
MJJ15	90.00	90.00	91.00	1.00	0.022	0.000
MJJ15	95.00	95.00	96.00	1.00	0.016	0.000
MJJ15	96.00	96.00	97.00	1.00	0.066	0.000
MJJ15	97.00	97.00	98.00	1.00	0.083	0.000
MJJ15	98.00	98.00	99.00	1.00	0.034	0.000
MJJ15	99.00	99.00	100.00	1.00	0.014	0.000
MJJ15	100.00	100.00	101.00	1.00	0.025	0.000
MJJ15	101.00	101.00	102.00	1.00	0.060	0.000
MJJ15	105.00	105.00	106.00	1.00	0.040	0.000
MJJ15	108.00	108.00	109.00	1.00	0.047	0.000
MJJ15	109.00	109.00	110.00	1.00	0.132	0.000
MJJ15	110.00	110.00	111.00	1.00	0.053	0.000
MJJ15	111.00	111.00	112.00	1.00	0.173	0.000
MJJ15	112.00	112.00	113.00	1.00	0.120	0.000
MJJ15	113.00	113.00	114.00	1.00	0.265	0.000
MJJ15	114.00	114.00	115.00	1.00	0.298	0.001
MJJ15	115.00	115.00	116.00	1.00	0.279	0.001
MJJ15	116.00	116.00	117.00	1.00	0.098	0.002
MJJ15	117.00	117.00	118.00	1.00	0.365	0.001
MJJ15	118.00	118.00	119.00	1.00	0.259	0.001
MJJ15	119.00	119.00	120.00	1.00	0.128	0.001
MJJ15	120.00	120.00	121.00	1.00	0.173	0.000
MJJ15	121.00	121.00	122.00	1.00	0.165	0.000
MJJ15	122.00	122.00	123.00	1.00	0.037	0.000
MJJ15	123.00	123.00	124.00	1.00	0.086	0.000
MJJ15	124.00	124.00	125.00	1.00	0.077	0.001
MJJ15	125.00	125.00	126.00	1.00	0.058	0.000
MJJ15	126.00	126.00	127.00	1.00	0.029	0.002
MJJ15	127.00	127.00	128.00	1.00	0.085	0.000
MJJ15	128.00	128.00	129.00	1.00	0.072	0.000
MJJ15	129.00	129.00	130.00	1.00	0.020	0.000
MJJ15	130.00	130.00	131.00	1.00	0.012	0.000
MJJ15	131.00	131.00	132.00	1.00	0.096	0.000
MJJ15	132.00	132.00	133.00	1.00	0.024	0.000
MJJ15	133.00	133.00	134.00	1.00	0.056	0.000
MJJ15	134.00	134.00	135.00	1.00	0.044	0.000
MJJ15	135.00	135.00	136.00	1.00	0.122	0.000
MJJ15	136.00	136.00	137.00	1.00	0.069	0.001
MJJ15	137.00	137.00	138.00	1.00	0.045	0.000
MJJ15	138.00	138.00	139.00	1.00	0.028	0.000
MJJ15	139.00	139.00	140.00	1.00	0.052	0.000
MJJ15	140.00	140.00	141.00	1.00	0.052	0.000
MJJ15	141.00	141.00	142.00	1.00	0.068	0.000
MJJ15	142.00	142.00	143.00	1.00	0.053	0.000
MJJ15	143.00	143.00	144.00	1.00	0.030	0.000
MJJ15	144.00	144.00	145.00	1.00	0.028	0.000
MJJ15	145.00	145.00	146.00	1.00	0.060	0.000
MJJ15	146.00	146.00	147.00	1.00	0.063	0.000
MJJ15	147.00	147.00	148.00	1.00	0.232	0.000

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ15	148.00	148.00	149.00	1.00	0.444	0.091
MJJ15	149.00	149.00	150.00	1.00	0.772	0.066
MJJ15	150.00	150.00	152.30	2.30	0.633	0.085
MJJ15	152.30	152.30	153.00	0.70	0.451	0.091
MJJ15	153.00	153.00	154.00	1.00	0.254	0.090
MJJ15	154.00	154.00	155.00	1.00	0.153	0.092
MJJ15	155.00	155.00	156.00	1.00	0.223	0.030
MJJ15	156.00	156.00	157.00	1.00	0.087	0.090
MJJ15	157.00	157.00	158.00	1.00	0.041	0.090
MJJ15	158.00	158.00	159.00	1.00	0.075	0.090
MJJ15	159.00	159.00	160.00	1.00	0.168	0.091
MJJ15	160.00	160.00	161.00	1.00	0.185	0.091
MJJ15	161.00	161.00	162.00	1.00	0.156	0.091
MJJ15	162.00	162.00	163.00	1.00	0.137	0.091
MJJ15	163.00	163.00	164.00	1.00	0.086	0.092
MJJ15	164.00	164.00	165.00	1.00	0.121	0.092
MJJ15	165.00	165.00	166.00	1.00	0.171	0.091
MJJ15	166.00	166.00	167.00	1.00	0.155	0.091
MJJ15	167.00	167.00	168.00	1.00	0.255	0.091
MJJ15	168.00	168.00	169.00	1.00	0.131	0.090
MJJ15	169.00	169.00	170.00	1.00	0.289	0.094
MJJ15	170.00	170.00	171.00	1.00	0.143	0.091
MJJ15	171.00	171.00	172.00	1.00	0.094	0.090
MJJ15	172.00	172.00	173.00	1.00	0.195	0.091
MJJ15	173.00	173.00	173.55	0.55	0.057	0.090
MJJ15	173.55	173.55	174.55	1.00	0.143	0.092
MJJ15	174.55	174.55	175.55	1.00	0.172	0.092
MJJ15	175.55	175.55	176.55	1.00	0.098	0.091
MJJ15	176.55	176.55	177.55	1.00	0.098	0.090
MJJ15	177.55	177.55	177.80	0.25	0.174	0.091
MJJ15	177.80	177.80	178.00	0.20	0.319	0.090
MJJ15	178.00	178.00	179.00	1.00	0.187	0.095
MJJ15	179.00	179.00	180.00	1.00	0.107	0.091
MJJ15	180.00	180.00	181.00	1.00	0.218	0.092
MJJ15	181.00	181.00	182.00	1.00	0.231	0.091
MJJ15	182.00	182.00	183.00	1.00	0.114	0.091
MJJ15	183.00	183.00	184.00	1.00	0.422	0.095
MJJ15	184.00	184.00	185.00	1.00	0.284	0.093
MJJ15	185.00	185.00	186.00	1.00	0.193	0.090
MJJ15	186.00	186.00	187.00	1.00	0.178	0.095
MJJ15	187.00	187.00	188.00	1.00	0.380	0.092
MJJ15	188.00	188.00	189.00	1.00	0.225	0.091
MJJ15	189.00	189.00	190.00	1.00	0.465	0.090
MJJ15	190.00	190.00	191.00	1.00	0.155	0.091
MJJ15	191.00	191.00	192.00	1.00	0.553	0.096
MJJ15	192.00	192.00	193.00	1.00	0.257	0.091
MJJ15	193.00	193.00	194.00	1.00	0.591	0.098
MJJ15	194.00	194.00	195.00	1.00	0.199	0.095
MJJ15	195.00	195.00	196.00	1.00	0.217	0.092
MJJ15	196.00	196.00	197.00	1.00	0.413	0.093
MJJ15	197.00	197.00	198.00	1.00	0.550	0.091
MJJ15	198.00	198.00	199.00	1.00	0.192	0.091
MJJ15	199.00	199.00	200.00	1.00	0.243	0.095
MJJ15	200.00	200.00	200.50	0.50	0.248	0.091
MJJ15	200.50	200.50	201.00	0.50	0.237	0.094
MJJ15	201.00	201.00	202.00	1.00	0.268	0.093
MJJ15	202.00	202.00	203.00	1.00	0.268	0.093
MJJ15	203.00	203.00	204.00	1.00	0.199	0.092
MJJ15	204.00	204.00	205.00	1.00	0.289	0.092
MJJ15	205.00	205.00	206.00	1.00	0.303	0.091
MJJ15	206.00	206.00	207.00	1.00	0.649	0.092
MJJ15	207.00	207.00	208.00	1.00	0.399	0.094
MJJ15	208.00	208.00	209.00	1.00	0.154	0.096
MJJ15	209.00	209.00	210.00	1.00	0.408	0.091
MJJ15	210.00	210.00	211.00	1.00	0.468	0.093
MJJ15	211.00	211.00	212.00	1.00	0.530	0.092
MJJ15	212.00	212.00	213.00	1.00	0.314	0.091
MJJ15	213.00	213.00	214.00	1.00	0.387	0.095
MJJ15	214.00	214.00	215.00	1.00	0.244	0.092
MJJ15	215.00	215.00	216.00	1.00	0.383	0.091
MJJ15	216.00	216.00	217.00	1.00	0.337	0.091
MJJ15	217.00	217.00	218.00	1.00	0.289	0.095
MJJ15	218.00	218.00	219.00	1.00	0.261	0.095
MJJ15	219.00	219.00	220.00	1.00	0.231	0.092
MJJ15	220.00	220.00	221.00	1.00	0.350	0.092
MJJ15	221.00	221.00	222.00	1.00	1.511	0.091
MJJ15	222.00	222.00	223.50	1.50	1.723	0.094
MJJ15	223.50	223.50	224.00	0.50	2.059	1.460
MJJ15	224.00	224.00	225.60	1.60	0.749	0.095
MJJ15	225.60	225.60	226.00	0.40	0.583	0.094
MJJ15	226.00	226.00	227.00	1.00	0.612	0.099
MJJ15	227.00	227.00	228.00	1.00	0.797	0.096
MJJ15	228.00	228.00	229.00	1.00	0.525	0.249
MJJ15	229.00	229.00	230.00	1.00	0.789	0.097
MJJ15	230.00	230.00	231.00	1.00	0.705	0.095
MJJ15	231.00	231.00	232.00	1.00	0.728	0.092
MJJ15	232.00	232.00	233.00	1.00	0.624	0.097
MJJ15	233.00	233.00	234.00	1.00	0.537	0.090
MJJ15	234.00	234.00	235.00	1.00	0.473	0.091
MJJ15	235.00	235.00	236.00	1.00	0.210	0.093
MJJ15	236.00	236.00	237.00	1.00	0.356	0.090
MJJ15	237.00	237.00	238.00	1.00	0.159	0.092
MJJ15	238.00	238.00	239.00	1.00	0.171	0.093
MJJ15	239.00	239.00	240.00	1.00	0.338	0.096
MJJ15	240.00	240.00	241.00	1.00	0.294	0.093
MJJ15	241.00	241.00	242.00	1.00	0.278	0.099
MJJ15	242.00	242.00	243.00	1.00	0.322	0.092
MJJ15	243.00	243.00	244.00	1.00	0.395	0.095

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ15	244.00	244.00	245.00	1.00	0.209	0.006
MJJ15	245.00	245.00	246.00	1.00	0.240	0.004
MJJ15	246.00	246.00	247.00	1.00	0.275	0.001
MJJ15	247.00	247.00	248.00	1.00	0.208	0.002
MJJ15	248.00	248.00	249.00	1.00	0.132	0.000
MJJ15	249.00	249.00	250.00	1.00	0.219	0.002
MJJ15	250.00	250.00	251.00	1.00	0.258	0.006
MJJ15	251.00	251.00	252.00	1.00	0.245	0.001
MJJ15	252.00	252.00	253.00	1.00	0.246	0.005
MJJ15	253.00	253.00	254.00	1.00	0.121	0.000
MJJ15	254.00	254.00	254.72	0.72	0.145	0.003
MJJ15	254.72	254.72	255.61	0.89	1.720	0.009
MJJ15	255.61	255.61	256.00	0.39	0.178	0.001
MJJ15	256.00	256.00	257.00	1.00	0.363	0.008
MJJ15	257.00	257.00	258.00	1.00	0.264	0.004
MJJ15	258.00	258.00	259.00	1.00	0.286	0.001
MJJ15	259.00	259.00	260.00	1.00	0.356	0.007
MJJ15	260.00	260.00	261.00	1.00	0.184	0.006
MJJ15	261.00	261.00	262.00	1.00	0.276	0.007
MJJ15	262.00	262.00	263.00	1.00	0.191	0.006
MJJ15	263.00	263.00	264.00	1.00	0.292	0.004
MJJ15	264.00	264.00	265.00	1.00	0.188	0.028
MJJ15	265.00	265.00	266.00	1.00	0.384	0.002
MJJ15	266.00	266.00	267.00	1.00	0.160	0.001
MJJ15	267.00	267.00	268.00	1.00	0.195	0.032
MJJ15	268.00	268.00	269.00	1.00	0.290	0.004
MJJ15	269.00	269.00	270.00	1.00	0.306	0.004
MJJ15	270.00	270.00	271.00	1.00	0.346	0.004
MJJ15	271.00	271.00	272.00	1.00	0.630	0.011
MJJ15	272.00	272.00	273.00	1.00	0.514	0.005
MJJ15	273.00	273.00	274.00	1.00	0.512	0.004
MJJ15	274.00	274.00	275.00	1.00	0.724	0.007
MJJ15	275.00	275.00	276.00	1.00	0.485	0.005
MJJ15	276.00	276.00	277.00	1.00	0.642	0.003
MJJ15	277.00	277.00	278.00	1.00	0.599	0.009
MJJ15	278.00	278.00	279.00	1.00	0.578	0.008
MJJ15	279.00	279.00	280.00	1.00	0.565	0.015
MJJ15	280.00	280.00	281.00	1.00	0.482	0.010
MJJ15	281.00	281.00	282.00	1.00	0.688	0.014
MJJ15	282.00	282.00	283.00	1.00	0.477	0.010
MJJ15	283.00	283.00	284.00	1.00	0.258	0.005
MJJ15	284.00	284.00	285.00	1.00	0.277	0.009
MJJ15	285.00	285.00	286.00	1.00	0.251	0.006
MJJ15	286.00	286.00	287.00	1.00	0.167	0.010
MJJ15	287.00	287.00	288.00	1.00	0.325	0.005
MJJ15	288.00	288.00	289.00	1.00	0.277	0.004
MJJ15	289.00	289.00	290.00	1.00	0.232	0.018
MJJ15	290.00	290.00	291.00	1.00	0.434	0.004
MJJ15	291.00	291.00	292.00	1.00	0.650	0.004
MJJ15	292.00	292.00	293.00	1.00	0.488	0.011
MJJ15	293.00	293.00	294.00	1.00	0.508	0.015
MJJ15	294.00	294.00	295.00	1.00	0.473	0.006
MJJ15	295.00	295.00	296.00	1.00	0.344	0.003
MJJ15	296.00	296.00	297.00	1.00	0.315	0.041
MJJ15	297.00	297.00	298.00	1.00	0.420	0.008
MJJ15	298.00	298.00	299.00	1.00	0.386	0.024
MJJ15	299.00	299.00	300.00	1.00	0.363	0.018
MJJ15	300.00	300.00	301.00	1.00	0.529	0.063
MJJ15	301.00	301.00	301.21	0.21	0.231	0.001
MJJ16	3.29	3.29	4.00	0.71	0.103	0.000
MJJ16	4.00	4.00	5.00	1.00	0.124	0.001
MJJ16	5.00	5.00	6.00	1.00	0.026	0.001
MJJ16	6.00	6.00	7.00	1.00	0.057	0.000
MJJ16	7.00	7.00	8.00	1.00	0.041	0.003
MJJ16	8.00	8.00	9.00	1.00	0.225	0.002
MJJ16	9.00	9.00	10.00	1.00	0.037	0.000
MJJ16	10.00	10.00	11.00	1.00	0.045	0.000
MJJ16	11.00	11.00	12.00	1.00	0.037	0.000
MJJ16	12.00	12.00	13.00	1.00	0.072	0.000
MJJ16	13.00	13.00	14.00	1.00	0.049	0.001
MJJ16	14.00	14.00	15.00	1.00	0.064	0.000
MJJ16	15.00	15.00	16.00	1.00	0.068	0.000
MJJ16	16.00	16.00	16.40	0.40	0.057	0.000
MJJ16	16.40	16.40	17.00	0.60	0.124	0.001
MJJ16	17.00	17.00	18.00	1.00	0.030	0.001
MJJ16	18.00	18.00	19.00	1.00	0.044	0.000
MJJ16	19.00	19.00	20.00	1.00	0.085	0.001
MJJ16	20.00	20.00	21.00	1.00	0.022	0.000
MJJ16	21.10	21.10	22.10	1.00	0.053	0.000
MJJ16	22.00	22.00	23.00	1.00	0.070	0.000
MJJ16	23.00	23.00	24.00	1.00	0.009	0.000
MJJ16	24.00	24.00	25.00	1.00	0.133	0.000
MJJ16	25.00	25.00	26.00	1.00	0.280	0.000
MJJ16	26.00	26.00	27.00	1.00	0.008	0.000
MJJ16	27.00	27.00	28.00	1.00	0.025	0.000
MJJ16	28.00	28.00	29.00	1.00	0.018	0.002
MJJ16	29.00	29.00	30.00	1.00	0.033	0.000
MJJ16	30.00	30.00	31.00	1.00	0.033	0.000
MJJ16	31.00	31.00	32.00	1.00	0.022	0.000
MJJ16	32.00	32.00	33.00	1.00	0.028	0.000
MJJ16	33.00	33.00	34.00	1.00	0.068	0.000
MJJ16	34.00	34.00	35.00	1.00	0.010	0.000
MJJ16	35.00	35.00	36.00	1.00	0.004	0.000
MJJ16	36.00	36.00	37.00	1.00	0.013	0.000
MJJ16	37.00	37.00	38.00	1.00	0.011	0.000
MJJ16	38.00	38.00	39.00	1.00	0.020	0.000
MJJ16	39.00	39.00	40.00	1.00	0.030	0.000
MJJ16	40.00	40.00	41.00	1.00	0.017	0.000

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ16	41.00	41.00	42.00	1.00	0.077	0.000
MJJ16	42.00	42.00	43.00	1.00	0.097	0.001
MJJ16	43.00	43.00	44.00	1.00	0.069	0.000
MJJ16	44.00	44.00	44.70	0.70	0.045	0.000
MJJ16	44.70	44.70	45.00	0.30	0.063	0.000
MJJ16	45.00	45.00	46.00	1.00	0.102	0.000
MJJ16	46.00	46.00	47.00	1.00	0.094	0.000
MJJ16	47.00	47.00	48.00	1.00	0.102	0.000
MJJ16	48.00	48.00	49.00	1.00	0.104	0.000
MJJ16	49.00	49.00	50.00	1.00	0.079	0.000
MJJ16	50.00	50.00	51.00	1.00	0.132	0.000
MJJ16	51.00	51.00	52.00	1.00	0.329	0.006
MJJ16	52.00	52.00	53.00	1.00	0.155	0.001
MJJ16	53.00	53.00	54.00	1.00	0.061	0.000
MJJ16	54.00	54.00	55.00	1.00	0.133	0.000
MJJ16	55.00	55.00	56.00	1.00	0.147	0.000
MJJ16	56.00	56.00	57.00	1.00	0.390	0.000
MJJ16	57.00	57.00	58.00	1.00	0.555	0.000
MJJ16	58.00	58.00	59.00	1.00	0.097	0.000
MJJ16	59.00	59.00	60.00	1.00	0.047	0.000
MJJ16	60.00	60.00	61.00	1.00	0.049	0.000
MJJ16	61.00	61.00	62.00	1.00	0.034	0.000
MJJ16	62.00	62.00	63.00	1.00	0.135	0.007
MJJ16	63.00	63.00	64.00	1.00	0.093	0.001
MJJ16	64.00	64.00	64.90	0.90	0.052	0.000
MJJ16	68.03	68.03	69.00	0.97	0.035	0.000
MJJ16	69.00	69.00	70.00	1.00	0.307	0.000
MJJ16	70.00	70.00	71.00	1.00	0.080	0.000
MJJ16	71.00	71.00	72.00	1.00	0.115	0.000
MJJ16	72.00	72.00	73.00	1.00	0.118	0.000
MJJ16	73.00	73.00	74.00	1.00	0.061	0.000
MJJ16	74.00	74.00	74.60	0.60	0.106	0.000
MJJ16	74.60	74.60	76.40	1.80	0.429	0.005
MJJ16	76.40	76.40	77.50	1.10	0.324	0.004
MJJ16	77.50	77.50	78.00	0.50	0.294	0.009
MJJ16	78.00	78.00	79.00	1.00	0.282	0.009
MJJ16	79.00	79.00	80.00	1.00	0.234	0.009
MJJ16	80.00	80.00	81.00	1.00	0.170	0.028
MJJ16	81.00	81.00	83.40	2.40	0.686	0.006
MJJ16	83.40	83.40	85.70	2.30	0.290	0.004
MJJ16	85.70	85.70	86.70	1.00	0.239	0.001
MJJ16	86.70	86.70	87.00	0.30	0.212	0.001
MJJ16	87.00	87.00	88.00	1.00	0.226	0.001
MJJ16	88.00	88.00	89.00	1.00	0.336	0.000
MJJ16	89.00	89.00	90.00	1.00	0.322	0.000
MJJ16	90.00	90.00	91.00	1.00	0.368	0.000
MJJ16	91.00	91.00	92.00	1.00	0.137	0.000
MJJ16	92.00	92.00	93.00	1.00	0.091	0.000
MJJ16	93.00	93.00	94.00	1.00	0.123	0.000
MJJ16	94.00	94.00	95.00	1.00	0.220	0.000
MJJ16	95.00	95.00	96.00	1.00	0.132	0.000
MJJ16	96.00	96.00	97.00	1.00	0.287	0.002
MJJ16	97.00	97.00	98.00	1.00	0.267	0.003
MJJ16	98.00	98.00	99.00	1.00	0.184	0.002
MJJ16	99.00	99.00	100.00	1.00	0.181	0.006
MJJ16	100.00	100.00	101.00	1.00	0.186	0.003
MJJ16	101.00	101.00	101.80	0.80	0.074	0.001
MJJ16	101.80	101.80	102.00	0.20	0.057	0.007
MJJ16	102.00	102.00	103.00	1.00	0.087	0.001
MJJ16	103.00	103.00	104.00	1.00	0.143	0.001
MJJ16	104.00	104.00	105.00	1.00	0.161	0.004
MJJ16	105.00	105.00	106.00	1.00	0.159	0.002
MJJ16	106.00	106.00	107.00	1.00	0.155	0.001
MJJ16	107.00	107.00	108.00	1.00	0.121	0.005
MJJ16	108.00	108.00	109.00	1.00	0.168	0.000
MJJ16	109.00	109.00	109.30	0.30	0.125	0.006
MJJ16	109.30	109.30	110.00	0.70	0.080	0.000
MJJ16	110.00	110.00	111.00	1.00	0.218	0.000
MJJ16	111.00	111.00	112.60	1.60	0.862	0.008
MJJ16	112.60	112.60	113.00	0.40	0.068	0.000
MJJ16	113.00	113.00	114.00	1.00	0.068	0.000
MJJ16	114.00	114.00	115.00	1.00	0.043	0.000
MJJ16	115.00	115.00	116.00	1.00	0.074	0.000
MJJ16	116.00	116.00	117.00	1.00	0.050	0.000
MJJ16	117.00	117.00	118.00	1.00	0.057	0.000
MJJ16	118.00	118.00	119.00	1.00	0.113	0.000
MJJ16	119.00	119.00	120.00	1.00	0.076	0.000
MJJ16	120.00	120.00	121.00	1.00	0.108	0.000
MJJ16	121.00	121.00	122.00	1.00	0.136	0.000
MJJ16	122.00	122.00	123.00	1.00	0.610	0.001
MJJ16	123.00	123.00	124.00	1.00	0.161	0.000
MJJ16	124.00	124.00	125.00	1.00	0.056	0.000
MJJ16	125.00	125.00	126.00	1.00	0.102	0.000
MJJ16	126.00	126.00	127.00	1.00	0.098	0.000
MJJ16	127.00	127.00	128.00	1.00	0.132	0.004
MJJ16	128.00	128.00	129.00	1.00	0.051	0.001
MJJ16	129.00	129.00	130.00	1.00	0.098	0.003
MJJ16	130.00	130.00	131.00	1.00	0.076	0.000
MJJ16	131.00	131.00	132.00	1.00	0.558	0.001
MJJ16	132.00	132.00	133.00	1.00	0.196	0.000
MJJ16	133.00	133.00	134.00	1.00	0.155	0.000
MJJ16	134.00	134.00	135.00	1.00	0.172	0.000
MJJ16	135.00	135.00	136.00	1.00	0.213	0.000
MJJ16	136.00	136.00	137.00	1.00	0.117	0.002
MJJ16	137.00	137.00	138.00	1.00	0.220	0.000
MJJ16	138.00	138.00	139.00	1.00	0.105	0.000
MJJ16	139.00	139.00	140.00	1.00	0.181	0.000
MJJ16	140.00	140.00	141.00	1.00	0.237	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ16	141.00	141.00	142.00	1.00	0.229	0.001
MJJ16	142.00	142.00	143.00	1.00	0.131	0.000
MJJ16	143.00	143.00	144.00	1.00	0.063	0.000
MJJ16	144.00	144.00	144.70	0.70	0.177	0.000
MJJ16	144.70	144.70	145.00	0.30	0.211	0.000
MJJ16	145.00	145.00	146.00	1.00	0.178	0.000
MJJ16	146.00	146.00	147.00	1.00	0.117	0.000
MJJ16	147.00	147.00	148.00	1.00	0.263	0.001
MJJ16	148.00	148.00	149.00	1.00	0.128	0.001
MJJ16	149.00	149.00	150.00	1.00	0.138	0.001
MJJ16	150.00	150.00	150.73	0.73	0.119	0.000
MJJ17	4.05	4.05	4.45	0.40	0.038	0.000
MJJ17	4.45	4.45	6.36	1.91	0.969	0.003
MJJ17	6.36	6.36	7.00	0.64	0.163	0.000
MJJ17	7.00	7.00	8.00	1.00	0.203	0.000
MJJ17	8.00	8.00	9.00	1.00	0.158	0.000
MJJ17	9.00	9.00	10.00	1.00	0.208	0.003
MJJ17	10.00	10.00	11.00	1.00	0.434	0.001
MJJ17	11.00	11.00	12.00	1.00	0.140	0.001
MJJ17	12.00	12.00	13.00	1.00	0.187	0.001
MJJ17	13.00	13.00	14.00	1.00	0.100	0.003
MJJ17	14.00	14.00	15.00	1.00	0.150	0.002
MJJ17	15.00	15.00	16.00	1.00	0.157	0.003
MJJ17	16.00	16.00	17.00	1.00	0.112	0.001
MJJ17	17.00	17.00	18.00	1.00	0.053	0.003
MJJ17	18.00	18.00	19.00	1.00	0.051	0.001
MJJ17	19.00	19.00	20.66	1.66	0.021	0.005
MJJ17	20.66	20.66	22.15	1.49	0.153	0.004
MJJ17	22.15	22.15	23.00	0.85	0.053	0.013
MJJ17	23.00	23.00	24.00	1.00	0.099	0.001
MJJ17	24.00	24.00	25.00	1.00	0.078	0.001
MJJ17	25.00	25.00	26.00	1.00	0.081	0.000
MJJ17	26.00	26.00	27.00	1.00	0.198	0.000
MJJ17	27.00	27.00	28.00	1.00	0.338	0.004
MJJ17	28.00	28.00	29.00	1.00	0.407	0.054
MJJ17	29.00	29.00	30.00	1.00	0.219	0.015
MJJ17	30.00	30.00	31.00	1.00	0.084	0.002
MJJ17	31.00	31.00	32.00	1.00	0.103	0.001
MJJ17	32.00	32.00	33.00	1.00	0.110	0.000
MJJ17	33.00	33.00	34.00	1.00	0.082	0.001
MJJ17	34.00	34.00	35.00	1.00	0.102	0.001
MJJ17	35.00	35.00	36.00	1.00	0.129	0.002
MJJ17	36.00	36.00	37.00	1.00	0.204	0.002
MJJ17	37.00	37.00	38.00	1.00	0.151	0.001
MJJ17	38.00	38.00	39.00	1.00	0.126	0.001
MJJ17	39.00	39.00	40.00	1.00	0.075	0.002
MJJ17	40.00	40.00	41.00	1.00	0.114	0.000
MJJ17	41.00	41.00	42.00	1.00	0.165	0.003
MJJ17	42.00	42.00	43.00	1.00	0.119	0.003
MJJ17	43.00	43.00	44.00	1.00	0.493	0.032
MJJ17	44.00	44.00	45.00	1.00	0.455	0.013
MJJ17	45.00	45.00	46.00	1.00	0.434	0.009
MJJ17	46.00	46.00	47.00	1.00	0.311	0.041
MJJ17	47.00	47.00	48.00	1.00	0.257	0.024
MJJ17	48.00	48.00	49.00	1.00	0.345	0.046
MJJ17	49.00	49.00	50.00	1.00	0.236	0.002
MJJ17	50.00	50.00	51.00	1.00	0.085	0.027
MJJ17	51.00	51.00	52.00	1.00	0.093	0.004
MJJ17	52.00	52.00	53.00	1.00	0.128	0.009
MJJ17	53.00	53.00	54.00	1.00	0.080	0.003
MJJ17	54.00	54.00	55.00	1.00	0.149	0.003
MJJ17	55.00	55.00	56.00	1.00	0.165	0.007
MJJ17	56.00	56.00	57.00	1.00	0.169	0.066
MJJ17	57.00	57.00	58.00	1.00	0.143	0.004
MJJ17	58.00	58.00	59.00	1.00	0.187	0.092
MJJ17	59.00	59.00	59.30	0.30	0.331	0.007
MJJ17	59.30	59.30	60.00	0.70	0.227	0.009
MJJ17	60.00	60.00	61.00	1.00	0.154	0.007
MJJ17	61.00	61.00	62.00	1.00	0.196	0.002
MJJ17	62.00	62.00	63.00	1.00	0.198	0.001
MJJ17	63.00	63.00	64.00	1.00	0.194	0.003
MJJ17	64.00	64.00	64.50	0.50	0.199	0.001
MJJ17	64.50	64.50	65.00	0.50	0.284	0.004
MJJ17	65.00	65.00	66.00	1.00	0.206	0.002
MJJ17	66.00	66.00	67.00	1.00	0.807	0.047
MJJ17	67.00	67.00	68.00	1.00	0.345	0.032
MJJ17	68.00	68.00	69.00	1.00	0.325	0.005
MJJ17	69.00	69.00	70.00	1.00	0.379	0.013
MJJ17	70.00	70.00	71.00	1.00	0.805	0.017
MJJ17	71.00	71.00	72.00	1.00	0.299	0.005
MJJ17	72.00	72.00	73.00	1.00	0.328	0.024
MJJ17	73.00	73.00	74.00	1.00	0.232	0.003
MJJ17	74.00	74.00	75.00	1.00	0.173	0.001
MJJ17	75.00	75.00	76.00	1.00	0.193	0.001
MJJ17	76.00	76.00	77.00	1.00	0.659	0.002
MJJ17	77.00	77.00	78.00	1.00	0.297	0.005
MJJ17	78.00	78.00	79.00	1.00	0.753	0.036
MJJ17	79.00	79.00	80.00	1.00	0.295	0.008
MJJ17	80.00	80.00	83.25	3.25	0.230	0.011
MJJ17	83.25	83.25	84.00	0.75	0.200	0.005
MJJ17	84.00	84.00	85.00	1.00	0.286	0.001
MJJ17	85.00	85.00	86.00	1.00	0.251	0.009
MJJ17	86.00	86.00	87.00	1.00	0.254	0.054
MJJ17	87.00	87.00	88.00	1.00	0.238	0.007
MJJ17	88.00	88.00	89.00	1.00	0.159	0.001
MJJ17	89.00	89.00	89.35	0.35	0.122	0.004
MJJ17	89.35	89.35	92.35	3.00	0.183	0.000
MJJ17	92.35	92.35	93.00	0.65	0.167	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ17	93.00	93.00	93.60	0.60	0.172	0.003
MJJ17	93.60	93.60	95.35	1.75	2.860	0.117
MJJ17	95.35	95.35	98.35	3.00	0.350	0.045
MJJ17	98.35	98.35	99.60	0.65	0.621	0.212
MJJ17	99.00	99.00	100.00	1.00	0.644	0.009
MJJ17	100.00	100.00	100.70	0.70	0.270	0.004
MJJ17	100.70	100.70	101.70	1.00	0.261	0.005
MJJ17	101.70	101.70	102.45	0.75	0.270	0.006
MJJ17	102.45	102.45	103.60	0.55	0.280	0.005
MJJ17	103.00	103.00	104.00	1.00	0.399	0.026
MJJ17	104.00	104.00	105.00	1.00	0.153	0.003
MJJ17	105.00	105.00	106.00	1.00	0.280	0.009
MJJ17	106.00	106.00	107.00	1.00	0.307	0.003
MJJ17	107.00	107.00	108.00	1.00	0.258	0.010
MJJ17	108.00	108.00	109.00	1.00	0.355	0.005
MJJ17	109.00	109.00	110.00	1.00	0.375	0.004
MJJ17	110.00	110.00	111.00	1.00	0.269	0.002
MJJ17	111.00	111.00	112.00	1.00	0.331	0.014
MJJ17	112.00	112.00	113.00	1.00	0.463	0.053
MJJ17	113.00	113.00	114.00	1.00	0.414	0.007
MJJ17	114.00	114.00	115.00	1.00	0.276	0.004
MJJ17	115.00	115.00	116.00	1.00	0.166	0.006
MJJ17	116.00	116.00	117.00	1.00	0.902	0.388
MJJ17	117.00	117.00	118.00	1.00	0.418	0.100
MJJ17	118.00	118.00	119.00	1.00	0.375	0.005
MJJ17	119.00	119.00	120.00	1.00	0.643	0.006
MJJ17	120.00	120.00	120.50	0.50	1.995	0.021
MJJ17	120.50	120.50	122.25	1.75	9.034	0.354
MJJ17	122.25	122.25	123.00	0.75	1.123	0.007
MJJ17	123.00	123.00	124.00	1.00	0.430	0.003
MJJ17	124.00	124.00	125.00	1.00	0.649	0.005
MJJ17	125.00	125.00	126.00	1.00	0.422	0.005
MJJ17	126.00	126.00	127.00	1.00	0.324	0.004
MJJ17	127.00	127.00	128.00	1.00	0.512	0.005
MJJ17	128.00	128.00	129.00	1.00	1.169	0.011
MJJ17	129.00	129.00	130.00	1.00	1.190	0.003
MJJ17	130.00	130.00	131.00	1.00	2.354	0.039
MJJ17	131.00	131.00	132.00	1.00	0.636	0.004
MJJ17	132.00	132.00	133.00	1.00	0.552	0.007
MJJ17	133.00	133.00	134.00	1.00	0.676	0.015
MJJ17	134.00	134.00	135.00	1.00	0.616	0.027
MJJ17	135.80	135.80	136.60	1.00	0.524	0.006
MJJ17	136.00	136.00	137.00	1.00	0.767	0.024
MJJ17	137.00	137.00	138.00	1.00	0.528	0.022
MJJ17	138.00	138.00	139.00	1.00	0.424	0.015
MJJ17	139.00	139.00	140.00	1.00	0.301	0.024
MJJ17	140.00	140.00	141.00	1.00	0.314	0.013
MJJ17	141.00	141.00	142.00	1.00	0.339	0.023
MJJ17	142.00	142.00	143.00	1.00	0.402	0.005
MJJ17	143.00	143.00	144.00	1.00	0.175	0.026
MJJ17	144.00	144.00	145.00	1.00	0.174	0.002
MJJ17	145.00	145.00	146.00	1.00	0.205	0.029
MJJ17	146.00	146.00	147.00	1.00	0.195	0.003
MJJ17	147.00	147.00	148.00	1.00	0.262	0.051
MJJ17	148.00	148.00	149.00	1.00	0.135	0.003
MJJ17	149.00	149.00	150.00	1.00	0.163	0.002
MJJ17	150.00	150.00	150.25	0.25	0.128	0.000
MJJ18	118.00	118.00	120.00	2.00	0.161	0.001
MJJ18	120.00	120.00	122.00	2.00	0.105	0.000
MJJ18	122.00	122.00	124.00	2.00	0.150	0.000
MJJ18	124.00	124.00	126.00	2.00	0.033	0.000
MJJ18	126.00	126.00	128.00	2.00	0.042	0.000
MJJ18	128.00	128.00	130.00	2.00	0.100	0.001
MJJ18	130.00	130.00	132.00	2.00	0.110	0.000
MJJ18	132.00	132.00	134.00	2.00	0.111	0.000
MJJ18	134.00	134.00	136.00	2.00	0.108	0.000
MJJ18	136.00	136.00	138.00	2.00	0.063	0.000
MJJ18	138.00	138.00	140.00	2.00	0.111	0.000
MJJ18	140.00	140.00	142.00	2.00	0.120	0.000
MJJ18	142.00	142.00	144.00	2.00	0.112	0.001
MJJ18	144.00	144.00	146.00	2.00	0.079	0.000
MJJ18	146.00	146.00	148.00	2.00	0.083	0.000
MJJ18	148.00	148.00	150.00	2.00	0.253	0.000
MJJ18	150.00	150.00	152.00	2.00	0.082	0.001
MJJ18	152.00	152.00	154.00	2.00	0.059	0.000
MJJ18	154.00	154.00	156.00	2.00	0.119	0.000
MJJ18	156.00	156.00	158.00	2.00	0.030	0.000
MJJ18	158.00	158.00	160.00	2.00	0.078	0.002
MJJ18	160.00	160.00	162.00	2.00	0.078	0.000
MJJ18	162.00	162.00	164.00	2.00	0.033	0.000
MJJ18	164.00	164.00	166.00	2.00	0.051	0.001
MJJ18	166.00	166.00	168.00	2.00	0.027	0.001
MJJ18	168.00	168.00	170.00	2.00	0.016	0.001
MJJ18	170.00	170.00	172.00	2.00	0.160	0.003
MJJ18	172.00	172.00	174.00	2.00	0.160	0.002
MJJ18	174.00	174.00	176.00	2.00	0.082	0.001
MJJ18	176.00	176.00	178.00	2.00	0.019	0.001
MJJ18	178.00	178.00	180.00	2.00	0.034	0.001
MJJ18	180.00	180.00	182.00	2.00	0.056	0.001
MJJ18	182.00	182.00	184.00	2.00	0.091	0.000
MJJ18	184.00	184.00	186.00	2.00	0.086	0.005
MJJ18	186.00	186.00	188.00	2.00	0.067	0.002
MJJ18	188.00	188.00	190.00	2.00	0.056	0.002
MJJ18	190.00	190.00	192.00	2.00	0.048	0.000
MJJ18	192.00	192.00	194.00	2.00	0.042	0.001
MJJ18	194.00	194.00	196.00	2.00	0.028	0.000
MJJ18	196.00	196.00	198.00	2.00	0.037	0.001
MJJ18	198.00	198.00	200.00	2.00	0.050	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ18	200.00	200.00	202.00	2.00	0.037	0.001
MJJ18	202.00	202.00	204.00	2.00	0.169	0.000
MJJ18	204.00	204.00	206.00	2.00	0.064	0.001
MJJ18	206.00	206.00	208.00	2.00	0.042	0.000
MJJ18	208.00	208.00	210.00	2.00	0.087	0.001
MJJ18	210.00	210.00	212.00	2.00	0.082	0.001
MJJ18	212.00	212.00	214.00	2.00	0.127	0.001
MJJ18	214.00	214.00	216.00	2.00	0.096	0.001
MJJ18	216.00	216.00	218.00	2.00	0.095	0.001
MJJ18	218.00	218.00	220.00	2.00	0.070	0.001
MJJ18	220.00	220.00	222.00	2.00	0.066	0.001
MJJ18	222.00	222.00	224.00	2.00	0.088	0.001
MJJ18	224.00	224.00	226.00	2.00	0.091	0.001
MJJ18	226.00	226.00	228.00	2.00	0.099	0.001
MJJ18	228.00	228.00	230.00	2.00	0.316	0.004
MJJ18	230.00	230.00	232.00	2.00	0.111	0.001
MJJ18	232.00	232.00	234.00	2.00	0.188	0.001
MJJ18	234.00	234.00	236.00	2.00	0.490	0.001
MJJ18	236.00	236.00	238.00	2.00	0.172	0.001
MJJ18	238.00	238.00	240.00	2.00	0.125	0.001
MJJ18	240.00	240.00	242.00	2.00	0.145	0.001
MJJ18	242.00	242.00	244.00	2.00	0.114	0.001
MJJ18	244.00	244.00	246.00	2.00	0.153	0.001
MJJ18	246.00	246.00	248.00	2.00	0.145	0.000
MJJ18	248.00	248.00	250.00	2.00	0.107	0.001
MJJ18	250.00	250.00	252.00	2.00	0.102	0.001
MJJ18	252.00	252.00	254.00	2.00	0.136	0.000
MJJ18	254.00	254.00	256.00	2.00	0.050	0.000
MJJ18	256.00	256.00	258.00	2.00	0.069	0.001
MJJ18	258.00	258.00	260.00	2.00	0.070	0.000
MJJ18	260.00	260.00	262.00	2.00	0.067	0.001
MJJ18	262.00	262.00	264.00	2.00	0.077	0.000
MJJ18	264.00	264.00	266.00	2.00	0.065	0.000
MJJ18	266.00	266.00	268.00	2.00	0.067	0.000
MJJ18	268.00	268.00	270.00	2.00	0.234	0.003
MJJ18	270.00	270.00	272.00	2.00	0.166	0.001
MJJ18	272.00	272.00	274.00	2.00	0.416	0.004
MJJ18	274.00	274.00	276.00	2.00	0.073	0.001
MJJ18	276.00	276.00	278.00	2.00	0.584	0.004
MJJ18	278.00	278.00	280.00	2.00	0.076	0.000
MJJ18	280.00	280.00	282.00	2.00	0.090	0.002
MJJ18	282.00	282.00	284.00	2.00	0.149	0.002
MJJ18	284.00	284.00	286.00	2.00	0.152	0.003
MJJ18	286.00	286.00	288.00	2.00	0.162	0.003
MJJ18	288.00	288.00	290.00	2.00	0.078	0.002
MJJ18	290.00	290.00	292.00	2.00	0.167	0.002
MJJ18	292.00	292.00	294.00	2.00	0.072	0.003
MJJ18	294.00	294.00	296.00	2.00	0.044	0.000
MJJ18	296.00	296.00	298.00	2.00	0.036	0.001
MJJ18	298.00	298.00	300.00	2.00	0.056	0.000
MJJ18	300.00	300.00	302.56	2.56	0.050	0.000
MJJ19	7.30	7.30	8.00	0.70	0.534	0.021
MJJ19	8.00	8.00	9.00	1.00	21.987	0.057
MJJ19	9.00	9.00	10.00	1.00	7.956	0.058
MJJ19	10.00	10.00	11.00	1.00	3.981	0.072
MJJ19	11.00	11.00	12.00	1.00	1.459	0.026
MJJ19	12.00	12.00	13.00	1.00	2.390	0.019
MJJ19	13.00	13.00	14.00	1.00	1.867	0.010
MJJ19	14.00	14.00	15.00	1.00	1.181	0.007
MJJ19	15.00	15.00	16.00	1.00	1.149	0.005
MJJ19	16.00	16.00	17.00	1.00	1.500	0.005
MJJ19	17.00	17.00	18.00	1.00	1.605	0.030
MJJ19	18.00	18.00	19.00	1.00	0.996	0.019
MJJ19	19.00	19.00	20.00	1.00	0.991	0.019
MJJ19	20.00	20.00	21.00	1.00	1.160	0.030
MJJ19	21.00	21.00	22.00	1.00	0.605	0.033
MJJ19	22.00	22.00	23.00	1.00	0.535	0.007
MJJ19	23.00	23.00	24.00	1.00	0.530	0.012
MJJ19	24.00	24.00	25.00	1.00	0.735	0.038
MJJ19	25.00	25.00	26.00	1.00	0.554	0.002
MJJ19	26.00	26.00	27.00	1.00	0.344	0.038
MJJ19	27.00	27.00	28.00	1.00	0.617	0.004
MJJ19	28.00	28.00	29.00	1.00	0.637	0.013
MJJ19	29.00	29.00	30.00	1.00	0.999	0.003
MJJ19	30.00	30.00	31.00	1.00	1.671	0.004
MJJ19	31.00	31.00	32.00	1.00	0.763	0.033
MJJ19	32.00	32.00	33.00	1.00	1.145	0.022
MJJ19	33.00	33.00	34.00	1.00	0.685	0.002
MJJ19	34.00	34.00	35.00	1.00	1.051	0.009
MJJ19	35.00	35.00	36.00	1.00	1.912	0.018
MJJ19	36.00	36.00	37.00	1.00	1.067	0.013
MJJ19	37.00	37.00	38.00	1.00	1.009	0.047
MJJ19	38.00	38.00	39.00	1.00	1.442	0.206
MJJ19	39.00	39.00	40.00	1.00	1.483	0.049
MJJ19	40.00	40.00	41.00	1.00	1.201	0.096
MJJ19	41.00	41.00	42.00	1.00	0.587	0.051
MJJ19	42.00	42.00	43.00	1.00	0.572	0.099
MJJ19	43.00	43.00	44.00	1.00	1.221	0.035
MJJ19	44.00	44.00	45.00	1.00	0.708	0.010
MJJ19	45.00	45.00	46.00	1.00	0.595	0.082
MJJ19	46.00	46.00	47.00	1.00	0.563	0.054
MJJ19	47.00	47.00	48.00	1.00	0.561	0.016
MJJ19	48.00	48.00	49.00	1.00	0.513	0.012
MJJ19	49.00	49.00	50.00	1.00	0.597	0.012
MJJ19	50.00	50.00	51.00	1.00	0.339	0.032
MJJ19	51.00	51.00	52.00	1.00	0.587	0.015
MJJ19	52.00	52.00	53.00	1.00	1.061	0.079
MJJ19	53.00	53.00	54.00	1.00	1.416	0.069

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ19	54.00	54.00	55.00	1.00	0.634	0.019
MJJ19	55.00	55.00	56.00	1.00	0.724	0.012
MJJ19	56.00	56.00	57.00	1.00	0.533	0.051
MJJ19	57.00	57.00	58.00	1.00	0.460	0.007
MJJ19	58.00	58.00	59.00	1.00	2.783	0.058
MJJ19	59.00	59.00	60.00	1.00	1.601	0.026
MJJ19	60.00	60.00	61.00	1.00	1.822	0.143
MJJ19	61.00	61.00	62.00	1.00	1.845	0.039
MJJ19	62.00	62.00	63.00	1.00	1.057	0.015
MJJ19	63.00	63.00	64.00	1.00	0.394	0.019
MJJ19	64.00	64.00	65.00	1.00	0.487	0.035
MJJ19	65.00	65.00	66.00	1.00	0.417	0.009
MJJ19	66.00	66.00	67.00	1.00	0.467	0.092
MJJ19	67.00	67.00	68.00	1.00	0.329	0.022
MJJ19	68.00	68.00	69.00	1.00	0.432	0.080
MJJ19	69.00	69.00	70.00	1.00	0.626	0.334
MJJ19	70.00	70.00	71.00	1.00	0.590	0.017
MJJ19	71.00	71.00	72.00	1.00	0.481	0.013
MJJ19	72.00	72.00	73.00	1.00	0.369	0.061
MJJ19	73.00	73.00	74.00	1.00	0.209	0.008
MJJ19	74.00	74.00	75.00	1.00	0.278	0.004
MJJ19	75.00	75.00	76.00	1.00	0.379	0.020
MJJ19	76.00	76.00	77.00	1.00	0.464	0.018
MJJ19	77.00	77.00	78.00	1.00	0.327	0.008
MJJ19	78.00	78.00	79.00	1.00	0.166	0.025
MJJ19	79.00	79.00	80.00	1.00	0.313	0.026
MJJ19	80.00	80.00	81.00	1.00	1.253	0.017
MJJ19	81.00	81.00	82.00	1.00	3.455	0.079
MJJ19	82.00	82.00	83.00	1.00	1.471	0.036
MJJ19	83.00	83.00	84.00	1.00	0.389	0.012
MJJ19	84.00	84.00	85.00	1.00	0.908	0.018
MJJ19	85.00	85.00	86.00	1.00	0.390	0.021
MJJ19	86.00	86.00	87.00	1.00	0.402	0.042
MJJ19	87.00	87.00	88.00	1.00	0.439	0.049
MJJ19	88.00	88.00	89.00	1.00	0.400	0.106
MJJ19	89.00	89.00	90.00	1.00	0.677	0.043
MJJ19	90.00	90.00	91.00	1.00	0.463	0.197
MJJ19	91.00	91.00	92.00	1.00	0.738	0.082
MJJ19	92.00	92.00	93.00	1.00	0.426	0.034
MJJ19	93.00	93.00	94.00	1.00	0.408	0.014
MJJ19	94.00	94.00	95.00	1.00	0.407	0.031
MJJ19	95.00	95.00	96.00	1.00	0.498	0.012
MJJ19	96.00	96.00	97.00	1.00	0.312	0.009
MJJ19	97.00	97.00	98.00	1.00	0.556	0.033
MJJ19	98.00	98.00	99.00	1.00	0.546	0.006
MJJ19	99.00	99.00	100.00	1.00	0.290	0.008
MJJ19	100.00	100.00	101.00	1.00	0.122	0.004
MJJ19	101.00	101.00	102.00	1.00	0.214	0.002
MJJ19	102.00	102.00	103.00	1.00	0.371	0.014
MJJ19	103.00	103.00	104.00	1.00	0.355	0.040
MJJ19	104.00	104.00	105.00	1.00	0.340	0.037
MJJ19	105.00	105.00	106.00	1.00	0.360	0.017
MJJ19	106.00	106.00	107.00	1.00	0.325	0.008
MJJ19	107.00	107.00	108.00	1.00	0.488	0.009
MJJ19	108.00	108.00	109.00	1.00	0.422	0.002
MJJ19	109.00	109.00	110.00	1.00	1.987	0.012
MJJ19	110.00	110.00	111.00	1.00	0.790	0.025
MJJ19	111.00	111.00	112.00	1.00	0.583	0.006
MJJ19	112.00	112.00	113.00	1.00	3.295	0.027
MJJ19	113.00	113.00	114.00	1.00	1.008	0.013
MJJ19	114.00	114.00	115.00	1.00	1.001	0.022
MJJ19	115.00	115.00	116.00	1.00	0.496	0.010
MJJ19	116.00	116.00	117.00	1.00	0.226	0.007
MJJ19	117.00	117.00	118.00	1.00	0.765	0.005
MJJ19	118.00	118.00	119.00	1.00	1.984	0.015
MJJ19	119.00	119.00	120.00	1.00	0.723	0.006
MJJ19	120.00	120.00	121.00	1.00	1.089	0.014
MJJ19	121.00	121.00	122.00	1.00	1.165	0.008
MJJ19	122.00	122.00	123.00	1.00	1.249	0.038
MJJ19	123.00	123.00	124.00	1.00	1.562	0.025
MJJ19	124.00	124.00	125.00	1.00	1.478	0.016
MJJ19	125.00	125.00	126.00	1.00	2.665	0.020
MJJ19	126.00	126.00	127.00	1.00	1.420	0.020
MJJ19	127.00	127.00	128.00	1.00	1.777	0.017
MJJ19	128.00	128.00	129.00	1.00	1.029	0.017
MJJ19	129.00	129.00	130.00	1.00	0.732	0.013
MJJ19	130.00	130.00	131.00	1.00	0.753	0.106
MJJ19	131.00	131.00	132.00	1.00	1.050	0.038
MJJ19	132.00	132.00	133.00	1.00	0.484	0.011
MJJ19	133.00	133.00	134.00	1.00	0.620	0.005
MJJ19	134.00	134.00	135.00	1.00	0.435	0.007
MJJ19	135.00	135.00	136.00	1.00	0.469	0.007
MJJ19	136.00	136.00	137.00	1.00	0.737	0.026
MJJ19	137.00	137.00	138.00	1.00	0.522	0.066
MJJ19	138.00	138.00	139.00	1.00	0.415	0.007
MJJ19	139.00	139.00	140.00	1.00	0.560	0.008
MJJ19	140.00	140.00	141.00	1.00	0.535	0.008
MJJ19	141.00	141.00	142.00	1.00	0.683	0.015
MJJ19	142.00	142.00	143.00	1.00	0.928	0.015
MJJ19	143.00	143.00	144.00	1.00	1.031	0.030
MJJ19	144.00	144.00	145.00	1.00	1.067	0.038
MJJ19	145.00	145.00	146.00	1.00	0.915	0.015
MJJ19	146.00	146.00	147.00	1.00	1.206	0.023
MJJ19	147.00	147.00	148.00	1.00	1.390	0.073
MJJ19	148.00	148.00	149.00	1.00	1.115	0.015
MJJ19	149.00	149.00	150.00	1.00	0.861	0.019
MJJ19	150.00	150.00	151.00	1.00	0.686	0.014
MJJ19	151.00	151.00	152.00	1.00	1.076	0.033

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ19	152.00	152.00	153.00	1.00	1.042	0.018
MJJ19	153.00	153.00	154.00	1.00	0.419	0.009
MJJ19	154.00	154.00	155.00	1.00	0.794	0.013
MJJ19	155.00	155.00	156.00	1.00	0.645	0.023
MJJ19	156.00	156.00	157.00	1.00	0.444	0.009
MJJ19	157.00	157.00	158.00	1.00	1.011	0.009
MJJ19	158.00	158.00	159.00	1.00	1.419	0.007
MJJ19	159.00	159.00	160.00	1.00	1.636	0.004
MJJ19	160.00	160.00	161.00	1.00	1.995	0.007
MJJ19	161.00	161.00	162.00	1.00	1.956	0.006
MJJ19	162.00	162.00	163.00	1.00	2.517	0.017
MJJ19	163.00	163.00	164.00	1.00	3.210	0.198
MJJ19	164.00	164.00	165.00	1.00	1.273	0.055
MJJ19	165.00	165.00	166.00	1.00	0.679	0.028
MJJ19	166.00	166.00	167.00	1.00	0.422	0.014
MJJ19	167.00	167.00	168.00	1.00	0.663	0.006
MJJ19	168.00	168.00	169.00	1.00	1.136	0.063
MJJ19	169.00	169.00	170.00	1.00	0.737	0.019
MJJ19	170.00	170.00	171.00	1.00	0.905	0.028
MJJ19	171.00	171.00	172.00	1.00	0.955	0.013
MJJ19	172.00	172.00	173.00	1.00	0.677	0.087
MJJ19	173.00	173.00	174.00	1.00	0.766	0.009
MJJ19	174.00	174.00	175.00	1.00	0.635	0.012
MJJ19	175.00	175.00	176.00	1.00	0.416	0.014
MJJ19	176.00	176.00	177.00	1.00	0.576	0.016
MJJ19	177.00	177.00	178.00	1.00	1.196	0.132
MJJ19	178.00	178.00	179.00	1.00	0.561	0.068
MJJ19	179.00	179.00	180.00	1.00	0.509	0.018
MJJ19	180.00	180.00	181.00	1.00	0.650	0.017
MJJ19	181.00	181.00	182.00	1.00	0.451	0.052
MJJ19	182.00	182.00	183.00	1.00	0.861	0.014
MJJ19	183.00	183.00	184.00	1.00	1.218	0.041
MJJ19	184.00	184.00	185.00	1.00	0.375	0.167
MJJ19	185.00	185.00	186.00	1.00	0.246	0.074
MJJ19	186.00	186.00	187.00	1.00	1.258	0.156
MJJ19	187.00	187.00	188.00	1.00	1.163	0.220
MJJ19	188.00	188.00	189.00	1.00	6.302	0.253
MJJ19	189.00	189.00	190.00	1.00	3.340	0.108
MJJ19	190.00	190.00	191.00	1.00	2.485	0.085
MJJ19	191.00	191.00	192.00	1.00	0.721	0.018
MJJ19	192.00	192.00	193.00	1.00	0.620	0.065
MJJ19	193.00	193.00	194.00	1.00	0.560	0.027
MJJ19	194.00	194.00	195.00	1.00	0.458	0.020
MJJ19	195.00	195.00	196.00	1.00	0.346	0.006
MJJ19	196.00	196.00	197.00	1.00	0.507	0.023
MJJ19	197.00	197.00	198.00	1.00	0.654	0.013
MJJ19	198.00	198.00	199.00	1.00	1.360	0.047
MJJ19	199.00	199.00	200.00	1.00	0.918	0.015
MJJ19	200.00	200.00	201.00	1.00	0.994	0.009
MJJ19	201.00	201.00	202.00	1.00	1.278	0.097
MJJ19	202.00	202.00	203.00	1.00	0.584	0.017
MJJ19	203.00	203.00	204.00	1.00	0.590	0.019
MJJ19	204.00	204.00	205.00	1.00	0.674	0.024
MJJ19	205.00	205.00	206.00	1.00	0.609	0.016
MJJ19	206.00	206.00	207.00	1.00	0.709	0.081
MJJ19	207.00	207.00	208.00	1.00	0.463	0.023
MJJ19	208.00	208.00	209.00	1.00	1.126	0.069
MJJ19	209.00	209.00	210.00	1.00	0.532	0.017
MJJ19	210.00	210.00	211.00	1.00	0.602	0.011
MJJ19	211.00	211.00	212.00	1.00	0.519	0.024
MJJ19	212.00	212.00	213.00	1.00	0.611	0.011
MJJ19	213.00	213.00	214.00	1.00	0.383	0.054
MJJ19	214.00	214.00	215.00	1.00	0.315	0.014
MJJ19	215.00	215.00	216.00	1.00	0.670	0.014
MJJ19	216.00	216.00	217.00	1.00	0.418	0.011
MJJ19	217.00	217.00	218.00	1.00	0.494	0.023
MJJ19	218.00	218.00	219.00	1.00	0.275	0.036
MJJ19	219.00	219.00	220.00	1.00	0.340	0.121
MJJ19	220.00	220.00	221.00	1.00	0.416	0.228
MJJ19	221.00	221.00	222.00	1.00	0.589	0.045
MJJ19	222.00	222.00	223.00	1.00	0.432	0.045
MJJ19	223.00	223.00	224.00	1.00	0.543	0.084
MJJ19	224.00	224.00	225.00	1.00	0.502	0.567
MJJ19	225.00	225.00	226.00	1.00	1.645	0.010
MJJ19	226.00	226.00	227.00	1.00	0.605	0.015
MJJ19	227.00	227.00	228.00	1.00	0.689	0.099
MJJ19	228.00	228.00	229.00	1.00	0.665	0.013
MJJ19	229.00	229.00	230.00	1.00	0.459	0.031
MJJ19	230.00	230.00	231.00	1.00	0.479	0.035
MJJ19	231.00	231.00	232.00	1.00	0.441	0.016
MJJ19	232.00	232.00	233.00	1.00	1.085	0.035
MJJ19	233.00	233.00	234.00	1.00	0.677	0.036
MJJ19	234.00	234.00	235.00	1.00	0.945	0.043
MJJ19	235.00	235.00	236.00	1.00	0.719	0.021
MJJ19	236.00	236.00	237.00	1.00	0.739	0.051
MJJ19	237.00	237.00	238.00	1.00	0.614	0.161
MJJ19	238.00	238.00	239.00	1.00	0.836	0.013
MJJ19	239.00	239.00	240.00	1.00	1.046	0.016
MJJ19	240.00	240.00	241.00	1.00	2.733	0.021
MJJ19	241.00	241.00	242.00	1.00	1.876	0.042
MJJ19	242.00	242.00	243.00	1.00	1.462	0.051
MJJ19	243.00	243.00	244.00	1.00	0.891	0.025
MJJ19	244.00	244.00	245.00	1.00	0.734	0.020
MJJ19	245.00	245.00	246.00	1.00	1.842	0.010
MJJ19	246.00	246.00	247.00	1.00	0.603	0.007
MJJ19	247.00	247.00	248.00	1.00	0.705	0.010
MJJ19	248.00	248.00	249.00	1.00	0.397	0.418
MJJ19	249.00	249.00	250.00	1.00	0.474	0.120

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ19	250.00	250.00	251.00	1.00	0.545	0.083
MJJ19	251.00	251.00	252.00	1.00	0.337	0.044
MJJ19	252.00	252.00	253.00	1.00	0.471	0.012
MJJ19	253.00	253.00	254.00	1.00	0.455	0.007
MJJ19	254.00	254.00	255.00	1.00	0.576	0.004
MJJ19	255.00	255.00	256.00	1.00	0.553	0.009
MJJ19	256.00	256.00	257.00	1.00	0.439	0.010
MJJ19	257.00	257.00	258.00	1.00	2.262	0.015
MJJ19	258.00	258.00	259.00	1.00	1.804	0.041
MJJ19	259.00	259.00	260.00	1.00	1.447	0.080
MJJ19	260.00	260.00	261.00	1.00	0.967	0.033
MJJ19	261.00	261.00	262.00	1.00	1.128	0.007
MJJ19	262.00	262.00	263.00	1.00	0.533	0.126
MJJ19	263.00	263.00	264.00	1.00	0.585	0.542
MJJ19	264.00	264.00	265.00	1.00	0.555	0.003
MJJ19	265.00	265.00	266.00	1.00	0.723	0.018
MJJ19	266.00	266.00	267.00	1.00	0.247	0.008
MJJ19	267.00	267.00	268.00	1.00	0.213	0.009
MJJ19	268.00	268.00	269.00	1.00	0.510	0.028
MJJ19	269.00	269.00	270.00	1.00	0.675	0.025
MJJ19	270.00	270.00	271.00	1.00	0.744	0.019
MJJ19	271.00	271.00	272.00	1.00	0.470	0.015
MJJ19	272.00	272.00	273.00	1.00	0.387	0.057
MJJ19	273.00	273.00	274.00	1.00	0.447	0.068
MJJ19	274.00	274.00	275.00	1.00	0.280	0.018
MJJ19	275.00	275.00	276.00	1.00	0.665	0.129
MJJ19	276.00	276.00	277.00	1.00	0.540	0.036
MJJ19	277.00	277.00	278.00	1.00	0.393	0.025
MJJ19	278.00	278.00	279.00	1.00	1.053	0.018
MJJ19	279.00	279.00	280.00	1.00	0.522	0.042
MJJ19	280.00	280.00	281.00	1.00	0.676	0.057
MJJ19	281.00	281.00	282.00	1.00	1.152	0.019
MJJ19	282.00	282.00	283.00	1.00	0.687	0.010
MJJ19	283.00	283.00	284.00	1.00	0.615	0.010
MJJ19	284.00	284.00	285.00	1.00	0.494	0.018
MJJ19	285.00	285.00	286.00	1.00	0.641	0.009
MJJ19	286.00	286.00	287.00	1.00	0.457	0.016
MJJ19	287.00	287.00	288.00	1.00	0.738	0.043
MJJ19	288.00	288.00	289.00	1.00	0.339	0.006
MJJ19	289.00	289.00	290.00	1.00	2.374	0.005
MJJ19	290.00	290.00	291.00	1.00	0.235	0.012
MJJ19	291.00	291.00	292.00	1.00	0.552	0.010
MJJ19	292.00	292.00	293.00	1.00	0.226	0.007
MJJ19	293.00	293.00	294.00	1.00	0.258	0.009
MJJ19	294.00	294.00	295.00	1.00	0.444	0.006
MJJ19	295.00	295.00	298.00	3.00	0.266	0.003
MJJ19	298.00	298.00	301.00	3.00	0.342	0.003
MJJ20	3.96	3.96	5.00	1.04	0.173	0.002
MJJ20	5.00	5.00	6.00	1.00	1.769	0.022
MJJ20	6.00	6.00	7.00	1.00	0.421	0.014
MJJ20	7.00	7.00	8.00	1.00	0.264	0.003
MJJ20	8.00	8.00	9.00	1.00	0.462	0.022
MJJ20	9.00	9.00	10.00	1.00	0.568	0.013
MJJ20	10.00	10.00	11.00	1.00	0.781	0.006
MJJ20	11.00	11.00	12.00	1.00	1.668	0.007
MJJ20	12.00	12.00	13.00	1.00	0.546	0.026
MJJ20	13.00	13.00	14.00	1.00	0.676	0.022
MJJ20	14.00	14.00	15.00	1.00	0.652	0.048
MJJ20	15.00	15.00	16.00	1.00	0.413	0.033
MJJ20	16.00	16.00	17.00	1.00	0.334	0.052
MJJ20	17.00	17.00	18.00	1.00	0.596	0.023
MJJ20	18.00	18.00	19.00	1.00	0.408	0.192
MJJ20	19.00	19.00	20.00	1.00	0.511	0.021
MJJ20	20.00	20.00	21.00	1.00	0.286	0.096
MJJ20	21.00	21.00	22.00	1.00	0.204	0.023
MJJ20	22.00	22.00	23.00	1.00	0.094	0.008
MJJ20	23.00	23.00	24.00	1.00	0.162	0.009
MJJ20	24.00	24.00	25.00	1.00	0.310	0.005
MJJ20	25.00	25.00	26.00	1.00	0.178	0.002
MJJ20	26.00	26.00	27.00	1.00	0.304	0.005
MJJ20	27.00	27.00	28.00	1.00	0.127	0.003
MJJ20	28.00	28.00	29.00	1.00	0.489	0.003
MJJ20	29.00	29.00	30.00	1.00	0.182	0.002
MJJ20	30.00	30.00	31.00	1.00	0.300	0.002
MJJ20	31.00	31.00	32.00	1.00	0.174	0.002
MJJ20	32.00	32.00	33.00	1.00	0.402	0.075
MJJ20	33.00	33.00	34.00	1.00	0.638	0.015
MJJ20	34.00	34.00	35.00	1.00	0.243	0.011
MJJ20	35.00	35.00	36.00	1.00	0.111	0.012
MJJ20	36.00	36.00	37.00	1.00	0.201	0.004
MJJ20	37.00	37.00	38.00	1.00	0.127	0.014
MJJ20	38.00	38.00	39.00	1.00	0.479	0.033
MJJ20	39.00	39.00	40.00	1.00	0.343	0.026
MJJ20	40.00	40.00	41.00	1.00	0.319	0.004
MJJ20	41.00	41.00	42.00	1.00	0.532	0.029
MJJ20	42.00	42.00	43.00	1.00	0.425	0.003
MJJ20	43.00	43.00	44.00	1.00	0.387	0.004
MJJ20	44.00	44.00	45.00	1.00	0.733	0.011
MJJ20	45.00	45.00	46.00	1.00	2.996	0.128
MJJ20	46.00	46.00	47.00	1.00	1.496	0.031
MJJ20	47.00	47.00	48.00	1.00	0.743	0.037
MJJ20	48.00	48.00	49.00	1.00	0.677	0.020
MJJ20	49.00	49.00	50.00	1.00	0.319	0.014
MJJ20	50.00	50.00	51.00	1.00	0.453	0.107
MJJ20	51.00	51.00	52.00	1.00	0.426	0.020
MJJ20	52.00	52.00	53.00	1.00	0.326	0.010
MJJ20	53.00	53.00	54.00	1.00	0.396	0.028
MJJ20	54.00	54.00	55.00	1.00	0.331	0.009

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ20	55.00	55.00	56.00	1.00	0.499	0.036
MJJ20	56.00	56.00	57.00	1.00	2.951	0.471
MJJ20	57.00	57.00	58.00	1.00	0.779	0.184
MJJ20	58.00	58.00	59.00	1.00	1.121	0.103
MJJ20	59.00	59.00	60.00	1.00	1.211	0.107
MJJ20	60.00	60.00	61.00	1.00	0.361	0.031
MJJ20	61.00	61.00	62.00	1.00	0.218	0.027
MJJ20	62.00	62.00	63.00	1.00	0.385	0.017
MJJ20	63.00	63.00	64.00	1.00	0.368	0.011
MJJ20	64.00	64.00	65.00	1.00	0.442	0.007
MJJ20	65.00	65.00	66.00	1.00	0.410	0.045
MJJ20	66.00	66.00	67.00	1.00	0.206	0.015
MJJ20	67.00	67.00	68.00	1.00	0.277	0.019
MJJ20	68.00	68.00	69.00	1.00	0.673	0.036
MJJ20	69.00	69.00	70.00	1.00	2.171	0.103
MJJ20	70.00	70.00	71.00	1.00	1.648	0.042
MJJ20	71.00	71.00	72.00	1.00	0.389	0.218
MJJ20	72.00	72.00	73.00	1.00	0.450	0.007
MJJ20	73.00	73.00	74.00	1.00	0.505	0.012
MJJ20	74.00	74.00	75.00	1.00	0.407	0.016
MJJ20	75.00	75.00	76.00	1.00	0.429	0.045
MJJ20	76.00	76.00	77.00	1.00	0.415	0.010
MJJ20	77.00	77.00	78.00	1.00	0.403	0.005
MJJ20	78.00	78.00	79.00	1.00	0.510	0.087
MJJ20	79.00	79.00	80.00	1.00	0.360	0.025
MJJ20	80.00	80.00	81.00	1.00	0.534	0.031
MJJ20	81.00	81.00	82.00	1.00	0.300	0.024
MJJ20	82.00	82.00	83.00	1.00	0.330	0.006
MJJ20	83.00	83.00	84.00	1.00	0.376	0.010
MJJ20	84.00	84.00	85.00	1.00	0.664	0.004
MJJ20	85.00	85.00	86.00	1.00	0.363	0.016
MJJ20	86.00	86.00	87.00	1.00	0.208	0.006
MJJ20	87.00	87.00	88.00	1.00	0.554	0.022
MJJ20	88.00	88.00	89.00	1.00	0.395	0.045
MJJ20	89.00	89.00	90.00	1.00	1.659	0.013
MJJ20	90.00	90.00	91.00	1.00	0.462	0.064
MJJ20	91.00	91.00	92.00	1.00	0.433	0.021
MJJ20	92.00	92.00	93.00	1.00	0.401	0.014
MJJ20	93.00	93.00	94.00	1.00	1.567	0.008
MJJ20	94.00	94.00	95.00	1.00	0.503	0.036
MJJ20	95.00	95.00	96.00	1.00	0.369	0.018
MJJ20	96.00	96.00	97.00	1.00	0.390	0.035
MJJ20	97.00	97.00	98.00	1.00	0.392	0.038
MJJ20	98.00	98.00	99.00	1.00	0.636	0.489
MJJ20	99.00	99.00	100.00	1.00	0.354	0.023
MJJ20	100.00	100.00	101.00	1.00	0.544	0.038
MJJ20	101.00	101.00	102.00	1.00	0.386	0.095
MJJ20	102.00	102.00	103.00	1.00	0.441	0.105
MJJ20	103.00	103.00	104.00	1.00	0.547	0.050
MJJ20	104.00	104.00	105.00	1.00	0.295	0.010
MJJ20	105.00	105.00	106.00	1.00	0.260	0.024
MJJ20	106.00	106.00	107.00	1.00	0.306	0.037
MJJ20	107.00	107.00	108.00	1.00	0.158	0.012
MJJ20	108.00	108.00	109.00	1.00	0.339	0.028
MJJ20	109.00	109.00	110.00	1.00	0.601	0.063
MJJ20	110.00	110.00	111.00	1.00	0.482	0.011
MJJ20	111.00	111.00	112.00	1.00	0.361	0.022
MJJ20	112.00	112.00	113.00	1.00	0.579	0.010
MJJ20	113.00	113.00	114.00	1.00	0.497	0.070
MJJ20	114.00	114.00	115.00	1.00	0.264	0.033
MJJ20	115.00	115.00	116.00	1.00	0.565	0.038
MJJ20	116.00	116.00	117.00	1.00	0.356	0.005
MJJ20	117.00	117.00	118.00	1.00	0.314	0.007
MJJ20	118.00	118.00	119.00	1.00	0.356	0.004
MJJ20	119.00	119.00	120.00	1.00	0.794	0.040
MJJ20	120.00	120.00	121.00	1.00	0.661	0.011
MJJ20	121.00	121.00	122.00	1.00	0.725	0.047
MJJ20	122.00	122.00	123.00	1.00	0.555	0.005
MJJ20	123.00	123.00	124.00	1.00	0.529	0.015
MJJ20	124.00	124.00	125.00	1.00	0.484	0.007
MJJ20	125.00	125.00	126.00	1.00	0.465	0.010
MJJ20	126.00	126.00	127.00	1.00	0.371	0.013
MJJ20	127.00	127.00	128.00	1.00	0.342	0.010
MJJ20	128.00	128.00	129.00	1.00	0.199	0.013
MJJ20	129.00	129.00	130.00	1.00	0.562	0.013
MJJ20	130.00	130.00	131.00	1.00	0.277	0.022
MJJ20	131.00	131.00	132.00	1.00	0.299	0.008
MJJ20	132.00	132.00	133.00	1.00	0.251	0.021
MJJ20	133.00	133.00	134.00	1.00	0.318	0.021
MJJ20	134.00	134.00	135.00	1.00	0.531	0.021
MJJ20	135.00	135.00	136.00	1.00	0.233	0.034
MJJ20	136.00	136.00	137.00	1.00	0.341	0.017
MJJ20	137.00	137.00	138.00	1.00	0.488	0.054
MJJ20	138.00	138.00	139.00	1.00	0.390	0.019
MJJ20	139.00	139.00	140.00	1.00	0.313	0.076
MJJ20	140.00	140.00	141.00	1.00	0.402	0.037
MJJ20	141.00	141.00	142.00	1.00	0.174	0.013
MJJ20	142.00	142.00	143.00	1.00	0.178	0.005
MJJ20	143.00	143.00	144.00	1.00	0.282	0.015
MJJ20	144.00	144.00	145.00	1.00	0.453	0.015
MJJ20	145.00	145.00	146.00	1.00	1.224	0.032
MJJ20	146.00	146.00	147.00	1.00	0.735	0.010
MJJ20	147.00	147.00	148.00	1.00	1.018	0.013
MJJ20	148.00	148.00	149.00	1.00	0.400	0.005
MJJ20	149.00	149.00	150.00	1.00	0.089	0.002
MJJ20	150.00	150.00	151.00	1.00	0.422	0.035
MJJ20	151.00	151.00	152.00	1.00	0.365	0.042
MJJ20	152.00	152.00	153.00	1.00	0.439	0.039

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ20	153.00	153.00	154.00	1.00	0.295	0.008
MJJ20	154.00	154.00	155.00	1.00	0.413	0.020
MJJ20	155.00	155.00	156.00	1.00	1.067	0.019
MJJ20	156.00	156.00	157.00	1.00	0.469	0.015
MJJ20	157.00	157.00	158.00	1.00	0.376	0.004
MJJ20	158.00	158.00	159.00	1.00	0.384	0.003
MJJ20	159.00	159.00	160.00	1.00	0.631	0.062
MJJ20	160.00	160.00	161.00	1.00	0.277	0.003
MJJ20	161.00	161.00	162.00	1.00	0.351	0.007
MJJ20	162.00	162.00	163.00	1.00	0.136	0.001
MJJ20	163.00	163.00	164.00	1.00	0.334	0.012
MJJ20	164.00	164.00	165.00	1.00	0.445	0.073
MJJ20	165.00	165.00	166.00	1.00	0.300	0.009
MJJ20	166.00	166.00	167.00	1.00	0.096	0.001
MJJ20	167.00	167.00	168.00	1.00	0.257	0.002
MJJ20	168.00	168.00	169.00	1.00	0.131	0.006
MJJ20	169.00	169.00	170.00	1.00	0.280	0.004
MJJ20	170.00	170.00	171.00	1.00	0.236	0.164
MJJ20	171.00	171.00	172.00	1.00	0.216	0.002
MJJ20	172.00	172.00	173.00	1.00	0.304	0.005
MJJ20	173.00	173.00	174.00	1.00	0.404	0.017
MJJ20	174.00	174.00	175.00	1.00	0.477	0.006
MJJ20	175.00	175.00	176.00	1.00	0.158	0.005
MJJ20	176.00	176.00	177.00	1.00	0.495	0.005
MJJ20	177.00	177.00	178.00	1.00	0.325	0.002
MJJ20	178.00	178.00	179.00	1.00	0.441	0.007
MJJ20	179.00	179.00	180.00	1.00	0.302	0.012
MJJ20	180.00	180.00	181.00	1.00	0.082	0.003
MJJ20	181.00	181.00	182.00	1.00	0.648	0.014
MJJ20	182.00	182.00	183.00	1.00	0.517	0.009
MJJ20	183.00	183.00	184.00	1.00	0.487	0.021
MJJ20	184.00	184.00	185.00	1.00	0.309	0.009
MJJ20	185.00	185.00	186.00	1.00	0.453	0.022
MJJ20	186.00	186.00	187.00	1.00	0.399	0.006
MJJ20	187.00	187.00	188.00	1.00	0.280	0.008
MJJ20	188.00	188.00	189.00	1.00	0.312	0.013
MJJ20	189.00	189.00	190.00	1.00	0.167	0.018
MJJ20	190.00	190.00	191.00	1.00	0.677	0.084
MJJ20	191.00	191.00	192.00	1.00	0.195	0.050
MJJ20	192.00	192.00	193.00	1.00	0.498	0.124
MJJ20	193.00	193.00	194.00	1.00	0.237	0.020
MJJ20	194.00	194.00	195.00	1.00	0.434	0.018
MJJ20	195.00	195.00	196.00	1.00	0.299	0.027
MJJ20	196.00	196.00	197.00	1.00	0.656	0.009
MJJ20	197.00	197.00	198.00	1.00	0.587	0.050
MJJ20	198.00	198.00	199.00	1.00	0.441	0.015
MJJ20	199.00	199.00	200.00	1.00	0.316	0.004
MJJ20	200.00	200.00	201.00	1.00	0.327	0.015
MJJ20	201.00	201.00	202.00	1.00	0.308	0.028
MJJ20	202.00	202.00	203.00	1.00	0.485	0.017
MJJ20	203.00	203.00	204.00	1.00	0.732	0.017
MJJ20	204.00	204.00	205.00	1.00	0.628	0.016
MJJ20	205.00	205.00	206.00	1.00	0.416	0.025
MJJ20	206.00	206.00	207.00	1.00	0.455	0.018
MJJ20	207.00	207.00	208.00	1.00	0.753	0.017
MJJ20	208.00	208.00	209.00	1.00	0.345	0.017
MJJ20	209.00	209.00	210.00	1.00	0.387	0.009
MJJ20	210.00	210.00	211.00	1.00	0.602	0.019
MJJ20	211.00	211.00	212.00	1.00	0.553	0.015
MJJ20	212.00	212.00	213.00	1.00	0.590	0.019
MJJ20	213.00	213.00	214.00	1.00	0.541	0.010
MJJ20	214.00	214.00	215.00	1.00	0.324	0.026
MJJ20	215.00	215.00	216.00	1.00	0.373	0.011
MJJ20	216.00	216.00	217.00	1.00	0.541	0.018
MJJ20	217.00	217.00	218.00	1.00	0.394	0.015
MJJ20	218.00	218.00	219.00	1.00	0.336	0.009
MJJ20	219.00	219.00	220.00	1.00	0.230	0.007
MJJ20	220.00	220.00	221.00	1.00	0.209	0.005
MJJ20	221.00	221.00	222.00	1.00	0.248	0.004
MJJ20	222.00	222.00	223.00	1.00	0.337	0.002
MJJ20	223.00	223.00	224.00	1.00	0.487	0.003
MJJ20	224.00	224.00	225.00	1.00	0.321	0.002
MJJ20	225.00	225.00	226.00	1.00	0.611	0.011
MJJ20	226.00	226.00	227.00	1.00	0.452	0.006
MJJ20	227.00	227.00	228.00	1.00	0.875	0.003
MJJ20	228.00	228.00	229.00	1.00	0.929	0.004
MJJ20	229.00	229.00	230.00	1.00	0.510	0.011
MJJ20	230.00	230.00	231.00	1.00	0.460	0.021
MJJ20	231.00	231.00	232.00	1.00	0.462	0.024
MJJ20	232.00	232.00	233.00	1.00	0.512	0.023
MJJ20	233.00	233.00	234.00	1.00	0.525	0.007
MJJ20	234.00	234.00	235.00	1.00	0.726	0.004
MJJ20	235.00	235.00	236.00	1.00	0.642	0.008
MJJ20	236.00	236.00	237.00	1.00	1.074	0.034
MJJ20	237.00	237.00	238.00	1.00	0.985	0.016
MJJ20	238.00	238.00	239.00	1.00	1.144	0.013
MJJ20	239.00	239.00	240.00	1.00	1.103	0.018
MJJ20	240.00	240.00	241.00	1.00	1.180	0.019
MJJ20	241.00	241.00	242.00	1.00	1.238	0.024
MJJ20	242.00	242.00	243.00	1.00	1.081	0.013
MJJ20	243.00	243.00	244.00	1.00	1.428	0.016
MJJ20	244.00	244.00	245.00	1.00	0.884	0.036
MJJ20	245.00	245.00	246.00	1.00	1.154	0.028
MJJ20	246.00	246.00	247.00	1.00	2.626	0.040
MJJ20	247.00	247.00	248.00	1.00	1.784	0.052
MJJ20	248.00	248.00	249.00	1.00	1.736	0.032
MJJ20	249.00	249.00	250.00	1.00	0.760	0.013
MJJ20	250.00	250.00	251.00	1.00	0.299	0.008

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ20	251.00	251.00	252.00	1.00	0.507	0.008
MJJ20	252.00	252.00	253.00	1.00	0.351	0.005
MJJ20	253.00	253.00	254.00	1.00	0.504	0.004
MJJ20	254.00	254.00	255.00	1.00	0.235	0.003
MJJ20	255.00	255.00	256.00	1.00	0.131	0.002
MJJ20	256.00	256.00	257.00	1.00	0.036	0.001
MJJ20	257.00	257.00	258.00	1.00	0.165	0.007
MJJ20	258.00	258.00	259.00	1.00	0.288	0.005
MJJ20	259.00	259.00	260.00	1.00	0.267	0.003
MJJ20	260.00	260.00	261.00	1.00	2.579	0.017
MJJ20	261.00	261.00	262.00	1.00	3.176	0.124
MJJ20	262.00	262.00	263.00	1.00	0.512	0.065
MJJ20	263.00	263.00	264.00	1.00	0.455	0.004
MJJ20	264.00	264.00	265.00	1.00	0.328	0.007
MJJ20	265.00	265.00	266.00	1.00	0.640	0.010
MJJ20	266.00	266.00	267.00	1.00	0.264	0.001
MJJ20	267.00	267.00	268.00	1.00	0.708	0.003
MJJ20	268.00	268.00	269.00	1.00	0.255	0.001
MJJ20	269.00	269.00	270.00	1.00	0.202	0.002
MJJ20	270.00	270.00	271.00	1.00	0.551	0.004
MJJ20	271.00	271.00	272.00	1.00	0.426	0.001
MJJ20	272.00	272.00	273.00	1.00	1.162	0.005
MJJ20	273.00	273.00	276.45	3.45	1.117	0.003
MJJ20	276.45	276.45	277.00	0.55	1.228	0.004
MJJ20	277.00	277.00	278.00	1.00	2.446	0.037
MJJ20	278.00	278.00	279.00	1.00	3.265	0.053
MJJ20	279.00	279.00	280.00	1.00	1.832	0.140
MJJ20	280.00	280.00	281.00	1.00	2.600	0.853
MJJ20	281.00	281.00	282.00	1.00	2.450	0.143
MJJ20	282.00	282.00	283.00	1.00	2.210	0.057
MJJ20	283.00	283.00	284.00	1.00	2.246	0.013
MJJ20	284.00	284.00	285.00	1.00	0.713	0.004
MJJ20	285.00	285.00	286.00	1.00	0.645	0.020
MJJ20	286.00	286.00	287.00	1.00	0.122	0.000
MJJ20	287.00	287.00	288.00	1.00	0.132	0.002
MJJ20	288.00	288.00	289.00	1.00	0.077	0.002
MJJ20	289.00	289.00	290.00	1.00	1.054	0.087
MJJ20	290.00	290.00	291.00	1.00	0.354	0.019
MJJ20	291.00	291.00	292.00	1.00	0.344	0.004
MJJ20	292.00	292.00	293.00	1.00	0.154	0.001
MJJ20	293.00	293.00	294.00	1.00	0.223	0.001
MJJ20	294.00	294.00	295.00	1.00	0.352	0.003
MJJ20	295.00	295.00	296.00	1.00	0.438	0.002
MJJ20	296.00	296.00	297.00	1.00	0.166	0.002
MJJ20	297.00	297.00	298.00	1.00	0.445	0.043
MJJ20	298.00	298.00	299.00	1.00	0.213	0.005
MJJ20	299.00	299.00	300.00	1.00	0.107	0.002
MJJ20	300.00	300.00	301.00	1.00	0.162	0.002
MJJ20	301.00	301.00	302.00	1.00	0.177	0.009
MJJ20	302.00	302.00	303.00	1.00	0.165	0.007
MJJ20	303.00	303.00	304.00	1.00	0.190	0.004
MJJ20	304.00	304.00	305.00	1.00	0.170	0.008
MJJ20	305.00	305.00	306.00	1.00	0.345	0.002
MJJ20	306.00	306.00	307.00	1.00	0.182	0.007
MJJ20	307.00	307.00	308.00	1.00	0.100	0.002
MJJ20	308.00	308.00	309.00	1.00	1.004	0.001
MJJ20	309.00	309.00	310.00	1.00	3.410	0.004
MJJ20	310.00	310.00	312.00	2.00	0.896	0.050
MJJ20	312.00	312.00	314.00	2.00	0.445	0.006
MJJ20	314.00	314.00	316.00	2.00	0.336	0.007
MJJ20	316.00	316.00	318.00	2.00	0.474	0.006
MJJ20	318.00	318.00	320.00	2.00	0.451	0.003
MJJ20	320.00	320.00	322.00	2.00	0.301	0.005
MJJ20	322.00	322.00	324.00	2.00	3.055	0.062
MJJ20	324.00	324.00	326.00	2.00	0.407	0.004
MJJ20	326.00	326.00	328.00	2.00	0.224	0.015
MJJ20	328.00	328.00	330.00	2.00	0.270	0.006
MJJ20	330.00	330.00	332.00	2.00	0.375	0.013
MJJ20	332.00	332.00	334.00	2.00	0.551	0.192
MJJ20	334.00	334.00	336.00	2.00	0.320	0.004
MJJ20	336.00	336.00	338.00	2.00	0.457	0.001
MJJ20	338.00	338.00	340.00	2.00	0.400	0.046
MJJ20	340.00	340.00	342.00	2.00	0.149	0.002
MJJ20	342.00	342.00	344.00	2.00	0.508	0.015
MJJ20	344.00	344.00	346.00	2.00	0.277	0.005
MJJ20	346.00	346.00	348.00	2.00	1.007	0.007
MJJ20	348.00	348.00	350.00	2.00	0.689	0.013
MJJ20	350.00	350.00	352.00	2.00	0.190	0.023
MJJ20	352.00	352.00	354.00	2.00	0.748	0.036
MJJ20	354.00	354.00	356.00	2.00	1.177	0.035
MJJ20	356.00	356.00	358.00	2.00	0.392	0.011
MJJ20	358.00	358.00	360.00	2.00	0.150	0.024
MJJ20	360.00	360.00	362.00	2.00	0.309	0.017
MJJ20	362.00	362.00	364.00	2.00	0.396	0.050
MJJ20	364.00	364.00	366.00	2.00	0.413	0.020
MJJ20	366.00	366.00	368.00	2.00	1.045	0.014
MJJ20	368.00	368.00	370.00	2.00	0.793	0.018
MJJ20	370.00	370.00	372.00	2.00	0.780	0.016
MJJ20	372.00	372.00	374.00	2.00	0.488	0.005
MJJ20	374.00	374.00	376.00	2.00	0.563	0.005
MJJ20	376.00	376.00	378.00	2.00	0.447	0.005
MJJ20	378.00	378.00	380.00	2.00	0.737	0.030
MJJ20	380.00	380.00	382.00	2.00	0.620	0.018
MJJ20	382.00	382.00	384.00	2.00	1.021	0.009
MJJ20	384.00	384.00	386.00	2.00	0.977	0.011
MJJ20	386.00	386.00	388.00	2.00	0.670	0.063
MJJ20	388.00	388.00	390.00	2.00	1.176	0.023
MJJ20	390.00	390.00	393.14	3.14	0.684	0.026

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ21	3.05	3.05	4.00	0.95	1.030	0.033
MJJ21	4.00	4.00	5.00	1.00	0.676	0.030
MJJ21	5.00	5.00	6.00	1.00	0.370	0.012
MJJ21	6.00	6.00	7.00	1.00	0.365	0.053
MJJ21	7.00	7.00	8.00	1.00	0.544	0.020
MJJ21	8.00	8.00	9.00	1.00	0.407	0.027
MJJ21	9.00	9.00	10.00	1.00	0.577	0.033
MJJ21	10.00	10.00	11.00	1.00	0.401	0.032
MJJ21	11.00	11.00	12.00	1.00	0.464	0.011
MJJ21	12.00	12.00	13.00	1.00	0.468	0.024
MJJ21	13.00	13.00	14.00	1.00	0.463	0.004
MJJ21	14.00	14.00	15.00	1.00	0.498	0.009
MJJ21	15.00	15.00	16.00	1.00	0.087	0.001
MJJ21	16.00	16.00	17.00	1.00	0.088	0.001
MJJ21	17.00	17.00	18.00	1.00	0.622	0.008
MJJ21	18.00	18.00	19.00	1.00	0.411	0.006
MJJ21	19.00	19.00	20.00	1.00	0.462	0.034
MJJ21	20.00	20.00	21.00	1.00	0.551	0.001
MJJ21	21.00	21.00	22.00	1.00	0.579	0.011
MJJ21	22.00	22.00	23.00	1.00	0.161	0.000
MJJ21	23.00	23.00	24.00	1.00	0.132	0.000
MJJ21	24.00	24.00	25.00	1.00	0.080	0.000
MJJ21	25.00	25.00	26.00	1.00	0.097	0.018
MJJ21	26.00	26.00	27.00	1.00	0.156	0.022
MJJ21	27.00	27.00	28.00	1.00	0.103	0.000
MJJ21	28.00	28.00	29.00	1.00	0.096	0.000
MJJ21	29.00	29.00	30.00	1.00	0.067	0.000
MJJ21	30.00	30.00	31.00	1.00	0.101	0.001
MJJ21	31.00	31.00	32.00	1.00	0.056	0.000
MJJ21	32.00	32.00	33.00	1.00	0.135	0.000
MJJ21	33.00	33.00	34.00	1.00	0.685	0.000
MJJ21	34.00	34.00	35.00	1.00	0.135	0.001
MJJ21	35.00	35.00	36.00	1.00	0.165	0.040
MJJ21	36.00	36.00	37.00	1.00	0.077	0.000
MJJ21	37.00	37.00	38.00	1.00	0.034	0.000
MJJ21	38.00	38.00	39.00	1.00	0.138	0.011
MJJ21	39.00	39.00	40.00	1.00	0.062	0.009
MJJ21	40.00	40.00	41.00	1.00	0.073	0.000
MJJ21	41.00	41.00	42.00	1.00	0.183	0.008
MJJ21	42.00	42.00	43.00	1.00	0.586	0.013
MJJ21	43.00	43.00	44.00	1.00	0.436	0.027
MJJ21	44.00	44.00	45.00	1.00	0.325	0.006
MJJ21	45.00	45.00	46.00	1.00	0.453	0.002
MJJ21	46.00	46.00	47.00	1.00	0.755	0.007
MJJ21	47.00	47.00	48.00	1.00	0.597	0.048
MJJ21	48.00	48.00	49.00	1.00	0.768	0.034
MJJ21	49.00	49.00	50.00	1.00	1.228	0.024
MJJ21	50.00	50.00	51.00	1.00	0.892	0.013
MJJ21	51.00	51.00	52.00	1.00	0.764	0.032
MJJ21	52.00	52.00	53.00	1.00	0.687	0.010
MJJ21	53.00	53.00	54.00	1.00	0.722	0.013
MJJ21	54.00	54.00	55.00	1.00	0.454	0.003
MJJ21	55.00	55.00	56.00	1.00	0.592	0.063
MJJ21	56.00	56.00	57.00	1.00	0.681	0.030
MJJ21	57.00	57.00	58.00	1.00	0.317	0.006
MJJ21	58.00	58.00	59.00	1.00	0.508	0.030
MJJ21	59.00	59.00	60.00	1.00	0.631	0.011
MJJ21	60.00	60.00	61.00	1.00	0.420	0.012
MJJ21	61.00	61.00	62.00	1.00	0.752	0.004
MJJ21	62.00	62.00	63.00	1.00	0.597	0.005
MJJ21	63.00	63.00	64.00	1.00	0.347	0.005
MJJ21	64.00	64.00	65.00	1.00	0.421	0.004
MJJ21	65.00	65.00	66.00	1.00	0.644	0.041
MJJ21	66.00	66.00	67.00	1.00	0.618	0.017
MJJ21	67.00	67.00	68.00	1.00	1.218	0.012
MJJ21	68.00	68.00	69.00	1.00	0.733	0.027
MJJ21	69.00	69.00	70.00	1.00	0.296	0.007
MJJ21	70.00	70.00	71.00	1.00	1.228	0.023
MJJ21	71.00	71.00	72.00	1.00	1.730	0.020
MJJ21	72.00	72.00	73.00	1.00	1.155	0.034
MJJ21	73.00	73.00	74.00	1.00	0.461	0.007
MJJ21	74.00	74.00	75.00	1.00	0.241	0.010
MJJ21	75.00	75.00	76.00	1.00	0.260	0.007
MJJ21	76.00	76.00	77.00	1.00	0.346	0.003
MJJ21	77.00	77.00	78.00	1.00	0.271	0.004
MJJ21	78.00	78.00	79.00	1.00	0.575	0.006
MJJ21	79.00	79.00	80.00	1.00	0.459	0.016
MJJ21	80.00	80.00	81.00	1.00	0.336	0.006
MJJ21	81.00	81.00	82.00	1.00	0.312	0.008
MJJ21	82.00	82.00	83.00	1.00	0.192	0.003
MJJ21	83.00	83.00	84.00	1.00	1.098	0.002
MJJ21	84.00	84.00	85.00	1.00	0.687	0.028
MJJ21	85.00	85.00	86.00	1.00	0.346	0.018
MJJ21	86.00	86.00	87.00	1.00	0.267	0.016
MJJ21	87.00	87.00	88.00	1.00	0.349	0.008
MJJ21	88.00	88.00	89.00	1.00	0.596	0.016
MJJ21	89.00	89.00	90.00	1.00	0.296	0.018
MJJ21	90.00	90.00	91.00	1.00	0.470	0.008
MJJ21	91.00	91.00	92.00	1.00	0.290	0.029
MJJ21	92.00	92.00	93.00	1.00	0.142	0.059
MJJ21	93.00	93.00	94.00	1.00	0.197	0.010
MJJ21	94.00	94.00	95.00	1.00	0.241	0.028
MJJ21	95.00	95.00	96.00	1.00	0.319	0.009
MJJ21	96.00	96.00	97.00	1.00	0.310	0.071
MJJ21	97.00	97.00	98.00	1.00	0.234	0.030
MJJ21	98.00	98.00	99.00	1.00	0.148	0.009
MJJ21	99.00	99.00	100.00	1.00	0.152	0.010
MJJ21	100.00	100.00	101.00	1.00	0.102	0.009

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ21	101.00	101.00	102.00	1.00	0.089	0.006
MJJ21	102.00	102.00	103.00	1.00	0.092	0.011
MJJ21	103.00	103.00	104.00	1.00	0.177	0.017
MJJ21	104.00	104.00	105.00	1.00	0.157	0.011
MJJ21	105.00	105.00	105.00	1.00	0.146	0.015
MJJ21	106.00	106.00	107.00	1.00	0.157	0.010
MJJ21	107.00	107.00	108.00	1.00	0.142	0.007
MJJ21	108.00	108.00	109.00	1.00	0.199	0.006
MJJ21	109.00	109.00	110.00	1.00	0.123	0.005
MJJ21	110.00	110.00	111.00	1.00	0.312	0.010
MJJ21	111.00	111.00	112.00	1.00	0.373	0.010
MJJ21	112.00	112.00	113.00	1.00	0.368	0.022
MJJ21	113.00	113.00	114.00	1.00	0.230	0.007
MJJ21	114.00	114.00	115.00	1.00	0.357	0.017
MJJ21	115.00	115.00	116.00	1.00	0.257	0.009
MJJ21	116.00	116.00	117.00	1.00	0.366	0.010
MJJ21	117.00	117.00	118.00	1.00	0.252	0.009
MJJ21	118.00	118.00	119.00	1.00	0.144	0.025
MJJ21	119.00	119.00	120.00	1.00	0.150	0.018
MJJ21	120.00	120.00	121.00	1.00	0.230	0.005
MJJ21	121.00	121.00	122.00	1.00	0.163	0.003
MJJ21	122.00	122.00	123.00	1.00	0.153	0.004
MJJ21	123.00	123.00	124.00	1.00	0.175	0.007
MJJ21	124.00	124.00	125.00	1.00	0.239	0.004
MJJ21	125.00	125.00	126.00	1.00	0.748	0.014
MJJ21	126.00	126.00	127.00	1.00	1.064	0.049
MJJ21	127.00	127.00	128.00	1.00	1.067	0.063
MJJ21	128.00	128.00	129.00	1.00	0.879	0.018
MJJ21	129.00	129.00	130.00	1.00	1.449	0.018
MJJ21	130.00	130.00	131.00	1.00	0.544	0.014
MJJ21	131.00	131.00	132.00	1.00	1.150	0.033
MJJ21	132.00	132.00	133.00	1.00	0.978	0.036
MJJ21	133.00	133.00	134.00	1.00	0.785	0.020
MJJ21	134.00	134.00	135.00	1.00	0.427	0.032
MJJ21	135.00	135.00	136.00	1.00	0.602	0.009
MJJ21	136.00	136.00	137.00	1.00	0.688	0.014
MJJ21	137.00	137.00	138.00	1.00	0.366	0.007
MJJ21	138.00	138.00	139.00	1.00	0.796	0.016
MJJ21	139.00	139.00	140.00	1.00	0.432	0.011
MJJ21	140.00	140.00	141.00	1.00	0.422	0.005
MJJ21	141.00	141.00	142.00	1.00	0.602	0.006
MJJ21	142.00	142.00	143.00	1.00	0.682	0.023
MJJ21	143.00	143.00	144.00	1.00	0.486	0.004
MJJ21	144.00	144.00	145.00	1.00	0.235	0.006
MJJ21	145.00	145.00	146.00	1.00	0.359	0.014
MJJ21	146.00	146.00	147.00	1.00	0.257	0.005
MJJ21	147.00	147.00	148.00	1.00	0.740	0.009
MJJ21	148.00	148.00	149.00	1.00	0.677	0.003
MJJ21	149.00	149.00	150.00	1.00	0.353	0.008
MJJ21	150.00	150.00	151.00	1.00	0.321	0.004
MJJ21	151.00	151.00	152.00	1.00	0.725	0.018
MJJ21	152.00	152.00	153.00	1.00	0.468	0.037
MJJ21	153.00	153.00	154.00	1.00	0.343	0.011
MJJ21	154.00	154.00	155.00	1.00	0.931	0.015
MJJ21	155.00	155.00	156.00	1.00	0.250	0.003
MJJ21	156.00	156.00	157.00	1.00	0.428	0.002
MJJ21	157.00	157.00	158.00	1.00	0.209	0.002
MJJ21	158.00	158.00	159.00	1.00	0.576	0.009
MJJ21	159.00	159.00	160.00	1.00	0.482	0.024
MJJ21	160.00	160.00	161.00	1.00	0.500	0.004
MJJ21	161.00	161.00	162.00	1.00	1.031	0.004
MJJ21	162.00	162.00	163.00	1.00	1.124	0.017
MJJ21	163.00	163.00	164.00	1.00	0.309	0.023
MJJ21	164.00	164.00	165.00	1.00	1.098	0.062
MJJ21	165.00	165.00	166.00	1.00	0.534	0.017
MJJ21	166.00	166.00	167.00	1.00	0.721	0.008
MJJ21	167.00	167.00	168.00	1.00	1.012	0.032
MJJ21	168.00	168.00	169.00	1.00	0.659	0.017
MJJ21	169.00	169.00	170.00	1.00	0.623	0.027
MJJ21	170.00	170.00	171.00	1.00	0.656	0.023
MJJ21	171.00	171.00	172.00	1.00	0.552	0.011
MJJ21	172.00	172.00	173.00	1.00	0.875	0.021
MJJ21	173.00	173.00	174.00	1.00	0.757	0.009
MJJ21	174.00	174.00	175.00	1.00	0.572	0.014
MJJ21	175.00	175.00	176.00	1.00	0.750	0.026
MJJ21	176.00	176.00	177.00	1.00	0.396	0.004
MJJ21	177.00	177.00	178.00	1.00	0.502	0.005
MJJ21	178.00	178.00	179.00	1.00	1.279	0.010
MJJ21	179.00	179.00	180.00	1.00	0.795	0.014
MJJ21	180.00	180.00	182.00	2.00	0.062	0.002
MJJ21	182.00	182.00	184.00	2.00	0.290	0.003
MJJ21	184.00	184.00	186.00	2.00	0.116	0.002
MJJ21	186.00	186.00	188.00	2.00	0.191	0.002
MJJ21	188.00	188.00	190.00	2.00	0.206	0.003
MJJ21	190.00	190.00	192.00	2.00	0.997	0.006
MJJ21	192.00	192.00	194.00	2.00	0.209	0.007
MJJ21	194.00	194.00	196.00	2.00	0.365	0.006
MJJ21	196.00	196.00	198.00	2.00	0.181	0.004
MJJ21	198.00	198.00	200.00	2.00	0.146	0.003
MJJ21	200.00	200.00	202.00	2.00	0.213	0.003
MJJ21	202.00	202.00	204.00	2.00	0.337	0.005
MJJ21	204.00	204.00	206.00	2.00	0.300	0.004
MJJ21	206.00	206.00	208.00	2.00	0.343	0.005
MJJ21	208.00	208.00	210.00	2.00	0.133	0.004
MJJ21	210.00	210.00	212.00	2.00	0.414	0.023
MJJ21	212.00	212.00	214.00	2.00	0.401	0.007
MJJ21	214.00	214.00	216.00	2.00	0.451	0.008
MJJ21	216.00	216.00	218.00	2.00	0.273	0.006

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ21	218.00	218.00	220.00	2.00	0.725	0.008
MJJ21	220.00	220.00	222.00	2.00	0.039	0.001
MJJ21	222.00	222.00	224.00	2.00	0.497	0.006
MJJ21	224.00	224.00	226.00	2.00	0.359	0.003
MJJ21	226.00	226.00	228.00	2.00	0.237	0.001
MJJ21	228.00	228.00	230.00	2.00	0.164	0.002
MJJ21	230.00	230.00	232.00	2.00	0.209	0.002
MJJ21	232.00	232.00	234.00	2.00	0.332	0.005
MJJ21	234.00	234.00	236.00	2.00	0.270	0.002
MJJ21	236.00	236.00	238.00	2.00	0.090	0.000
MJJ21	238.00	238.00	240.00	2.00	0.144	0.001
MJJ21	240.00	240.00	242.00	2.00	0.160	0.002
MJJ21	242.00	242.00	244.00	2.00	0.338	0.004
MJJ21	244.00	244.00	246.00	2.00	0.424	0.004
MJJ21	246.00	246.00	248.00	2.00	0.390	0.008
MJJ21	248.00	248.00	250.00	2.00	0.090	0.002
MJJ21	250.00	250.00	252.00	2.00	0.227	0.003
MJJ21	252.00	252.00	254.00	2.00	0.367	0.004
MJJ21	254.00	254.00	256.00	2.00	0.570	0.003
MJJ21	256.00	256.00	258.00	2.00	0.181	0.004
MJJ21	258.00	258.00	260.00	2.00	0.056	0.001
MJJ21	260.00	260.00	262.00	2.00	0.065	0.001
MJJ21	262.00	262.00	264.00	2.00	0.029	0.000
MJJ21	264.00	264.00	266.00	2.00	0.161	0.003
MJJ21	266.00	266.00	268.00	2.00	0.375	0.009
MJJ21	268.00	268.00	270.00	2.00	1.012	0.008
MJJ21	270.00	270.00	272.00	2.00	0.107	0.002
MJJ21	272.00	272.00	274.00	2.00	0.270	0.004
MJJ21	274.00	274.00	276.00	2.00	0.168	0.002
MJJ21	276.00	276.00	278.00	2.00	0.122	0.022
MJJ21	278.00	278.00	280.00	2.00	0.052	0.013
MJJ21	280.00	280.00	282.00	2.00	0.176	0.001
MJJ21	282.00	282.00	284.00	2.00	0.268	0.004
MJJ21	284.00	284.00	286.00	2.00	1.079	0.009
MJJ21	286.00	286.00	288.00	2.00	0.674	0.007
MJJ21	288.00	288.00	290.00	2.00	0.156	0.007
MJJ21	290.00	290.00	292.00	2.00	0.495	0.015
MJJ21	292.00	292.00	294.00	2.00	0.139	0.003
MJJ21	294.00	294.00	296.00	2.00	0.762	0.008
MJJ21	296.00	296.00	298.00	2.00	0.244	0.003
MJJ21	298.00	298.00	300.00	2.00	0.034	0.001
MJJ21	300.00	300.00	302.00	2.00	0.402	0.004
MJJ21	302.00	302.00	304.00	2.00	0.227	0.005
MJJ21	304.00	304.00	306.00	2.00	0.184	0.004
MJJ21	306.00	306.00	307.14	1.14	0.259	0.007
MJJ22	4.50	4.50	6.00	1.50	0.153	0.001
MJJ22	6.00	6.00	8.00	2.00	0.142	0.001
MJJ22	8.00	8.00	10.00	2.00	0.209	0.001
MJJ22	10.00	10.00	12.00	2.00	0.155	0.001
MJJ22	12.00	12.00	14.00	2.00	0.103	0.001
MJJ22	14.00	14.00	16.00	2.00	0.120	0.001
MJJ22	16.00	16.00	18.00	2.00	0.028	0.001
MJJ22	18.00	18.00	20.00	2.00	0.056	0.000
MJJ22	20.00	20.00	22.00	2.00	0.107	0.001
MJJ22	22.00	22.00	24.00	2.00	0.239	0.001
MJJ22	24.00	24.00	26.00	2.00	0.251	0.001
MJJ22	26.00	26.00	28.00	2.00	0.107	0.001
MJJ22	28.00	28.00	30.00	2.00	0.115	0.001
MJJ22	30.00	30.00	32.00	2.00	0.061	0.000
MJJ22	32.00	32.00	34.00	2.00	0.029	0.001
MJJ22	34.00	34.00	36.00	2.00	0.033	0.002
MJJ22	36.00	36.00	38.00	2.00	0.040	0.002
MJJ22	38.00	38.00	40.00	2.00	0.043	0.002
MJJ22	40.00	40.00	42.00	2.00	0.085	0.001
MJJ22	42.00	42.00	44.00	2.00	0.165	0.001
MJJ22	44.00	44.00	46.00	2.00	0.202	0.005
MJJ22	46.00	46.00	48.00	2.00	0.101	0.006
MJJ22	48.00	48.00	50.00	2.00	0.049	0.004
MJJ22	50.00	50.00	52.00	2.00	0.131	0.050
MJJ22	52.00	52.00	54.00	2.00	0.151	0.042
MJJ22	54.00	54.00	56.00	2.00	0.144	0.034
MJJ22	56.00	56.00	58.00	2.00	0.109	0.016
MJJ22	58.00	58.00	60.00	2.00	0.103	0.031
MJJ22	60.00	60.00	62.00	2.00	0.212	0.008
MJJ22	62.00	62.00	64.00	2.00	0.128	0.006
MJJ22	64.00	64.00	66.00	2.00	0.107	0.005
MJJ22	66.00	66.00	68.00	2.00	0.113	0.010
MJJ22	68.00	68.00	70.00	2.00	0.023	0.004
MJJ22	70.00	70.00	72.00	2.00	0.015	0.001
MJJ22	72.00	72.00	74.00	2.00	0.020	0.001
MJJ22	74.00	74.00	76.00	2.00	0.021	0.003
MJJ22	76.00	76.00	78.00	2.00	0.126	0.001
MJJ22	78.00	78.00	80.00	2.00	0.245	0.001
MJJ22	80.00	80.00	82.00	2.00	1.145	0.002
MJJ22	82.00	82.00	84.00	2.00	0.090	0.001
MJJ22	84.00	84.00	86.00	2.00	0.099	0.001
MJJ22	86.00	86.00	88.00	2.00	0.125	0.001
MJJ22	88.00	88.00	90.00	2.00	0.018	0.001
MJJ22	90.00	90.00	92.00	2.00	0.086	0.001
MJJ22	92.00	92.00	94.00	2.00	0.160	0.001
MJJ22	94.00	94.00	96.00	2.00	0.041	0.001
MJJ22	96.00	96.00	98.00	2.00	0.197	0.001
MJJ22	98.00	98.00	100.00	2.00	0.356	0.001
MJJ22	100.00	100.00	102.00	2.00	0.416	0.001
MJJ22	102.00	102.00	104.00	2.00	0.305	0.001
MJJ22	104.00	104.00	106.00	2.00	0.409	0.001
MJJ22	106.00	106.00	108.00	2.00	0.851	0.036
MJJ22	108.00	108.00	110.00	2.00	0.107	0.024

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ22	110.00	110.00	112.00	2.00	0.256	0.034
MJJ22	112.00	112.00	114.00	2.00	0.165	0.022
MJJ22	114.00	114.00	116.00	2.00	0.088	0.001
MJJ22	116.00	116.00	118.00	2.00	0.055	0.002
MJJ22	118.00	118.00	120.00	2.00	0.070	0.001
MJJ22	120.00	120.00	122.00	2.00	0.065	0.001
MJJ22	122.00	122.00	124.00	2.00	0.145	0.001
MJJ22	124.00	124.00	126.00	2.00	0.139	0.001
MJJ22	126.00	126.00	128.00	2.00	0.139	0.001
MJJ22	128.00	128.00	130.00	2.00	0.197	0.001
MJJ22	130.00	130.00	132.00	2.00	0.103	0.001
MJJ22	132.00	132.00	134.00	2.00	0.183	0.001
MJJ22	134.00	134.00	136.00	2.00	0.124	0.001
MJJ22	136.00	136.00	138.00	2.00	0.129	0.001
MJJ22	138.00	138.00	140.00	2.00	0.051	0.001
MJJ22	140.00	140.00	142.00	2.00	0.049	0.001
MJJ22	142.00	142.00	144.00	2.00	0.052	0.001
MJJ22	144.00	144.00	146.00	2.00	0.059	0.001
MJJ22	146.00	146.00	148.00	2.00	0.044	0.001
MJJ22	148.00	148.00	150.00	2.00	0.041	0.001
MJJ22	150.00	150.00	152.00	2.00	0.052	0.001
MJJ22	152.00	152.00	154.00	2.00	0.042	0.001
MJJ22	154.00	154.00	156.00	2.00	0.058	0.001
MJJ22	156.00	156.00	158.00	2.00	0.045	0.000
MJJ22	158.00	158.00	160.00	2.00	0.086	0.002
MJJ22	160.00	160.00	162.00	2.00	0.058	0.008
MJJ22	162.00	162.00	164.00	2.00	0.030	0.003
MJJ22	164.00	164.00	166.00	2.00	0.045	0.002
MJJ22	166.00	166.00	168.00	2.00	0.061	0.002
MJJ22	168.00	168.00	170.00	2.00	0.043	0.001
MJJ22	170.00	170.00	172.00	2.00	0.072	0.001
MJJ22	172.00	172.00	174.00	2.00	0.138	0.001
MJJ22	174.00	174.00	176.00	2.00	0.315	0.001
MJJ22	176.00	176.00	178.00	2.00	0.325	0.001
MJJ22	178.00	178.00	180.00	2.00	0.186	0.001
MJJ22	180.00	180.00	182.00	2.00	0.115	0.001
MJJ22	182.00	182.00	184.00	2.00	0.042	0.002
MJJ22	184.00	184.00	186.00	2.00	0.050	0.001
MJJ22	186.00	186.00	188.00	2.00	0.036	0.001
MJJ22	188.00	188.00	190.00	2.00	0.044	0.001
MJJ22	190.00	190.00	192.00	2.00	0.042	0.001
MJJ22	192.00	192.00	194.00	2.00	0.123	0.002
MJJ22	194.00	194.00	196.00	2.00	0.200	0.002
MJJ22	196.00	196.00	198.00	2.00	0.218	0.001
MJJ22	198.00	198.00	200.00	2.00	0.089	0.001
MJJ22	200.00	200.00	202.00	2.00	0.080	0.002
MJJ22	202.00	202.00	204.00	2.00	0.080	0.001
MJJ22	204.00	204.00	206.00	2.00	0.152	0.001
MJJ22	206.00	206.00	208.00	2.00	0.281	0.012
MJJ22	208.00	208.00	210.00	2.00	0.185	0.002
MJJ22	210.00	210.00	212.00	2.00	0.191	0.001
MJJ22	212.00	212.00	214.00	2.00	0.264	0.004
MJJ22	214.00	214.00	216.00	2.00	0.093	0.001
MJJ22	216.00	216.00	218.00	2.00	0.163	0.000
MJJ22	218.00	218.00	220.00	2.00	0.149	0.003
MJJ22	220.00	220.00	222.00	2.00	0.257	0.001
MJJ22	222.00	222.00	224.00	2.00	0.408	0.004
MJJ22	224.00	224.00	226.00	2.00	0.209	0.002
MJJ22	226.00	226.00	228.00	2.00	0.833	0.008
MJJ22	228.00	228.00	230.00	2.00	0.336	0.002
MJJ22	230.00	230.00	232.00	2.00	0.225	0.064
MJJ22	232.00	232.00	234.00	2.00	0.179	0.002
MJJ22	234.00	234.00	236.00	2.00	0.328	0.002
MJJ22	236.00	236.00	238.00	2.00	0.458	0.002
MJJ22	238.00	238.00	240.00	2.00	2.890	0.062
MJJ22	240.00	240.00	242.00	2.00	0.175	0.002
MJJ22	242.00	242.00	244.00	2.00	0.293	0.007
MJJ22	244.00	244.00	246.00	2.00	0.206	0.003
MJJ22	246.00	246.00	248.00	2.00	0.156	0.001
MJJ22	248.00	248.00	250.00	2.00	0.235	0.004
MJJ22	250.00	250.00	252.00	2.00	0.169	0.026
MJJ22	252.00	252.00	254.00	2.00	0.456	0.013
MJJ22	254.00	254.00	256.00	2.00	0.350	0.010
MJJ22	256.00	256.00	258.00	2.00	0.229	0.006
MJJ22	258.00	258.00	260.00	2.00	1.454	0.034
MJJ22	260.00	260.00	262.00	2.00	0.322	0.011
MJJ22	262.00	262.00	264.00	2.00	0.413	0.058
MJJ22	264.00	264.00	266.00	2.00	0.618	0.047
MJJ22	266.00	266.00	268.00	2.00	1.170	0.036
MJJ22	268.00	268.00	270.00	2.00	2.320	0.024
MJJ22	270.00	270.00	272.00	2.00	2.238	0.013
MJJ22	272.00	272.00	274.00	2.00	3.280	0.093
MJJ22	274.00	274.00	276.00	2.00	2.767	0.376
MJJ22	276.00	276.00	278.00	2.00	3.026	0.024
MJJ22	278.00	278.00	280.00	2.00	2.235	0.011
MJJ22	280.00	280.00	282.00	2.00	1.760	0.004
MJJ22	282.00	282.00	284.76	2.76	1.756	0.035
MJJ22	284.76	284.76	287.81	3.05	6.390	1.877
MJJ22	287.81	287.81	290.86	3.05	2.588	0.831
MJJ22	290.86	290.86	293.91	3.05	1.712	0.230
MJJ22	293.91	293.91	296.96	3.05	1.093	0.653
MJJ22	296.96	296.96	300.01	3.05	0.638	0.003
MJJ22	300.01	300.01	304.08	4.07	0.714	0.004
MJJ23	2.86	2.86	4.00	1.14	0.037	0.000
MJJ23	4.00	4.00	6.00	2.00	0.012	0.000
MJJ23	6.00	6.00	8.00	2.00	0.015	0.000
MJJ23	8.00	8.00	10.00	2.00	0.020	0.000
MJJ23	10.00	10.00	12.00	2.00	0.010	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ23	12.00	12.00	14.00	2.00	0.012	0.001
MJJ23	14.00	14.00	16.00	2.00	0.022	0.001
MJJ23	16.00	16.00	18.00	2.00	0.023	0.001
MJJ23	18.00	18.00	20.00	2.00	0.024	0.001
MJJ23	20.00	20.00	22.00	2.00	0.054	0.002
MJJ23	22.00	22.00	24.00	2.00	0.083	0.001
MJJ23	24.00	24.00	26.00	2.00	0.108	0.000
MJJ23	26.00	26.00	28.00	2.00	0.097	0.000
MJJ23	28.00	28.00	30.00	2.00	0.032	0.001
MJJ23	30.00	30.00	32.00	2.00	0.016	0.001
MJJ23	32.00	32.00	34.00	2.00	0.057	0.001
MJJ23	34.00	34.00	36.00	2.00	0.066	0.001
MJJ23	36.00	36.00	38.00	2.00	0.052	0.001
MJJ23	38.00	38.00	40.00	2.00	0.070	0.001
MJJ23	40.00	40.00	42.00	2.00	0.036	0.001
MJJ23	42.00	42.00	44.00	2.00	0.049	0.001
MJJ23	44.00	44.00	46.00	2.00	0.037	0.001
MJJ23	46.00	46.00	48.00	2.00	0.009	0.001
MJJ23	48.00	48.00	50.00	2.00	0.037	0.000
MJJ23	50.00	50.00	52.00	2.00	0.049	0.000
MJJ23	52.00	52.00	54.00	2.00	0.025	0.001
MJJ23	54.00	54.00	56.00	2.00	0.023	0.001
MJJ23	56.00	56.00	58.00	2.00	0.031	0.001
MJJ23	58.00	58.00	60.00	2.00	0.026	0.000
MJJ23	60.00	60.00	62.00	2.00	0.031	0.003
MJJ23	62.00	62.00	64.00	2.00	0.022	0.002
MJJ23	64.00	64.00	66.00	2.00	0.021	0.001
MJJ23	66.00	66.00	68.00	2.00	0.051	0.001
MJJ23	68.00	68.00	70.00	2.00	0.086	0.002
MJJ23	70.00	70.00	72.00	2.00	0.094	0.005
MJJ23	72.00	72.00	74.00	2.00	0.060	0.004
MJJ23	74.00	74.00	76.00	2.00	0.048	0.002
MJJ23	76.00	76.00	78.00	2.00	0.075	0.004
MJJ23	78.00	78.00	80.00	2.00	0.099	0.010
MJJ23	80.00	80.00	82.00	2.00	0.191	0.002
MJJ23	82.00	82.00	84.00	2.00	0.053	0.002
MJJ23	84.00	84.00	86.00	2.00	0.033	0.003
MJJ23	86.00	86.00	88.00	2.00	0.068	0.001
MJJ23	88.00	88.00	90.00	2.00	0.051	0.002
MJJ23	90.00	90.00	92.00	2.00	0.073	0.002
MJJ23	92.00	92.00	94.00	2.00	0.022	0.003
MJJ23	94.00	94.00	96.00	2.00	0.025	0.001
MJJ23	96.00	96.00	98.00	2.00	0.016	0.001
MJJ23	98.00	98.00	100.00	2.00	0.026	0.001
MJJ23	100.00	100.00	102.00	2.00	0.160	0.001
MJJ23	102.00	102.00	104.00	2.00	0.098	0.001
MJJ23	104.00	104.00	106.00	2.00	0.034	0.001
MJJ23	106.00	106.00	108.00	2.00	0.024	0.001
MJJ23	108.00	108.00	110.00	2.00	0.073	0.005
MJJ23	110.00	110.00	112.00	2.00	0.090	0.015
MJJ23	112.00	112.00	114.00	2.00	0.020	0.000
MJJ23	114.00	114.00	116.00	2.00	0.062	0.002
MJJ23	116.00	116.00	118.00	2.00	0.031	0.001
MJJ23	118.00	118.00	120.00	2.00	0.030	0.001
MJJ23	120.00	120.00	122.00	2.00	0.101	0.003
MJJ23	122.00	122.00	124.00	2.00	0.051	0.002
MJJ23	124.00	124.00	126.00	2.00	0.118	0.011
MJJ23	126.00	126.00	128.00	2.00	0.056	0.002
MJJ23	128.00	128.00	130.00	2.00	0.072	0.005
MJJ23	130.00	130.00	132.00	2.00	0.093	0.001
MJJ23	132.00	132.00	134.00	2.00	0.051	0.001
MJJ23	134.00	134.00	136.00	2.00	0.040	0.002
MJJ23	136.00	136.00	138.00	2.00	0.071	0.009
MJJ23	138.00	138.00	140.00	2.00	0.095	0.001
MJJ23	140.00	140.00	142.00	2.00	0.038	0.001
MJJ23	142.00	142.00	144.00	2.00	0.100	0.001
MJJ23	144.00	144.00	146.00	2.00	0.081	0.002
MJJ23	146.00	146.00	148.00	2.00	0.059	0.001
MJJ23	148.00	148.00	150.00	2.00	0.053	0.001
MJJ23	150.00	150.00	152.00	2.00	0.191	0.092
MJJ23	152.00	152.00	154.00	2.00	0.012	0.001
MJJ23	154.00	154.00	156.00	2.00	0.047	0.001
MJJ23	156.00	156.00	158.00	2.00	0.068	0.001
MJJ23	158.00	158.00	160.00	2.00	0.100	0.003
MJJ23	160.00	160.00	162.00	2.00	0.058	0.004
MJJ23	162.00	162.00	164.00	2.00	0.084	0.001
MJJ23	164.00	164.00	166.00	2.00	0.045	0.001
MJJ23	166.00	166.00	168.00	2.00	0.463	0.005
MJJ23	168.00	168.00	170.00	2.00	0.178	0.003
MJJ23	170.00	170.00	172.00	2.00	0.087	0.001
MJJ23	172.00	172.00	174.00	2.00	0.097	0.001
MJJ23	174.00	174.00	176.00	2.00	0.079	0.001
MJJ23	176.00	176.00	178.00	2.00	0.046	0.001
MJJ23	178.00	178.00	180.00	2.00	0.063	0.000
MJJ23	180.00	180.00	182.00	2.00	0.127	0.002
MJJ23	182.00	182.00	184.00	2.00	0.037	0.001
MJJ23	184.00	184.00	186.00	2.00	0.077	0.005
MJJ23	186.00	186.00	188.00	2.00	0.172	0.005
MJJ23	188.00	188.00	190.00	2.00	0.148	0.000
MJJ23	190.00	190.00	192.00	2.00	0.534	0.004
MJJ23	192.00	192.00	194.00	2.00	0.282	0.004
MJJ23	194.00	194.00	196.00	2.00	0.059	0.011
MJJ23	196.00	196.00	198.00	2.00	0.035	0.003
MJJ23	198.00	198.00	200.00	2.00	0.031	0.003
MJJ23	200.00	200.00	202.00	2.00	0.069	0.001
MJJ23	202.00	202.00	204.00	2.00	0.206	0.003
MJJ23	204.00	204.00	206.00	2.00	0.134	0.008
MJJ23	206.00	206.00	208.00	2.00	0.355	0.024

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ23	208.00	208.00	210.00	2.00	0.353	0.004
MJJ23	210.00	210.00	212.00	2.00	0.190	0.002
MJJ23	212.00	212.00	214.00	2.00	0.057	0.001
MJJ23	214.00	214.00	216.00	2.00	0.076	0.001
MJJ23	216.00	216.00	218.00	2.00	0.114	0.002
MJJ23	218.00	218.00	220.00	2.00	0.071	0.003
MJJ23	220.00	220.00	222.00	2.00	0.206	0.002
MJJ23	222.00	222.00	224.00	2.00	0.364	0.003
MJJ23	224.00	224.00	226.00	2.00	0.231	0.001
MJJ23	226.00	226.00	228.00	2.00	0.145	0.001
MJJ23	228.00	228.00	230.00	2.00	0.470	0.002
MJJ23	230.00	230.00	232.00	2.00	0.367	0.004
MJJ23	232.00	232.00	234.00	2.00	0.202	0.003
MJJ23	234.00	234.00	236.00	2.00	0.127	0.004
MJJ23	236.00	236.00	238.00	2.00	0.216	0.003
MJJ23	238.00	238.00	240.00	2.00	0.300	0.002
MJJ23	240.00	240.00	242.00	2.00	0.131	0.005
MJJ23	242.00	242.00	244.00	2.00	0.206	0.002
MJJ23	244.00	244.00	246.00	2.00	0.188	0.005
MJJ23	246.00	246.00	248.00	2.00	0.100	0.003
MJJ23	248.00	248.00	250.00	2.00	0.152	0.007
MJJ23	250.00	250.00	252.00	2.00	0.234	0.003
MJJ23	252.00	252.00	254.00	2.00	0.187	0.012
MJJ23	254.00	254.00	256.00	2.00	0.295	0.004
MJJ23	256.00	256.00	258.00	2.00	0.257	0.012
MJJ23	258.00	258.00	260.00	2.00	0.129	0.006
MJJ23	260.00	260.00	262.00	2.00	0.565	0.016
MJJ23	262.00	262.00	264.00	2.00	0.075	0.005
MJJ23	264.00	264.00	266.00	2.00	0.273	0.025
MJJ23	266.00	266.00	268.00	2.00	0.480	0.027
MJJ23	268.00	268.00	270.00	2.00	0.240	0.004
MJJ23	270.00	270.00	272.00	2.00	0.329	0.006
MJJ23	272.00	272.00	274.00	2.00	0.114	0.010
MJJ23	274.00	274.00	276.00	2.00	0.103	0.003
MJJ23	276.00	276.00	278.00	2.00	0.119	0.007
MJJ23	278.00	278.00	280.00	2.00	0.137	0.005
MJJ23	280.00	280.00	282.00	2.00	0.121	0.004
MJJ23	282.00	282.00	284.00	2.00	0.200	0.006
MJJ23	284.00	284.00	286.00	2.00	0.362	0.006
MJJ23	286.00	286.00	288.00	2.00	0.279	0.012
MJJ23	288.00	288.00	290.00	2.00	0.218	0.027
MJJ23	290.00	290.00	292.00	2.00	0.594	0.033
MJJ23	292.00	292.00	294.00	2.00	0.172	0.010
MJJ23	294.00	294.00	296.00	2.00	0.241	0.009
MJJ23	296.00	296.00	298.00	2.00	0.317	0.003
MJJ23	298.00	298.00	300.00	2.00	0.163	0.001
MJJ23	300.00	300.00	302.00	2.00	0.133	0.005
MJJ23	302.00	302.00	304.00	2.00	0.096	0.001
MJJ23	304.00	304.00	306.00	2.00	0.149	0.002
MJJ23	306.00	306.00	308.00	2.00	0.072	0.001
MJJ23	308.00	308.00	310.00	2.00	0.074	0.006
MJJ23	310.00	310.00	312.00	2.00	0.214	0.004
MJJ23	312.00	312.00	314.00	2.00	0.302	0.015
MJJ23	314.00	314.00	316.00	2.00	0.484	0.028
MJJ23	316.00	316.00	318.00	2.00	0.417	0.009
MJJ23	318.00	318.00	320.00	2.00	0.621	0.024
MJJ23	320.00	320.00	322.00	2.00	0.693	0.016
MJJ23	322.00	322.00	324.00	2.00	0.588	0.016
MJJ23	324.00	324.00	326.00	2.00	0.308	0.021
MJJ23	326.00	326.00	328.00	2.00	0.467	0.019
MJJ23	328.00	328.00	330.00	2.00	0.463	0.025
MJJ23	330.00	330.00	332.00	2.00	0.367	0.009
MJJ23	332.00	332.00	334.00	2.00	0.442	0.019
MJJ23	334.00	334.00	336.00	2.00	0.577	0.035
MJJ23	336.00	336.00	338.00	2.00	0.455	0.017
MJJ23	338.00	338.00	340.00	2.00	0.975	0.016
MJJ23	340.00	340.00	342.00	2.00	0.414	0.033
MJJ23	342.00	342.00	344.00	2.00	0.669	0.014
MJJ23	344.00	344.00	346.00	2.00	0.591	0.017
MJJ23	346.00	346.00	348.00	2.00	1.190	0.014
MJJ23	348.00	348.00	350.00	2.00	1.092	0.015
MJJ23	350.00	350.00	352.00	2.00	0.913	0.033
MJJ23	352.00	352.00	354.00	2.00	0.418	0.010
MJJ23	354.00	354.00	356.00	2.00	0.428	0.009
MJJ23	356.00	356.00	358.00	2.00	0.365	0.004
MJJ23	358.00	358.00	360.00	2.00	0.180	0.002
MJJ23	360.00	360.00	362.00	2.00	2.997	0.011
MJJ23	362.00	362.00	364.00	2.00	0.791	0.045
MJJ23	364.00	364.00	366.00	2.00	1.623	0.014
MJJ23	366.00	366.00	368.00	2.00	0.776	0.033
MJJ23	368.00	368.00	370.00	2.00	0.164	0.061
MJJ23	370.00	370.00	372.00	2.00	0.354	0.002
MJJ23	372.00	372.00	374.00	2.00	0.330	0.006
MJJ23	374.00	374.00	376.00	2.00	0.227	0.004
MJJ23	376.00	376.00	378.00	2.00	2.131	0.002
MJJ23	378.00	378.00	380.00	2.00	3.496	0.020
MJJ23	380.00	380.00	382.00	2.00	0.245	0.004
MJJ23	382.00	382.00	384.00	2.00	0.685	0.021
MJJ23	384.00	384.00	386.00	2.00	0.616	0.018
MJJ23	386.00	386.00	388.00	2.00	0.313	0.009
MJJ23	388.00	388.00	390.00	2.00	0.555	0.019
MJJ23	390.00	390.00	392.00	2.00	0.311	0.132
MJJ23	392.00	392.00	394.00	2.00	0.500	0.039
MJJ23	394.00	394.00	396.00	2.00	0.434	0.063
MJJ23	396.00	396.00	398.00	2.00	0.638	0.037
MJJ23	398.00	398.00	400.00	2.00	0.341	0.031
MJJ23	400.00	400.00	401.68	1.68	0.447	0.010
MJJ24	14.64	14.64	16.00	1.36	0.015	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ24	16.00	16.00	18.00	2.00	0.011	0.000
MJJ24	18.00	18.00	20.00	2.00	0.010	0.000
MJJ24	20.00	20.00	22.00	2.00	0.015	0.000
MJJ24	22.00	22.00	24.00	2.00	0.013	0.000
MJJ24	24.00	24.00	26.00	2.00	0.013	0.000
MJJ24	26.00	26.00	28.00	2.00	0.014	0.000
MJJ24	28.00	28.00	30.00	2.00	0.012	0.000
MJJ24	30.00	30.00	32.00	2.00	0.012	0.000
MJJ24	32.00	32.00	34.00	2.00	0.022	0.001
MJJ24	34.00	34.00	36.00	2.00	0.040	0.001
MJJ24	36.00	36.00	38.00	2.00	0.042	0.001
MJJ24	38.00	38.00	40.00	2.00	0.041	0.002
MJJ24	40.00	40.00	42.00	2.00	0.027	0.002
MJJ24	42.00	42.00	44.00	2.00	0.033	0.001
MJJ24	44.00	44.00	46.00	2.00	0.022	0.001
MJJ24	46.00	46.00	48.00	2.00	0.022	0.001
MJJ24	48.00	48.00	50.00	2.00	0.053	0.003
MJJ24	50.00	50.00	52.00	2.00	0.028	0.001
MJJ24	52.00	52.00	54.00	2.00	0.263	0.002
MJJ24	54.00	54.00	56.00	2.00	0.028	0.002
MJJ24	56.00	56.00	58.00	2.00	0.229	0.002
MJJ24	58.00	58.00	60.00	2.00	0.134	0.004
MJJ24	60.00	60.00	62.00	2.00	0.285	0.001
MJJ24	62.00	62.00	64.00	2.00	0.358	0.000
MJJ24	64.00	64.00	66.00	2.00	0.138	0.000
MJJ24	66.00	66.00	68.00	2.00	0.068	0.000
MJJ24	68.00	68.00	70.00	2.00	0.093	0.000
MJJ24	70.00	70.00	72.00	2.00	0.117	0.001
MJJ24	72.00	72.00	74.00	2.00	0.097	0.000
MJJ24	74.00	74.00	76.00	2.00	0.051	0.001
MJJ24	76.00	76.00	78.00	2.00	0.071	0.001
MJJ24	78.00	78.00	80.00	2.00	0.051	0.000
MJJ24	80.00	80.00	82.00	2.00	0.072	0.000
MJJ24	82.00	82.00	84.00	2.00	0.038	0.000
MJJ24	84.00	84.00	86.00	2.00	0.053	0.001
MJJ24	86.00	86.00	88.00	2.00	0.038	0.000
MJJ24	88.00	88.00	90.00	2.00	0.076	0.002
MJJ24	90.00	90.00	92.00	2.00	0.070	0.000
MJJ24	92.00	92.00	94.00	2.00	0.037	0.001
MJJ24	94.00	94.00	96.00	2.00	0.025	0.000
MJJ24	96.00	96.00	98.00	2.00	0.094	0.002
MJJ24	98.00	98.00	100.00	2.00	0.048	0.001
MJJ24	100.00	100.00	102.00	2.00	0.012	0.000
MJJ24	102.00	102.00	104.00	2.00	0.021	0.001
MJJ24	104.00	104.00	106.00	2.00	0.060	0.001
MJJ24	106.00	106.00	108.00	2.00	0.038	0.000
MJJ24	108.00	108.00	110.00	2.00	0.259	0.005
MJJ24	110.00	110.00	112.00	2.00	0.032	0.001
MJJ24	112.00	112.00	114.00	2.00	0.122	0.005
MJJ24	114.00	114.00	116.00	2.00	0.214	0.006
MJJ24	116.00	116.00	118.00	2.00	0.921	0.004
MJJ24	118.00	118.00	120.00	2.00	0.191	0.001
MJJ24	120.00	120.00	122.00	2.00	0.086	0.002
MJJ24	122.00	122.00	124.00	2.00	0.095	0.003
MJJ24	124.00	124.00	126.00	2.00	0.085	0.005
MJJ24	126.00	126.00	128.00	2.00	0.095	0.007
MJJ24	128.00	128.00	130.00	2.00	0.157	0.004
MJJ24	130.00	130.00	132.00	2.00	0.141	0.001
MJJ24	132.00	132.00	134.00	2.00	0.082	0.002
MJJ24	134.00	134.00	136.00	2.00	0.114	0.002
MJJ24	136.00	136.00	138.00	2.00	0.102	0.001
MJJ24	138.00	138.00	140.00	2.00	0.087	0.002
MJJ24	140.00	140.00	142.00	2.00	0.115	0.000
MJJ24	142.00	142.00	144.00	2.00	0.445	0.003
MJJ24	144.00	144.00	146.00	2.00	0.165	0.003
MJJ24	146.00	146.00	148.00	2.00	0.142	0.002
MJJ24	148.00	148.00	150.00	2.00	0.160	0.005
MJJ24	150.00	150.00	152.00	2.00	0.144	0.003
MJJ24	152.00	152.00	154.00	2.00	0.174	0.001
MJJ24	154.00	154.00	156.00	2.00	0.076	0.001
MJJ24	156.00	156.00	158.00	2.00	0.742	0.006
MJJ24	158.00	158.00	160.00	2.00	0.387	0.005
MJJ24	160.00	160.00	162.00	2.00	0.141	0.003
MJJ24	162.00	162.00	164.00	2.00	0.084	0.004
MJJ24	164.00	164.00	166.00	2.00	0.283	0.006
MJJ24	166.00	166.00	168.00	2.00	0.181	0.006
MJJ24	168.00	168.00	170.00	2.00	0.219	0.005
MJJ24	170.00	170.00	172.00	2.00	0.194	0.001
MJJ24	172.00	172.00	174.00	2.00	0.559	0.003
MJJ24	174.00	174.00	176.00	2.00	0.417	0.016
MJJ24	176.00	176.00	178.00	2.00	0.868	0.004
MJJ24	178.00	178.00	180.00	2.00	1.491	0.002
MJJ24	180.00	180.00	182.00	2.00	0.857	0.003
MJJ24	182.00	182.00	184.00	2.00	0.453	0.001
MJJ24	184.00	184.00	186.00	2.00	1.456	0.002
MJJ24	186.00	186.00	188.00	2.00	0.257	0.003
MJJ24	188.00	188.00	190.00	2.00	0.416	0.165
MJJ24	190.00	190.00	192.00	2.00	0.394	0.002
MJJ24	192.00	192.00	194.00	2.00	0.413	0.013
MJJ24	194.00	194.00	196.00	2.00	0.102	0.002
MJJ24	196.00	196.00	198.00	2.00	0.283	0.002
MJJ24	198.00	198.00	200.00	2.00	0.133	0.004
MJJ24	200.00	200.00	202.00	2.00	0.112	0.003
MJJ24	202.00	202.00	204.00	2.00	0.115	0.002
MJJ24	204.00	204.00	206.00	2.00	0.107	0.004
MJJ24	206.00	206.00	208.00	2.00	0.241	0.003
MJJ24	208.00	208.00	210.00	2.00	1.599	0.009
MJJ24	210.00	210.00	212.00	2.00	1.145	0.006

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ24	212.00	212.00	214.00	2.00	1.562	0.003
MJJ24	214.00	214.00	216.00	2.00	1.846	0.010
MJJ24	216.00	216.00	218.00	2.00	0.088	0.003
MJJ24	218.00	218.00	220.00	2.00	0.069	0.001
MJJ24	220.00	220.00	222.00	2.00	0.244	0.007
MJJ24	222.00	222.00	224.00	2.00	0.130	0.001
MJJ24	224.00	224.00	226.00	2.00	0.138	0.004
MJJ24	226.00	226.00	228.00	2.00	0.151	0.004
MJJ24	228.00	228.00	230.00	2.00	0.080	0.007
MJJ24	230.00	230.00	232.00	2.00	0.109	0.006
MJJ24	232.00	232.00	234.00	2.00	0.086	0.004
MJJ24	234.00	234.00	236.00	2.00	0.083	0.004
MJJ24	236.00	236.00	238.00	2.00	0.152	0.016
MJJ24	238.00	238.00	240.00	2.00	0.165	0.013
MJJ24	240.00	240.00	242.00	2.00	0.107	0.028
MJJ24	242.00	242.00	244.00	2.00	0.226	0.035
MJJ24	244.00	244.00	246.00	2.00	0.193	0.005
MJJ24	246.00	246.00	248.00	2.00	0.363	0.035
MJJ24	248.00	248.00	250.00	2.00	0.177	0.011
MJJ24	250.00	250.00	252.00	2.00	0.149	0.011
MJJ24	252.00	252.00	254.00	2.00	0.136	0.006
MJJ24	254.00	254.00	256.00	2.00	0.235	0.006
MJJ24	256.00	256.00	258.00	2.00	0.199	0.007
MJJ24	258.00	258.00	260.00	2.00	0.240	0.007
MJJ24	260.00	260.00	262.00	2.00	0.255	0.007
MJJ24	262.00	262.00	264.00	2.00	0.137	0.006
MJJ24	264.00	264.00	266.00	2.00	0.143	0.007
MJJ24	266.00	266.00	268.00	2.00	0.154	0.004
MJJ24	268.00	268.00	270.00	2.00	0.170	0.017
MJJ24	270.00	270.00	272.00	2.00	0.122	0.007
MJJ24	272.00	272.00	274.00	2.00	0.092	0.002
MJJ24	274.00	274.00	276.00	2.00	0.205	0.004
MJJ24	276.00	276.00	278.00	2.00	0.098	0.003
MJJ24	278.00	278.00	280.00	2.00	0.118	0.001
MJJ24	280.00	280.00	282.00	2.00	0.120	0.003
MJJ24	282.00	282.00	284.00	2.00	0.183	0.004
MJJ24	284.00	284.00	286.00	2.00	0.190	0.004
MJJ24	286.00	286.00	288.00	2.00	0.373	0.006
MJJ24	288.00	288.00	290.00	2.00	0.404	0.003
MJJ24	290.00	290.00	292.00	2.00	0.455	0.003
MJJ24	292.00	292.00	294.00	2.00	0.472	0.007
MJJ24	294.00	294.00	296.00	2.00	0.645	0.016
MJJ24	296.00	296.00	298.00	2.00	0.455	0.005
MJJ24	298.00	298.00	300.00	2.00	0.136	0.002
MJJ24	300.00	300.00	302.00	2.00	0.325	0.006
MJJ24	302.00	302.00	304.00	2.00	0.593	0.015
MJJ24	304.00	304.00	306.00	2.00	0.298	0.003
MJJ24	306.00	306.00	308.00	2.00	0.398	0.004
MJJ24	308.00	308.00	310.00	2.00	0.476	0.004
MJJ24	310.00	310.00	312.00	2.00	0.271	0.003
MJJ24	312.00	312.00	314.00	2.00	0.201	0.004
MJJ24	314.00	314.00	316.00	2.00	0.357	0.006
MJJ24	316.00	316.00	318.00	2.00	0.531	0.005
MJJ24	318.00	318.00	320.00	2.00	0.358	0.015
MJJ24	320.00	320.00	322.00	2.00	0.422	0.014
MJJ24	322.00	322.00	324.00	2.00	0.230	0.004
MJJ24	324.00	324.00	326.00	2.00	0.294	0.007
MJJ24	326.00	326.00	328.00	2.00	0.281	0.009
MJJ24	328.00	328.00	330.00	2.00	0.312	0.012
MJJ24	330.00	330.00	332.00	2.00	0.688	0.009
MJJ24	332.00	332.00	334.00	2.00	0.345	0.006
MJJ24	334.00	334.00	336.00	2.00	0.470	0.015
MJJ24	336.00	336.00	338.00	2.00	0.488	0.011
MJJ24	338.00	338.00	340.00	2.00	2.291	0.014
MJJ24	340.00	340.00	342.00	2.00	2.833	0.040
MJJ24	342.00	342.00	344.00	2.00	1.307	0.061
MJJ24	344.00	344.00	346.00	2.00	0.665	0.026
MJJ24	346.00	346.00	348.00	2.00	0.450	0.007
MJJ24	348.00	348.00	350.00	2.00	0.434	0.011
MJJ24	350.00	350.00	352.00	2.00	0.404	0.010
MJJ24	352.00	352.00	354.00	2.00	0.548	0.019
MJJ24	354.00	354.00	356.00	2.00	0.445	0.010
MJJ24	356.00	356.00	358.00	2.00	0.344	0.004
MJJ24	358.00	358.00	360.00	2.00	0.321	0.009
MJJ24	360.00	360.00	362.00	2.00	0.357	0.006
MJJ24	362.00	362.00	364.00	2.00	0.395	0.015
MJJ24	364.00	364.00	366.00	2.00	0.623	0.026
MJJ24	366.00	366.00	368.00	2.00	0.369	0.025
MJJ24	368.00	368.00	370.00	2.00	0.546	0.041
MJJ24	370.00	370.00	372.00	2.00	0.697	0.026
MJJ24	372.00	372.00	374.00	2.00	0.611	0.012
MJJ24	374.00	374.00	376.00	2.00	0.594	0.015
MJJ24	376.00	376.00	378.00	2.00	0.549	0.020
MJJ24	378.00	378.00	380.00	2.00	0.446	0.007
MJJ24	380.00	380.00	382.00	2.00	0.633	0.014
MJJ24	382.00	382.00	384.00	2.00	0.694	0.014
MJJ24	384.00	384.00	386.00	2.00	0.492	0.007
MJJ24	386.00	386.00	388.00	2.00	0.600	0.007
MJJ24	388.00	388.00	390.00	2.00	0.419	0.006
MJJ24	390.00	390.00	392.00	2.00	0.289	0.008
MJJ24	392.00	392.00	394.00	2.00	0.506	0.010
MJJ24	394.00	394.00	396.00	2.00	0.462	0.010
MJJ24	396.00	396.00	398.00	2.00	0.350	0.011
MJJ24	398.00	398.00	400.00	2.00	0.388	0.012
MJJ24	400.00	400.00	401.68	1.68	0.222	0.005

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ25-	4.60	6.00	0.028	0.004
MJJ25-	6.00	8.00	0.037	0.003
MJJ25-	8.00	10.00	0.039	0.002
MJJ25-	10.00	12.00	0.076	0.003
MJJ25-	12.00	14.00	0.060	0.006
MJJ25-	14.00	16.00	0.106	0.012
MJJ25-	16.00	18.00	0.078	0.006
MJJ25-	18.00	20.00	0.062	0.002
MJJ25-	20.00	22.00	0.055	0.002
MJJ25-	22.00	24.00	0.044	0.005
MJJ25-	24.00	26.00	0.123	0.015
MJJ25-	26.00	28.00	0.097	0.008
MJJ25-	28.00	30.00	0.108	0.004
MJJ25-	30.00	32.00	0.105	0.001
MJJ25-	32.00	34.00	0.063	0.002
MJJ25-	34.00	36.00	0.064	0.001
MJJ25-	36.00	38.00	0.119	0.003
MJJ25-	38.00	40.00	0.056	0.001
MJJ25-	40.00	42.00	0.041	0.003
MJJ25-	42.00	44.00	0.055	0.003
MJJ25-	44.00	46.00	0.051	0.006
MJJ25-	46.00	48.00	0.088	0.004
MJJ25-	48.00	50.00	0.135	0.005
MJJ25-	50.00	52.00	0.220	0.004
MJJ25-	52.00	54.00	0.204	0.003
MJJ25-	54.00	56.00	0.191	0.005
MJJ25-	56.00	58.00	0.076	0.008
MJJ25-	58.00	60.00	0.204	0.016
MJJ25-	60.00	62.00	0.178	0.005
MJJ25-	62.00	64.00	0.241	0.039
MJJ25-	64.00	66.00	0.551	0.051
MJJ25-	66.00	68.00	0.459	0.010
MJJ25-	68.00	70.00	0.607	0.034
MJJ25-	70.00	72.00	0.772	0.087
MJJ25-	72.00	74.00	0.572	0.037
MJJ25-	74.00	76.00	0.679	0.028
MJJ25-	76.00	78.00	0.318	0.016
MJJ25-	78.00	80.00	0.189	0.004
MJJ25-	80.00	82.00	0.459	0.013
MJJ25-	82.00	84.00	0.422	0.028
MJJ25-	84.00	86.00	0.363	0.143
MJJ25-	86.00	88.00	0.625	0.091
MJJ25-	88.00	90.00	0.102	0.002
MJJ25-	90.00	92.00	0.723	0.023
MJJ25-	92.00	94.00	0.481	0.011
MJJ25-	94.00	96.00	0.432	0.015
MJJ25-	96.00	98.00	0.334	0.032
MJJ25-	98.00	100.00	0.157	0.006
MJJ25-	100.00	102.00	0.503	0.025
MJJ25-	102.00	104.00	0.253	0.013
MJJ25-	104.00	106.00	0.297	0.033
MJJ25-	106.00	108.00	0.412	0.036
MJJ25-	108.00	110.00	1.142	0.048
MJJ25-	110.00	112.00	0.337	0.025
MJJ25-	112.00	114.00	0.148	0.012
MJJ25-	114.00	116.00	0.412	0.023
MJJ25-	116.00	118.00	0.208	0.015
MJJ25-	118.00	120.00	0.355	0.014
MJJ25-	120.00	122.00	0.618	0.030
MJJ25-	122.00	124.00	1.303	0.047
MJJ25-	124.00	126.00	2.856	0.078
MJJ25-	126.00	128.00	1.537	0.032
MJJ25-	128.00	130.00	4.097	0.269
MJJ25-	130.00	132.00	0.612	0.034
MJJ25-	132.00	134.00	0.391	0.044
MJJ25-	134.00	136.00	0.390	0.044
MJJ25-	136.00	138.00	0.542	0.049
MJJ25-	138.00	140.00	0.581	0.014
MJJ25-	140.00	142.00	0.376	0.011
MJJ25-	142.00	144.00	0.504	0.014
MJJ25-	144.00	146.00	0.138	0.002
MJJ25-	146.00	148.00	0.256	0.008
MJJ25-	148.00	150.00	0.176	0.005
MJJ25-	150.00	152.00	0.491	0.018
MJJ25-	152.00	154.00	0.139	0.004
MJJ25-	154.00	156.00	0.132	0.003
MJJ25-	156.00	158.00	0.320	0.008
MJJ25-	158.00	160.00	0.212	0.004
MJJ25-	160.00	162.00	0.115	0.003
MJJ25-	162.00	164.00	0.175	0.003
MJJ25-	164.00	166.00	0.270	0.016
MJJ25-	166.00	168.00	0.178	0.022
MJJ25-	168.00	170.00	0.738	0.051
MJJ25-	170.00	172.00	0.364	0.005
MJJ25-	172.00	174.00	0.099	0.002
MJJ25-	174.00	176.00	0.074	0.002
MJJ25-	176.00	178.00	0.094	0.011
MJJ25-	178.00	180.00	0.089	0.002
MJJ25-	180.00	182.00	0.177	0.006
MJJ25-	182.00	184.00	0.024	0.003
MJJ25-	184.00	186.00	0.073	0.003
MJJ25-	186.00	188.00	0.058	0.001
MJJ25-	188.00	190.00	0.143	0.001

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ25-	190.00	192.00	0.047	0.013
MJJ25-	192.00	194.00	0.390	0.003
MJJ25-	194.00	196.00	0.369	0.002
MJJ25-	196.00	198.00	1.605	0.007
MJJ25-	198.00	200.00	0.515	0.004
MJJ25-	200.00	202.00	0.329	0.007
MJJ25-	202.00	204.00	0.114	0.001
MJJ25-	204.00	206.00	0.042	0.001
MJJ25-	206.00	208.00	0.051	0.001
MJJ25-	208.00	210.00	0.162	0.001
MJJ25-	210.00	212.00	0.317	0.003
MJJ25-	212.00	214.00	0.489	0.006
MJJ25-	214.00	216.00	0.016	0.001
MJJ25-	216.00	218.00	0.043	0.001
MJJ25-	218.00	220.00	0.033	0.001
MJJ25-	220.00	222.00	0.108	0.001
MJJ25-	222.00	224.00	0.102	0.002
MJJ25-	224.00	226.00	0.160	0.003
MJJ25-	226.00	228.00	0.034	0.001
MJJ25-	228.00	230.00	0.192	0.005
MJJ25-	230.00	232.00	0.499	0.009
MJJ25-	232.00	234.00	0.931	0.011
MJJ25-	234.00	236.00	0.465	0.005
MJJ25-	236.00	238.00	0.718	0.008
MJJ25-	238.00	240.00	0.207	0.003
MJJ25-	240.00	242.00	0.134	0.002
MJJ25-	242.00	244.00	0.169	0.002
MJJ25-	244.00	246.00	0.288	0.005
MJJ25-	246.00	248.00	0.662	0.004
MJJ25-	248.00	250.00	0.115	0.002
MJJ25-	250.00	252.00	0.431	0.005
MJJ25-	252.00	254.00	0.208	0.005
MJJ25-	254.00	256.00	0.254	0.006
MJJ25-	256.00	258.00	0.179	0.005
MJJ25-	258.00	260.00	0.139	0.003
MJJ25-	260.00	262.00	0.344	0.011
MJJ25-	262.00	264.00	0.302	0.008
MJJ25-	264.00	266.00	0.125	0.003
MJJ25-	266.00	268.00	0.143	0.004
MJJ25-	268.00	270.00	0.221	0.005
MJJ25-	270.00	272.00	0.759	0.015
MJJ25-	272.00	274.00	0.254	0.004
MJJ25-	274.00	276.00	0.219	0.004
MJJ25-	276.00	278.00	0.296	0.005
MJJ25-	278.00	280.00	0.113	0.003
MJJ25-	280.00	282.00	0.264	0.005
MJJ25-	282.00	284.00	0.222	0.004
MJJ25-	284.00	286.00	0.482	0.006
MJJ25-	286.00	288.00	0.236	0.003
MJJ25-	288.00	290.00	0.590	0.012
MJJ25-	290.00	292.00	0.453	0.004
MJJ25-	292.00	294.00	0.313	0.006
MJJ25-	294.00	296.00	0.392	0.006
MJJ25-	296.00	298.00	0.304	0.005
MJJ25-	298.00	300.00	0.343	0.004
MJJ25-	300.00	302.00	0.207	0.003
MJJ25-	302.00	304.00	0.702	0.013
MJJ25-	304.00	306.00	0.775	0.013
MJJ25-	306.00	308.00	0.248	0.005
MJJ25-	308.00	310.00	0.823	0.005
MJJ25-	310.00	312.00	0.413	0.003
MJJ25-	312.00	314.00	2.230	0.024
MJJ25-	314.00	316.00	0.237	0.032
MJJ25-	316.00	318.00	0.228	0.043
MJJ25-	318.00	320.00	0.281	0.021
MJJ25-	320.00	322.00	3.276	0.024
MJJ25-	322.00	324.00	0.169	0.008
MJJ25-	324.00	326.00	0.734	0.004
MJJ25-	326.00	328.00	0.372	0.003
MJJ25-	328.00	330.00	0.892	0.011
MJJ25-	330.00	332.00	1.179	0.013
MJJ25-	332.00	334.00	1.264	0.006
MJJ25-	334.00	336.00	0.865	0.008
MJJ25-	336.00	338.00	0.460	0.014
MJJ25-	338.00	340.00	0.807	0.011
MJJ25-	340.00	342.00	0.504	0.024
MJJ25-	342.00	344.00	0.318	0.010
MJJ25-	344.00	346.00	0.929	0.011
MJJ25-	346.00	348.00	0.264	0.005
MJJ25-	348.00	350.00	0.175	0.003
MJJ25-	350.00	352.00	0.632	0.005
MJJ25-	352.00	354.00	0.508	0.004
MJJ25-	354.00	356.00	0.317	0.003
MJJ25-	356.00	358.00	0.200	0.003
MJJ25-	358.00	360.00	0.196	0.003
MJJ25-	360.00	362.00	0.258	0.004
MJJ25-	362.00	364.00	0.392	0.005
MJJ25-	364.00	366.00	0.273	0.002
MJJ25-	366.00	368.00	0.245	0.003
MJJ25-	368.00	370.00	0.054	0.001
MJJ25-	370.00	372.00	0.209	0.002
MJJ25-	372.00	374.00	0.304	0.003
MJJ25-	374.00	376.00	0.174	0.001
MJJ25-	376.00	378.00	0.138	0.002
MJJ25-	378.00	380.00	0.230	0.002
MJJ25-	380.00	382.00	0.203	0.004
MJJ25-	382.00	384.00	0.238	0.004
MJJ25-	384.00	386.00	0.814	0.016

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ25-	386.00	388.00	0.587	0.013
MJJ25-	388.00	390.00	0.449	0.010
MJJ25-	390.00	392.00	0.366	0.008
MJJ25-	392.00	394.00	0.330	0.006
MJJ25-	394.00	396.00	0.440	0.007
MJJ25-	396.00	398.00	0.332	0.008
MJJ25-	398.00	400.00	0.432	0.010
MJJ25-	400.00	402.00	0.824	0.012
MJJ25-	402.00	404.00	0.306	0.007
MJJ25-	404.00	406.00	0.812	0.015
MJJ25-	406.00	408.00	1.108	0.020
MJJ25-	408.00	410.00	0.768	0.011
MJJ25-	410.00	412.00	0.807	0.013
MJJ25-	412.00	414.00	0.486	0.009
MJJ25-	414.00	416.00	0.551	0.013
MJJ25-	416.00	418.00	0.425	0.007
MJJ25-	418.00	420.00	0.311	0.006
MJJ25-	420.00	422.00	0.416	0.019
MJJ25-	422.00	424.00	0.354	0.006
MJJ25-	424.00	426.00	0.087	0.004
MJJ25-	426.00	428.00	0.176	0.001
MJJ25-	428.00	430.00	0.136	0.001
MJJ25-	430.00	432.00	0.463	0.005
MJJ25-	432.00	434.00	0.124	0.001
MJJ25-	434.00	436.00	0.123	0.001
MJJ25-	436.00	438.00	0.147	0.002
MJJ25-	438.00	440.00	0.120	0.002
MJJ25-	440.00	442.00	0.140	0.005
MJJ25-	442.00	444.00	0.255	0.005
MJJ25-	444.00	446.00	0.135	0.006
MJJ25-	446.00	448.00	0.314	0.005
MJJ25-	448.00	450.00	0.304	0.004
MJJ25-	450.00	452.00	0.187	0.001
MJJ25-	452.00	454.00	0.253	0.001
MJJ25-	454.00	456.00	0.306	0.003
MJJ25-	456.00	458.00	0.259	0.002
MJJ25-	458.00	460.00	0.495	0.003
MJJ25-	460.00	462.00	0.472	0.004
MJJ25-	462.00	464.00	0.306	0.002
MJJ25-	464.00	466.00	0.396	0.004
MJJ25-	466.00	468.00	0.426	0.004
MJJ25-	468.00	470.00	1.217	0.005
MJJ25-	470.00	472.00	0.514	0.004
MJJ25-	472.00	474.00	0.413	0.005
MJJ25-	474.00	476.00	0.265	0.003
MJJ25-	476.00	478.00	0.202	0.002
MJJ25-	478.00	480.00	0.395	0.004
MJJ25-	480.00	482.00	0.264	0.006
MJJ25-	482.00	484.00	0.332	0.006
MJJ25-	484.00	486.00	0.544	0.006
MJJ25-	486.00	488.00	0.457	0.006
MJJ25-	488.00	490.00	0.580	0.010
MJJ25-	490.00	492.00	0.552	0.007
MJJ25-	492.00	494.00	0.541	0.008
MJJ25-	494.00	496.00	0.682	0.020
MJJ25-	496.00	498.00	0.473	0.012
MJJ25-	498.00	500.00	0.413	0.006
MJJ25-	500.00	502.00	0.777	0.011
MJJ25-	502.00	504.00	1.166	0.023
MJJ25-	504.00	506.00	0.229	0.004
MJJ25-	506.00	508.00	0.167	0.002
MJJ25-	508.00	510.00	0.562	0.008
MJJ25-	510.00	512.00	0.470	0.006
MJJ25-	512.00	514.00	0.355	0.009
MJJ25-	514.00	516.00	0.437	0.005
MJJ25-	516.00	518.00	0.108	0.026
MJJ25-	518.00	520.00	0.476	0.009
MJJ25-	520.00	522.00	0.395	0.005
MJJ25-	522.00	524.00	0.436	0.010
MJJ25-	524.00	526.00	0.453	0.007
MJJ25-	526.00	528.00	0.987	0.012
MJJ25-	528.00	530.00	1.415	0.008
MJJ25-	530.00	532.00	0.661	0.004
MJJ25-	532.00	534.00	0.574	0.002
MJJ25-	534.00	536.00	0.390	0.004
MJJ25-	536.00	538.00	0.270	0.004
MJJ25-	538.00	540.00	0.260	0.003
MJJ25-	540.00	542.00	0.221	0.003
MJJ25-	542.00	544.00	0.298	0.003
MJJ25-	544.00	546.00	0.481	0.005
MJJ25-	546.00	548.00	0.704	0.005
MJJ25-	548.00	550.00	0.918	0.010
MJJ25-	550.00	552.00	0.571	0.004
MJJ25-	552.00	554.00	0.608	0.006
MJJ25-	554.00	556.00	0.667	0.004
MJJ25-	556.00	558.00	0.556	0.004
MJJ25-	558.00	560.00	0.519	0.004
MJJ25-	560.00	562.00	1.075	0.009
MJJ25-	562.00	564.00	1.470	0.056
MJJ25-	564.00	566.00	0.964	0.005
MJJ25-	566.00	568.00	1.004	0.007
MJJ25-	568.00	570.00	2.014	0.010
MJJ25-	570.00	572.00	0.579	0.004
MJJ25-	572.00	574.00	0.506	0.005
MJJ25-	574.00	576.00	1.282	0.013
MJJ25-	576.00	578.00	0.477	0.004
MJJ25-	578.00	580.00	0.464	0.028
MJJ25-	580.00	582.00	0.626	0.009

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ25-	582.00	584.00	0.318	0.012
MJJ25-	584.00	586.00	0.543	0.018
MJJ25-	586.00	588.00	0.833	0.021
MJJ25-	588.00	590.00	0.847	0.012
MJJ25-	590.00	592.00	0.390	0.008
MJJ25-	592.00	594.00	0.459	0.004
MJJ25-	594.00	596.00	0.459	0.004
MJJ25-	596.00	598.00	0.684	0.005
MJJ25-	598.00	600.00	0.282	0.005
MJJ25-	600.00	602.00	0.521	0.007
MJJ25-	602.00	602.58	0.451	0.006
MJJ26-	4.00	6.00	0.817	0.009
MJJ26-	6.00	8.00	0.027	0.002
MJJ26-	8.00	10.00	0.030	0.003
MJJ26-	10.00	12.00	0.032	0.002
MJJ26-	12.00	14.00	0.023	0.004
MJJ26-	14.00	16.00	0.052	0.009
MJJ26-	16.00	18.00	0.038	0.006
MJJ26-	18.00	20.00	0.046	0.004
MJJ26-	20.00	22.00	0.039	0.006
MJJ26-	22.00	24.00	0.034	0.002
MJJ26-	24.00	26.00	0.023	0.001
MJJ26-	26.00	28.00	0.017	0.001
MJJ26-	28.00	30.00	0.017	0.004
MJJ26-	30.00	32.00	0.014	0.001
MJJ26-	32.00	34.00	0.029	0.004
MJJ26-	34.00	36.00	0.075	0.001
MJJ26-	36.00	38.00	0.040	0.003
MJJ26-	38.00	40.00	0.037	0.001
MJJ26-	40.00	42.00	0.037	0.001
MJJ26-	42.00	44.00	0.035	0.001
MJJ26-	44.00	46.00	0.039	0.001
MJJ26-	46.00	48.00	0.037	0.001
MJJ26-	48.00	50.00	0.041	0.001
MJJ26-	50.00	52.00	0.027	0.000
MJJ26-	52.00	54.00	0.021	0.001
MJJ26-	54.00	56.00	0.021	0.001
MJJ26-	56.00	58.00	0.021	0.001
MJJ26-	58.00	60.00	0.025	0.001
MJJ26-	60.00	62.00	0.036	0.003
MJJ26-	62.00	64.00	0.043	0.001
MJJ26-	64.00	66.00	0.077	0.001
MJJ26-	66.00	68.00	0.023	0.001
MJJ26-	68.00	70.00	0.040	0.001
MJJ26-	70.00	72.00	0.075	0.002
MJJ26-	72.00	74.00	0.052	0.001
MJJ26-	74.00	76.00	0.030	0.002
MJJ26-	76.00	78.00	0.039	0.003
MJJ26-	78.00	80.00	0.022	0.002
MJJ26-	80.00	82.00	0.039	0.001
MJJ26-	82.00	84.00	0.055	0.003
MJJ26-	84.00	86.00	0.175	0.008
MJJ26-	86.00	88.00	0.590	0.034
MJJ26-	88.00	90.00	2.076	0.058
MJJ26-	90.00	91.00	0.666	0.023
MJJ26-	91.00	92.00	0.688	0.023
MJJ26-	92.00	94.00	0.484	0.013
MJJ26-	94.00	96.00	0.173	0.003
MJJ26-	96.00	98.00	0.107	0.001
MJJ26-	98.00	100.00	0.212	0.004
MJJ26-	100.00	102.00	0.038	0.001
MJJ26-	102.00	104.00	0.352	0.006
MJJ26-	104.00	106.00	0.429	0.019
MJJ26-	106.00	108.00	0.433	0.131
MJJ26-	108.00	110.00	0.138	0.004
MJJ26-	110.00	112.00	0.120	0.002
MJJ26-	112.00	114.00	0.140	0.002
MJJ26-	114.00	116.00	0.123	0.002
MJJ26-	116.00	118.00	0.223	0.005
MJJ26-	118.00	120.00	0.222	0.002
MJJ26-	120.00	122.00	0.502	0.003
MJJ26-	122.00	124.00	0.182	0.002
MJJ26-	124.00	126.00	0.633	0.005
MJJ26-	126.00	128.00	0.457	0.004
MJJ26-	128.00	130.00	0.659	0.007
MJJ26-	130.00	132.00	0.370	0.003
MJJ26-	132.00	134.00	0.174	0.001
MJJ26-	134.00	136.00	0.185	0.000
MJJ26-	136.00	138.00	0.178	0.000
MJJ26-	138.00	140.00	0.150	0.001
MJJ26-	140.00	142.00	0.088	0.002
MJJ26-	142.00	144.00	0.221	0.012
MJJ26-	144.00	146.00	0.381	0.014
MJJ26-	146.00	148.00	1.435	0.008
MJJ26-	148.00	150.00	0.084	0.002
MJJ26-	150.00	152.00	0.103	0.003
MJJ26-	152.00	154.00	0.125	0.009
MJJ26-	154.00	156.00	0.039	0.002
MJJ26-	156.00	158.00	0.537	0.014
MJJ26-	158.00	160.00	0.237	0.007
MJJ26-	160.00	162.00	0.272	0.012
MJJ26-	162.00	164.00	0.249	0.009
MJJ26-	164.00	166.00	0.155	0.009
MJJ26-	166.00	168.00	0.067	0.005
MJJ26-	168.00	170.00	0.086	0.002
MJJ26-	170.00	172.00	0.138	0.001
MJJ26-	172.00	174.00	0.109	0.001
MJJ26-			0.079	0.001

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ26-	174.00	176.00	0.119	0.001
MJJ26-	176.00	178.00	0.325	0.006
MJJ26-	178.00	180.00	0.118	0.007
MJJ26-	180.00	182.00	0.243	0.006
MJJ26-	182.00	184.00	0.155	0.018
MJJ26-	184.00	186.00	0.130	0.002
MJJ26-	186.00	188.00	0.091	0.002
MJJ26-	188.00	190.00	0.110	0.004
MJJ26-	190.00	192.00	0.026	0.003
MJJ26-	192.00	194.00	0.090	0.001
MJJ26-	194.00	196.00	0.059	0.003
MJJ26-	196.00	198.00	0.370	0.005
MJJ26-	198.00	200.00	0.048	0.002
MJJ26-	200.00	202.00	0.083	0.003
MJJ26-	202.00	204.00	0.135	0.002
MJJ26-	204.00	206.00	0.165	0.005
MJJ26-	206.00	208.00	0.094	0.002
MJJ26-	208.00	210.00	0.062	0.002
MJJ26-	210.00	212.00	0.025	0.000
MJJ26-	212.00	214.00	0.067	0.001
MJJ26-	214.00	216.00	0.065	0.001
MJJ26-	216.00	218.00	0.116	0.002
MJJ26-	218.00	220.00	0.355	0.004
MJJ26-	220.00	222.00	0.221	0.001
MJJ26-	222.00	224.00	0.147	0.000
MJJ26-	224.00	226.00	0.096	0.000
MJJ26-	226.00	228.00	0.259	0.001
MJJ26-	228.00	230.00	0.492	0.003
MJJ26-	230.00	232.00	0.123	0.001
MJJ26-	232.00	234.00	0.319	0.003
MJJ26-	234.00	236.00	0.097	0.001
MJJ26-	236.00	238.00	0.030	0.000
MJJ26-	238.00	240.00	0.050	0.000
MJJ26-	240.00	242.00	0.185	0.004
MJJ26-	242.00	244.00	0.267	0.004
MJJ26-	244.00	246.00	0.270	0.001
MJJ26-	246.00	248.00	2.067	0.021
MJJ26-	248.00	250.00	0.845	0.022
MJJ26-	250.00	252.00	0.186	0.027
MJJ26-	252.00	254.00	0.287	0.006
MJJ26-	254.00	256.00	0.464	0.010
MJJ26-	256.00	258.00	0.374	0.005
MJJ26-	258.00	260.00	0.574	0.003
MJJ26-	260.00	262.00	0.348	0.002
MJJ26-	262.00	264.00	0.186	0.002
MJJ26-	264.00	266.00	0.028	0.000
MJJ26-	266.00	268.00	0.110	0.000
MJJ26-	268.00	270.00	0.144	0.000
MJJ26-	270.00	272.00	0.087	0.001
MJJ26-	272.00	274.00	0.054	0.002
MJJ26-	274.00	276.00	0.032	0.002
MJJ26-	276.00	278.00	0.034	0.001
MJJ26-	278.00	280.00	0.036	0.001
MJJ26-	280.00	282.00	0.034	0.001
MJJ26-	282.00	284.00	0.014	0.001
MJJ26-	284.00	286.00	0.182	0.005
MJJ26-	286.00	288.00	0.012	0.002
MJJ26-	288.00	290.00	0.018	0.002
MJJ26-	290.00	292.00	0.110	0.003
MJJ26-	292.00	294.00	0.221	0.004
MJJ26-	294.00	296.00	0.202	0.004
MJJ26-	296.00	298.00	0.126	0.005
MJJ26-	298.00	300.00	0.048	0.001
MJJ26-	300.00	302.00	0.126	0.003
MJJ26-	302.00	304.00	0.042	0.000
MJJ26-	304.00	306.00	0.119	0.001
MJJ26-	306.00	308.00	0.040	0.001
MJJ26-	308.00	310.00	0.035	0.002
MJJ26-	310.00	312.00	0.241	0.004
MJJ26-	312.00	314.00	0.332	0.003
MJJ26-	314.00	316.00	0.343	0.003
MJJ26-	316.00	318.00	0.113	0.003
MJJ26-	318.00	320.00	0.213	0.005
MJJ26-	320.00	322.00	0.380	0.006
MJJ26-	322.00	324.00	0.368	0.005
MJJ26-	324.00	326.00	0.395	0.007
MJJ26-	326.00	328.00	0.500	0.005
MJJ26-	328.00	330.00	0.363	0.004
MJJ26-	330.00	332.00	0.482	0.012
MJJ26-	332.00	334.00	0.864	0.022
MJJ26-	334.00	336.00	0.419	0.004
MJJ26-	336.00	338.00	0.318	0.003
MJJ26-	338.00	340.00	0.211	0.002
MJJ26-	340.00	342.00	0.245	0.006
MJJ26-	342.00	344.00	0.670	0.006
MJJ26-	344.00	346.00	0.462	0.008
MJJ26-	346.00	348.00	0.409	0.010
MJJ26-	348.00	350.00	0.403	0.011
MJJ26-	350.00	352.00	0.349	0.009
MJJ26-	352.00	354.00	0.349	0.005
MJJ26-	354.00	356.00	0.777	0.007
MJJ26-	356.00	358.00	0.726	0.012
MJJ26-	358.00	360.00	0.250	0.005
MJJ26-	360.00	362.00	0.176	0.004
MJJ26-	362.00	364.00	0.447	0.007
MJJ26-	364.00	366.00	0.364	0.002
MJJ26-	366.00	368.00	0.244	0.002
MJJ26-	368.00	370.00	0.418	0.003

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ26-	370.00	372.00	0.531	0.011
MJJ26-	372.00	374.00	0.791	0.013
MJJ26-	374.00	376.00	0.913	0.007
MJJ26-	376.00	378.00	0.747	0.008
MJJ26-	378.00	380.00	0.106	0.000
MJJ26-	380.00	382.00	0.328	0.002
MJJ26-	382.00	384.00	0.473	0.007
MJJ26-	384.00	386.00	0.170	0.001
MJJ26-	386.00	388.00	0.261	0.002
MJJ26-	388.00	390.00	0.408	0.009
MJJ26-	390.00	392.00	0.166	0.004
MJJ26-	392.00	394.00	0.369	0.003
MJJ26-	394.00	396.00	0.415	0.003
MJJ26-	396.00	398.00	0.201	0.002
MJJ26-	398.00	400.00	0.183	0.001
MJJ26-	400.00	402.00	0.104	0.002
MJJ26-	402.00	404.00	0.378	0.008
MJJ26-	404.00	406.00	0.135	0.007
MJJ26-	406.00	408.00	0.159	0.002
MJJ26-	408.00	410.00	0.329	0.006
MJJ26-	410.00	412.00	0.404	0.004
MJJ26-	412.00	414.00	0.195	0.003
MJJ26-	414.00	416.00	0.208	0.001
MJJ26-	416.00	418.00	0.096	0.001
MJJ26-	418.00	420.00	0.347	0.004
MJJ26-	420.00	422.00	0.159	0.002
MJJ26-	422.00	424.00	0.170	0.004
MJJ26-	424.00	426.00	0.286	0.003
MJJ26-	426.00	428.00	0.229	0.014
MJJ26-	428.00	430.00	0.187	0.006
MJJ26-	430.00	432.00	1.128	0.026
MJJ26-	432.00	434.00	0.275	0.004
MJJ26-	434.00	436.00	0.409	0.005
MJJ26-	436.00	438.00	0.243	0.004
MJJ26-	438.00	440.00	0.376	0.009
MJJ26-	440.00	442.00	0.258	0.009
MJJ26-	442.00	444.00	0.326	0.027
MJJ26-	444.00	446.00	0.412	0.012
MJJ26-	446.00	448.00	0.144	0.003
MJJ26-	448.00	450.00	0.086	0.003
MJJ26-	450.00	452.00	0.186	0.003
MJJ26-	452.00	454.00	1.319	0.019
MJJ26-	454.00	456.00	0.295	0.019
MJJ26-	456.00	458.00	0.212	0.004
MJJ26-	458.00	460.00	0.176	0.007
MJJ26-	460.00	462.00	0.333	0.004
MJJ26-	462.00	464.00	0.440	0.008
MJJ26-	464.00	466.00	0.258	0.005
MJJ26-	466.00	468.00	0.792	0.017
MJJ26-	468.00	470.00	0.361	0.001
MJJ26-	470.00	472.00	0.453	0.006
MJJ26-	472.00	474.00	0.214	0.002
MJJ26-	474.00	476.00	0.856	0.028
MJJ26-	476.00	478.00	0.795	0.083
MJJ26-	478.00	480.00	0.496	0.094
MJJ26-	480.00	482.00	0.137	0.004
MJJ26-	482.00	484.00	0.061	0.004
MJJ26-	484.00	486.00	0.428	0.008
MJJ26-	486.00	488.00	0.164	0.001
MJJ26-	488.00	490.00	0.054	0.001
MJJ26-	490.00	492.00	0.067	0.000
MJJ26-	492.00	494.00	0.185	0.002
MJJ26-	494.00	496.00	0.084	0.001
MJJ26-	496.00	498.00	0.014	0.000
MJJ26-	498.00	500.00	0.039	0.001
MJJ26-	500.00	502.00	0.042	0.001
MJJ27-	5.79	6.00	0.060	0.001
MJJ27-	6.00	8.00	0.081	0.030
MJJ27-	8.00	10.00	0.053	0.004
MJJ27-	10.00	12.00	0.053	0.004
MJJ27-	12.00	14.00	0.429	0.016
MJJ27-	14.00	16.00	0.279	0.037
MJJ27-	16.00	18.00	0.258	0.035
MJJ27-	18.00	20.00	0.078	0.010
MJJ27-	20.00	22.00	0.181	0.003
MJJ27-	22.00	24.00	0.186	0.004
MJJ27-	24.00	26.00	0.218	0.175
MJJ27-	26.00	28.00	0.106	0.010
MJJ27-	28.00	30.00	0.477	0.006
MJJ27-	30.00	32.00	0.712	0.017
MJJ27-	32.00	34.00	0.084	0.001
MJJ27-	34.00	36.00	0.313	0.032
MJJ27-	36.00	38.00	0.153	0.002
MJJ27-	38.00	40.00	0.101	0.001
MJJ27-	40.00	42.00	0.089	0.002
MJJ27-	42.00	44.00	0.225	0.008
MJJ27-	44.00	46.00	0.199	0.008
MJJ27-	46.00	48.00	0.195	0.004
MJJ27-	48.00	50.00	0.215	0.002
MJJ27-	50.00	52.00	0.580	0.013
MJJ27-	52.00	54.00	0.493	0.017
MJJ27-	54.00	56.00	0.129	0.003
MJJ27-	56.00	58.00	0.180	0.009
MJJ27-	58.00	60.00	0.391	0.010
MJJ27-	60.00	62.00	0.078	0.004
MJJ27-	62.00	64.00	0.231	0.010
MJJ27-	64.00	66.00	0.249	0.011
MJJ27-	66.00	68.00	0.943	0.023

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)	No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ27-	68.00	70.00	0.258	0.018	MJJ27-	264.00	266.00	0.772	0.026
MJJ27-	70.00	72.00	0.472	0.015	MJJ27-	266.00	268.00	0.438	0.024
MJJ27-	72.00	74.00	0.355	0.004	MJJ27-	268.00	270.00	0.531	0.019
MJJ27-	74.00	76.00	0.269	0.003	MJJ27-	270.00	272.00	0.993	0.016
MJJ27-	76.00	78.00	0.753	0.056	MJJ27-	272.00	274.00	0.714	0.017
MJJ27-	78.00	80.00	0.355	0.038	MJJ27-	274.00	276.00	0.682	0.011
MJJ27-	80.00	82.00	0.430	0.050	MJJ27-	276.00	278.00	0.846	0.034
MJJ27-	82.00	84.00	0.491	0.021	MJJ27-	278.00	280.00	0.589	0.007
MJJ27-	84.00	86.00	0.252	0.013	MJJ27-	280.00	282.00	0.888	0.021
MJJ27-	86.00	88.00	0.616	0.029	MJJ27-	282.00	284.00	0.474	0.006
MJJ27-	88.00	90.00	0.436	0.015	MJJ27-	284.00	286.00	0.453	0.003
MJJ27-	90.00	92.00	1.004	0.024	MJJ27-	286.00	288.00	0.814	0.015
MJJ27-	92.00	94.00	1.447	0.068	MJJ27-	288.00	290.00	0.418	0.003
MJJ27-	94.00	96.00	0.854	0.050	MJJ27-	290.00	292.00	0.456	0.021
MJJ27-	96.00	98.00	0.908	0.032	MJJ27-	292.00	294.00	0.800	0.043
MJJ27-	98.00	100.00	0.512	0.056	MJJ27-	294.00	296.00	0.455	0.024
MJJ27-	100.00	102.00	1.207	0.013	MJJ27-	296.00	298.00	0.298	0.014
MJJ27-	102.00	104.00	0.789	0.072	MJJ27-	298.00	300.00	0.540	0.016
MJJ27-	104.00	106.00	0.248	0.038	MJJ27-	300.00	302.00	0.826	0.009
MJJ27-	106.00	108.00	0.432	0.008	MJJ27-	302.00	304.00	0.617	0.008
MJJ27-	108.00	110.00	0.264	0.039	MJJ27-	304.00	306.00	0.752	0.018
MJJ27-	110.00	112.00	0.671	0.094	MJJ27-	306.00	308.00	0.563	0.007
MJJ27-	112.00	114.00	0.428	0.043	MJJ27-	308.00	310.00	0.468	0.005
MJJ27-	114.00	116.00	0.563	0.032	MJJ27-	310.00	312.00	0.567	0.009
MJJ27-	116.00	118.00	0.228	0.010	MJJ27-	312.00	314.00	0.435	0.008
MJJ27-	118.00	120.00	0.447	0.032	MJJ27-	314.00	316.00	0.350	0.015
MJJ27-	120.00	122.00	0.531	0.032	MJJ27-	316.00	318.00	0.443	0.008
MJJ27-	122.00	124.00	0.202	0.009	MJJ27-	318.00	320.00	0.591	0.006
MJJ27-	124.00	126.00	0.326	0.016	MJJ27-	320.00	322.00	0.659	0.005
MJJ27-	126.00	128.00	0.387	0.025	MJJ27-	322.00	324.00	0.821	0.097
MJJ27-	128.00	130.00	0.347	0.021	MJJ27-	324.00	326.00	0.227	0.002
MJJ27-	130.00	132.00	0.191	0.014	MJJ27-	326.00	328.00	0.686	0.014
MJJ27-	132.00	134.00	0.263	0.019	MJJ27-	328.00	330.00	0.543	0.008
MJJ27-	134.00	136.00	0.379	0.019	MJJ27-	330.00	332.00	1.279	0.013
MJJ27-	136.00	138.00	0.634	0.019	MJJ27-	332.00	334.00	1.138	0.024
MJJ27-	138.00	140.00	0.477	0.028	MJJ27-	334.00	336.00	0.100	0.004
MJJ27-	140.00	142.00	0.297	0.011	MJJ27-	336.00	338.00	0.859	0.013
MJJ27-	142.00	144.00	0.230	0.008	MJJ27-	338.00	340.00	1.556	0.017
MJJ27-	144.00	146.00	0.746	0.014	MJJ27-	340.00	342.00	1.657	0.010
MJJ27-	146.00	148.00	0.850	0.018	MJJ27-	342.00	344.00	0.329	0.008
MJJ27-	148.00	150.00	0.301	0.007	MJJ27-	344.00	346.00	0.574	0.006
MJJ27-	150.00	152.00	0.679	0.014	MJJ27-	346.00	348.00	0.335	0.005
MJJ27-	152.00	154.00	0.954	0.067	MJJ27-	348.00	350.00	0.591	0.007
MJJ27-	154.00	156.00	0.598	0.009	MJJ27-	350.00	352.00	0.632	0.008
MJJ27-	156.00	158.00	0.350	0.009	MJJ27-	352.00	354.00	0.305	0.004
MJJ27-	158.00	160.00	0.782	0.006	MJJ27-	354.00	356.00	0.586	0.006
MJJ27-	160.00	162.00	1.366	0.026	MJJ27-	356.00	358.00	0.343	0.002
MJJ27-	162.00	164.00	0.773	0.123	MJJ27-	358.00	360.00	0.228	0.003
MJJ27-	164.00	166.00	1.523	0.021	MJJ27-	360.00	362.00	0.328	0.003
MJJ27-	166.00	168.00	1.424	0.101	MJJ27-	362.00	364.00	0.363	0.002
MJJ27-	168.00	170.00	0.468	0.024	MJJ27-	364.00	366.00	0.305	0.007
MJJ27-	170.00	172.00	0.790	0.048	MJJ27-	366.00	368.00	0.425	0.002
MJJ27-	172.00	174.00	1.489	0.047	MJJ27-	368.00	370.00	0.610	0.094
MJJ27-	174.00	176.00	0.820	0.128	MJJ27-	370.00	372.00	0.246	0.005
MJJ27-	176.00	178.00	0.603	0.021	MJJ27-	372.00	374.00	0.196	0.006
MJJ27-	178.00	180.00	2.100	0.098	MJJ27-	374.00	376.00	0.806	0.006
MJJ27-	180.00	182.00	2.556	0.021	MJJ27-	376.00	378.00	0.853	0.007
MJJ27-	182.00	184.00	1.490	0.023	MJJ27-	378.00	380.00	0.334	0.004
MJJ27-	184.00	186.00	0.548	0.016	MJJ27-	380.00	382.00	0.827	0.014
MJJ27-	186.00	188.00	0.931	0.077	MJJ27-	382.00	384.00	0.645	0.007
MJJ27-	188.00	190.00	0.592	0.024	MJJ27-	384.00	386.00	1.214	0.009
MJJ27-	190.00	192.00	0.502	0.012	MJJ27-	386.00	388.00	1.847	0.015
MJJ27-	192.00	194.00	0.427	0.004	MJJ27-	388.00	390.00	0.599	0.015
MJJ27-	194.00	196.00	0.503	0.004	MJJ27-	390.00	392.00	1.428	0.014
MJJ27-	196.00	198.00	0.997	0.023	MJJ27-	392.00	394.00	0.733	0.026
MJJ27-	198.00	200.00	0.336	0.003	MJJ27-	394.00	396.00	0.508	0.005
MJJ27-	200.00	202.00	0.340	0.018	MJJ27-	396.00	398.00	0.267	0.002
MJJ27-	202.00	204.00	0.545	0.019	MJJ27-	398.00	400.00	0.185	0.002
MJJ27-	204.00	206.00	0.556	0.022	MJJ27-	400.00	402.00	0.144	0.001
MJJ27-	206.00	208.00	0.504	0.028	MJJ27-	402.00	404.00	0.248	0.002
MJJ27-	208.00	210.00	0.477	0.033	MJJ27-	404.00	406.00	0.267	0.002
MJJ27-	210.00	212.00	0.254	0.020	MJJ27-	406.00	408.00	0.114	0.003
MJJ27-	212.00	214.00	0.420	0.014	MJJ27-	408.00	410.00	0.392	0.003
MJJ27-	214.00	216.00	0.437	0.012	MJJ27-	410.00	412.00	0.298	0.006
MJJ27-	216.00	218.00	1.920	0.030	MJJ27-	412.00	414.00	0.338	0.002
MJJ27-	218.00	220.00	1.627	0.034	MJJ27-	414.00	416.00	0.145	0.001
MJJ27-	220.00	222.00	0.482	0.090	MJJ27-	416.00	418.00	0.238	0.002
MJJ27-	222.00	224.00	0.839	0.060	MJJ27-	418.00	420.00	0.389	0.003
MJJ27-	224.00	226.00	0.660	0.027	MJJ27-	420.00	422.00	0.520	0.005
MJJ27-	226.00	228.00	0.490	0.029	MJJ27-	422.00	424.00	1.478	0.010
MJJ27-	228.00	230.00	0.346	0.009	MJJ27-	424.00	426.00	2.545	0.016
MJJ27-	230.00	232.00	0.694	0.035	MJJ27-	426.00	428.00	1.949	0.005
MJJ27-	232.00	234.00	0.307	0.009	MJJ27-	428.00	430.00	2.358	0.006
MJJ27-	234.00	236.00	0.217	0.021	MJJ27-	430.00	432.00	2.952	0.046
MJJ27-	236.00	238.00	0.210	0.005	MJJ27-	432.00	434.00	1.475	0.043
MJJ27-	238.00	240.00	0.684	0.088	MJJ27-	434.00	436.00	0.365	0.002
MJJ27-	240.00	242.00	0.752	0.074	MJJ27-	436.00	438.00	0.377	0.010
MJJ27-	242.00	244.00	0.785	0.039	MJJ27-	438.00	440.00	0.357	0.003
MJJ27-	244.00	246.00	0.789	0.015	MJJ27-	440.00	442.00	0.312	0.002
MJJ27-	246.00	248.00	0.748	0.047	MJJ27-	442.00	444.00	0.415	0.003
MJJ27-	248.00	250.00	0.764	0.030	MJJ27-	444.00	446.00	0.470	0.003
MJJ27-	250.00	252.00	0.827	0.027	MJJ27-	446.00	448.00	0.837	0.005
MJJ27-	252.00	254.00	0.829	0.041	MJJ27-	448.00	450.00	0.097	0.002
MJJ27-	254.00	256.00	0.573	0.049	MJJ27-	450.00	452.00	0.212	0.005
MJJ27-	256.00	258.00	0.409	0.013	MJJ27-	452.00	454.00	0.555	0.010
MJJ27-	258.00	260.00	1.414	0.044	MJJ27-	454.00	456.00	0.317	0.017
MJJ27-	260.00	262.00	1.247	0.050	MJJ27-	456.00	458.00	0.505	0.006
MJJ27-	262.00	264.00	2.192	0.049	MJJ27-	458.00	460.00	0.383	0.005

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ27-	460.00	462.00	0.188	0.002
MJJ27-	462.00	464.00	0.473	0.011
MJJ27-	464.00	466.00	0.331	0.005
MJJ27-	466.00	468.00	0.566	0.005
MJJ27-	468.00	470.00	0.072	0.000
MJJ27-	470.00	472.00	0.268	0.002
MJJ27-	472.00	474.00	0.363	0.002
MJJ27-	474.00	476.00	0.259	0.002
MJJ27-	476.00	478.00	0.146	0.003
MJJ27-	478.00	480.00	0.327	0.003
MJJ27-	480.00	482.00	0.098	0.008
MJJ27-	482.00	484.00	0.113	0.002
MJJ27-	484.00	486.00	0.337	0.010
MJJ27-	486.00	488.00	0.096	0.003
MJJ27-	488.00	490.00	0.094	0.001
MJJ27-	490.00	492.00	0.383	0.006
MJJ27-	492.00	494.00	0.138	0.008
MJJ27-	494.00	496.00	0.174	0.003
MJJ27-	496.00	498.00	0.070	0.001
MJJ27-	498.00	500.00	0.021	0.002
MJJ27-	500.00	502.00	0.252	0.004
MJJ27-	502.00	504.00	0.413	0.013
MJJ27-	504.00	506.00	0.371	0.004
MJJ27-	506.00	508.00	0.463	0.005
MJJ27-	508.00	510.00	0.172	0.002
MJJ27-	510.00	512.00	0.263	0.003
MJJ27-	512.00	514.00	0.255	0.004
MJJ27-	514.00	516.00	0.191	0.001
MJJ27-	516.00	518.00	0.169	0.005
MJJ27-	518.00	520.00	0.274	0.002
MJJ27-	520.00	522.00	0.237	0.002
MJJ27-	522.00	524.00	0.317	0.002
MJJ27-	524.00	526.00	0.247	0.001
MJJ27-	526.00	528.00	0.124	0.001
MJJ27-	528.00	530.00	0.101	0.001
MJJ27-	530.00	532.00	0.367	0.004
MJJ27-	532.00	534.00	0.923	0.013
MJJ27-	534.00	536.00	0.296	0.002
MJJ27-	536.00	538.00	0.247	0.002
MJJ27-	538.00	540.00	0.239	0.003
MJJ27-	540.00	542.00	0.170	0.010
MJJ27-	542.00	544.00	0.216	0.002
MJJ27-	544.00	546.00	0.134	0.002
MJJ27-	546.00	548.00	0.293	0.003
MJJ27-	548.00	550.00	0.102	0.001
MJJ27-	550.00	552.00	0.263	0.004
MJJ27-	552.00	554.00	0.449	0.012
MJJ27-	554.00	556.00	0.554	0.007
MJJ27-	556.00	558.00	0.281	0.003
MJJ27-	558.00	560.00	0.509	0.005
MJJ27-	560.00	562.00	2.019	0.016
MJJ27-	562.00	564.00	1.908	0.022
MJJ27-	564.00	566.00	0.437	0.002
MJJ27-	566.00	568.00	1.542	0.057
MJJ27-	568.00	570.00	0.580	0.015
MJJ27-	570.00	572.00	0.432	0.009
MJJ27-	572.00	574.00	0.428	0.001
MJJ27-	574.00	576.00	0.328	0.001
MJJ27-	576.00	578.00	0.291	0.006
MJJ27-	578.00	580.00	0.693	0.003
MJJ27-	580.00	582.00	0.874	0.007
MJJ27-	582.00	584.00	0.416	0.004
MJJ27-	584.00	586.00	0.347	0.004
MJJ27-	586.00	588.00	0.170	0.002
MJJ27-	588.00	590.00	0.216	0.002
MJJ27-	590.00	592.00	0.307	0.006
MJJ27-	592.00	594.00	0.795	0.004
MJJ27-	594.00	596.00	2.020	0.006
MJJ27-	596.00	598.00	0.362	0.003
MJJ27-	598.00	600.00	2.074	0.009
MJJ27-	600.00	602.00	0.847	0.007
MJJ27-	602.00	602.58	0.298	0.012
MJJ28-	5.79	6.00	0.102	0.011
MJJ28-	6.00	8.00	0.093	0.004
MJJ28-	8.00	10.00	0.072	0.002
MJJ28-	10.00	12.00	0.088	0.003
MJJ28-	12.00	14.00	0.082	0.003
MJJ28-	14.00	16.00	0.077	0.005
MJJ28-	16.00	18.00	0.091	0.004
MJJ28-	18.00	20.00	0.090	0.004
MJJ28-	20.00	22.00	0.115	0.005
MJJ28-	22.00	24.00	0.258	0.004
MJJ28-	24.00	25.00	0.169	0.002
MJJ28-	26.00	28.00	0.405	0.015
MJJ28-	28.00	30.00	0.303	0.007
MJJ28-	30.00	32.00	0.346	0.008
MJJ28-	32.00	34.00	0.275	0.010
MJJ28-	34.00	36.00	0.154	0.004
MJJ28-	36.00	38.00	0.145	0.004
MJJ28-	38.00	40.00	0.302	0.005
MJJ28-	40.00	42.00	0.214	0.003
MJJ28-	42.00	44.00	0.167	0.004
MJJ28-	44.00	46.00	0.417	0.007
MJJ28-	46.00	48.00	0.235	0.007
MJJ28-	48.00	50.00	0.144	0.003
MJJ28-	50.00	52.00	0.734	0.237
MJJ28-	52.00	54.00	0.165	0.003
MJJ28-	54.00	56.00	0.201	0.010

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ28-	56.00	58.00	0.181	0.004
MJJ28-	58.00	60.00	0.162	0.005
MJJ28-	60.00	62.00	0.339	0.028
MJJ28-	62.00	64.00	0.131	0.002
MJJ28-	64.00	66.00	0.771	0.011
MJJ28-	66.00	68.00	0.811	0.015
MJJ28-	68.00	70.00	0.848	0.006
MJJ28-	70.00	72.00	0.673	0.026
MJJ28-	72.00	74.00	0.508	0.012
MJJ28-	74.00	76.00	0.798	0.013
MJJ28-	76.00	78.00	0.856	0.008
MJJ28-	78.00	80.00	1.490	0.024
MJJ28-	80.00	82.00	1.346	0.102
MJJ28-	82.00	84.00	2.254	0.089
MJJ28-	84.00	86.00	1.993	0.022
MJJ28-	86.00	88.00	1.694	0.025
MJJ28-	88.00	90.00	1.609	0.050
MJJ28-	90.00	92.00	1.729	0.130
MJJ28-	92.00	94.00	2.179	0.073
MJJ28-	94.00	96.00	1.502	0.031
MJJ28-	96.00	98.00	0.796	0.046
MJJ28-	98.00	100.00	0.960	0.025
MJJ28-	100.00	102.00	0.967	0.032
MJJ28-	102.00	104.00	0.702	0.008
MJJ28-	104.00	106.00	0.730	0.074
MJJ28-	106.00	108.00	0.781	0.051
MJJ28-	108.00	110.00	0.882	0.052
MJJ28-	110.00	112.00	0.642	0.024
MJJ28-	112.00	114.00	0.619	0.043
MJJ28-	114.00	116.00	0.788	0.022
MJJ28-	116.00	118.00	0.750	0.039
MJJ28-	118.00	120.00	1.642	0.215
MJJ28-	120.00	122.00	1.076	0.055
MJJ28-	122.00	124.00	0.371	0.016
MJJ28-	124.00	126.00	0.308	0.260
MJJ28-	126.00	128.00	0.519	0.018
MJJ28-	128.00	130.00	1.901	0.075
MJJ28-	130.00	132.00	1.518	0.019
MJJ28-	132.00	134.00	0.823	0.009
MJJ28-	134.00	136.00	0.721	0.025
MJJ28-	136.00	138.00	0.459	0.028
MJJ28-	138.00	140.00	0.736	0.094
MJJ28-	140.00	142.00	0.833	0.020
MJJ28-	142.00	144.00	0.738	0.038
MJJ28-	144.00	146.00	0.820	0.097
MJJ28-	146.00	148.00	0.353	0.025
MJJ28-	148.00	150.00	0.582	0.028
MJJ28-	150.00	152.00	0.348	0.024
MJJ28-	152.00	154.00	0.829	0.015
MJJ28-	154.00	156.00	0.174	0.008
MJJ28-	156.00	158.00	0.239	0.009
MJJ28-	158.00	160.00	3.633	0.074
MJJ28-	160.00	162.00	0.846	0.037
MJJ28-	162.00	164.00	1.644	0.053
MJJ28-	164.00	166.00	1.866	0.010
MJJ28-	166.00	168.00	0.787	0.024
MJJ28-	168.00	170.00	0.671	0.026
MJJ28-	170.00	172.00	0.393	0.052
MJJ28-	172.00	174.00	0.548	0.050
MJJ28-	174.00	176.00	0.500	0.079
MJJ28-	176.00	178.00	0.482	0.056
MJJ28-	178.00	180.00	0.399	0.061
MJJ28-	180.00	181.00	0.621	0.022
MJJ28-	181.00	182.00	0.474	0.026
MJJ28-	182.00	184.00	0.677	0.042
MJJ28-	184.00	186.00	0.937	0.012
MJJ28-	186.00	188.00	0.552	0.017
MJJ28-	188.00	190.00	0.815	0.143
MJJ28-	190.00	192.00	0.404	0.027
MJJ28-	192.00	194.00	0.740	0.026
MJJ28-	194.00	196.00	0.418	0.016
MJJ28-	196.00	198.00	0.358	0.008
MJJ28-	198.00	200.00	0.634	0.010
MJJ28-	200.00	202.00	0.283	0.009
MJJ28-	202.00	204.00	0.322	0.007
MJJ28-	204.00	206.00	0.498	0.004
MJJ28-	206.00	208.00	0.123	0.002
MJJ28-	208.00	210.00	0.212	0.003
MJJ28-	210.00	212.00	0.379	0.007
MJJ28-	212.00	214.00	1.186	0.012
MJJ28-	214.00	216.00	0.517	0.013
MJJ28-	216.00	218.00	0.413	0.016
MJJ28-	218.00	220.00	0.247	0.019
MJJ28-	220.00	222.00	0.273	0.007
MJJ28-	222.00	224.00	0.217	0.016
MJJ28-	224.00	226.00	0.371	0.007
MJJ28-	226.00	228.00	0.678	0.021
MJJ28-	228.00	230.00	0.601	0.009
MJJ28-	230.00	232.00	0.058	0.012
MJJ28-	232.00	234.00	0.664	0.018
MJJ28-	234.00	236.00	0.449	0.003
MJJ28-	236.00	238.00	0.492	0.012
MJJ28-	238.00	240.00	0.171	0.015
MJJ28-	240.00	242.00	0.218	0.007
MJJ28-	242.00	244.00	0.189	0.008
MJJ28-	244.00	246.00	0.338	0.004
MJJ28-	246.00	248.00	0.106	0.007
MJJ28-	248.00	250.00	0.260	0.009

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ28-	250.00	252.00	0.435	0.004
MJJ28-	252.00	254.00	0.551	0.009
MJJ28-	254.00	256.00	0.550	0.007
MJJ28-	256.00	258.00	0.212	0.005
MJJ28-	258.00	260.00	0.122	0.037
MJJ28-	260.00	262.00	0.219	0.004
MJJ28-	262.00	264.00	0.323	0.006
MJJ28-	264.00	266.00	0.258	0.002
MJJ28-	266.00	268.00	0.131	0.004
MJJ28-	268.00	270.00	0.187	0.005
MJJ28-	270.00	272.00	0.272	0.003
MJJ28-	272.00	274.00	0.222	0.004
MJJ28-	274.00	276.00	0.249	0.006
MJJ28-	276.00	278.00	0.415	0.005
MJJ28-	278.00	280.00	0.316	0.005
MJJ28-	280.00	282.00	0.151	0.002
MJJ28-	282.00	284.00	0.269	0.003
MJJ28-	284.00	286.00	0.403	0.004
MJJ28-	286.00	288.00	0.466	0.005
MJJ28-	288.00	290.00	0.426	0.007
MJJ28-	290.00	292.00	0.399	0.003
MJJ28-	292.00	294.00	1.258	0.009
MJJ28-	294.00	296.00	0.495	0.004
MJJ28-	296.00	298.00	0.250	0.002
MJJ28-	298.00	300.00	0.200	0.005
MJJ28-	300.00	302.00	0.267	0.016
MJJ28-	302.00	304.00	0.254	0.008
MJJ28-	304.00	306.00	0.443	0.006
MJJ28-	306.00	308.00	0.400	0.006
MJJ28-	308.00	310.00	0.144	0.001
MJJ28-	310.00	312.00	0.147	0.001
MJJ28-	312.00	314.00	0.122	0.001
MJJ28-	314.00	316.00	0.381	0.004
MJJ28-	316.00	318.00	0.856	0.004
MJJ28-	318.00	320.00	0.110	0.008
MJJ28-	320.00	322.00	0.185	0.009
MJJ28-	322.00	324.00	0.161	0.005
MJJ28-	324.00	326.00	0.335	0.008
MJJ28-	326.00	328.00	0.145	0.001
MJJ28-	328.00	330.00	0.111	0.002
MJJ28-	330.00	332.00	0.139	0.003
MJJ28-	332.00	334.00	0.036	0.001
MJJ28-	334.00	336.00	0.037	0.001
MJJ28-	336.00	338.00	0.587	0.003
MJJ28-	338.00	340.00	0.201	0.003
MJJ28-	340.00	342.00	0.391	0.005
MJJ28-	342.00	344.00	0.176	0.009
MJJ28-	344.00	346.00	0.621	0.017
MJJ28-	346.00	348.00	1.199	0.013
MJJ28-	348.00	350.00	0.330	0.004
MJJ28-	350.00	352.00	0.404	0.013
MJJ28-	352.00	354.00	0.170	0.002
MJJ28-	354.00	356.00	0.541	0.012
MJJ28-	356.00	358.00	0.313	0.003
MJJ28-	358.00	360.00	0.381	0.005
MJJ28-	360.00	362.00	0.460	0.002
MJJ28-	362.00	364.00	0.177	0.003
MJJ28-	364.00	366.00	0.228	0.004
MJJ28-	366.00	368.00	0.205	0.004
MJJ28-	368.00	370.00	0.328	0.003
MJJ28-	370.00	372.00	0.219	0.003
MJJ28-	372.00	374.00	0.553	0.016
MJJ28-	374.00	376.00	0.343	0.008
MJJ28-	376.00	378.00	0.433	0.009
MJJ28-	378.00	380.00	0.586	0.009
MJJ28-	380.00	382.00	0.180	0.001
MJJ28-	382.00	384.00	4.706	0.072
MJJ28-	384.00	386.00	1.627	0.057
MJJ28-	386.00	388.00	0.374	0.012
MJJ28-	388.00	390.00	1.646	0.005
MJJ28-	390.00	392.00	1.351	0.003
MJJ28-	392.00	394.00	0.546	0.048
MJJ28-	394.00	396.00	0.548	0.012
MJJ28-	396.00	398.00	0.390	0.021
MJJ28-	398.00	400.00	0.509	0.011
MJJ28-	400.00	402.00	0.211	0.003
MJJ28-	402.00	404.00	0.438	0.004
MJJ28-	404.00	406.00	0.363	0.007
MJJ28-	406.00	408.00	0.164	0.003
MJJ28-	408.00	410.00	0.213	0.004
MJJ28-	410.00	412.00	0.528	0.007
MJJ28-	412.00	414.00	0.246	0.004
MJJ28-	414.00	416.00	0.505	0.005
MJJ28-	416.00	418.00	0.133	0.004
MJJ28-	418.00	420.00	0.578	0.004
MJJ28-	420.00	422.00	0.588	0.017
MJJ28-	422.00	424.00	0.969	0.012
MJJ28-	424.00	426.00	0.416	0.006
MJJ28-	426.00	428.00	0.197	0.005
MJJ28-	428.00	430.00	0.123	0.002
MJJ28-	430.00	432.00	0.362	0.002
MJJ28-	432.00	434.00	0.085	0.002
MJJ28-	434.00	436.00	0.267	0.002
MJJ28-	436.00	438.00	0.190	0.005
MJJ28-	438.00	440.00	0.127	0.006
MJJ28-	440.00	442.00	0.064	0.002
MJJ28-	442.00	444.00	0.105	0.002
MJJ28-	444.00	446.00	0.078	0.002

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ28-	446.00	448.00	0.165	0.002
MJJ28-	448.00	450.00	0.131	0.001
MJJ28-	450.00	452.00	0.119	0.001
MJJ28-	452.00	454.00	0.311	0.005
MJJ28-	454.00	456.00	0.228	0.002
MJJ28-	456.00	458.00	0.188	0.003
MJJ28-	458.00	460.00	0.262	0.003
MJJ28-	460.00	462.00	0.402	0.005
MJJ28-	462.00	464.00	0.335	0.004
MJJ28-	464.00	466.00	0.270	0.008
MJJ28-	466.00	468.00	0.176	0.004
MJJ28-	468.00	470.00	0.257	0.002
MJJ28-	470.00	472.00	0.454	0.003
MJJ28-	472.00	474.00	0.243	0.003
MJJ28-	474.00	476.00	0.560	0.005
MJJ28-	476.00	478.00	0.838	0.034
MJJ28-	478.00	480.00	0.623	0.016
MJJ28-	480.00	482.00	0.115	0.003
MJJ28-	482.00	484.00	0.231	0.008
MJJ28-	484.00	486.00	0.317	0.002
MJJ28-	486.00	488.00	0.385	0.001
MJJ28-	488.00	490.00	0.773	0.001
MJJ28-	490.00	492.00	0.225	0.001
MJJ28-	492.00	494.00	0.183	0.003
MJJ28-	494.00	496.00	0.364	0.002
MJJ28-	496.00	498.00	0.287	0.001
MJJ28-	498.00	500.00	0.450	0.011
MJJ28-	500.00	502.00	0.191	0.002
MJJ28-	502.00	504.00	0.238	0.002
MJJ28-	504.00	506.00	0.152	0.003
MJJ28-	506.00	508.00	0.089	0.001
MJJ28-	508.00	510.00	0.084	0.001
MJJ28-	510.00	512.00	0.106	0.001
MJJ28-	512.00	514.00	0.151	0.007
MJJ28-	514.00	516.00	0.226	0.001
MJJ28-	516.00	518.00	0.285	0.001
MJJ28-	518.00	520.00	0.188	0.001
MJJ28-	520.00	522.00	0.292	0.003
MJJ28-	522.00	524.00	0.562	0.002
MJJ28-	524.00	526.00	0.672	0.001
MJJ28-	526.00	528.00	0.193	0.001
MJJ28-	528.00	530.00	0.307	0.006
MJJ28-	530.00	532.00	0.320	0.011
MJJ28-	532.00	534.00	0.284	0.005
MJJ28-	534.00	536.00	0.214	0.002
MJJ28-	536.00	538.00	0.498	0.005
MJJ28-	538.00	540.00	0.387	0.003
MJJ28-	540.00	542.00	0.195	0.002
MJJ28-	542.00	544.00	0.137	0.008
MJJ28-	544.00	546.00	0.119	0.002
MJJ28-	546.00	548.00	0.218	0.019
MJJ28-	548.00	550.00	0.177	0.004
MJJ28-	550.00	552.00	0.244	0.012
MJJ28-	552.00	554.00	0.166	0.003
MJJ28-	554.00	556.00	0.150	0.007
MJJ28-	556.00	558.00	0.092	0.005
MJJ28-	558.00	560.00	0.070	0.001
MJJ28-	560.00	562.00	0.016	0.001
MJJ28-	562.00	564.00	0.012	0.000
MJJ28-	564.00	566.00	0.021	0.000
MJJ28-	566.00	568.00	0.026	0.001
MJJ28-	568.00	570.00	0.100	0.002
MJJ28-	570.00	572.00	0.064	0.002
MJJ28-	572.00	574.00	0.173	0.004
MJJ28-	574.00	576.00	0.238	0.006
MJJ28-	576.00	578.00	0.109	0.001
MJJ28-	578.00	580.00	0.136	0.002
MJJ28-	580.00	582.00	0.077	0.004
MJJ28-	582.00	584.00	0.124	0.001
MJJ28-	584.00	586.00	0.065	0.002
MJJ28-	586.00	588.00	0.133	0.004
MJJ28-	588.00	590.00	0.039	0.005
MJJ28-	590.00	592.00	0.059	0.004
MJJ28-	592.00	594.00	0.079	0.008
MJJ28-	594.00	596.00	0.075	0.002
MJJ28-	596.00	598.00	0.085	0.002
MJJ28-	598.00	600.00	1.136	0.012
MJJ28-	600.00	602.00	0.152	0.003
MJJ28-	602.00	602.58	0.142	0.002
MJJ29-	4.70	6.00	0.046	0.001
MJJ29-	5.00	8.00	0.028	0.001
MJJ29-	8.00	10.00	0.035	0.003
MJJ29-	10.00	12.00	0.025	0.001
MJJ29-	12.00	14.00	0.033	0.001
MJJ29-	14.00	16.00	0.029	0.001
MJJ29-	16.00	18.00	0.037	0.002
MJJ29-	18.00	20.00	0.038	0.002
MJJ29-	20.00	22.00	0.054	0.003
MJJ29-	22.00	24.00	0.048	0.001
MJJ29-	24.00	26.00	0.130	0.008
MJJ29-	26.00	28.00	0.058	0.005
MJJ29-	28.00	30.00	0.040	0.001
MJJ29-	30.00	32.00	0.081	0.002
MJJ29-	32.00	34.00	0.055	0.003
MJJ29-	34.00	36.00	0.065	0.004
MJJ29-	36.00	38.00	0.047	0.004
MJJ29-	38.00	40.00	0.049	0.003
MJJ29-	40.00	42.00	0.038	0.002

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ29-	42.00	44.00	0.062	0.005
MJJ29-	44.00	46.00	0.056	0.004
MJJ29-	46.00	48.00	0.083	0.002
MJJ29-	48.00	50.00	0.087	0.006
MJJ29-	50.00	52.00	0.095	0.017
MJJ29-	52.00	54.00	0.051	0.011
MJJ29-	54.00	56.00	0.090	0.014
MJJ29-	56.00	58.00	0.141	0.077
MJJ29-	58.00	60.00	0.057	0.026
MJJ29-	60.00	62.00	0.074	0.004
MJJ29-	62.00	64.00	0.082	0.014
MJJ29-	64.00	66.00	0.068	0.012
MJJ29-	66.00	68.00	0.061	0.002
MJJ29-	68.00	70.00	0.103	0.014
MJJ29-	70.00	72.00	0.056	0.003
MJJ29-	72.00	74.00	0.056	0.004
MJJ29-	74.00	76.00	0.049	0.001
MJJ29-	76.00	78.00	0.069	0.002
MJJ29-	78.00	80.00	0.034	0.003
MJJ29-	80.00	82.00	0.240	0.013
MJJ29-	82.00	84.00	0.034	0.001
MJJ29-	84.00	86.00	0.041	0.003
MJJ29-	86.00	88.00	0.120	0.003
MJJ29-	88.00	90.00	0.231	0.001
MJJ29-	90.00	92.00	0.945	0.008
MJJ29-	92.00	94.00	0.503	0.002
MJJ29-	94.00	96.00	0.160	0.004
MJJ29-	96.00	98.00	0.245	0.006
MJJ29-	98.00	100.00	0.207	0.002
MJJ29-	100.00	102.00	0.816	0.003
MJJ29-	102.00	104.00	0.194	0.003
MJJ29-	104.00	106.00	0.299	0.005
MJJ29-	106.00	108.00	0.267	0.012
MJJ29-	108.00	110.00	0.263	0.002
MJJ29-	110.00	112.00	0.195	0.002
MJJ29-	112.00	114.00	0.158	0.001
MJJ29-	114.00	116.00	0.407	0.008
MJJ29-	116.00	118.00	0.387	0.012
MJJ29-	118.00	120.00	0.237	0.006
MJJ29-	120.00	122.00	0.381	0.017
MJJ29-	122.00	124.00	0.340	0.016
MJJ29-	124.00	126.00	0.457	0.035
MJJ29-	126.00	128.00	0.193	0.002
MJJ29-	128.00	130.00	0.203	0.014
MJJ29-	130.00	132.00	0.310	0.002
MJJ29-	132.00	134.00	0.245	0.052
MJJ29-	134.00	136.00	0.112	0.007
MJJ29-	136.00	138.00	0.164	0.608
MJJ29-	138.00	140.00	0.213	0.636
MJJ29-	140.00	142.00	1.490	0.011
MJJ29-	142.00	144.00	0.430	0.006
MJJ29-	144.00	146.00	0.853	0.005
MJJ29-	146.00	148.00	0.293	0.004
MJJ29-	148.00	150.00	0.343	0.007
MJJ29-	150.00	152.00	0.933	0.022
MJJ29-	152.00	154.00	0.061	0.002
MJJ29-	154.00	156.00	0.289	0.003
MJJ29-	156.00	158.00	1.951	0.097
MJJ29-	158.00	160.00	0.142	0.009
MJJ29-	160.00	162.00	0.185	0.048
MJJ29-	162.00	164.00	0.247	0.026
MJJ29-	164.00	166.00	0.282	0.011
MJJ29-	166.00	168.00	0.251	0.019
MJJ29-	168.00	170.00	0.648	0.068
MJJ29-	170.00	172.00	0.207	0.035
MJJ29-	172.00	174.00	0.927	0.018
MJJ29-	174.00	176.00	2.066	0.016
MJJ29-	176.00	178.00	0.268	0.061
MJJ29-	178.00	180.00	0.338	0.022
MJJ29-	180.00	182.00	0.367	0.058
MJJ29-	182.00	184.00	0.356	0.057
MJJ29-	184.00	186.00	0.590	0.019
MJJ29-	186.00	188.00	0.453	0.150
MJJ29-	188.00	190.00	1.253	0.047
MJJ29-	190.00	192.00	0.239	0.011
MJJ29-	192.00	194.00	0.353	0.320
MJJ29-	194.00	196.00	0.340	0.114
MJJ29-	196.00	198.00	0.092	0.005
MJJ29-	198.00	200.00	2.673	0.043
MJJ29-	200.00	202.00	1.704	0.008
MJJ29-	202.00	204.00	0.323	0.007
MJJ29-	204.00	206.00	0.256	0.009
MJJ29-	206.00	208.00	0.570	0.028
MJJ29-	208.00	210.00	0.285	0.053
MJJ29-	210.00	212.00	0.569	0.070
MJJ29-	212.00	214.00	0.263	0.003
MJJ29-	214.00	216.00	0.165	0.005
MJJ29-	216.00	218.00	0.073	0.002
MJJ29-	218.00	220.00	0.177	0.016
MJJ29-	220.00	222.00	0.242	0.008
MJJ29-	222.00	224.00	0.247	0.010
MJJ29-	224.00	226.00	0.490	0.035
MJJ29-	226.00	228.00	0.521	0.002
MJJ29-	228.00	230.00	0.783	0.018
MJJ29-	230.00	232.00	0.596	0.020
MJJ29-	232.00	234.00	0.473	0.009
MJJ29-	234.00	236.00	0.595	0.008
MJJ29-	236.00	238.00	0.944	0.027

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ29-	238.00	240.00	1.483	0.029
MJJ29-	240.00	242.00	1.964	0.037
MJJ29-	242.00	244.00	1.526	0.021
MJJ29-	244.00	246.00	0.856	0.050
MJJ29-	246.00	247.00	0.228	0.009
MJJ29-	247.00	248.00	0.272	0.009
MJJ29-	248.00	250.00	0.441	0.005
MJJ29-	250.00	252.00	1.255	0.084
MJJ29-	252.00	254.00	0.785	0.014
MJJ29-	254.00	256.00	0.660	0.018
MJJ29-	256.00	258.00	0.496	0.010
MJJ29-	258.00	260.00	0.866	0.014
MJJ29-	260.00	262.00	0.863	0.029
MJJ29-	262.00	264.00	1.039	0.165
MJJ29-	264.00	266.00	1.078	0.102
MJJ29-	266.00	268.00	0.731	0.091
MJJ29-	268.00	270.00	1.043	0.115
MJJ29-	270.00	272.00	0.941	0.092
MJJ29-	272.00	274.00	0.826	0.092
MJJ29-	274.00	276.00	1.325	0.023
MJJ29-	276.00	278.00	1.421	0.044
MJJ29-	278.00	280.00	1.186	0.064
MJJ29-	280.00	282.00	1.085	0.030
MJJ29-	282.00	284.00	1.016	0.025
MJJ29-	284.00	286.00	1.229	0.008
MJJ29-	286.00	288.00	0.878	0.017
MJJ29-	288.00	290.00	0.918	0.017
MJJ29-	290.00	292.00	0.858	0.067
MJJ29-	292.00	294.00	1.158	0.056
MJJ29-	294.00	296.00	1.071	0.038
MJJ29-	296.00	298.00	1.208	0.016
MJJ29-	298.00	300.00	1.313	0.041
MJJ29-	300.00	302.00	0.875	0.084
MJJ29-	302.00	304.00	0.910	0.113
MJJ29-	304.00	306.00	1.145	0.124
MJJ29-	306.00	308.00	0.728	0.062
MJJ29-	308.00	310.00	0.826	0.060
MJJ29-	310.00	312.00	1.053	0.042
MJJ29-	312.00	314.00	1.257	0.078
MJJ29-	314.00	316.00	0.880	0.032
MJJ29-	316.00	318.00	0.412	0.078
MJJ29-	318.00	320.00	0.393	0.130
MJJ29-	320.00	322.00	0.738	0.027
MJJ29-	322.00	324.00	0.467	0.057
MJJ29-	324.00	326.00	0.839	0.067
MJJ29-	326.00	328.00	0.477	0.057
MJJ29-	328.00	330.00	1.493	0.057
MJJ29-	330.00	332.00	0.855	0.407
MJJ29-	332.00	334.00	0.496	0.014
MJJ29-	334.00	336.00	0.198	0.005
MJJ29-	336.00	338.00	0.106	0.002
MJJ29-	338.00	340.00	0.239	0.008
MJJ29-	340.00	342.00	0.808	0.134
MJJ29-	342.00	344.00	0.675	0.392
MJJ29-	344.00	346.00	0.627	0.030
MJJ29-	346.00	348.00	0.848	0.099
MJJ29-	348.00	350.00	2.709	0.049
MJJ29-	350.00	352.00	1.087	0.039
MJJ29-	352.00	354.00	0.868	0.021
MJJ29-	354.00	356.00	0.750	0.010
MJJ29-	356.00	358.00	0.782	0.014
MJJ29-	358.00	360.00	1.110	0.024
MJJ29-	360.00	362.00	0.639	0.014
MJJ29-	362.00	364.00	0.864	0.013
MJJ29-	364.00	366.00	0.890	0.009
MJJ29-	366.00	368.00	0.948	0.233
MJJ29-	368.00	370.00	0.505	0.016
MJJ29-	370.00	372.00	1.024	0.023
MJJ29-	372.00	374.00	0.785	0.044
MJJ29-	374.00	376.00	0.637	0.020
MJJ29-	376.00	378.00	0.626	0.028
MJJ29-	378.00	380.00	0.648	0.021
MJJ29-	380.00	382.00	0.410	0.018
MJJ29-	382.00	384.00	0.607	0.040
MJJ29-	384.00	386.00	0.975	0.042
MJJ29-	386.00	388.00	1.288	0.041
MJJ29-	388.00	390.00	1.736	0.027
MJJ29-	390.00	392.00	1.488	0.036
MJJ29-	392.00	394.00	1.006	0.029
MJJ29-	394.00	396.00	0.846	0.024
MJJ29-	396.00	398.00	0.872	0.044
MJJ29-	398.00	400.00	0.691	0.024
MJJ29-	400.00	402.00	0.464	0.012
MJJ29-	402.00	404.00	0.567	0.016
MJJ29-	404.00	406.00	0.681	0.018
MJJ29-	406.00	408.00	0.957	0.007
MJJ29-	408.00	410.00	1.045	0.008
MJJ29-	410.00	412.00	1.688	0.017
MJJ29-	412.00	414.00	0.924	0.011
MJJ29-	414.00	416.00	0.907	0.126
MJJ29-	416.00	418.00	1.026	0.020
MJJ29-	418.00	420.00	0.693	0.022
MJJ29-	420.00	422.00	1.321	0.022
MJJ29-	422.00	424.00	1.442	0.027
MJJ29-	424.00	426.00	0.948	0.024
MJJ29-	426.00	428.00	1.003	0.045
MJJ29-	428.00	430.00	1.033	0.124
MJJ29-	430.00	432.00	1.163	0.029

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)	No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ29-	432.00	434.00	1.032	0.028	MJJ30-	30.00	32.00	0.376	0.023
MJJ29-	434.00	436.00	1.549	0.164	MJJ30-	32.00	34.00	0.318	0.014
MJJ29-	436.00	438.00	0.856	0.021	MJJ30-	34.00	36.00	0.220	0.005
MJJ29-	438.00	440.00	1.136	0.025	MJJ30-	36.00	38.00	0.177	0.003
MJJ29-	440.00	442.00	1.591	0.034	MJJ30-	38.00	40.00	0.215	0.006
MJJ29-	442.00	444.00	0.841	0.032	MJJ30-	40.00	42.00	0.460	0.001
MJJ29-	444.00	446.00	0.715	0.047	MJJ30-	42.00	44.00	0.339	0.002
MJJ29-	446.00	448.00	1.238	0.012	MJJ30-	44.00	46.00	0.331	0.001
MJJ29-	448.00	450.00	0.691	0.008	MJJ30-	46.00	48.00	0.575	0.005
MJJ29-	450.00	452.00	0.480	0.016	MJJ30-	48.00	50.00	0.569	0.000
MJJ29-	452.00	454.00	0.911	0.042	MJJ30-	50.00	52.00	0.771	0.001
MJJ29-	454.00	456.00	1.649	0.025	MJJ30-	52.00	54.00	0.249	0.001
MJJ29-	456.00	458.00	0.936	0.029	MJJ30-	54.00	56.00	0.086	0.001
MJJ29-	458.00	460.00	0.622	0.017	MJJ30-	56.00	58.00	0.169	0.001
MJJ29-	460.00	462.00	0.559	0.013	MJJ30-	58.00	60.00	0.084	0.001
MJJ29-	462.00	464.00	1.296	0.059	MJJ30-	60.00	62.00	0.155	0.001
MJJ29-	464.00	466.00	0.437	0.012	MJJ30-	62.00	64.00	0.141	0.000
MJJ29-	466.00	468.00	0.429	0.018	MJJ30-	64.00	66.00	0.170	0.001
MJJ29-	468.00	470.00	0.401	0.014	MJJ30-	66.00	68.00	0.299	0.001
MJJ29-	470.00	472.00	0.455	0.008	MJJ30-	68.00	70.00	0.130	0.001
MJJ29-	472.00	474.00	1.251	0.210	MJJ30-	70.00	72.00	0.127	0.001
MJJ29-	474.00	476.00	1.342	0.642	MJJ30-	72.00	74.00	0.139	0.010
MJJ29-	476.00	478.00	0.260	0.006	MJJ30-	74.00	76.00	0.196	0.001
MJJ29-	478.00	480.00	0.209	0.017	MJJ30-	76.00	78.00	0.414	0.001
MJJ29-	480.00	482.00	0.766	0.023	MJJ30-	78.00	80.00	0.105	0.001
MJJ29-	482.00	484.00	1.497	0.407	MJJ30-	80.00	82.00	0.411	0.000
MJJ29-	484.00	486.00	0.811	0.397	MJJ30-	82.00	84.00	0.302	0.001
MJJ29-	486.00	488.00	1.477	0.047	MJJ30-	84.00	86.00	0.304	0.001
MJJ29-	488.00	490.00	1.026	0.016	MJJ30-	86.00	88.00	0.160	0.001
MJJ29-	490.00	492.00	0.704	0.042	MJJ30-	88.00	90.00	0.125	0.001
MJJ29-	492.00	494.00	1.276	0.065	MJJ30-	90.00	92.00	0.401	0.013
MJJ29-	494.00	496.00	1.132	0.025	MJJ30-	92.00	94.00	0.098	0.001
MJJ29-	496.00	498.00	1.066	0.204	MJJ30-	94.00	96.00	0.266	0.010
MJJ29-	498.00	500.00	1.633	0.084	MJJ30-	96.00	98.00	0.402	0.002
MJJ29-	500.00	502.00	0.803	0.008	MJJ30-	98.00	100.00	0.527	0.010
MJJ29-	502.00	504.00	1.164	0.071	MJJ30-	100.00	102.00	0.239	0.002
MJJ29-	504.00	506.00	1.370	0.046	MJJ30-	102.00	104.00	0.460	0.002
MJJ29-	506.00	508.00	1.629	0.065	MJJ30-	104.00	106.00	0.142	0.002
MJJ29-	508.00	510.00	0.790	0.037	MJJ30-	106.00	108.00	0.557	0.008
MJJ29-	510.00	512.00	1.110	0.047	MJJ30-	108.00	110.00	0.411	0.010
MJJ29-	512.00	514.00	0.467	0.109	MJJ30-	110.00	112.00	0.182	0.005
MJJ29-	514.00	516.00	0.867	0.048	MJJ30-	112.00	114.00	0.270	0.003
MJJ29-	516.00	518.00	0.782	0.213	MJJ30-	114.00	116.00	0.353	0.001
MJJ29-	518.00	520.00	1.025	0.042	MJJ30-	116.00	118.00	0.150	0.004
MJJ29-	520.00	522.00	1.052	0.018	MJJ30-	118.00	120.00	0.605	0.003
MJJ29-	522.00	524.00	0.899	0.034	MJJ30-	120.00	122.00	0.195	0.002
MJJ29-	524.00	526.00	1.063	0.009	MJJ30-	122.00	124.00	0.300	0.001
MJJ29-	526.00	528.00	0.833	0.016	MJJ30-	124.00	126.00	0.129	0.001
MJJ29-	528.00	530.00	1.085	0.042	MJJ30-	126.00	128.00	0.206	0.001
MJJ29-	530.00	532.00	3.209	0.182	MJJ30-	128.00	130.00	0.113	0.003
MJJ29-	532.00	534.00	1.849	0.058	MJJ30-	130.00	132.00	0.081	0.001
MJJ29-	534.00	536.00	1.425	0.045	MJJ30-	132.00	134.00	0.363	0.008
MJJ29-	536.00	538.00	0.562	0.014	MJJ30-	134.00	136.00	0.679	0.006
MJJ29-	538.00	540.00	1.201	0.039	MJJ30-	136.00	138.00	0.297	0.001
MJJ29-	540.00	542.00	1.816	0.033	MJJ30-	138.00	140.00	0.257	0.003
MJJ29-	542.00	543.00	0.787	0.070	MJJ30-	140.00	142.00	0.149	0.000
MJJ29-	543.00	546.00	0.827	0.036	MJJ30-	142.00	144.00	0.264	0.002
MJJ29-	546.00	548.00	0.760	0.022	MJJ30-	144.00	146.00	0.237	0.001
MJJ29-	548.00	550.00	0.788	0.016	MJJ30-	146.00	148.00	0.130	0.004
MJJ29-	550.00	552.00	1.050	0.039	MJJ30-	148.00	150.00	0.374	0.002
MJJ29-	552.00	554.00	0.778	0.025	MJJ30-	150.00	152.00	0.336	0.007
MJJ29-	554.00	556.00	0.875	0.038	MJJ30-	152.00	154.00	0.311	0.056
MJJ29-	556.00	558.00	1.444	0.036	MJJ30-	154.00	156.00	0.330	0.004
MJJ29-	558.00	560.00	0.975	0.031	MJJ30-	156.00	158.00	0.292	0.058
MJJ29-	560.00	562.00	1.197	0.035	MJJ30-	158.00	160.00	0.562	0.053
MJJ29-	562.00	564.00	1.815	0.032	MJJ30-	160.00	162.00	0.754	0.011
MJJ29-	564.00	566.00	1.649	0.046	MJJ30-	162.00	164.00	0.212	0.005
MJJ29-	566.00	568.00	1.491	0.107	MJJ30-	164.00	166.00	0.281	0.005
MJJ29-	568.00	570.00	1.885	0.111	MJJ30-	166.00	168.00	0.439	0.010
MJJ29-	570.00	572.00	1.203	0.023	MJJ30-	168.00	170.00	0.192	0.002
MJJ29-	572.00	574.00	1.090	0.112	MJJ30-	170.00	172.00	0.248	0.004
MJJ29-	574.00	576.00	1.412	0.025	MJJ30-	172.00	174.00	0.159	0.016
MJJ29-	576.00	578.00	1.497	0.018	MJJ30-	174.00	176.00	1.025	0.039
MJJ29-	578.00	580.00	0.991	0.041	MJJ30-	176.00	178.00	0.555	0.010
MJJ29-	580.00	582.00	1.120	0.010	MJJ30-	178.00	180.00	0.261	0.020
MJJ29-	582.00	584.00	1.338	0.013	MJJ30-	180.00	182.00	0.204	0.002
MJJ29-	584.00	586.00	1.791	0.036	MJJ30-	182.00	184.00	0.288	0.002
MJJ29-	586.00	588.00	3.157	0.017	MJJ30-	184.00	186.00	0.189	0.001
MJJ29-	588.00	590.00	2.527	0.058	MJJ30-	186.00	188.00	0.196	0.002
MJJ29-	590.00	592.00	0.891	0.008	MJJ30-	188.00	190.00	0.463	0.003
MJJ29-	592.00	594.00	0.269	0.009	MJJ30-	190.00	192.00	0.383	0.014
MJJ29-	594.00	596.00	0.499	0.004	MJJ30-	192.00	194.00	0.372	0.005
MJJ29-	596.00	598.00	0.548	0.030	MJJ30-	194.00	196.00	0.499	0.002
MJJ29-	598.00	600.00	0.488	0.014	MJJ30-	196.00	198.00	0.217	0.001
MJJ29-	600.00	601.98	0.689	0.019	MJJ30-	198.00	200.00	0.261	0.006
MJJ30-	4.57	6.00	0.056	0.007	MJJ30-	200.00	202.00	0.108	0.001
MJJ30-	6.00	8.00	0.094	0.010	MJJ30-	202.00	204.00	0.077	0.002
MJJ30-	8.00	10.00	0.079	0.008	MJJ30-	204.00	206.00	0.079	0.001
MJJ30-	10.00	12.00	0.058	0.006	MJJ30-	206.00	208.00	0.829	0.006
MJJ30-	12.00	14.00	0.066	0.004	MJJ30-	208.00	210.00	0.274	0.002
MJJ30-	14.00	16.00	0.051	0.003	MJJ30-	210.00	212.00	0.464	0.026
MJJ30-	16.00	18.00	0.113	0.005	MJJ30-	212.00	214.00	0.586	0.047
MJJ30-	18.00	20.00	0.089	0.005	MJJ30-	214.00	216.00	4.863	0.019
MJJ30-	20.00	22.00	0.110	0.010	MJJ30-	216.00	218.00	0.895	0.010
MJJ30-	22.00	24.00	0.110	0.009	MJJ30-	218.00	220.00	0.771	0.022
MJJ30-	24.00	26.00	0.574	0.016	MJJ30-	220.00	222.00	0.428	0.605
MJJ30-	26.00	28.00	0.324	0.010	MJJ30-	222.00	224.00	0.184	0.008
MJJ30-	28.00	30.00	0.116	0.010	MJJ30-	224.00	226.00	0.146	0.003

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ30-	226.00	228.00	0.130	0.002
MJJ30-	228.00	230.00	0.073	0.003
MJJ30-	230.00	232.00	0.112	0.006
MJJ30-	232.00	234.00	0.236	0.024
MJJ30-	234.00	236.00	0.257	0.004
MJJ30-	236.00	238.00	0.501	0.002
MJJ30-	238.00	240.00	0.450	0.002
MJJ30-	240.00	242.00	0.366	0.003
MJJ30-	242.00	244.00	0.333	0.017
MJJ30-	244.00	246.00	0.413	0.003
MJJ30-	246.00	248.00	0.346	0.010
MJJ30-	248.00	250.00	0.262	0.004
MJJ30-	250.00	252.00	0.348	0.001
MJJ30-	252.00	254.00	0.212	0.019
MJJ30-	254.00	256.00	0.278	0.002
MJJ30-	256.00	258.00	0.467	0.003
MJJ30-	258.00	260.00	0.155	0.004
MJJ30-	260.00	262.00	0.215	0.003
MJJ30-	262.00	264.00	0.104	0.002
MJJ30-	264.00	266.00	0.182	0.002
MJJ30-	266.00	268.00	0.344	0.003
MJJ30-	268.00	270.00	0.474	0.002
MJJ30-	270.00	272.00	0.644	0.003
MJJ30-	272.00	274.00	0.644	0.003
MJJ30-	274.00	276.00	0.273	0.002
MJJ30-	276.00	278.00	0.273	0.002
MJJ30-	278.00	280.00	0.068	0.000
MJJ30-	280.00	282.00	0.068	0.000
MJJ30-	282.00	284.00	0.083	0.000
MJJ30-	284.00	286.00	0.083	0.000
MJJ30-	286.00	288.00	0.311	0.004
MJJ30-	288.00	290.00	0.311	0.004
MJJ30-	290.00	292.00	0.135	0.004
MJJ30-	292.00	294.00	0.135	0.004
MJJ30-	294.00	296.00	0.056	0.001
MJJ30-	296.00	298.00	0.056	0.001
MJJ30-	298.00	300.00	0.061	0.000
MJJ30-	300.00	302.00	0.061	0.000
MJJ30-	302.00	304.00	0.148	0.001
MJJ30-	304.00	306.00	0.148	0.001
MJJ30-	306.00	308.00	0.184	0.001
MJJ30-	308.00	310.00	0.184	0.001
MJJ30-	310.00	312.00	0.112	0.004
MJJ30-	312.00	314.00	0.112	0.004
MJJ30-	314.00	316.00	0.046	0.001
MJJ30-	316.00	318.00	0.046	0.001
MJJ30-	318.00	320.00	0.130	0.004
MJJ30-	320.00	322.00	0.130	0.004
MJJ30-	322.00	324.00	0.335	0.005
MJJ30-	324.00	326.00	0.335	0.005
MJJ30-	326.00	328.00	0.140	0.006
MJJ30-	328.00	330.00	0.140	0.006
MJJ30-	330.00	332.00	0.298	0.007
MJJ30-	332.00	334.00	0.427	0.009
MJJ30-	334.00	336.00	0.464	0.005
MJJ30-	336.00	338.00	0.777	0.002
MJJ30-	338.00	340.00	0.823	0.014
MJJ30-	340.00	342.00	0.476	0.092
MJJ30-	342.00	344.00	0.799	0.011
MJJ30-	344.00	346.00	0.392	0.144
MJJ30-	346.00	348.00	0.279	0.004
MJJ30-	348.00	350.00	0.326	0.005
MJJ30-	350.00	352.00	0.185	0.005
MJJ30-	352.00	354.00	0.354	0.002
MJJ30-	354.00	356.00	0.376	0.002
MJJ30-	356.00	358.00	0.653	0.004
MJJ30-	358.00	360.00	0.339	0.008
MJJ30-	360.00	362.00	0.325	0.005
MJJ30-	362.00	364.00	0.326	0.003
MJJ30-	364.00	366.00	0.284	0.002
MJJ30-	366.00	368.00	1.887	0.018
MJJ30-	368.00	370.00	2.109	0.008
MJJ30-	370.00	372.00	3.406	0.024
MJJ30-	372.00	374.00	3.571	0.024
MJJ30-	374.00	376.00	1.990	0.024
MJJ30-	376.00	378.00	2.487	0.016
MJJ30-	378.00	380.00	2.752	0.018
MJJ30-	380.00	382.00	4.335	0.070
MJJ30-	382.00	384.00	3.512	0.046
MJJ30-	384.00	386.00	2.475	0.274
MJJ30-	386.00	388.00	1.660	0.012
MJJ30-	388.00	390.00	0.708	0.012
MJJ30-	390.00	392.00	0.363	0.010
MJJ30-	392.00	394.00	1.142	0.006
MJJ30-	394.00	396.00	0.838	0.013
MJJ30-	396.00	398.00	0.391	0.010
MJJ30-	398.00	400.00	0.252	0.003
MJJ30-	400.00	402.00	0.279	0.003
MJJ30-	402.00	404.00	0.160	0.004
MJJ30-	404.00	406.00	0.855	0.005
MJJ30-	406.00	408.00	1.199	0.009
MJJ30-	408.00	410.00	0.468	0.011
MJJ30-	410.00	412.00	0.751	0.026
MJJ30-	412.00	414.00	0.939	0.019
MJJ30-	414.00	416.00	0.637	0.021
MJJ30-	416.00	418.00	0.728	0.030
MJJ30-	418.00	420.00	0.339	0.015
MJJ30-	420.00	422.00	0.336	0.020

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ30-	392.00	394.00	0.269	0.024
MJJ30-	394.00	396.00	0.297	0.029
MJJ30-	396.00	398.00	0.257	0.020
MJJ30-	398.00	400.00	0.327	0.012
MJJ30-	400.00	402.00	0.638	0.021
MJJ30-	402.00	404.00	0.265	0.008
MJJ30-	404.00	406.00	0.167	0.017
MJJ30-	406.00	408.00	0.608	0.007
MJJ30-	408.00	410.00	0.734	0.031
MJJ30-	410.00	412.00	0.425	0.012
MJJ30-	412.00	414.00	0.505	0.034
MJJ30-	414.00	416.00	0.396	0.019
MJJ30-	416.00	418.00	1.119	0.027
MJJ30-	418.00	420.00	1.134	0.038
MJJ30-	420.00	422.00	1.102	0.053
MJJ30-	422.00	424.00	1.052	0.009
MJJ30-	424.00	426.00	0.348	0.009
MJJ30-	426.00	428.00	0.566	0.007
MJJ30-	428.00	430.00	0.738	0.018
MJJ30-	430.00	432.00	0.806	0.016
MJJ30-	432.00	434.00	0.751	0.019
MJJ30-	434.00	436.00	0.547	0.018
MJJ30-	436.00	438.00	0.517	0.040
MJJ30-	438.00	440.00	0.576	0.006
MJJ30-	440.00	442.00	0.909	0.009
MJJ30-	442.00	444.00	0.386	0.010
MJJ30-	444.00	446.00	0.482	0.006
MJJ30-	446.00	448.00	1.030	0.031
MJJ30-	448.00	450.00	0.696	0.024
MJJ30-	450.00	452.00	0.444	0.033
MJJ30-	452.00	454.00	0.442	0.021
MJJ30-	454.00	456.00	0.340	0.007
MJJ30-	456.00	458.00	0.378	0.037
MJJ30-	458.00	460.00	0.308	0.007
MJJ30-	460.00	462.00	0.350	0.009
MJJ30-	462.00	464.00	0.297	0.009
MJJ30-	464.00	466.00	0.357	0.024
MJJ30-	466.00	468.00	0.728	0.019
MJJ30-	468.00	470.00	0.388	0.018
MJJ30-	470.00	472.00	0.365	0.009
MJJ30-	472.00	474.00	1.356	0.069
MJJ30-	474.00	476.00	0.991	0.010
MJJ30-	476.00	478.00	0.382	0.030
MJJ30-	478.00	480.00	0.326	0.025
MJJ30-	480.00	482.00	0.991	0.035
MJJ30-	482.00	484.00	0.697	0.009
MJJ30-	484.00	486.00	1.042	0.034
MJJ30-	486.00	488.00	0.938	0.025
MJJ30-	488.00	490.00	0.950	0.029
MJJ30-	490.00	492.00	1.021	0.037
MJJ30-	492.00	494.00	0.616	0.061
MJJ30-	494.00	496.00	0.990	0.036
MJJ30-	496.00	498.00	0.984	0.034
MJJ30-	498.00	500.00	1.327	0.032
MJJ30-	500.00	502.00	2.314	0.014
MJJ30-	502.00	504.00	1.608	0.043
MJJ30-	504.00	506.00	2.048	0.041
MJJ30-	506.00	508.00	1.882	0.018
MJJ30-	508.00	510.00	1.758	0.071
MJJ30-	510.00	512.00	1.042	0.026
MJJ30-	512.00	514.00	2.229	0.107
MJJ30-	514.00	516.00	0.826	0.019
MJJ30-	516.00	518.00	1.255	0.009
MJJ30-	518.00	520.00	1.711	0.057
MJJ30-	520.00	522.00	2.240	0.053
MJJ30-	522.00	524.00	2.283	0.031
MJJ30-	524.00	526.00	2.600	0.090
MJJ30-	526.00	528.00	2.763	0.069
MJJ30-	528.00	530.00	2.452	0.016
MJJ30-	530.00	532.00	1.722	0.010
MJJ30-	532.00	534.00	1.294	0.016
MJJ30-	534.00	536.00	1.018	0.027
MJJ30-	536.00	538.00	1.402	0.030
MJJ30-	538.00	540.00	2.198	0.089
MJJ30-	540.00	542.00	2.156	0.059
MJJ30-	542.00	544.00	1.251	0.026
MJJ30-	544.00	546.00	0.855	0.005
MJJ30-	546.00	548.00	0.482	0.002
MJJ30-	548.00	550.00	0.783	0.001
MJJ30-	550.00	552.00	0.298	0.002
MJJ30-	552.00	554.00	1.062	0.017
MJJ30-	554.00	556.00	0.262	0.002
MJJ30-	556.00	558.00	0.458	0.004
MJJ30-	558.00	560.00	0.413	0.004
MJJ30-	560.00	562.00	0.437	0.028
MJJ30-	562.00	564.00	0.343	0.005
MJJ30-	564.00	566.00	0.774	0.005
MJJ30-	566.00	568.00	0.630	0.017
MJJ30-	568.00	570.00	0.489	0.008
MJJ30-	570.00	572.00	0.898	0.010
MJJ30-	572.00	574.00	0.707	0.007
MJJ30-	574.00	576.00	0.805	0.010
MJJ30-	576.00	578.00	0.985	0.005
MJJ30-	578.00	580.00	1.090	0.011
MJJ30-	580.00	582.00	1.069	0.021
MJJ30-	582.00	584.00	0.542	0.007
MJJ30-	584.00	586.00	0.443	0.007
MJJ30-	586.00	588.00	0.434	0.008

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ30-	588.00	590.00	1.425	0.013
MJJ30-	590.00	592.00	0.977	0.025
MJJ30-	592.00	594.00	0.846	0.033
MJJ30-	594.00	596.00	0.506	0.008
MJJ30-	596.00	598.00	0.555	0.008
MJJ30-	598.00	600.00	0.624	0.009
MJJ30-	600.00	602.56	0.699	0.022



Apéndice 4 Distribución de bloques para el cálculo de reserva

