

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ15	148.00	148.00	149.00	1.00	0.444	0.001
MJJ15	149.00	149.00	150.00	1.00	0.772	0.006
MJJ15	150.00	150.00	152.30	2.30	0.633	0.085
MJJ15	152.30	152.30	153.00	0.70	0.451	0.001
MJJ15	153.00	153.00	154.00	1.00	0.254	0.000
MJJ15	154.00	154.00	155.00	1.00	0.153	0.002
MJJ15	155.00	155.00	156.00	1.00	0.223	0.030
MJJ15	156.00	156.00	157.00	1.00	0.087	0.000
MJJ15	157.00	157.00	158.00	1.00	0.041	0.000
MJJ15	158.00	158.00	159.00	1.00	0.075	0.000
MJJ15	159.00	159.00	160.00	1.00	0.168	0.001
MJJ15	160.00	160.00	161.00	1.00	0.186	0.001
MJJ15	161.00	161.00	162.00	1.00	0.156	0.001
MJJ15	162.00	162.00	163.00	1.00	0.137	0.001
MJJ15	163.00	163.00	164.00	1.00	0.086	0.002
MJJ15	164.00	164.00	165.00	1.00	0.121	0.002
MJJ15	165.00	165.00	166.00	1.00	0.171	0.001
MJJ15	166.00	166.00	167.00	1.00	0.155	0.001
MJJ15	167.00	167.00	168.00	1.00	0.255	0.001
MJJ15	168.00	168.00	169.00	1.00	0.131	0.000
MJJ15	169.00	169.00	170.00	1.00	0.289	0.004
MJJ15	170.00	170.00	171.00	1.00	0.143	0.001
MJJ15	171.00	171.00	172.00	1.00	0.094	0.000
MJJ15	172.00	172.00	173.00	1.00	0.195	0.001
MJJ15	173.00	173.00	173.55	0.55	0.057	0.000
MJJ15	173.55	173.55	174.55	1.00	0.143	0.002
MJJ15	174.55	174.55	175.55	1.00	0.172	0.002
MJJ15	175.55	175.55	176.55	1.00	0.098	0.001
MJJ15	176.55	176.55	177.55	1.00	0.098	0.000
MJJ15	177.55	177.55	177.80	0.25	0.174	0.001
MJJ15	177.80	177.80	178.00	0.20	0.319	0.000
MJJ15	178.00	178.00	179.00	1.00	0.187	0.005
MJJ15	179.00	179.00	180.00	1.00	0.107	0.001
MJJ15	180.00	180.00	181.00	1.00	0.218	0.002
MJJ15	181.00	181.00	182.00	1.00	0.231	0.001
MJJ15	182.00	182.00	183.00	1.00	0.114	0.001
MJJ15	183.00	183.00	184.00	1.00	0.422	0.005
MJJ15	184.00	184.00	185.00	1.00	0.284	0.003
MJJ15	185.00	185.00	186.00	1.00	0.199	0.000
MJJ15	186.00	186.00	187.00	1.00	0.178	0.005
MJJ15	187.00	187.00	188.00	1.00	0.380	0.002
MJJ15	188.00	188.00	189.00	1.00	0.225	0.001
MJJ15	189.00	189.00	190.00	1.00	0.465	0.010
MJJ15	190.00	190.00	191.00	1.00	0.155	0.001
MJJ15	191.00	191.00	192.00	1.00	0.553	0.006
MJJ15	192.00	192.00	193.00	1.00	0.257	0.001
MJJ15	193.00	193.00	194.00	1.00	0.591	0.018
MJJ15	194.00	194.00	195.00	1.00	0.199	0.005
MJJ15	195.00	195.00	196.00	1.00	0.217	0.002
MJJ15	196.00	196.00	197.00	1.00	0.413	0.003
MJJ15	197.00	197.00	198.00	1.00	0.550	0.001
MJJ15	198.00	198.00	199.00	1.00	0.192	0.001
MJJ15	199.00	199.00	200.00	1.00	0.243	0.005
MJJ15	200.00	200.00	200.50	0.50	0.248	0.001
MJJ15	200.50	200.50	201.00	0.50	0.237	0.004
MJJ15	201.00	201.00	202.00	1.00	0.268	0.003
MJJ15	202.00	202.00	203.00	1.00	0.268	0.003
MJJ15	203.00	203.00	204.00	1.00	0.199	0.002
MJJ15	204.00	204.00	205.00	1.00	0.289	0.002
MJJ15	205.00	205.00	206.00	1.00	0.303	0.011
MJJ15	206.00	206.00	207.00	1.00	0.649	0.002
MJJ15	207.00	207.00	208.00	1.00	0.399	0.004
MJJ15	208.00	208.00	209.00	1.00	0.154	0.006
MJJ15	209.00	209.00	210.00	1.00	0.408	0.001
MJJ15	210.00	210.00	211.00	1.00	0.468	0.003
MJJ15	211.00	211.00	212.00	1.00	0.530	0.002
MJJ15	212.00	212.00	213.00	1.00	0.314	0.001
MJJ15	213.00	213.00	214.00	1.00	0.387	0.005
MJJ15	214.00	214.00	215.00	1.00	0.244	0.002
MJJ15	215.00	215.00	216.00	1.00	0.383	0.001
MJJ15	216.00	216.00	217.00	1.00	0.337	0.001
MJJ15	217.00	217.00	218.00	1.00	0.289	0.005
MJJ15	218.00	218.00	219.00	1.00	0.261	0.005
MJJ15	219.00	219.00	220.00	1.00	0.231	0.002
MJJ15	220.00	220.00	221.00	1.00	0.350	0.002
MJJ15	221.00	221.00	222.00	1.00	1.511	0.011
MJJ15	222.00	222.00	223.50	1.50	1.723	0.024
MJJ15	223.50	223.50	224.00	0.50	2.059	1.460
MJJ15	224.00	224.00	225.60	1.60	0.740	0.005
MJJ15	225.60	225.60	226.00	0.40	0.583	0.004
MJJ15	226.00	226.00	227.00	1.00	0.612	0.029
MJJ15	227.00	227.00	228.00	1.00	0.797	0.086
MJJ15	228.00	228.00	229.00	1.00	0.525	0.249
MJJ15	229.00	229.00	230.00	1.00	0.789	0.037
MJJ15	230.00	230.00	231.00	1.00	0.705	0.005
MJJ15	231.00	231.00	232.00	1.00	0.728	0.012
MJJ15	232.00	232.00	233.00	1.00	0.624	0.037
MJJ15	233.00	233.00	234.00	1.00	0.537	0.010
MJJ15	234.00	234.00	235.00	1.00	0.473	0.011
MJJ15	235.00	235.00	236.00	1.00	0.210	0.033
MJJ15	236.00	236.00	237.00	1.00	0.356	0.010
MJJ15	237.00	237.00	238.00	1.00	0.169	0.022
MJJ15	238.00	238.00	239.00	1.00	0.171	0.043
MJJ15	239.00	239.00	240.00	1.00	0.338	0.006
MJJ15	240.00	240.00	241.00	1.00	0.294	0.013
MJJ15	241.00	241.00	242.00	1.00	0.278	0.009
MJJ15	242.00	242.00	243.00	1.00	0.322	0.002
MJJ15	243.00	243.00	244.00	1.00	0.395	0.005

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ15	244.00	244.00	245.00	1.00	0.209	0.006
MJJ15	245.00	245.00	246.00	1.00	0.240	0.004
MJJ15	246.00	246.00	247.00	1.00	0.275	0.001
MJJ15	247.00	247.00	248.00	1.00	0.208	0.002
MJJ15	248.00	248.00	249.00	1.00	0.132	0.000
MJJ15	249.00	249.00	250.00	1.00	0.219	0.002
MJJ15	250.00	250.00	251.00	1.00	0.258	0.006
MJJ15	251.00	251.00	252.00	1.00	0.245	0.001
MJJ15	252.00	252.00	253.00	1.00	0.246	0.005
MJJ15	253.00	253.00	254.00	1.00	0.121	0.000
MJJ15	254.00	254.00	254.72	0.72	0.145	0.003
MJJ15	254.72	254.72	255.61	0.89	1.720	0.009
MJJ15	255.61	255.61	256.00	0.39	0.178	0.001
MJJ15	256.00	256.00	257.00	1.00	0.363	0.008
MJJ15	257.00	257.00	258.00	1.00	0.264	0.004
MJJ15	258.00	258.00	259.00	1.00	0.286	0.001
MJJ15	259.00	259.00	260.00	1.00	0.356	0.007
MJJ15	260.00	260.00	261.00	1.00	0.184	0.006
MJJ15	261.00	261.00	262.00	1.00	0.276	0.007
MJJ15	262.00	262.00	263.00	1.00	0.191	0.006
MJJ15	263.00	263.00	264.00	1.00	0.292	0.004
MJJ15	264.00	264.00	265.00	1.00	0.188	0.028
MJJ15	265.00	265.00	266.00	1.00	0.384	0.002
MJJ15	266.00	266.00	267.00	1.00	0.180	0.001
MJJ15	267.00	267.00	268.00	1.00	0.195	0.032
MJJ15	268.00	268.00	269.00	1.00	0.290	0.004
MJJ15	269.00	269.00	270.00	1.00	0.306	0.004
MJJ15	270.00	270.00	271.00	1.00	0.345	0.004
MJJ15	271.00	271.00	272.00	1.00	0.630	0.011
MJJ15	272.00	272.00	273.00	1.00	0.514	0.005
MJJ15	273.00	273.00	274.00	1.00	0.512	0.004
MJJ15	274.00	274.00	275.00	1.00	0.724	0.007
MJJ15	275.00	275.00	276.00	1.00	0.485	0.005
MJJ15	276.00	276.00	277.00	1.00	0.642	0.003
MJJ15	277.00	277.00	278.00	1.00	0.599	0.009
MJJ15	278.00	278.00	279.00	1.00	0.578	0.008
MJJ15	279.00	279.00	280.00	1.00	0.565	0.015
MJJ15	280.00	280.00	281.00	1.00	0.482	0.010
MJJ15	281.00	281.00	282.00	1.00	0.688	0.014
MJJ15	282.00	282.00	283.00	1.00	0.477	0.010
MJJ15	283.00	283.00	284.00	1.00	0.258	0.005
MJJ15	284.00	284.00	285.00	1.00	0.277	0.009
MJJ15	285.00	285.00	286.00	1.00	0.251	0.006
MJJ15	286.00	286.00	287.00	1.00	0.167	0.010
MJJ15	287.00	287.00	288.00	1.00	0.325	0.005
MJJ15	288.00	288.00	289.00	1.00	0.277	0.004
MJJ15	289.00	289.00	290.00	1.00	0.232	0.018
MJJ15	290.00	290.00	291.00	1.00	0.434	0.004
MJJ15	291.00	291.00	292.00	1.00	0.650	0.004
MJJ15	292.00	292.00	293.00	1.00	0.488	0.011
MJJ15	293.00	293.00	294.00	1.00	0.508	0.015
MJJ15	294.00	294.00	295.00	1.00	0.473	0.006
MJJ15	295.00	295.00	296.00	1.00	0.344	0.003
MJJ15	296.00	296.00	297.00	1.00	0.315	0.041
MJJ15	297.00	297.00	298.00	1.00	0.420	0.008
MJJ15	298.00	298.00	299.00	1.00	0.385	0.024
MJJ15	299.00	299.00	300.00	1.00	0.363	0.018
MJJ15	300.00	300.00	301.00	1.00	0.529	0.003
MJJ15	301.00	301.00	301.21	0.21	0.231	0.001
MJJ16	3.29	3.29	4.00	0.71	0.103	0.000
MJJ16	4.00	4.00	5.00	1.00	0.124	0.001
MJJ16	5.00	5.00	6.00	1.00	0.026	0.001
MJJ16	6.00	6.00	7.00	1.00	0.057	0.000
MJJ16	7.00	7.00	8.00	1.00	0.041	0.003
MJJ16	8.00	8.00	9.00	1.00	0.225	0.002
MJJ16	9.00	9.00	10.00	1.00	0.037	0.000
MJJ16	10.00	10.00	11.00	1.00	0.045	0.000
MJJ16	11.00	11.00	12.00	1.00	0.037	0.000
MJJ16	12.00	12.00	13.00	1.00	0.072	0.000
MJJ16	13.00	13.00	14.00	1.00	0.049	0.001
MJJ16	14.00	14.00	15.00	1.00	0.064	0.000
MJJ16	15.00	15.00	16.00	1.00	0.068	0.000
MJJ16	16.00	16.00	16.40	0.40	0.057	0.000
MJJ16	16.40	16.40	17.00	0.60	0.124	0.001
MJJ16	17.00	17.00	18.00	1.00	0.030	0.001
MJJ16	18.00	18.00	19.00	1.00	0.044	0.000
MJJ16	19.00	19.00	20.00	1.00	0.085	0.001
MJJ16	20.00	20.00	21.00	1.00	0.022	0.000
MJJ16	21.10	21.10	22.10	1.00	0.053	0.000
MJJ16	22.00	22.00	23.00	1.00	0.070	0.000
MJJ16	23.00	23.00	24.00	1.00	0.009	0.000
MJJ16	24.00	24.00	25.00	1.00	0.133	0.000
MJJ16	25.00	25.00	26.00	1.00	0.280	0.000
MJJ16	26.00	26.00	27.00	1.00	0.008	0.000
MJJ16	27.00	27.00	28.00	1.00	0.025	0.000
MJJ16	28.00	28.00	29.00	1.00	0.018	0.002
MJJ16	29.00	29.00	30.00	1.00	0.033	0.000
MJJ16	30.00	30.00	31.00	1.00	0.033	0.000
MJJ16	31.00	31.00	32.00	1.00	0.022	0.000
MJJ16	32.00	32.00	33.00	1.00	0.028	0.000
MJJ16	33.00	33.00	34.00	1.00	0.008	0.000
MJJ16	34.00	34.00	35.00	1.00	0.010	0.000
MJJ16	35.00	35.00	36.00	1.00	0.004	0.000
MJJ16	36.00	36.00	37.00	1.00	0.013	0.000
MJJ16	37.00	37.00	38.00	1.00	0.011	0.000
MJJ16	38.00	38.00	39.00	1.00	0.020	0.000
MJJ16	39.00	39.00	40.00	1.00	0.030	0.000
MJJ16	40.00	40.00	41.00	1.00	0.017	0.000

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ16	41.00	41.00	42.00	1.00	0.077	0.000
MJJ16	42.00	42.00	43.00	1.00	0.097	0.001
MJJ16	43.00	43.00	44.00	1.00	0.069	0.000
MJJ16	44.00	44.00	44.70	0.70	0.045	0.000
MJJ16	44.70	44.70	45.00	0.30	0.063	0.000
MJJ16	45.00	45.00	46.00	1.00	0.102	0.000
MJJ16	46.00	46.00	47.00	1.00	0.094	0.000
MJJ16	47.00	47.00	48.00	1.00	0.102	0.000
MJJ16	48.00	48.00	49.00	1.00	0.104	0.000
MJJ16	49.00	49.00	50.00	1.00	0.079	0.000
MJJ16	50.00	50.00	51.00	1.00	0.132	0.000
MJJ16	51.00	51.00	52.00	1.00	0.329	0.006
MJJ16	52.00	52.00	53.00	1.00	0.155	0.001
MJJ16	53.00	53.00	54.00	1.00	0.061	0.000
MJJ16	54.00	54.00	55.00	1.00	0.133	0.000
MJJ16	55.00	55.00	56.00	1.00	0.147	0.000
MJJ16	56.00	56.00	57.00	1.00	0.390	0.000
MJJ16	57.00	57.00	58.00	1.00	0.555	0.000
MJJ16	58.00	58.00	59.00	1.00	0.097	0.000
MJJ16	59.00	59.00	60.00	1.00	0.047	0.000
MJJ16	60.00	60.00	61.00	1.00	0.049	0.000
MJJ16	61.00	61.00	62.00	1.00	0.034	0.000
MJJ16	62.00	62.00	63.00	1.00	0.135	0.007
MJJ16	63.00	63.00	64.00	1.00	0.093	0.001
MJJ16	64.00	64.00	64.90	0.90	0.062	0.000
MJJ16	68.03	68.03	69.00	0.97	0.035	0.000
MJJ16	69.00	69.00	70.00	1.00	0.307	0.000
MJJ16	70.00	70.00	71.00	1.00	0.080	0.000
MJJ16	71.00	71.00	72.00	1.00	0.115	0.000
MJJ16	72.00	72.00	73.00	1.00	0.118	0.000
MJJ16	73.00	73.00	74.00	1.00	0.061	0.000
MJJ16	74.00	74.00	74.60	0.60	0.106	0.000
MJJ16	74.60	74.60	76.40	1.80	0.429	0.005
MJJ16	76.40	76.40	77.50	1.10	0.324	0.004
MJJ16	77.50	77.50	78.00	0.50	0.294	0.009
MJJ16	78.00	78.00	79.00	1.00	0.282	0.009
MJJ16	79.00	79.00	80.00	1.00	0.234	0.009
MJJ16	80.00	80.00	81.00	1.00	0.170	0.028
MJJ16	81.00	81.00	83.40	2.40	0.686	0.006
MJJ16	83.40	83.40	85.70	2.30	0.290	0.004
MJJ16	85.70	85.70	86.70	1.00	0.239	0.001
MJJ16	86.70	86.70	87.00	0.30	0.212	0.001
MJJ16	87.00	87.00	88.00	1.00	0.226	0.001
MJJ16	88.00	88.00	89.00	1.00	0.336	0.000
MJJ16	89.00	89.00	90.00	1.00	0.322	0.000
MJJ16	90.00	90.00	91.00	1.00	0.368	0.000
MJJ16	91.00	91.00	92.00	1.00	0.137	0.000
MJJ16	92.00	92.00	93.00	1.00	0.091	0.000
MJJ16	93.00	93.00	94.00	1.00	0.123	0.000
MJJ16	94.00	94.00	95.00	1.00	0.220	0.000
MJJ16	95.00	95.00	96.00	1.00	0.132	0.000
MJJ16	96.00	96.00	97.00	1.00	0.287	0.002
MJJ16	97.00	97.00	98.00	1.00	0.267	0.003
MJJ16	98.00	98.00	99.00	1.00	0.184	0.002
MJJ16	99.00	99.00	100.00	1.00	0.181	0.006
MJJ16	100.00	100.00	101.00	1.00	0.186	0.003
MJJ16	101.00	101.00	101.80	0.80	0.074	0.001
MJJ16	101.80	101.80	102.00	0.20	0.057	0.007
MJJ16	102.00	102.00	103.00	1.00	0.087	0.001
MJJ16	103.00	103.00	104.00	1.00	0.143	0.001
MJJ16	104.00	104.00	105.00	1.00	0.161	0.004
MJJ16	105.00	105.00	106.00	1.00	0.159	0.002
MJJ16	106.00	106.00	107.00	1.00	0.155	0.001
MJJ16	107.00	107.00	108.00	1.00	0.121	0.005
MJJ16	108.00	108.00	109.00	1.00	0.168	0.000
MJJ16	109.00	109.00	109.30	0.30	0.125	0.006
MJJ16	109.30	109.30	110.00	0.70	0.080	0.000
MJJ16	110.00	110.00	111.00	1.00	0.218	0.000
MJJ16	111.00	111.00	112.60	1.60	0.862	0.008
MJJ16	112.60	112.60	113.00	0.40	0.068	0.000
MJJ16	113.00	113.00	114.00	1.00	0.068	0.000
MJJ16	114.00	114.00	115.00	1.00	0.043	0.000
MJJ16	115.00	115.00	116.00	1.00	0.074	0.000
MJJ16	116.00	116.00	117.00	1.00	0.060	0.000
MJJ16	117.00	117.00	118.00	1.00	0.057	0.000
MJJ16	118.00	118.00	119.00	1.00	0.113	0.000
MJJ16	119.00	119.00	120.00	1.00	0.076	0.000
MJJ16	120.00	120.00	121.00	1.00	0.108	0.000
MJJ16	121.00	121.00	122.00	1.00	0.136	0.000
MJJ16	122.00	122.00	123.00	1.00	0.510	0.001
MJJ16	123.00	123.00	124.00	1.00	0.161	0.000
MJJ16	124.00	124.00	125.00	1.00	0.066	0.000
MJJ16	125.00	125.00	126.00	1.00	0.102	0.000
MJJ16	126.00	126.00	127.00	1.00	0.098	0.000
MJJ16	127.00	127.00	128.00	1.00	0.132	0.004
MJJ16	128.00	128.00	129.00	1.00	0.051	0.001
MJJ16	129.00	129.00	130.00	1.00	0.098	0.003
MJJ16	130.00	130.00	131.00	1.00	0.076	0.000
MJJ16	131.00	131.00	132.00	1.00	0.558	0.001
MJJ16	132.00	132.00	133.00	1.00	0.195	0.000
MJJ16	133.00	133.00	134.00	1.00	0.155	0.000
MJJ16	134.00	134.00	135.00	1.00	0.172	0.000
MJJ16	135.00	135.00	136.00	1.00	0.213	0.000
MJJ16	136.00	136.00	137.00	1.00	0.117	0.002
MJJ16	137.00	137.00	138.00	1.00	0.220	0.000
MJJ16	138.00	138.00	139.00	1.00	0.105	0.000
MJJ16	139.00	139.00	140.00	1.00	0.181	0.000
MJJ16	140.00	140.00	141.00	1.00	0.237	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ16	141.00	141.00	142.00	1.00	0.229	0.001
MJJ16	142.00	142.00	143.00	1.00	0.131	0.000
MJJ16	143.00	143.00	144.00	1.00	0.063	0.000
MJJ16	144.00	144.00	144.70	0.70	0.177	0.000
MJJ16	144.70	144.70	145.00	0.30	0.211	0.000
MJJ16	145.00	145.00	146.00	1.00	0.178	0.000
MJJ16	146.00	146.00	147.00	1.00	0.117	0.000
MJJ16	147.00	147.00	148.00	1.00	0.263	0.001
MJJ16	148.00	148.00	149.00	1.00	0.128	0.001
MJJ16	149.00	149.00	150.00	1.00	0.138	0.001
MJJ16	150.00	150.00	150.73	0.73	0.119	0.000
MJJ17	4.05	4.05	4.45	0.40	0.038	0.000
MJJ17	4.45	4.45	6.36	1.91	0.969	0.003
MJJ17	6.36	6.36	7.00	0.64	0.163	0.000
MJJ17	7.00	7.00	8.00	1.00	0.203	0.000
MJJ17	8.00	8.00	9.00	1.00	0.158	0.000
MJJ17	9.00	9.00	10.00	1.00	0.208	0.003
MJJ17	10.00	10.00	11.00	1.00	0.434	0.001
MJJ17	11.00	11.00	12.00	1.00	0.140	0.001
MJJ17	12.00	12.00	13.00	1.00	0.187	0.001
MJJ17	13.00	13.00	14.00	1.00	0.100	0.003
MJJ17	14.00	14.00	15.00	1.00	0.150	0.002
MJJ17	15.00	15.00	16.00	1.00	0.157	0.003
MJJ17	16.00	16.00	17.00	1.00	0.112	0.001
MJJ17	17.00	17.00	18.00	1.00	0.053	0.003
MJJ17	18.00	18.00	19.00	1.00	0.051	0.001
MJJ17	19.00	19.00	20.66	1.66	0.021	0.005
MJJ17	20.66	20.66	22.15	1.49	0.153	0.004
MJJ17	22.15	22.15	23.00	0.85	0.053	0.013
MJJ17	23.00	23.00	24.00	1.00	0.099	0.001
MJJ17	24.00	24.00	25.00	1.00	0.078	0.001
MJJ17	25.00	25.00	26.00	1.00	0.081	0.000
MJJ17	26.00	26.00	27.00	1.00	0.198	0.000
MJJ17	27.00	27.00	28.00	1.00	0.338	0.004
MJJ17	28.00	28.00	29.00	1.00	0.407	0.054
MJJ17	29.00	29.00	30.00	1.00	0.219	0.015
MJJ17	30.00	30.00	31.00	1.00	0.084	0.002
MJJ17	31.00	31.00	32.00	1.00	0.103	0.001
MJJ17	32.00	32.00	33.00	1.00	0.110	0.000
MJJ17	33.00	33.00	34.00	1.00	0.082	0.001
MJJ17	34.00	34.00	35.00	1.00	0.102	0.001
MJJ17	35.00	35.00	36.00	1.00	0.129	0.002
MJJ17	36.00	36.00	37.00	1.00	0.204	0.002
MJJ17	37.00	37.00	38.00	1.00	0.151	0.001
MJJ17	38.00	38.00	39.00	1.00	0.126	0.001
MJJ17	39.00	39.00	40.00	1.00	0.075	0.002
MJJ17	40.00	40.00	41.00	1.00	0.114	0.000
MJJ17	41.00	41.00	42.00	1.00	0.165	0.003
MJJ17	42.00	42.00	43.00	1.00	0.119	0.003
MJJ17	43.00	43.00	44.00	1.00	0.493	0.032
MJJ17	44.00	44.00	45.00	1.00	0.455	0.013
MJJ17	45.00	45.00	46.00	1.00	0.434	0.009
MJJ17	46.00	46.00	47.00	1.00	0.311	0.041
MJJ17	47.00	47.00	48.00	1.00	0.257	0.024
MJJ17	48.00	48.00	49.00	1.00	0.345	0.046
MJJ17	49.00	49.00	50.00	1.00	0.236	0.002
MJJ17	50.00	50.00	51.00	1.00	0.085	0.027
MJJ17	51.00	51.00	52.00	1.00	0.093	0.004
MJJ17	52.00	52.00	53.00	1.00	0.128	0.009
MJJ17	53.00	53.00	54.00	1.00	0.080	0.003
MJJ17	54.00	54.00	55.00	1.00	0.149	0.003
MJJ17	55.00	55.00	56.00	1.00	0.165	0.007
MJJ17	56.00	56.00	57.00	1.00	0.169	0.006
MJJ17	57.00	57.00	58.00	1.00	0.143	0.004
MJJ17	58.00	58.00	59.00	1.00	0.187	0.002
MJJ17	59.00	59.00	59.30	0.30	0.331	0.007
MJJ17	59.30	59.30	60.00	0.70	0.227	0.009
MJJ17	60.00	60.00	61.00	1.00	0.154	0.007
MJJ17	61.00	61.00	62.00	1.00	0.196	0.002
MJJ17	62.00	62.00	63.00	1.00	0.198	0.001
MJJ17	63.00	63.00	64.00	1.00	0.194	0.003
MJJ17	64.00	64.00	64.50	0.50	0.199	0.001
MJJ17	64.50	64.50	65.00	0.50	0.264	0.004
MJJ17	65.00	65.00	66.00	1.00	0.206	0.002
MJJ17	66.00	66.00	67.00	1.00	0.807	0.047
MJJ17	67.00	67.00	68.00	1.00	0.345	0.002
MJJ17	68.00	68.00	69.00	1.00	0.325	0.005
MJJ17	69.00	69.00	70.00	1.00	0.379	0.013
MJJ17	70.00	70.00	71.00	1.00	0.805	0.017
MJJ17	71.00	71.00	72.00	1.00	0.299	0.005
MJJ17	72.00	72.00	73.00	1.00	0.328	0.024
MJJ17	73.00	73.00	74.00	1.00	0.232	0.003
MJJ17	74.00	74.00	75.00	1.00	0.173	0.001
MJJ17	75.00	75.00	76.00	1.00	0.183	0.001
MJJ17	76.00	76.00	77.00	1.00	0.659	0.002
MJJ17	77.00	77.00	78.00	1.00	0.297	0.005
MJJ17	78.00	78.00	79.00	1.00	0.753	0.036
MJJ17	79.00	79.00	80.00	1.00	0.295	0.008
MJJ17	80.00	80.00	83.25	3.25	0.230	0.011
MJJ17	83.25	83.25	84.00	0.75	0.200	0.005
MJJ17	84.00	84.00	85.00	1.00	0.286	0.001
MJJ17	85.00	85.00	86.00	1.00	0.251	0.009
MJJ17	86.00	86.00	87.00	1.00	0.254	0.054
MJJ17	87.00	87.00	88.00	1.00	0.238	0.007
MJJ17	88.00	88.00	89.00	1.00	0.159	0.001
MJJ17	89.00	89.00	89.35	0.35	0.122	0.004
MJJ17	89.35	89.35	92.35	3.00	0.183	0.000
MJJ17	92.35	92.35	93.00	0.65	0.167	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ17	93.00	93.00	93.60	0.60	0.772	0.003
MJJ17	93.60	93.60	95.35	1.75	2.860	0.117
MJJ17	95.35	95.35	98.35	3.00	0.350	0.045
MJJ17	98.35	98.35	99.00	0.65	0.621	0.212
MJJ17	99.00	99.00	100.00	1.00	0.644	0.009
MJJ17	100.00	100.00	100.70	0.70	0.270	0.004
MJJ17	100.70	100.70	101.70	1.00	0.261	0.006
MJJ17	101.70	101.70	102.45	0.75	0.270	0.006
MJJ17	102.45	102.45	103.00	0.55	0.280	0.005
MJJ17	103.00	103.00	104.00	1.00	0.399	0.026
MJJ17	104.00	104.00	105.00	1.00	0.153	0.003
MJJ17	105.00	105.00	106.00	1.00	0.280	0.009
MJJ17	106.00	106.00	107.00	1.00	0.307	0.003
MJJ17	107.00	107.00	108.00	1.00	0.258	0.010
MJJ17	108.00	108.00	109.00	1.00	0.355	0.005
MJJ17	109.00	109.00	110.00	1.00	0.375	0.004
MJJ17	110.00	110.00	111.00	1.00	0.269	0.002
MJJ17	111.00	111.00	112.00	1.00	0.331	0.014
MJJ17	112.00	112.00	113.00	1.00	0.463	0.053
MJJ17	113.00	113.00	114.00	1.00	0.414	0.007
MJJ17	114.00	114.00	115.00	1.00	0.276	0.004
MJJ17	115.00	115.00	116.00	1.00	0.166	0.006
MJJ17	116.00	116.00	117.00	1.00	0.302	0.388
MJJ17	117.00	117.00	118.00	1.00	0.418	0.100
MJJ17	118.00	118.00	119.00	1.00	0.375	0.005
MJJ17	119.00	119.00	120.00	1.00	0.643	0.006
MJJ17	120.00	120.00	120.50	0.50	1.995	0.021
MJJ17	120.50	120.50	122.25	1.75	9.034	0.354
MJJ17	122.25	122.25	123.00	0.75	1.123	0.007
MJJ17	123.00	123.00	124.00	1.00	0.430	0.003
MJJ17	124.00	124.00	125.00	1.00	0.649	0.005
MJJ17	125.00	125.00	126.00	1.00	0.422	0.005
MJJ17	126.00	126.00	127.00	1.00	0.324	0.004
MJJ17	127.00	127.00	128.00	1.00	0.512	0.005
MJJ17	128.00	128.00	129.00	1.00	1.169	0.011
MJJ17	129.00	129.00	130.00	1.00	1.190	0.003
MJJ17	130.00	130.00	131.00	1.00	2.354	0.039
MJJ17	131.00	131.00	132.00	1.00	0.636	0.004
MJJ17	132.00	132.00	133.00	1.00	0.552	0.007
MJJ17	133.00	133.00	134.00	1.00	0.676	0.015
MJJ17	134.00	134.00	135.00	1.00	0.616	0.027
MJJ17	135.00	135.00	136.00	1.00	0.524	0.006
MJJ17	136.00	136.00	137.00	1.00	0.767	0.024
MJJ17	137.00	137.00	138.00	1.00	0.528	0.022
MJJ17	138.00	138.00	139.00	1.00	0.424	0.015
MJJ17	139.00	139.00	140.00	1.00	0.301	0.024
MJJ17	140.00	140.00	141.00	1.00	0.314	0.013
MJJ17	141.00	141.00	142.00	1.00	0.339	0.023
MJJ17	142.00	142.00	143.00	1.00	0.402	0.005
MJJ17	143.00	143.00	144.00	1.00	0.175	0.026
MJJ17	144.00	144.00	145.00	1.00	0.174	0.002
MJJ17	145.00	145.00	146.00	1.00	0.205	0.029
MJJ17	146.00	146.00	147.00	1.00	0.195	0.003
MJJ17	147.00	147.00	148.00	1.00	0.262	0.051
MJJ17	148.00	148.00	149.00	1.00	0.136	0.003
MJJ17	149.00	149.00	150.00	1.00	0.163	0.002
MJJ17	150.00	150.00	150.25	0.25	0.128	0.000
MJJ18	118.00	118.00	120.00	2.00	0.161	0.001
MJJ18	120.00	120.00	122.00	2.00	0.105	0.000
MJJ18	122.00	122.00	124.00	2.00	0.150	0.000
MJJ18	124.00	124.00	126.00	2.00	0.033	0.000
MJJ18	126.00	126.00	128.00	2.00	0.042	0.000
MJJ18	128.00	128.00	130.00	2.00	0.100	0.001
MJJ18	130.00	130.00	132.00	2.00	0.110	0.000
MJJ18	132.00	132.00	134.00	2.00	0.111	0.000
MJJ18	134.00	134.00	136.00	2.00	0.108	0.000
MJJ18	136.00	136.00	138.00	2.00	0.063	0.000
MJJ18	138.00	138.00	140.00	2.00	0.111	0.000
MJJ18	140.00	140.00	142.00	2.00	0.120	0.000
MJJ18	142.00	142.00	144.00	2.00	0.112	0.001
MJJ18	144.00	144.00	146.00	2.00	0.079	0.000
MJJ18	146.00	146.00	148.00	2.00	0.083	0.000
MJJ18	148.00	148.00	150.00	2.00	0.253	0.000
MJJ18	150.00	150.00	152.00	2.00	0.082	0.001
MJJ18	152.00	152.00	154.00	2.00	0.059	0.000
MJJ18	154.00	154.00	156.00	2.00	0.119	0.000
MJJ18	156.00	156.00	158.00	2.00	0.030	0.000
MJJ18	158.00	158.00	160.00	2.00	0.078	0.002
MJJ18	160.00	160.00	162.00	2.00	0.078	0.000
MJJ18	162.00	162.00	164.00	2.00	0.033	0.000
MJJ18	164.00	164.00	166.00	2.00	0.051	0.001
MJJ18	166.00	166.00	168.00	2.00	0.027	0.001
MJJ18	168.00	168.00	170.00	2.00	0.016	0.001
MJJ18	170.00	170.00	172.00	2.00	0.150	0.003
MJJ18	172.00	172.00	174.00	2.00	0.150	0.002
MJJ18	174.00	174.00	176.00	2.00	0.082	0.001
MJJ18	176.00	176.00	178.00	2.00	0.019	0.001
MJJ18	178.00	178.00	180.00	2.00	0.034	0.001
MJJ18	180.00	180.00	182.00	2.00	0.066	0.001
MJJ18	182.00	182.00	184.00	2.00	0.091	0.000
MJJ18	184.00	184.00	186.00	2.00	0.086	0.005
MJJ18	186.00	186.00	188.00	2.00	0.067	0.002
MJJ18	188.00	188.00	190.00	2.00	0.066	0.002
MJJ18	190.00	190.00	192.00	2.00	0.048	0.000
MJJ18	192.00	192.00	194.00	2.00	0.042	0.001
MJJ18	194.00	194.00	196.00	2.00	0.028	0.000
MJJ18	196.00	196.00	198.00	2.00	0.037	0.001
MJJ18	198.00	198.00	200.00	2.00	0.050	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ18	200.00	200.00	202.00	2.00	0.037	0.001
MJJ18	202.00	202.00	204.00	2.00	0.169	0.000
MJJ18	204.00	204.00	206.00	2.00	0.064	0.001
MJJ18	206.00	206.00	208.00	2.00	0.042	0.000
MJJ18	208.00	208.00	210.00	2.00	0.087	0.001
MJJ18	210.00	210.00	212.00	2.00	0.082	0.001
MJJ18	212.00	212.00	214.00	2.00	0.127	0.001
MJJ18	214.00	214.00	216.00	2.00	0.096	0.001
MJJ18	216.00	216.00	218.00	2.00	0.095	0.001
MJJ18	218.00	218.00	220.00	2.00	0.070	0.001
MJJ18	220.00	220.00	222.00	2.00	0.066	0.001
MJJ18	222.00	222.00	224.00	2.00	0.088	0.001
MJJ18	224.00	224.00	226.00	2.00	0.091	0.001
MJJ18	226.00	226.00	228.00	2.00	0.099	0.001
MJJ18	228.00	228.00	230.00	2.00	0.316	0.004
MJJ18	230.00	230.00	232.00	2.00	0.111	0.001
MJJ18	232.00	232.00	234.00	2.00	0.186	0.001
MJJ18	234.00	234.00	236.00	2.00	0.490	0.001
MJJ18	236.00	236.00	238.00	2.00	0.172	0.001
MJJ18	238.00	238.00	240.00	2.00	0.125	0.001
MJJ18	240.00	240.00	242.00	2.00	0.145	0.001
MJJ18	242.00	242.00	244.00	2.00	0.114	0.001
MJJ18	244.00	244.00	246.00	2.00	0.153	0.001
MJJ18	246.00	246.00	248.00	2.00	0.145	0.000
MJJ18	248.00	248.00	250.00	2.00	0.107	0.001
MJJ18	250.00	250.00	252.00	2.00	0.102	0.001
MJJ18	252.00	252.00	254.00	2.00	0.136	0.000
MJJ18	254.00	254.00	256.00	2.00	0.050	0.000
MJJ18	256.00	256.00	258.00	2.00	0.069	0.001
MJJ18	258.00	258.00	260.00	2.00	0.070	0.000
MJJ18	260.00	260.00	262.00	2.00	0.067	0.001
MJJ18	262.00	262.00	264.00	2.00	0.077	0.000
MJJ18	264.00	264.00	266.00	2.00	0.065	0.000
MJJ18	266.00	266.00	268.00	2.00	0.067	0.000
MJJ18	268.00	268.00	270.00	2.00	0.234	0.003
MJJ18	270.00	270.00	272.00	2.00	0.166	0.001
MJJ18	272.00	272.00	274.00	2.00	0.416	0.004
MJJ18	274.00	274.00	276.00	2.00	0.073	0.001
MJJ18	276.00	276.00	278.00	2.00	0.584	0.004
MJJ18	278.00	278.00	280.00	2.00	0.076	0.000
MJJ18	280.00	280.00	282.00	2.00	0.090	0.002
MJJ18	282.00	282.00	284.00	2.00	0.149	0.002
MJJ18	284.00	284.00	286.00	2.00	0.152	0.003
MJJ18	286.00	286.00	288.00	2.00	0.162	0.003
MJJ18	288.00	288.00	290.00	2.00	0.078	0.002
MJJ18	290.00	290.00	292.00	2.00	0.167	0.002
MJJ18	292.00	292.00	294.00	2.00	0.072	0.003
MJJ18	294.00	294.00	296.00	2.00	0.044	0.000
MJJ18	296.00	296.00	298.00	2.00	0.036	0.001
MJJ18	298.00	298.00	300.00	2.00	0.056	0.000
MJJ18	300.00	300.00	302.56	2.56	0.050	0.000
MJJ19	7.30	7.30	8.00	0.70	0.534	0.021
MJJ19	8.00	8.00	9.00	1.00	21.987	0.057
MJJ19	9.00	9.00	10.00	1.00	7.956	0.058
MJJ19	10.00	10.00	11.00	1.00	3.981	0.072
MJJ19	11.00	11.00	12.00	1.00	1.459	0.026
MJJ19	12.00	12.00	13.00	1.00	2.390	0.019
MJJ19	13.00	13.00	14.00	1.00	1.867	0.010
MJJ19	14.00	14.00	15.00	1.00	1.181	0.007
MJJ19	15.00	15.00	16.00	1.00	1.149	0.005
MJJ19	16.00	16.00	17.00	1.00	1.500	0.005
MJJ19	17.00	17.00	18.00	1.00	1.605	0.030
MJJ19	18.00	18.00	19.00	1.00	0.996	0.019
MJJ19	19.00	19.00	20.00	1.00	0.991	0.019
MJJ19	20.00	20.00	21.00	1.00	1.160	0.030
MJJ19	21.00	21.00	22.00	1.00	0.605	0.033
MJJ19	22.00	22.00	23.00	1.00	0.535	0.007
MJJ19	23.00	23.00	24.00	1.00	0.530	0.012
MJJ19	24.00	24.00	25.00	1.00	0.735	0.038
MJJ19	25.00	25.00	26.00	1.00	0.554	0.002
MJJ19	26.00	26.00	27.00	1.00	0.344	0.038
MJJ19	27.00	27.00	28.00	1.00	0.617	0.004
MJJ19	28.00	28.00	29.00	1.00	0.637	0.013
MJJ19	29.00	29.00	30.00	1.00	0.993	0.003
MJJ19	30.00	30.00	31.00	1.00	1.671	0.004
MJJ19	31.00	31.00	32.00	1.00	0.763	0.033
MJJ19	32.00	32.00	33.00	1.00	1.145	0.022
MJJ19	33.00	33.00	34.00	1.00	0.685	0.002
MJJ19	34.00	34.00	35.00	1.00	1.051	0.009
MJJ19	35.00	35.00	36.00	1.00	1.912	0.018
MJJ19	36.00	36.00	37.00	1.00	1.067	0.013
MJJ19	37.00	37.00	38.00	1.00	1.009	0.047
MJJ19	38.00	38.00	39.00	1.00	1.442	0.206
MJJ19	39.00	39.00	40.00	1.00	1.483	0.049
MJJ19	40.00	40.00	41.00	1.00	1.201	0.096
MJJ19	41.00	41.00	42.00	1.00	0.587	0.051
MJJ19	42.00	42.00	43.00	1.00	0.572	0.099
MJJ19	43.00	43.00	44.00	1.00	1.221	0.035
MJJ19	44.00	44.00	45.00	1.00	0.708	0.010
MJJ19	45.00	45.00	46.00	1.00	0.595	0.082
MJJ19	46.00	46.00	47.00	1.00	0.563	0.054
MJJ19	47.00	47.00	48.00	1.00	0.561	0.016
MJJ19	48.00	48.00	49.00	1.00	0.513	0.012
MJJ19	49.00	49.00	50.00	1.00	0.597	0.012
MJJ19	50.00	50.00	51.00	1.00	0.339	0.032
MJJ19	51.00	51.00	52.00	1.00	0.587	0.015
MJJ19	52.00	52.00	53.00	1.00	1.061	0.079
MJJ19	53.00	53.00	54.00	1.00	1.416	0.069

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ19	54.00	54.00	55.00	1.00	0.634	0.019
MJJ19	55.00	55.00	56.00	1.00	0.724	0.012
MJJ19	56.00	56.00	57.00	1.00	0.533	0.051
MJJ19	57.00	57.00	58.00	1.00	0.460	0.007
MJJ19	58.00	58.00	59.00	1.00	2.783	0.058
MJJ19	59.00	59.00	60.00	1.00	1.601	0.026
MJJ19	60.00	60.00	61.00	1.00	1.822	0.143
MJJ19	61.00	61.00	62.00	1.00	1.845	0.039
MJJ19	62.00	62.00	63.00	1.00	1.057	0.015
MJJ19	63.00	63.00	64.00	1.00	0.394	0.019
MJJ19	64.00	64.00	65.00	1.00	0.487	0.035
MJJ19	65.00	65.00	66.00	1.00	0.417	0.009
MJJ19	66.00	66.00	67.00	1.00	0.457	0.092
MJJ19	67.00	67.00	68.00	1.00	0.329	0.022
MJJ19	68.00	68.00	69.00	1.00	0.432	0.080
MJJ19	69.00	69.00	70.00	1.00	0.626	0.334
MJJ19	70.00	70.00	71.00	1.00	0.590	0.017
MJJ19	71.00	71.00	72.00	1.00	0.481	0.013
MJJ19	72.00	72.00	73.00	1.00	0.359	0.061
MJJ19	73.00	73.00	74.00	1.00	0.209	0.008
MJJ19	74.00	74.00	75.00	1.00	0.278	0.004
MJJ19	75.00	75.00	76.00	1.00	0.379	0.020
MJJ19	76.00	76.00	77.00	1.00	0.464	0.018
MJJ19	77.00	77.00	78.00	1.00	0.327	0.008
MJJ19	78.00	78.00	79.00	1.00	0.166	0.025
MJJ19	79.00	79.00	80.00	1.00	0.313	0.026
MJJ19	80.00	80.00	81.00	1.00	1.253	0.017
MJJ19	81.00	81.00	82.00	1.00	3.455	0.079
MJJ19	82.00	82.00	83.00	1.00	1.471	0.036
MJJ19	83.00	83.00	84.00	1.00	0.389	0.012
MJJ19	84.00	84.00	85.00	1.00	0.908	0.018
MJJ19	85.00	85.00	86.00	1.00	0.390	0.021
MJJ19	86.00	86.00	87.00	1.00	0.402	0.042
MJJ19	87.00	87.00	88.00	1.00	0.439	0.049
MJJ19	88.00	88.00	89.00	1.00	0.400	0.106
MJJ19	89.00	89.00	90.00	1.00	0.677	0.043
MJJ19	90.00	90.00	91.00	1.00	0.453	0.197
MJJ19	91.00	91.00	92.00	1.00	0.738	0.082
MJJ19	92.00	92.00	93.00	1.00	0.426	0.034
MJJ19	93.00	93.00	94.00	1.00	0.408	0.014
MJJ19	94.00	94.00	95.00	1.00	0.407	0.031
MJJ19	95.00	95.00	96.00	1.00	0.498	0.012
MJJ19	96.00	96.00	97.00	1.00	0.312	0.009
MJJ19	97.00	97.00	98.00	1.00	0.556	0.033
MJJ19	98.00	98.00	99.00	1.00	0.546	0.006
MJJ19	99.00	99.00	100.00	1.00	0.290	0.008
MJJ19	100.00	100.00	101.00	1.00	0.122	0.004
MJJ19	101.00	101.00	102.00	1.00	0.214	0.002
MJJ19	102.00	102.00	103.00	1.00	0.371	0.014
MJJ19	103.00	103.00	104.00	1.00	0.355	0.040
MJJ19	104.00	104.00	105.00	1.00	0.340	0.037
MJJ19	105.00	105.00	106.00	1.00	0.360	0.017
MJJ19	106.00	106.00	107.00	1.00	0.325	0.008
MJJ19	107.00	107.00	108.00	1.00	0.488	0.009
MJJ19	108.00	108.00	109.00	1.00	0.422	0.002
MJJ19	109.00	109.00	110.00	1.00	1.987	0.012
MJJ19	110.00	110.00	111.00	1.00	0.790	0.025
MJJ19	111.00	111.00	112.00	1.00	0.583	0.006
MJJ19	112.00	112.00	113.00	1.00	3.295	0.027
MJJ19	113.00	113.00	114.00	1.00	1.008	0.013
MJJ19	114.00	114.00	115.00	1.00	1.001	0.022
MJJ19	115.00	115.00	116.00	1.00	0.496	0.010
MJJ19	116.00	116.00	117.00	1.00	0.226	0.007
MJJ19	117.00	117.00	118.00	1.00	0.765	0.005
MJJ19	118.00	118.00	119.00	1.00	1.984	0.015
MJJ19	119.00	119.00	120.00	1.00	0.723	0.006
MJJ19	120.00	120.00	121.00	1.00	1.089	0.014
MJJ19	121.00	121.00	122.00	1.00	1.165	0.008
MJJ19	122.00	122.00	123.00	1.00	1.249	0.038
MJJ19	123.00	123.00	124.00	1.00	1.562	0.025
MJJ19	124.00	124.00	125.00	1.00	1.478	0.016
MJJ19	125.00	125.00	126.00	1.00	2.655	0.020
MJJ19	126.00	126.00	127.00	1.00	1.420	0.020
MJJ19	127.00	127.00	128.00	1.00	1.777	0.017
MJJ19	128.00	128.00	129.00	1.00	1.029	0.017
MJJ19	129.00	129.00	130.00	1.00	0.732	0.013
MJJ19	130.00	130.00	131.00	1.00	0.753	0.106
MJJ19	131.00	131.00	132.00	1.00	1.050	0.038
MJJ19	132.00	132.00	133.00	1.00	0.484	0.011
MJJ19	133.00	133.00	134.00	1.00	0.620	0.005
MJJ19	134.00	134.00	135.00	1.00	0.435	0.007
MJJ19	135.00	135.00	136.00	1.00	0.469	0.007
MJJ19	136.00	136.00	137.00	1.00	0.737	0.026
MJJ19	137.00	137.00	138.00	1.00	0.522	0.066
MJJ19	138.00	138.00	139.00	1.00	0.415	0.007
MJJ19	139.00	139.00	140.00	1.00	0.560	0.008
MJJ19	140.00	140.00	141.00	1.00	0.535	0.008
MJJ19	141.00	141.00	142.00	1.00	0.683	0.015
MJJ19	142.00	142.00	143.00	1.00	0.928	0.015
MJJ19	143.00	143.00	144.00	1.00	1.031	0.030
MJJ19	144.00	144.00	145.00	1.00	1.067	0.038
MJJ19	145.00	145.00	146.00	1.00	0.915	0.015
MJJ19	146.00	146.00	147.00	1.00	1.206	0.023
MJJ19	147.00	147.00	148.00	1.00	1.390	0.073
MJJ19	148.00	148.00	149.00	1.00	1.115	0.015
MJJ19	149.00	149.00	150.00	1.00	0.861	0.019
MJJ19	150.00	150.00	151.00	1.00	0.686	0.014
MJJ19	151.00	151.00	152.00	1.00	1.076	0.033

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
HJJ19	152.00	152.00	153.00	1.00	1.042	0.018
HJJ19	153.00	153.00	154.00	1.00	0.419	0.009
HJJ19	154.00	154.00	155.00	1.00	0.794	0.013
HJJ19	155.00	155.00	156.00	1.00	0.645	0.023
HJJ19	156.00	156.00	157.00	1.00	0.444	0.009
HJJ19	157.00	157.00	158.00	1.00	1.011	0.009
HJJ19	158.00	158.00	159.00	1.00	1.419	0.007
HJJ19	159.00	159.00	160.00	1.00	1.636	0.004
HJJ19	160.00	160.00	161.00	1.00	1.935	0.007
HJJ19	161.00	161.00	162.00	1.00	1.956	0.006
HJJ19	162.00	162.00	163.00	1.00	2.517	0.017
HJJ19	163.00	163.00	164.00	1.00	3.210	0.193
HJJ19	164.00	164.00	165.00	1.00	1.273	0.055
HJJ19	165.00	165.00	166.00	1.00	0.679	0.028
HJJ19	166.00	166.00	167.00	1.00	0.422	0.014
HJJ19	167.00	167.00	168.00	1.00	0.663	0.006
HJJ19	168.00	168.00	169.00	1.00	1.136	0.063
HJJ19	169.00	169.00	170.00	1.00	0.737	0.019
HJJ19	170.00	170.00	171.00	1.00	0.905	0.028
HJJ19	171.00	171.00	172.00	1.00	0.955	0.013
HJJ19	172.00	172.00	173.00	1.00	0.677	0.087
HJJ19	173.00	173.00	174.00	1.00	0.766	0.009
HJJ19	174.00	174.00	175.00	1.00	0.635	0.012
HJJ19	175.00	175.00	176.00	1.00	0.416	0.014
HJJ19	176.00	176.00	177.00	1.00	0.576	0.016
HJJ19	177.00	177.00	178.00	1.00	1.196	0.132
HJJ19	178.00	178.00	179.00	1.00	0.561	0.063
HJJ19	179.00	179.00	180.00	1.00	0.509	0.018
HJJ19	180.00	180.00	181.00	1.00	0.650	0.017
HJJ19	181.00	181.00	182.00	1.00	0.451	0.052
HJJ19	182.00	182.00	183.00	1.00	0.661	0.014
HJJ19	183.00	183.00	184.00	1.00	1.218	0.041
HJJ19	184.00	184.00	185.00	1.00	0.375	0.167
HJJ19	185.00	185.00	186.00	1.00	0.246	0.074
HJJ19	186.00	186.00	187.00	1.00	1.258	0.156
HJJ19	187.00	187.00	188.00	1.00	1.163	0.220
HJJ19	188.00	188.00	189.00	1.00	6.302	0.253
HJJ19	189.00	189.00	190.00	1.00	3.340	0.108
HJJ19	190.00	190.00	191.00	1.00	2.485	0.085
HJJ19	191.00	191.00	192.00	1.00	0.721	0.018
HJJ19	192.00	192.00	193.00	1.00	0.620	0.065
HJJ19	193.00	193.00	194.00	1.00	0.560	0.027
HJJ19	194.00	194.00	195.00	1.00	0.458	0.020
HJJ19	195.00	195.00	196.00	1.00	0.346	0.006
HJJ19	196.00	196.00	197.00	1.00	0.507	0.023
HJJ19	197.00	197.00	198.00	1.00	0.664	0.013
HJJ19	198.00	198.00	199.00	1.00	1.360	0.047
HJJ19	199.00	199.00	200.00	1.00	0.918	0.015
HJJ19	200.00	200.00	201.00	1.00	0.994	0.009
HJJ19	201.00	201.00	202.00	1.00	1.278	0.097
HJJ19	202.00	202.00	203.00	1.00	0.584	0.017
HJJ19	203.00	203.00	204.00	1.00	0.590	0.079
HJJ19	204.00	204.00	205.00	1.00	0.674	0.024
HJJ19	205.00	205.00	206.00	1.00	0.609	0.016
HJJ19	206.00	206.00	207.00	1.00	0.709	0.081
HJJ19	207.00	207.00	208.00	1.00	0.463	0.023
HJJ19	208.00	208.00	209.00	1.00	1.126	0.069
HJJ19	209.00	209.00	210.00	1.00	0.532	0.017
HJJ19	210.00	210.00	211.00	1.00	0.602	0.011
HJJ19	211.00	211.00	212.00	1.00	0.519	0.024
HJJ19	212.00	212.00	213.00	1.00	0.611	0.011
HJJ19	213.00	213.00	214.00	1.00	0.383	0.054
HJJ19	214.00	214.00	215.00	1.00	0.315	0.014
HJJ19	215.00	215.00	216.00	1.00	0.670	0.014
HJJ19	216.00	216.00	217.00	1.00	0.418	0.031
HJJ19	217.00	217.00	218.00	1.00	0.494	0.023
HJJ19	218.00	218.00	219.00	1.00	0.275	0.036
HJJ19	219.00	219.00	220.00	1.00	0.340	0.121
HJJ19	220.00	220.00	221.00	1.00	0.416	0.226
HJJ19	221.00	221.00	222.00	1.00	0.589	0.045
HJJ19	222.00	222.00	223.00	1.00	0.432	0.045
HJJ19	223.00	223.00	224.00	1.00	0.543	0.084
HJJ19	224.00	224.00	225.00	1.00	0.502	0.567
HJJ19	225.00	225.00	226.00	1.00	1.645	0.010
HJJ19	226.00	226.00	227.00	1.00	0.605	0.015
HJJ19	227.00	227.00	228.00	1.00	0.689	0.099
HJJ19	228.00	228.00	229.00	1.00	0.665	0.013
HJJ19	229.00	229.00	230.00	1.00	0.459	0.031
HJJ19	230.00	230.00	231.00	1.00	0.479	0.035
HJJ19	231.00	231.00	232.00	1.00	0.441	0.016
HJJ19	232.00	232.00	233.00	1.00	1.085	0.035
HJJ19	233.00	233.00	234.00	1.00	0.577	0.036
HJJ19	234.00	234.00	235.00	1.00	0.945	0.043
HJJ19	235.00	235.00	236.00	1.00	0.719	0.021
HJJ19	236.00	236.00	237.00	1.00	0.739	0.051
HJJ19	237.00	237.00	238.00	1.00	0.614	0.161
HJJ19	238.00	238.00	239.00	1.00	0.836	0.013
HJJ19	239.00	239.00	240.00	1.00	1.045	0.016
HJJ19	240.00	240.00	241.00	1.00	2.733	0.021
HJJ19	241.00	241.00	242.00	1.00	1.876	0.042
HJJ19	242.00	242.00	243.00	1.00	1.462	0.651
HJJ19	243.00	243.00	244.00	1.00	0.891	0.025
HJJ19	244.00	244.00	245.00	1.00	0.734	0.020
HJJ19	245.00	245.00	246.00	1.00	1.842	0.010
HJJ19	246.00	246.00	247.00	1.00	0.603	0.007
HJJ19	247.00	247.00	248.00	1.00	0.705	0.010
HJJ19	248.00	248.00	249.00	1.00	0.397	0.418
HJJ19	249.00	249.00	250.00	1.00	0.474	0.120

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ19	250.00	250.00	251.00	1.00	0.545	0.083
MJJ19	251.00	251.00	252.00	1.00	0.337	0.044
MJJ19	252.00	252.00	253.00	1.00	0.471	0.012
MJJ19	253.00	253.00	254.00	1.00	0.455	0.007
MJJ19	254.00	254.00	255.00	1.00	0.576	0.004
MJJ19	255.00	255.00	256.00	1.00	0.553	0.009
MJJ19	256.00	256.00	257.00	1.00	0.439	0.010
MJJ19	257.00	257.00	258.00	1.00	2.262	0.015
MJJ19	258.00	258.00	259.00	1.00	1.804	0.041
MJJ19	259.00	259.00	260.00	1.00	1.447	0.020
MJJ19	260.00	260.00	261.00	1.00	0.967	0.033
MJJ19	261.00	261.00	262.00	1.00	1.128	0.007
MJJ19	262.00	262.00	263.00	1.00	0.533	0.126
MJJ19	263.00	263.00	264.00	1.00	0.585	0.542
MJJ19	264.00	264.00	265.00	1.00	0.555	0.003
MJJ19	265.00	265.00	266.00	1.00	0.723	0.018
MJJ19	266.00	266.00	267.00	1.00	0.247	0.008
MJJ19	267.00	267.00	268.00	1.00	0.213	0.009
MJJ19	268.00	268.00	269.00	1.00	0.510	0.028
MJJ19	269.00	269.00	270.00	1.00	0.675	0.025
MJJ19	270.00	270.00	271.00	1.00	0.744	0.019
MJJ19	271.00	271.00	272.00	1.00	0.470	0.015
MJJ19	272.00	272.00	273.00	1.00	0.387	0.057
MJJ19	273.00	273.00	274.00	1.00	0.447	0.068
MJJ19	274.00	274.00	275.00	1.00	0.280	0.018
MJJ19	275.00	275.00	276.00	1.00	0.665	0.129
MJJ19	276.00	276.00	277.00	1.00	0.540	0.036
MJJ19	277.00	277.00	278.00	1.00	0.393	0.025
MJJ19	278.00	278.00	279.00	1.00	1.053	0.018
MJJ19	279.00	279.00	280.00	1.00	0.522	0.042
MJJ19	280.00	280.00	281.00	1.00	0.676	0.057
MJJ19	281.00	281.00	282.00	1.00	1.152	0.019
MJJ19	282.00	282.00	283.00	1.00	0.687	0.010
MJJ19	283.00	283.00	284.00	1.00	0.615	0.010
MJJ19	284.00	284.00	285.00	1.00	0.494	0.018
MJJ19	285.00	285.00	286.00	1.00	0.641	0.009
MJJ19	286.00	286.00	287.00	1.00	0.457	0.016
MJJ19	287.00	287.00	288.00	1.00	0.738	0.043
MJJ19	288.00	288.00	289.00	1.00	0.339	0.006
MJJ19	289.00	289.00	290.00	1.00	2.374	0.005
MJJ19	290.00	290.00	291.00	1.00	0.235	0.012
MJJ19	291.00	291.00	292.00	1.00	0.552	0.010
MJJ19	292.00	292.00	293.00	1.00	0.226	0.007
MJJ19	293.00	293.00	294.00	1.00	0.258	0.009
MJJ19	294.00	294.00	295.00	1.00	0.444	0.006
MJJ19	295.00	295.00	298.00	3.00	0.266	0.003
MJJ19	298.00	298.00	301.00	3.00	0.342	0.003
MJJ20	3.96	3.96	5.00	1.04	0.173	0.002
MJJ20	5.00	5.00	6.00	1.00	1.769	0.022
MJJ20	6.00	6.00	7.00	1.00	0.421	0.014
MJJ20	7.00	7.00	8.00	1.00	0.264	0.003
MJJ20	8.00	8.00	9.00	1.00	0.462	0.022
MJJ20	9.00	9.00	10.00	1.00	0.568	0.013
MJJ20	10.00	10.00	11.00	1.00	0.781	0.006
MJJ20	11.00	11.00	12.00	1.00	1.668	0.007
MJJ20	12.00	12.00	13.00	1.00	0.546	0.026
MJJ20	13.00	13.00	14.00	1.00	0.676	0.022
MJJ20	14.00	14.00	15.00	1.00	0.652	0.048
MJJ20	15.00	15.00	16.00	1.00	0.413	0.033
MJJ20	16.00	16.00	17.00	1.00	0.334	0.052
MJJ20	17.00	17.00	18.00	1.00	0.596	0.023
MJJ20	18.00	18.00	19.00	1.00	0.408	0.192
MJJ20	19.00	19.00	20.00	1.00	0.511	0.021
MJJ20	20.00	20.00	21.00	1.00	0.286	0.096
MJJ20	21.00	21.00	22.00	1.00	0.204	0.023
MJJ20	22.00	22.00	23.00	1.00	0.094	0.008
MJJ20	23.00	23.00	24.00	1.00	0.162	0.009
MJJ20	24.00	24.00	25.00	1.00	0.310	0.005
MJJ20	25.00	25.00	26.00	1.00	0.178	0.002
MJJ20	26.00	26.00	27.00	1.00	0.304	0.005
MJJ20	27.00	27.00	28.00	1.00	0.127	0.003
MJJ20	28.00	28.00	29.00	1.00	0.489	0.003
MJJ20	29.00	29.00	30.00	1.00	0.102	0.002
MJJ20	30.00	30.00	31.00	1.00	0.300	0.002
MJJ20	31.00	31.00	32.00	1.00	0.174	0.002
MJJ20	32.00	32.00	33.00	1.00	0.402	0.075
MJJ20	33.00	33.00	34.00	1.00	0.638	0.015
MJJ20	34.00	34.00	35.00	1.00	0.243	0.011
MJJ20	35.00	35.00	36.00	1.00	0.111	0.012
MJJ20	36.00	36.00	37.00	1.00	0.201	0.004
MJJ20	37.00	37.00	38.00	1.00	0.127	0.014
MJJ20	38.00	38.00	39.00	1.00	0.479	0.033
MJJ20	39.00	39.00	40.00	1.00	0.343	0.026
MJJ20	40.00	40.00	41.00	1.00	0.319	0.004
MJJ20	41.00	41.00	42.00	1.00	0.532	0.029
MJJ20	42.00	42.00	43.00	1.00	0.425	0.003
MJJ20	43.00	43.00	44.00	1.00	0.387	0.004
MJJ20	44.00	44.00	45.00	1.00	0.733	0.011
MJJ20	45.00	45.00	46.00	1.00	2.996	0.128
MJJ20	46.00	46.00	47.00	1.00	1.496	0.031
MJJ20	47.00	47.00	48.00	1.00	0.743	0.037
MJJ20	48.00	48.00	49.00	1.00	0.677	0.020
MJJ20	49.00	49.00	50.00	1.00	0.319	0.014
MJJ20	50.00	50.00	51.00	1.00	0.453	0.107
MJJ20	51.00	51.00	52.00	1.00	0.426	0.020
MJJ20	52.00	52.00	53.00	1.00	0.326	0.010
MJJ20	53.00	53.00	54.00	1.00	0.396	0.028
MJJ20	54.00	54.00	55.00	1.00	0.331	0.009

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ20	55.00	55.00	56.00	1.00	0.499	0.036
MJJ20	56.00	56.00	57.00	1.00	2.951	0.471
MJJ20	57.00	57.00	58.00	1.00	0.779	0.184
MJJ20	58.00	58.00	59.00	1.00	1.121	0.103
MJJ20	59.00	59.00	60.00	1.00	1.211	0.107
MJJ20	60.00	60.00	61.00	1.00	0.361	0.031
MJJ20	61.00	61.00	62.00	1.00	0.218	0.027
MJJ20	62.00	62.00	63.00	1.00	0.385	0.017
MJJ20	63.00	63.00	64.00	1.00	0.368	0.011
MJJ20	64.00	64.00	65.00	1.00	0.442	0.007
MJJ20	65.00	65.00	66.00	1.00	0.410	0.045
MJJ20	66.00	66.00	67.00	1.00	0.206	0.015
MJJ20	67.00	67.00	68.00	1.00	0.277	0.019
MJJ20	68.00	68.00	69.00	1.00	0.673	0.036
MJJ20	69.00	69.00	70.00	1.00	2.171	0.103
MJJ20	70.00	70.00	71.00	1.00	1.648	0.042
MJJ20	71.00	71.00	72.00	1.00	0.389	0.218
MJJ20	72.00	72.00	73.00	1.00	0.450	0.007
MJJ20	73.00	73.00	74.00	1.00	0.505	0.012
MJJ20	74.00	74.00	75.00	1.00	0.407	0.016
MJJ20	75.00	75.00	76.00	1.00	0.429	0.045
MJJ20	76.00	76.00	77.00	1.00	0.415	0.010
MJJ20	77.00	77.00	78.00	1.00	0.403	0.005
MJJ20	78.00	78.00	79.00	1.00	0.510	0.087
MJJ20	79.00	79.00	80.00	1.00	0.360	0.025
MJJ20	80.00	80.00	81.00	1.00	0.534	0.031
MJJ20	81.00	81.00	82.00	1.00	0.300	0.024
MJJ20	82.00	82.00	83.00	1.00	0.330	0.006
MJJ20	83.00	83.00	84.00	1.00	0.376	0.010
MJJ20	84.00	84.00	85.00	1.00	0.664	0.004
MJJ20	85.00	85.00	86.00	1.00	0.363	0.016
MJJ20	86.00	86.00	87.00	1.00	0.208	0.006
MJJ20	87.00	87.00	88.00	1.00	0.554	0.022
MJJ20	88.00	88.00	89.00	1.00	0.395	0.045
MJJ20	89.00	89.00	90.00	1.00	1.059	0.013
MJJ20	90.00	90.00	91.00	1.00	0.462	0.064
MJJ20	91.00	91.00	92.00	1.00	0.433	0.021
MJJ20	92.00	92.00	93.00	1.00	0.401	0.014
MJJ20	93.00	93.00	94.00	1.00	1.567	0.008
MJJ20	94.00	94.00	95.00	1.00	0.503	0.036
MJJ20	95.00	95.00	96.00	1.00	0.369	0.018
MJJ20	96.00	96.00	97.00	1.00	0.390	0.035
MJJ20	97.00	97.00	98.00	1.00	0.392	0.038
MJJ20	98.00	98.00	99.00	1.00	0.636	0.489
MJJ20	99.00	99.00	100.00	1.00	0.354	0.023
MJJ20	100.00	100.00	101.00	1.00	0.544	0.038
MJJ20	101.00	101.00	102.00	1.00	0.386	0.095
MJJ20	102.00	102.00	103.00	1.00	0.441	0.105
MJJ20	103.00	103.00	104.00	1.00	0.547	0.050
MJJ20	104.00	104.00	105.00	1.00	0.295	0.010
MJJ20	105.00	105.00	106.00	1.00	0.260	0.024
MJJ20	106.00	106.00	107.00	1.00	0.366	0.037
MJJ20	107.00	107.00	108.00	1.00	0.158	0.012
MJJ20	108.00	108.00	109.00	1.00	0.339	0.028
MJJ20	109.00	109.00	110.00	1.00	0.601	0.063
MJJ20	110.00	110.00	111.00	1.00	0.482	0.011
MJJ20	111.00	111.00	112.00	1.00	0.361	0.022
MJJ20	112.00	112.00	113.00	1.00	0.579	0.010
MJJ20	113.00	113.00	114.00	1.00	0.497	0.070
MJJ20	114.00	114.00	115.00	1.00	0.264	0.033
MJJ20	115.00	115.00	116.00	1.00	0.565	0.038
MJJ20	116.00	116.00	117.00	1.00	0.356	0.005
MJJ20	117.00	117.00	118.00	1.00	0.314	0.007
MJJ20	118.00	118.00	119.00	1.00	0.356	0.004
MJJ20	119.00	119.00	120.00	1.00	0.794	0.040
MJJ20	120.00	120.00	121.00	1.00	0.661	0.011
MJJ20	121.00	121.00	122.00	1.00	0.725	0.047
MJJ20	122.00	122.00	123.00	1.00	0.555	0.005
MJJ20	123.00	123.00	124.00	1.00	0.529	0.015
MJJ20	124.00	124.00	125.00	1.00	0.484	0.007
MJJ20	125.00	125.00	126.00	1.00	0.465	0.010
MJJ20	126.00	126.00	127.00	1.00	0.371	0.013
MJJ20	127.00	127.00	128.00	1.00	0.342	0.010
MJJ20	128.00	128.00	129.00	1.00	0.199	0.013
MJJ20	129.00	129.00	130.00	1.00	0.562	0.013
MJJ20	130.00	130.00	131.00	1.00	0.277	0.022
MJJ20	131.00	131.00	132.00	1.00	0.299	0.008
MJJ20	132.00	132.00	133.00	1.00	0.251	0.021
MJJ20	133.00	133.00	134.00	1.00	0.318	0.021
MJJ20	134.00	134.00	135.00	1.00	0.531	0.021
MJJ20	135.00	135.00	136.00	1.00	0.233	0.034
MJJ20	136.00	136.00	137.00	1.00	0.341	0.017
MJJ20	137.00	137.00	138.00	1.00	0.488	0.054
MJJ20	138.00	138.00	139.00	1.00	0.390	0.019
MJJ20	139.00	139.00	140.00	1.00	0.313	0.076
MJJ20	140.00	140.00	141.00	1.00	0.402	0.037
MJJ20	141.00	141.00	142.00	1.00	0.174	0.013
MJJ20	142.00	142.00	143.00	1.00	0.178	0.005
MJJ20	143.00	143.00	144.00	1.00	0.282	0.016
MJJ20	144.00	144.00	145.00	1.00	0.453	0.015
MJJ20	145.00	145.00	146.00	1.00	1.224	0.032
MJJ20	146.00	146.00	147.00	1.00	0.735	0.010
MJJ20	147.00	147.00	148.00	1.00	1.018	0.013
MJJ20	148.00	148.00	149.00	1.00	0.400	0.005
MJJ20	149.00	149.00	150.00	1.00	0.089	0.002
MJJ20	150.00	150.00	151.00	1.00	0.422	0.035
MJJ20	151.00	151.00	152.00	1.00	0.365	0.042
MJJ20	152.00	152.00	153.00	1.00	0.439	0.039

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ20	153.00	153.00	154.00	1.00	0.295	0.008
MJJ20	154.00	154.00	155.00	1.00	0.413	0.020
MJJ20	155.00	155.00	156.00	1.00	1.067	0.019
MJJ20	156.00	156.00	157.00	1.00	0.469	0.015
MJJ20	157.00	157.00	158.00	1.00	0.376	0.004
MJJ20	158.00	158.00	159.00	1.00	0.384	0.003
MJJ20	159.00	159.00	160.00	1.00	0.631	0.062
MJJ20	160.00	160.00	161.00	1.00	0.277	0.003
MJJ20	161.00	161.00	162.00	1.00	0.351	0.007
MJJ20	162.00	162.00	163.00	1.00	0.136	0.001
MJJ20	163.00	163.00	164.00	1.00	0.334	0.012
MJJ20	164.00	164.00	165.00	1.00	0.445	0.073
MJJ20	165.00	165.00	166.00	1.00	0.300	0.009
MJJ20	166.00	166.00	167.00	1.00	0.096	0.001
MJJ20	167.00	167.00	168.00	1.00	0.257	0.002
MJJ20	168.00	168.00	169.00	1.00	0.131	0.006
MJJ20	169.00	169.00	170.00	1.00	0.280	0.004
MJJ20	170.00	170.00	171.00	1.00	0.236	0.164
MJJ20	171.00	171.00	172.00	1.00	0.216	0.002
MJJ20	172.00	172.00	173.00	1.00	0.304	0.005
MJJ20	173.00	173.00	174.00	1.00	0.404	0.017
MJJ20	174.00	174.00	175.00	1.00	0.477	0.006
MJJ20	175.00	175.00	176.00	1.00	0.158	0.005
MJJ20	176.00	176.00	177.00	1.00	0.495	0.005
MJJ20	177.00	177.00	178.00	1.00	0.325	0.002
MJJ20	178.00	178.00	179.00	1.00	0.441	0.007
MJJ20	179.00	179.00	180.00	1.00	0.302	0.012
MJJ20	180.00	180.00	181.00	1.00	0.082	0.003
MJJ20	181.00	181.00	182.00	1.00	0.648	0.014
MJJ20	182.00	182.00	183.00	1.00	0.517	0.009
MJJ20	183.00	183.00	184.00	1.00	0.487	0.021
MJJ20	184.00	184.00	185.00	1.00	0.309	0.009
MJJ20	185.00	185.00	186.00	1.00	0.453	0.022
MJJ20	186.00	186.00	187.00	1.00	0.399	0.006
MJJ20	187.00	187.00	188.00	1.00	0.280	0.008
MJJ20	188.00	188.00	189.00	1.00	0.312	0.013
MJJ20	189.00	189.00	190.00	1.00	0.167	0.018
MJJ20	190.00	190.00	191.00	1.00	0.677	0.084
MJJ20	191.00	191.00	192.00	1.00	0.195	0.050
MJJ20	192.00	192.00	193.00	1.00	0.498	0.124
MJJ20	193.00	193.00	194.00	1.00	0.237	0.020
MJJ20	194.00	194.00	195.00	1.00	0.434	0.018
MJJ20	195.00	195.00	196.00	1.00	0.299	0.027
MJJ20	196.00	196.00	197.00	1.00	0.656	0.009
MJJ20	197.00	197.00	198.00	1.00	0.587	0.050
MJJ20	198.00	198.00	199.00	1.00	0.441	0.015
MJJ20	199.00	199.00	200.00	1.00	0.316	0.004
MJJ20	200.00	200.00	201.00	1.00	0.327	0.015
MJJ20	201.00	201.00	202.00	1.00	0.308	0.028
MJJ20	202.00	202.00	203.00	1.00	0.485	0.017
MJJ20	203.00	203.00	204.00	1.00	0.732	0.017
MJJ20	204.00	204.00	205.00	1.00	0.628	0.016
MJJ20	205.00	205.00	206.00	1.00	0.416	0.025
MJJ20	206.00	206.00	207.00	1.00	0.455	0.018
MJJ20	207.00	207.00	208.00	1.00	0.753	0.017
MJJ20	208.00	208.00	209.00	1.00	0.345	0.017
MJJ20	209.00	209.00	210.00	1.00	0.387	0.009
MJJ20	210.00	210.00	211.00	1.00	0.602	0.019
MJJ20	211.00	211.00	212.00	1.00	0.553	0.015
MJJ20	212.00	212.00	213.00	1.00	0.590	0.019
MJJ20	213.00	213.00	214.00	1.00	0.541	0.010
MJJ20	214.00	214.00	215.00	1.00	0.324	0.026
MJJ20	215.00	215.00	216.00	1.00	0.373	0.011
MJJ20	216.00	216.00	217.00	1.00	0.541	0.018
MJJ20	217.00	217.00	218.00	1.00	0.394	0.015
MJJ20	218.00	218.00	219.00	1.00	0.336	0.009
MJJ20	219.00	219.00	220.00	1.00	0.230	0.007
MJJ20	220.00	220.00	221.00	1.00	0.209	0.005
MJJ20	221.00	221.00	222.00	1.00	0.248	0.004
MJJ20	222.00	222.00	223.00	1.00	0.337	0.002
MJJ20	223.00	223.00	224.00	1.00	0.487	0.003
MJJ20	224.00	224.00	225.00	1.00	0.321	0.002
MJJ20	225.00	225.00	226.00	1.00	0.611	0.011
MJJ20	226.00	226.00	227.00	1.00	0.452	0.006
MJJ20	227.00	227.00	228.00	1.00	0.875	0.003
MJJ20	228.00	228.00	229.00	1.00	0.929	0.004
MJJ20	229.00	229.00	230.00	1.00	0.510	0.011
MJJ20	230.00	230.00	231.00	1.00	0.460	0.021
MJJ20	231.00	231.00	232.00	1.00	0.462	0.024
MJJ20	232.00	232.00	233.00	1.00	0.512	0.023
MJJ20	233.00	233.00	234.00	1.00	0.525	0.007
MJJ20	234.00	234.00	235.00	1.00	0.726	0.004
MJJ20	235.00	235.00	236.00	1.00	0.642	0.008
MJJ20	236.00	236.00	237.00	1.00	1.074	0.034
MJJ20	237.00	237.00	238.00	1.00	0.985	0.016
MJJ20	238.00	238.00	239.00	1.00	1.144	0.013
MJJ20	239.00	239.00	240.00	1.00	1.103	0.016
MJJ20	240.00	240.00	241.00	1.00	1.180	0.019
MJJ20	241.00	241.00	242.00	1.00	1.238	0.024
MJJ20	242.00	242.00	243.00	1.00	1.081	0.013
MJJ20	243.00	243.00	244.00	1.00	1.428	0.016
MJJ20	244.00	244.00	245.00	1.00	0.884	0.036
MJJ20	245.00	245.00	246.00	1.00	1.154	0.028
MJJ20	246.00	246.00	247.00	1.00	2.626	0.040
MJJ20	247.00	247.00	248.00	1.00	1.784	0.052
MJJ20	248.00	248.00	249.00	1.00	1.736	0.032
MJJ20	249.00	249.00	250.00	1.00	0.760	0.013
MJJ20	250.00	250.00	251.00	1.00	0.299	0.008

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mn (%)
MJJ20	251.00	251.00	252.00	1.00	0.507	0.008
MJJ20	252.00	252.00	253.00	1.00	0.351	0.005
MJJ20	253.00	253.00	254.00	1.00	0.504	0.004
MJJ20	254.00	254.00	255.00	1.00	0.235	0.003
MJJ20	255.00	255.00	256.00	1.00	0.131	0.002
MJJ20	256.00	256.00	257.00	1.00	0.036	0.001
MJJ20	257.00	257.00	258.00	1.00	0.185	0.007
MJJ20	258.00	258.00	259.00	1.00	0.288	0.005
MJJ20	259.00	259.00	260.00	1.00	0.267	0.003
MJJ20	260.00	260.00	261.00	1.00	2.579	0.017
MJJ20	261.00	261.00	262.00	1.00	3.176	0.124
MJJ20	262.00	262.00	263.00	1.00	0.512	0.005
MJJ20	263.00	263.00	264.00	1.00	0.465	0.004
MJJ20	264.00	264.00	265.00	1.00	0.328	0.007
MJJ20	265.00	265.00	266.00	1.00	0.640	0.010
MJJ20	266.00	266.00	267.00	1.00	0.264	0.001
MJJ20	267.00	267.00	268.00	1.00	0.708	0.003
MJJ20	268.00	268.00	269.00	1.00	0.255	0.001
MJJ20	269.00	269.00	270.00	1.00	0.202	0.002
MJJ20	270.00	270.00	271.00	1.00	0.551	0.004
MJJ20	271.00	271.00	272.00	1.00	0.426	0.001
MJJ20	272.00	272.00	273.00	1.00	1.162	0.005
MJJ20	273.00	273.00	276.45	3.45	1.117	0.003
MJJ20	276.45	276.45	277.00	0.55	1.228	0.004
MJJ20	277.00	277.00	278.00	1.00	2.446	0.037
MJJ20	278.00	278.00	279.00	1.00	3.285	0.053
MJJ20	279.00	279.00	280.00	1.00	1.832	0.140
MJJ20	280.00	280.00	281.00	1.00	2.800	0.853
MJJ20	281.00	281.00	282.00	1.00	2.450	0.143
MJJ20	282.00	282.00	283.00	1.00	2.210	0.057
MJJ20	283.00	283.00	284.00	1.00	2.246	0.013
MJJ20	284.00	284.00	285.00	1.00	0.713	0.004
MJJ20	285.00	285.00	286.00	1.00	0.645	0.020
MJJ20	286.00	286.00	287.00	1.00	0.122	0.000
MJJ20	287.00	287.00	288.00	1.00	0.132	0.002
MJJ20	288.00	288.00	289.00	1.00	0.077	0.002
MJJ20	289.00	289.00	290.00	1.00	1.054	0.087
MJJ20	290.00	290.00	291.00	1.00	0.354	0.019
MJJ20	291.00	291.00	292.00	1.00	0.344	0.004
MJJ20	292.00	292.00	293.00	1.00	0.154	0.001
MJJ20	293.00	293.00	294.00	1.00	0.223	0.001
MJJ20	294.00	294.00	295.00	1.00	0.352	0.003
MJJ20	295.00	295.00	296.00	1.00	0.438	0.002
MJJ20	296.00	296.00	297.00	1.00	0.166	0.002
MJJ20	297.00	297.00	298.00	1.00	0.445	0.043
MJJ20	298.00	298.00	299.00	1.00	0.213	0.005
MJJ20	299.00	299.00	300.00	1.00	0.107	0.002
MJJ20	300.00	300.00	301.00	1.00	0.162	0.002
MJJ20	301.00	301.00	302.00	1.00	0.177	0.009
MJJ20	302.00	302.00	303.00	1.00	0.165	0.007
MJJ20	303.00	303.00	304.00	1.00	0.190	0.004
MJJ20	304.00	304.00	305.00	1.00	0.170	0.008
MJJ20	305.00	305.00	306.00	1.00	0.345	0.002
MJJ20	306.00	306.00	307.00	1.00	0.182	0.007
MJJ20	307.00	307.00	308.00	1.00	0.100	0.002
MJJ20	308.00	308.00	309.00	1.00	1.004	0.001
MJJ20	309.00	309.00	310.00	1.00	3.410	0.004
MJJ20	310.00	310.00	312.00	2.00	0.896	0.050
MJJ20	312.00	312.00	314.00	2.00	0.445	0.006
MJJ20	314.00	314.00	316.00	2.00	0.336	0.007
MJJ20	316.00	316.00	318.00	2.00	0.474	0.006
MJJ20	318.00	318.00	320.00	2.00	0.451	0.003
MJJ20	320.00	320.00	322.00	2.00	0.301	0.005
MJJ20	322.00	322.00	324.00	2.00	3.055	0.052
MJJ20	324.00	324.00	326.00	2.00	0.407	0.004
MJJ20	326.00	326.00	328.00	2.00	0.224	0.015
MJJ20	328.00	328.00	330.00	2.00	0.270	0.006
MJJ20	330.00	330.00	332.00	2.00	0.375	0.013
MJJ20	332.00	332.00	334.00	2.00	0.551	0.192
MJJ20	334.00	334.00	336.00	2.00	0.320	0.004
MJJ20	336.00	336.00	338.00	2.00	0.457	0.001
MJJ20	338.00	338.00	340.00	2.00	0.400	0.046
MJJ20	340.00	340.00	342.00	2.00	0.149	0.002
MJJ20	342.00	342.00	344.00	2.00	0.508	0.015
MJJ20	344.00	344.00	346.00	2.00	0.277	0.005
MJJ20	346.00	346.00	348.00	2.00	1.007	0.007
MJJ20	348.00	348.00	350.00	2.00	0.689	0.013
MJJ20	350.00	350.00	352.00	2.00	0.190	0.023
MJJ20	352.00	352.00	354.00	2.00	0.748	0.036
MJJ20	354.00	354.00	356.00	2.00	1.177	0.035
MJJ20	356.00	356.00	358.00	2.00	0.392	0.011
MJJ20	358.00	358.00	360.00	2.00	0.150	0.024
MJJ20	360.00	360.00	362.00	2.00	0.309	0.017
MJJ20	362.00	362.00	364.00	2.00	0.396	0.050
MJJ20	364.00	364.00	366.00	2.00	0.413	0.020
MJJ20	366.00	366.00	368.00	2.00	1.045	0.014
MJJ20	368.00	368.00	370.00	2.00	0.793	0.018
MJJ20	370.00	370.00	372.00	2.00	0.780	0.016
MJJ20	372.00	372.00	374.00	2.00	0.488	0.005
MJJ20	374.00	374.00	376.00	2.00	0.563	0.005
MJJ20	376.00	376.00	378.00	2.00	0.447	0.005
MJJ20	378.00	378.00	380.00	2.00	0.737	0.030
MJJ20	380.00	380.00	382.00	2.00	0.620	0.018
MJJ20	382.00	382.00	384.00	2.00	1.021	0.009
MJJ20	384.00	384.00	386.00	2.00	0.977	0.011
MJJ20	386.00	386.00	388.00	2.00	0.670	0.063
MJJ20	388.00	388.00	390.00	2.00	1.176	0.023
MJJ20	390.00	390.00	393.14	3.14	0.684	0.026

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ21	3.05	3.05	4.00	0.95	1.030	0.033
MJJ21	4.00	4.00	5.00	1.00	0.676	0.030
MJJ21	5.00	5.00	6.00	1.00	0.370	0.012
MJJ21	6.00	6.00	7.00	1.00	0.365	0.053
MJJ21	7.00	7.00	8.00	1.00	0.544	0.020
MJJ21	8.00	8.00	9.00	1.00	0.407	0.027
MJJ21	9.00	9.00	10.00	1.00	0.577	0.033
MJJ21	10.00	10.00	11.00	1.00	0.401	0.032
MJJ21	11.00	11.00	12.00	1.00	0.464	0.011
MJJ21	12.00	12.00	13.00	1.00	0.468	0.024
MJJ21	13.00	13.00	14.00	1.00	0.463	0.004
MJJ21	14.00	14.00	15.00	1.00	0.498	0.009
MJJ21	15.00	15.00	16.00	1.00	0.087	0.001
MJJ21	16.00	16.00	17.00	1.00	0.088	0.001
MJJ21	17.00	17.00	18.00	1.00	0.622	0.008
MJJ21	18.00	18.00	19.00	1.00	0.411	0.006
MJJ21	19.00	19.00	20.00	1.00	0.462	0.034
MJJ21	20.00	20.00	21.00	1.00	0.551	0.001
MJJ21	21.00	21.00	22.00	1.00	0.579	0.011
MJJ21	22.00	22.00	23.00	1.00	0.161	0.000
MJJ21	23.00	23.00	24.00	1.00	0.132	0.000
MJJ21	24.00	24.00	25.00	1.00	0.080	0.000
MJJ21	25.00	25.00	26.00	1.00	0.097	0.018
MJJ21	26.00	26.00	27.00	1.00	0.156	0.022
MJJ21	27.00	27.00	28.00	1.00	0.103	0.000
MJJ21	28.00	28.00	29.00	1.00	0.096	0.000
MJJ21	29.00	29.00	30.00	1.00	0.067	0.000
MJJ21	30.00	30.00	31.00	1.00	0.101	0.001
MJJ21	31.00	31.00	32.00	1.00	0.056	0.000
MJJ21	32.00	32.00	33.00	1.00	0.135	0.000
MJJ21	33.00	33.00	34.00	1.00	0.085	0.000
MJJ21	34.00	34.00	35.00	1.00	0.135	0.001
MJJ21	35.00	35.00	36.00	1.00	0.165	0.040
MJJ21	36.00	36.00	37.00	1.00	0.077	0.000
MJJ21	37.00	37.00	38.00	1.00	0.034	0.000
MJJ21	38.00	38.00	39.00	1.00	0.138	0.011
MJJ21	39.00	39.00	40.00	1.00	0.062	0.009
MJJ21	40.00	40.00	41.00	1.00	0.073	0.000
MJJ21	41.00	41.00	42.00	1.00	0.183	0.008
MJJ21	42.00	42.00	43.00	1.00	0.586	0.013
MJJ21	43.00	43.00	44.00	1.00	0.436	0.027
MJJ21	44.00	44.00	45.00	1.00	0.325	0.006
MJJ21	45.00	45.00	46.00	1.00	0.453	0.002
MJJ21	46.00	46.00	47.00	1.00	0.755	0.007
MJJ21	47.00	47.00	48.00	1.00	0.597	0.048
MJJ21	48.00	48.00	49.00	1.00	0.768	0.034
MJJ21	49.00	49.00	50.00	1.00	1.228	0.024
MJJ21	50.00	50.00	51.00	1.00	0.892	0.013
MJJ21	51.00	51.00	52.00	1.00	0.764	0.032
MJJ21	52.00	52.00	53.00	1.00	0.687	0.010
MJJ21	53.00	53.00	54.00	1.00	0.722	0.013
MJJ21	54.00	54.00	55.00	1.00	0.454	0.003
MJJ21	55.00	55.00	56.00	1.00	0.592	0.063
MJJ21	56.00	56.00	57.00	1.00	0.681	0.030
MJJ21	57.00	57.00	58.00	1.00	0.317	0.006
MJJ21	58.00	58.00	59.00	1.00	0.508	0.030
MJJ21	59.00	59.00	60.00	1.00	0.631	0.011
MJJ21	60.00	60.00	61.00	1.00	0.420	0.012
MJJ21	61.00	61.00	62.00	1.00	0.752	0.004
MJJ21	62.00	62.00	63.00	1.00	0.597	0.005
MJJ21	63.00	63.00	64.00	1.00	0.347	0.005
MJJ21	64.00	64.00	65.00	1.00	0.421	0.004
MJJ21	65.00	65.00	66.00	1.00	0.644	0.041
MJJ21	66.00	66.00	67.00	1.00	0.618	0.017
MJJ21	67.00	67.00	68.00	1.00	1.218	0.012
MJJ21	68.00	68.00	69.00	1.00	0.733	0.027
MJJ21	69.00	69.00	70.00	1.00	0.296	0.007
MJJ21	70.00	70.00	71.00	1.00	1.228	0.023
MJJ21	71.00	71.00	72.00	1.00	1.730	0.020
MJJ21	72.00	72.00	73.00	1.00	1.155	0.034
MJJ21	73.00	73.00	74.00	1.00	0.461	0.007
MJJ21	74.00	74.00	75.00	1.00	0.241	0.010
MJJ21	75.00	75.00	76.00	1.00	0.260	0.007
MJJ21	76.00	76.00	77.00	1.00	0.346	0.003
MJJ21	77.00	77.00	78.00	1.00	0.271	0.004
MJJ21	78.00	78.00	79.00	1.00	0.575	0.006
MJJ21	79.00	79.00	80.00	1.00	0.459	0.016
MJJ21	80.00	80.00	81.00	1.00	0.336	0.006
MJJ21	81.00	81.00	82.00	1.00	0.312	0.008
MJJ21	82.00	82.00	83.00	1.00	0.192	0.003
MJJ21	83.00	83.00	84.00	1.00	1.098	0.002
MJJ21	84.00	84.00	85.00	1.00	0.687	0.028
MJJ21	85.00	85.00	86.00	1.00	0.346	0.018
MJJ21	86.00	86.00	87.00	1.00	0.267	0.016
MJJ21	87.00	87.00	88.00	1.00	0.349	0.008
MJJ21	88.00	88.00	89.00	1.00	0.596	0.016
MJJ21	89.00	89.00	90.00	1.00	0.296	0.018
MJJ21	90.00	90.00	91.00	1.00	0.470	0.008
MJJ21	91.00	91.00	92.00	1.00	0.290	0.029
MJJ21	92.00	92.00	93.00	1.00	0.142	0.059
MJJ21	93.00	93.00	94.00	1.00	0.197	0.010
MJJ21	94.00	94.00	95.00	1.00	0.241	0.028
MJJ21	95.00	95.00	96.00	1.00	0.319	0.009
MJJ21	96.00	96.00	97.00	1.00	0.310	0.071
MJJ21	97.00	97.00	98.00	1.00	0.234	0.030
MJJ21	98.00	98.00	99.00	1.00	0.148	0.009
MJJ21	99.00	99.00	100.00	1.00	0.152	0.010
MJJ21	100.00	100.00	101.00	1.00	0.102	0.009

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ21	101.00	101.00	102.00	1.00	0.089	0.006
MJJ21	102.00	102.00	103.00	1.00	0.032	0.011
MJJ21	103.00	103.00	104.00	1.00	0.177	0.017
MJJ21	104.00	104.00	105.00	1.00	0.157	0.011
MJJ21	105.00	105.00	106.00	1.00	0.146	0.015
MJJ21	106.00	106.00	107.00	1.00	0.157	0.010
MJJ21	107.00	107.00	108.00	1.00	0.142	0.007
MJJ21	108.00	108.00	109.00	1.00	0.199	0.006
MJJ21	109.00	109.00	110.00	1.00	0.123	0.005
MJJ21	110.00	110.00	111.00	1.00	0.312	0.010
MJJ21	111.00	111.00	112.00	1.00	0.373	0.010
MJJ21	112.00	112.00	113.00	1.00	0.368	0.022
MJJ21	113.00	113.00	114.00	1.00	0.230	0.007
MJJ21	114.00	114.00	115.00	1.00	0.357	0.017
MJJ21	115.00	115.00	116.00	1.00	0.257	0.009
MJJ21	116.00	116.00	117.00	1.00	0.356	0.010
MJJ21	117.00	117.00	118.00	1.00	0.252	0.009
MJJ21	118.00	118.00	119.00	1.00	0.144	0.025
MJJ21	119.00	119.00	120.00	1.00	0.150	0.018
MJJ21	120.00	120.00	121.00	1.00	0.230	0.005
MJJ21	121.00	121.00	122.00	1.00	0.163	0.003
MJJ21	122.00	122.00	123.00	1.00	0.153	0.004
MJJ21	123.00	123.00	124.00	1.00	0.175	0.007
MJJ21	124.00	124.00	125.00	1.00	0.239	0.004
MJJ21	125.00	125.00	126.00	1.00	0.748	0.014
MJJ21	126.00	126.00	127.00	1.00	1.064	0.049
MJJ21	127.00	127.00	128.00	1.00	1.067	0.053
MJJ21	128.00	128.00	129.00	1.00	0.879	0.018
MJJ21	129.00	129.00	130.00	1.00	1.449	0.018
MJJ21	130.00	130.00	131.00	1.00	0.544	0.014
MJJ21	131.00	131.00	132.00	1.00	1.150	0.033
MJJ21	132.00	132.00	133.00	1.00	0.978	0.036
MJJ21	133.00	133.00	134.00	1.00	0.785	0.020
MJJ21	134.00	134.00	135.00	1.00	0.427	0.032
MJJ21	135.00	135.00	136.00	1.00	0.602	0.009
MJJ21	136.00	136.00	137.00	1.00	0.888	0.014
MJJ21	137.00	137.00	138.00	1.00	0.366	0.007
MJJ21	138.00	138.00	139.00	1.00	0.796	0.016
MJJ21	139.00	139.00	140.00	1.00	0.432	0.011
MJJ21	140.00	140.00	141.00	1.00	0.422	0.005
MJJ21	141.00	141.00	142.00	1.00	0.602	0.006
MJJ21	142.00	142.00	143.00	1.00	0.682	0.023
MJJ21	143.00	143.00	144.00	1.00	0.486	0.004
MJJ21	144.00	144.00	145.00	1.00	0.235	0.006
MJJ21	145.00	145.00	146.00	1.00	0.359	0.014
MJJ21	146.00	146.00	147.00	1.00	0.257	0.005
MJJ21	147.00	147.00	148.00	1.00	0.740	0.009
MJJ21	148.00	148.00	149.00	1.00	0.677	0.003
MJJ21	149.00	149.00	150.00	1.00	0.353	0.008
MJJ21	150.00	150.00	151.00	1.00	0.321	0.004
MJJ21	151.00	151.00	152.00	1.00	0.725	0.018
MJJ21	152.00	152.00	153.00	1.00	0.468	0.037
MJJ21	153.00	153.00	154.00	1.00	0.343	0.011
MJJ21	154.00	154.00	155.00	1.00	0.931	0.015
MJJ21	155.00	155.00	156.00	1.00	0.250	0.003
MJJ21	156.00	156.00	157.00	1.00	0.428	0.002
MJJ21	157.00	157.00	158.00	1.00	0.209	0.002
MJJ21	158.00	158.00	159.00	1.00	0.576	0.009
MJJ21	159.00	159.00	160.00	1.00	0.482	0.024
MJJ21	160.00	160.00	161.00	1.00	0.500	0.004
MJJ21	161.00	161.00	162.00	1.00	1.031	0.004
MJJ21	162.00	162.00	163.00	1.00	1.124	0.017
MJJ21	163.00	163.00	164.00	1.00	0.309	0.023
MJJ21	164.00	164.00	165.00	1.00	1.098	0.062
MJJ21	165.00	165.00	166.00	1.00	0.534	0.017
MJJ21	166.00	166.00	167.00	1.00	0.721	0.008
MJJ21	167.00	167.00	168.00	1.00	1.012	0.032
MJJ21	168.00	168.00	169.00	1.00	0.659	0.017
MJJ21	169.00	169.00	170.00	1.00	0.623	0.027
MJJ21	170.00	170.00	171.00	1.00	0.656	0.023
MJJ21	171.00	171.00	172.00	1.00	0.552	0.011
MJJ21	172.00	172.00	173.00	1.00	0.875	0.021
MJJ21	173.00	173.00	174.00	1.00	0.757	0.009
MJJ21	174.00	174.00	175.00	1.00	0.572	0.014
MJJ21	175.00	175.00	176.00	1.00	0.750	0.026
MJJ21	176.00	176.00	177.00	1.00	0.396	0.004
MJJ21	177.00	177.00	178.00	1.00	0.502	0.005
MJJ21	178.00	178.00	179.00	1.00	1.279	0.010
MJJ21	179.00	179.00	180.00	1.00	0.795	0.014
MJJ21	180.00	180.00	182.00	2.00	0.062	0.002
MJJ21	182.00	182.00	184.00	2.00	0.290	0.003
MJJ21	184.00	184.00	186.00	2.00	0.116	0.002
MJJ21	186.00	186.00	188.00	2.00	0.191	0.002
MJJ21	188.00	188.00	190.00	2.00	0.206	0.003
MJJ21	190.00	190.00	192.00	2.00	0.997	0.006
MJJ21	192.00	192.00	194.00	2.00	0.209	0.007
MJJ21	194.00	194.00	196.00	2.00	0.365	0.006
MJJ21	196.00	196.00	198.00	2.00	0.181	0.004
MJJ21	198.00	198.00	200.00	2.00	0.146	0.003
MJJ21	200.00	200.00	202.00	2.00	0.213	0.003
MJJ21	202.00	202.00	204.00	2.00	0.337	0.005
MJJ21	204.00	204.00	206.00	2.00	0.300	0.004
MJJ21	206.00	206.00	208.00	2.00	0.343	0.005
MJJ21	208.00	208.00	210.00	2.00	0.133	0.004
MJJ21	210.00	210.00	212.00	2.00	0.414	0.023
MJJ21	212.00	212.00	214.00	2.00	0.401	0.007
MJJ21	214.00	214.00	216.00	2.00	0.461	0.008
MJJ21	216.00	216.00	218.00	2.00	0.273	0.006

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ21	218.00	218.00	220.00	2.00	0.125	0.008
MJJ21	220.00	220.00	222.00	2.00	0.039	0.001
MJJ21	222.00	222.00	224.00	2.00	0.497	0.006
MJJ21	224.00	224.00	226.00	2.00	0.359	0.003
MJJ21	226.00	226.00	228.00	2.00	0.237	0.001
MJJ21	228.00	228.00	230.00	2.00	0.164	0.002
MJJ21	230.00	230.00	232.00	2.00	0.209	0.002
MJJ21	232.00	232.00	234.00	2.00	0.332	0.005
MJJ21	234.00	234.00	236.00	2.00	0.270	0.002
MJJ21	236.00	236.00	238.00	2.00	0.090	0.000
MJJ21	238.00	238.00	240.00	2.00	0.144	0.001
MJJ21	240.00	240.00	242.00	2.00	0.160	0.002
MJJ21	242.00	242.00	244.00	2.00	0.338	0.004
MJJ21	244.00	244.00	246.00	2.00	0.424	0.004
MJJ21	246.00	246.00	248.00	2.00	0.390	0.008
MJJ21	248.00	248.00	250.00	2.00	0.090	0.002
MJJ21	250.00	250.00	252.00	2.00	0.227	0.003
MJJ21	252.00	252.00	254.00	2.00	0.367	0.004
MJJ21	254.00	254.00	256.00	2.00	0.570	0.003
MJJ21	256.00	256.00	258.00	2.00	0.181	0.004
MJJ21	258.00	258.00	260.00	2.00	0.056	0.001
MJJ21	260.00	260.00	262.00	2.00	0.065	0.001
MJJ21	262.00	262.00	264.00	2.00	0.029	0.000
MJJ21	264.00	264.00	266.00	2.00	0.161	0.003
MJJ21	266.00	266.00	268.00	2.00	0.375	0.009
MJJ21	268.00	268.00	270.00	2.00	1.012	0.008
MJJ21	270.00	270.00	272.00	2.00	0.107	0.002
MJJ21	272.00	272.00	274.00	2.00	0.270	0.004
MJJ21	274.00	274.00	276.00	2.00	0.168	0.002
MJJ21	276.00	276.00	278.00	2.00	0.122	0.022
MJJ21	278.00	278.00	280.00	2.00	0.052	0.013
MJJ21	280.00	280.00	282.00	2.00	0.176	0.001
MJJ21	282.00	282.00	284.00	2.00	0.268	0.004
MJJ21	284.00	284.00	286.00	2.00	1.079	0.009
MJJ21	286.00	286.00	288.00	2.00	0.674	0.007
MJJ21	288.00	288.00	290.00	2.00	0.156	0.007
MJJ21	290.00	290.00	292.00	2.00	0.495	0.015
MJJ21	292.00	292.00	294.00	2.00	0.139	0.003
MJJ21	294.00	294.00	296.00	2.00	0.762	0.008
MJJ21	296.00	296.00	298.00	2.00	0.244	0.003
MJJ21	298.00	298.00	300.00	2.00	0.034	0.001
MJJ21	300.00	300.00	302.00	2.00	0.402	0.004
MJJ21	302.00	302.00	304.00	2.00	0.227	0.005
MJJ21	304.00	304.00	306.00	2.00	0.184	0.004
MJJ21	306.00	306.00	307.14	1.14	0.259	0.007
MJJ22	4.50	4.50	6.00	1.50	0.153	0.001
MJJ22	6.00	6.00	8.00	2.00	0.142	0.001
MJJ22	8.00	8.00	10.00	2.00	0.209	0.001
MJJ22	10.00	10.00	12.00	2.00	0.155	0.001
MJJ22	12.00	12.00	14.00	2.00	0.103	0.001
MJJ22	14.00	14.00	16.00	2.00	0.120	0.001
MJJ22	16.00	16.00	18.00	2.00	0.028	0.001
MJJ22	18.00	18.00	20.00	2.00	0.056	0.000
MJJ22	20.00	20.00	22.00	2.00	0.107	0.001
MJJ22	22.00	22.00	24.00	2.00	0.239	0.001
MJJ22	24.00	24.00	26.00	2.00	0.251	0.001
MJJ22	26.00	26.00	28.00	2.00	0.107	0.001
MJJ22	28.00	28.00	30.00	2.00	0.115	0.001
MJJ22	30.00	30.00	32.00	2.00	0.061	0.000
MJJ22	32.00	32.00	34.00	2.00	0.029	0.001
MJJ22	34.00	34.00	36.00	2.00	0.033	0.002
MJJ22	36.00	36.00	38.00	2.00	0.040	0.002
MJJ22	38.00	38.00	40.00	2.00	0.043	0.002
MJJ22	40.00	40.00	42.00	2.00	0.085	0.001
MJJ22	42.00	42.00	44.00	2.00	0.165	0.001
MJJ22	44.00	44.00	46.00	2.00	0.202	0.005
MJJ22	46.00	46.00	48.00	2.00	0.101	0.006
MJJ22	48.00	48.00	50.00	2.00	0.049	0.004
MJJ22	50.00	50.00	52.00	2.00	0.131	0.050
MJJ22	52.00	52.00	54.00	2.00	0.151	0.042
MJJ22	54.00	54.00	56.00	2.00	0.144	0.034
MJJ22	56.00	56.00	58.00	2.00	0.103	0.016
MJJ22	58.00	58.00	60.00	2.00	0.103	0.031
MJJ22	60.00	60.00	62.00	2.00	0.212	0.008
MJJ22	62.00	62.00	64.00	2.00	0.128	0.006
MJJ22	64.00	64.00	66.00	2.00	0.107	0.005
MJJ22	66.00	66.00	68.00	2.00	0.113	0.010
MJJ22	68.00	68.00	70.00	2.00	0.023	0.004
MJJ22	70.00	70.00	72.00	2.00	0.015	0.001
MJJ22	72.00	72.00	74.00	2.00	0.020	0.001
MJJ22	74.00	74.00	76.00	2.00	0.021	0.003
MJJ22	76.00	76.00	78.00	2.00	0.126	0.001
MJJ22	78.00	78.00	80.00	2.00	0.245	0.001
MJJ22	80.00	80.00	82.00	2.00	1.145	0.002
MJJ22	82.00	82.00	84.00	2.00	0.090	0.001
MJJ22	84.00	84.00	86.00	2.00	0.099	0.001
MJJ22	86.00	86.00	88.00	2.00	0.125	0.001
MJJ22	88.00	88.00	90.00	2.00	0.018	0.001
MJJ22	90.00	90.00	92.00	2.00	0.086	0.001
MJJ22	92.00	92.00	94.00	2.00	0.160	0.001
MJJ22	94.00	94.00	96.00	2.00	0.041	0.001
MJJ22	96.00	96.00	98.00	2.00	0.197	0.001
MJJ22	98.00	98.00	100.00	2.00	0.356	0.001
MJJ22	100.00	100.00	102.00	2.00	0.416	0.001
MJJ22	102.00	102.00	104.00	2.00	0.305	0.001
MJJ22	104.00	104.00	106.00	2.00	0.409	0.001
MJJ22	106.00	106.00	108.00	2.00	0.851	0.036
MJJ22	108.00	108.00	110.00	2.00	0.107	0.024

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ22	110.00	110.00	112.00	2.00	0.256	0.034
MJJ22	112.00	112.00	114.00	2.00	0.165	0.022
MJJ22	114.00	114.00	116.00	2.00	0.088	0.001
MJJ22	116.00	116.00	118.00	2.00	0.055	0.002
MJJ22	118.00	118.00	120.00	2.00	0.070	0.001
MJJ22	120.00	120.00	122.00	2.00	0.065	0.001
MJJ22	122.00	122.00	124.00	2.00	0.145	0.001
MJJ22	124.00	124.00	126.00	2.00	0.139	0.001
MJJ22	126.00	126.00	128.00	2.00	0.139	0.001
MJJ22	128.00	128.00	130.00	2.00	0.197	0.001
MJJ22	130.00	130.00	132.00	2.00	0.193	0.001
MJJ22	132.00	132.00	134.00	2.00	0.183	0.001
MJJ22	134.00	134.00	136.00	2.00	0.124	0.001
MJJ22	136.00	136.00	138.00	2.00	0.129	0.001
MJJ22	138.00	138.00	140.00	2.00	0.051	0.001
MJJ22	140.00	140.00	142.00	2.00	0.049	0.001
MJJ22	142.00	142.00	144.00	2.00	0.052	0.001
MJJ22	144.00	144.00	146.00	2.00	0.059	0.001
MJJ22	146.00	146.00	148.00	2.00	0.044	0.001
MJJ22	148.00	148.00	150.00	2.00	0.041	0.001
MJJ22	150.00	150.00	152.00	2.00	0.052	0.001
MJJ22	152.00	152.00	154.00	2.00	0.042	0.001
MJJ22	154.00	154.00	156.00	2.00	0.058	0.001
MJJ22	156.00	156.00	158.00	2.00	0.045	0.000
MJJ22	158.00	158.00	160.00	2.00	0.086	0.002
MJJ22	160.00	160.00	162.00	2.00	0.058	0.008
MJJ22	162.00	162.00	164.00	2.00	0.030	0.003
MJJ22	164.00	164.00	166.00	2.00	0.045	0.002
MJJ22	166.00	166.00	168.00	2.00	0.061	0.002
MJJ22	168.00	168.00	170.00	2.00	0.043	0.001
MJJ22	170.00	170.00	172.00	2.00	0.072	0.001
MJJ22	172.00	172.00	174.00	2.00	0.138	0.001
MJJ22	174.00	174.00	176.00	2.00	0.315	0.001
MJJ22	176.00	176.00	178.00	2.00	0.325	0.001
MJJ22	178.00	178.00	180.00	2.00	0.186	0.001
MJJ22	180.00	180.00	182.00	2.00	0.115	0.001
MJJ22	182.00	182.00	184.00	2.00	0.042	0.002
MJJ22	184.00	184.00	186.00	2.00	0.059	0.001
MJJ22	186.00	186.00	188.00	2.00	0.036	0.001
MJJ22	188.00	188.00	190.00	2.00	0.044	0.001
MJJ22	190.00	190.00	192.00	2.00	0.042	0.001
MJJ22	192.00	192.00	194.00	2.00	0.123	0.002
MJJ22	194.00	194.00	196.00	2.00	0.200	0.002
MJJ22	196.00	196.00	198.00	2.00	0.218	0.001
MJJ22	198.00	198.00	200.00	2.00	0.089	0.001
MJJ22	200.00	200.00	202.00	2.00	0.080	0.002
MJJ22	202.00	202.00	204.00	2.00	0.080	0.001
MJJ22	204.00	204.00	206.00	2.00	0.152	0.001
MJJ22	206.00	206.00	208.00	2.00	0.281	0.012
MJJ22	208.00	208.00	210.00	2.00	0.185	0.002
MJJ22	210.00	210.00	212.00	2.00	0.191	0.001
MJJ22	212.00	212.00	214.00	2.00	0.264	0.004
MJJ22	214.00	214.00	216.00	2.00	0.093	0.001
MJJ22	216.00	216.00	218.00	2.00	0.163	0.000
MJJ22	218.00	218.00	220.00	2.00	0.149	0.003
MJJ22	220.00	220.00	222.00	2.00	0.257	0.001
MJJ22	222.00	222.00	224.00	2.00	0.408	0.004
MJJ22	224.00	224.00	226.00	2.00	0.209	0.002
MJJ22	226.00	226.00	228.00	2.00	0.833	0.008
MJJ22	228.00	228.00	230.00	2.00	0.336	0.002
MJJ22	230.00	230.00	232.00	2.00	0.225	0.004
MJJ22	232.00	232.00	234.00	2.00	0.179	0.002
MJJ22	234.00	234.00	236.00	2.00	0.328	0.002
MJJ22	236.00	236.00	238.00	2.00	0.458	0.002
MJJ22	238.00	238.00	240.00	2.00	2.890	0.062
MJJ22	240.00	240.00	242.00	2.00	0.175	0.002
MJJ22	242.00	242.00	244.00	2.00	0.293	0.007
MJJ22	244.00	244.00	246.00	2.00	0.206	0.003
MJJ22	246.00	246.00	248.00	2.00	0.156	0.001
MJJ22	248.00	248.00	250.00	2.00	0.235	0.004
MJJ22	250.00	250.00	252.00	2.00	0.169	0.026
MJJ22	252.00	252.00	254.00	2.00	0.456	0.013
MJJ22	254.00	254.00	256.00	2.00	0.350	0.010
MJJ22	256.00	256.00	258.00	2.00	0.229	0.006
MJJ22	258.00	258.00	260.00	2.00	1.464	0.034
MJJ22	260.00	260.00	262.00	2.00	0.322	0.011
MJJ22	262.00	262.00	264.00	2.00	0.413	0.058
MJJ22	264.00	264.00	266.00	2.00	0.618	0.047
MJJ22	266.00	266.00	268.00	2.00	1.170	0.036
MJJ22	268.00	268.00	270.00	2.00	2.320	0.024
MJJ22	270.00	270.00	272.00	2.00	2.238	0.013
MJJ22	272.00	272.00	274.00	2.00	3.280	0.093
MJJ22	274.00	274.00	276.00	2.00	2.767	0.376
MJJ22	276.00	276.00	278.00	2.00	3.026	0.024
MJJ22	278.00	278.00	280.00	2.00	2.235	0.011
MJJ22	280.00	280.00	282.00	2.00	1.760	0.004
MJJ22	282.00	282.00	284.76	2.76	1.756	0.035
MJJ22	284.76	284.76	287.81	3.05	6.390	1.877
MJJ22	287.81	287.81	290.86	3.05	2.588	0.831
MJJ22	290.86	290.86	293.91	3.05	1.712	0.230
MJJ22	293.91	293.91	296.96	3.05	1.093	0.053
MJJ22	296.96	296.96	300.01	3.05	0.638	0.003
MJJ22	300.01	300.01	304.08	4.07	0.714	0.004
MJJ23	2.86	2.86	4.00	1.14	0.037	0.000
MJJ23	4.00	4.00	6.00	2.00	0.012	0.000
MJJ23	6.00	6.00	8.00	2.00	0.015	0.000
MJJ23	8.00	8.00	10.00	2.00	0.020	0.000
MJJ23	10.00	10.00	12.00	2.00	0.010	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ23	12.00	12.00	14.00	2.00	0.012	0.001
MJJ23	14.00	14.00	16.00	2.00	0.022	0.001
MJJ23	16.00	16.00	18.00	2.00	0.023	0.001
MJJ23	18.00	18.00	20.00	2.00	0.024	0.001
MJJ23	20.00	20.00	22.00	2.00	0.054	0.002
MJJ23	22.00	22.00	24.00	2.00	0.083	0.001
MJJ23	24.00	24.00	26.00	2.00	0.108	0.000
MJJ23	26.00	26.00	28.00	2.00	0.097	0.000
MJJ23	28.00	28.00	30.00	2.00	0.032	0.001
MJJ23	30.00	30.00	32.00	2.00	0.016	0.001
MJJ23	32.00	32.00	34.00	2.00	0.057	0.001
MJJ23	34.00	34.00	36.00	2.00	0.066	0.001
MJJ23	36.00	36.00	38.00	2.00	0.052	0.001
MJJ23	38.00	38.00	40.00	2.00	0.070	0.001
MJJ23	40.00	40.00	42.00	2.00	0.036	0.001
MJJ23	42.00	42.00	44.00	2.00	0.049	0.001
MJJ23	44.00	44.00	46.00	2.00	0.037	0.001
MJJ23	46.00	46.00	48.00	2.00	0.009	0.001
MJJ23	48.00	48.00	50.00	2.00	0.037	0.000
MJJ23	50.00	50.00	52.00	2.00	0.049	0.000
MJJ23	52.00	52.00	54.00	2.00	0.025	0.001
MJJ23	54.00	54.00	56.00	2.00	0.023	0.001
MJJ23	56.00	56.00	58.00	2.00	0.031	0.001
MJJ23	58.00	58.00	60.00	2.00	0.026	0.000
MJJ23	60.00	60.00	62.00	2.00	0.031	0.003
MJJ23	62.00	62.00	64.00	2.00	0.022	0.002
MJJ23	64.00	64.00	66.00	2.00	0.021	0.001
MJJ23	66.00	66.00	68.00	2.00	0.051	0.001
MJJ23	68.00	68.00	70.00	2.00	0.086	0.002
MJJ23	70.00	70.00	72.00	2.00	0.094	0.005
MJJ23	72.00	72.00	74.00	2.00	0.060	0.004
MJJ23	74.00	74.00	76.00	2.00	0.048	0.002
MJJ23	76.00	76.00	78.00	2.00	0.075	0.004
MJJ23	78.00	78.00	80.00	2.00	0.099	0.010
MJJ23	80.00	80.00	82.00	2.00	0.191	0.002
MJJ23	82.00	82.00	84.00	2.00	0.053	0.002
MJJ23	84.00	84.00	86.00	2.00	0.033	0.003
MJJ23	86.00	86.00	88.00	2.00	0.068	0.001
MJJ23	88.00	88.00	90.00	2.00	0.051	0.002
MJJ23	90.00	90.00	92.00	2.00	0.073	0.002
MJJ23	92.00	92.00	94.00	2.00	0.022	0.003
MJJ23	94.00	94.00	96.00	2.00	0.025	0.001
MJJ23	96.00	96.00	98.00	2.00	0.016	0.001
MJJ23	98.00	98.00	100.00	2.00	0.026	0.001
MJJ23	100.00	100.00	102.00	2.00	0.160	0.001
MJJ23	102.00	102.00	104.00	2.00	0.098	0.001
MJJ23	104.00	104.00	106.00	2.00	0.034	0.001
MJJ23	106.00	106.00	108.00	2.00	0.024	0.001
MJJ23	108.00	108.00	110.00	2.00	0.073	0.005
MJJ23	110.00	110.00	112.00	2.00	0.090	0.015
MJJ23	112.00	112.00	114.00	2.00	0.020	0.000
MJJ23	114.00	114.00	116.00	2.00	0.062	0.002
MJJ23	116.00	116.00	118.00	2.00	0.031	0.001
MJJ23	118.00	118.00	120.00	2.00	0.030	0.001
MJJ23	120.00	120.00	122.00	2.00	0.101	0.003
MJJ23	122.00	122.00	124.00	2.00	0.051	0.002
MJJ23	124.00	124.00	126.00	2.00	0.118	0.011
MJJ23	126.00	126.00	128.00	2.00	0.056	0.002
MJJ23	128.00	128.00	130.00	2.00	0.072	0.005
MJJ23	130.00	130.00	132.00	2.00	0.093	0.001
MJJ23	132.00	132.00	134.00	2.00	0.051	0.001
MJJ23	134.00	134.00	136.00	2.00	0.040	0.002
MJJ23	136.00	136.00	138.00	2.00	0.071	0.009
MJJ23	138.00	138.00	140.00	2.00	0.095	0.001
MJJ23	140.00	140.00	142.00	2.00	0.038	0.001
MJJ23	142.00	142.00	144.00	2.00	0.100	0.001
MJJ23	144.00	144.00	146.00	2.00	0.081	0.002
MJJ23	146.00	146.00	148.00	2.00	0.059	0.001
MJJ23	148.00	148.00	150.00	2.00	0.053	0.001
MJJ23	150.00	150.00	152.00	2.00	0.101	0.002
MJJ23	152.00	152.00	154.00	2.00	0.012	0.001
MJJ23	154.00	154.00	156.00	2.00	0.047	0.001
MJJ23	156.00	156.00	158.00	2.00	0.068	0.001
MJJ23	158.00	158.00	160.00	2.00	0.100	0.003
MJJ23	160.00	160.00	162.00	2.00	0.058	0.004
MJJ23	162.00	162.00	164.00	2.00	0.084	0.001
MJJ23	164.00	164.00	166.00	2.00	0.045	0.001
MJJ23	166.00	166.00	168.00	2.00	0.463	0.005
MJJ23	168.00	168.00	170.00	2.00	0.178	0.003
MJJ23	170.00	170.00	172.00	2.00	0.097	0.001
MJJ23	172.00	172.00	174.00	2.00	0.097	0.001
MJJ23	174.00	174.00	176.00	2.00	0.079	0.001
MJJ23	176.00	176.00	178.00	2.00	0.046	0.001
MJJ23	178.00	178.00	180.00	2.00	0.063	0.000
MJJ23	180.00	180.00	182.00	2.00	0.127	0.002
MJJ23	182.00	182.00	184.00	2.00	0.037	0.001
MJJ23	184.00	184.00	186.00	2.00	0.077	0.006
MJJ23	186.00	186.00	188.00	2.00	0.172	0.005
MJJ23	188.00	188.00	190.00	2.00	0.148	0.000
MJJ23	190.00	190.00	192.00	2.00	0.534	0.004
MJJ23	192.00	192.00	194.00	2.00	0.282	0.004
MJJ23	194.00	194.00	196.00	2.00	0.059	0.011
MJJ23	196.00	196.00	198.00	2.00	0.035	0.003
MJJ23	198.00	198.00	200.00	2.00	0.031	0.003
MJJ23	200.00	200.00	202.00	2.00	0.063	0.001
MJJ23	202.00	202.00	204.00	2.00	0.206	0.003
MJJ23	204.00	204.00	206.00	2.00	0.134	0.008
MJJ23	206.00	206.00	208.00	2.00	0.355	0.024

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ23	208.00	208.00	210.00	2.00	0.363	0.004
MJJ23	210.00	210.00	212.00	2.00	0.190	0.002
MJJ23	212.00	212.00	214.00	2.00	0.067	0.001
MJJ23	214.00	214.00	216.00	2.00	0.076	0.001
MJJ23	216.00	216.00	218.00	2.00	0.114	0.002
MJJ23	218.00	218.00	220.00	2.00	0.071	0.003
MJJ23	220.00	220.00	222.00	2.00	0.206	0.002
MJJ23	222.00	222.00	224.00	2.00	0.364	0.003
MJJ23	224.00	224.00	226.00	2.00	0.231	0.001
MJJ23	226.00	226.00	228.00	2.00	0.145	0.001
MJJ23	228.00	228.00	230.00	2.00	0.470	0.002
MJJ23	230.00	230.00	232.00	2.00	0.367	0.004
MJJ23	232.00	232.00	234.00	2.00	0.202	0.003
MJJ23	234.00	234.00	236.00	2.00	0.127	0.004
MJJ23	236.00	236.00	238.00	2.00	0.216	0.003
MJJ23	238.00	238.00	240.00	2.00	0.300	0.002
MJJ23	240.00	240.00	242.00	2.00	0.131	0.005
MJJ23	242.00	242.00	244.00	2.00	0.206	0.002
MJJ23	244.00	244.00	246.00	2.00	0.188	0.005
MJJ23	246.00	246.00	248.00	2.00	0.109	0.003
MJJ23	248.00	248.00	250.00	2.00	0.152	0.007
MJJ23	250.00	250.00	252.00	2.00	0.234	0.003
MJJ23	252.00	252.00	254.00	2.00	0.187	0.012
MJJ23	254.00	254.00	256.00	2.00	0.296	0.004
MJJ23	256.00	256.00	258.00	2.00	0.257	0.012
MJJ23	258.00	258.00	260.00	2.00	0.129	0.006
MJJ23	260.00	260.00	262.00	2.00	0.565	0.016
MJJ23	262.00	262.00	264.00	2.00	0.075	0.005
MJJ23	264.00	264.00	266.00	2.00	0.273	0.025
MJJ23	266.00	266.00	268.00	2.00	0.480	0.027
MJJ23	268.00	268.00	270.00	2.00	0.240	0.004
MJJ23	270.00	270.00	272.00	2.00	0.329	0.006
MJJ23	272.00	272.00	274.00	2.00	0.114	0.010
MJJ23	274.00	274.00	276.00	2.00	0.103	0.003
MJJ23	276.00	276.00	278.00	2.00	0.119	0.007
MJJ23	278.00	278.00	280.00	2.00	0.137	0.005
MJJ23	280.00	280.00	282.00	2.00	0.121	0.004
MJJ23	282.00	282.00	284.00	2.00	0.200	0.006
MJJ23	284.00	284.00	286.00	2.00	0.362	0.006
MJJ23	286.00	286.00	288.00	2.00	0.279	0.012
MJJ23	288.00	288.00	290.00	2.00	0.218	0.027
MJJ23	290.00	290.00	292.00	2.00	0.594	0.033
MJJ23	292.00	292.00	294.00	2.00	0.172	0.010
MJJ23	294.00	294.00	296.00	2.00	0.241	0.009
MJJ23	296.00	296.00	298.00	2.00	0.317	0.003
MJJ23	298.00	298.00	300.00	2.00	0.163	0.001
MJJ23	300.00	300.00	302.00	2.00	0.133	0.005
MJJ23	302.00	302.00	304.00	2.00	0.096	0.001
MJJ23	304.00	304.00	306.00	2.00	0.149	0.002
MJJ23	306.00	306.00	308.00	2.00	0.072	0.001
MJJ23	308.00	308.00	310.00	2.00	0.074	0.006
MJJ23	310.00	310.00	312.00	2.00	0.214	0.004
MJJ23	312.00	312.00	314.00	2.00	0.302	0.016
MJJ23	314.00	314.00	316.00	2.00	0.484	0.028
MJJ23	316.00	316.00	318.00	2.00	0.417	0.009
MJJ23	318.00	318.00	320.00	2.00	0.621	0.024
MJJ23	320.00	320.00	322.00	2.00	0.693	0.016
MJJ23	322.00	322.00	324.00	2.00	0.588	0.016
MJJ23	324.00	324.00	326.00	2.00	0.308	0.021
MJJ23	326.00	326.00	328.00	2.00	0.467	0.019
MJJ23	328.00	328.00	330.00	2.00	0.463	0.025
MJJ23	330.00	330.00	332.00	2.00	0.367	0.009
MJJ23	332.00	332.00	334.00	2.00	0.442	0.019
MJJ23	334.00	334.00	336.00	2.00	0.577	0.035
MJJ23	336.00	336.00	338.00	2.00	0.455	0.017
MJJ23	338.00	338.00	340.00	2.00	0.975	0.016
MJJ23	340.00	340.00	342.00	2.00	0.414	0.033
MJJ23	342.00	342.00	344.00	2.00	0.669	0.014
MJJ23	344.00	344.00	346.00	2.00	0.591	0.017
MJJ23	346.00	346.00	348.00	2.00	1.190	0.014
MJJ23	348.00	348.00	350.00	2.00	1.092	0.015
MJJ23	350.00	350.00	352.00	2.00	0.913	0.033
MJJ23	352.00	352.00	354.00	2.00	0.418	0.010
MJJ23	354.00	354.00	356.00	2.00	0.428	0.009
MJJ23	356.00	356.00	358.00	2.00	0.365	0.004
MJJ23	358.00	358.00	360.00	2.00	0.180	0.002
MJJ23	360.00	360.00	362.00	2.00	2.997	0.011
MJJ23	362.00	362.00	364.00	2.00	0.791	0.045
MJJ23	364.00	364.00	366.00	2.00	1.623	0.014
MJJ23	366.00	366.00	368.00	2.00	0.776	0.033
MJJ23	368.00	368.00	370.00	2.00	0.164	0.061
MJJ23	370.00	370.00	372.00	2.00	0.354	0.002
MJJ23	372.00	372.00	374.00	2.00	0.330	0.006
MJJ23	374.00	374.00	376.00	2.00	0.227	0.004
MJJ23	376.00	376.00	378.00	2.00	2.131	0.002
MJJ23	378.00	378.00	380.00	2.00	3.496	0.020
MJJ23	380.00	380.00	382.00	2.00	0.245	0.004
MJJ23	382.00	382.00	384.00	2.00	0.685	0.021
MJJ23	384.00	384.00	386.00	2.00	0.616	0.018
MJJ23	386.00	386.00	388.00	2.00	0.313	0.009
MJJ23	388.00	388.00	390.00	2.00	0.555	0.019
MJJ23	390.00	390.00	392.00	2.00	0.311	0.132
MJJ23	392.00	392.00	394.00	2.00	0.500	0.039
MJJ23	394.00	394.00	396.00	2.00	0.434	0.063
MJJ23	396.00	396.00	398.00	2.00	0.638	0.037
MJJ23	398.00	398.00	400.00	2.00	0.341	0.031
MJJ23	400.00	400.00	401.68	1.68	0.447	0.010
MJJ24	14.64	14.64	16.00	1.36	0.015	0.001

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ24	16.00	16.00	18.00	2.00	0.011	0.000
MJJ24	18.00	18.00	20.00	2.00	0.010	0.000
MJJ24	20.00	20.00	22.00	2.00	0.015	0.000
MJJ24	22.00	22.00	24.00	2.00	0.013	0.000
MJJ24	24.00	24.00	26.00	2.00	0.013	0.000
MJJ24	26.00	26.00	28.00	2.00	0.014	0.000
MJJ24	28.00	28.00	30.00	2.00	0.012	0.000
MJJ24	30.00	30.00	32.00	2.00	0.012	0.000
MJJ24	32.00	32.00	34.00	2.00	0.022	0.001
MJJ24	34.00	34.00	36.00	2.00	0.040	0.001
MJJ24	36.00	36.00	38.00	2.00	0.042	0.001
MJJ24	38.00	38.00	40.00	2.00	0.041	0.002
MJJ24	40.00	40.00	42.00	2.00	0.027	0.002
MJJ24	42.00	42.00	44.00	2.00	0.033	0.001
MJJ24	44.00	44.00	46.00	2.00	0.022	0.001
MJJ24	46.00	46.00	48.00	2.00	0.022	0.001
MJJ24	48.00	48.00	50.00	2.00	0.053	0.003
MJJ24	50.00	50.00	52.00	2.00	0.028	0.001
MJJ24	52.00	52.00	54.00	2.00	0.263	0.002
MJJ24	54.00	54.00	56.00	2.00	0.028	0.002
MJJ24	56.00	56.00	58.00	2.00	0.229	0.002
MJJ24	58.00	58.00	60.00	2.00	0.134	0.004
MJJ24	60.00	60.00	62.00	2.00	0.285	0.001
MJJ24	62.00	62.00	64.00	2.00	0.358	0.000
MJJ24	64.00	64.00	66.00	2.00	0.138	0.000
MJJ24	66.00	66.00	68.00	2.00	0.068	0.000
MJJ24	68.00	68.00	70.00	2.00	0.093	0.000
MJJ24	70.00	70.00	72.00	2.00	0.117	0.001
MJJ24	72.00	72.00	74.00	2.00	0.097	0.000
MJJ24	74.00	74.00	76.00	2.00	0.051	0.001
MJJ24	76.00	76.00	78.00	2.00	0.071	0.001
MJJ24	78.00	78.00	80.00	2.00	0.051	0.000
MJJ24	80.00	80.00	82.00	2.00	0.072	0.000
MJJ24	82.00	82.00	84.00	2.00	0.038	0.000
MJJ24	84.00	84.00	86.00	2.00	0.053	0.001
MJJ24	86.00	86.00	88.00	2.00	0.038	0.000
MJJ24	88.00	88.00	90.00	2.00	0.076	0.002
MJJ24	90.00	90.00	92.00	2.00	0.070	0.000
MJJ24	92.00	92.00	94.00	2.00	0.037	0.001
MJJ24	94.00	94.00	96.00	2.00	0.025	0.000
MJJ24	96.00	96.00	98.00	2.00	0.094	0.002
MJJ24	98.00	98.00	100.00	2.00	0.048	0.001
MJJ24	100.00	100.00	102.00	2.00	0.012	0.000
MJJ24	102.00	102.00	104.00	2.00	0.021	0.001
MJJ24	104.00	104.00	106.00	2.00	0.060	0.001
MJJ24	106.00	106.00	108.00	2.00	0.038	0.000
MJJ24	108.00	108.00	110.00	2.00	0.259	0.005
MJJ24	110.00	110.00	112.00	2.00	0.032	0.001
MJJ24	112.00	112.00	114.00	2.00	0.122	0.005
MJJ24	114.00	114.00	116.00	2.00	0.214	0.006
MJJ24	116.00	116.00	118.00	2.00	0.921	0.004
MJJ24	118.00	118.00	120.00	2.00	0.191	0.001
MJJ24	120.00	120.00	122.00	2.00	0.086	0.002
MJJ24	122.00	122.00	124.00	2.00	0.095	0.003
MJJ24	124.00	124.00	126.00	2.00	0.085	0.005
MJJ24	126.00	126.00	128.00	2.00	0.095	0.007
MJJ24	128.00	128.00	130.00	2.00	0.157	0.004
MJJ24	130.00	130.00	132.00	2.00	0.141	0.001
MJJ24	132.00	132.00	134.00	2.00	0.092	0.002
MJJ24	134.00	134.00	136.00	2.00	0.114	0.002
MJJ24	136.00	136.00	138.00	2.00	0.102	0.001
MJJ24	138.00	138.00	140.00	2.00	0.087	0.002
MJJ24	140.00	140.00	142.00	2.00	0.115	0.000
MJJ24	142.00	142.00	144.00	2.00	0.445	0.003
MJJ24	144.00	144.00	146.00	2.00	0.165	0.003
MJJ24	146.00	146.00	148.00	2.00	0.142	0.002
MJJ24	148.00	148.00	150.00	2.00	0.160	0.005
MJJ24	150.00	150.00	152.00	2.00	0.144	0.003
MJJ24	152.00	152.00	154.00	2.00	0.174	0.001
MJJ24	154.00	154.00	156.00	2.00	0.076	0.001
MJJ24	156.00	156.00	158.00	2.00	0.742	0.006
MJJ24	158.00	158.00	160.00	2.00	0.387	0.005
MJJ24	160.00	160.00	162.00	2.00	0.141	0.003
MJJ24	162.00	162.00	164.00	2.00	0.084	0.004
MJJ24	164.00	164.00	166.00	2.00	0.283	0.006
MJJ24	166.00	166.00	168.00	2.00	0.181	0.006
MJJ24	168.00	168.00	170.00	2.00	0.219	0.005
MJJ24	170.00	170.00	172.00	2.00	0.194	0.001
MJJ24	172.00	172.00	174.00	2.00	0.559	0.003
MJJ24	174.00	174.00	176.00	2.00	0.417	0.016
MJJ24	176.00	176.00	178.00	2.00	0.868	0.004
MJJ24	178.00	178.00	180.00	2.00	1.491	0.002
MJJ24	180.00	180.00	182.00	2.00	0.857	0.003
MJJ24	182.00	182.00	184.00	2.00	0.453	0.001
MJJ24	184.00	184.00	186.00	2.00	1.456	0.002
MJJ24	186.00	186.00	188.00	2.00	0.257	0.003
MJJ24	188.00	188.00	190.00	2.00	0.416	0.165
MJJ24	190.00	190.00	192.00	2.00	0.394	0.002
MJJ24	192.00	192.00	194.00	2.00	0.413	0.013
MJJ24	194.00	194.00	196.00	2.00	0.102	0.002
MJJ24	196.00	196.00	198.00	2.00	0.283	0.002
MJJ24	198.00	198.00	200.00	2.00	0.133	0.004
MJJ24	200.00	200.00	202.00	2.00	0.112	0.003
MJJ24	202.00	202.00	204.00	2.00	0.115	0.002
MJJ24	204.00	204.00	206.00	2.00	0.107	0.004
MJJ24	206.00	206.00	208.00	2.00	0.241	0.003
MJJ24	208.00	208.00	210.00	2.00	1.599	0.009
MJJ24	210.00	210.00	212.00	2.00	1.145	0.006

No. of Hole	No. of Sample	From (m)	To (m)	Core length	Cu (%)	Mo (%)
MJJ24	212.00	212.00	214.00	2.00	1.562	0.003
MJJ24	214.00	214.00	216.00	2.00	1.846	0.010
MJJ24	216.00	216.00	218.00	2.00	0.088	0.003
MJJ24	218.00	218.00	220.00	2.00	0.069	0.001
MJJ24	220.00	220.00	222.00	2.00	0.244	0.007
MJJ24	222.00	222.00	224.00	2.00	0.130	0.001
MJJ24	224.00	224.00	226.00	2.00	0.138	0.004
MJJ24	226.00	226.00	228.00	2.00	0.151	0.004
MJJ24	228.00	228.00	230.00	2.00	0.080	0.007
MJJ24	230.00	230.00	232.00	2.00	0.109	0.006
MJJ24	232.00	232.00	234.00	2.00	0.086	0.004
MJJ24	234.00	234.00	236.00	2.00	0.083	0.004
MJJ24	236.00	236.00	238.00	2.00	0.152	0.016
MJJ24	238.00	238.00	240.00	2.00	0.165	0.013
MJJ24	240.00	240.00	242.00	2.00	0.107	0.026
MJJ24	242.00	242.00	244.00	2.00	0.226	0.035
MJJ24	244.00	244.00	246.00	2.00	0.193	0.005
MJJ24	246.00	246.00	248.00	2.00	0.363	0.035
MJJ24	248.00	248.00	250.00	2.00	0.177	0.011
MJJ24	250.00	250.00	252.00	2.00	0.149	0.011
MJJ24	252.00	252.00	254.00	2.00	0.136	0.006
MJJ24	254.00	254.00	256.00	2.00	0.235	0.006
MJJ24	256.00	256.00	258.00	2.00	0.199	0.007
MJJ24	258.00	258.00	260.00	2.00	0.240	0.007
MJJ24	260.00	260.00	262.00	2.00	0.255	0.007
MJJ24	262.00	262.00	264.00	2.00	0.137	0.006
MJJ24	264.00	264.00	266.00	2.00	0.143	0.007
MJJ24	266.00	266.00	268.00	2.00	0.154	0.004
MJJ24	268.00	268.00	270.00	2.00	0.170	0.017
MJJ24	270.00	270.00	272.00	2.00	0.122	0.007
MJJ24	272.00	272.00	274.00	2.00	0.092	0.002
MJJ24	274.00	274.00	276.00	2.00	0.205	0.004
MJJ24	276.00	276.00	278.00	2.00	0.098	0.009
MJJ24	278.00	278.00	280.00	2.00	0.118	0.001
MJJ24	280.00	280.00	282.00	2.00	0.120	0.003
MJJ24	282.00	282.00	284.00	2.00	0.183	0.004
MJJ24	284.00	284.00	286.00	2.00	0.190	0.004
MJJ24	286.00	286.00	288.00	2.00	0.313	0.006
MJJ24	288.00	288.00	290.00	2.00	0.404	0.003
MJJ24	290.00	290.00	292.00	2.00	0.455	0.003
MJJ24	292.00	292.00	294.00	2.00	0.472	0.007
MJJ24	294.00	294.00	296.00	2.00	0.645	0.016
MJJ24	296.00	296.00	298.00	2.00	0.455	0.005
MJJ24	298.00	298.00	300.00	2.00	0.136	0.002
MJJ24	300.00	300.00	302.00	2.00	0.325	0.006
MJJ24	302.00	302.00	304.00	2.00	0.593	0.015
MJJ24	304.00	304.00	306.00	2.00	0.298	0.003
MJJ24	306.00	306.00	308.00	2.00	0.398	0.004
MJJ24	308.00	308.00	310.00	2.00	0.476	0.004
MJJ24	310.00	310.00	312.00	2.00	0.271	0.003
MJJ24	312.00	312.00	314.00	2.00	0.201	0.004
MJJ24	314.00	314.00	316.00	2.00	0.357	0.006
MJJ24	316.00	316.00	318.00	2.00	0.531	0.005
MJJ24	318.00	318.00	320.00	2.00	0.358	0.015
MJJ24	320.00	320.00	322.00	2.00	0.422	0.014
MJJ24	322.00	322.00	324.00	2.00	0.230	0.004
MJJ24	324.00	324.00	326.00	2.00	0.294	0.007
MJJ24	326.00	326.00	328.00	2.00	0.281	0.009
MJJ24	328.00	328.00	330.00	2.00	0.312	0.012
MJJ24	330.00	330.00	332.00	2.00	0.688	0.009
MJJ24	332.00	332.00	334.00	2.00	0.345	0.006
MJJ24	334.00	334.00	336.00	2.00	0.470	0.015
MJJ24	336.00	336.00	338.00	2.00	0.488	0.011
MJJ24	338.00	338.00	340.00	2.00	2.291	0.014
MJJ24	340.00	340.00	342.00	2.00	2.833	0.040
MJJ24	342.00	342.00	344.00	2.00	1.307	0.061
MJJ24	344.00	344.00	346.00	2.00	0.665	0.026
MJJ24	346.00	346.00	348.00	2.00	0.450	0.007
MJJ24	348.00	348.00	350.00	2.00	0.434	0.011
MJJ24	350.00	350.00	352.00	2.00	0.404	0.010
MJJ24	352.00	352.00	354.00	2.00	0.548	0.019
MJJ24	354.00	354.00	356.00	2.00	0.445	0.010
MJJ24	356.00	356.00	358.00	2.00	0.344	0.004
MJJ24	358.00	358.00	360.00	2.00	0.321	0.009
MJJ24	360.00	360.00	362.00	2.00	0.357	0.006
MJJ24	362.00	362.00	364.00	2.00	0.396	0.015
MJJ24	364.00	364.00	366.00	2.00	0.623	0.026
MJJ24	366.00	366.00	368.00	2.00	0.369	0.025
MJJ24	368.00	368.00	370.00	2.00	0.546	0.041
MJJ24	370.00	370.00	372.00	2.00	0.697	0.026
MJJ24	372.00	372.00	374.00	2.00	0.611	0.012
MJJ24	374.00	374.00	376.00	2.00	0.594	0.015
MJJ24	376.00	376.00	378.00	2.00	0.549	0.020
MJJ24	378.00	378.00	380.00	2.00	0.446	0.007
MJJ24	380.00	380.00	382.00	2.00	0.633	0.014
MJJ24	382.00	382.00	384.00	2.00	0.694	0.014
MJJ24	384.00	384.00	386.00	2.00	0.492	0.007
MJJ24	386.00	386.00	388.00	2.00	0.600	0.007
MJJ24	388.00	388.00	390.00	2.00	0.419	0.006
MJJ24	390.00	390.00	392.00	2.00	0.289	0.008
MJJ24	392.00	392.00	394.00	2.00	0.506	0.010
MJJ24	394.00	394.00	396.00	2.00	0.462	0.010
MJJ24	396.00	396.00	398.00	2.00	0.350	0.011
MJJ24	398.00	398.00	400.00	2.00	0.388	0.012
MJJ24	400.00	400.00	401.68	1.68	0.222	0.005

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ25-	4.60	6.00	0.028	0.004
MJJ25-	6.00	8.00	0.037	0.003
MJJ25-	8.00	10.00	0.039	0.002
MJJ25-	10.00	12.00	0.076	0.003
MJJ25-	12.00	14.00	0.060	0.006
MJJ25-	14.00	16.00	0.105	0.012
MJJ25-	16.00	18.00	0.078	0.006
MJJ25-	18.00	20.00	0.062	0.002
MJJ25-	20.00	22.00	0.055	0.002
MJJ25-	22.00	24.00	0.044	0.005
MJJ25-	24.00	26.00	0.123	0.015
MJJ25-	26.00	28.00	0.097	0.008
MJJ25-	28.00	30.00	0.108	0.004
MJJ25-	30.00	32.00	0.105	0.001
MJJ25-	32.00	34.00	0.063	0.002
MJJ25-	34.00	36.00	0.064	0.001
MJJ25-	36.00	38.00	0.119	0.003
MJJ25-	38.00	40.00	0.056	0.001
MJJ25-	40.00	42.00	0.041	0.003
MJJ25-	42.00	44.00	0.055	0.003
MJJ25-	44.00	46.00	0.051	0.006
MJJ25-	46.00	48.00	0.088	0.004
MJJ25-	48.00	50.00	0.135	0.005
MJJ25-	50.00	52.00	0.220	0.004
MJJ25-	52.00	54.00	0.204	0.003
MJJ25-	54.00	56.00	0.191	0.005
MJJ25-	56.00	58.00	0.076	0.008
MJJ25-	58.00	60.00	0.204	0.016
MJJ25-	60.00	62.00	0.178	0.005
MJJ25-	62.00	64.00	0.241	0.039
MJJ25-	64.00	66.00	0.551	0.051
MJJ25-	66.00	68.00	0.459	0.010
MJJ25-	68.00	70.00	0.607	0.034
MJJ25-	70.00	72.00	0.772	0.087
MJJ25-	72.00	74.00	0.572	0.037
MJJ25-	74.00	76.00	0.679	0.028
MJJ25-	76.00	78.00	0.318	0.016
MJJ25-	78.00	80.00	0.189	0.004
MJJ25-	80.00	82.00	0.459	0.013
MJJ25-	82.00	84.00	0.422	0.028
MJJ25-	84.00	86.00	0.363	0.143
MJJ25-	86.00	88.00	0.625	0.091
MJJ25-	88.00	90.00	0.102	0.002
MJJ25-	90.00	92.00	0.123	0.023
MJJ25-	92.00	94.00	0.481	0.011
MJJ25-	94.00	96.00	0.432	0.015
MJJ25-	96.00	98.00	0.334	0.032
MJJ25-	98.00	100.00	0.157	0.006
MJJ25-	100.00	102.00	0.503	0.025
MJJ25-	102.00	104.00	0.253	0.013
MJJ25-	104.00	106.00	0.297	0.033
MJJ25-	106.00	108.00	0.412	0.036
MJJ25-	108.00	110.00	1.142	0.048
MJJ25-	110.00	112.00	0.337	0.025
MJJ25-	112.00	114.00	0.148	0.012
MJJ25-	114.00	116.00	0.412	0.023
MJJ25-	116.00	118.00	0.208	0.015
MJJ25-	118.00	120.00	0.355	0.014
MJJ25-	120.00	122.00	0.618	0.030
MJJ25-	122.00	124.00	1.303	0.047
MJJ25-	124.00	126.00	2.856	0.078
MJJ25-	126.00	128.00	1.537	0.032
MJJ25-	128.00	130.00	4.097	0.269
MJJ25-	130.00	132.00	0.612	0.034
MJJ25-	132.00	134.00	0.391	0.044
MJJ25-	134.00	136.00	0.390	0.044
MJJ25-	136.00	138.00	0.542	0.049
MJJ25-	138.00	140.00	0.581	0.014
MJJ25-	140.00	142.00	0.376	0.011
MJJ25-	142.00	144.00	0.504	0.014
MJJ25-	144.00	146.00	0.138	0.002
MJJ25-	146.00	148.00	0.256	0.008
MJJ25-	148.00	150.00	0.176	0.005
MJJ25-	150.00	152.00	0.491	0.018
MJJ25-	152.00	154.00	0.139	0.004
MJJ25-	154.00	156.00	0.132	0.003
MJJ25-	156.00	158.00	0.320	0.008
MJJ25-	158.00	160.00	0.212	0.004
MJJ25-	160.00	162.00	0.115	0.003
MJJ25-	162.00	164.00	0.175	0.003
MJJ25-	164.00	166.00	0.270	0.016
MJJ25-	166.00	168.00	0.178	0.022
MJJ25-	168.00	170.00	0.738	0.051
MJJ25-	170.00	172.00	0.364	0.005
MJJ25-	172.00	174.00	0.699	0.002
MJJ25-	174.00	176.00	0.074	0.002
MJJ25-	176.00	178.00	0.094	0.011
MJJ25-	178.00	180.00	0.089	0.002
MJJ25-	180.00	182.00	0.177	0.006
MJJ25-	182.00	184.00	0.024	0.003
MJJ25-	184.00	186.00	0.073	0.003
MJJ25-	186.00	188.00	0.058	0.001
MJJ25-	188.00	190.00	0.143	0.001

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ25-	190.00	192.00	0.047	0.013
MJJ25-	192.00	194.00	0.390	0.003
MJJ25-	194.00	196.00	0.369	0.002
MJJ25-	196.00	198.00	1.605	0.007
MJJ25-	198.00	200.00	0.515	0.004
MJJ25-	200.00	202.00	0.329	0.007
MJJ25-	202.00	204.00	0.114	0.001
MJJ25-	204.00	206.00	0.042	0.001
MJJ25-	206.00	208.00	0.051	0.001
MJJ25-	208.00	210.00	0.162	0.001
MJJ25-	210.00	212.00	0.317	0.003
MJJ25-	212.00	214.00	0.489	0.006
MJJ25-	214.00	216.00	0.016	0.001
MJJ25-	216.00	218.00	0.043	0.001
MJJ25-	218.00	220.00	0.033	0.001
MJJ25-	220.00	222.00	0.108	0.001
MJJ25-	222.00	224.00	0.102	0.002
MJJ25-	224.00	226.00	0.160	0.003
MJJ25-	226.00	228.00	0.034	0.001
MJJ25-	228.00	230.00	0.192	0.005
MJJ25-	230.00	232.00	0.499	0.009
MJJ25-	232.00	234.00	0.931	0.011
MJJ25-	234.00	236.00	0.465	0.005
MJJ25-	236.00	238.00	0.718	0.008
MJJ25-	238.00	240.00	0.207	0.003
MJJ25-	240.00	242.00	0.134	0.002
MJJ25-	242.00	244.00	0.169	0.002
MJJ25-	244.00	246.00	0.288	0.005
MJJ25-	246.00	248.00	0.662	0.004
MJJ25-	248.00	250.00	0.115	0.002
MJJ25-	250.00	252.00	0.431	0.006
MJJ25-	252.00	254.00	0.208	0.005
MJJ25-	254.00	256.00	0.254	0.006
MJJ25-	256.00	258.00	0.179	0.005
MJJ25-	258.00	260.00	0.139	0.003
MJJ25-	260.00	262.00	0.344	0.011
MJJ25-	262.00	264.00	0.302	0.008
MJJ25-	264.00	266.00	0.125	0.003
MJJ25-	266.00	268.00	0.143	0.004
MJJ25-	268.00	270.00	0.221	0.005
MJJ25-	270.00	272.00	0.759	0.015
MJJ25-	272.00	274.00	0.254	0.004
MJJ25-	274.00	276.00	0.219	0.004
MJJ25-	276.00	278.00	0.296	0.005
MJJ25-	278.00	280.00	0.113	0.003
MJJ25-	280.00	282.00	0.264	0.005
MJJ25-	282.00	284.00	0.222	0.004
MJJ25-	284.00	286.00	0.482	0.006
MJJ25-	286.00	288.00	0.236	0.003
MJJ25-	288.00	290.00	0.590	0.012
MJJ25-	290.00	292.00	0.453	0.004
MJJ25-	292.00	294.00	0.313	0.006
MJJ25-	294.00	296.00	0.392	0.006
MJJ25-	296.00	298.00	0.304	0.005
MJJ25-	298.00	300.00	0.343	0.004
MJJ25-	300.00	302.00	0.207	0.003
MJJ25-	302.00	304.00	0.702	0.013
MJJ25-	304.00	306.00	0.775	0.013
MJJ25-	306.00	308.00	0.248	0.005
MJJ25-	308.00	310.00	0.823	0.005
MJJ25-	310.00	312.00	0.413	0.003
MJJ25-	312.00	314.00	2.230	0.024
MJJ25-	314.00	316.00	0.237	0.032
MJJ25-	316.00	318.00	0.228	0.043
MJJ25-	318.00	320.00	0.281	0.021
MJJ25-	320.00	322.00	3.276	0.024
MJJ25-	322.00	324.00	0.169	0.008
MJJ25-	324.00	326.00	0.734	0.004
MJJ25-	326.00	328.00	0.372	0.003
MJJ25-	328.00	330.00	0.892	0.011
MJJ25-	330.00	332.00	1.179	0.013
MJJ25-	332.00	334.00	1.264	0.006
MJJ25-	334.00	336.00	0.865	0.008
MJJ25-	336.00	338.00	0.460	0.014
MJJ25-	338.00	340.00	0.807	0.011
MJJ25-	340.00	342.00	0.504	0.024
MJJ25-	342.00	344.00	0.318	0.010
MJJ25-	344.00	346.00	0.929	0.011
MJJ25-	346.00	348.00	0.264	0.005
MJJ25-	348.00	350.00	0.175	0.003
MJJ25-	350.00	352.00	0.632	0.005
MJJ25-	352.00	354.00	0.508	0.004
MJJ25-	354.00	356.00	0.317	0.003
MJJ25-	356.00	358.00	0.200	0.003
MJJ25-	358.00	360.00	0.196	0.003
MJJ25-	360.00	362.00	0.258	0.004
MJJ25-	362.00	364.00	0.392	0.005
MJJ25-	364.00	366.00	0.273	0.002
MJJ25-	366.00	368.00	0.245	0.003
MJJ25-	368.00	370.00	0.054	0.001
MJJ25-	370.00	372.00	0.209	0.002
MJJ25-	372.00	374.00	0.304	0.003
MJJ25-	374.00	376.00	0.174	0.001
MJJ25-	376.00	378.00	0.138	0.002
MJJ25-	378.00	380.00	0.230	0.002
MJJ25-	380.00	382.00	0.203	0.004
MJJ25-	382.00	384.00	0.238	0.004
MJJ25-	384.00	386.00	0.814	0.016

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ25-	386.00	388.00	0.587	0.013
MJJ25-	388.00	390.00	0.449	0.010
MJJ25-	390.00	392.00	0.366	0.008
MJJ25-	392.00	394.00	0.330	0.006
MJJ25-	394.00	396.00	0.440	0.007
MJJ25-	396.00	398.00	0.332	0.008
MJJ25-	398.00	400.00	0.432	0.010
MJJ25-	400.00	402.00	0.824	0.012
MJJ25-	402.00	404.00	0.306	0.007
MJJ25-	404.00	406.00	0.812	0.015
MJJ25-	406.00	408.00	1.108	0.020
MJJ25-	408.00	410.00	0.768	0.011
MJJ25-	410.00	412.00	0.807	0.013
MJJ25-	412.00	414.00	0.486	0.009
MJJ25-	414.00	416.00	0.551	0.013
MJJ25-	416.00	418.00	0.425	0.007
MJJ25-	418.00	420.00	0.311	0.006
MJJ25-	420.00	422.00	0.416	0.019
MJJ25-	422.00	424.00	0.354	0.006
MJJ25-	424.00	426.00	0.087	0.004
MJJ25-	426.00	428.00	0.176	0.001
MJJ25-	428.00	430.00	0.136	0.001
MJJ25-	430.00	432.00	0.463	0.005
MJJ25-	432.00	434.00	0.124	0.001
MJJ25-	434.00	436.00	0.123	0.001
MJJ25-	436.00	438.00	0.147	0.002
MJJ25-	438.00	440.00	0.120	0.002
MJJ25-	440.00	442.00	0.140	0.005
MJJ25-	442.00	444.00	0.255	0.005
MJJ25-	444.00	446.00	0.135	0.006
MJJ25-	446.00	448.00	0.314	0.005
MJJ25-	448.00	450.00	0.304	0.004
MJJ25-	450.00	452.00	0.187	0.001
MJJ25-	452.00	454.00	0.253	0.001
MJJ25-	454.00	456.00	0.306	0.003
MJJ25-	456.00	458.00	0.259	0.002
MJJ25-	458.00	460.00	0.495	0.003
MJJ25-	460.00	462.00	0.472	0.004
MJJ25-	462.00	464.00	0.306	0.002
MJJ25-	464.00	466.00	0.396	0.004
MJJ25-	466.00	468.00	0.426	0.004
MJJ25-	468.00	470.00	1.217	0.005
MJJ25-	470.00	472.00	0.514	0.004
MJJ25-	472.00	474.00	0.413	0.005
MJJ25-	474.00	476.00	0.265	0.003
MJJ25-	476.00	478.00	0.202	0.002
MJJ25-	478.00	480.00	0.395	0.004
MJJ25-	480.00	482.00	0.264	0.006
MJJ25-	482.00	484.00	0.332	0.006
MJJ25-	484.00	486.00	0.544	0.006
MJJ25-	486.00	488.00	0.457	0.006
MJJ25-	488.00	490.00	0.580	0.010
MJJ25-	490.00	492.00	0.552	0.007
MJJ25-	492.00	494.00	0.541	0.008
MJJ25-	494.00	496.00	0.682	0.020
MJJ25-	496.00	498.00	0.473	0.012
MJJ25-	498.00	500.00	0.413	0.006
MJJ25-	500.00	502.00	0.777	0.011
MJJ25-	502.00	504.00	1.166	0.023
MJJ25-	504.00	506.00	0.229	0.004
MJJ25-	506.00	508.00	0.167	0.002
MJJ25-	508.00	510.00	0.562	0.008
MJJ25-	510.00	512.00	0.470	0.006
MJJ25-	512.00	514.00	0.355	0.009
MJJ25-	514.00	516.00	0.437	0.005
MJJ25-	516.00	518.00	0.108	0.026
MJJ25-	518.00	520.00	0.476	0.009
MJJ25-	520.00	522.00	0.395	0.005
MJJ25-	522.00	524.00	0.436	0.010
MJJ25-	524.00	526.00	0.453	0.007
MJJ25-	526.00	528.00	0.987	0.012
MJJ25-	528.00	530.00	1.415	0.008
MJJ25-	530.00	532.00	0.661	0.004
MJJ25-	532.00	534.00	0.574	0.002
MJJ25-	534.00	536.00	0.390	0.004
MJJ25-	536.00	538.00	0.270	0.004
MJJ25-	538.00	540.00	0.260	0.003
MJJ25-	540.00	542.00	0.221	0.003
MJJ25-	542.00	544.00	0.298	0.003
MJJ25-	544.00	546.00	0.481	0.005
MJJ25-	546.00	548.00	0.704	0.005
MJJ25-	548.00	550.00	0.918	0.010
MJJ25-	550.00	552.00	0.571	0.004
MJJ25-	552.00	554.00	0.608	0.006
MJJ25-	554.00	556.00	0.667	0.004
MJJ25-	556.00	558.00	0.556	0.004
MJJ25-	558.00	560.00	0.519	0.004
MJJ25-	560.00	562.00	1.075	0.009
MJJ25-	562.00	564.00	1.470	0.056
MJJ25-	564.00	566.00	0.964	0.005
MJJ25-	566.00	568.00	1.004	0.007
MJJ25-	568.00	570.00	2.014	0.010
MJJ25-	570.00	572.00	0.579	0.004
MJJ25-	572.00	574.00	0.505	0.005
MJJ25-	574.00	576.00	1.282	0.013
MJJ25-	576.00	578.00	0.477	0.004
MJJ25-	578.00	580.00	0.464	0.028
MJJ25-	580.00	582.00	0.626	0.009

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ25-	582.00	584.00	0.318	0.012
MJJ25-	584.00	586.00	0.543	0.018
MJJ25-	586.00	588.00	0.833	0.021
MJJ25-	588.00	590.00	0.847	0.012
MJJ25-	590.00	592.00	0.390	0.008
MJJ25-	592.00	594.00	0.459	0.004
MJJ25-	594.00	596.00	0.684	0.005
MJJ25-	596.00	598.00	0.282	0.005
MJJ25-	598.00	600.00	0.521	0.007
MJJ25-	600.00	602.00	0.451	0.006
MJJ25-	602.00	602.58	0.817	0.009
MJJ26-	4.00	6.00	0.027	0.002
MJJ26-	6.00	8.00	0.030	0.003
MJJ26-	8.00	10.00	0.032	0.002
MJJ26-	10.00	12.00	0.023	0.004
MJJ26-	12.00	14.00	0.052	0.009
MJJ26-	14.00	16.00	0.038	0.006
MJJ26-	16.00	18.00	0.046	0.004
MJJ26-	18.00	20.00	0.039	0.006
MJJ26-	20.00	22.00	0.034	0.002
MJJ26-	22.00	24.00	0.023	0.001
MJJ26-	24.00	26.00	0.017	0.001
MJJ26-	26.00	28.00	0.017	0.004
MJJ26-	28.00	30.00	0.014	0.001
MJJ26-	30.00	32.00	0.029	0.004
MJJ26-	32.00	34.00	0.075	0.001
MJJ26-	34.00	36.00	0.040	0.003
MJJ26-	36.00	38.00	0.037	0.001
MJJ26-	38.00	40.00	0.037	0.001
MJJ26-	40.00	42.00	0.035	0.001
MJJ26-	42.00	44.00	0.039	0.001
MJJ26-	44.00	46.00	0.037	0.001
MJJ26-	46.00	48.00	0.041	0.001
MJJ26-	48.00	50.00	0.027	0.000
MJJ26-	50.00	52.00	0.021	0.001
MJJ26-	52.00	54.00	0.021	0.001
MJJ26-	54.00	56.00	0.023	0.001
MJJ26-	56.00	58.00	0.025	0.001
MJJ26-	58.00	60.00	0.036	0.003
MJJ26-	60.00	62.00	0.043	0.001
MJJ26-	62.00	64.00	0.077	0.001
MJJ26-	64.00	66.00	0.023	0.001
MJJ26-	66.00	68.00	0.040	0.001
MJJ26-	68.00	70.00	0.075	0.002
MJJ26-	70.00	72.00	0.052	0.001
MJJ26-	72.00	74.00	0.030	0.002
MJJ26-	74.00	76.00	0.039	0.003
MJJ26-	76.00	78.00	0.022	0.002
MJJ26-	78.00	80.00	0.039	0.001
MJJ26-	80.00	82.00	0.055	0.003
MJJ26-	82.00	84.00	0.175	0.008
MJJ26-	84.00	86.00	0.590	0.034
MJJ26-	86.00	88.00	2.026	0.058
MJJ26-	88.00	90.00	0.666	0.023
MJJ26-	90.00	91.00	0.688	0.023
MJJ26-	91.00	92.00	0.484	0.013
MJJ26-	92.00	94.00	0.173	0.003
MJJ26-	94.00	96.00	0.107	0.001
MJJ26-	96.00	98.00	0.212	0.004
MJJ26-	98.00	100.00	0.038	0.001
MJJ26-	100.00	102.00	0.352	0.006
MJJ26-	102.00	104.00	0.429	0.019
MJJ26-	104.00	106.00	0.433	0.131
MJJ26-	106.00	108.00	0.138	0.004
MJJ26-	108.00	110.00	0.120	0.002
MJJ26-	110.00	112.00	0.140	0.002
MJJ26-	112.00	114.00	0.123	0.002
MJJ26-	114.00	116.00	0.223	0.005
MJJ26-	116.00	118.00	0.222	0.002
MJJ26-	118.00	120.00	0.502	0.003
MJJ26-	120.00	122.00	0.182	0.002
MJJ26-	122.00	124.00	0.633	0.005
MJJ26-	124.00	126.00	0.457	0.004
MJJ26-	126.00	128.00	0.659	0.007
MJJ26-	128.00	130.00	0.370	0.003
MJJ26-	130.00	132.00	0.174	0.001
MJJ26-	132.00	134.00	0.185	0.000
MJJ26-	134.00	136.00	0.178	0.000
MJJ26-	136.00	138.00	0.150	0.001
MJJ26-	138.00	140.00	0.088	0.002
MJJ26-	140.00	142.00	0.221	0.012
MJJ26-	142.00	144.00	0.381	0.014
MJJ26-	144.00	146.00	1.435	0.008
MJJ26-	146.00	148.00	0.084	0.002
MJJ26-	148.00	150.00	0.103	0.003
MJJ26-	150.00	152.00	0.125	0.009
MJJ26-	152.00	154.00	0.039	0.002
MJJ26-	154.00	156.00	0.537	0.014
MJJ26-	156.00	158.00	0.237	0.007
MJJ26-	158.00	160.00	0.272	0.012
MJJ26-	160.00	162.00	0.249	0.009
MJJ26-	162.00	164.00	0.155	0.009
MJJ26-	164.00	166.00	0.067	0.005
MJJ26-	166.00	168.00	0.086	0.002
MJJ26-	168.00	170.00	0.138	0.001
MJJ26-	170.00	172.00	0.109	0.001
MJJ26-	172.00	174.00	0.079	0.001

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ26-	174.00	176.00	0.119	0.001
MJJ26-	176.00	178.00	0.325	0.006
MJJ26-	178.00	180.00	0.118	0.007
MJJ26-	180.00	182.00	0.243	0.006
MJJ26-	182.00	184.00	0.155	0.018
MJJ26-	184.00	186.00	0.130	0.002
MJJ26-	186.00	188.00	0.091	0.002
MJJ26-	188.00	190.00	0.110	0.004
MJJ26-	190.00	192.00	0.026	0.003
MJJ26-	192.00	194.00	0.090	0.001
MJJ26-	194.00	196.00	0.059	0.003
MJJ26-	196.00	198.00	0.370	0.005
MJJ26-	198.00	200.00	0.048	0.002
MJJ26-	200.00	202.00	0.083	0.003
MJJ26-	202.00	204.00	0.135	0.002
MJJ26-	204.00	206.00	0.165	0.005
MJJ26-	206.00	208.00	0.094	0.002
MJJ26-	208.00	210.00	0.062	0.002
MJJ26-	210.00	212.00	0.025	0.000
MJJ26-	212.00	214.00	0.067	0.001
MJJ26-	214.00	216.00	0.065	0.001
MJJ26-	216.00	218.00	0.116	0.002
MJJ26-	218.00	220.00	0.355	0.004
MJJ26-	220.00	222.00	0.221	0.001
MJJ26-	222.00	224.00	0.147	0.000
MJJ26-	224.00	226.00	0.096	0.000
MJJ26-	226.00	228.00	0.259	0.001
MJJ26-	228.00	230.00	0.492	0.003
MJJ26-	230.00	232.00	0.123	0.001
MJJ26-	232.00	234.00	0.319	0.003
MJJ26-	234.00	236.00	0.097	0.001
MJJ26-	236.00	238.00	0.030	0.000
MJJ26-	238.00	240.00	0.050	0.000
MJJ26-	240.00	242.00	0.185	0.004
MJJ26-	242.00	244.00	0.267	0.004
MJJ26-	244.00	246.00	0.270	0.001
MJJ26-	246.00	248.00	2.067	0.021
MJJ26-	248.00	250.00	0.845	0.022
MJJ26-	250.00	252.00	0.186	0.027
MJJ26-	252.00	254.00	0.287	0.006
MJJ26-	254.00	256.00	0.464	0.010
MJJ26-	256.00	258.00	0.374	0.005
MJJ26-	258.00	260.00	0.574	0.003
MJJ26-	260.00	262.00	0.348	0.002
MJJ26-	262.00	264.00	0.186	0.002
MJJ26-	264.00	266.00	0.028	0.000
MJJ26-	266.00	268.00	0.110	0.000
MJJ26-	268.00	270.00	0.144	0.000
MJJ26-	270.00	272.00	0.087	0.001
MJJ26-	272.00	274.00	0.054	0.002
MJJ26-	274.00	276.00	0.032	0.002
MJJ26-	276.00	278.00	0.034	0.001
MJJ26-	278.00	280.00	0.036	0.001
MJJ26-	280.00	282.00	0.034	0.001
MJJ26-	282.00	284.00	0.014	0.001
MJJ26-	284.00	286.00	0.182	0.005
MJJ26-	286.00	288.00	0.012	0.002
MJJ26-	288.00	290.00	0.018	0.002
MJJ26-	290.00	292.00	0.110	0.003
MJJ26-	292.00	294.00	0.221	0.004
MJJ26-	294.00	296.00	0.202	0.004
MJJ26-	296.00	298.00	0.126	0.005
MJJ26-	298.00	300.00	0.048	0.001
MJJ26-	300.00	302.00	0.126	0.003
MJJ26-	302.00	304.00	0.042	0.000
MJJ26-	304.00	306.00	0.119	0.001
MJJ26-	306.00	308.00	0.040	0.001
MJJ26-	308.00	310.00	0.035	0.002
MJJ26-	310.00	312.00	0.241	0.004
MJJ26-	312.00	314.00	0.332	0.003
MJJ26-	314.00	316.00	0.343	0.003
MJJ26-	316.00	318.00	0.113	0.003
MJJ26-	318.00	320.00	0.213	0.005
MJJ26-	320.00	322.00	0.380	0.006
MJJ26-	322.00	324.00	0.368	0.005
MJJ26-	324.00	326.00	0.395	0.007
MJJ26-	326.00	328.00	0.500	0.005
MJJ26-	328.00	330.00	0.363	0.004
MJJ26-	330.00	332.00	0.482	0.012
MJJ26-	332.00	334.00	0.864	0.022
MJJ26-	334.00	336.00	0.419	0.004
MJJ26-	336.00	338.00	0.318	0.003
MJJ26-	338.00	340.00	0.211	0.002
MJJ26-	340.00	342.00	0.245	0.006
MJJ26-	342.00	344.00	0.670	0.006
MJJ26-	344.00	346.00	0.462	0.008
MJJ26-	346.00	348.00	0.409	0.010
MJJ26-	348.00	350.00	0.403	0.011
MJJ26-	350.00	352.00	0.349	0.009
MJJ26-	352.00	354.00	0.349	0.005
MJJ26-	354.00	356.00	0.777	0.007
MJJ26-	356.00	358.00	0.726	0.012
MJJ26-	358.00	360.00	0.250	0.005
MJJ26-	360.00	362.00	0.176	0.004
MJJ26-	362.00	364.00	0.447	0.007
MJJ26-	364.00	366.00	0.364	0.002
MJJ26-	366.00	368.00	0.244	0.002
MJJ26-	368.00	370.00	0.418	0.003

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ26-	370.00	372.00	0.531	0.011
MJJ26-	372.00	374.00	0.791	0.013
MJJ26-	374.00	376.00	0.913	0.007
MJJ26-	376.00	378.00	0.747	0.008
MJJ26-	378.00	380.00	0.106	0.000
MJJ26-	380.00	382.00	0.328	0.002
MJJ26-	382.00	384.00	0.423	0.007
MJJ26-	384.00	386.00	0.170	0.001
MJJ26-	386.00	388.00	0.261	0.002
MJJ26-	388.00	390.00	0.408	0.009
MJJ26-	390.00	392.00	0.156	0.004
MJJ26-	392.00	394.00	0.359	0.003
MJJ26-	394.00	396.00	0.415	0.003
MJJ26-	396.00	398.00	0.201	0.002
MJJ26-	398.00	400.00	0.183	0.001
MJJ26-	400.00	402.00	0.104	0.002
MJJ26-	402.00	404.00	0.318	0.008
MJJ26-	404.00	406.00	0.135	0.007
MJJ26-	406.00	408.00	0.159	0.002
MJJ26-	408.00	410.00	0.329	0.006
MJJ26-	410.00	412.00	0.404	0.004
MJJ26-	412.00	414.00	0.195	0.003
MJJ26-	414.00	416.00	0.208	0.001
MJJ26-	416.00	418.00	0.096	0.001
MJJ26-	418.00	420.00	0.347	0.004
MJJ26-	420.00	422.00	0.159	0.002
MJJ26-	422.00	424.00	0.170	0.004
MJJ26-	424.00	426.00	0.286	0.003
MJJ26-	426.00	428.00	0.229	0.014
MJJ26-	428.00	430.00	0.187	0.006
MJJ26-	430.00	432.00	1.128	0.026
MJJ26-	432.00	434.00	0.275	0.004
MJJ26-	434.00	436.00	0.409	0.005
MJJ26-	436.00	438.00	0.243	0.004
MJJ26-	438.00	440.00	0.376	0.009
MJJ26-	440.00	442.00	0.258	0.009
MJJ26-	442.00	444.00	0.326	0.027
MJJ26-	444.00	446.00	0.412	0.012
MJJ26-	446.00	448.00	0.144	0.003
MJJ26-	448.00	450.00	0.086	0.003
MJJ26-	450.00	452.00	0.185	0.003
MJJ26-	452.00	454.00	1.319	0.019
MJJ26-	454.00	456.00	0.295	0.019
MJJ26-	456.00	458.00	0.212	0.004
MJJ26-	458.00	460.00	0.176	0.007
MJJ26-	460.00	462.00	0.333	0.004
MJJ26-	462.00	464.00	0.440	0.008
MJJ26-	464.00	466.00	0.258	0.005
MJJ26-	466.00	468.00	0.792	0.017
MJJ26-	468.00	470.00	0.361	0.001
MJJ26-	470.00	472.00	0.453	0.006
MJJ26-	472.00	474.00	0.214	0.002
MJJ26-	474.00	476.00	0.856	0.028
MJJ26-	476.00	478.00	0.795	0.083
MJJ26-	478.00	480.00	0.496	0.004
MJJ26-	480.00	482.00	0.137	0.004
MJJ26-	482.00	484.00	0.061	0.004
MJJ26-	484.00	486.00	0.428	0.008
MJJ26-	486.00	488.00	0.164	0.001
MJJ26-	488.00	490.00	0.054	0.001
MJJ26-	490.00	492.00	0.067	0.000
MJJ26-	492.00	494.00	0.185	0.002
MJJ26-	494.00	496.00	0.084	0.001
MJJ26-	496.00	498.00	0.014	0.000
MJJ26-	498.00	500.00	0.039	0.001
MJJ26-	500.00	502.00	0.042	0.001
MJJ27-	5.79	6.00	0.060	0.001
MJJ27-	6.00	8.00	0.061	0.030
MJJ27-	8.00	10.00	0.053	0.004
MJJ27-	10.00	12.00	0.053	0.004
MJJ27-	12.00	14.00	0.429	0.016
MJJ27-	14.00	16.00	0.279	0.037
MJJ27-	16.00	18.00	0.258	0.035
MJJ27-	18.00	20.00	0.078	0.010
MJJ27-	20.00	22.00	0.181	0.003
MJJ27-	22.00	24.00	0.186	0.004
MJJ27-	24.00	26.00	0.218	0.175
MJJ27-	26.00	28.00	0.106	0.010
MJJ27-	28.00	30.00	0.477	0.006
MJJ27-	30.00	32.00	0.712	0.017
MJJ27-	32.00	34.00	0.084	0.001
MJJ27-	34.00	36.00	0.313	0.032
MJJ27-	36.00	38.00	0.153	0.002
MJJ27-	38.00	40.00	0.101	0.001
MJJ27-	40.00	42.00	0.089	0.002
MJJ27-	42.00	44.00	0.225	0.008
MJJ27-	44.00	46.00	0.199	0.008
MJJ27-	46.00	48.00	0.195	0.004
MJJ27-	48.00	50.00	0.215	0.002
MJJ27-	50.00	52.00	0.580	0.013
MJJ27-	52.00	54.00	0.493	0.017
MJJ27-	54.00	56.00	0.129	0.003
MJJ27-	56.00	58.00	0.180	0.009
MJJ27-	58.00	60.00	0.391	0.010
MJJ27-	60.00	62.00	0.078	0.004
MJJ27-	62.00	64.00	0.231	0.010
MJJ27-	64.00	66.00	0.249	0.011
MJJ27-	66.00	68.00	0.943	0.023

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ27-	68.00	70.00	0.258	0.018
MJJ27-	70.00	72.00	0.472	0.015
MJJ27-	72.00	74.00	0.366	0.004
MJJ27-	74.00	76.00	0.209	0.003
MJJ27-	76.00	78.00	0.753	0.056
MJJ27-	78.00	80.00	0.355	0.038
MJJ27-	80.00	82.00	0.430	0.050
MJJ27-	82.00	84.00	0.491	0.021
MJJ27-	84.00	86.00	0.262	0.013
MJJ27-	86.00	88.00	0.616	0.029
MJJ27-	88.00	90.00	0.436	0.015
MJJ27-	90.00	92.00	1.004	0.024
MJJ27-	92.00	94.00	1.447	0.068
MJJ27-	94.00	96.00	0.854	0.050
MJJ27-	96.00	98.00	0.308	0.032
MJJ27-	98.00	100.00	0.512	0.056
MJJ27-	100.00	102.00	1.207	0.013
MJJ27-	102.00	104.00	0.189	0.072
MJJ27-	104.00	106.00	0.248	0.038
MJJ27-	106.00	108.00	0.432	0.008
MJJ27-	108.00	110.00	0.264	0.039
MJJ27-	110.00	112.00	0.671	0.094
MJJ27-	112.00	114.00	0.426	0.043
MJJ27-	114.00	116.00	0.563	0.032
MJJ27-	116.00	118.00	0.228	0.010
MJJ27-	118.00	120.00	0.447	0.032
MJJ27-	120.00	122.00	0.531	0.032
MJJ27-	122.00	124.00	0.202	0.009
MJJ27-	124.00	126.00	0.326	0.016
MJJ27-	126.00	128.00	0.387	0.025
MJJ27-	128.00	130.00	0.347	0.021
MJJ27-	130.00	132.00	0.191	0.014
MJJ27-	132.00	134.00	0.263	0.019
MJJ27-	134.00	136.00	0.379	0.019
MJJ27-	136.00	138.00	0.634	0.019
MJJ27-	138.00	140.00	0.477	0.028
MJJ27-	140.00	142.00	0.297	0.011
MJJ27-	142.00	144.00	0.230	0.008
MJJ27-	144.00	146.00	0.746	0.014
MJJ27-	146.00	148.00	0.850	0.018
MJJ27-	148.00	150.00	0.301	0.007
MJJ27-	150.00	152.00	0.679	0.014
MJJ27-	152.00	154.00	0.954	0.067
MJJ27-	154.00	156.00	0.598	0.009
MJJ27-	156.00	158.00	0.350	0.009
MJJ27-	158.00	160.00	0.782	0.006
MJJ27-	160.00	162.00	1.366	0.026
MJJ27-	162.00	164.00	0.773	0.123
MJJ27-	164.00	166.00	1.523	0.021
MJJ27-	166.00	168.00	1.424	0.101
MJJ27-	168.00	170.00	0.468	0.024
MJJ27-	170.00	172.00	0.790	0.048
MJJ27-	172.00	174.00	1.489	0.047
MJJ27-	174.00	176.00	0.820	0.128
MJJ27-	176.00	178.00	0.603	0.021
MJJ27-	178.00	180.00	2.100	0.098
MJJ27-	180.00	182.00	2.556	0.021
MJJ27-	182.00	184.00	1.490	0.023
MJJ27-	184.00	186.00	0.548	0.016
MJJ27-	186.00	188.00	0.931	0.077
MJJ27-	188.00	190.00	0.592	0.024
MJJ27-	190.00	192.00	0.502	0.012
MJJ27-	192.00	194.00	0.427	0.004
MJJ27-	194.00	196.00	0.503	0.004
MJJ27-	196.00	198.00	0.997	0.023
MJJ27-	198.00	200.00	0.336	0.009
MJJ27-	200.00	202.00	0.340	0.018
MJJ27-	202.00	204.00	0.545	0.019
MJJ27-	204.00	206.00	0.556	0.022
MJJ27-	206.00	208.00	0.504	0.028
MJJ27-	208.00	210.00	0.477	0.033
MJJ27-	210.00	212.00	0.254	0.020
MJJ27-	212.00	214.00	0.420	0.014
MJJ27-	214.00	216.00	0.437	0.012
MJJ27-	216.00	218.00	1.920	0.030
MJJ27-	218.00	220.00	1.627	0.034
MJJ27-	220.00	222.00	0.482	0.090
MJJ27-	222.00	224.00	0.839	0.060
MJJ27-	224.00	226.00	0.660	0.027
MJJ27-	226.00	228.00	0.490	0.029
MJJ27-	228.00	230.00	0.346	0.009
MJJ27-	230.00	232.00	0.694	0.035
MJJ27-	232.00	234.00	0.307	0.009
MJJ27-	234.00	236.00	0.217	0.021
MJJ27-	236.00	238.00	0.210	0.005
MJJ27-	238.00	240.00	0.684	0.088
MJJ27-	240.00	242.00	0.752	0.074
MJJ27-	242.00	244.00	0.785	0.039
MJJ27-	244.00	246.00	0.789	0.015
MJJ27-	246.00	248.00	0.748	0.047
MJJ27-	248.00	250.00	0.764	0.030
MJJ27-	250.00	252.00	0.827	0.027
MJJ27-	252.00	254.00	0.829	0.041
MJJ27-	254.00	256.00	0.573	0.049
MJJ27-	256.00	258.00	0.409	0.013
MJJ27-	258.00	260.00	1.414	0.044
MJJ27-	260.00	262.00	1.247	0.050
MJJ27-	262.00	264.00	2.192	0.049

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ27-	264.00	266.00	0.772	0.026
MJJ27-	266.00	268.00	0.438	0.024
MJJ27-	268.00	270.00	0.531	0.019
MJJ27-	270.00	272.00	0.993	0.016
MJJ27-	272.00	274.00	0.714	0.017
MJJ27-	274.00	276.00	0.682	0.011
MJJ27-	276.00	278.00	0.845	0.034
MJJ27-	278.00	280.00	0.589	0.007
MJJ27-	280.00	282.00	0.888	0.021
MJJ27-	282.00	284.00	0.474	0.006
MJJ27-	284.00	286.00	0.453	0.003
MJJ27-	286.00	288.00	0.814	0.015
MJJ27-	288.00	290.00	0.418	0.003
MJJ27-	290.00	292.00	0.456	0.021
MJJ27-	292.00	294.00	0.800	0.043
MJJ27-	294.00	296.00	0.455	0.024
MJJ27-	296.00	298.00	0.298	0.014
MJJ27-	298.00	300.00	0.540	0.016
MJJ27-	300.00	302.00	0.826	0.009
MJJ27-	302.00	304.00	0.617	0.008
MJJ27-	304.00	306.00	0.752	0.018
MJJ27-	306.00	308.00	0.563	0.007
MJJ27-	308.00	310.00	0.468	0.005
MJJ27-	310.00	312.00	0.567	0.009
MJJ27-	312.00	314.00	0.435	0.008
MJJ27-	314.00	316.00	0.350	0.015
MJJ27-	316.00	318.00	0.443	0.008
MJJ27-	318.00	320.00	0.591	0.006
MJJ27-	320.00	322.00	0.659	0.005
MJJ27-	322.00	324.00	0.821	0.097
MJJ27-	324.00	326.00	0.227	0.002
MJJ27-	326.00	328.00	0.686	0.014
MJJ27-	328.00	330.00	0.543	0.008
MJJ27-	330.00	332.00	1.279	0.013
MJJ27-	332.00	334.00	1.138	0.024
MJJ27-	334.00	336.00	0.100	0.004
MJJ27-	336.00	338.00	0.859	0.013
MJJ27-	338.00	340.00	1.556	0.017
MJJ27-	340.00	342.00	1.657	0.010
MJJ27-	342.00	344.00	0.329	0.008
MJJ27-	344.00	346.00	0.574	0.006
MJJ27-	346.00	348.00	0.335	0.005
MJJ27-	348.00	350.00	0.591	0.007
MJJ27-	350.00	352.00	0.632	0.008
MJJ27-	352.00	354.00	0.305	0.004
MJJ27-	354.00	356.00	0.586	0.006
MJJ27-	356.00	358.00	0.343	0.002
MJJ27-	358.00	360.00	0.228	0.003
MJJ27-	360.00	362.00	0.328	0.003
MJJ27-	362.00	364.00	0.363	0.002
MJJ27-	364.00	366.00	0.305	0.007
MJJ27-	366.00	368.00	0.425	0.002
MJJ27-	368.00	370.00	0.610	0.034
MJJ27-	370.00	372.00	0.246	0.005
MJJ27-	372.00	374.00	0.196	0.006
MJJ27-	374.00	376.00	0.806	0.006
MJJ27-	376.00	378.00	0.853	0.007
MJJ27-	378.00	380.00	0.334	0.004
MJJ27-	380.00	382.00	0.827	0.014
MJJ27-	382.00	384.00	0.645	0.007
MJJ27-	384.00	386.00	1.214	0.009
MJJ27-	386.00	388.00	1.847	0.015
MJJ27-	388.00	390.00	0.599	0.015
MJJ27-	390.00	392.00	1.428	0.014
MJJ27-	392.00	394.00	0.733	0.026
MJJ27-	394.00	396.00	0.508	0.005
MJJ27-	396.00	398.00	0.267	0.002
MJJ27-	398.00	400.00	0.185	0.002
MJJ27-	400.00	402.00	0.144	0.001
MJJ27-	402.00	404.00	0.248	0.002
MJJ27-	404.00	406.00	0.267	0.002
MJJ27-	406.00	408.00	0.114	0.003
MJJ27-	408.00	410.00	0.392	0.003
MJJ27-	410.00	412.00	0.298	0.006
MJJ27-	412.00	414.00	0.338	0.002
MJJ27-	414.00	416.00	0.145	0.001
MJJ27-	416.00	418.00	0.238	0.002
MJJ27-	418.00	420.00	0.389	0.003
MJJ27-	420.00	422.00	0.520	0.005
MJJ27-	422.00	424.00	1.478	0.010
MJJ27-	424.00	426.00	2.545	0.016
MJJ27-	426.00	428.00	1.949	0.005
MJJ27-	428.00	430.00	2.358	0.006
MJJ27-	430.00	432.00	2.952	0.046
MJJ27-	432.00	434.00	1.475	0.043
MJJ27-	434.00	436.00	0.366	0.002
MJJ27-	436.00	438.00	0.377	0.010
MJJ27-	438.00	440.00	0.357	0.003
MJJ27-	440.00	442.00	0.312	0.002
MJJ27-	442.00	444.00	0.415	0.003
MJJ27-	444.00	446.00	0.470	0.003
MJJ27-	446.00	448.00	0.837	0.005
MJJ27-	448.00	450.00	0.097	0.002
MJJ27-	450.00	452.00	0.212	0.005
MJJ27-	452.00	454.00	0.555	0.010
MJJ27-	454.00	456.00	0.317	0.017
MJJ27-	456.00	458.00	0.505	0.005
MJJ27-	458.00	460.00	0.383	0.005

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ27-	460.00	462.00	0.188	0.002
MJJ27-	462.00	464.00	0.473	0.011
MJJ27-	464.00	466.00	0.331	0.005
MJJ27-	466.00	468.00	0.566	0.005
MJJ27-	468.00	470.00	0.072	0.000
MJJ27-	470.00	472.00	0.268	0.002
MJJ27-	472.00	474.00	0.363	0.002
MJJ27-	474.00	476.00	0.259	0.002
MJJ27-	476.00	478.00	0.145	0.003
MJJ27-	478.00	480.00	0.327	0.003
MJJ27-	480.00	482.00	0.098	0.008
MJJ27-	482.00	484.00	0.113	0.002
MJJ27-	484.00	486.00	0.337	0.010
MJJ27-	486.00	488.00	0.095	0.003
MJJ27-	488.00	490.00	0.094	0.001
MJJ27-	490.00	492.00	0.383	0.006
MJJ27-	492.00	494.00	0.138	0.008
MJJ27-	494.00	496.00	0.174	0.003
MJJ27-	496.00	498.00	0.070	0.001
MJJ27-	498.00	500.00	0.021	0.002
MJJ27-	500.00	502.00	0.252	0.004
MJJ27-	502.00	504.00	0.413	0.013
MJJ27-	504.00	506.00	0.371	0.004
MJJ27-	506.00	508.00	0.463	0.005
MJJ27-	508.00	510.00	0.172	0.002
MJJ27-	510.00	512.00	0.263	0.003
MJJ27-	512.00	514.00	0.255	0.004
MJJ27-	514.00	516.00	0.191	0.001
MJJ27-	516.00	518.00	0.169	0.005
MJJ27-	518.00	520.00	0.274	0.002
MJJ27-	520.00	522.00	0.237	0.002
MJJ27-	522.00	524.00	0.317	0.002
MJJ27-	524.00	526.00	0.247	0.001
MJJ27-	526.00	528.00	0.124	0.001
MJJ27-	528.00	530.00	0.101	0.001
MJJ27-	530.00	532.00	0.367	0.004
MJJ27-	532.00	534.00	0.923	0.013
MJJ27-	534.00	536.00	0.296	0.002
MJJ27-	536.00	538.00	0.247	0.002
MJJ27-	538.00	540.00	0.239	0.003
MJJ27-	540.00	542.00	0.170	0.010
MJJ27-	542.00	544.00	0.216	0.002
MJJ27-	544.00	546.00	0.134	0.002
MJJ27-	546.00	548.00	0.293	0.003
MJJ27-	548.00	550.00	0.102	0.001
MJJ27-	550.00	552.00	0.263	0.004
MJJ27-	552.00	554.00	0.449	0.012
MJJ27-	554.00	556.00	0.554	0.007
MJJ27-	556.00	558.00	0.281	0.003
MJJ27-	558.00	560.00	0.509	0.005
MJJ27-	560.00	562.00	2.019	0.016
MJJ27-	562.00	564.00	1.908	0.022
MJJ27-	564.00	566.00	0.437	0.002
MJJ27-	566.00	568.00	1.542	0.057
MJJ27-	568.00	570.00	0.580	0.015
MJJ27-	570.00	572.00	0.432	0.009
MJJ27-	572.00	574.00	0.428	0.001
MJJ27-	574.00	576.00	0.328	0.001
MJJ27-	576.00	578.00	0.291	0.006
MJJ27-	578.00	580.00	0.693	0.003
MJJ27-	580.00	582.00	0.874	0.007
MJJ27-	582.00	584.00	0.416	0.004
MJJ27-	584.00	586.00	0.347	0.004
MJJ27-	586.00	588.00	0.170	0.002
MJJ27-	588.00	590.00	0.216	0.002
MJJ27-	590.00	592.00	0.307	0.006
MJJ27-	592.00	594.00	0.795	0.004
MJJ27-	594.00	596.00	2.020	0.006
MJJ27-	596.00	598.00	0.362	0.003
MJJ27-	598.00	600.00	2.074	0.009
MJJ27-	600.00	602.00	0.847	0.007
MJJ27-	602.00	602.58	0.298	0.012
MJJ28-	5.79	6.00	0.102	0.011
MJJ28-	6.00	8.00	0.693	0.004
MJJ28-	8.00	10.00	0.072	0.002
MJJ28-	10.00	12.00	0.088	0.003
MJJ28-	12.00	14.00	0.082	0.003
MJJ28-	14.00	16.00	0.077	0.005
MJJ28-	16.00	18.00	0.091	0.004
MJJ28-	18.00	20.00	0.090	0.004
MJJ28-	20.00	22.00	0.115	0.005
MJJ28-	22.00	24.00	0.258	0.004
MJJ28-	24.00	26.00	0.169	0.002
MJJ28-	26.00	28.00	0.405	0.015
MJJ28-	28.00	30.00	0.303	0.007
MJJ28-	30.00	32.00	0.346	0.008
MJJ28-	32.00	34.00	0.275	0.010
MJJ28-	34.00	36.00	0.154	0.004
MJJ28-	36.00	38.00	0.145	0.004
MJJ28-	38.00	40.00	0.302	0.005
MJJ28-	40.00	42.00	0.214	0.003
MJJ28-	42.00	44.00	0.167	0.004
MJJ28-	44.00	46.00	0.417	0.007
MJJ28-	46.00	48.00	0.235	0.007
MJJ28-	48.00	50.00	0.144	0.003
MJJ28-	50.00	52.00	0.734	0.237
MJJ28-	52.00	54.00	0.165	0.003
MJJ28-	54.00	56.00	0.201	0.010

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ28-	56.00	58.00	0.181	0.004
MJJ28-	58.00	60.00	0.162	0.005
MJJ28-	60.00	62.00	0.339	0.028
MJJ28-	62.00	64.00	0.131	0.002
MJJ28-	64.00	66.00	0.771	0.011
MJJ28-	66.00	68.00	0.811	0.015
MJJ28-	68.00	70.00	0.848	0.006
MJJ28-	70.00	72.00	0.673	0.026
MJJ28-	72.00	74.00	0.508	0.012
MJJ28-	74.00	76.00	0.798	0.013
MJJ28-	76.00	78.00	0.856	0.008
MJJ28-	78.00	80.00	1.490	0.024
MJJ28-	80.00	82.00	1.346	0.102
MJJ28-	82.00	84.00	2.254	0.089
MJJ28-	84.00	86.00	1.993	0.022
MJJ28-	86.00	88.00	1.694	0.025
MJJ28-	88.00	90.00	1.609	0.050
MJJ28-	90.00	92.00	1.729	0.130
MJJ28-	92.00	94.00	2.179	0.073
MJJ28-	94.00	96.00	1.502	0.031
MJJ28-	96.00	98.00	0.796	0.046
MJJ28-	98.00	100.00	0.960	0.025
MJJ28-	100.00	102.00	0.967	0.032
MJJ28-	102.00	104.00	0.702	0.008
MJJ28-	104.00	106.00	0.730	0.074
MJJ28-	106.00	108.00	0.781	0.051
MJJ28-	108.00	110.00	0.882	0.052
MJJ28-	110.00	112.00	0.642	0.024
MJJ28-	112.00	114.00	0.619	0.043
MJJ28-	114.00	116.00	0.788	0.022
MJJ28-	116.00	118.00	0.750	0.039
MJJ28-	118.00	120.00	1.642	0.215
MJJ28-	120.00	122.00	1.076	0.055
MJJ28-	122.00	124.00	0.371	0.016
MJJ28-	124.00	126.00	0.308	0.260
MJJ28-	126.00	128.00	0.519	0.018
MJJ28-	128.00	130.00	1.901	0.075
MJJ28-	130.00	132.00	1.518	0.019
MJJ28-	132.00	134.00	0.823	0.009
MJJ28-	134.00	136.00	0.721	0.025
MJJ28-	136.00	138.00	0.459	0.028
MJJ28-	138.00	140.00	0.736	0.094
MJJ28-	140.00	142.00	0.833	0.020
MJJ28-	142.00	144.00	0.738	0.038
MJJ28-	144.00	146.00	0.820	0.097
MJJ28-	146.00	148.00	0.353	0.025
MJJ28-	148.00	150.00	0.582	0.028
MJJ28-	150.00	152.00	0.348	0.024
MJJ28-	152.00	154.00	0.829	0.015
MJJ28-	154.00	156.00	0.174	0.008
MJJ28-	156.00	158.00	0.239	0.009
MJJ28-	158.00	160.00	3.633	0.074
MJJ28-	160.00	162.00	0.846	0.037
MJJ28-	162.00	164.00	1.644	0.053
MJJ28-	164.00	166.00	1.866	0.010
MJJ28-	166.00	168.00	0.787	0.024
MJJ28-	168.00	170.00	0.671	0.026
MJJ28-	170.00	172.00	0.393	0.052
MJJ28-	172.00	174.00	0.548	0.050
MJJ28-	174.00	176.00	0.500	0.079
MJJ28-	176.00	178.00	0.482	0.056
MJJ28-	178.00	180.00	0.399	0.061
MJJ28-	180.00	181.00	0.621	0.022
MJJ28-	181.00	182.00	0.474	0.026
MJJ28-	182.00	184.00	0.677	0.042
MJJ28-	184.00	186.00	0.937	0.012
MJJ28-	186.00	188.00	0.552	0.017
MJJ28-	188.00	190.00	0.815	0.143
MJJ28-	190.00	192.00	0.404	0.027
MJJ28-	192.00	194.00	0.740	0.026
MJJ28-	194.00	196.00	0.418	0.016
MJJ28-	196.00	198.00	0.358	0.008
MJJ28-	198.00	200.00	0.634	0.010
MJJ28-	200.00	202.00	0.283	0.009
MJJ28-	202.00	204.00	0.322	0.007
MJJ28-	204.00	206.00	0.498	0.004
MJJ28-	206.00	208.00	0.123	0.002
MJJ28-	208.00	210.00	0.212	0.003
MJJ28-	210.00	212.00	0.379	0.007
MJJ28-	212.00	214.00	1.186	0.012
MJJ28-	214.00	216.00	0.517	0.013
MJJ28-	216.00	218.00	0.413	0.016
MJJ28-	218.00	220.00	0.247	0.019
MJJ28-	220.00	222.00	0.273	0.007
MJJ28-	222.00	224.00	0.217	0.016
MJJ28-	224.00	226.00	0.371	0.007
MJJ28-	226.00	228.00	0.678	0.021
MJJ28-	228.00	230.00	0.601	0.009
MJJ28-	230.00	232.00	0.058	0.012
MJJ28-	232.00	234.00	0.664	0.018
MJJ28-	234.00	236.00	0.449	0.003
MJJ28-	236.00	238.00	0.492	0.012
MJJ28-	238.00	240.00	0.171	0.015
MJJ28-	240.00	242.00	0.218	0.007
MJJ28-	242.00	244.00	0.189	0.008
MJJ28-	244.00	246.00	0.338	0.004
MJJ28-	246.00	248.00	0.106	0.007
MJJ28-	248.00	250.00	0.260	0.009

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ28-	250.00	252.00	0.435	0.004
MJJ28-	252.00	254.00	0.551	0.009
MJJ28-	254.00	256.00	0.550	0.007
MJJ28-	256.00	258.00	0.212	0.005
MJJ28-	258.00	260.00	0.122	0.037
MJJ28-	260.00	262.00	0.219	0.004
MJJ28-	262.00	264.00	0.323	0.006
MJJ28-	264.00	266.00	0.258	0.002
MJJ28-	266.00	268.00	0.131	0.004
MJJ28-	268.00	270.00	0.187	0.005
MJJ28-	270.00	272.00	0.272	0.003
MJJ28-	272.00	274.00	0.222	0.004
MJJ28-	274.00	276.00	0.249	0.006
MJJ28-	276.00	278.00	0.415	0.005
MJJ28-	278.00	280.00	0.316	0.005
MJJ28-	280.00	282.00	0.151	0.002
MJJ28-	282.00	284.00	0.269	0.003
MJJ28-	284.00	286.00	0.403	0.004
MJJ28-	286.00	288.00	0.466	0.005
MJJ28-	288.00	290.00	0.426	0.007
MJJ28-	290.00	292.00	0.399	0.003
MJJ28-	292.00	294.00	1.258	0.009
MJJ28-	294.00	296.00	0.495	0.004
MJJ28-	296.00	298.00	0.250	0.002
MJJ28-	298.00	300.00	0.200	0.005
MJJ28-	300.00	302.00	0.267	0.016
MJJ28-	302.00	304.00	0.254	0.008
MJJ28-	304.00	306.00	0.443	0.006
MJJ28-	306.00	308.00	0.400	0.006
MJJ28-	308.00	310.00	0.144	0.001
MJJ28-	310.00	312.00	0.147	0.001
MJJ28-	312.00	314.00	0.122	0.001
MJJ28-	314.00	316.00	0.381	0.004
MJJ28-	316.00	318.00	0.856	0.004
MJJ28-	318.00	320.00	0.110	0.008
MJJ28-	320.00	322.00	0.185	0.009
MJJ28-	322.00	324.00	0.161	0.005
MJJ28-	324.00	326.00	0.335	0.008
MJJ28-	326.00	328.00	0.145	0.001
MJJ28-	328.00	330.00	0.111	0.002
MJJ28-	330.00	332.00	0.139	0.003
MJJ28-	332.00	334.00	0.036	0.001
MJJ28-	334.00	336.00	0.037	0.001
MJJ28-	336.00	338.00	0.587	0.003
MJJ28-	338.00	340.00	0.201	0.003
MJJ28-	340.00	342.00	0.391	0.005
MJJ28-	342.00	344.00	0.176	0.009
MJJ28-	344.00	346.00	0.621	0.017
MJJ28-	346.00	348.00	1.199	0.013
MJJ28-	348.00	350.00	0.330	0.004
MJJ28-	350.00	352.00	0.404	0.013
MJJ28-	352.00	354.00	0.170	0.002
MJJ28-	354.00	356.00	0.541	0.012
MJJ28-	356.00	358.00	0.313	0.003
MJJ28-	358.00	360.00	0.381	0.005
MJJ28-	360.00	362.00	0.480	0.002
MJJ28-	362.00	364.00	0.177	0.003
MJJ28-	364.00	366.00	0.228	0.004
MJJ28-	366.00	368.00	0.205	0.004
MJJ28-	368.00	370.00	0.328	0.003
MJJ28-	370.00	372.00	0.219	0.003
MJJ28-	372.00	374.00	0.553	0.016
MJJ28-	374.00	376.00	0.343	0.008
MJJ28-	376.00	378.00	0.433	0.009
MJJ28-	378.00	380.00	0.586	0.009
MJJ28-	380.00	382.00	0.180	0.001
MJJ28-	382.00	384.00	4.706	0.072
MJJ28-	384.00	386.00	1.627	0.057
MJJ28-	386.00	388.00	0.374	0.012
MJJ28-	388.00	390.00	1.646	0.005
MJJ28-	390.00	392.00	1.351	0.003
MJJ28-	392.00	394.00	0.546	0.048
MJJ28-	394.00	396.00	0.548	0.012
MJJ28-	396.00	398.00	0.390	0.021
MJJ28-	398.00	400.00	0.509	0.011
MJJ28-	400.00	402.00	0.211	0.003
MJJ28-	402.00	404.00	0.438	0.004
MJJ28-	404.00	406.00	0.363	0.007
MJJ28-	406.00	408.00	0.164	0.003
MJJ28-	408.00	410.00	0.213	0.004
MJJ28-	410.00	412.00	0.528	0.007
MJJ28-	412.00	414.00	0.246	0.004
MJJ28-	414.00	416.00	0.505	0.005
MJJ28-	416.00	418.00	0.133	0.004
MJJ28-	418.00	420.00	0.578	0.004
MJJ28-	420.00	422.00	0.588	0.017
MJJ28-	422.00	424.00	0.969	0.012
MJJ28-	424.00	426.00	0.415	0.006
MJJ28-	426.00	428.00	0.197	0.005
MJJ28-	428.00	430.00	0.123	0.002
MJJ28-	430.00	432.00	0.362	0.002
MJJ28-	432.00	434.00	0.085	0.002
MJJ28-	434.00	436.00	0.267	0.002
MJJ28-	436.00	438.00	0.190	0.005
MJJ28-	438.00	440.00	0.127	0.006
MJJ28-	440.00	442.00	0.064	0.002
MJJ28-	442.00	444.00	0.105	0.002
MJJ28-	444.00	446.00	0.078	0.002

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ28-	446.00	448.00	0.165	0.002
MJJ28-	448.00	450.00	0.131	0.001
MJJ28-	450.00	452.00	0.119	0.001
MJJ28-	452.00	454.00	0.311	0.005
MJJ28-	454.00	456.00	0.228	0.002
MJJ28-	456.00	458.00	0.188	0.003
MJJ28-	458.00	460.00	0.262	0.003
MJJ28-	460.00	462.00	0.402	0.005
MJJ28-	462.00	464.00	0.335	0.004
MJJ28-	464.00	466.00	0.270	0.008
MJJ28-	466.00	468.00	0.176	0.004
MJJ28-	468.00	470.00	0.257	0.002
MJJ28-	470.00	472.00	0.454	0.003
MJJ28-	472.00	474.00	0.243	0.003
MJJ28-	474.00	476.00	0.560	0.005
MJJ28-	476.00	478.00	0.838	0.034
MJJ28-	478.00	480.00	0.623	0.016
MJJ28-	480.00	482.00	0.115	0.003
MJJ28-	482.00	484.00	0.231	0.008
MJJ28-	484.00	486.00	0.317	0.002
MJJ28-	486.00	488.00	0.385	0.001
MJJ28-	488.00	490.00	0.773	0.001
MJJ28-	490.00	492.00	0.225	0.001
MJJ28-	492.00	494.00	0.183	0.003
MJJ28-	494.00	496.00	0.364	0.002
MJJ28-	496.00	498.00	0.287	0.001
MJJ28-	498.00	500.00	0.450	0.011
MJJ28-	500.00	502.00	0.191	0.002
MJJ28-	502.00	504.00	0.238	0.002
MJJ28-	504.00	506.00	0.152	0.003
MJJ28-	506.00	508.00	0.069	0.001
MJJ28-	508.00	510.00	0.084	0.001
MJJ28-	510.00	512.00	0.106	0.001
MJJ28-	512.00	514.00	0.151	0.007
MJJ28-	514.00	516.00	0.226	0.001
MJJ28-	516.00	518.00	0.285	0.001
MJJ28-	518.00	520.00	0.188	0.001
MJJ28-	520.00	522.00	0.292	0.003
MJJ28-	522.00	524.00	0.582	0.002
MJJ28-	524.00	526.00	0.672	0.001
MJJ28-	526.00	528.00	0.193	0.001
MJJ28-	528.00	530.00	0.307	0.006
MJJ28-	530.00	532.00	0.320	0.011
MJJ28-	532.00	534.00	0.284	0.005
MJJ28-	534.00	536.00	0.214	0.002
MJJ28-	536.00	538.00	0.498	0.005
MJJ28-	538.00	540.00	0.387	0.003
MJJ28-	540.00	542.00	0.195	0.002
MJJ28-	542.00	544.00	0.137	0.008
MJJ28-	544.00	546.00	0.119	0.002
MJJ28-	546.00	548.00	0.218	0.019
MJJ28-	548.00	550.00	0.177	0.004
MJJ28-	550.00	552.00	0.244	0.012
MJJ28-	552.00	554.00	0.166	0.003
MJJ28-	554.00	556.00	0.150	0.007
MJJ28-	556.00	558.00	0.092	0.005
MJJ28-	558.00	560.00	0.070	0.001
MJJ28-	560.00	562.00	0.016	0.001
MJJ28-	562.00	564.00	0.012	0.000
MJJ28-	564.00	566.00	0.021	0.000
MJJ28-	566.00	568.00	0.026	0.001
MJJ28-	568.00	570.00	0.100	0.002
MJJ28-	570.00	572.00	0.064	0.002
MJJ28-	572.00	574.00	0.173	0.004
MJJ28-	574.00	576.00	0.238	0.006
MJJ28-	576.00	578.00	0.109	0.001
MJJ28-	578.00	580.00	0.136	0.002
MJJ28-	580.00	582.00	0.077	0.004
MJJ28-	582.00	584.00	0.124	0.001
MJJ28-	584.00	586.00	0.065	0.002
MJJ28-	586.00	588.00	0.133	0.004
MJJ28-	588.00	590.00	0.039	0.005
MJJ28-	590.00	592.00	0.059	0.004
MJJ28-	592.00	594.00	0.079	0.008
MJJ28-	594.00	596.00	0.075	0.002
MJJ28-	596.00	598.00	0.085	0.002
MJJ28-	598.00	600.00	1.136	0.012
MJJ28-	600.00	602.00	0.152	0.003
MJJ28-	602.00	602.58	0.142	0.002
MJJ29-	4.70	6.00	0.046	0.001
MJJ29-	6.00	8.00	0.028	0.001
MJJ29-	8.00	10.00	0.035	0.003
MJJ29-	10.00	12.00	0.025	0.001
MJJ29-	12.00	14.00	0.033	0.001
MJJ29-	14.00	16.00	0.029	0.001
MJJ29-	16.00	18.00	0.037	0.002
MJJ29-	18.00	20.00	0.038	0.002
MJJ29-	20.00	22.00	0.054	0.003
MJJ29-	22.00	24.00	0.048	0.001
MJJ29-	24.00	26.00	0.130	0.008
MJJ29-	26.00	28.00	0.058	0.005
MJJ29-	28.00	30.00	0.040	0.001
MJJ29-	30.00	32.00	0.081	0.002
MJJ29-	32.00	34.00	0.055	0.003
MJJ29-	34.00	36.00	0.065	0.004
MJJ29-	36.00	38.00	0.047	0.004
MJJ29-	38.00	40.00	0.049	0.003
MJJ29-	40.00	42.00	0.038	0.002

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ29-	42.00	44.00	0.062	0.005
MJJ29-	44.00	46.00	0.056	0.004
MJJ29-	46.00	48.00	0.083	0.002
MJJ29-	48.00	50.00	0.087	0.006
MJJ29-	50.00	52.00	0.095	0.017
MJJ29-	52.00	54.00	0.051	0.011
MJJ29-	54.00	56.00	0.090	0.014
MJJ29-	56.00	58.00	0.141	0.077
MJJ29-	58.00	60.00	0.057	0.026
MJJ29-	60.00	62.00	0.074	0.004
MJJ29-	62.00	64.00	0.082	0.014
MJJ29-	64.00	66.00	0.068	0.012
MJJ29-	66.00	68.00	0.061	0.002
MJJ29-	68.00	70.00	0.103	0.014
MJJ29-	70.00	72.00	0.056	0.003
MJJ29-	72.00	74.00	0.056	0.004
MJJ29-	74.00	76.00	0.049	0.001
MJJ29-	76.00	78.00	0.069	0.002
MJJ29-	78.00	80.00	0.034	0.003
MJJ29-	80.00	82.00	0.240	0.013
MJJ29-	82.00	84.00	0.034	0.001
MJJ29-	84.00	86.00	0.041	0.003
MJJ29-	86.00	88.00	0.120	0.003
MJJ29-	88.00	90.00	0.231	0.001
MJJ29-	90.00	92.00	0.945	0.008
MJJ29-	92.00	94.00	0.503	0.002
MJJ29-	94.00	96.00	0.160	0.004
MJJ29-	96.00	98.00	0.245	0.006
MJJ29-	98.00	100.00	0.207	0.002
MJJ29-	100.00	102.00	0.816	0.003
MJJ29-	102.00	104.00	0.194	0.003
MJJ29-	104.00	106.00	0.299	0.005
MJJ29-	106.00	108.00	0.267	0.012
MJJ29-	108.00	110.00	0.263	0.002
MJJ29-	110.00	112.00	0.195	0.002
MJJ29-	112.00	114.00	0.158	0.001
MJJ29-	114.00	116.00	0.407	0.008
MJJ29-	116.00	118.00	0.387	0.012
MJJ29-	118.00	120.00	0.237	0.006
MJJ29-	120.00	122.00	0.381	0.017
MJJ29-	122.00	124.00	0.340	0.016
MJJ29-	124.00	126.00	0.457	0.035
MJJ29-	126.00	128.00	0.193	0.002
MJJ29-	128.00	130.00	0.203	0.014
MJJ29-	130.00	132.00	0.310	0.002
MJJ29-	132.00	134.00	0.245	0.052
MJJ29-	134.00	136.00	0.112	0.007
MJJ29-	136.00	138.00	0.164	0.008
MJJ29-	138.00	140.00	0.213	0.036
MJJ29-	140.00	142.00	1.490	0.011
MJJ29-	142.00	144.00	0.430	0.006
MJJ29-	144.00	146.00	0.853	0.005
MJJ29-	146.00	148.00	0.293	0.004
MJJ29-	148.00	150.00	0.343	0.007
MJJ29-	150.00	152.00	0.933	0.022
MJJ29-	152.00	154.00	0.061	0.002
MJJ29-	154.00	156.00	0.289	0.003
MJJ29-	156.00	158.00	1.951	0.097
MJJ29-	158.00	160.00	0.142	0.009
MJJ29-	160.00	162.00	0.185	0.048
MJJ29-	162.00	164.00	0.247	0.026
MJJ29-	164.00	166.00	0.282	0.011
MJJ29-	166.00	168.00	0.251	0.019
MJJ29-	168.00	170.00	0.648	0.068
MJJ29-	170.00	172.00	0.207	0.035
MJJ29-	172.00	174.00	0.927	0.018
MJJ29-	174.00	176.00	2.056	0.016
MJJ29-	176.00	178.00	0.268	0.061
MJJ29-	178.00	180.00	0.338	0.022
MJJ29-	180.00	182.00	0.367	0.068
MJJ29-	182.00	184.00	0.356	0.057
MJJ29-	184.00	186.00	0.590	0.019
MJJ29-	186.00	188.00	0.453	0.150
MJJ29-	188.00	190.00	1.253	0.047
MJJ29-	190.00	192.00	0.239	0.011
MJJ29-	192.00	194.00	0.353	0.320
MJJ29-	194.00	196.00	0.340	0.114
MJJ29-	196.00	198.00	0.092	0.005
MJJ29-	198.00	200.00	2.673	0.043
MJJ29-	200.00	202.00	1.704	0.008
MJJ29-	202.00	204.00	0.323	0.097
MJJ29-	204.00	206.00	0.256	0.009
MJJ29-	206.00	208.00	0.570	0.028
MJJ29-	208.00	210.00	0.285	0.053
MJJ29-	210.00	212.00	0.569	0.070
MJJ29-	212.00	214.00	0.263	0.003
MJJ29-	214.00	216.00	0.165	0.005
MJJ29-	216.00	218.00	0.073	0.002
MJJ29-	218.00	220.00	0.177	0.016
MJJ29-	220.00	222.00	0.242	0.008
MJJ29-	222.00	224.00	0.247	0.010
MJJ29-	224.00	226.00	0.490	0.035
MJJ29-	226.00	228.00	0.521	0.002
MJJ29-	228.00	230.00	0.763	0.018
MJJ29-	230.00	232.00	0.596	0.020
MJJ29-	232.00	234.00	0.473	0.009
MJJ29-	234.00	236.00	0.595	0.008
MJJ29-	236.00	238.00	0.944	0.027

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ29-	238.00	240.00	1.483	0.029
MJJ29-	240.00	242.00	1.964	0.037
MJJ29-	242.00	244.00	1.526	0.021
MJJ29-	244.00	246.00	0.856	0.050
MJJ29-	246.00	247.00	0.228	0.009
MJJ29-	247.00	248.00	0.272	0.009
MJJ29-	248.00	250.00	0.441	0.005
MJJ29-	250.00	252.00	1.255	0.084
MJJ29-	252.00	254.00	0.785	0.014
MJJ29-	254.00	256.00	0.660	0.018
MJJ29-	256.00	258.00	0.496	0.010
MJJ29-	258.00	260.00	0.866	0.014
MJJ29-	260.00	262.00	0.863	0.029
MJJ29-	262.00	264.00	1.039	0.165
MJJ29-	264.00	266.00	1.078	0.102
MJJ29-	266.00	268.00	0.731	0.091
MJJ29-	268.00	270.00	1.043	0.115
MJJ29-	270.00	272.00	0.941	0.092
MJJ29-	272.00	274.00	0.826	0.092
MJJ29-	274.00	276.00	1.325	0.023
MJJ29-	276.00	278.00	1.421	0.044
MJJ29-	278.00	280.00	1.186	0.064
MJJ29-	280.00	282.00	1.085	0.030
MJJ29-	282.00	284.00	1.016	0.025
MJJ29-	284.00	286.00	1.229	0.008
MJJ29-	286.00	288.00	0.828	0.017
MJJ29-	288.00	290.00	0.918	0.017
MJJ29-	290.00	292.00	0.858	0.067
MJJ29-	292.00	294.00	1.158	0.056
MJJ29-	294.00	296.00	1.071	0.038
MJJ29-	296.00	298.00	1.208	0.016
MJJ29-	298.00	300.00	1.313	0.041
MJJ29-	300.00	302.00	0.875	0.084
MJJ29-	302.00	304.00	0.910	0.113
MJJ29-	304.00	306.00	1.145	0.124
MJJ29-	306.00	308.00	0.728	0.062
MJJ29-	308.00	310.00	0.826	0.060
MJJ29-	310.00	312.00	1.053	0.042
MJJ29-	312.00	314.00	1.257	0.078
MJJ29-	314.00	316.00	0.880	0.032
MJJ29-	316.00	318.00	0.412	0.078
MJJ29-	318.00	320.00	0.393	0.130
MJJ29-	320.00	322.00	0.738	0.027
MJJ29-	322.00	324.00	0.467	0.057
MJJ29-	324.00	326.00	0.839	0.067
MJJ29-	326.00	328.00	0.477	0.057
MJJ29-	328.00	330.00	1.493	0.057
MJJ29-	330.00	332.00	0.855	0.407
MJJ29-	332.00	334.00	0.496	0.014
MJJ29-	334.00	336.00	0.198	0.005
MJJ29-	336.00	338.00	0.106	0.002
MJJ29-	338.00	340.00	0.239	0.008
MJJ29-	340.00	342.00	0.808	0.134
MJJ29-	342.00	344.00	0.675	0.392
MJJ29-	344.00	346.00	0.627	0.030
MJJ29-	346.00	348.00	0.848	0.099
MJJ29-	348.00	350.00	2.709	0.049
MJJ29-	350.00	352.00	1.087	0.039
MJJ29-	352.00	354.00	0.868	0.021
MJJ29-	354.00	356.00	0.750	0.010
MJJ29-	356.00	358.00	0.782	0.014
MJJ29-	358.00	360.00	1.110	0.024
MJJ29-	360.00	362.00	0.639	0.014
MJJ29-	362.00	364.00	0.864	0.013
MJJ29-	364.00	366.00	0.890	0.009
MJJ29-	366.00	368.00	0.948	0.233
MJJ29-	368.00	370.00	0.505	0.016
MJJ29-	370.00	372.00	1.024	0.023
MJJ29-	372.00	374.00	0.785	0.044
MJJ29-	374.00	376.00	0.637	0.020
MJJ29-	376.00	378.00	0.626	0.028
MJJ29-	378.00	380.00	0.648	0.021
MJJ29-	380.00	382.00	0.410	0.018
MJJ29-	382.00	384.00	0.607	0.040
MJJ29-	384.00	386.00	0.975	0.042
MJJ29-	386.00	388.00	1.268	0.041
MJJ29-	388.00	390.00	1.736	0.027
MJJ29-	390.00	392.00	1.488	0.035
MJJ29-	392.00	394.00	1.006	0.029
MJJ29-	394.00	396.00	0.846	0.024
MJJ29-	396.00	398.00	0.872	0.044
MJJ29-	398.00	400.00	0.691	0.024
MJJ29-	400.00	402.00	0.464	0.012
MJJ29-	402.00	404.00	0.567	0.016
MJJ29-	404.00	406.00	0.681	0.018
MJJ29-	406.00	408.00	0.967	0.007
MJJ29-	408.00	410.00	1.045	0.008
MJJ29-	410.00	412.00	1.688	0.017
MJJ29-	412.00	414.00	0.924	0.011
MJJ29-	414.00	416.00	0.907	0.126
MJJ29-	416.00	418.00	1.026	0.020
MJJ29-	418.00	420.00	0.693	0.022
MJJ29-	420.00	422.00	1.321	0.022
MJJ29-	422.00	424.00	1.442	0.027
MJJ29-	424.00	426.00	0.948	0.024
MJJ29-	426.00	428.00	1.003	0.045
MJJ29-	428.00	430.00	1.033	0.124
MJJ29-	430.00	432.00	1.163	0.029

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ29-	432.00	434.00	1.032	0.028
MJJ29-	434.00	436.00	1.549	0.164
MJJ29-	436.00	438.00	0.856	0.021
MJJ29-	438.00	440.00	1.136	0.025
MJJ29-	440.00	442.00	1.591	0.034
MJJ29-	442.00	444.00	0.841	0.032
MJJ29-	444.00	446.00	0.715	0.047
MJJ29-	446.00	448.00	1.238	0.012
MJJ29-	448.00	450.00	0.691	0.008
MJJ29-	450.00	452.00	0.480	0.016
MJJ29-	452.00	454.00	0.911	0.042
MJJ29-	454.00	456.00	1.649	0.025
MJJ29-	456.00	458.00	0.936	0.029
MJJ29-	458.00	460.00	0.622	0.017
MJJ29-	460.00	462.00	0.569	0.013
MJJ29-	462.00	464.00	1.296	0.059
MJJ29-	464.00	466.00	0.437	0.012
MJJ29-	466.00	468.00	0.429	0.018
MJJ29-	468.00	470.00	0.401	0.014
MJJ29-	470.00	472.00	0.455	0.008
MJJ29-	472.00	474.00	1.251	0.210
MJJ29-	474.00	476.00	1.342	0.642
MJJ29-	476.00	478.00	0.260	0.006
MJJ29-	478.00	480.00	0.209	0.017
MJJ29-	480.00	482.00	0.766	0.023
MJJ29-	482.00	484.00	1.497	0.407
MJJ29-	484.00	486.00	0.811	0.397
MJJ29-	486.00	488.00	1.477	0.647
MJJ29-	488.00	490.00	1.026	0.016
MJJ29-	490.00	492.00	0.704	0.042
MJJ29-	492.00	494.00	1.276	0.065
MJJ29-	494.00	496.00	1.132	0.025
MJJ29-	496.00	498.00	1.666	0.204
MJJ29-	498.00	500.00	1.633	0.084
MJJ29-	500.00	502.00	0.803	0.008
MJJ29-	502.00	504.00	1.164	0.071
MJJ29-	504.00	506.00	1.370	0.046
MJJ29-	506.00	508.00	1.620	0.065
MJJ29-	508.00	510.00	0.790	0.037
MJJ29-	510.00	512.00	1.110	0.047
MJJ29-	512.00	514.00	0.467	0.109
MJJ29-	514.00	516.00	0.867	0.048
MJJ29-	516.00	518.00	0.782	0.213
MJJ29-	518.00	520.00	1.025	0.042
MJJ29-	520.00	522.00	1.052	0.018
MJJ29-	522.00	524.00	0.899	0.034
MJJ29-	524.00	526.00	1.063	0.009
MJJ29-	526.00	528.00	0.833	0.016
MJJ29-	528.00	530.00	1.085	0.042
MJJ29-	530.00	532.00	3.209	0.182
MJJ29-	532.00	534.00	1.849	0.058
MJJ29-	534.00	536.00	1.425	0.045
MJJ29-	536.00	538.00	0.562	0.014
MJJ29-	538.00	540.00	1.201	0.039
MJJ29-	540.00	542.00	1.816	0.033
MJJ29-	542.00	543.00	0.787	0.070
MJJ29-	543.00	546.00	0.827	0.036
MJJ29-	546.00	548.00	0.760	0.022
MJJ29-	548.00	550.00	0.788	0.016
MJJ29-	550.00	552.00	1.050	0.039
MJJ29-	552.00	554.00	0.778	0.025
MJJ29-	554.00	556.00	0.875	0.038
MJJ29-	556.00	558.00	1.444	0.036
MJJ29-	558.00	560.00	0.975	0.031
MJJ29-	560.00	562.00	1.197	0.035
MJJ29-	562.00	564.00	1.815	0.032
MJJ29-	564.00	566.00	1.649	0.046
MJJ29-	566.00	568.00	1.491	0.107
MJJ29-	568.00	570.00	1.885	0.111
MJJ29-	570.00	572.00	1.203	0.023
MJJ29-	572.00	574.00	1.090	0.112
MJJ29-	574.00	576.00	1.412	0.025
MJJ29-	576.00	578.00	1.497	0.018
MJJ29-	578.00	580.00	0.991	0.041
MJJ29-	580.00	582.00	1.120	0.010
MJJ29-	582.00	584.00	1.338	0.013
MJJ29-	584.00	586.00	1.791	0.036
MJJ29-	586.00	588.00	3.157	0.017
MJJ29-	588.00	590.00	2.527	0.058
MJJ29-	590.00	592.00	0.891	0.008
MJJ29-	592.00	594.00	0.269	0.009
MJJ29-	594.00	596.00	0.499	0.004
MJJ29-	596.00	598.00	0.548	0.030
MJJ29-	598.00	600.00	0.488	0.014
MJJ29-	600.00	601.98	0.689	0.019
MJJ30-	4.57	6.00	0.056	0.007
MJJ30-	6.00	8.00	0.094	0.010
MJJ30-	8.00	10.00	0.079	0.008
MJJ30-	10.00	12.00	0.058	0.006
MJJ30-	12.00	14.00	0.066	0.004
MJJ30-	14.00	16.00	0.051	0.003
MJJ30-	16.00	18.00	0.113	0.005
MJJ30-	18.00	20.00	0.089	0.005
MJJ30-	20.00	22.00	0.110	0.010
MJJ30-	22.00	24.00	0.110	0.009
MJJ30-	24.00	26.00	0.574	0.016
MJJ30-	26.00	28.00	0.324	0.010
MJJ30-	28.00	30.00	0.116	0.010

No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ30-	30.00	32.00	0.326	0.023
MJJ30-	32.00	34.00	0.318	0.014
MJJ30-	34.00	36.00	0.220	0.005
MJJ30-	36.00	38.00	0.177	0.003
MJJ30-	38.00	40.00	0.215	0.006
MJJ30-	40.00	42.00	0.460	0.001
MJJ30-	42.00	44.00	0.339	0.002
MJJ30-	44.00	46.00	0.331	0.001
MJJ30-	46.00	48.00	0.575	0.005
MJJ30-	48.00	50.00	0.569	0.000
MJJ30-	50.00	52.00	0.771	0.001
MJJ30-	52.00	54.00	0.249	0.001
MJJ30-	54.00	56.00	0.086	0.001
MJJ30-	56.00	58.00	0.169	0.001
MJJ30-	58.00	60.00	0.084	0.001
MJJ30-	60.00	62.00	0.155	0.001
MJJ30-	62.00	64.00	0.141	0.000
MJJ30-	64.00	66.00	0.170	0.001
MJJ30-	66.00	68.00	0.299	0.001
MJJ30-	68.00	70.00	0.130	0.001
MJJ30-	70.00	72.00	0.127	0.001
MJJ30-	72.00	74.00	0.139	0.010
MJJ30-	74.00	76.00	0.196	0.001
MJJ30-	76.00	78.00	0.414	0.001
MJJ30-	78.00	80.00	0.105	0.001
MJJ30-	80.00	82.00	0.411	0.000
MJJ30-	82.00	84.00	0.302	0.001
MJJ30-	84.00	86.00	0.304	0.001
MJJ30-	86.00	88.00	0.160	0.001
MJJ30-	88.00	90.00	0.125	0.001
MJJ30-	90.00	92.00	0.461	0.013
MJJ30-	92.00	94.00	0.098	0.001
MJJ30-	94.00	96.00	0.266	0.010
MJJ30-	96.00	98.00	0.402	0.002
MJJ30-	98.00	100.00	0.527	0.010
MJJ30-	100.00	102.00	0.239	0.002
MJJ30-	102.00	104.00	0.460	0.002
MJJ30-	104.00	106.00	0.142	0.002
MJJ30-	106.00	108.00	0.557	0.008
MJJ30-	108.00	110.00	0.411	0.010
MJJ30-	110.00	112.00	0.182	0.005
MJJ30-	112.00	114.00	0.270	0.003
MJJ30-	114.00	116.00	0.353	0.001
MJJ30-	116.00	118.00	0.150	0.004
MJJ30-	118.00	120.00	0.605	0.003
MJJ30-	120.00	122.00	0.195	0.002
MJJ30-	122.00	124.00	0.300	0.001
MJJ30-	124.00	126.00	0.129	0.001
MJJ30-	126.00	128.00	0.206	0.001
MJJ30-	128.00	130.00	0.113	0.003
MJJ30-	130.00	132.00	0.081	0.001
MJJ30-	132.00	134.00	0.363	0.008
MJJ30-	134.00	136.00	0.679	0.006
MJJ30-	136.00	138.00	0.297	0.001
MJJ30-	138.00	140.00	0.257	0.003
MJJ30-	140.00	142.00	0.149	0.000
MJJ30-	142.00	144.00	0.264	0.002
MJJ30-	144.00	146.00	0.237	0.001
MJJ30-	146.00	148.00	0.130	0.004
MJJ30-	148.00	150.00	0.374	0.002
MJJ30-	150.00	152.00	0.336	0.007
MJJ30-	152.00	154.00	0.311	0.056
MJJ30-	154.00	156.00	0.330	0.004
MJJ30-	156.00	158.00	0.292	0.058
MJJ30-	158.00	160.00	0.562	0.053
MJJ30-	160.00	162.00	0.754	0.011
MJJ30-	162.00	164.00	0.212	0.005
MJJ30-	164.00	166.00	0.281	0.005
MJJ30-	166.00	168.00	0.439	0.010
MJJ30-	168.00	170.00	0.192	0.002
MJJ30-	170.00	172.00	0.248	0.004
MJJ30-	172.00	174.00	0.159	0.016
MJJ30-	174.00	176.00	1.025	0.039
MJJ30-	176.00	178.00	0.555	0.010
MJJ30-	178.00	180.00	0.261	0.020
MJJ30-	180.00	182.00	0.204	0.002
MJJ30-	182.00	184.00	0.288	0.002
MJJ30-	184.00	186.00	0.189	0.001
MJJ30-	186.00	188.00	0.196	0.002
MJJ30-	188.00	190.00	0.463	0.003
MJJ30-	190.00	192.00	0.383	0.014
MJJ30-	192.00	194.00	0.372	0.005
MJJ30-	194.00	196.00	0.499	0.002
MJJ30-	196.00	198.00	0.217	0.001
MJJ30-	198.00	200.00	0.261	0.006
MJJ30-	200.00	202.00	0.108	0.001
MJJ30-	202.00	204.00	0.077	0.002
MJJ30-	204.00	206.00	0.079	0.001
MJJ30-	206.00	208.00	0.829	0.006
MJJ30-	208.00	210.00	0.274	0.002
MJJ30-	210.00	212.00	0.464	0.026
MJJ30-	212.00	214.00	0.586	0.047
MJJ30-	214.00	216.00	4.863	0.019
MJJ30-	216.00	218.00	0.895	0.010
MJJ30-	218.00	220.00	0.771	0.022
MJJ30-	220.00	222.00	0.428	0.005
MJJ30-	222.00	224.00	0.184	0.008
MJJ30-	224.00	226.00	0.146	0.003


No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ30-	226.00	228.00	0.130	0.002
MJJ30-	228.00	230.00	0.073	0.003
MJJ30-	230.00	232.00	0.112	0.006
MJJ30-	232.00	234.00	0.236	0.024
MJJ30-	234.00	236.00	0.257	0.004
MJJ30-	236.00	238.00	0.501	0.002
MJJ30-	238.00	240.00	0.450	0.002
MJJ30-	240.00	242.00	0.366	0.003
MJJ30-	242.00	244.00	0.393	0.017
MJJ30-	244.00	246.00	0.413	0.003
MJJ30-	246.00	248.00	0.346	0.010
MJJ30-	248.00	250.00	0.262	0.004
MJJ30-	250.00	252.00	0.348	0.001
MJJ30-	252.00	254.00	0.272	0.019
MJJ30-	254.00	256.00	0.278	0.002
MJJ30-	256.00	258.00	0.467	0.003
MJJ30-	258.00	260.00	0.155	0.004
MJJ30-	260.00	262.00	0.215	0.003
MJJ30-	262.00	264.00	0.104	0.002
MJJ30-	264.00	266.00	0.182	0.002
MJJ30-	266.00	268.00	0.344	0.003
MJJ30-	268.00	270.00	0.474	0.002
MJJ30-	270.00	270.00	0.644	0.003
MJJ30-	270.00	272.00	0.644	0.003
MJJ30-	272.00	272.00	0.273	0.002
MJJ30-	272.00	274.00	0.273	0.002
MJJ30-	274.00	274.00	0.068	0.000
MJJ30-	274.00	276.00	0.068	0.000
MJJ30-	276.00	276.00	0.083	0.000
MJJ30-	276.00	278.00	0.083	0.000
MJJ30-	278.00	278.00	0.311	0.004
MJJ30-	278.00	280.00	0.311	0.004
MJJ30-	280.00	280.00	0.135	0.004
MJJ30-	280.00	282.00	0.135	0.004
MJJ30-	282.00	282.00	0.056	0.001
MJJ30-	282.00	284.00	0.056	0.001
MJJ30-	284.00	284.00	0.061	0.000
MJJ30-	284.00	286.00	0.061	0.000
MJJ30-	286.00	286.00	0.148	0.001
MJJ30-	286.00	288.00	0.148	0.001
MJJ30-	288.00	288.00	0.184	0.001
MJJ30-	288.00	290.00	0.184	0.001
MJJ30-	290.00	290.00	0.112	0.004
MJJ30-	290.00	292.00	0.112	0.004
MJJ30-	292.00	292.00	0.046	0.001
MJJ30-	292.00	294.00	0.046	0.001
MJJ30-	294.00	294.00	0.130	0.004
MJJ30-	294.00	296.00	0.130	0.004
MJJ30-	296.00	296.00	0.335	0.005
MJJ30-	296.00	298.00	0.335	0.005
MJJ30-	298.00	298.00	0.140	0.006
MJJ30-	298.00	300.00	0.140	0.006
MJJ30-	300.00	302.00	0.298	0.007
MJJ30-	302.00	304.00	0.427	0.009
MJJ30-	304.00	306.00	0.464	0.005
MJJ30-	306.00	308.00	0.777	0.002
MJJ30-	308.00	310.00	0.823	0.014
MJJ30-	310.00	312.00	0.476	0.002
MJJ30-	312.00	314.00	0.799	0.011
MJJ30-	314.00	316.00	0.392	0.144
MJJ30-	316.00	318.00	0.279	0.004
MJJ30-	318.00	320.00	0.326	0.005
MJJ30-	320.00	322.00	0.185	0.005
MJJ30-	322.00	324.00	0.354	0.002
MJJ30-	324.00	326.00	0.376	0.002
MJJ30-	326.00	328.00	0.653	0.004
MJJ30-	328.00	330.00	0.339	0.008
MJJ30-	330.00	332.00	0.325	0.005
MJJ30-	332.00	334.00	0.326	0.003
MJJ30-	334.00	336.00	0.284	0.002
MJJ30-	336.00	338.00	1.687	0.018
MJJ30-	338.00	340.00	2.109	0.008
MJJ30-	340.00	342.00	3.406	0.024
MJJ30-	342.00	344.00	3.571	0.024
MJJ30-	344.00	346.00	1.930	0.024
MJJ30-	346.00	348.00	2.487	0.016
MJJ30-	348.00	350.00	2.752	0.018
MJJ30-	350.00	352.00	4.335	0.070
MJJ30-	352.00	354.00	3.512	0.046
MJJ30-	354.00	356.00	2.475	0.274
MJJ30-	356.00	358.00	1.660	0.012
MJJ30-	358.00	360.00	0.708	0.012
MJJ30-	360.00	362.00	0.363	0.010
MJJ30-	362.00	364.00	1.142	0.006
MJJ30-	364.00	366.00	0.838	0.013
MJJ30-	366.00	368.00	0.391	0.010
MJJ30-	368.00	370.00	0.252	0.003
MJJ30-	370.00	372.00	0.279	0.003
MJJ30-	372.00	374.00	0.160	0.004
MJJ30-	374.00	376.00	0.855	0.006
MJJ30-	376.00	378.00	1.199	0.009
MJJ30-	378.00	380.00	0.468	0.011
MJJ30-	380.00	382.00	0.751	0.026
MJJ30-	382.00	384.00	0.938	0.019
MJJ30-	384.00	386.00	0.637	0.021
MJJ30-	386.00	388.00	0.728	0.030
MJJ30-	388.00	390.00	0.339	0.015
MJJ30-	390.00	392.00	0.336	0.020



No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ30-	392.00	394.00	0.269	0.024
MJJ30-	394.00	396.00	0.297	0.029
MJJ30-	396.00	398.00	0.257	0.020
MJJ30-	398.00	400.00	0.327	0.012
MJJ30-	400.00	402.00	0.638	0.021
MJJ30-	402.00	404.00	0.285	0.008
MJJ30-	404.00	406.00	0.167	0.017
MJJ30-	406.00	408.00	0.608	0.007
MJJ30-	408.00	410.00	0.734	0.031
MJJ30-	410.00	412.00	0.425	0.012
MJJ30-	412.00	414.00	0.505	0.034
MJJ30-	414.00	416.00	0.396	0.019
MJJ30-	416.00	418.00	1.119	0.027
MJJ30-	418.00	420.00	1.134	0.038
MJJ30-	420.00	422.00	1.102	0.053
MJJ30-	422.00	424.00	1.052	0.009
MJJ30-	424.00	426.00	0.348	0.009
MJJ30-	426.00	428.00	0.566	0.007
MJJ30-	428.00	430.00	0.738	0.018
MJJ30-	430.00	432.00	0.806	0.016
MJJ30-	432.00	434.00	0.751	0.019
MJJ30-	434.00	436.00	0.547	0.018
MJJ30-	436.00	438.00	0.517	0.040
MJJ30-	438.00	440.00	0.576	0.006
MJJ30-	440.00	442.00	0.909	0.009
MJJ30-	442.00	444.00	0.386	0.010
MJJ30-	444.00	446.00	0.482	0.006
MJJ30-	446.00	448.00	1.030	0.031
MJJ30-	448.00	450.00	0.696	0.024
MJJ30-	450.00	452.00	0.444	0.033
MJJ30-	452.00	454.00	0.442	0.021
MJJ30-	454.00	456.00	0.340	0.007
MJJ30-	456.00	458.00	0.378	0.037
MJJ30-	458.00	460.00	0.308	0.007
MJJ30-	460.00	462.00	0.350	0.009
MJJ30-	462.00	464.00	0.297	0.009
MJJ30-	464.00	466.00	0.357	0.024
MJJ30-	466.00	468.00	0.728	0.019
MJJ30-	468.00	470.00	0.388	0.018
MJJ30-	470.00	472.00	0.365	0.009
MJJ30-	472.00	474.00	1.356	0.069
MJJ30-	474.00	476.00	0.991	0.010
MJJ30-	476.00	478.00	0.382	0.030
MJJ30-	478.00	480.00	0.326	0.025
MJJ30-	480.00	482.00	0.991	0.035
MJJ30-	482.00	484.00	0.697	0.009
MJJ30-	484.00	486.00	1.042	0.034
MJJ30-	486.00	488.00	0.938	0.025
MJJ30-	488.00	490.00	0.950	0.029
MJJ30-	490.00	492.00	1.021	0.037
MJJ30-	492.00	494.00	0.616	0.061
MJJ30-	494.00	496.00	0.990	0.036
MJJ30-	496.00	498.00	0.984	0.034
MJJ30-	498.00	500.00	1.327	0.032
MJJ30-	500.00	502.00	2.314	0.014
MJJ30-	502.00	504.00	1.608	0.043
MJJ30-	504.00	506.00	2.048	0.041
MJJ30-	506.00	508.00	1.882	0.018
MJJ30-	508.00	510.00	1.758	0.071
MJJ30-	510.00	512.00	1.042	0.026
MJJ30-	512.00	514.00	2.229	0.107
MJJ30-	514.00	516.00	0.826	0.019
MJJ30-	516.00	518.00	1.255	0.009
MJJ30-	518.00	520.00	1.711	0.057
MJJ30-	520.00	522.00	2.240	0.053
MJJ30-	522.00	524.00	2.283	0.031
MJJ30-	524.00	526.00	2.600	0.090
MJJ30-	526.00	528.00	2.763	0.069
MJJ30-	528.00	530.00	2.462	0.016
MJJ30-	530.00	532.00	1.722	0.010
MJJ30-	532.00	534.00	1.294	0.016
MJJ30-	534.00	536.00	1.018	0.027
MJJ30-	536.00	538.00	1.402	0.030
MJJ30-	538.00	540.00	2.198	0.089
MJJ30-	540.00	542.00	2.166	0.059
MJJ30-	542.00	544.00	1.251	0.026
MJJ30-	544.00	546.00	0.855	0.005
MJJ30-	546.00	548.00	0.482	0.002
MJJ30-	548.00	550.00	0.783	0.007
MJJ30-	550.00	552.00	0.298	0.002
MJJ30-	552.00	554.00	1.062	0.017
MJJ30-	554.00	556.00	0.262	0.002
MJJ30-	556.00	558.00	0.458	0.004
MJJ30-	558.00	560.00	0.413	0.004
MJJ30-	560.00	562.00	0.437	0.028
MJJ30-	562.00	564.00	0.343	0.005
MJJ30-	564.00	566.00	0.774	0.005
MJJ30-	566.00	568.00	0.630	0.017
MJJ30-	568.00	570.00	0.489	0.008
MJJ30-	570.00	572.00	0.898	0.010
MJJ30-	572.00	574.00	0.707	0.007
MJJ30-	574.00	576.00	0.805	0.010
MJJ30-	576.00	578.00	0.985	0.005
MJJ30-	578.00	580.00	1.090	0.011
MJJ30-	580.00	582.00	1.069	0.021
MJJ30-	582.00	584.00	0.542	0.007
MJJ30-	584.00	586.00	0.443	0.007
MJJ30-	586.00	588.00	0.434	0.008


No. of Hole	From (m)	To (m)	Cu (%)	Mo (%)
MJJ30-	588.00	590.00	1.425	0.013
MJJ30-	590.00	592.00	0.977	0.025
MJJ30-	592.00	594.00	0.846	0.033
MJJ30-	594.00	596.00	0.506	0.008
MJJ30-	596.00	598.00	0.555	0.008
MJJ30-	598.00	600.00	0.624	0.009
MJJ30-	600.00	602.56	0.639	0.022





卷末 4 鈦兩位置圖
















卷末 5 鈦品位分布平面図 (Cu)



















S. 1600m




S. 1600m











SI 1400-




SI 1300-




卷末 6 鉍西品位分布E W断面图 (Cu)







N 35850




N 35615







N 35475




N 35291




N 35475




N 35291







N 35150



N 35050




• 35150




• 35050




卷末 7 鉍画品位分布N S断面图 (Cu)







E 760773




E 76100





E 761275




E 761383

1942-1943
1944-1945
1946-1947
1948-1949
1950-1951
1952-1953
1954-1955
1956-1957
1958-1959
1960-1961
1962-1963
1964-1965
1966-1967
1968-1969
1970-1971
1972-1973
1974-1975
1976-1977
1978-1979
1980-1981
1982-1983
1984-1985
1986-1987
1988-1989
1990-1991
1992-1993
1994-1995
1996-1997
1998-1999
2000-2001
2002-2003
2004-2005
2006-2007
2008-2009
2010-2011
2012-2013
2014-2015
2016-2017
2018-2019
2020-2021
2022-2023
2024-2025





761275

1942-1943
1944-1945
1946-1947
1948-1949
1950-1951
1952-1953
1954-1955
1956-1957
1958-1959
1960-1961
1962-1963
1964-1965
1966-1967
1968-1969
1970-1971
1972-1973
1974-1975
1976-1977
1978-1979
1980-1981
1982-1983
1984-1985
1986-1987
1988-1989
1990-1991
1992-1993
1994-1995
1996-1997
1998-1999
2000-2001
2002-2003
2004-2005
2006-2007
2008-2009
2010-2011
2012-2013
2014-2015
2016-2017
2018-2019
2020-2021
2022-2023
2024-2025




761383







E 761495



E 761870




761495





761870




卷末 8 鈹画品位分布平面图 (Mo)







1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100









24

25

