

Appendix 6

Result of Whole Rock Analysis



Chemex Labs Ltd.

Analytical Chemists • Geotechnists • Registered Assayers
 211 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 944-0221

CERTIFICATE OF ANALYSIS A8715076

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CHOME
 KABUKICHO SHINJUKU-KU
 TOKYO, JAPAN

Page No. : 1
 Tot. Pages : 1
 Date : 8-JUN-87
 Invoice # : I-8715076
 P.O. # : NONE

Project :
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Cr2O3 %	Ni %	S % (Leuco)	P2O %	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	P2O5 %	MnO %	BaO %	LOI %	TOTAL %
BL55	208 232				5.26	48.43	16.89	10.68	6.06	10.18	1.96	0.20	0.64	0.33	0.21	< 0.01	2.35	98.95
BL48	208 232				5.14	48.73	18.58	10.92	4.73	10.32	2.22	0.50	0.69	0.31	0.21	< 0.01	1.24	98.46
BL67R	208 232				5.68	46.29	19.25	11.82	6.26	11.12	2.34	0.30	0.64	0.30	0.21	< 0.01	2.24	100.80
BL200	208 232				3.91	58.47	16.41	7.58	3.14	6.53	2.95	1.10	0.57	0.29	0.16	< 0.02	1.46	98.88
BL201	208 232				6.67	49.93	17.44	10.91	3.75	9.78	1.14	< 0.10	0.72	0.23	0.15	< 0.01	0.34	96.52
BL202	208 232				3.35	60.45	16.27	6.63	2.44	5.64	3.07	1.80	0.59	0.29	0.13	0.03	1.07	98.41
BL203	208 232				4.50	58.05	15.98	8.34	3.10	6.45	3.07	1.80	0.73	0.37	0.18	0.03	1.10	99.20
FR04	208 232				2.86	59.18	16.18	6.70	2.77	6.40	2.86	1.90	0.61	0.31	0.11	0.03	1.57	98.62
FR21	208 232				3.35	54.43	17.40	7.27	3.52	6.21	3.72	1.50	0.52	0.34	0.20	0.03	2.79	98.13
FR32	208 232				3.19	61.52	15.57	5.87	2.25	3.55	2.83	1.80	0.42	0.27	0.15	0.03	3.24	99.32
NA037	208 232			0.019	78.07	0.72	2.65	0.10	0.10	0.18	0.23	0.20	0.02	0.27	13.23	0.71	2.66	99.04
NA038	208 232			0.007	92.54	0.56	0.31	0.10	0.27	0.17	0.17	0.20	0.02	0.14	5.77	0.15	0.43	100.90
NA039	208 232			0.003	88.40	3.36	2.86	0.09	0.09	0.09	0.39	0.30	0.27	0.17	0.29	0.03	2.64	100.90
NA040	208 232			0.002	33.03	0.88	0.64	0.16	0.29	0.17	0.70	0.70	0.02	0.44	42.96	0.01	8.71	88.01
NE2	208 232			1.88	75.79	10.24	3.61	0.77	0.55	2.07	2.07	1.70	0.38	0.18	0.34	0.04	3.74	100.00
NP033	208 232			0.06	79.70	9.81	1.78	0.43	0.42	0.42	2.39	1.90	0.31	0.14	1.01	0.04	1.91	99.34
NP092-B	208 232			0.19	3.27	49.96	18.96	0.06	0.20	0.20	0.31	< 0.10	4.42	0.47	0.23	0.02	10.76	83.81
NG022	208 232			0.39	89.67	4.00	2.92	0.33	0.07	0.07	0.09	0.40	0.52	0.13	0.08	0.01	1.90	100.23
NG046	208 232			0.008	33.03	2.70	12.63	0.12	0.08	0.11	0.80	0.80	0.09	0.23	19.90	0.56	6.72	97.81
SLR-2	208 232			3.45	49.55	14.89	6.04	9.24	14.97	14.97	1.22	0.60	0.24	0.83	0.15	< 0.01	0.47	97.61
SLR10B	208 232	2.91	1.24		3.22	3.11	19.61	0.66	< 0.01	< 0.01	< 0.01	< 0.10	< 0.01	0.11	0.90	< 0.01	12.08	39.83
SLR10C	208 232	0.23	3.45		40.04	0.98	26.75	0.26	0.66	0.26	0.06	0.10	0.01	0.24	0.10	< 0.01	15.02	89.94
SLR12	208 232				2.17	69.67	14.49	3.83	1.32	3.31	4.46	1.70	0.14	0.19	0.07	0.01	1.70	100.50
SCR22	208 232				4.59	48.23	20.38	7.29	3.96	11.42	3.35	1.10	1.06	0.30	0.13	0.02	2.58	99.82
SCR39	208 232				5.83	47.18	15.55	9.81	5.04	8.15	4.34	1.10	1.77	0.50	0.16	0.01	4.30	98.11
SFR01	208 232				8.31	48.53	12.28	13.94	6.38	6.28	2.19	0.80	2.12	0.43	0.27	< 0.01	4.29	97.52
SFR05	208 232				4.55	52.70	13.84	9.83	3.53	7.30	6.17	1.30	1.89	0.59	0.24	0.01	2.70	100.10
SFR28	208 232				4.28	48.78	19.03	7.47	4.02	5.87	4.17	2.50	1.30	0.47	0.13	0.03	4.64	101.40
SV01CR	208 232				1.62	42.29	23.94	2.29	7.20	14.49	1.23	0.70	0.03	0.28	0.03	< 0.01	3.20	97.69
SW03XR	208 232				0.96	67.13	10.91	8.41	0.29	1.11	4.80	5.50	0.51	0.20	0.21	0.01	1.15	100.25
SOR03	208 132			0.002	3.30	52.12	2.71	5.77	16.17	17.90	0.32	< 0.10	0.12	0.16	0.14	< 0.01	0.69	96.21
T-1	208 232					63.60	2.51	1.35	0.47	0.57	0.29	1.40	0.09	0.38	22.06	0.14	5.14	97.90

Blawie

CERTIFICATION :

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS



Chemex Labs Ltd.

Analytical Chemists - Geochemists - Registered Assayers
 1112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 984-0121

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CHOME
 KAEUKICHO SHINJUKU-KU
 TOKYO, JAPAN

Project: JAPAN-RP
 Comments:

Page No. : 1
 Tot. Pages: 1
 Date: 29-JAN-88
 Invoice #: I-8810062
 P.O. #:

CERTIFICATE OF ANALYSIS A8810062

SAMPLE DESCRIPTION	PREP CODE	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	PRO3 %	MnO %	BaO %	LOI %	TOTAL %	S % (Leco)	FeO %	+H2O %	-H2O %
EPOIR	208 232	39.61	0.92	8.17	35.23	0.35	0.17	0.21	0.02	< 0.01	0.10	< 0.01	12.70	97.51	—	2.52	4.52	1.18
EH4R	208 232	39.27	1.60	8.15	35.88	2.36	0.17	0.28	0.03	< 0.01	0.12	< 0.01	9.99	97.88	—	3.59	5.19	0.99
EJ01	208 232	49.56	15.29	8.34	9.30	11.59	1.62	0.50	0.42	0.06	0.17	0.01	2.94	99.81	—	4.63	0.56	2.07
EN02	208 232	46.41	1.43	5.32	1.62	1.53	0.35	0.98	0.04	0.23	29.93	2.33	7.53	97.59	0.058	—	—	—
EN09	208 232	1.98	0.68	0.60	0.63	32.00	0.29	0.42	0.02	0.03	0.43	0.03	41.56	98.68	—	0.83	0.05	0.20
WKO2R	208 232	67.49	13.48	3.92	1.98	2.28	4.45	1.23	0.43	0.13	2.50	0.19	3.04	101.15	—	0.07	1.21	0.51
WLO1R	208 232	48.51	12.63	6.19	3.25	15.36	2.57	0.51	0.53	0.08	0.22	0.02	9.77	99.65	—	3.67	0.80	0.46
WLO14R	208 232	72.17	13.45	3.13	2.23	3.01	3.58	0.79	0.42	0.11	0.29	0.03	2.04	101.25	—	1.43	0.78	0.40
WNO01R	208 232	49.91	15.46	9.52	5.91	10.07	3.19	1.33	0.35	0.12	0.19	0.03	3.91	100.20	—	6.01	1.42	0.56
WNO03R	208 232	51.61	15.40	9.73	5.84	6.64	5.22	0.95	0.56	0.08	0.17	< 0.01	3.68	99.90	—	5.24	2.02	0.99

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION: *W. Blom*



Chemex Labs Ltd.

Analytical Chemists - Geochemists - Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1

PHONE (604) 914-0111

CERTIFICATE OF ANALYSIS A8715076

To: SIMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CHOME
 KABUKICHO SHINJUKU-KU
 TOKYO, JAPAN

Page No. : 1
 Tot. Pages : 1
 Date : 3-JUN-87
 Invoice # : I-8715076
 P.O. # : NONE

Project :
 Comments :

SAMPLE DESCRIPTION	FREP CODE	Cr2O3 %	Ni %	S % (Leuco)	FeO %	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	P2O5 %	MnO %	B2O %	LOI %	TOTAL %
BL55	Z08 232				5.26	48.43	16.89	10.69	6.06	10.18	1.96	0.20	0.64	0.33	0.21	< 0.01	3.35	98.95
BL48	Z08 232				5.14	48.73	18.38	10.92	4.73	10.32	2.22	0.30	0.69	0.51	0.21	< 0.01	1.24	98.46
BL69R	Z08 232				5.68	46.29	19.25	11.32	6.26	11.12	2.34	0.30	0.64	0.30	0.21	< 0.01	2.24	100.80
BL200	Z08 232				3.91	58.47	16.41	7.58	3.14	6.53	2.95	1.10	0.57	0.29	0.16	0.02	1.46	98.68
BL201	Z08 232				6.67	49.93	17.44	10.91	5.75	9.73	1.14	< 0.10	0.72	0.25	0.15	< 0.01	0.34	96.52
BL202	Z08 232				3.35	60.45	16.27	6.63	2.44	5.64	3.07	1.80	0.59	0.29	0.13	0.03	1.07	98.41
BL203	Z08 232				4.50	58.05	15.98	8.34	3.10	6.45	3.07	1.80	0.72	0.37	0.18	0.03	1.10	99.20
BLR04	Z08 232				2.86	59.18	16.18	6.70	2.77	6.40	2.86	1.90	0.61	0.31	0.11	0.03	1.57	98.62
FR21	Z08 232				3.35	54.43	17.40	7.27	3.52	6.21	3.72	1.80	0.52	0.54	0.20	0.03	2.79	98.13
FRJ2	Z08 232				3.19	61.32	15.57	5.87	2.25	5.35	2.85	1.80	0.42	0.27	0.15	0.03	3.24	99.32
NA037	Z08 232			0.019		78.07	0.72	2.65	0.10	0.18	0.23	0.20	0.02	0.27	13.23	0.71	2.66	99.04
NA038	Z08 232			0.007		92.54	0.56	0.51	0.10	0.27	0.17	0.20	0.02	0.14	5.77	0.15	0.45	100.90
NA039	Z08 232			0.005		88.40	3.36	2.86	0.09	0.09	0.39	0.30	0.27	0.17	0.29	0.03	2.64	100.90
NA040	Z08 232			0.002		33.03	0.88	0.64	0.16	0.29	0.17	0.70	0.02	0.44	42.96	0.01	8.71	88.01
NE2	Z08 232				1.88	75.79	10.84	3.61	0.77	0.55	2.07	1.70	0.38	0.18	0.34	0.04	3.74	100.00
NE033	Z08 232				0.06	79.70	9.81	1.78	0.43	0.42	2.39	1.90	0.31	0.14	1.01	0.04	1.91	99.84
NE092-B	Z08 232				0.19	9.96	49.96	18.96	0.06	0.20	0.21	< 0.10	4.42	0.47	0.38	0.02	10.76	88.81
NO22	Z08 232			0.009	0.39	89.67	4.00	2.93	0.39	0.07	0.09	0.40	0.52	0.13	0.09	0.01	1.90	100.15
NO45	Z08 232				53.03	2.70	12.65	0.12	0.12	0.08	0.11	0.80	0.09	0.85	19.90	0.56	6.72	97.61
SLR-2	Z08 232				3.45	49.35	14.89	6.04	9.24	14.97	1.22	0.80	0.24	0.23	0.15	< 0.01	0.47	97.61
SLR10B	Z08 232	2.91	1.24			3.22	3.11	19.61	0.66	< 0.01	< 0.01	< 0.10	< 0.01	0.11	0.90	< 0.01	12.08	99.83
SLR10C	Z08 232	0.23	3.45			40.04	0.98	6.07	26.75	0.56	0.06	0.10	0.01	0.24	0.10	< 0.01	15.02	89.94
SLR12	Z08 232				2.17	69.67	14.49	3.83	1.32	3.31	4.46	1.70	0.14	0.19	0.07	0.01	1.30	100.50
SLR22	Z08 232				4.59	48.23	20.38	7.29	3.96	11.42	3.35	1.10	1.06	0.30	0.13	0.02	2.58	99.82
SLR39	Z08 232				5.43	47.16	15.55	9.81	5.04	8.15	4.54	1.10	1.77	0.50	0.16	0.01	4.30	98.11
SPR01	Z08 232				8.31	48.53	12.28	13.94	6.38	6.28	2.19	0.80	2.12	0.43	0.27	< 0.01	4.29	97.52
SPR05	Z08 232				4.58	53.70	13.84	9.83	3.52	7.30	6.17	1.30	1.89	0.59	0.24	0.01	2.70	100.10
SPR24	Z08 232				4.28	48.78	19.05	7.97	4.02	8.87	4.17	2.50	1.30	0.47	0.13	0.03	4.60	101.40
SW10R	Z08 232				1.62	42.79	23.94	2.29	7.20	14.49	1.23	0.70	0.05	0.26	0.01	< 0.01	3.20	97.98
SW03R	Z08 232				0.96	67.13	10.91	8.41	0.29	1.11	4.80	5.90	0.51	0.20	0.21	< 0.01	1.15	100.25
SWR03	Z08 232			0.002	3.30	52.12	2.71	5.77	16.17	17.90	0.32	< 0.10	0.12	0.16	0.14	< 0.01	0.69	96.21
T-1	Z08 232				63.60	2.51	1.35	0.47	0.47	0.57	0.29	1.40	0.09	0.28	22.06	0.14	5.14	87.90

PLW

CERTIFICATION : *PLW*
 ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS



Chemex Labs Ltd.
Analytical Chemists - Geochemists - Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0771

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CHOME
KABUKICHO SHINJUKU-KU
TOKYO, JAPAN

Project: JAPAN-RP
Comments:

Page No. : 1
Tot. Pages: 1
Date: 29-JAN-88
Invoice #: 1-8810062
P.O. # :

CERTIFICATE OF ANALYSIS A8810062

SAMPLE DESCRIPTION	PREP CODE	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	P2O5 %	MO %	BaO %	LOI TOTAL %	S % (Loss) %	P2O %	H2O %	H2O %
FFOIR	208 232	39.61	0.92	8.17	35.23	0.35	0.17	0.21	0.02	< 0.01	0.10	< 0.01	12.70	97.51	2.52	4.52	1.18
EHAR	208 232	38.27	1.60	8.15	33.88	2.36	0.17	0.78	0.03	< 0.01	0.12	< 0.01	9.99	97.88	3.59	5.19	0.99
EJ01	208 232	49.56	15.29	8.94	9.30	11.59	1.62	0.50	0.42	0.06	0.17	0.01	2.94	99.81	4.03	0.56	2.07
END9	208 232	46.41	1.43	5.32	1.62	1.53	0.55	0.98	0.04	0.23	29.93	2.31	7.43	97.59	0.058		
	208 232	1.98	0.68	0.60	0.63	52.00	0.29	0.42	0.02	0.03	0.43	0.03	41.56	98.68	0.83	0.05	0.20
WKO2R	208 232	67.49	13.48	3.92	1.98	2.28	4.45	1.23	0.43	0.13	2.50	0.19	3.04	101.15	0.07	1.21	0.51
WLO1R	208 232	48.51	12.63	6.19	3.25	15.36	2.57	0.51	0.53	0.08	0.22	0.02	9.77	99.65	3.67	0.80	0.46
WLO4R	208 232	72.17	13.45	3.15	2.25	3.01	3.58	0.79	0.42	0.11	0.29	0.03	2.04	101.25	1.43	0.78	0.40
WNO1R	208 232	49.91	15.46	9.32	5.91	10.07	3.19	1.33	0.55	0.12	0.19	0.03	3.91	100.20	6.01	1.42	0.56
WNO2R	208 232	51.61	15.40	9.73	5.84	6.64	5.22	0.95	0.56	0.08	0.17	< 0.01	3.68	99.90	5.24	2.02	0.99

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION: *W. B. Henderson*

Appendix 7

Result of Ore Assay

Appendix 7 Ore Assay Results



Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers

211 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0111

CERTIFICATE OF ANALYSIS A8715077

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CHOME
KABUKICHO SHINJUKU-KU
TOKYO, JAPAN

Page No. : 1
Tot. Pages : 1
Date : 1-JUN-87
Invoice # : 1-8715077
P.O. # : NONE

Project :
Comments :

SAMPLE DESCRIPTION	PREP CODE	Cu %	Mb %	Pb %	Zn %	Ag g/tonne	Au g/tonne			
A01	207	0.01	<	0.001	0.01	0.02	<	0.07		
BA01	207	0.96		0.012	0.01	0.01		0.14		
BA02	207	2.11		0.001	0.01	0.01		0.07		
BA05	207	0.29		0.265	0.01	0.01		0.07		
BC02	207	3.07		0.001	0.01	0.06	11.8	0.69		
CO1A	207	0.36	0.002	0.01	0.01	0.10	<	0.07		
PD00	207	0.03		0.02	0.01	0.01	10.0	0.96		
PD02	207	0.01		0.01	0.01	0.01	1.0	0.07		
SIBC01	207	0.01	<	0.001	0.01	0.01		0.07		
SIBC02	207	0.01		0.001	0.01	0.01		0.21		
SIM01	207	0.01	0.001	0.01	0.01	0.01	<	0.07		
S130	207	1.42		0.01	0.01	0.01	6.5	0.07		
SVR01A	207	1.58		0.01	0.01	0.05	10.5	0.20		
SVR01B	207	6.52		0.02	0.01	0.01	52.0	0.21		
SVR09	207	0.20		0.01	0.01	0.23	7.0	0.07		
SVR19A	207	3.22		0.01	0.01	5.40	16.5	0.10		
SOR37B	207	0.52		0.02	0.01	0.19	13.3	0.10		
SOR38A	207	0.03		0.01	0.01	0.04	2.3	0.07		

[Handwritten Signature]

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS CERTIFICATION :



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0211

TO: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 7-CHOME
 KABUKICHO SHINJUKU-KU
 TOKYO, JAPAN
 Project: JAPAN-RP
 Comments:

Page No. : 1
 Tot. Pages: 19-JAN-88
 Date : 19-JAN-88
 Invoice # : I-8810061
 P.O. # :

CERTIFICATE OF ANALYSIS A8810061

SAMPLE DESCRIPTION	PREP CODE	Au NAA Ppb	Cu %	Pb %	Zn %	As FA g/tonne				
EJ10	207	177	0.12	0.01	0.01	2.0				
EN06	207	47	0.01	0.01	0.01	1.5				
EN07	207	71	0.01	0.01	0.01	1.0				
EN08	207	48	0.01	0.01	0.01	1.0				
MARPST1	207	510	5.08	11.10	28.6	980.0				
MARPST2	207	19	6.92	0.10	0.21	45.0				
MARPST3	207	50	0.14	0.03	0.09	4.8				

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS.

CERTIFICATION :

W. J. ...



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 113, BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0211

CERTIFICATE OF ANALYSIS A8715077

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CHOME
 KABUKICHO SHINJUKU-KU
 TOKYO, JAPAN

Page No. : 1
 Tot. Pages : 1
 Date : 1-JUN-87
 Invoice # : I-8715077
 P.O. # : NONE

Project :
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Cu %	Mo %	Pb %	Zn %	Ag g/tonne	Au g/tonne			
AO1	207	0.01	<	0.001	0.01	0.02	<	0.07		
BA01	207	0.96	0.012	0.01	0.01	0.01	<	0.14		
BA02	207	2.11	0.001	0.01	0.01	0.01	<	0.07		
BA05	207	0.29	0.265	0.01	0.01	0.01	<	0.07		
BC02	207	3.07	-----	0.01	0.06	0.06	11.8	0.69		
CO1A	207	0.36	0.002	0.02	0.10	0.10	<	0.07		
PD00	207	0.03	-----	0.01	0.01	0.01	10.0	0.96		
PD02	207	0.01	-----	0.01	0.01	0.01	1.0	0.07		
SIBC01	207	0.01	<	0.001	0.01	0.01	-----	0.07		
SIEG02	207	0.01	-----	0.01	0.01	0.01	-----	0.21		
SIR01	207	0.01	0.001	0.01	0.01	0.01	-----	0.07		
SJ139	207	1.42	-----	0.01	0.01	0.01	6.5	0.20		
SVR01A	207	1.58	-----	0.01	0.05	0.05	10.5	0.21		
SVR01B	207	6.52	-----	0.02	0.01	0.01	52.0	0.21		
SVR09	207	0.20	-----	0.01	0.23	0.23	7.0	0.07		
SVR19A	207	3.22	-----	0.02	5.40	5.40	16.5	0.10		
SVR37B	207	0.32	-----	0.01	0.19	0.19	13.3	0.07		
SVR38A	207	0.03	-----	0.01	0.04	0.04	2.3	0.07		

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY D.C. CERTIFIED ASSAYERS

CERTIFICATION :

[Handwritten Signature]



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 112, BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

To: SUMIKO CONSULTANTS COMPANY LIMITED

15-9 2-CHOME
 KABUKICHO SHINJUKU-KU
 TOKYO, JAPAN
 Project: JAPAN-RP

Comments:

Page No. : 1
 Tot. Pages : 1
 Date : 19-JAN-88
 Invoice # : J-8810061
 P.O. # :

CERTIFICATE OF ANALYSIS A8810061

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Cu %	Pb %	Zn %	Ag FA g/tonne				
EJ10	---	177	0.12	0.01	0.01	2.0				
EN06	---	47	0.01	0.01	<<<	1.5				
EN07	---	71	0.01	0.01	<<<	2.0				
EN08	---	48	0.01	0.01	<<<	1.0				
MARPST1	---	510	5.08	11.10	28.6	980.0				
MARPST2	---	19	6.92	0.10	0.21	45.0				
MARPST3	---	50	0.14	0.03	0.09	4.8				

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY D.C. CERTIFIED ASSAYERS

W. Stephenson





CERTIFICATION :





Appendix 8





Histogram and Cumulative Frequency Curve of Stream Sediment Samples





Appendix 8-1





Palawan V (Busuanga)




















GEO. CODE: LF₂










GEO. CODE: LF₂




GEO. CODE: LF₂









TOTAL SPL.






TOTAL SPL.







TOTAL SPL.










Appendix 8-2


Palawan VI (Quezon-Rio Tuba)









TOTAL SPL.











GEO. CODE: UC







GEO. CODE: UC












GEO. CODE: QT











GEO. CODE: QT











GEO. CODE: QT
















GEO. CODE: N1




GEO. CODE: N1







GEO. CODE: N1










GEO. CODE: K











GEO. CODE: K














































Appendix 8-3

Western Negros

GEO.CODE : QdL




GEO.CODE : QdL




Appendix 8-3


GEO.CODE : QdL




GEO.CODE : QdL




GEO.CODE : QdL




GEO.CODE : QdL




GEO.CODE : QdL




GEO.CODE : QdL




GEO.CODE : QdL




GEO.CODE : QAI




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO. CODE : BF




GEO. CODE : BF




GEO. CODE : BF




GEO. CODE : BF




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : PI




GEO.CODE : PI




GEO.CODE : PI




GEO.CODE : PI




GEO.CODE : PI




GEO.CODE : PI




GEO.CODE : PI



GEO.CODE : PI



GEO.CODE : PI



GEO.CODE : PI

