

Appendix 6

Result of Whole Rock Analysis

Appendix 6 Whole Rock Analysis Results



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0121

CERTIFICATE OF ANALYSIS A8715076

To: SUMIKO CONSULTANTS COMPANY LIMITED

Page No. : 1
 Tot. Pages : 1
 Date : 8-JUN-87
 Invoice # : J-8715076
 P.O. # : NONE

16-9, 2-CHOME
 KABUKICHO SHINJUKU-KU
 TOKYO, JAPAN

Project :
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Cr2O3 %	Ni %	S % (Leco)	FeO %	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	P2O5 %	MnO %	BaO %	LOI %	TOTAL %
BL55	208 232				5.26	48.43	16.89	10.69	6.06	10.18	1.96	0.20	0.64	0.33	0.21	< 0.01	3.35	98.95
BL48	208 232				5.14	48.73	18.38	10.92	4.73	10.32	2.22	0.50	0.69	0.51	0.21	< 0.01	1.24	98.46
BL69R	208 232				5.68	46.29	19.23	11.82	6.26	11.12	2.34	0.30	0.64	0.30	0.21	< 0.01	2.24	100.80
BL200	208 232				3.91	38.47	16.41	7.58	3.14	6.53	2.95	1.10	0.57	0.29	0.16	< 0.02	1.46	98.68
BL201	208 232				6.67	49.93	17.44	10.91	5.75	9.78	1.14	< 0.10	0.72	0.23	0.15	< 0.01	0.34	96.52
BL202	208 232				3.35	60.45	16.27	6.63	2.44	5.64	3.07	1.80	0.73	0.29	0.13	0.03	1.07	98.41
BL203	208 232				4.50	58.05	15.98	8.34	3.07	6.45	1.80	0.73	0.37	0.37	0.18	0.03	1.10	99.20
FR04	208 232				2.86	59.18	16.18	6.70	2.77	6.40	2.86	1.90	0.61	0.31	0.11	0.03	1.57	98.62
FR21	208 232				3.35	54.43	17.40	7.27	3.52	6.21	3.72	1.80	0.52	0.34	0.20	0.03	2.79	98.13
FR22	208 232				3.19	61.52	15.57	5.87	2.25	5.33	2.85	1.80	0.42	0.27	0.15	0.03	3.24	99.32
NAO37	208 232					78.07	0.72	2.65	0.10	0.18	0.23	0.20	0.02	0.27	13.23	0.71	2.66	99.04
NAO38	208 232			0.019		92.54	0.56	0.51	0.10	0.27	0.17	0.20	0.02	0.14	5.77	0.15	0.45	100.90
NAO39	208 232			0.007		88.40	5.36	2.86	0.09	0.09	0.39	0.30	0.27	0.17	0.29	0.03	2.64	100.90
NAO40	208 232			0.002		33.03	0.83	0.64	0.16	0.29	0.17	0.70	0.03	0.44	42.96	0.01	3.71	88.01
NE2	208 232				1.88	73.79	10.84	3.61	0.77	0.55	2.07	1.70	0.36	0.18	0.34	0.04	3.74	100.00
NFO33	208 232				0.06	79.70	9.81	1.72	0.43	0.42	2.39	1.90	0.31	0.14	1.01	0.04	1.91	99.84
NFO2-B	208 232				0.19	3.27	49.96	18.98	0.48	0.20	0.21	< 0.10	4.42	0.47	0.38	0.02	10.78	88.81
NKO22	208 232				0.39	89.67	4.00	2.93	0.32	0.07	0.09	0.09	0.40	0.13	0.09	0.01	1.90	100.15
NKO46	208 232			0.008		53.03	2.70	12.63	0.12	0.08	0.11	0.80	0.09	0.85	19.90	0.56	6.72	97.61
SLR-2	208 232				3.45	49.53	14.89	6.04	9.24	14.97	1.22	0.60	0.34	0.23	0.15	< 0.01	0.47	97.61
SLR10B	208 232	2.91	1.24			3.22	3.11	19.61	0.66	< 0.01	< 0.01	< 0.10	< 0.01	0.11	0.90	< 0.01	12.08	39.83
SLR10C	208 232	0.23	3.45			40.04	0.98	6.07	26.75	0.56	0.06	< 0.10	0.01	0.24	0.10	< 0.01	15.02	89.94
SLR12	208 232				2.17	49.67	14.49	3.83	1.32	3.31	4.46	1.70	0.14	0.19	0.07	0.03	1.30	100.50
SCR22	208 232				4.59	48.53	20.35	7.29	3.94	11.42	3.33	1.10	1.06	0.30	0.13	0.02	2.58	99.82
SCR39	208 232				5.83	47.18	15.55	9.81	5.04	8.15	4.54	1.10	1.77	0.50	0.16	0.01	4.30	98.11
SPR01	208 232				8.31	48.58	12.28	13.94	6.38	6.28	2.19	0.80	2.12	0.43	0.27	< 0.01	4.29	97.52
SPR03	208 232				4.55	52.70	13.84	9.83	3.53	7.30	6.17	1.30	1.89	0.59	0.24	0.01	2.70	100.10
SPR28	208 232				4.28	48.78	19.05	7.47	4.03	8.87	4.17	2.50	1.30	0.47	0.13	0.03	4.60	101.40
SV010R	208 232				1.62	42.79	25.94	2.29	7.20	14.49	1.23	0.70	0.05	0.26	0.03	< 0.01	3.20	97.69
SV033R	208 232				0.96	67.13	10.91	8.41	0.29	1.11	4.80	5.50	0.51	0.20	0.21	0.01	1.15	100.25
SVR03	208 232				3.30	52.12	2.71	5.77	16.17	17.90	0.32	< 0.10	0.12	0.16	0.14	< 0.01	0.69	96.21
T-1	208 232			0.002		63.60	2.51	1.35	0.47	0.57	0.29	1.40	0.09	0.28	22.06	0.14	5.14	97.90

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION : *R. Swartz*



Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers

312 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CROME
KABUKICHO SHINJUKU-KU
TOKYO, JAPAN
Project: JAPAN-RT
Comments:

Page No. : 1
Tot. Pages : 1
Date : 29-JAN-88
Invoice # : I-8810062
P.O. # :

CERTIFICATE OF ANALYSIS A8810062

SAMPLE DESCRIPTION	PREP CODE	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	P2O5 %	MnO %	BaO %	LOI %	TOTAL %	S % (Lecc)	FeO %	H2O %	-H2O %
EFOUR	208 232	39.61	0.92	8.17	35.23	0.35	0.17	0.21	0.02	< 0.01	0.10	< 0.01	12.70	97.51	---	2.52	4.52	1.18
ESAR	208 232	39.27	1.60	8.15	35.88	2.36	0.17	0.28	0.03	< 0.01	0.12	< 0.01	9.99	97.88	---	3.59	5.19	0.99
EI01	208 232	49.56	15.29	8.34	9.20	11.59	1.62	0.50	0.42	0.06	0.17	0.01	2.94	99.81	---	4.63	0.56	2.07
EN02	208 232	46.41	1.43	5.32	1.62	1.53	0.33	0.98	0.04	0.23	29.93	2.31	7.43	97.59	0.038	---	---	---
EN09	208 232	1.98	0.68	0.60	0.63	31.00	0.29	0.42	0.02	0.03	0.43	0.03	41.56	98.68	---	0.83	0.05	0.20
NK012R	208 232	67.49	13.48	3.92	1.98	2.28	4.45	1.23	0.43	0.13	2.50	0.19	3.04	101.15	---	0.07	1.21	0.51
NL010R	208 232	48.51	12.63	6.19	3.25	15.36	2.57	0.51	0.53	0.08	0.22	0.02	9.77	99.65	---	3.67	0.80	0.46
NL014R	208 232	72.17	13.45	3.13	2.23	3.01	3.58	0.79	0.42	0.11	0.29	0.03	2.04	101.25	---	1.43	0.78	0.40
NK001R	208 232	49.91	15.46	9.52	5.91	10.07	3.19	1.33	0.55	0.12	0.19	0.03	3.91	100.20	---	6.01	1.42	0.56
NK002R	208 232	51.61	13.40	9.73	5.84	6.64	5.22	0.95	0.56	0.08	0.17	< 0.01	3.68	99.90	---	5.24	2.02	0.99

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION: *W. Glen Anderson*



Chemex Labs Ltd.
 Analytical Chemists - Geochemists - Registered Assayers
 211 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0121

CERTIFICATE OF ANALYSIS A8715076

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9 2-CHOME
 KABUKICHO SHINJUKU-KU
 TOKYO, JAPAN

Page No. : 1
 Tot. Pages : 1
 Date : 8-JUN-87
 Invoice # : 1-3715076
 P.O. # : NONE

Project :
 Comments :

SAMPLE DESCRIPTION	PREP CODE	C-203 %	Ni %	S % (Leco)	P2O %	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	P2O5 %	MnO %	BaO %	LOI %	TOTAL %	
BL55	208 232				5.26	48.43	16.89	10.69	6.06	10.18	1.96	0.20	0.64	0.33	0.21	< 0.01	3.35	98.93	
BL48	208 232				5.14	48.73	18.38	10.92	4.73	10.32	2.22	0.50	0.69	0.51	0.21	< 0.01	1.24	98.46	
BL69R	208 232				5.63	46.29	19.25	11.82	6.26	11.12	2.34	0.30	0.64	0.30	0.31	< 0.01	2.24	100.80	
BL200	208 232				3.91	58.47	16.41	7.38	3.14	6.53	2.95	1.10	0.57	0.29	0.16	< 0.02	1.46	98.58	
BL201	208 232				6.67	49.93	17.44	10.91	5.75	9.78	1.14	< 0.10	0.72	0.25	0.15	< 0.01	0.34	96.52	
BL202	208 232				3.33	60.43	16.27	6.63	2.44	5.64	3.07	1.80	0.59	0.29	0.13	0.03	1.07	98.41	
ER04	208 232				4.30	55.03	15.98	8.34	3.10	6.45	3.07	1.80	0.73	0.37	0.18	0.03	1.10	99.70	
FR21	208 232				2.88	59.18	16.18	6.70	2.77	6.40	2.56	1.90	0.61	0.31	0.11	0.03	1.57	98.62	
FR32	208 232				3.35	54.43	17.40	7.27	3.52	6.21	3.72	1.50	0.52	0.34	0.20	0.03	2.79	98.13	
FR32	208 232				3.19	61.52	15.57	5.87	2.25	5.35	2.85	1.80	0.42	0.27	0.13	0.03	3.24	99.32	
NA037	208 232					78.07	0.72	2.65	0.10	0.18	0.23	0.20	0.02	0.02	0.77	13.23	0.71	2.66	99.04
NA038	208 232			0.019		91.54	0.56	0.51	0.10	0.27	0.17	0.20	0.02	0.14	5.77	0.15	0.45	100.90	
NA039	208 232			0.007		88.40	5.36	2.86	0.09	0.09	0.39	0.30	0.27	0.17	0.29	0.03	2.64	100.90	
NA040	208 232			0.002		33.03	0.88	0.64	0.16	0.29	0.17	0.70	0.02	0.44	42.96	0.01	8.71	88.01	
NE2	208 232				1.88	75.79	10.84	3.61	0.77	0.55	2.07	1.70	0.38	0.18	0.34	0.04	3.74	100.00	
NP033	208 232				0.06	79.70	9.81	1.78	0.43	0.42	2.39	1.90	0.31	0.14	1.03	0.04	1.91	98.84	
NP092-B	208 232				0.19	3.27	49.96	18.96	0.06	0.20	0.21	< 0.10	4.42	0.47	0.38	0.02	10.76	88.81	
NR022	208 232				0.39	89.67	4.00	2.93	0.33	0.07	0.09	0.40	0.52	0.13	0.09	0.01	1.90	100.13	
NR046	208 232			0.009		53.03	2.70	12.63	0.12	0.08	0.11	0.80	0.09	0.85	19.90	0.56	6.72	97.61	
SLR-2	208 232				3.45	49.55	14.89	6.04	9.24	14.97	1.22	0.60	0.24	0.23	0.15	< 0.01	0.47	97.61	
SLR10B	208 232	2.91		1.24		3.22	3.11	19.61	0.66	< 0.01	< 0.01	< 0.10	< 0.01	0.01	0.11	0.90	< 0.01	12.08	39.83
SLR10C	208 232	0.23		3.45		40.04	0.98	6.07	26.75	0.56	0.06	< 0.10	0.10	0.24	0.10	< 0.01	15.02	89.94	
SLR12	208 232				2.17	69.67	14.49	3.83	1.32	3.31	4.46	1.70	0.14	0.19	0.07	0.01	1.30	100.50	
SCR22	208 232				4.58	48.23	20.38	7.29	3.96	11.42	3.25	1.10	1.06	0.30	0.13	0.02	2.58	99.82	
SCR39	208 232				5.83	47.18	15.55	9.81	5.04	8.15	4.34	1.10	1.77	0.50	0.16	0.01	4.30	98.11	
SR01	208 232				8.31	48.53	12.28	13.94	6.38	6.28	2.19	0.80	2.12	0.43	0.27	< 0.01	4.29	97.52	
SR03	208 232				4.55	52.70	13.84	9.83	3.53	7.30	6.17	1.30	1.89	0.59	0.24	0.01	2.70	100.10	
SR08	208 232				4.28	48.78	19.05	7.47	4.02	8.87	4.17	2.50	1.30	0.47	0.13	0.03	4.60	101.40	
SW01R	208 232				1.62	42.29	25.94	2.29	7.20	14.49	1.23	0.70	0.05	0.26	0.03	< 0.01	3.20	97.69	
SW01R	208 232				0.96	67.13	10.91	3.41	0.29	1.11	4.80	5.50	0.51	0.51	0.21	0.01	1.15	100.25	
SR03	208 232				3.30	52.12	2.71	5.77	16.17	17.90	0.32	< 0.10	0.12	0.16	0.14	< 0.01	0.69	96.21	
T-1	208 232			0.002		63.60	2.51	1.35	0.47	0.57	0.29	1.40	0.09	-0.28	22.06	0.14	5.14	97.90	

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :

Plawater



Chemex Labs Ltd.
 Analytical Chemists - Geochemists - Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-3C1
 PHONE (604) 984-0121

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CHOME
 KABUKICHO SHINJUKU-KU
 TOKYO, JAPAN
 Project: JAPAN-RP
 Comments:

Page No. : 1
 Tot. Pages: 1
 Date : 29-JAN-88
 Invoice # : I-8810062
 P.O. # :

CERTIFICATE OF ANALYSIS A8810062

SAMPLE DESCRIPTION	PREP CODE	SiO2 %	Al2O3 %	Fe2O3 %	MgO %	CaO %	Na2O %	K2O %	TiO2 %	P2O5 %	MnO %	BaO %	LOI %	TOTAL %	S % (Lecco)	FeO %	H2O %	-H2O %
EP01R	208 212	39.61	0.92	8.17	35.23	0.15	0.17	0.21	0.02	< 0.01	0.10	< 0.01	12.70	97.51	---	2.52	4.52	1.18
EP01R	208 222	39.27	1.20	8.15	35.88	2.36	0.17	0.28	0.01	< 0.01	0.12	< 0.01	9.98	97.88	---	3.59	5.19	0.99
EP01R	208 232	49.36	15.29	8.34	9.30	11.99	1.62	0.50	0.42	0.06	0.17	0.01	2.94	99.81	---	4.63	0.56	2.07
EP02R	208 222	46.41	1.43	3.32	1.62	1.53	0.35	0.98	0.04	0.23	29.93	2.31	7.43	97.59	0.038	---	---	---
EP09R	208 232	1.98	0.68	0.60	0.63	52.00	0.29	0.42	0.02	0.03	0.43	0.03	41.56	98.68	---	0.83	0.05	0.10
MP01R	208 222	67.49	13.48	3.92	1.98	2.28	4.45	1.23	0.43	0.13	2.50	0.19	3.04	101.15	---	0.07	1.21	0.51
MP01R	208 232	48.51	12.63	6.19	3.25	15.36	2.57	0.51	0.53	0.08	0.22	0.02	9.77	99.65	---	3.67	0.80	0.46
MP01R	208 232	72.17	13.45	3.13	2.23	3.01	3.58	0.79	0.42	0.11	0.29	0.03	2.04	101.25	---	1.43	0.78	0.40
MP001R	208 232	49.91	15.46	9.52	5.91	10.07	3.19	1.33	0.55	0.12	0.19	0.03	3.91	100.20	---	6.01	1.42	0.56
MP001R	208 232	51.61	15.40	9.73	5.84	6.64	5.22	0.95	0.56	0.08	0.17	< 0.01	3.68	99.90	---	5.24	2.02	0.99

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY D.C. CERTIFIED ASSAYERS

CERTIFICATION: *W. Blom Amersfoort*

Appendix 7

Result of Ore Assay

Appendix 7 Ore Assay Results



Chemex Labs Ltd.
 Analytical Chemists • Geochemists • Registered Assayers

312 BROOKSDALE AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 944-0221

CERTIFICATE OF ANALYSIS A8715077

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-0, 2-CHOME
 KABUKICHO SHINJUKU-KU
 TOKYO, JAPAN

Page No. : 1
 Tot. Pages: 1
 Date : 1-JUN-87
 Invoice # : I-8715077
 P.O. # : NONE

Project :
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Cu %	Nb %	Pb %	Zn %	Ag g/tonne	Au g/tonne			
A01	207	0.01	<	0.001	0.01	0.02	<	0.07		
BA01	207	0.96		0.012	0.01	---		0.14		
BA02	207	2.11		0.001	0.01	---		0.07		
BA05	207	0.29		0.265	0.01	---		0.07		
BC02	207	3.07		---	0.01	11.8		0.69		
CO1A	207	0.36		0.002	0.01	---		0.07		
PD00	207	0.03		---	0.01	10.0		0.96		
PD02	207	0.01		---	0.01	---		0.07		
SIBC01	207	0.01		0.001	0.01	---		0.07		
SIBC02	207	0.01	<	0.001	0.01	---		0.21		
SIV01	207	0.01		0.001	0.01	---		0.07		
SJ139	207	1.42		---	0.01	6.5		0.07		
SMR01A	207	1.58		---	0.05	10.5		0.20		
SMR01B	207	6.52		---	0.01	52.0		0.07		
SMR09	207	0.20		---	0.23	7.0		0.07		
SMR19A	207	3.22		---	5.40	16.5		0.10		
SOR37B	207	0.52		---	0.19	13.3		0.10		
SOR38A	207	0.03		---	0.04	2.3		0.07		

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :

[Signature]



Chemex Labs Ltd.

Analytical Chemists - Geochemists - Registered Assayers
212 BROOKSBANE AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 934-0321

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CHOME
KARIKICHO SHINJUKU-KU
TOKYO, JAPAN
Project: JAPAN-RP

Comments:

Page No.: 1
Tot. Pages: 19-JAN-88
Date: 19-8810061
Invoice #: 1-8810061
P.O. #

CERTIFICATE OF ANALYSIS A8810061

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Cu %	Pb %	Zn %	Ag FA g/tonne			
EJ10	207	177	0.12	0.01	0.01	2.0			
EN06	207	47	0.01	0.01	0.01	1.5			
EN07	207	71	0.01	0.01	0.01	2.0			
EN08	207	48	0.01	0.01	0.01	1.0			
MURPST1	207	510	5.08	11.10	28.6	980.0			
MURPST2	207	19	6.92	0.10	0.21	45.0			
MURPST3	207	50	0.14	0.03	0.09	4.8			

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION:

W. Johnston



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0311

CERTIFICATE OF ANALYSIS A8715077

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CHOME
 KABUKICHO SHINJUKU-KU
 TOKYO, JAPAN

Page No. : 1
 Tot. Pages : 1
 Date : 1-JUN-87
 Invoice # : 1-8715077
 P.O. # : NONE

Project :
 Comments :

SAMPLE DESCRIPTION	PREP CODE	Cu %	Mb %	Pb %	Zn %	As g/tonne	Au g/tonne
A01	---	0.01	< 0.001	0.01	0.01	---	< 0.07
BA01	207	0.96	0.012	0.01	0.01	---	0.14
BA02	207	2.11	0.001	0.01	0.01	---	0.07
BA05	207	0.29	0.265	0.01	0.01	---	< 0.07
BC02	207	5.07	---	0.01	0.06	11.8	0.69
CO1A	---	0.36	0.002	0.01	0.10	---	< 0.07
FD00	---	0.03	---	0.01	0.01	10.0	0.96
FD02	---	0.01	---	0.01	0.01	1.0	0.07
SIBC01	---	0.01	0.001	0.01	0.01	---	0.07
SIBG02	---	0.01	0.001	0.01	0.01	---	0.21
SIR01	---	< 0.01	0.001	0.01	0.01	---	0.07
SJ139	---	1.42	---	0.01	0.01	6.5	0.20
SNR01A	---	1.58	---	0.01	0.05	10.5	0.21
SNR01B	---	6.52	---	0.01	0.23	52.0	0.21
SNR09	---	0.20	---	< 0.01	0.23	7.0	< 0.07
SR19A	---	3.22	---	0.01	5.40	16.5	0.10
SOR37B	207	0.52	---	0.02	0.10	13.3	0.10
SOR38A	207	0.03	---	< 0.01	0.04	2.3	< 0.07

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :

P. Swales



Chemex Labs Ltd.
 Analytical Chemists - Geochemists - Registered Assayers
 312 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0121

To: SUMIKO CONSULTANTS COMPANY LIMITED

16-9, 2-CHOME
 KARIKICHO SHINJUKU-KU
 TOKYO, JAPAN
 Project: JAPAN-RP
 Comments:

Page No. : 1
 Tot. Pages : 1
 Date : 19-JAN-88
 Invoice # : I-8810061
 P.O. # :

CERTIFICATE OF ANALYSIS A8810061

SAMPLE DESCRIPTION	PREP CODE	AU NAA ppb	Cu %	Pb %	Zn %	Ag FA g/tonne			
EJ10	207	177	0.12	0.01	0.01	2.0			
EN09	207	47	0.01	0.01	0.01	2.5			
EN07	207	71	0.01	0.01	0.01	2.0			
EN08	207	48	<	0.01	0.01	1.0			
MRPST1	207	510	5.08	11.10	28.6	980.0			
MRPST2	207	19	6.92	0.10	0.21	45.0			
MRPST3	207	50	0.14	0.03	0.09	4.8			

ALL ASSAY DETERMINATIONS ARE PERFORMED OR SUPERVISED BY B.C. CERTIFIED ASSAYERS

CERTIFICATION :





W. Sturman





Appendix 8





Histogram and Cumulative Frequency Curve of Stream Sediment Samples





Appendix 8-1





Palawan V (Busuanga)




















GEO. CODE: LF₂










GEO. CODE: LF₂









GEO. CODE: LF₂




















Appendix 8-2


Palawan VI (Quezon-Rio Tuba)









TOTAL SPL.











GEO. CODE: UC







GEO. CODE: UC












GEO. CODE: QT











GEO. CODE: QT











GEO. CODE: QT
















GEO. CODE: N1




GEO. CODE: N1







GEO. CODE: N1










GEO. CODE: K











GEO. CODE: K






































GEO. CODE: N₂




GEO. CODE: N₂




GEO. CODE: N₂



GEO. CODE: N₂




GEO. CODE: N₂




Appendix 8-3

Western Negros

GEO.CODE : QdL




GEO.CODE : QdL




Appendix 8-3


GEO. CODE : QdL




Ag (ppm)
GEO. CODE : QdL




GEO.CODE : QdL




GEO.CODE : QdL




GEO.CODE : QdL




GEO.CODE : QdL




GEO.CODE : QdL




GEO.CODE : QAI




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO.CODE : CP




GEO. CODE : KF




GEO. CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO. CODE : KF




GEO. CODE : KF




GEO.CODE : KF




GEO.CODE : KF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO. CODE : CF




GEO. CODE : CF




GEO.CODE : CF




GEO.CODE : CF




GEO.CODE : DL




GEO.CODE : DL




GEO. CODE : DL




GEO. CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : DL




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : TC




GEO.CODE : IL




GEO.CODE : IL




GEO. CODE : IL




GEO. CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : IL




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : BF




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : Tcp




GEO.CODE : PI




GEO.CODE : PI




GEO.CODE : PI




GEO.CODE : PI




GEO.CODE : PI




GEO.CODE : PI




GEO.CODE : PI



GEO.CODE : PI



GEO.CODE : PI



GEO.CODE : PI

