

Daily means
Flow m³/s

Year 1969

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	56.08	1.90	4.54	3.64	4.44	3.67	4.39	?	?	6.80	9.50	67.59
2	47.91	1.90	2.53	3.41	8.02	3.70	4.39	?	3.26	6.81	9.50	34.11
3	39.73	1.90	2.56	5.30	5.59	3.87	4.39	?	3.12	3.15	9.50	16.73
4	24.80	1.90	2.49	3.71	4.81	4.56	4.39	?	3.80	3.86	9.85	19.01
5	17.37	1.90	1.82	2.94	3.10	7.28	4.05	?	3.00	4.18	10.89	19.01
6	11.67	1.90	1.57	2.34	2.66	8.11	3.41	?	5.93	4.05	12.07	18.42
7	9.53	1.90	1.48	1.92	2.57	7.22	3.00	?	3.66	3.64	12.46	17.22
8	8.54	1.90	1.25	2.35	1.99	6.65	2.66	?	2.79	2.93	13.95	15.05
9	9.18	1.90	0.99	2.26	1.90	7.42	6.15	?	2.34	2.82	15.58	16.60
10	8.21	1.90	0.87	1.98	1.98	8.21	4.13	?	2.24	7.16	15.01	16.75
11	8.21	1.74	2.19	1.90	2.95	8.15	3.41	?	2.24	7.11	13.95	22.93
12	8.21	1.57	4.76	1.82	7.01	7.15	2.97	?	2.34	4.82	13.49	28.40
13	8.21	1.74	2.56	1.57	9.24	6.41	2.92	?	2.66	5.36	14.53	20.03
14	8.21	1.68	1.82	3.35	9.53	7.82	3.00	?	2.66	11.70	16.60	21.06
15	9.74	3.19	1.46	10.17	8.25	7.15	3.12	?	2.66	12.24	16.33	22.93
16	10.31	1.62	1.46	8.54	5.98	8.33	3.00	?	2.30	8.55	17.98	19.01
17	8.09	1.82	1.51	4.48	5.25	8.54	2.53	?	2.73	8.21	24.97	20.34
18	5.73	1.90	1.42	3.40	4.39	8.21	2.78	?	4.22	8.21	24.39	19.68
19	5.66	1.90	1.56	2.52	8.42	8.21	6.82	?	2.66	8.21	9.48	19.01
20	5.49	1.53	1.57	2.14	15.13	8.21	9.42	?	2.56	8.21	31.59	17.20
21	4.81	1.51	1.57	2.99	50.27	8.21	7.99	?	2.15	8.21	39.14	16.60
22	4.35	1.34	1.34	5.77	31.12	6.40	6.65	?	8.16	8.21	42.47	16.60
23	3.75	1.87	1.16	6.76	16.99	4.63	5.44	?	3.71	8.21	64.65	16.60
24	3.41	2.45	1.37	4.09	8.48	4.67	4.44	?	2.57	8.21	43.48	16.38
25	3.26	8.30	1.51	3.56	7.15	6.73	3.87	?	2.25	8.21	32.75	11.42
26	3.90	4.66	2.88	3.82	10.47	6.65	3.26	?	2.24	8.21	33.51	7.52
27	6.67	3.31	4.05	6.26	19.01	6.14	2.78	?	2.24	8.21	35.69	10.25
28	4.01	2.47	6.91	9.42	8.02	5.92	2.30	?	2.34	8.21	85.72	8.09
29	2.16		3.70	6.76	5.44	6.59	1.94	?	3.19	8.21	60.65	6.27
30	1.90		2.89	4.60	4.43	5.18	1.90	?	3.38	9.18	59.49	6.20
31	1.90		2.73		3.63		1.90	?		9.50		7.09
Min	1.90	1.34	0.87	1.57	1.90	3.67	1.90	?	2.15	2.82	9.48	6.20
Mean	11.32	2.27	2.27	4.12	8.97	6.67	3.98	?	3.08	7.12	26.64	18.52
Max	56.08	8.30	6.91	10.17	50.27	8.54	9.42	?	8.16	12.24	85.72	67.59
												85.72

Daily means
Flow m³/s

Year 1970

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	7.15	9.18	2.24	10.87	4.63	11.04	4.87	0.86	?	9.81	5.00	4.81
2	7.15	8.21	1.92	4.96	4.07	12.45	3.82	1.01	1.83	21.06	4.87	4.76
3	7.95	8.21	1.88	3.48	4.14	9.89	3.42	1.24	3.59	23.76	5.63	4.95
4	8.21	5.34	1.59	3.01	4.39	9.50	2.72	2.81	5.33	11.23	5.50	5.43
5	8.21	4.39	1.57	3.61	5.29	9.18	2.84	1.84	3.73	7.68	5.87	6.31
6	8.54	4.39	1.74	2.55	14.10	8.21	2.77	1.33	3.93	8.91	5.93	6.14
7	9.50	4.35	1.90	3.42	12.41	7.68	?	1.47	9.48	13.81	9.13	12.51
8	9.50	3.58	1.72	6.56	10.74	6.37	?	1.03	4.96	13.58	7.09	9.13
9	9.50	3.13	1.44	16.29	9.18	4.28	?	1.02	2.63	17.26	9.75	4.44
10	10.54	3.12	1.32	6.17	14.13	3.50	?	1.11	10.22	28.68	6.33	4.24
11	10.89	3.26	1.19	4.18	14.37	3.34	?	1.36	4.23	33.81	5.26	4.90
12	11.67	3.70	1.30	3.06	9.35	3.12	?	2.02	3.95	15.08	7.41	4.62
13	12.46	3.56	1.51	2.29	11.30	3.12	?	2.27	27.01	9.24	9.11	5.01
14	12.46	2.90	1.57	2.56	13.55	3.12	?	1.65	30.02	9.77	8.51	6.73
15	12.46	2.15	1.57	2.78	10.54	6.70	?	2.72	5.14	7.09	6.01	4.45
16	12.46	1.90	1.59	3.27	9.18	12.14	?	2.93	4.49	7.23	5.33	10.49
17	12.46	1.90	1.88	5.14	8.01	9.50	?	3.04	6.76	7.13	14.96	8.85
18	12.46	1.90	1.90	2.65	7.45	8.54	?	1.91	6.04	6.46	23.13	16.64
19	12.46	2.15	1.90	2.06	7.42	8.21	?	1.92	6.57	5.61	16.50	20.73
20	12.36	2.26	1.90	1.69	15.33	7.95	?	2.15	7.28	7.24	13.38	13.41
21	10.99	2.87	1.92	2.23	18.75	7.15	?	3.13	6.16	6.14	8.64	8.64
22	11.87	3.32	2.22	6.01	10.89	6.39	?	2.99	18.90	5.89	6.84	7.51
23	10.91	4.16	2.24	12.21	10.14	5.48	?	1.81	11.66	5.66	6.29	6.40
24	9.68	2.89	2.07	4.37	9.98	3.36	2.46	3.08	7.85	5.38	6.32	33.31
25	9.18	2.66	1.13	4.06	10.34	2.74	1.75	2.66	7.74	4.56	6.41	24.83
26	9.18	2.69	1.20	2.59	14.31	4.02	1.60	1.76	6.42	4.89	7.50	27.73
27	9.50	3.06	1.57	2.08	10.69	3.10	1.43	2.73	5.50	4.94	6.77	29.63
28	10.34	2.66	1.89	2.46	9.50	4.21	1.63	3.25	4.29	5.29	6.65	22.85
29	11.58	2.05	2.05	5.84	9.50	4.88	1.61	6.38	4.15	5.60	5.80	14.82
30	10.80	1.52	1.52	8.23	9.69	6.22	1.03	4.44	4.09	5.94	5.33	11.85
31	9.59	20.84	20.84	20.84	10.77	?	0.90	?	?	5.78	?	10.52
Min	7.15	1.90	1.13	1.69	4.07	2.74	0.90	0.86	1.83	4.56	4.87	4.24
Mean	10.39	3.71	2.33	4.69	10.13	6.51	2.28	2.26	7.72	10.47	8.04	11.50
Max	12.46	9.18	20.84	16.29	18.75	12.45	4.87	6.38	30.02	33.81	23.13	33.31
												0.86
												6.91
												33.81

Daily means
Flow m³/s

Year 1971

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	21.08	3.61	6.33	?	3.00	?	2.50	1.14	1.95	1.94	10.26	6.84
2	52.66	3.85	5.00	?	1.78	?	1.83	1.04	2.54	1.89	3.84	13.37
3	56.29	3.41	4.12	?	1.85	?	1.17	4.35	4.21	2.03	2.30	8.19
4	65.41	3.09	3.09	?	2.81	?	1.01	1.74	4.00	1.70	2.11	16.33
5	75.41	3.49	2.98	?	1.58	?	0.87	1.06	8.67	1.38	7.24	18.97
6	59.38	3.80	3.33	?	1.13	?	0.75	1.11	7.68	1.50	11.00	7.07
7	51.71	7.07	3.01	2.85	2.81	?	0.70	1.02	4.35	1.67	6.57	6.37
8	35.77	4.67	1.98	3.36	4.20	?	0.65	1.19	4.14	1.86	11.95	12.98
9	24.06	2.55	1.95	3.40	5.58	?	0.69	1.07	5.52	2.02	7.65	39.50
10	19.11	1.95	2.10	2.58	3.25	?	0.71	0.99	6.76	2.00	5.43	43.43
11	12.28	1.92	1.83	5.63	?	?	0.79	0.95	18.37	1.68	4.86	19.71
12	10.42	2.32	2.26	6.32	?	?	0.84	1.05	11.57	1.94	4.39	31.33
13	9.36	3.09	2.84	2.46	?	?	0.79	1.14	9.16	2.72	4.21	36.02
14	8.87	2.65	4.73	2.12	?	?	0.67	1.23	4.55	3.22	5.09	19.40
15	9.50	2.41	4.14	2.87	?	?	0.70	4.00	2.36	2.95	4.07	11.88
16	7.99	1.90	4.02	3.90	?	0.86	0.68	3.13	2.05	3.76	4.65	9.05
17	7.11	2.30	3.35	4.13	?	0.91	0.68	2.35	1.85	10.97	6.01	10.04
18	6.99	1.84	3.50	3.04	?	0.90	0.75	1.55	2.01	6.31	5.99	20.16
19	6.70	1.72	5.76	2.05	2.01	1.22	0.62	5.62	3.10	3.39	6.23	52.05
20	6.74	1.81	8.38	1.78	2.10	1.33	0.59	9.03	4.88	4.73	5.59	42.68
21	6.58	1.88	15.77	1.99	2.18	0.96	0.67	14.85	6.87	8.13	4.75	45.16
22	6.69	11.02	11.64	1.95	1.73	0.84	0.68	10.46	8.35	4.53	4.89	29.39
23	8.01	39.34	6.39	1.92	3.76	0.75	0.62	5.92	5.75	4.91	4.05	39.32
24	6.72	17.50	4.89	3.37	3.51	0.70	0.60	3.54	5.57	4.43	3.93	36.66
25	5.63	5.59	3.98	3.37	1.16	0.71	0.62	2.61	5.07	3.17	2.99	24.70
26	3.64	11.25	4.00	3.09	2.57	0.78	0.57	2.72	4.16	2.34	2.98	43.08
27	3.25	7.43	4.26	2.54	1.17	0.89	0.77	2.49	3.41	4.04	8.39	31.42
28	3.50	5.45	4.00	1.80	1.44	0.86	0.92	2.14	2.75	4.64	51.88	19.67
29	3.67		3.66	1.59	1.39	2.29	1.02	6.29	2.18	3.97	19.89	11.75
30	3.30		?	2.19	1.53	2.25	1.23	5.05	2.01	4.18	9.83	12.51
31	3.34		?		2.45		1.20	3.25		8.46		10.67
Min	3.25	1.72	1.83	1.59	1.13	0.70	0.57	0.95	1.85	1.38	2.11	6.37
Mean	19.39	5.68	4.60	2.93	2.39	1.08	0.87	3.36	5.19	3.63	7.77	23.54
Max	75.41	39.34	15.77	6.32	5.58	2.29	2.50	14.85	18.37	10.97	51.88	52.05
												0.57
												7.18
												75.41

Year 1972 site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Daily means
Flow m³/s

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	9.66	?	1.92	2.07	8.75	2.21	1.04	1.43	2.12	18.88	4.07	10.39
2	8.49	?	1.55	1.88	9.54	2.33	1.20	1.02	4.06	10.14	3.52	11.04
3	16.55	?	1.46	2.78	6.60	5.38	1.21	0.86	4.71	8.21	3.62	11.60
4	16.87	?	1.15	23.22	6.26	4.52	1.23	5.97	3.39	7.09	2.96	9.77
5	9.52	?	1.01	5.41	6.74	2.86	1.63	4.33	6.40	6.51	3.28	7.97
6	8.06	?	1.18	4.31	7.32	3.21	1.30	1.26	13.63	6.42	3.10	6.66
7	10.32	?	1.27	3.70	9.97	2.34	1.17	1.16	6.11	6.20	3.07	5.94
8	11.58	?	1.59	3.17	7.33	1.71	1.42	1.56	4.27	6.47	2.68	12.56
9	11.03	5.37	1.41	3.92	6.88	1.67	2.75	1.17	3.73	5.90	3.07	7.36
10	9.70	3.25	1.80	2.79	6.95	1.75	2.76	0.87	13.30	7.15	16.87	7.22
11	6.71	2.88	1.79	6.19	6.22	2.28	1.94	0.83	8.28	7.55	39.97	6.86
12	5.32	2.30	1.82	9.26	5.74	11.68	1.08	0.77	13.25	7.31	32.39	7.11
13	5.96	1.67	1.74	15.19	6.46	5.63	0.79	0.84	23.89	6.81	29.98	6.32
14	7.00	2.03	1.86	21.54	6.19	4.00	0.81	2.19	9.86	7.02	28.43	6.03
15	6.93	2.47	1.60	14.07	7.31	2.64	0.87	3.56	7.36	7.78	33.28	8.07
16	6.49	2.25	1.87	8.62	6.79	3.67	2.84	1.52	5.80	7.85	44.59	8.43
17	6.40	2.09	1.66	6.28	4.84	4.65	8.08	1.03	6.12	7.72	46.23	8.57
18	6.02	1.79	1.70	4.34	5.92	4.37	3.85	1.11	5.03	8.56	44.85	?
19	6.18	1.38	1.37	2.45	10.80	4.43	1.79	1.16	7.37	7.97	59.42	?
20	6.27	1.52	1.38	2.30	7.35	5.46	1.20	0.93	9.83	7.89	53.20	?
21	6.69	2.82	?	4.44	6.76	4.14	0.87	11.06	10.09	7.18	49.24	?
22	6.31	5.56	?	5.47	6.23	3.05	0.91	11.43	5.54	6.69	50.22	?
23	5.70	4.08	?	14.37	4.87	2.81	1.02	2.69	6.74	7.77	43.81	?
24	5.29	9.38	?	7.09	4.61	2.44	1.14	2.40	7.58	7.67	40.53	9.05
25	4.28	4.18	?	6.49	4.69	2.35	1.49	5.19	13.40	7.80	37.12	7.54
26	4.13	4.26	?	18.56	10.58	1.94	1.30	4.00	15.38	7.76	39.99	7.31
27	4.09	3.20	?	22.10	5.81	2.12	1.32	3.72	31.67	7.32	37.40	7.74
28	3.97	3.27	?	15.20	5.00	1.43	0.96	3.72	29.37	6.71	15.02	8.93
29	3.71	2.54	1.03	8.92	4.52	1.15	1.02	2.83	17.46	8.36	10.52	8.04
30	3.19	?	0.95	8.57	4.28	1.11	1.19	1.85	21.14	8.69	9.94	7.20
31	3.06	?	1.19	?	2.64	?	1.20	1.52	?	4.82	?	7.05
Min	3.06	1.38	0.95	1.88	2.64	1.11	0.79	0.77	2.12	4.82	2.68	5.94
Mean	7.27	3.25	1.49	8.49	6.58	3.31	1.66	2.76	10.56	7.75	26.41	8.19
Max	16.87	9.38	1.92	23.22	10.80	11.68	8.08	11.43	31.67	18.88	59.42	12.56

Daily means
Flow m³/s

Year 1973

site 4611463 SG. KINTA at KG.RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	6.78	2.18	0.71	1.48	?	?	?	?	?	?	?	?
2	7.77	1.55	0.80	1.12	?	?	?	?	?	?	?	?
3	7.16	1.48	0.71	0.71	?	?	?	?	?	?	?	?
4	8.65	1.81	0.58	0.62	?	?	?	?	?	?	?	?
5	6.46	1.59	0.54	0.74	?	?	?	?	?	?	?	?
6	7.15	1.44	0.52	2.13	?	?	?	?	?	?	?	?
7	6.49	1.28	0.48	2.45	?	?	?	?	?	?	?	?
8	5.42	1.14	0.55	1.92	?	?	?	?	?	?	?	?
9	5.22	0.99	0.67	1.36	?	?	?	?	?	?	?	?
10	5.66	0.92	0.64	1.22	?	?	?	?	?	?	?	?
11	5.47	1.07	0.63	2.60	?	?	?	?	?	?	?	?
12	5.20	0.82	0.55	2.39	?	?	?	?	?	?	?	?
13	5.05	0.73	0.49	2.19	?	?	?	?	?	?	?	?
14	5.04	0.76	0.46	3.06	?	?	?	?	?	?	?	?
15	4.70	0.76	0.49	3.47	?	?	?	?	?	?	?	?
16	4.69	0.85	0.67	2.65	?	?	?	?	?	?	?	?
17	6.04	1.14	0.62	3.12	?	?	?	?	?	?	?	?
18	4.94	1.20	0.57	2.65	?	?	?	?	?	?	?	?
19	4.57	0.66	0.50	2.05	?	?	?	?	?	?	?	?
20	3.73	0.67	0.48	2.64	?	?	?	?	?	?	?	?
21	4.05	0.63	0.52	10.28	?	?	?	?	?	?	?	?
22	5.27	0.59	0.77	6.58	?	?	?	?	?	?	?	?
23	2.84	0.73	1.02	?	?	?	?	?	?	?	?	?
24	1.47	0.82	0.55	?	?	?	?	?	?	?	?	?
25	1.19	0.80	0.55	?	?	?	?	?	?	?	?	?
26	1.99	0.66	0.71	?	?	?	?	?	?	?	?	?
27	2.89	2.44	1.13	?	?	?	?	?	?	?	?	?
28	2.94	2.20	0.68	?	?	?	?	?	?	?	?	?
29	2.22		0.60	?	?	?	?	?	?	?	?	?
30	2.02		2.41	?	?	?	?	?	?	?	?	?
31	2.32		1.93	?	?	?	?	?	?	?	?	?
Min	1.19	0.59	0.46	0.62	?	?	?	?	?	?	?	0.46
Mean	4.69	1.14	0.73	2.61	?	?	?	?	?	?	?	2.30
Max	8.65	2.44	2.41	10.28	?	?	?	?	?	?	?	10.28

Daily means Flow m³/s Year 1975 site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	?	?	3.03	4.48	5.81	9.30	5.35	?	?	?	4.59	3.85
2	?	3.67	3.42	4.72	7.54	8.65	4.77	?	?	?	3.82	3.60
3	?	4.10	3.21	5.88	6.07	6.97	4.46	?	?	?	5.10	3.29
4	?	4.04	17.66	20.84	5.04	21.49	4.33	?	?	?	4.02	3.43
5	?	3.79	8.75	13.14	4.97	10.83	5.28	?	?	?	3.15	4.16
6	?	3.48	5.45	24.04	7.04	7.62	4.51	?	?	?	9.35	8.93
7	?	3.16	16.21	8.24	16.12	7.21	21.40	?	?	?	11.07	32.16
8	?	2.93	13.84	20.84	22.26	6.72	15.88	?	?	?	18.66	12.06
9	?	3.05	6.56	9.82	10.11	6.19	8.06	?	?	?	15.37	12.53
10	?	3.24	5.38	6.72	6.36	6.22	7.11	?	?	?	13.94	11.10
11	?	4.35	3.97	5.64	7.46	5.84	5.89	?	?	?	8.93	12.73
12	?	4.96	3.45	5.21	7.97	6.33	5.42	?	?	?	6.84	7.80
13	?	8.16	3.36	5.08	6.44	5.98	6.69	?	?	?	5.76	6.45
14	?	8.20	3.02	4.76	5.28	5.69	16.96	?	?	?	5.14	7.48
15	?	5.33	2.56	4.64	5.01	14.67	12.13	?	?	?	4.54	6.06
16	?	4.11	2.41	4.55	5.40	9.21	9.06	?	?	?	5.98	5.44
17	?	3.65	2.48	4.13	6.66	7.13	?	?	?	?	7.02	4.80
18	?	3.42	2.55	?	14.05	6.17	?	?	?	?	4.64	4.21
19	?	3.77	5.63	?	8.03	6.89	?	?	?	?	5.27	4.28
20	?	2.71	6.83	6.41	8.06	5.55	?	?	?	?	5.88	16.12
21	5.75	2.63	7.08	13.43	16.82	5.28	?	?	?	?	4.94	35.89
22	5.34	2.47	5.92	9.86	13.33	5.53	?	?	?	?	6.58	10.51
23	5.35	2.38	3.81	8.33	8.49	4.92	?	?	?	?	4.83	9.82
24	?	5.28	4.88	6.38	7.82	4.79	?	?	?	2.24	4.41	12.02
25	?	2.73	6.86	10.81	7.56	4.59	?	?	?	2.29	4.35	13.76
26	?	5.79	9.73	12.95	11.66	4.53	?	?	?	2.66	3.80	11.08
27	?	4.78	6.60	7.54	11.12	4.07	?	?	?	2.22	4.47	23.04
28	?	2.97	?	5.54	7.96	7.24	?	?	?	6.66	8.65	19.87
29	?	?	?	5.13	6.80	12.77	?	?	?	10.15	7.06	12.63
30	?	?	4.02	5.19	34.75	8.26	?	?	?	13.23	4.59	11.34
31	?	?	4.87	?	13.02	?	?	?	?	12.00	?	10.54
Min	5.34	2.38	2.41	4.13	4.97	4.07	4.33	?	?	2.22	3.15	3.29
Mean	5.48	4.04	5.98	8.73	9.84	7.55	8.58	?	?	6.43	6.76	11.00
Max	5.75	8.20	17.66	24.04	34.75	21.49	21.40	?	?	13.23	18.66	35.89

Daily means
Flow m³/s

Year 1976

site 4611463 SG. KINTA at KG.RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	7.85	3.89	2.58	2.29	4.32	5.21	2.89	3.00	4.58	8.58	19.10	10.80
2	6.85	3.74	2.22	2.54	16.57	4.12	2.71	3.05	3.79	11.14	15.74	15.71
3	8.79	3.53	2.24	3.78	14.71	5.23	2.56	2.99	5.18	8.02	11.80	9.48
4	13.36	7.73	2.05	3.04	6.67	6.62	3.56	2.61	3.93	8.12	11.51	8.54
5	6.40	6.66	2.01	4.18	11.49	11.36	4.89	2.52	3.00	6.39	10.27	7.94
6	5.87	3.56	1.95	4.31	10.05	9.78	7.32	2.35	2.50	14.45	22.14	7.49
7	5.61	3.24	1.97	6.36	7.32	9.71	13.99	2.26	2.32	22.43	38.31	7.36
8	5.76	3.04	3.18	4.85	5.49	6.80	9.62	2.14	2.38	39.73	21.71	7.99
9	4.93	3.11	3.53	6.12	5.55	9.33	16.77	2.31	9.68	14.95	17.45	8.04
10	4.84	2.92	2.72	5.53	19.86	10.22	12.42	2.02	9.75	11.73	19.88	7.78
11	4.44	2.80	2.45	3.39	10.76	5.04	6.24	1.99	3.28	8.77	14.81	11.24
12	5.61	2.77	2.30	2.58	7.00	4.53	8.44	3.01	2.67	12.98	13.53	9.98
13	9.93	2.84	1.96	2.66	6.26	4.90	8.37	2.96	2.89	9.04	11.53	7.11
14	7.49	2.61	13.85	3.38	7.42	3.84	6.82	1.93	2.62	8.00	9.32	6.45
15	7.09	3.11	12.89	6.40	5.99	3.64	6.29	2.30	2.74	7.61	11.47	6.61
16	6.71	2.52	2.73	5.01	4.81	3.49	5.41	2.58	3.03	6.92	19.49	6.20
17	6.16	2.53	2.91	4.64	4.29	4.12	4.29	6.34	8.34	7.17	11.39	6.03
18	5.62	2.50	2.55	4.06	4.08	6.26	4.01	5.77	5.53	6.04	8.58	6.87
19	5.20	2.47	3.08	5.14	3.68	5.13	3.80	6.59	6.67	6.13	7.90	10.12
20	4.92	2.38	2.68	3.93	3.88	3.52	3.67	3.10	4.28	5.54	7.98	6.60
21	4.67	2.38	1.94	3.00	5.62	3.17	4.84	9.45	5.94	5.29	7.65	6.13
22	4.51	2.37	3.37	3.78	4.09	2.90	4.79	4.41	6.49	5.46	10.74	6.17
23	4.44	2.35	7.10	8.16	3.55	4.77	4.69	3.24	4.37	9.03	13.83	7.43
24	4.15	2.37	4.22	4.40	3.34	4.92	5.98	3.03	3.72	6.98	9.83	9.47
25	4.14	2.30	6.48	3.93	3.22	5.13	3.94	14.85	4.21	5.40	8.03	14.15
26	4.01	2.22	5.34	9.30	2.75	7.12	3.34	19.65	6.68	4.81	34.52	12.66
27	3.66	2.35	5.75	15.68	2.70	4.11	6.36	12.15	5.95	6.58	11.59	8.51
28	3.71	3.03	5.65	17.97	2.77	4.48	6.68	26.16	20.89	6.18	28.32	6.85
29	4.49	3.42	4.48	6.85	3.35	3.63	3.81	6.83	13.44	37.07	27.00	8.14
30	4.16		3.09	5.95	11.14	3.10	3.35	4.92	9.24	20.96	14.20	6.32
31	3.63		2.61		5.78		3.18	4.53		17.86		7.31
Min	3.63	2.22	1.94	2.29	2.70	2.90	2.56	1.93	2.32	4.81	7.65	6.03
Mean	5.77	3.13	3.93	5.44	6.73	5.54	5.97	5.52	5.67	11.27	15.65	8.44
Max	13.36	7.73	13.85	17.97	19.86	11.36	16.77	26.16	20.89	39.73	38.31	15.71
												1.93
												6.93
												39.73

Year 1977 site 4611463 SG. KINTA at KG.RAMBUTAN, PERAK

Daily means
Flow m³/s

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	6.16	2.69	5.66	1.56	1.58	2.14	3.10	1.34	2.83	4.29	37.31	6.97
2	13.33	2.54	2.53	1.56	1.45	2.43	6.34	1.37	2.53	6.09	35.92	6.52
3	6.51	2.93	3.08	1.52	1.38	2.28	2.67	1.70	2.23	41.46	27.09	6.05
4	6.19	2.48	2.43	1.75	1.75	3.17	7.68	2.41	2.00	20.35	28.21	10.30
5	6.05	2.44	2.42	1.91	1.36	3.41	6.59	1.46	1.85	10.85	27.55	10.80
6	5.91	2.34	1.96	1.57	3.99	7.17	4.86	1.47	3.67	55.49	52.54	13.58
7	5.77	2.38	1.80	1.51	2.16	15.61	2.83	1.95	4.45	24.73	50.00	11.49
8	5.63	2.34	1.59	1.69	2.18	6.88	2.58	3.85	2.88	22.48	26.41	8.76
9	5.49	2.73	1.60	2.01	2.85	16.85	3.10	3.05	2.14	35.34	18.25	7.32
10	5.34	2.65	1.72	2.00	2.61	21.04	4.66	1.66	2.62	60.71	15.87	17.83
11	5.20	6.19	1.60	1.68	1.71	25.50	3.33	1.42	1.86	57.35	14.45	25.61
12	5.06	5.46	1.49	2.37	1.95	5.95	6.60	1.53	1.71	52.17	16.17	9.30
13	4.92	4.77	1.79	2.81	5.68	4.91	10.18	1.74	6.19	30.99	13.62	8.00
14	4.78	4.42	1.68	2.85	4.13	4.35	3.69	1.93	8.33	36.91	14.69	9.22
15	4.64	3.74	1.69	3.64	5.45	5.43	2.87	4.17	3.65	30.41	11.52	7.60
16	4.50	3.64	1.83	12.53	4.60	4.58	2.47	3.17	2.86	30.78	9.66	8.75
17	4.35	3.55	2.12	4.19	2.12	3.21	2.22	1.74	4.14	50.03	9.48	18.04
18	4.09	3.45	1.95	1.85	1.91	4.01	2.02	2.00	4.60	43.18	10.11	16.42
19	4.05	3.35	1.65	1.51	1.80	2.76	1.94	4.00	4.56	26.51	11.31	9.58
20	3.86	3.26	1.65	1.50	1.64	2.63	1.69	10.20	2.54	28.16	10.02	7.02
21	3.72	3.16	2.54	1.38	1.62	2.66	1.57	4.89	2.15	16.45	8.98	9.19
22	3.55	3.06	2.62	2.28	1.60	2.76	1.49	2.73	1.85	36.84	11.88	9.10
23	3.34	2.97	1.70	1.66	2.40	2.07	1.46	2.23	2.59	46.17	11.90	8.07
24	3.22	2.87	1.62	1.73	3.42	2.00	1.43	2.66	6.32	43.15	8.93	9.49
25	2.89	2.78	1.76	1.62	3.86	1.88	1.37	2.36	3.17	42.40	12.18	7.28
26	2.94	2.68	2.27	1.72	3.41	1.68	2.19	13.99	2.48	44.81	12.48	6.30
27	2.90	2.58	1.62	4.37	7.81	3.14	3.43	9.74	8.30	23.77	10.33	6.20
28	3.12	7.25	1.67	4.01	3.65	1.66	1.73	5.67	8.85	23.39	9.28	6.29
29	3.18		1.63	1.81	3.06	1.97	1.78	3.06	5.98	33.82	17.10	5.78
30	2.79		1.64	2.04	2.01	2.23	1.63	3.87	4.64	62.80	9.33	5.45
31	2.76		1.58		3.22		1.40	3.23		53.25		5.22
Min	2.76	2.34	1.49	1.38	1.36	1.66	1.37	1.34	1.71	4.29	8.93	5.22
Mean	4.72	3.38	2.03	2.49	2.85	5.54	3.25	3.44	3.80	35.33	18.42	9.60
Max	13.33	7.25	5.66	12.53	7.81	25.50	10.18	13.99	8.85	62.80	52.54	25.61
												1.34
												7.94
												62.80

Daily means Flow m³/s Year 1978 site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	4.17	2.34	?	?	3.38	2.62	2.76	0.83	1.01	1.14	13.07	2.80
2	3.48	2.33	?	2.51	2.22	2.93	2.08	0.78	0.78	15.96	13.25	2.96
3	3.29	2.23	?	1.78	2.01	6.20	1.85	1.02	0.72	3.11	23.50	15.18
4	3.42	2.12	?	1.70	2.11	3.62	2.10	2.13	2.06	1.71	20.96	4.21
5	3.11	2.04	?	1.73	2.08	4.97	2.03	1.90	8.28	1.75	13.48	3.55
6	2.79	2.04	?	1.77	5.18	6.91	2.84	1.04	7.14	3.40	13.68	4.44
7	2.96	2.45	?	2.73	3.87	4.27	2.78	0.92	2.83	3.04	10.68	5.54
8	3.39	3.86	?	2.53	2.49	10.11	2.82	0.87	2.72	1.52	9.79	6.26
9	6.25	2.51	1.58	3.38	4.95	3.88	1.97	0.74	2.72	1.98	9.69	6.16
10	5.87	2.27	1.70	2.10	10.08	3.81	1.69	0.72	1.63	3.57	7.90	7.68
11	4.01	2.02	1.74	1.53	6.41	3.15	1.52	0.89	1.93	12.42	6.96	7.37
12	4.95	1.92	2.99	1.38	6.74	2.93	1.49	0.79	1.31	3.94	7.97	5.56
13	5.46	2.28	2.69	1.58	12.74	2.67	1.46	1.71	1.51	2.49	8.35	4.22
14	4.68	1.91	1.62	2.50	9.45	2.46	2.53	0.97	1.77	2.20	8.61	3.80
15	3.31	1.99	1.51	5.62	5.30	2.33	5.02	2.33	1.19	1.99	8.63	3.57
16	3.76	2.06	1.56	4.25	3.93	2.28	5.51	0.99	1.21	1.93	17.13	3.01
17	14.56	1.84	1.67	2.46	3.33	2.25	2.68	0.79	0.91	2.63	13.15	3.02
18	16.55	1.83	2.24	2.85	6.30	2.08	1.87	1.45	0.82	3.85	9.48	2.68
19	10.84	2.21	3.53	4.93	3.68	2.08	3.04	0.77	0.76	8.13	13.70	2.50
20	5.16	1.95	1.69	4.35	10.29	3.30	1.81	0.70	0.70	10.37	9.72	2.44
21	4.24	1.99	1.57	3.58	21.67	5.00	3.25	5.09	0.75	8.14	7.15	3.05
22	4.16	1.96	6.19	3.02	17.77	2.39	4.49	2.29	5.13	5.67	7.75	3.16
23	3.50	2.67	4.38	2.37	8.33	2.25	9.17	1.43	11.04	10.62	6.81	2.44
24	3.08	2.09	1.89	5.60	5.90	2.21	4.73	1.25	6.78	20.65	5.84	2.91
25	2.85	1.74	1.77	4.45	4.80	2.15	2.22	1.28	3.71	22.41	5.06	2.34
26	2.97	1.72	?	5.19	4.22	1.97	1.63	1.14	1.88	14.38	4.46	1.93
27	2.64	2.71	?	3.78	4.43	4.69	1.69	1.13	1.49	9.71	3.94	1.89
28	2.45	2.27	?	2.43	4.76	2.98	1.33	2.63	2.40	14.68	3.41	2.00
29	2.57	?	?	2.01	3.48	4.56	1.20	1.94	1.21	12.55	3.06	1.83
30	3.20	?	?	3.17	3.06	2.56	1.08	1.54	1.00	12.50	2.88	2.20
31	3.11	?	?	?	2.90	?	0.95	1.72	?	10.96	?	1.66
Min	2.45	1.72	1.51	1.38	2.01	1.97	0.95	0.70	0.70	1.14	2.88	1.66
Mean	4.73	2.19	2.37	3.01	6.06	3.52	2.63	1.41	2.58	7.40	9.67	3.95
Max	16.55	3.86	6.19	5.62	21.67	10.11	9.17	5.09	11.04	22.41	23.50	15.18
												0.70
												4.21
												23.50

Year 1979 site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Daily means
Flow m³/s

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	1.55	1.16	1.17	4.06	4.24	1.81	2.54	5.58	4.57	2.39	5.17	11.40
2	1.72	1.18	1.09	3.87	6.70	3.91	2.35	5.03	5.22	2.12	4.17	9.78
3	1.65	1.05	1.09	3.60	10.23	3.56	2.38	4.69	13.56	2.07	4.60	12.38
4	2.69	0.98	1.06	3.98	5.17	2.63	2.15	4.55	24.60	2.01	3.65	18.10
5	3.52	1.00	1.07	4.00	10.16	2.74	2.20	4.31	6.47	1.93	4.46	17.24
6	1.60	1.61	1.08	2.01	8.71	2.98	2.24	4.04	3.78	2.41	6.43	12.45
7	1.52	9.31	1.06	4.30	9.77	9.00	2.12	3.63	2.73	2.21	5.40	9.58
8	1.26	3.45	1.15	3.88	10.35	16.85	2.00	3.40	2.41	1.93	4.03	7.91
9	1.18	1.68	1.53	1.74	5.71	12.20	1.97	3.27	2.26	2.02	4.68	6.98
10	1.09	1.34	1.42	4.75	4.61	9.47	1.87	3.15	4.27	1.75	15.84	6.36
11	1.03	1.33	1.10	6.62	5.47	6.49	2.15	3.32	5.22	1.80	13.33	6.25
12	0.96	1.27	1.11	3.43	5.92	11.51	1.98	3.07	11.19	6.21	11.93	7.42
13	0.96	4.45	1.02	12.25	4.68	18.44	2.29	2.82	13.37	4.97	10.41	6.18
14	1.02	2.53	1.46	4.10	3.43	11.65	3.49	2.64	8.94	5.21	9.50	5.12
15	1.22	1.46	1.75	2.54	2.99	12.66	2.27	2.52	8.74	3.12	22.98	4.71
16	1.22	1.71	1.52	2.17	2.85	8.02	2.08	2.73	10.98	3.55	23.69	4.47
17	1.17	1.63	1.60	1.98	2.68	7.75	2.52	2.49	10.65	2.61	22.27	4.28
18	1.21	1.35	2.81	1.88	2.74	7.66	3.22	2.37	8.74	2.77	21.61	4.47
19	1.20	1.34	2.91	1.89	2.83	12.09	3.71	3.50	7.65	2.79	19.64	4.72
20	1.19	1.70	1.29	2.22	2.85	14.97	3.73	7.15	4.80	3.32	26.40	4.14
21	1.20	1.74	1.22	3.19	4.77	7.05	24.18	4.29	3.96	4.67	24.42	3.56
22	1.25	1.26	1.07	5.00	4.05	5.48	15.12	2.94	3.53	2.58	29.36	3.27
23	1.78	1.23	0.99	14.38	2.33	4.75	14.04	2.34	3.68	2.26	16.22	3.18
24	5.26	1.72	?	4.82	2.60	4.12	11.27	2.29	3.69	2.99	17.71	3.08
25	1.75	5.41	?	3.58	1.76	5.11	46.55	2.52	3.74	8.79	14.37	2.78
26	1.41	3.32	?	4.77	1.68	3.45	25.39	4.36	4.38	15.68	21.74	2.56
27	1.26	2.30	0.72	4.50	3.70	3.06	19.52	3.02	2.51	9.46	23.57	2.46
28	1.15	1.35	0.72	4.07	4.48	2.82	11.09	2.42	7.47	7.27	29.48	2.29
29	1.30		1.78	3.42	3.03	2.58	8.78	2.51	6.33	3.98	14.92	2.21
30	1.31		10.88	3.62	3.08	2.50	7.34	4.09	2.88	2.93	15.59	2.64
31	1.26		10.21		2.65		6.17	5.22		4.07		3.40
Min	0.96	0.98	0.72	1.74	1.68	1.81	1.87	2.29	2.26	1.75	3.65	2.21
Mean	1.54	2.14	2.00	4.22	4.72	7.24	7.70	3.56	6.74	3.93	14.92	6.30
Max	5.26	9.31	10.88	14.38	10.35	18.44	46.55	7.15	24.60	15.68	29.48	18.10
												0.72
												5.44
												46.55

Daily means
Flow m³/s

Year 1980

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
1	3.80	4.30	3.83	4.91	2.73	6.96	5.24	5.64	4.98	8.23	11.97	22.10
2	3.14	3.76	4.61	6.07	2.74	7.53	4.93	8.70	4.48	14.05	18.04	16.49
3	3.01	3.08	5.83	3.78	2.78	7.24	3.72	6.52	9.97	11.54	15.75	15.46
4	2.87	2.91	3.56	3.25	12.84	7.79	3.98	14.09	8.05	9.22	16.03	15.35
5	2.86	2.68	2.96	2.89	9.36	14.39	4.49	11.84	7.15	10.71	14.69	14.44
6	3.26	2.44	3.99	2.53	17.42	13.22	2.94	7.76	7.43	11.26	13.68	13.91
7	3.03	2.26	3.43	2.73	11.34	13.24	2.89	7.91	5.22	18.35	17.43	13.54
8	2.73	2.24	4.06	2.38	8.59	11.63	3.04	6.43	5.50	27.05	16.38	13.69
9	2.49	1.93	3.71	4.84	7.79	9.05	9.39	12.77	4.78	35.75	16.74	17.66
10	2.39	1.87	2.59	5.49	7.44	8.29	4.41	13.13	7.74	44.94	17.07	24.10
11	3.21	1.78	2.33	3.13	7.04	7.83	3.33	14.42	6.09	22.53	16.98	17.78
12	3.64	1.79	2.83	2.72	7.22	7.64	3.72	12.14	5.61	20.52	16.46	19.07
13	2.52	1.75	2.45	5.21	7.51	12.13	5.63	8.99	4.22	21.97	15.46	18.33
14	2.96	1.93	1.99	5.31	9.94	12.62	6.79	7.81	3.89	20.76	16.83	15.39
15	2.44	1.60	3.09	5.19	11.54	9.85	3.93	7.26	3.60	19.47	14.78	14.98
16	2.26	1.68	6.39	2.97	7.81	9.40	3.81	6.29	3.51	19.73	13.08	13.80
17	2.17	1.69	9.36	2.51	6.47	9.77	6.18	12.46	5.43	38.65	14.04	13.30
18	2.27	1.65	7.96	2.22	5.41	7.99	7.13	8.01	10.87	23.33	18.00	12.89
19	2.76	1.67	6.87	2.10	6.22	6.32	4.01	6.86	16.14	20.85	17.12	12.75
20	2.94	1.66	6.59	2.01	8.75	5.70	3.31	9.57	10.83	18.62	15.59	12.71
21	2.31	1.67	5.61	2.73	5.69	4.45	3.13	10.96	9.86	16.87	15.56	12.42
22	2.29	4.63	3.84	3.18	4.84	5.84	3.08	9.18	8.29	16.00	14.65	13.87
23	2.08	6.51	4.55	3.02	4.43	10.05	2.81	9.83	10.63	14.91	15.72	12.73
24	2.10	3.89	4.21	3.76	4.59	8.41	2.58	7.97	9.88	15.18	15.37	12.00
25	2.13	2.72	3.18	2.81	6.63	9.14	4.87	7.52	10.99	14.14	16.02	11.98
26	2.95	4.51	3.14	3.94	8.04	7.17	2.81	6.85	11.63	13.38	15.18	15.60
27	18.67	11.68	2.98	4.87	7.95	5.51	4.22	5.45	12.36	12.87	14.56	14.72
28	5.45	6.45	7.50	4.76	9.69	4.82	3.03	4.87	11.05	12.60	14.06	11.71
29	3.91	3.71	4.21	3.46	8.52	4.34	2.84	6.12	10.40	14.40	14.13	10.99
30	2.84		6.36	3.08	8.24	3.93	3.19	8.99	8.60	13.11	18.60	10.25
31	2.86		4.61		8.03	4.21	4.21	5.66		12.71		10.07
Min	2.08	1.60	1.99	2.01	2.73	3.93	2.58	4.87	3.51	8.23	11.97	10.07
Mean	3.37	3.12	4.47	3.59	7.66	8.41	4.18	8.77	7.97	18.51	15.67	14.65
Max	18.67	11.68	9.36	6.07	17.42	14.39	9.39	14.42	16.14	44.94	18.60	24.10
												1.60
												8.39
												44.94

Year 1981 site 4611463 SG. KINTA at KG.RAMBUTAN, PERAK

Daily means
Flow m³/s

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	10.97	9.58	9.71	9.84	9.98	10.12	10.25	10.39	10.53	10.66	10.80	10.94
2	10.87	9.58	9.71	9.85	9.98	10.12	10.26	10.39	10.53	10.67	10.81	10.94
3	10.57	9.59	9.71	9.85	9.99	10.13	10.26	10.40	10.54	10.67	10.81	10.94
4	10.08	9.59	9.72	9.86	9.99	10.13	10.26	10.40	10.54	10.68	10.81	10.95
5	9.46	9.60	9.72	9.86	10.00	10.13	10.27	10.41	10.55	10.68	10.82	10.95
6	9.46	9.60	9.73	9.87	10.00	10.14	10.28	10.41	10.55	10.69	10.82	10.96
7	9.47	9.61	9.74	9.88	10.01	10.15	10.28	10.42	10.56	10.69	10.83	10.96
8	9.47	9.61	9.74	9.88	10.01	10.15	10.28	10.42	10.56	10.69	10.83	10.97
9	9.48	9.62	9.74	9.88	10.01	10.15	10.29	10.43	10.56	10.70	10.84	10.98
10	9.48	9.62	9.75	9.88	10.02	10.16	10.29	10.43	10.57	10.70	10.84	10.98
11	9.49	9.63	9.75	9.89	10.02	10.16	10.30	10.43	10.57	10.71	10.85	10.98
12	9.49	9.63	9.75	9.89	10.03	10.17	10.30	10.44	10.58	10.71	10.85	10.98
13	9.50	9.63	9.76	9.90	10.03	10.17	10.30	10.44	10.58	10.72	10.86	10.99
14	9.50	9.64	9.76	9.90	10.04	10.18	10.31	10.45	10.59	10.72	10.86	10.99
15	9.50	9.64	9.77	9.91	10.04	10.18	10.31	10.45	10.59	10.73	10.86	11.00
16	9.51	9.65	9.77	9.91	10.05	10.18	10.32	10.46	10.60	10.73	10.87	11.00
17	9.51	9.65	9.78	9.92	10.05	10.19	10.32	10.46	10.60	10.73	10.87	11.01
18	9.52	9.66	9.78	9.92	10.05	10.19	10.33	10.47	10.60	10.74	10.88	11.01
19	9.52	9.66	9.79	9.92	10.06	10.20	10.33	10.47	10.61	10.74	10.88	11.02
20	9.53	9.67	9.79	9.93	10.06	10.20	10.34	10.47	10.61	10.75	10.89	11.02
21	9.53	9.67	9.79	9.93	10.07	10.21	10.34	10.48	10.62	10.75	10.89	11.02
22	9.54	9.67	9.80	9.94	10.07	10.21	10.35	10.48	10.62	10.76	10.90	11.03
23	9.54	9.68	9.80	9.94	10.08	10.22	10.35	10.49	10.63	10.76	10.90	11.03
24	9.54	9.68	9.81	9.95	10.08	10.22	10.35	10.49	10.63	10.77	10.90	11.04
25	9.55	9.69	9.81	9.95	10.09	10.22	10.36	10.50	10.64	10.77	10.91	11.04
26	9.55	9.69	9.82	9.96	10.09	10.23	10.36	10.50	10.64	10.77	10.91	11.05
27	9.56	9.70	9.82	9.96	10.09	10.23	10.37	10.51	10.64	10.78	10.92	11.05
28	9.56	9.70	9.83	9.96	10.10	10.24	10.37	10.51	10.65	10.78	10.92	11.06
29	9.57		9.83	9.97	10.10	10.24	10.38	10.52	10.65	10.79	10.93	11.06
30	9.57		9.84	9.97	10.11	10.25	10.38	10.52	10.66	10.79	10.93	11.07
31	9.58		9.84		10.11		10.39	10.52		10.80		11.07
Min	9.46	9.58	9.71	9.84	9.98	10.12	10.25	10.39	10.53	10.66	10.80	10.94
Mean	9.66	9.64	9.77	9.91	10.05	10.18	10.32	10.46	10.59	10.73	10.87	11.00
Max	10.97	9.70	9.84	9.97	10.11	10.25	10.39	10.52	10.66	10.80	10.93	11.07
												9.46
												10.27
												11.07

Year 1982 site 4611463 SG. KINTA at KG.RAMBUTAN, PERAK

Daily means
Flow m³/s

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	11.07	11.21	11.34	11.48	11.61	11.75	11.88	12.02	12.16	12.30	12.43	12.57
2	11.08	11.22	11.34	11.48	11.62	11.75	11.89	12.03	12.17	12.30	12.44	12.57
3	11.08	11.22	11.35	11.49	11.62	11.76	11.89	12.03	12.17	12.30	12.44	12.58
4	11.09	11.23	11.35	11.49	11.62	11.76	11.90	12.04	12.17	12.31	12.45	12.58
5	11.09	11.23	11.36	11.49	11.63	11.77	11.90	12.04	12.18	12.31	12.45	12.59
6	11.10	11.24	11.36	11.50	11.63	11.77	11.91	12.04	12.18	12.32	12.46	12.59
7	11.10	11.24	11.36	11.50	11.64	11.78	11.91	12.05	12.19	12.32	12.46	12.59
8	11.11	11.24	11.37	11.51	11.64	11.78	11.91	12.05	12.19	12.33	12.47	12.60
9	11.11	11.25	11.37	11.51	11.65	11.79	11.92	12.06	12.20	12.33	12.47	12.60
10	11.11	11.25	11.38	11.52	11.65	11.79	11.92	12.06	12.20	12.34	12.47	12.61
11	11.12	11.26	11.38	11.52	11.66	11.79	11.93	12.07	12.21	12.34	12.48	12.61
12	11.12	11.26	11.39	11.53	11.66	11.80	11.93	12.07	12.21	12.34	12.48	12.62
13	11.13	11.27	11.39	11.53	11.66	11.80	11.94	12.08	12.21	12.35	12.49	12.62
14	11.13	11.27	11.40	11.53	11.67	11.81	11.94	12.08	12.22	12.35	12.49	12.63
15	11.14	11.28	11.40	11.54	11.67	11.81	11.95	12.08	12.22	12.36	12.50	12.63
16	11.14	11.28	11.41	11.54	11.68	11.82	11.95	12.09	12.23	12.36	12.50	12.64
17	11.15	11.28	11.41	11.55	11.68	11.82	11.96	12.09	12.23	12.37	12.51	12.64
18	11.15	11.29	11.41	11.55	11.69	11.83	11.96	12.10	12.24	12.37	12.51	12.64
19	11.15	11.29	11.42	11.56	11.69	11.83	11.96	12.10	12.24	12.38	12.51	12.65
20	11.16	11.30	11.42	11.56	11.70	11.83	11.97	12.11	12.25	12.38	12.52	12.65
21	11.16	11.30	11.43	11.57	11.70	11.84	11.97	12.11	12.25	12.38	12.52	12.66
22	11.17	11.31	11.43	11.57	11.70	11.84	11.98	12.12	12.25	12.39	12.53	12.66
23	11.17	11.31	11.44	11.58	11.71	11.85	11.98	12.12	12.26	12.39	12.53	12.67
24	11.18	11.32	11.44	11.58	11.71	11.85	11.99	12.13	12.26	12.40	12.54	12.67
25	11.18	11.32	11.45	11.58	11.72	11.86	11.99	12.13	12.27	12.40	12.54	12.68
26	11.19	11.32	11.45	11.59	11.72	11.86	12.00	12.13	12.27	12.41	12.55	12.68
27	11.19	11.33	11.45	11.59	11.73	11.87	12.00	12.14	12.28	12.41	12.55	12.68
28	11.19	11.33	11.46	11.60	11.73	11.87	12.00	12.14	12.28	12.42	12.55	12.69
29	11.20		11.46	11.60	11.74	11.87	12.01	12.15	12.29	12.42	12.56	12.69
30	11.20		11.47	11.61	11.74	11.88	12.01	12.15	12.29	12.42	12.56	12.70
31	11.21		11.47		11.75		12.02	12.16		12.43		12.70
Min	11.07	11.21	11.34	11.48	11.61	11.75	11.88	12.02	12.16	12.30	12.43	12.57
Mean	11.14	11.27	11.41	11.54	11.68	11.81	11.95	12.09	12.23	12.36	12.50	12.64
Max	11.21	11.33	11.47	11.61	11.75	11.88	12.02	12.16	12.29	12.43	12.56	12.70

Daily means
Flow m³/s

Year 1983

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	12.71	12.85	12.97	13.11	13.24	13.38	13.52	13.65	13.79	13.93	14.07	14.20
2	12.71	12.85	12.97	13.11	13.25	13.39	13.52	13.66	13.80	13.93	14.07	14.20
3	12.72	12.85	12.98	13.12	13.25	13.39	13.52	13.66	13.80	13.94	14.08	14.21
4	12.72	12.86	12.98	13.12	13.26	13.40	13.53	13.67	13.81	13.94	14.08	14.21
5	12.72	12.86	12.99	13.13	13.26	13.40	13.53	13.67	13.81	13.95	14.08	14.22
6	12.73	12.87	12.99	13.13	13.27	13.40	13.54	13.68	13.82	13.95	14.09	14.22
7	12.73	12.87	13.00	13.14	13.27	13.41	13.54	13.68	13.82	13.95	14.09	14.23
8	12.74	12.88	13.00	13.14	13.27	13.41	13.55	13.69	13.82	13.96	14.10	14.23
9	12.74	12.88	13.01	13.14	13.28	13.42	13.55	13.69	13.83	13.96	14.10	14.24
10	12.75	12.89	13.01	13.15	13.28	13.42	13.56	13.69	13.83	13.97	14.11	14.24
11	12.75	12.89	13.02	13.15	13.29	13.43	13.56	13.70	13.84	13.97	14.11	14.24
12	12.76	12.89	13.02	13.16	13.29	13.43	13.57	13.70	13.84	13.98	14.12	14.25
13	12.76	12.90	13.02	13.16	13.30	13.44	13.57	13.70	13.85	13.98	14.12	14.25
14	12.76	12.90	13.03	13.17	13.30	13.44	13.57	13.71	13.85	13.99	14.12	14.26
15	12.77	12.91	13.03	13.17	13.31	13.44	13.58	13.72	13.86	13.99	14.13	14.26
16	12.77	12.91	13.04	13.18	13.31	13.45	13.58	13.72	13.86	13.99	14.13	14.27
17	12.78	12.92	13.04	13.18	13.31	13.45	13.59	13.73	13.86	14.00	14.14	14.27
18	12.78	12.92	13.05	13.19	13.32	13.46	13.59	13.73	13.87	14.00	14.14	14.28
19	12.79	12.93	13.05	13.19	13.32	13.46	13.60	13.74	13.87	14.01	14.15	14.28
20	12.79	12.93	13.06	13.19	13.33	13.47	13.60	13.74	13.88	14.01	14.15	14.29
21	12.80	12.94	13.06	13.20	13.33	13.47	13.61	13.74	13.88	14.02	14.16	14.29
22	12.80	12.94	13.06	13.20	13.34	13.48	13.61	13.75	13.89	14.02	14.16	14.29
23	12.80	12.94	13.07	13.21	13.34	13.48	13.61	13.75	13.89	14.03	14.16	14.30
24	12.81	12.95	13.07	13.21	13.35	13.48	13.62	13.76	13.90	14.03	14.17	14.30
25	12.81	12.95	13.08	13.22	13.35	13.49	13.62	13.76	13.90	14.03	14.17	14.31
26	12.82	12.96	13.08	13.22	13.36	13.49	13.63	13.77	13.91	14.04	14.18	14.31
27	12.82	12.96	13.09	13.23	13.36	13.50	13.63	13.77	13.91	14.04	14.18	14.32
28	12.83	12.97	13.09	13.23	13.36	13.50	13.64	13.78	13.91	14.05	14.19	14.32
29	12.83	13.10	13.10	13.23	13.37	13.51	13.64	13.78	13.92	14.05	14.19	14.33
30	12.84	13.10	13.10	13.24	13.37	13.51	13.65	13.78	13.92	14.06	14.20	14.33
31	12.84	13.10	13.10	13.24	13.38	13.51	13.65	13.79	13.92	14.06	14.20	14.33
Min	12.71	12.85	12.97	13.11	13.24	13.38	13.52	13.65	13.79	13.93	14.07	14.20
Mean	12.77	12.91	13.04	13.17	13.31	13.45	13.58	13.72	13.86	13.99	14.13	14.27
Max	12.84	12.97	13.10	13.24	13.38	13.51	13.65	13.79	13.92	14.06	14.20	14.33

Daily means
Flow m³/s

Year 1984

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	14.34	14.48	14.61	14.75	14.88	15.02	15.15	15.29	15.43	15.56	15.70	15.84
2	14.34	14.48	14.61	14.75	14.88	15.02	15.16	15.30	15.43	15.57	15.71	15.84
3	14.35	14.49	14.62	14.75	14.89	15.03	15.16	15.30	15.44	15.57	15.71	15.85
4	14.35	14.49	14.62	14.76	14.89	15.03	15.17	15.30	15.44	15.58	15.72	15.85
5	14.36	14.50	14.63	14.76	14.90	15.04	15.17	15.31	15.45	15.58	15.72	15.85
6	14.36	14.50	14.63	14.77	14.90	15.04	15.18	15.31	15.45	15.59	15.73	15.86
7	14.37	14.50	14.63	14.77	14.91	15.05	15.18	15.32	15.46	15.59	15.73	15.86
8	14.37	14.51	14.64	14.78	14.91	15.05	15.18	15.32	15.46	15.60	15.73	15.87
9	14.37	14.51	14.64	14.78	14.92	15.05	15.19	15.33	15.47	15.60	15.74	15.87
10	14.38	14.52	14.65	14.79	14.92	15.06	15.19	15.33	15.47	15.60	15.74	15.88
11	14.38	14.52	14.65	14.79	14.92	15.06	15.20	15.34	15.47	15.61	15.75	15.88
12	14.39	14.53	14.66	14.80	14.93	15.07	15.20	15.34	15.48	15.61	15.75	15.89
13	14.39	14.53	14.66	14.80	14.93	15.07	15.21	15.35	15.48	15.62	15.76	15.89
14	14.40	14.54	14.67	14.80	14.94	15.08	15.21	15.35	15.49	15.62	15.76	15.90
15	14.40	14.54	14.67	14.81	14.94	15.08	15.22	15.35	15.49	15.63	15.77	15.90
16	14.41	14.54	14.67	14.81	14.95	15.09	15.22	15.36	15.50	15.63	15.77	15.90
17	14.41	14.55	14.68	14.82	14.95	15.09	15.22	15.36	15.50	15.64	15.77	15.91
18	14.41	14.55	14.68	14.82	14.96	15.09	15.23	15.37	15.51	15.64	15.78	15.91
19	14.42	14.56	14.69	14.83	14.96	15.10	15.23	15.37	15.51	15.64	15.78	15.92
20	14.42	14.56	14.69	14.83	14.97	15.10	15.24	15.38	15.52	15.65	15.79	15.92
21	14.43	14.57	14.70	14.84	14.97	15.11	15.24	15.38	15.52	15.65	15.79	15.93
22	14.43	14.57	14.70	14.84	14.97	15.11	15.25	15.39	15.52	15.66	15.80	15.93
23	14.44	14.58	14.71	14.84	14.98	15.12	15.25	15.39	15.53	15.66	15.80	15.94
24	14.44	14.58	14.71	14.85	14.98	15.12	15.26	15.39	15.53	15.67	15.81	15.94
25	14.45	14.58	14.71	14.85	14.99	15.13	15.26	15.40	15.54	15.67	15.81	15.94
26	14.45	14.59	14.72	14.86	14.99	15.13	15.26	15.40	15.54	15.68	15.81	15.95
27	14.46	14.59	14.72	14.86	15.00	15.13	15.27	15.41	15.55	15.68	15.82	15.95
28	14.46	14.60	14.73	14.87	15.00	15.14	15.27	15.41	15.55	15.69	15.82	15.96
29	14.46	14.60	14.73	14.87	15.01	15.14	15.28	15.42	15.56	15.69	15.83	15.96
30	14.47		14.74	14.88	15.01	15.15	15.28	15.42	15.56	15.69	15.83	15.97
31	14.47		14.74		15.01	15.15	15.29	15.43	15.57	15.70	15.84	15.97
Min	14.34	14.48	14.61	14.75	14.88	15.02	15.15	15.29	15.43	15.56	15.70	15.84
Mean	14.41	14.54	14.67	14.81	14.95	15.08	15.22	15.36	15.49	15.63	15.77	15.90
Max	14.47	14.60	14.74	14.88	15.01	15.15	15.29	15.43	15.56	15.70	15.83	15.97

Daily means
Flow m³/s

Year 1985

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	15.98	16.11	16.24	16.38	16.51	16.65	16.79	16.92	17.06	17.20	17.34	16.57
2	15.98	16.12	16.24	16.38	16.52	16.66	16.79	16.93	17.07	17.20	17.34	15.03
3	15.98	16.12	16.25	16.39	16.52	16.66	16.79	16.93	17.07	17.21	17.34	14.05
4	15.99	16.13	16.26	16.40	16.53	16.66	16.80	16.94	17.08	17.21	17.35	13.93
5	15.99	16.13	16.26	16.40	16.53	16.67	16.80	16.94	17.08	17.21	17.35	12.69
6	16.00	16.14	16.26	16.40	16.53	16.67	16.81	16.95	17.08	17.22	17.36	12.10
7	16.00	16.14	16.27	16.41	16.54	16.68	16.81	16.95	17.09	17.22	17.36	13.29
8	16.01	16.15	16.27	16.41	16.54	16.68	16.82	16.96	17.09	17.23	17.37	17.08
9	16.01	16.15	16.28	16.41	16.55	16.69	16.82	16.96	17.10	17.23	17.37	14.02
10	16.02	16.15	16.28	16.42	16.55	16.69	16.83	16.96	17.10	17.24	17.38	14.71
11	16.02	16.16	16.28	16.42	16.56	16.70	16.83	16.97	17.11	17.24	17.38	13.52
12	16.02	16.16	16.29	16.43	16.56	16.70	16.83	16.97	17.11	17.25	17.38	12.83
13	16.03	16.17	16.29	16.43	16.57	16.70	16.84	16.98	17.12	17.25	17.39	13.05
14	16.03	16.17	16.30	16.44	16.57	16.71	16.84	16.98	17.12	17.25	17.39	13.72
15	16.04	16.18	16.30	16.44	16.58	16.71	16.85	16.99	17.13	17.26	17.40	12.88
16	16.04	16.18	16.31	16.45	16.58	16.72	16.85	16.99	17.13	17.26	17.40	12.91
17	16.05	16.19	16.31	16.45	16.58	16.72	16.86	17.00	17.13	17.27	17.41	10.38
18	16.05	16.19	16.32	16.46	16.59	16.73	16.86	17.00	17.14	17.27	17.41	9.52
19	16.06	16.19	16.32	16.46	16.59	16.73	16.87	17.00	17.14	17.28	17.42	10.02
20	16.06	16.20	16.32	16.46	16.60	16.74	16.87	17.01	17.15	17.28	17.42	9.11
21	16.07	16.20	16.33	16.47	16.60	16.74	16.87	17.01	17.15	17.29	17.42	8.90
22	16.07	16.21	16.33	16.47	16.61	16.74	16.88	17.02	17.16	17.29	17.43	8.12
23	16.07	16.21	16.34	16.48	16.61	16.75	16.88	17.02	17.16	17.30	17.43	7.79
24	16.08	16.22	16.34	16.48	16.62	16.75	16.89	17.03	17.17	17.30	17.44	7.50
25	16.08	16.22	16.35	16.49	16.62	16.76	16.89	17.03	17.17	17.30	17.44	7.39
26	16.09	16.23	16.35	16.49	16.62	16.76	16.90	17.04	17.17	17.31	17.45	7.23
27	16.09	16.23	16.36	16.49	16.63	16.77	16.90	17.04	17.18	17.31	17.45	6.93
28	16.10	16.24	16.36	16.50	16.63	16.77	16.91	17.04	17.18	17.32	17.46	6.78
29	16.10	16.36	16.36	16.50	16.64	16.78	16.91	17.05	17.19	17.32	17.46	6.44
30	16.11	16.37	16.37	16.51	16.64	16.78	16.91	17.05	17.19	17.33	17.46	5.92
31	16.11	16.37	16.37	16.51	16.65	16.78	16.92	17.06	17.19	17.33	17.46	5.48
Min	15.98	16.11	16.24	16.38	16.51	16.65	16.79	16.92	17.06	17.20	17.34	5.48
Mean	16.04	16.17	16.31	16.44	16.58	16.72	16.85	16.99	17.13	17.26	17.40	10.96
Max	16.11	16.24	16.37	16.51	16.65	16.78	16.92	17.06	17.19	17.33	17.46	17.08

Year 1986 site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Daily means
Flow m³/s

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	5.02	4.78	2.65	2.56	5.63	15.94	3.77	3.49	2.92	3.38	8.61	6.06
2	5.91	3.96	2.66	3.25	4.79	12.70	3.23	2.86	5.88	2.59	7.98	5.67
3	9.76	3.88	2.80	5.31	5.12	10.23	3.15	2.51	2.96	2.56	8.12	6.56
4	9.23	3.59	2.58	5.18	9.93	8.77	3.47	2.44	2.29	3.19	9.85	15.95
5	9.53	3.47	2.50	4.74	27.20	8.07	3.02	2.39	2.15	3.37	8.36	11.76
6	9.23	3.45	2.46	4.17	24.54	7.55	2.93	2.37	2.14	5.11	6.46	12.03
7	7.53	3.51	2.53	3.49	9.68	5.14	3.10	2.36	2.21	4.15	6.64	11.28
8	7.17	3.48	3.74	3.07	6.03	8.50	2.98	2.31	2.12	2.95	14.51	9.72
9	9.20	2.96	4.41	3.15	8.37	8.12	3.13	2.31	2.13	2.59	10.13	8.38
10	11.00	2.67	5.45	3.14	4.43	7.16	4.97	2.30	2.24	2.91	8.11	7.83
11	8.53	2.56	5.39	3.45	2.73	7.47	5.70	2.28	2.31	4.20	7.29	7.76
12	7.50	2.66	4.14	4.31	2.51	5.92	4.79	2.23	2.19	6.04	7.09	8.00
13	5.80	3.26	3.49	6.39	2.45	5.20	3.47	2.20	2.12	4.81	7.25	7.08
14	5.86	5.36	2.99	7.46	4.11	5.74	3.03	2.17	2.09	5.48	6.73	6.53
15	5.94	12.03	2.96	7.43	5.52	6.53	2.81	2.16	2.31	7.90	6.87	6.39
16	5.70	6.14	2.85	7.31	10.42	8.22	2.71	2.31	2.32	6.92	5.94	5.50
17	5.53	4.02	2.80	13.08	6.43	7.05	2.60	2.30	2.18	5.84	5.26	4.67
18	5.44	3.37	3.47	11.34	4.71	7.33	2.61	2.18	2.11	6.59	6.35	6.67
19	5.58	3.25	3.70	15.66	4.14	6.30	2.54	2.18	2.09	5.51	6.74	8.22
20	5.25	3.13	2.86	12.64	3.90	6.07	2.64	2.17	2.10	5.04	9.94	9.13
21	4.69	3.06	2.80	7.30	3.33	6.00	2.56	2.17	2.07	4.21	11.04	8.43
22	4.90	2.74	2.88	5.29	3.13	5.88	2.54	2.15	2.15	3.76	9.09	6.63
23	4.60	3.28	2.73	4.61	2.77	5.65	2.50	2.13	2.24	3.25	7.36	5.74
24	4.20	3.78	2.59	4.10	2.89	5.55	2.54	2.10	2.26	2.94	6.65	4.85
25	5.07	3.13	2.50	5.15	3.10	5.43	2.59	2.12	2.26	3.61	7.74	4.72
26	5.38	3.00	2.51	4.49	6.87	5.03	4.01	2.19	2.94	7.23	8.11	4.35
27	4.84	2.75	2.51	4.99	4.43	4.37	3.86	2.14	2.72	6.26	8.01	3.77
28	4.46	2.64	2.48	8.70	2.97	3.99	3.63	2.12	2.63	9.31	8.76	3.51
29	3.74		2.52	5.06	17.98	4.20	3.32	2.07	6.44	10.09	7.37	3.83
30	4.11		2.63	5.78	31.00	4.05	3.48	2.10	4.37	9.81	6.65	3.90
31	4.96		2.61		19.99		3.52	2.13		9.22		3.33
Min	3.74	2.56	2.46	2.56	2.45	3.99	2.50	2.07	2.07	2.56	5.26	3.33
Mean	6.31	3.78	3.07	6.09	8.10	6.94	3.26	2.29	2.63	5.19	7.97	7.04
Max	11.00	12.03	5.45	15.66	31.00	15.94	5.70	3.49	6.44	10.09	14.51	15.95
												2.07
												5.23
												31.00

Daily means
Flow m³/s

Year 1987

site 4611463 SG. KINTA at KG.RAMBUJAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	3.99	3.48	2.61	2.75	7.68	5.45	3.10	4.73	4.90	14.27	17.04	9.33
2	4.13	3.47	2.66	2.82	6.48	4.99	3.00	4.70	4.92	15.16	16.21	9.33
3	4.00	3.23	2.60	2.78	7.54	6.57	2.94	4.84	5.17	15.76	15.19	12.04
4	3.91	3.21	2.69	3.04	8.87	7.01	2.81	4.76	5.20	13.74	15.06	13.46
5	3.84	3.23	2.73	3.11	5.63	7.15	2.69	?	6.40	11.55	18.49	12.20
6	3.77	3.10	2.70	3.04	4.61	6.22	2.61	?	6.15	11.52	?	10.19
7	3.67	3.03	2.72	2.84	5.79	5.37	2.62	?	7.14	10.91	?	9.83
8	3.80	3.30	2.69	3.08	9.88	4.80	2.46	?	6.43	10.54	?	10.35
9	4.49	3.96	3.10	3.00	7.94	4.59	2.45	?	5.41	?	?	11.27
10	4.73	3.87	3.03	3.34	8.52	4.45	2.45	?	4.86	?	?	11.56
11	4.66	3.83	2.83	5.57	7.11	4.13	2.56	?	4.71	?	?	12.31
12	4.72	4.42	2.71	5.24	5.65	3.82	2.32	?	4.58	?	?	11.51
13	4.78	4.20	2.58	6.68	5.88	3.80	2.27	?	4.48	?	?	10.96
14	4.77	3.75	2.45	6.13	6.14	4.36	2.33	?	4.38	?	?	15.67
15	4.52	3.23	2.50	5.27	11.63	4.20	3.03	11.74	4.56	?	13.07	15.67
16	4.26	3.01	5.71	4.41	9.56	3.87	3.75	13.05	5.55	?	11.75	15.25
17	4.18	3.13	4.38	3.83	9.56	3.81	3.84	11.49	6.68	4.21	11.27	13.54
18	4.17	3.17	3.68	3.49	8.56	3.73	3.59	10.24	8.20	4.24	11.90	12.23
19	4.14	3.14	3.45	5.39	9.05	3.67	3.37	8.96	7.95	4.48	10.20	11.24
20	4.14	2.93	3.82	4.72	12.88	3.68	3.78	8.49	8.54	5.95	9.11	10.95
21	3.99	2.74	3.69	3.69	9.37	3.69	3.94	8.59	8.43	4.48	8.83	9.54
22	4.02	2.79	3.13	3.49	8.08	4.68	5.08	8.21	7.52	11.55	8.10	8.42
23	3.82	2.90	2.89	3.42	7.17	4.28	4.52	7.17	8.31	20.30	7.77	8.01
24	3.72	2.89	3.16	3.22	6.03	4.49	4.70	6.29	8.50	?	8.41	6.81
25	3.63	2.78	3.36	3.08	5.39	4.16	10.80	6.04	9.74	?	10.77	5.84
26	3.57	2.65	3.24	3.59	5.12	3.80	16.22	7.31	14.84	?	7.34	5.22
27	3.88	2.67	3.04	3.93	5.61	3.48	14.10	7.10	14.94	?	7.57	5.84
28	3.84	2.65	2.92	6.38	8.09	3.50	12.39	6.07	14.64	?	7.36	5.55
29	3.72	2.65	2.89	4.40	7.17	3.44	6.66	5.58	12.88	?	7.23	5.77
30	3.55	4.42	2.77	4.32	6.34	3.23	4.56	5.22	17.93	?	7.94	6.58
31	3.58	4.42	2.74	4.32	5.80	3.23	4.21	5.09	18.27	?	18.27	6.57
Min	3.55	2.65	2.45	2.75	4.61	3.23	2.27	4.70	4.38	4.21	7.23	5.22
Mean	4.06	3.24	3.08	4.00	7.52	4.48	4.68	7.41	7.80	11.50	10.88	9.79
Max	4.78	4.42	5.71	6.68	12.88	7.15	16.22	13.05	17.93	20.30	18.49	15.67
												2.27
												6.19
												20.30

Daily means
Flow m³/s

Year 1988

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	6.27	5.64	4.41	2.82	5.09	3.09	8.91	3.88	16.61	16.48	9.23	18.95
2	5.71	6.01	4.23	4.41	5.90	4.44	5.44	4.98	14.54	14.10	6.32	13.14
3	5.48	10.09	3.69	7.98	6.55	3.32	5.47	3.38	17.34	13.29	8.92	19.37
4	4.97	9.95	3.39	6.85	2.72	3.79	5.05	3.53	14.30	13.22	13.83	26.76
5	4.62	6.65	10.56	4.64	2.50	5.12	4.34	3.76	16.74	11.27	10.43	18.45
6	4.29	9.42	6.36	4.81	2.50	3.30	9.61	5.75	18.68	10.34	17.37	20.81
7	4.08	5.11	4.31	12.79	2.47	2.91	24.15	3.33	13.06	9.22	10.46	20.78
8	3.83	4.74	3.85	4.85	3.42	2.66	7.60	4.66	13.52	8.85	13.36	14.96
9	3.29	4.43	3.76	4.78	7.95	2.54	5.77	9.62	14.40	8.18	7.84	23.87
10	3.14	7.75	3.46	5.67	9.80	2.90	5.73	6.30	46.07	7.68	8.37	18.09
11	2.78	6.77	3.24	5.38	9.51	4.20	5.82	4.59	26.76	7.81	14.03	13.62
12	2.64	4.25	3.45	7.83	6.49	3.18	7.27	4.65	19.78	11.13	10.11	11.53
13	2.89	4.87	3.66	4.18	6.50	2.56	5.11	3.35	17.81	8.28	11.97	10.78
14	2.99	4.79	4.30	3.87	10.27	3.13	5.27	3.54	19.64	7.80	11.78	11.00
15	3.06	6.33	5.10	3.84	8.47	2.88	5.10	3.14	19.50	7.00	8.47	10.34
16	2.67	16.83	4.10	3.38	9.58	2.63	5.00	5.86	16.18	6.82	7.28	9.85
17	2.85	7.79	3.22	4.80	9.96	2.56	4.66	14.56	13.58	6.50	6.64	8.13
18	3.28	6.45	2.69	3.40	9.32	2.55	4.14	17.65	13.70	5.60	6.27	7.73
19	3.40	6.29	6.95	5.51	23.88	2.59	3.78	11.17	14.76	5.44	6.79	6.86
20	3.98	7.05	4.78	4.07	10.01	8.62	3.68	10.97	14.90	5.72	20.94	7.02
21	4.66	6.34	4.31	2.94	6.42	6.18	3.48	11.51	16.44	5.29	22.95	7.07
22	5.36	4.94	3.39	4.96	5.23	9.67	3.24	17.23	11.85	4.79	24.33	6.64
23	5.74	6.23	3.92	3.77	4.57	5.10	4.04	9.79	11.02	4.66	17.00	6.28
24	5.94	8.02	3.80	3.14	3.65	3.72	3.54	11.13	18.75	4.80	13.30	7.86
25	5.53	4.56	3.04	2.59	3.54	3.09	3.17	15.88	23.69	4.56	11.41	10.00
26	4.23	4.41	2.74	2.58	5.96	3.18	4.38	25.67	16.35	4.59	10.03	9.99
27	5.10	4.32	2.57	2.50	4.47	16.70	3.29	28.49	19.68	4.80	9.23	8.67
28	6.37	3.93	2.53	2.64	3.89	8.77	5.12	19.24	23.24	4.75	9.87	5.93
29	6.12	3.90	2.50	2.74	3.56	8.29	9.05	18.00	19.43	4.59	11.48	6.26
30	5.47		2.51	2.55	3.20	5.54	3.74	15.73	17.52	4.59	14.13	5.58
31	5.40		3.02		2.98		3.01	12.97		6.15		5.13
Min	2.64	3.90	2.50	2.50	2.47	2.54	3.01	3.14	11.02	4.56	6.27	5.13
Mean	4.39	6.48	4.00	4.54	6.46	4.64	5.74	10.14	17.99	7.69	11.80	11.98
Max	6.37	16.83	10.56	12.79	23.88	16.70	24.15	28.49	46.07	16.48	24.33	26.76
												2.47
												7.98
												46.07

Daily means
Flow m³/s

Year 1989

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	8.26	7.12	6.29	6.28	8.69	9.34	7.35	6.83	8.59	13.86	21.48	11.65
2	9.61	7.14	6.85	7.85	11.34	10.09	9.37	6.32	13.22	11.61	18.10	15.15
3	9.43	6.96	6.84	7.87	9.56	8.94	7.19	6.25	9.96	17.30	15.97	12.88
4	9.29	6.68	6.30	7.09	8.62	12.24	6.85	7.40	8.33	11.06	14.20	11.18
5	9.34	6.58	6.40	7.68	8.12	16.82	10.54	6.78	8.00	9.56	12.51	10.41
6	8.94	6.44	7.10	8.10	8.05	9.44	9.23	6.98	7.43	9.83	12.38	9.68
7	8.48	6.32	6.87	7.49	7.90	8.44	9.29	6.84	6.84	9.03	12.74	11.52
8	8.40	6.43	5.94	7.83	7.63	8.18	8.80	5.92	7.43	9.44	11.81	10.00
9	8.25	6.52	5.64	7.19	7.63	8.03	8.74	8.03	8.16	13.80	12.43	9.79
10	8.08	6.97	5.51	6.42	9.85	9.15	11.17	8.02	8.78	9.85	12.73	11.94
11	8.06	9.01	5.26	7.33	8.53	8.01	8.47	6.43	8.91	8.90	13.39	9.80
12	7.86	7.36	5.24	10.85	8.61	7.58	7.48	6.01	9.08	15.81	11.77	9.21
13	7.72	6.72	5.32	24.69	14.14	7.41	6.81	6.57	8.87	12.77	14.25	9.03
14	9.18	6.24	5.40	18.25	12.90	6.96	7.57	6.30	9.21	9.30	20.62	8.81
15	10.02	6.20	5.34	15.09	12.47	6.64	9.13	6.09	8.75	8.93	19.56	8.60
16	9.93	6.10	9.76	16.83	9.65	6.44	7.94	5.47	8.27	10.92	15.89	8.58
17	12.97	6.04	10.38	14.15	8.89	6.21	6.99	5.79	8.12	9.68	13.03	8.45
18	11.44	6.11	12.10	13.27	8.62	6.35	7.01	5.59	8.74	10.60	12.11	8.45
19	9.52	6.03	9.35	13.37	8.33	8.37	8.97	9.88	9.18	9.13	11.22	8.42
20	8.50	5.97	11.12	10.74	8.05	6.88	8.42	6.14	8.37	8.83	11.18	8.40
21	7.85	5.88	10.42	13.56	7.99	6.28	6.94	5.14	8.39	16.42	10.36	8.18
22	7.49	5.68	10.53	10.18	7.75	6.06	6.41	4.75	7.15	13.19	14.48	8.07
23	8.06	5.45	10.49	9.31	7.46	6.10	6.34	4.93	9.29	13.83	11.80	8.08
24	8.36	6.25	9.83	8.95	7.75	6.16	6.29	5.15	26.87	14.73	10.23	7.93
25	7.35	6.42	9.21	10.39	7.06	6.24	6.21	6.20	13.75	13.31	10.28	8.02
26	7.42	5.84	8.88	17.17	6.59	6.19	6.51	6.25	14.40	21.42	14.17	7.97
27	7.66	5.74	8.60	15.56	6.41	6.04	6.22	8.15	16.23	37.88	18.05	7.80
28	7.21	5.94	8.33	9.82	7.08	5.92	7.19	11.43	20.59	38.25	14.14	7.43
29	6.95		7.40	8.65	6.46	5.71	7.62	8.30	13.40	29.00	11.39	7.36
30	6.96		6.52	8.38	6.53	6.56	11.07	7.64	12.69	24.45	10.31	7.31
31	7.02		6.28		9.18		6.94	6.74	21.54			7.06
Min	6.95	5.45	5.24	6.28	6.41	5.71	6.21	4.75	6.84	8.83	10.23	7.06
Mean	8.57	6.43	7.73	11.01	8.64	7.76	7.90	6.70	10.57	14.98	13.75	9.26
Max	12.97	9.01	12.10	24.69	14.14	16.82	11.17	11.43	26.87	38.25	21.48	15.15
												4.75
												9.45
												38.25

Daily means
Flow m³/s

Year 1990

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
1	6.93	4.85	4.73	3.97	7.78	7.82	4.42	5.11	4.53	?	18.81	?
2	6.76	4.82	4.51	4.27	10.31	4.70	4.42	4.83	5.29	?	25.77	?
3	6.04	4.62	4.25	3.95	13.95	4.56	?	5.82	4.35	13.59	24.37	?
4	5.95	5.02	4.12	3.96	9.87	5.20	?	7.90	4.28	11.57	19.01	?
5	5.77	5.68	3.91	4.00	9.40	5.87	?	4.86	4.29	10.80	17.73	?
6	5.82	5.02	3.81	3.98	10.36	8.14	?	4.72	4.32	13.84	15.82	?
7	5.41	4.89	3.83	3.96	9.84	5.46	?	4.74	5.03	15.10	14.62	11.13
8	5.21	4.83	4.34	4.58	10.15	6.61	?	5.03	6.84	13.92	13.89	10.90
9	6.62	6.63	4.13	3.98	9.75	11.27	?	6.90	4.38	16.06	22.59	11.42
10	7.56	6.11	4.72	11.46	8.34	6.18	12.92	4.73	7.39	13.18	17.80	10.61
11	5.99	5.24	4.10	9.55	8.27	5.11	5.53	4.53	4.44	11.45	15.24	10.90
12	5.35	5.31	3.90	9.39	8.22	4.79	5.35	4.49	4.26	19.27	14.28	13.13
13	6.77	4.90	3.83	7.08	9.34	4.75	6.78	4.48	4.52	18.61	15.29	13.02
14	7.75	4.87	3.94	4.49	10.22	4.57	9.62	4.47	4.31	17.28	13.82	12.59
15	7.42	5.86	4.44	5.41	14.07	4.51	6.62	4.48	5.38	18.78	13.49	11.63
16	6.94	7.62	3.84	4.38	22.68	4.24	9.92	4.52	6.41	13.90	16.48	12.13
17	6.01	6.47	3.87	4.33	15.10	5.23	6.67	4.55	9.73	13.15	18.65	14.21
18	6.18	5.22	3.80	3.99	13.13	4.44	5.38	4.51	10.50	19.05	17.20	13.19
19	5.94	5.21	3.78	3.94	9.19	4.34	5.08	4.44	15.71	25.09	?	12.83
20	5.74	5.11	3.65	4.39	8.33	4.31	6.54	4.47	16.06	20.84	?	13.57
21	5.74	4.91	3.61	4.55	7.82	4.22	6.51	4.46	12.28	17.79	?	13.75
22	5.73	5.00	3.77	4.27	6.73	4.19	6.25	4.45	16.79	14.98	?	14.02
23	6.32	4.85	4.41	4.27	5.81	4.25	4.93	4.40	10.99	13.41	?	12.36
24	5.80	4.74	4.50	4.25	5.46	4.33	4.58	4.43	?	13.31	?	11.59
25	5.24	4.71	4.50	4.25	5.11	4.36	4.63	4.41	?	16.17	?	11.31
26	5.29	4.90	4.37	4.26	5.97	4.33	5.02	4.46	?	21.53	?	11.06
27	6.60	4.89	4.11	4.16	5.21	5.23	4.51	4.25	?	30.43	?	11.24
28	5.80	5.47	4.06	4.04	4.78	6.40	4.39	4.17	?	19.07	?	11.13
29	5.39	4.12	3.94	4.12	4.91	6.49	5.42	4.19	?	21.10	?	10.56
30	5.05	4.66	4.22	4.66	5.29	4.74	9.06	4.15	?	17.73	?	10.25
31	4.83	4.36	4.36	5.77	5.77	4.74	9.09	4.35	?	18.77	?	10.07
Min	4.83	4.62	3.61	3.94	4.78	4.19	4.39	4.15	4.26	10.80	13.49	10.07
Mean	6.06	5.28	4.11	4.93	9.07	5.36	6.40	4.75	7.48	16.89	17.49	11.94
Max	7.75	7.62	4.73	11.46	22.68	11.27	12.92	7.90	16.79	30.43	25.77	14.21
												3.61
												7.94
												30.43

Daily means Flow m³/s Year 1991 site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	7.58	3.54	?	?	?	17.88	3.49	3.89	3.08	3.25	11.38	6.30
2	6.76	3.55	?	?	?	25.42	3.78	8.33	2.92	4.15	13.02	5.28
3	6.34	3.72	?	?	?	29.78	6.98	4.85	2.89	5.76	16.10	7.22
4	6.13	3.70	?	?	?	22.97	5.74	4.53	2.93	3.53	11.60	4.95
5	5.78	3.50	?	?	?	20.15	5.01	4.28	3.04	3.28	11.73	4.25
6	5.52	3.39	?	?	?	17.64	8.96	3.87	3.12	3.35	11.41	3.97
7	5.19	3.37	?	?	?	15.23	6.25	3.80	3.15	3.71	12.84	3.83
8	4.72	3.38	?	?	?	14.60	7.50	3.98	3.08	3.92	16.96	3.79
9	4.55	3.55	?	?	?	15.27	6.20	3.77	3.09	3.59	14.34	3.68
10	4.66	3.27	?	?	?	11.40	4.59	3.52	2.92	3.61	13.76	3.71
11	4.57	3.58	?	?	?	9.29	3.74	3.65	2.82	3.45	21.39	4.17
12	4.58	3.28	?	?	?	8.63	3.61	6.05	2.63	7.19	37.44	5.14
13	4.65	3.09	?	?	?	8.37	3.55	3.99	2.61	12.94	17.86	7.99
14	4.64	3.15	?	?	?	8.00	3.49	3.62	2.63	11.64	11.80	6.23
15	4.65	3.01	?	?	?	7.40	3.32	7.41	2.53	8.96	10.94	7.30
16	4.33	2.94	?	?	?	6.77	3.40	4.24	2.43	7.07	10.75	6.35
17	4.22	3.02	?	?	?	5.96	3.43	3.72	2.61	4.39	10.29	5.61
18	4.26	?	?	?	?	5.23	3.55	3.46	2.95	4.08	9.66	6.36
19	4.29	?	?	?	?	4.85	3.88	3.38	3.01	?	9.27	5.39
20	3.98	?	?	?	?	4.28	7.51	3.34	2.95	?	7.81	4.93
21	3.92	?	?	?	?	11.69	5.70	3.23	2.70	?	6.52	4.45
22	3.82	?	?	?	?	16.91	3.86	3.02	3.05	?	5.41	4.03
23	3.82	?	?	?	?	14.65	4.12	3.00	3.56	?	4.66	4.20
24	3.80	?	?	?	?	20.41	3.84	2.90	3.44	18.26	4.49	4.25
25	3.73	?	?	?	?	15.95	3.66	2.81	4.04	16.47	4.66	4.33
26	3.70	?	?	?	?	14.73	3.47	2.77	3.45	12.90	5.55	4.80
27	3.75	?	?	?	?	17.86	3.36	2.87	3.25	11.10	7.19	7.65
28	4.11	?	?	?	?	23.29	3.13	3.00	7.43	9.92	5.88	5.19
29	5.55	?	?	?	?	17.71	2.97	3.13	5.99	9.05	8.20	7.87
30	3.92	?	?	?	?	15.60	3.05	3.18	3.75	6.89	7.45	5.77
31	3.64	?	?	?	?	14.86	3.20	3.17	?	8.18	?	4.60
Min	3.64	2.94	?	?	?	14.65	2.97	2.77	2.43	3.25	4.49	3.68
Mean	4.68	3.36	?	?	?	17.15	4.46	3.90	3.27	7.33	11.34	5.28
Max	7.58	3.72	?	?	?	23.29	8.96	8.33	7.43	18.26	37.44	7.99
												2.43
												6.53
												37.44

Daily means
Flow m³/s

Year 1992

site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	5.01	2.86	3.38	2.28	3.10	10.33	3.26	3.86	4.64	6.67	7.81	9.36
2	4.57	2.88	3.91	2.27	3.87	10.33	3.33	3.70	4.32	4.41	7.03	8.25
3	4.24	2.66	3.22	2.41	3.25	16.72	3.22	3.88	4.87	4.06	10.11	7.71
4	4.01	2.59	2.82	3.09	2.96	21.05	3.25	4.75	5.25	3.41	10.21	6.91
5	3.84	2.49	2.63	2.56	2.70	9.65	3.17	4.54	4.58	3.44	15.97	6.15
6	4.06	2.67	2.53	4.32	4.12	9.24	3.07	5.69	4.34	3.69	11.72	6.31
7	5.47	2.78	2.71	10.18	5.45	9.19	3.19	6.21	5.69	3.84	11.04	6.13
8	4.09	2.85	2.89	3.62	4.47	10.01	3.30	4.97	4.23	3.82	10.89	6.81
9	3.75	2.88	2.87	3.28	3.45	16.82	3.45	4.47	3.52	3.89	12.31	9.07
10	3.60	2.86	3.41	2.85	3.06	12.62	3.46	8.46	3.39	3.97	11.73	8.57
11	3.50	2.76	2.85	2.77	2.78	16.03	3.20	9.53	3.30	7.33	9.54	8.53
12	3.37	2.68	2.61	2.98	3.11	11.23	4.99	10.34	3.23	6.33	32.84	7.23
13	3.25	2.62	2.58	3.72	3.36	9.78	3.69	12.32	3.20	5.33	23.02	6.00
14	3.24	3.14	2.55	2.99	3.21	8.17	3.65	14.11	3.13	5.44	14.97	5.41
15	3.33	3.12	2.49	3.67	3.67	7.61	3.42	9.75	3.16	5.35	19.39	4.88
16	3.44	2.69	2.53	2.95	4.08	10.59	4.66	7.59	3.38	4.45	15.09	4.64
17	3.47	4.16	2.37	2.71	3.82	7.97	14.15	6.90	3.55	4.01	12.19	4.36
18	3.42	3.82	2.46	2.62	6.15	6.77	24.82	6.74	3.52	4.13	10.31	4.15
19	3.31	2.98	2.48	2.58	3.74	5.94	9.50	5.64	3.51	8.66	15.95	4.02
20	3.35	2.87	2.41	2.61	3.81	5.67	17.29	5.85	3.58	6.02	14.49	3.93
21	3.22	3.74	2.41	2.61	3.81	5.30	9.79	4.88	3.55	8.97	14.68	4.23
22	3.23	3.11	2.44	2.57	3.38	4.93	5.69	4.14	3.38	6.85	14.84	4.21
23	3.26	2.74	2.48	2.55	4.40	4.36	4.38	4.42	3.41	5.19	16.31	6.84
24	3.38	2.66	2.39	2.48	27.64	3.95	4.03	4.59	3.32	4.64	16.52	12.45
25	3.31	2.62	2.38	2.41	12.73	3.53	3.72	4.93	12.19	4.30	15.62	5.80
26	3.57	2.53	2.24	2.42	8.75	3.33	3.79	5.38	8.38	4.12	14.85	5.71
27	3.27	2.51	2.41	2.51	8.50	3.14	3.87	5.90	4.02	4.35	14.26	6.68
28	3.06	2.52	2.45	3.18	7.09	3.25	4.57	6.32	4.31	7.05	12.43	5.90
29	2.94	2.68	2.37	3.23	8.63	3.31	4.53	5.85	12.18	13.61	10.49	7.46
30	2.89		2.33	3.06	9.02	3.19	4.74	6.27	7.72	8.95	9.75	7.02
31	2.87		2.31		12.36		4.15	5.44		5.55		5.79
Min	2.87	2.49	2.24	2.27	2.70	3.14	3.07	3.70	3.13	3.41	7.03	3.93
Mean	3.59	2.88	2.64	3.12	5.82	8.47	5.66	6.37	4.70	5.54	13.88	6.47
Max	5.47	4.16	3.91	10.18	27.64	21.05	24.82	14.11	12.19	13.61	32.84	12.45

Daily means Flow m³/s Year 1993 site 4611463 SG. KINTA at KG. RAMBUTAN, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	5.25	4.31	4.95	5.66	6.35	7.06	7.75	8.85	4.40	45.79	37.68	26.46
2	5.00	4.34	4.98	5.69	6.37	7.08	7.77	8.34	4.03	41.98	37.02	26.23
3	4.69	4.36	5.00	5.71	6.40	7.11	7.79	7.08	3.85	40.09	36.02	25.76
4	4.54	4.38	5.02	5.73	6.42	7.13	7.82	6.71	3.64	38.52	35.70	27.02
5	4.93	4.40	5.05	5.75	6.44	7.15	7.84	6.81	2.52	37.67	34.73	38.09
6	4.81	4.43	5.07	5.78	6.46	7.17	7.86	6.11	36.46	36.46	33.56	36.10
7	4.54	4.45	5.09	5.80	6.49	7.20	7.88	5.77	11.45	35.14	32.61	34.84
8	4.24	4.47	5.11	5.82	6.51	7.22	7.91	5.13	12.82	34.67	31.20	33.49
9	3.96	4.50	5.14	5.85	6.53	7.24	7.93	4.68	10.28	37.10	30.17	34.01
10	4.05	4.52	5.16	5.87	6.56	7.27	7.95	4.41	8.48	48.20	29.74	31.60
11	4.77	4.54	5.18	5.89	6.58	7.29	7.98	4.40	9.80	46.83	30.19	30.35
12	5.09	4.56	5.21	5.92	6.60	7.31	7.77	4.10	11.37	45.82	37.69	29.15
13	4.43	4.59	5.23	5.94	6.62	7.33	6.61	3.83	12.15	44.37	34.27	28.84
14	4.04	4.61	5.25	5.96	6.65	7.36	6.63	3.70	41.08	43.32	32.55	28.54
15	3.88	4.63	5.27	5.98	6.67	7.38	6.85	3.75	29.58	43.57	32.18	28.46
16	3.80	4.66	5.30	6.01	6.69	7.40	11.54	4.06	22.43	48.88	31.79	27.75
17	3.69	4.68	5.32	6.03	6.72	7.43	19.00	4.42	17.17	47.50	30.43	26.92
18	3.66	4.70	5.34	6.05	6.74	7.45	16.32	4.40	13.96	45.53	29.46	27.53
19	3.80	4.72	5.37	6.08	6.76	7.47	13.38	4.10	11.53	42.87	28.50	27.89
20	3.53	4.75	5.39	6.10	6.79	7.49	12.33	3.83	11.08	40.99	27.43	27.23
21	3.40	4.77	5.41	6.12	6.81	7.52	11.33	3.70	11.68	46.93	26.53	25.97
22	4.36	4.79	5.43	6.14	6.83	7.54	12.57	3.75	12.31	46.65	26.29	25.05
23	4.51	4.82	5.46	6.17	6.85	7.56	11.62	3.92	12.94	46.52	25.77	25.01
24	3.83	4.84	5.48	6.19	6.88	7.59	10.20	4.23	13.56	46.39	24.95	30.15
25	?	4.86	5.50	6.21	6.90	7.61	5.65	4.95	14.19	46.08	25.56	31.65
26	?	4.88	5.53	6.24	6.92	7.63	9.00	11.96	14.82	44.73	26.46	31.16
27	?	4.91	5.55	6.26	6.95	7.66	12.01	18.41	15.20	43.40	26.30	?
28	7.03	4.93	5.57	6.28	6.97	7.68	12.08	13.14	14.68	42.22	26.33	?
29	9.43	4.93	5.59	6.30	6.99	7.70	11.20	8.82	14.21	40.71	25.96	?
30	8.66	?	5.62	6.33	7.01	7.72	10.50	5.96	23.87	39.74	26.73	?
31	5.54	?	5.64	?	7.04	?	8.98	5.03	?	38.82	?	?
Min	3.40	4.31	4.95	5.66	6.35	7.06	5.65	3.70	2.52	34.67	24.95	25.01
Mean	4.77	4.62	5.30	6.00	6.69	7.39	9.74	6.09	13.17	42.82	30.46	29.43
Max	9.43	4.93	5.64	6.33	7.04	7.72	19.00	18.41	41.08	48.88	37.69	38.09
												2.52
												13.81
												48.88

Daily means
Flow m³/s

Year 1960

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	?	?	?	?	?	?	?	68.21	89.45	58.55	179.68	205.64
2	?	?	?	?	?	?	71.46	67.04	94.22	57.45	163.89	183.53
3	?	?	?	?	?	?	70.45	63.38	92.18	54.28	126.45	180.85
4	?	?	?	?	?	?	84.65	61.09	91.52	55.38	104.26	161.12
5	?	?	?	?	?	?	109.40	59.71	80.03	57.44	90.17	147.05
6	?	?	?	?	?	?	113.71	69.04	80.91	57.38	83.42	142.45
7	?	?	?	?	?	?	107.96	69.46	73.37	54.05	110.94	143.12
8	?	?	?	?	?	?	101.10	65.42	55.09	53.82	227.04	154.53
9	?	?	?	?	?	?	98.68	62.66	61.01	53.82	193.08	158.55
10	?	?	?	?	?	?	104.94	54.50	111.86	55.38	156.71	622.55
11	?	?	?	?	?	?	107.91	56.93	144.42	54.27	140.04	940.13
12	?	?	?	?	?	?	92.17	54.27	122.71	56.93	203.06	611.52
13	?	?	?	?	?	?	64.94	58.77	115.93	55.60	188.26	398.26
14	?	?	?	?	?	?	110.23	59.00	137.01	54.05	188.26	267.93
15	?	?	?	?	?	?	104.26	54.50	156.21	53.82	192.28	194.42
16	?	?	?	?	?	?	92.95	58.55	117.36	53.82	182.18	162.39
17	?	?	?	?	?	?	89.79	54.50	106.58	57.60	166.33	155.30
18	?	?	?	?	?	?	92.56	58.55	80.09	87.79	154.73	146.48
19	?	?	?	?	?	?	103.74	54.28	75.71	94.22	152.59	137.88
20	?	?	?	?	?	?	114.10	53.82	61.96	91.52	352.94	132.65
21	?	?	?	?	?	?	121.98	57.45	59.45	86.97	386.82	121.46
22	?	?	?	?	?	?	146.51	61.32	63.11	80.68	227.67	120.53
23	?	?	?	?	?	?	295.27	64.90	65.42	87.55	189.75	117.94
24	?	?	?	?	?	?	355.20	64.45	68.65	73.05	330.21	126.07
25	?	?	?	?	?	?	209.86	54.53	61.36	131.54	265.16	145.37
26	?	?	?	?	?	?	140.45	53.82	57.38	121.17	248.40	147.05
27	?	?	?	?	?	?	141.12	53.82	54.27	118.40	271.07	154.71
28	?	?	?	?	?	?	197.44	55.09	56.93	234.51	359.99	151.17
29	?	?	?	?	?	?	97.65	80.47	54.05	303.91	372.82	152.41
30	?	?	?	?	?	?	88.49	88.80	54.05	224.93	337.48	179.04
31	?	?	?	?	?	?	78.81	82.53	218.74			294.84
Min	?	?	?	?	?	?	64.94	53.82	54.05	53.82	83.42	117.94
Mean	?	?	?	?	?	?	123.59	61.96	84.74	93.50	211.52	224.42
Max	?	?	?	?	?	?	355.20	88.80	156.21	303.91	386.82	940.13

Daily means
Flow m³/s

Year 1961

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
1	386.31	93.74	115.44	103.74	229.93	89.79	92.18	128.97	89.11	125.50	287.17	165.57
2	279.83	99.56	102.21	97.95	214.45	89.11	92.18	91.42	92.18	125.48	291.05	157.18
3	211.76	90.17	106.46	98.33	216.10	87.09	89.79	90.17	94.90	145.28	173.99	159.82
4	117.94	89.45	104.12	105.74	236.93	91.83	89.45	100.28	94.90	132.49	179.47	137.38
5	140.62	89.11	101.39	166.92	217.93	94.19	87.09	95.23	97.95	113.38	330.47	114.98
6	228.67	84.72	101.39	100.02	226.33	85.28	86.75	92.18	101.39	109.74	366.74	111.07
7	328.45	89.11	106.46	98.77	241.83	84.72	88.78	92.52	109.44	109.22	265.16	111.58
8	359.31	89.11	104.12	113.23	242.55	89.11	87.09	94.22	104.94	96.01	221.38	128.15
9	304.81	84.72	101.39	145.41	232.75	89.11	89.45	89.45	110.65	96.55	188.32	144.92
10	282.35	89.11	101.39	105.69	228.47	84.07	89.45	86.75	117.50	100.00	167.55	137.95
11	230.39	86.75	107.28	90.17	245.54	83.91	89.45	86.75	120.53	107.15	165.57	126.00
12	329.37	84.05	112.80	91.83	219.95	84.24	92.56	86.75	117.08	108.17	156.54	124.48
13	596.41	86.75	108.34	96.97	177.16	84.89	103.35	89.13	111.93	112.49	155.89	121.46
14	693.08	89.45	109.53	157.30	129.69	91.83	104.12	89.81	121.03	139.04	153.71	124.98
15	460.06	90.17	90.56	99.36	102.25	93.29	101.78	89.45	131.63	205.87	124.69	127.99
16	294.22	100.28	89.79	111.95	100.28	106.47	109.31	86.75	126.00	180.38	81.16	124.98
17	234.95	115.15	94.56	145.28	90.17	109.83	126.26	87.09	128.49	168.21	61.41	121.46
18	205.37	184.10	92.90	147.10	89.11	101.44	90.65	91.50	131.44	186.21	90.37	124.98
19	208.06	203.30	103.01	130.94	86.75	95.66	84.38	87.09	173.76	213.99	112.93	128.49
20	208.78	203.97	101.78	121.55	84.72	103.74	84.05	86.75	161.80	294.05	188.16	126.00
21	188.32	197.64	106.85	113.53	88.78	106.13	87.47	83.76	146.48	210.37	171.22	136.79
22	167.55	186.93	106.39	144.60	86.75	90.56	100.28	79.03	141.88	186.92	133.65	143.93
23	156.34	152.08	126.87	163.86	86.75	91.83	100.28	76.85	133.72	177.45	163.89	238.78
24	147.05	120.74	116.69	218.61	84.38	92.52	92.56	76.60	128.99	176.77	166.22	276.27
25	155.30	102.25	109.27	241.83	84.38	97.57	92.52	76.59	128.49	226.53	176.38	226.88
26	155.89	101.00	122.80	245.41	88.78	98.33	96.53	79.03	125.48	193.93	455.35	162.96
27	155.89	101.00	101.87	256.23	84.38	103.35	123.87	81.54	156.96	186.26	534.60	148.01
28	155.89	102.25	95.66	210.35	86.75	95.33	140.79	79.66	161.23	174.52	241.54	167.54
29	151.17		99.90	190.35	89.45	89.79	139.04	83.73	141.95	272.81	187.64	269.32
30	146.46		90.89	209.65	89.45	91.83	156.03	86.41	133.22	246.33	167.55	363.20
31	142.90		103.40		91.83	168.38	168.38	84.72	247.59		371.86	
Min	117.94	84.05	89.79	90.17	84.38	83.91	84.05	76.59	89.11	96.01	61.41	111.07
Mean	252.37	114.52	104.37	144.09	147.57	93.23	102.45	88.07	124.50	166.73	205.33	165.32
Max	693.08	203.97	126.87	256.23	245.54	109.83	168.38	128.97	173.76	294.05	534.60	371.86

Year 1962 site 4809443 PERAK at JAM. ISKANDAR, PERAK

Daily means
Flow m³/s

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	450.98	89.45	86.41	89.45	95.55	89.45	94.56	104.12	126.00	86.41	172.17	124.55
2	496.79	87.09	84.38	91.83	136.46	86.75	89.79	100.67	133.15	86.75	177.57	118.01
3	481.06	84.22	83.73	92.18	178.58	86.41	91.83	92.90	136.79	87.09	186.26	114.05
4	355.53	83.73	81.85	90.13	249.09	84.72	90.13	97.57	130.03	90.56	167.55	110.65
5	305.33	81.85	86.41	94.94	234.88	92.22	98.00	97.95	140.79	114.59	166.22	125.78
6	245.44	81.54	88.20	94.85	234.17	101.87	110.25	98.33	137.88	150.23	167.55	347.82
7	215.15	81.54	109.11	95.62	184.96	121.26	116.26	105.99	137.31	166.23	186.26	367.06
8	187.64	83.73	114.10	112.08	169.69	94.65	102.25	91.33	141.31	171.38	188.26	352.03
9	167.55	81.85	114.91	96.19	138.09	95.28	104.12	94.94	137.36	139.68	228.30	270.05
10	161.05	81.54	125.07	94.85	115.13	99.90	107.25	100.62	133.67	197.28	421.19	243.98
11	161.71	83.42	135.76	90.17	107.67	92.56	106.85	103.73	137.31	215.83	360.50	228.63
12	156.38	79.66	121.13	89.45	115.07	89.79	101.01	103.74	141.31	237.66	317.55	169.69
13	132.65	81.54	104.98	89.45	150.60	89.45	95.28	96.05	133.72	265.61	245.44	156.54
14	121.46	81.54	95.23	89.45	242.21	89.45	97.95	100.62	128.99	284.88	222.01	161.05
15	121.46	83.73	87.09	94.25	234.91	90.17	101.39	115.52	132.63	324.65	220.59	166.88
16	127.99	81.85	96.14	125.42	262.09	104.26	110.25	140.27	129.01	426.36	213.73	175.45
17	122.49	81.54	109.01	95.96	299.30	122.76	113.62	133.72	121.97	333.35	188.97	166.88
18	139.77	83.73	93.28	112.87	248.30	99.71	107.28	133.15	131.63	305.75	187.59	235.71
19	133.72	84.05	100.62	159.10	450.70	89.45	98.00	129.51	122.49	289.00	186.26	*
20	134.24	84.38	103.73	175.45	416.66	89.45	89.79	132.13	132.65	284.04	167.55	566.65
21	145.31	86.41	100.67	155.91	376.60	89.79	89.45	121.98	141.31	350.98	166.22	377.44
22	137.88	86.41	92.56	121.80	263.25	102.09	89.45	124.98	140.86	421.60	159.89	313.78
23	133.15	84.38	90.13	101.10	180.83	127.13	89.45	132.63	126.07	361.20	137.45	266.36
24	128.99	86.41	98.43	90.51	130.94	118.01	89.45	133.67	123.35	270.23	122.49	226.36
25	124.98	86.75	117.71	94.94	120.74	114.04	92.18	136.79	96.69	256.38	128.49	199.03
26	120.96	84.38	188.33	103.35	96.47	113.62	95.28	133.15	91.52	276.30	128.99	188.26
27	120.96	83.73	153.83	101.39	89.45	107.28	100.62	129.01	82.22	259.79	128.49	176.91
28	119.72	81.85	144.56	101.00	90.17	104.12	101.39	121.46	81.54	222.39	121.46	137.04
29	101.53		108.60	103.73	99.56	98.00	113.28	124.98	79.35	148.32	120.96	153.11
30	90.17		94.94	100.67	92.56	92.52	114.05	132.63	81.54	165.75	124.48	164.93
31	89.45		89.79		89.79	107.28	107.28	132.65	184.92			156.54
Min	89.45	79.66	81.85	89.45	89.45	84.72	89.45	91.33	79.35	86.41	120.96	110.65
Mean	184.89	83.66	106.47	104.94	190.14	99.21	100.25	116.03	123.68	231.46	190.35	246.22
Max	496.79	89.45	188.33	175.45	450.70	127.13	116.26	140.27	141.31	426.36	421.19	1071.73

Daily means
Flow m³/s

Year 1963

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	154.73	69.44	79.69	91.50	84.58	106.08	92.95	137.36	76.52	131.60	129.04	529.90
2	143.04	71.72	88.80	92.18	84.24	104.51	92.52	133.15	76.52	122.49	237.98	366.48
3	167.99	73.72	86.44	92.18	84.56	109.83	92.33	129.51	76.52	132.65	305.77	349.30
4	449.68	69.72	79.35	89.79	89.13	104.94	81.99	133.15	76.52	146.60	351.11	380.33
5	473.47	71.44	79.35	91.50	89.47	110.65	92.61	137.31	76.52	165.03	399.14	358.26
6	410.21	71.72	83.73	86.78	89.47	114.04	85.06	141.31	78.41	166.98	430.21	446.73
7	340.27	72.01	86.41	84.24	89.81	117.50	88.78	141.88	74.64	172.15	439.72	430.74
8	290.91	74.01	84.72	82.19	91.84	120.96	86.75	141.88	76.52	176.77	528.17	352.99
9	271.24	76.52	89.11	84.05	89.47	124.48	84.72	146.01	76.21	182.85	717.74	301.91
10	242.09	79.04	90.17	86.10	89.16	124.98	88.78	141.95	76.21	222.27	676.15	278.45
11	193.72	81.54	100.28	84.24	84.58	124.55	86.75	133.72	74.32	277.02	404.68	266.87
12	161.80	86.75	103.73	84.24	86.63	117.58	86.75	137.15	76.52	306.64	371.40	266.15
13	147.05	89.11	100.67	84.24	82.22	110.69	89.06	133.72	78.72	325.60	348.96	260.55
14	141.88	84.07	92.56	84.24	81.54	104.94	127.17	136.65	76.52	332.32	489.34	253.52
15	137.31	79.35	89.79	81.88	81.85	111.58	137.31	129.71	76.52	336.85	454.72	239.08
16	133.15	79.04	89.45	83.91	86.75	123.19	134.32	114.01	76.52	381.06	454.81	249.10
17	128.06	79.04	89.45	86.94	91.83	114.53	92.44	90.56	76.52	352.95	394.97	249.10
18	111.19	78.72	89.11	86.78	91.52	120.59	91.83	88.80	75.29	347.85	365.24	243.25
19	100.67	74.64	84.72	84.56	87.62	111.19	92.52	79.69	88.49	479.01	285.26	241.83
20	89.52	80.91	89.11	89.13	92.18	104.55	94.56	80.91	91.83	710.77	244.68	216.53
21	79.69	79.35	89.45	86.78	92.18	107.49	89.45	76.84	89.14	455.03	243.25	208.25
22	79.04	79.35	92.56	84.24	89.79	114.10	84.07	76.84	84.89	389.65	239.08	187.64
23	79.04	81.23	103.35	81.88	91.83	116.69	79.35	76.52	91.83	358.06	254.22	167.55
24	78.72	79.35	104.51	81.54	93.29	111.37	81.23	74.32	92.18	343.30	264.02	161.05
25	74.32	83.42	109.11	79.35	106.47	110.69	81.54	76.52	90.51	303.38	242.27	155.89
26	74.01	79.35	93.03	83.59	109.83	104.94	80.00	78.72	102.03	299.64	375.23	150.60
27	74.01	79.04	86.78	84.24	104.55	107.25	89.52	76.84	133.87	291.59	281.86	139.69
28	74.01	79.04	81.88	84.24	104.12	112.86	111.85	78.72	169.69	368.35	242.18	159.25
29	73.72		81.54	86.63	101.39	107.96	153.51	76.84	176.11	275.85	514.56	151.76
30	69.72		81.54	86.97	103.01	103.83	147.69	76.52	173.28	231.29	690.51	155.95
31	69.44		82.19		94.06		145.89	76.52	185.06			165.57
Min	69.44	69.44	79.35	79.35	81.54	103.83	79.35	74.32	74.32	122.49	129.04	139.69
Mean	164.96	77.95	89.76	85.67	91.58	112.62	98.82	108.18	91.98	289.38	379.21	260.78
Max	473.47	89.11	109.11	92.18	109.83	124.98	153.51	146.01	176.11	710.77	717.74	529.90

Daily means
Flow m³/s

Year 1964

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
1	161.05	74.32	89.47	89.13	128.94	127.71	106.54	380.79	137.53	151.17	397.56	266.39
2	160.41	74.32	89.47	86.18	136.98	136.98	108.17	326.90	172.83	141.22	318.53	221.72
3	154.86	78.72	89.81	74.89	123.05	123.05	112.18	288.27	138.23	141.62	274.18	254.31
4	133.81	81.23	91.84	73.97	120.40	120.40	112.75	262.66	191.95	124.04	256.15	200.56
5	121.55	79.35	87.09	72.10	171.60	142.80	110.12	228.79	245.41	119.26	261.25	178.10
6	110.69	88.96	89.13	69.41	146.21	179.54	111.28	186.51	256.35	97.52	286.82	126.63
7	103.14	87.16	89.47	62.57	128.85	138.20	116.02	155.81	498.35	94.36	294.86	156.32
8	125.11	84.56	87.43	79.33	114.01	125.74	111.93	138.84	532.02	129.50	295.73	152.62
9	94.31	89.13	91.50	72.69	96.14	122.08	123.92	137.85	471.69	138.20	294.93	157.33
10	89.11	86.78	89.47	77.57	92.86	127.19	169.17	137.56	326.03	94.01	308.42	162.64
11	84.72	86.94	87.09	81.07	114.78	99.30	170.06	131.12	279.18	85.80	348.66	165.66
12	88.78	87.09	86.75	79.29	98.10	95.23	151.09	133.00	277.73	84.32	442.25	157.68
13	84.38	87.09	84.38	85.81	95.65	98.30	128.49	130.80	277.00	76.11	470.04	161.79
14	86.41	91.50	86.41	85.49	101.99	113.88	137.19	130.52	221.76	110.50	419.34	177.09
15	84.38	87.43	84.38	71.09	112.02	109.09	145.18	124.07	249.79	98.95	400.25	173.56
16	86.41	91.83	86.75	76.97	115.02	107.96	145.16	125.39	211.44	102.90	348.01	186.83
17	85.84	91.84	91.50	81.65	126.60	103.53	149.48	116.57	163.46	123.45	373.18	171.23
18	70.69	87.77	87.09	77.63	127.50	93.46	152.27	109.02	181.71	162.55	393.01	175.83
19	71.80	99.36	86.44	81.70	116.83	102.27	170.28	105.97	165.93	156.98	323.26	187.53
20	103.77	118.23	82.19	72.75	110.65	107.65	222.63	107.87	126.37	146.91	302.08	184.50
21	88.20	93.03	86.41	71.64	129.00	108.17	274.96	106.04	168.23	264.21	294.19	189.83
22	86.75	89.81	86.75	77.40	139.77	112.18	293.21	111.86	151.75	256.86	453.63	187.41
23	89.11	107.09	89.13	83.63	177.30	108.74	294.90	110.55	148.44	228.31	361.38	194.62
24	89.45	93.97	87.09	96.87	263.73	104.22	319.77	107.39	150.64	287.85	288.25	270.53
25	89.11	90.53	89.47	122.30	160.08	105.45	437.84	97.83	125.28	294.93	283.34	254.96
26	86.75	109.35	92.18	125.47	156.26	112.18	489.08	101.23	138.47	294.93	273.36	264.19
27	87.09	110.26	92.18	124.04	124.43	112.75	563.78	105.79	188.18	294.23	274.85	249.96
28	86.44	96.14	89.45	132.96	118.74	116.56	433.77	106.23	212.01	273.39	256.85	195.51
29	79.35	89.85	86.75	129.48	133.66	103.50	514.38	109.98	178.95	270.51	271.21	189.25
30	79.04		89.13	136.09	125.14	111.34	558.49	112.75	177.93	270.52	276.85	162.23
31	78.72		87.09		148.72	461.48	112.75			270.07		118.37
Min	70.69	74.32	82.19	62.57	92.86	93.46	106.54	97.83	125.28	76.11	256.15	118.37
Mean	98.10	90.82	88.17	88.37	130.81	115.65	238.57	149.70	225.49	173.72	328.08	190.17
Max	161.05	118.23	92.18	136.09	263.73	179.54	563.78	380.79	532.02	294.93	470.04	270.53
												62.57
												159.86
												563.78

Daily means Year 1965 site 4809443 PERAK at JAM. ISKANDAR, PERAK

Flow m³/s

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	114.22	77.80	112.43	104.99	269.78	80.25	?	100.49	93.26	324.73	*	335.97
2	110.26	77.04	110.23	204.17	193.93	86.15	84.47	92.90	108.71	284.94	*	383.95
3	99.55	77.22	102.59	144.18	197.24	80.19	83.99	95.58	252.76	326.91	*	*
4	98.00	79.04	81.55	87.25	244.18	134.94	87.38	96.12	177.72	300.53	*	*
5	111.83	91.38	74.84	84.84	273.39	98.08	88.13	96.39	198.64	271.04	*	717.43
6	118.09	105.69	76.52	86.84	265.45	93.37	90.01	94.24	260.82	252.78	*	641.54
7	133.36	81.68	81.08	123.39	256.34	94.54	89.74	95.58	238.06	211.06	775.71	585.37
8	102.06	91.47	76.89	98.34	187.09	91.93	85.63	100.22	191.04	154.84	546.14	549.75
9	89.95	99.50	84.13	98.28	113.77	95.27	122.38	99.38	242.44	147.14	399.74	471.25
10	85.61	104.85	87.51	108.26	148.91	93.70	212.95	102.74	260.04	182.34	395.33	473.61
11	87.95	87.22	82.45	136.41	164.01	93.67	205.11	106.57	239.88	188.87	407.10	455.32
12	85.61	95.59	81.44	111.74	147.78	104.01	142.70	111.26	180.07	283.68	347.97	513.37
13	94.24	102.85	84.50	98.71	144.69	77.58	134.50	107.71	184.14	412.40	321.42	572.64
14	88.75	100.02	118.65	99.22	145.97	77.03	124.76	110.99	146.72	356.65	352.88	625.80
15	101.44	101.22	87.19	89.43	137.70	72.36	109.35	131.96	169.97	507.54	397.11	718.77
16	134.21	87.25	81.44	83.47	205.39	76.69	104.09	150.94	134.09	537.62	510.97	588.09
17	97.96	93.21	84.78	86.08	275.13	77.41	97.26	167.43	128.79	845.70	560.48	598.44
18	88.70	90.77	87.82	120.73	168.63	65.60	96.12	255.13	130.82	*	550.92	583.97
19	105.59	85.90	87.04	130.14	165.26	73.28	104.09	263.00	115.78	967.92	563.20	615.22
20	102.33	93.21	84.77	140.31	182.64	78.59	101.09	159.61	140.11	635.00	547.71	600.97
21	107.34	94.03	89.16	130.14	173.60	77.41	96.67	155.66	160.24	563.22	505.78	547.99
22	105.37	97.37	120.52	137.45	262.59	77.41	104.09	100.73	250.05	480.98	457.73	467.08
23	96.51	107.15	85.84	154.49	253.12	77.41	101.09	93.26	269.87	567.62	427.21	420.04
24	104.95	111.86	72.20	117.24	144.13	77.41	100.76	106.93	271.17	548.45	408.95	790.79
25	91.97	106.23	71.80	116.91	145.80	77.41	114.20	229.31	228.78	486.56	354.62	940.47
26	87.22	109.98	114.66	105.22	180.37	74.74	106.33	199.17	207.52	384.11	398.53	761.45
27	87.95	112.43	134.00	139.92	159.42	77.03	105.50	239.64	261.68	408.62	350.74	495.43
28	85.90	110.55	134.37	125.32	150.00	74.74	107.38	289.19	280.41	461.50	332.25	446.64
29	90.24		105.46	156.38	146.57	77.03	111.39	282.52	303.45	883.38	338.16	428.88
30	93.32		85.84	206.83	143.58	?	106.11	226.98	420.42	*	329.37	463.53
31	86.03		88.71		102.28		104.43	101.42		*		505.57
Min	85.61	77.04	71.80	83.47	102.28	65.60	83.99	92.90	93.26	147.14	321.42	335.97
Mean	99.56	95.45	92.59	120.89	185.44	83.97	110.72	147.19	208.25	493.56	579.21	602.42
Max	134.21	112.43	134.37	206.83	275.13	134.94	212.95	289.19	420.42	*	*	1215.33

Daily means
Flow m³/s

Year 1966 site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	449.73	290.63	171.50	188.66	216.86	286.37	124.72	230.20	357.16	498.93	639.25	607.67
2	424.96	286.33	194.76	196.45	210.37	256.93	178.52	208.20	346.05	438.03	596.45	621.66
3	375.95	290.32	190.24	192.05	210.56	251.33	182.35	192.62	336.46	480.60	562.06	628.47
4	390.63	291.23	183.49	188.02	194.70	251.17	186.57	184.76	266.59	622.82	535.74	735.46
5	401.45	295.12	187.45	182.42	196.84	308.85	186.56	188.91	245.14	656.32	504.32	*
6	408.56	195.70	183.81	172.76	207.71	289.31	200.61	97.53	203.02	615.61	514.95	863.50
7	470.62	210.44	192.58	159.79	201.92	254.94	246.98	87.79	181.89	566.85	527.54	778.18
8	388.88	197.58	191.98	171.89	205.47	247.06	187.59	77.67	145.03	548.02	536.59	762.31
9	385.33	182.68	190.77	173.86	197.44	244.00	181.79	89.75	144.16	658.34	534.63	699.03
10	391.28	177.58	183.56	182.04	196.20	223.83	179.12	85.84	124.06	596.76	505.56	717.93
11	385.48	169.65	182.35	187.42	191.98	237.87	188.78	85.51	136.01	569.70	480.42	828.29
12	396.49	173.79	189.64	192.58	197.05	231.17	180.31	77.30	141.35	566.52	483.15	676.45
13	397.93	179.25	178.18	211.04	197.44	203.55	176.45	76.45	141.36	597.20	486.71	614.79
14	401.33	191.98	168.51	213.74	196.80	206.39	153.79	79.52	127.78	881.65	581.80	573.86
15	386.21	211.41	149.43	151.68	196.80	203.27	165.65	85.39	124.97	*	592.68	562.29
16	390.55	197.14	163.42	150.41	211.10	189.08	176.98	85.51	125.40	802.02	604.44	552.76
17	334.74	205.11	164.52	154.72	279.38	205.66	177.83	77.30	158.51	*	619.68	559.61
18	278.74	226.19	159.22	150.99	360.68	205.51	177.26	77.51	172.75	*	628.47	582.65
19	252.52	223.91	186.26	147.18	357.65	184.19	163.70	90.84	176.99	*	642.58	608.72
20	244.73	240.27	239.05	155.84	385.32	182.35	137.68	91.76	162.93	*	668.54	550.02
21	222.97	263.06	222.97	173.29	344.68	182.35	117.24	108.62	148.93	812.81	681.98	530.31
22	226.45	227.42	222.30	182.35	241.54	178.41	99.83	113.02	146.00	697.16	748.43	512.64
23	307.76	190.64	226.36	183.93	223.29	185.00	98.42	155.28	139.99	669.39	794.54	511.08
24	629.75	201.69	217.86	216.65	242.45	164.85	98.42	309.14	137.01	667.72	785.21	494.80
25	640.27	271.90	217.19	218.47	245.21	150.06	98.42	329.22	126.69	668.14	772.24	504.09
26	629.63	223.58	212.47	233.78	265.04	155.44	89.85	352.93	138.13	676.45	717.10	509.48
27	635.14	170.78	207.35	250.30	265.11	160.68	70.23	358.35	165.93	660.92	598.73	565.23
28	485.06	181.18	205.51	243.83	245.28	171.05	71.61	422.81	505.23	634.54	513.09	564.43
29	401.10		192.62	241.88	250.24	166.22	69.78	421.33	648.28	618.88	578.64	544.04
30	334.96		191.98	209.40	283.91	167.00	71.61	418.96	556.57	614.27	618.36	542.06
31	314.61		195.88		245.35		78.43	416.75	603.80			556.05
Min	222.97	169.65	149.43	147.18	191.98	150.06	69.78	76.45	124.06	438.03	480.42	494.80
Mean	399.48	220.23	192.36	189.25	240.79	211.46	145.71	183.12	217.68	712.72	601.80	627.17
Max	640.27	295.12	239.05	250.30	385.32	308.85	246.98	422.81	648.28	*	794.54	1208.25

Daily means
Flow m³/s

Year 1967

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
1	569.63	602.94	493.24	217.07	557.51	179.83	189.25	149.01	135.49	211.23	389.31	*
2	548.51	577.97	673.89	181.29	417.35	185.65	220.32	155.79	140.44	246.97	333.07	965.99
3	555.30	543.62	517.48	161.18	378.25	148.69	256.25	145.47	136.24	268.16	317.59	825.39
4	*	518.06	471.09	151.17	414.66	169.55	194.99	143.78	133.54	244.91	321.42	701.48
5	*	489.22	406.25	251.62	348.97	161.46	160.54	136.43	144.98	261.57	342.18	642.96
6	*	486.13	371.46	288.62	312.22	157.43	161.31	134.66	133.58	215.13	321.29	559.49
7	*	482.76	338.01	326.27	355.85	157.43	161.80	131.45	137.61	206.85	342.78	588.65
8	*	459.85	285.79	318.98	458.00	114.61	169.24	140.39	145.05	178.25	322.26	535.50
9	*	393.69	281.83	350.09	506.72	105.38	161.95	135.97	147.24	147.88	385.28	477.34
10	*	372.00	284.87	388.93	495.15	105.84	165.78	133.18	156.71	162.25	633.25	457.91
11	*	373.77	375.64	835.36	481.04	150.94	161.46	151.64	198.61	159.07	549.38	440.88
12	*	373.77	762.60	218.50	461.03	210.52	162.39	141.59	197.89	209.55	398.51	438.46
13	*	375.54	599.88	147.68	393.71	206.28	167.45	140.87	163.54	177.48	444.95	432.40
14	*	364.66	486.13	146.09	344.08	160.22	170.20	145.19	103.91	195.95	431.35	436.98
15	*	349.03	432.64	142.87	370.66	196.28	169.57	156.93	93.09	177.16	401.62	412.80
16	*	347.76	322.59	150.35	356.68	256.59	175.70	168.96	95.96	176.05	398.19	398.06
17	*	348.11	314.09	143.02	360.00	303.06	191.35	170.11	99.62	174.12	410.56	418.84
18	*	368.97	308.67	147.18	400.53	229.32	175.21	173.94	109.28	156.84	366.87	459.21
19	*	388.64	306.73	230.84	376.81	289.31	177.32	177.32	160.85	139.14	333.93	430.95
20	850.42	412.60	310.99	279.90	394.30	274.61	168.11	149.06	178.68	188.58	341.28	396.97
21	812.91	477.36	259.50	324.01	443.10	278.05	188.52	142.14	219.91	263.50	351.39	394.02
22	771.69	464.07	307.79	284.40	491.17	255.55	190.36	136.98	257.98	301.02	330.66	421.49
23	756.88	444.12	307.79	264.98	455.36	240.34	173.94	119.25	214.17	358.87	321.42	408.76
24	720.72	417.21	208.68	281.34	391.79	198.70	172.85	107.11	159.96	329.96	321.42	362.74
25	669.39	394.20	200.40	273.90	334.32	174.90	163.36	105.79	189.40	356.65	328.77	334.30
26	663.88	339.90	184.76	307.08	335.63	253.39	141.59	109.72	269.34	419.07	796.47	300.64
27	654.48	320.57	200.40	307.89	312.67	271.43	140.39	122.56	258.43	490.94	*	289.95
28	650.30	336.74	201.60	302.20	215.27	266.49	141.32	229.38	229.93	386.47	*	285.56
29	637.39		224.91	423.32	204.31	266.19	119.76	220.60	208.84	481.24	*	189.44
30	627.82		223.27	518.56	184.07	271.15	156.03	140.44	224.54	422.58	*	218.42
31	621.90		204.22		186.73		160.82	139.74	423.59			272.13
Min	548.51	320.57	184.76	142.87	184.07	105.38	119.76	105.79	93.09	139.14	317.59	189.44
Mean	*	422.26	350.56	278.82	378.64	207.97	171.26	146.95	168.16	262.29	591.05	475.31
Max	*	602.94	762.60	835.36	557.51	303.06	256.25	229.38	269.34	490.94	*	5470.99

Daily means
Flow m³/s

Year 1968

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	278.11	127.18	56.68	92.26	120.00	127.49	108.71	88.94	81.26	99.81	173.30	98.90
2	257.06	127.18	59.54	101.21	113.51	117.38	127.66	70.61	106.26	102.86	173.30	93.65
3	252.58	111.82	58.88	93.96	109.93	152.13	136.14	79.51	84.51	165.11	173.30	102.54
4	216.76	102.30	58.88	83.08	110.46	189.65	132.23	105.50	83.82	193.81	171.03	99.81
5	208.90	115.03	57.55	73.13	100.83	135.82	142.76	155.12	84.71	186.66	164.23	118.01
6	196.40	135.41	58.65	84.04	76.50	128.48	129.60	158.92	84.73	165.41	164.23	104.68
7	170.97	141.73	60.10	95.41	66.94	134.01	122.72	154.34	85.99	204.66	176.13	167.88
8	205.73	146.40	54.56	92.31	77.44	127.31	133.26	140.82	76.95	213.29	187.74	188.31
9	157.06	139.18	50.13	80.24	90.67	124.24	147.46	92.33	77.37	191.98	192.34	155.76
10	159.48	134.73	50.13	81.75	115.48	149.41	151.01	97.86	82.57	176.45	144.71	152.13
11	165.73	124.68	55.85	80.84	141.13	175.99	145.68	79.33	83.29	174.07	116.14	165.15
12	210.47	108.39	82.39	86.96	115.06	226.26	133.82	73.48	99.37	185.37	120.48	201.27
13	217.98	97.00	87.63	91.85	118.06	244.54	133.82	87.16	94.07	209.33	127.95	164.34
14	169.62	98.44	82.85	88.41	152.30	212.31	125.80	94.07	90.80	260.75	114.86	156.70
15	163.50	107.83	78.90	87.38	170.70	232.84	121.35	108.68	78.96	242.11	111.30	147.98
16	230.36	107.56	86.77	103.84	246.35	249.55	96.10	98.45	80.68	218.60	123.75	155.55
17	147.50	97.98	89.54	93.11	209.26	236.33	98.10	92.34	92.23	212.20	114.73	226.33
18	151.91	100.58	82.26	79.04	172.46	225.30	110.22	99.85	127.52	222.66	116.35	212.38
19	150.85	91.72	81.29	75.68	238.61	192.36	132.63	86.88	186.61	221.99	138.26	157.72
20	149.55	97.75	81.91	80.54	221.44	141.86	185.16	81.69	147.91	221.99	127.44	167.21
21	150.93	99.72	85.71	70.67	143.15	107.84	177.62	86.63	90.80	214.36	119.74	178.45
22	159.48	84.84	89.48	71.16	145.31	103.98	163.11	92.20	83.25	211.82	97.96	129.06
23	155.74	65.75	120.42	90.23	205.83	118.60	152.46	84.58	82.22	211.18	106.48	115.91
24	152.20	63.56	96.43	107.91	132.88	109.51	141.51	92.16	93.15	202.24	98.73	122.64
25	148.90	62.08	86.97	118.01	163.45	124.42	126.65	84.03	94.53	201.60	90.27	118.78
26	140.74	58.87	88.86	101.93	173.25	113.93	132.52	80.81	83.27	199.20	92.98	117.66
27	141.55	55.08	96.01	121.19	165.37	114.10	137.53	83.22	83.80	191.99	98.73	171.43
28	137.61	55.56	121.27	161.66	115.25	91.00	131.03	84.92	128.06	191.39	98.73	220.02
29	121.93	51.98	134.47	227.95	113.75	83.61	102.30	102.18	126.19	182.95	86.27	261.49
30	121.76		119.14	201.90	101.84	84.51	82.47	106.54	109.33	182.35	91.64	273.83
31	155.69		103.36		122.97		82.04	94.47		175.56		252.58
Min	121.76	51.98	50.13	70.67	66.94	83.61	82.04	70.61	76.95	99.81	86.27	93.65
Mean	175.71	100.36	81.18	100.59	140.33	152.49	130.43	97.99	96.81	194.64	130.44	161.23
Max	278.11	146.40	134.47	227.95	246.35	249.55	185.16	158.92	186.61	260.75	192.34	273.83
												50.13
												130.46
												278.11

Daily means
Flow m³/s

Year 1969

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	240.84	122.50	77.39	188.96	185.12	177.60	135.38	72.47	218.04	121.76	382.40	*
2	238.85	114.80	77.86	149.39	197.50	141.82	114.09	75.39	214.25	140.16	335.73	*
3	216.13	101.62	71.92	131.36	177.72	198.78	106.44	71.74	172.12	127.43	321.14	856.31
4	228.06	85.57	71.19	168.40	171.36	187.70	96.39	72.52	155.60	109.75	324.54	792.05
5	203.92	96.27	74.30	94.80	90.00	153.33	113.35	75.96	139.25	105.83	295.43	676.40
6	194.40	100.98	76.42	69.78	89.52	136.09	112.00	70.11	155.55	136.98	295.43	544.15
7	229.59	85.54	70.49	75.57	90.59	117.40	128.16	65.95	161.16	241.55	289.95	501.16
8	262.99	94.22	64.80	74.62	91.65	97.27	104.74	66.31	137.01	267.95	284.03	523.52
9	289.85	95.24	65.07	70.91	114.94	101.29	134.62	58.96	123.21	256.33	278.11	511.94
10	249.19	92.22	63.59	68.43	219.68	117.51	125.97	67.37	112.95	266.41	309.51	544.33
11	291.42	84.65	73.09	61.30	218.22	118.57	102.92	96.01	109.75	475.04	299.98	642.52
12	252.82	90.32	89.48	69.31	228.91	115.19	101.58	99.57	98.12	607.01	312.41	653.55
13	227.02	93.68	97.70	66.49	224.67	124.61	86.51	94.22	101.47	475.15	381.90	633.52
14	172.26	85.99	75.27	59.88	178.13	161.70	73.52	114.99	89.19	436.21	321.50	532.71
15	208.59	111.92	82.95	65.75	117.57	201.62	88.50	121.18	81.15	491.24	348.58	546.43
16	235.36	100.07	84.95	88.00	152.95	172.18	96.10	139.98	84.69	569.42	278.85	545.63
17	235.97	83.34	73.41	133.74	188.50	134.97	107.56	151.95	89.36	536.31	468.49	468.84
18	185.34	71.41	74.09	108.36	189.30	109.64	100.80	139.23	94.41	578.61	434.34	570.24
19	165.94	75.17	77.08	84.21	196.78	85.66	124.70	235.45	90.27	489.26	469.76	583.82
20	170.82	94.74	70.21	76.68	206.28	106.94	127.85	299.88	90.22	446.86	608.59	469.21
21	158.64	86.47	67.25	74.46	294.71	208.45	148.64	278.89	80.49	427.01	402.01	420.50
22	149.58	74.58	75.18	90.11	288.90	254.16	129.31	244.98	78.01	401.27	236.22	385.00
23	130.32	70.54	65.87	100.79	271.25	236.23	99.78	243.51	91.31	406.48	380.70	386.07
24	120.48	87.43	63.66	85.97	301.00	171.31	89.78	232.05	117.18	524.59	253.58	374.09
25	131.21	94.02	78.68	74.74	252.04	164.52	82.82	266.47	137.77	531.39	456.46	357.54
26	105.12	89.49	77.37	80.59	257.69	164.23	83.76	335.82	107.20	381.90	415.02	345.28
27	117.23	76.54	78.72	80.04	262.29	164.23	76.78	281.07	92.19	408.03	484.57	341.10
28	136.91	74.98	74.40	72.98	468.36	168.20	66.08	272.90	95.41	539.81	473.75	375.62
29	155.67		113.66	75.15	276.15	158.66	69.24	261.41	99.05	467.67	402.22	362.70
30	138.29		175.23	125.28	254.88	143.76	72.89	260.52	126.57	454.13	998.09	341.03
31	123.82		177.02		243.67		72.12	264.75		386.68		321.14
Min	105.12	70.54	63.59	59.88	89.52	85.66	66.08	58.96	78.01	105.83	236.22	321.14
Mean	192.47	90.51	82.56	92.20	209.69	153.12	102.34	165.54	118.10	380.91	384.78	578.51
Max	291.42	122.50	177.02	188.96	468.36	254.16	148.64	335.82	218.04	607.01	998.09	* 2106.88

Daily means Flow m³/s Year 1970 site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	324.28	228.60	122.44	204.83	173.84	242.97	159.97	114.81	127.63	187.35	417.47	304.92
2	328.78	213.71	115.13	185.72	188.01	245.63	163.18	108.90	126.56	188.61	386.66	367.19
3	335.25	215.06	112.73	163.39	149.18	239.82	143.71	120.46	122.90	208.85	355.11	319.94
4	321.38	189.39	114.88	105.79	148.28	182.13	171.21	126.64	130.03	309.12	331.67	298.55
5	327.89	210.39	113.79	103.03	168.41	133.05	164.65	114.69	125.86	301.90	380.29	291.71
6	440.38	193.26	104.08	125.70	138.22	116.11	140.68	153.87	124.66	317.44	371.16	311.16
7	898.21	197.79	102.02	134.36	133.34	131.37	139.42	157.81	157.12	332.37	326.43	328.62
8	695.72	191.56	105.43	152.11	175.52	119.75	130.52	150.39	167.77	347.30	325.77	255.14
9	532.36	229.87	101.29	196.09	140.77	123.35	132.72	144.55	175.35	362.22	627.66	202.36
10	455.72	212.66	100.34	268.03	129.45	107.94	135.18	113.83	173.36	377.15	567.35	278.79
11	426.91	161.29	102.50	188.46	226.17	122.37	130.00	142.24	183.89	392.07	350.21	300.48
12	388.29	154.99	99.78	148.91	309.35	106.62	101.38	159.62	168.71	407.00	333.34	299.82
13	380.05	168.55	124.97	132.35	269.13	110.86	101.59	171.65	166.45	421.92	339.83	293.81
14	447.20	168.41	125.82	123.67	242.46	114.52	100.47	160.64	169.58	436.85	517.28	303.07
15	536.64	151.39	113.46	111.51	200.33	111.39	92.01	157.52	168.68	438.04	? 297.85	297.85
16	547.49	156.80	104.85	107.05	148.63	103.41	83.19	162.39	166.93	376.94	? 289.93	289.93
17	451.07	155.78	113.82	121.16	112.10	103.69	92.38	163.04	173.32	346.59	? 298.04	298.04
18	432.51	144.56	110.25	154.93	78.38	102.09	102.99	156.65	172.84	333.66	887.35	293.41
19	403.11	145.37	85.62	115.93	60.41	106.88	102.32	? 182.91	328.88	853.77	303.30	303.30
20	377.35	143.60	83.44	97.83	48.84	97.96	104.31	? 238.83	326.27	771.43	297.40	297.40
21	354.55	136.01	79.57	99.09	124.83	100.99	117.57	102.42	266.44	322.34	689.08	296.41
22	334.41	138.16	87.74	103.57	192.69	93.11	137.22	98.00	254.70	318.18	606.74	263.70
23	321.42	131.51	81.41	103.48	166.35	161.04	151.80	108.10	291.03	326.73	524.40	259.91
24	324.69	163.60	87.46	108.22	142.93	186.01	153.86	140.89	313.06	337.79	442.05	251.83
25	331.20	158.19	100.08	93.57	137.10	131.51	156.68	142.27	289.99	339.49	359.71	254.02
26	315.47	139.17	99.72	102.43	133.98	116.99	145.21	153.73	249.08	330.43	277.36	276.66
27	233.78	135.84	105.22	103.76	167.63	110.57	150.87	128.48	242.41	341.60	202.84	* 202.84
28	284.31	138.16	146.00	103.76	168.24	94.25	117.05	116.76	243.78	352.42	265.88	* 265.88
29	340.94		102.97	110.38	226.32	98.98	139.58	117.04	223.29	403.89	244.27	* 244.27
30	339.26		103.99	145.82	196.55	156.38	138.39	118.35	183.71	369.34	303.63	743.11
31	280.56		177.42		235.85	112.27	128.21		395.79			875.53
Min	233.78	131.51	79.57	93.57	48.84	93.11	83.19	98.00	122.90	187.35	202.84	202.36
Mean	403.59	170.49	107.36	133.83	165.59	132.39	129.43	135.65	192.70	341.24	446.62	462.92
Max	898.21	229.87	177.42	268.03	309.35	245.63	171.21	171.65	313.06	438.04	887.35	2385.27

Daily means
Flow m³/s

Year 1971

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	977.60	243.57	351.50	?	125.03	109.22	112.40	106.75	86.71	168.09	217.66	175.13
2	819.31	236.52	308.41	?	120.38	137.59	126.92	109.02	77.36	157.22	203.71	243.35
3	*	230.59	339.39	?	135.00	176.35	107.64	111.29	68.02	146.35	180.43	238.27
4	*	227.05	290.53	?	?	135.34	97.34	113.56	124.57	139.75	159.83	239.07
5	?	220.07	287.73	?	?	119.05	84.93	115.70	162.34	107.33	156.70	310.68
6	?	208.48	287.97	?	?	101.98	81.97	90.52	148.85	100.85	162.79	340.67
7	?	190.27	281.10	?	?	106.26	79.99	97.78	150.90	112.82	177.87	327.36
8	?	?	275.38	?	?	98.08	82.48	78.08	118.50	114.02	202.71	314.44
9	?	?	221.73	?	?	100.82	72.61	79.56	121.37	103.00	226.50	886.78
10	?	?	185.15	?	?	97.41	79.41	85.77	211.57	86.76	204.68	?
11	?	?	166.65	?	?	90.63	75.68	84.63	255.01	92.09	168.22	?
12	?	?	153.74	?	?	93.62	76.99	83.80	265.91	99.68	169.81	?
13	?	?	151.53	?	?	93.61	86.56	95.59	205.45	143.46	121.75	?
14	?	?	147.89	?	?	92.85	93.87	128.43	177.76	187.96	130.11	?
15	?	?	?	?	?	105.13	81.21	128.42	121.83	170.51	160.19	?
16	?	?	?	?	?	98.41	77.86	146.04	161.87	185.52	118.99	?
17	?	?	?	?	?	90.08	84.71	147.20	208.32	185.30	149.01	?
18	?	174.18	?	?	?	115.77	84.41	139.45	224.05	157.23	143.12	890.10
19	?	170.18	?	?	?	136.37	77.03	146.14	171.80	153.88	130.71	886.11
20	268.51	177.62	?	?	?	131.25	151.49	139.98	170.35	165.38	125.21	*
21	291.83	169.56	?	106.73	112.06	139.41	96.26	203.74	191.13	246.32	127.53	*
22	634.10	166.75	?	104.26	104.36	112.44	116.18	222.35	210.02	256.98	206.35	*
23	775.34	244.25	?	104.66	90.37	94.68	97.34	185.70	234.99	237.31	220.04	*
24	541.24	384.00	?	106.38	103.94	82.15	87.98	194.48	241.51	171.34	196.52	*
25	335.34	309.51	?	117.26	107.15	78.80	77.08	158.03	233.31	166.58	159.85	*
26	308.02	299.59	?	116.45	114.34	80.29	93.12	142.77	222.44	158.68	143.20	727.25
27	302.42	302.46	?	125.67	118.31	89.78	95.40	133.42	211.57	154.91	147.48	694.93
28	293.86	318.40	?	139.88	116.80	98.30	97.67	124.08	200.70	223.66	194.29	537.81
29	266.30	?	?	130.39	108.97	94.88	99.94	114.74	189.83	210.59	200.48	464.47
30	273.44	?	?	133.76	116.65	100.79	102.21	105.39	178.96	191.87	184.46	491.70
31	279.40	?	?	130.81	130.81	104.48	104.48	96.05	193.28	193.28	193.28	443.41
Min	266.30	166.75	147.89	104.26	90.37	78.80	72.61	78.08	68.02	86.76	118.99	175.13
Mean	547.40	237.39	246.34	118.54	116.99	107.39	90.62	126.08	178.23	160.93	169.67	695.68
Max	*	384.00	351.50	139.88	136.37	176.35	126.92	222.35	265.91	256.98	226.50	1676.97

Daily means Flow m³/s Year 1972 site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	370.34	152.52	128.77	88.75	187.26	87.56	?	77.27	63.52	?	?	170.56
2	260.79	150.94	123.08	89.55	172.28	80.58	51.42	63.75	69.84	?	?	99.76
3	345.46	150.56	119.18	99.19	177.38	80.85	49.95	50.38	74.49	?	?	84.53
4	302.52	158.75	182.33	171.57	196.90	75.16	48.23	58.55	126.36	?	?	80.33
5	338.22	149.01	106.62	103.91	170.29	89.56	?	59.32	82.91	?	?	59.12
6	298.58	?	136.23	104.50	159.73	92.37	?	61.25	103.86	?	?	65.90
7	293.34	?	118.09	99.72	136.29	80.40	44.85	69.03	167.86	?	?	52.52
8	301.53	?	99.20	99.69	139.41	67.05	45.06	?	139.44	?	?	50.80
9	291.52	?	97.73	97.33	123.57	45.74	45.27	?	141.11	?	?	60.00
10	293.57	?	94.59	93.65	120.48	50.02	45.48	?	78.11	?	510.28	51.01
11	286.89	?	95.05	92.35	125.41	45.25	45.69	?	92.06	?	218.89	52.82
12	278.35	?	88.47	110.06	122.71	48.83	45.90	?	86.25	?	23.56	50.09
13	245.70	?	83.61	143.21	136.17	51.39	52.32	?	90.07	?	28.39	50.23
14	226.96	?	82.45	150.74	193.30	55.05	102.28	?	?	?	29.77	49.63
15	205.60	?	104.06	181.47	147.32	41.51	65.43	?	?	?	25.05	51.36
16	199.71	?	83.95	147.13	134.20	74.68	59.83	?	?	?	32.01	86.17
17	186.73	?	83.75	151.88	114.85	142.86	55.84	?	?	?	79.52	470.96
18	177.15	?	84.48	147.89	108.88	177.37	65.50	?	?	?	?	*
19	179.89	?	94.14	141.13	100.88	91.03	64.62	?	?	?	?	511.68
20	194.59	?	85.10	129.10	110.39	98.43	65.03	?	?	?	?	354.11
21	193.96	?	88.14	153.48	100.72	192.16	64.32	?	?	?	?	55.07
22	189.23	164.66	81.03	167.58	101.27	69.97	70.69	?	?	?	55.07	348.34
23	166.85	152.21	80.56	217.69	117.89	101.39	75.14	?	?	?	125.21	313.07
24	162.86	148.84	81.87	277.78	121.29	31.94	64.24	?	?	?	59.66	250.45
25	164.07	156.43	83.22	198.51	113.57	32.28	64.37	?	?	?	79.37	198.28
26	167.95	160.59	85.41	176.09	120.41	85.09	67.26	?	?	?	39.31	154.71
27	160.07	147.56	80.33	308.04	97.36	80.04	66.23	?	?	?	34.20	114.98
28	155.04	157.07	88.03	280.56	92.51	67.54	69.86	?	?	?	18.39	168.15
29	153.17	144.32	86.56	223.54	101.12	52.19	67.21	?	?	?	166.61	131.36
30	144.50	?	80.84	176.26	91.18	?	75.50	?	?	?	247.82	243.82
31	145.22	?	83.48	101.78	101.78	?	75.63	55.17	?	?	?	246.75
Min	144.50	144.32	80.33	88.75	91.18	31.94	44.85	50.38	63.52	?	18.39	49.63
Mean	228.40	153.34	97.11	154.08	130.22	78.91	61.18	61.84	101.22	?	104.30	226.21
Max	370.34	164.66	182.33	308.04	196.90	192.16	102.28	77.27	167.86	?	510.28	1367.17

Daily means Flow m³/s Year 1973 site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	245.63	88.02	?	?	146.84	309.07	?	?	84.74	77.95	681.82	785.04
2	244.23	93.88	?	?	104.02	?	?	?	99.25	92.68	710.08	817.42
3	242.75	91.10	?	?	98.04	?	?	?	85.35	163.04	802.40	747.45
4	244.07	89.57	?	?	76.71	?	?	?	70.92	160.62	832.76	770.81
5	?	87.89	?	?	67.00	?	?	?	73.53	146.70	922.95	850.73
6	?	78.90	?	?	70.67	?	?	?	69.83	140.27	*	?
7	?	84.59	?	?	115.27	?	?	?	68.01	142.69	860.72	?
8	?	81.27	?	?	169.42	?	?	?	63.80	94.98	946.49	?
9	?	79.22	?	?	200.69	?	?	?	89.93	83.55	782.91	?
10	?	77.70	?	61.64	131.30	?	?	?	92.70	81.30	688.44	?
11	?	77.49	?	66.79	114.68	?	?	?	99.02	84.06	805.42	?
12	?	73.92	?	64.87	112.80	?	?	?	105.62	94.40	956.55	?
13	?	75.63	?	64.36	107.85	?	?	?	160.22	86.62	883.94	?
14	?	73.70	?	63.62	156.15	?	?	?	167.53	87.41	783.80	?
15	?	72.10	?	65.99	121.33	?	?	?	157.72	84.34	746.19	918.51
16	?	74.79	?	64.42	120.99	?	?	?	154.59	87.02	670.64	*
17	?	101.74	?	68.63	126.77	?	?	?	98.35	105.23	695.59	*
18	157.31	164.41	?	73.27	124.07	?	?	?	95.34	169.11	655.54	*
19	241.45	?	?	74.82	117.46	?	?	?	94.38	218.07	651.75	*
20	190.41	?	?	69.78	133.99	?	?	?	94.26	344.41	682.82	*
21	153.37	?	?	76.05	123.62	?	?	?	90.90	330.59	868.73	756.59
22	165.18	?	?	83.23	177.15	?	?	?	92.80	263.08	*	678.83
23	166.45	?	?	83.50	164.60	?	?	?	84.30	209.84	801.07	748.16
24	153.85	?	?	85.01	198.87	?	?	?	81.34	459.33	812.45	853.03
25	127.02	?	?	171.07	220.46	?	?	?	76.29	347.60	768.55	672.21
26	96.80	?	?	127.70	233.49	?	?	?	77.75	354.50	747.35	615.47
27	94.60	?	?	116.83	175.33	?	?	?	96.89	394.78	682.95	523.52
28	93.23	?	?	99.49	298.82	?	?	?	90.51	390.57	786.56	458.18
29	94.31	?	?	129.48	251.12	?	?	?	135.11	?	794.69	465.37
30	95.55	?	?	171.08	219.49	?	?	?	134.52	?	754.43	446.88
31	90.44	?	?	194.57	?	?	?	43.60	?	?	?	422.43
Min	90.44	72.10	?	61.64	67.00	309.07	?	43.60	63.80	77.95	651.75	422.43
Mean	160.92	87.00	?	89.60	150.79	309.07	?	43.60	99.52	189.10	794.54	814.50
Max	245.63	164.41	?	171.08	298.82	309.07	?	43.60	167.53	459.33	*	1598.16

Daily means
Flow m³/s

Year 1974

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	401.96	175.89	145.94	98.88	199.56	142.61	? 235.76	93.44	51.36	187.95	252.90	
2	396.79	156.59	143.02	96.74	163.95	120.43	? 227.24	92.89	56.77	199.46	246.83	
3	386.27	152.60	128.49	103.14	176.05	112.75	? 226.59	125.32	55.68	193.89	240.58	
4	386.11	164.19	127.03	110.56	247.48	118.62	? 198.96	161.75	60.86	187.89	238.92	
5	368.65	183.65	145.61	119.88	217.51	110.51	? 185.30	186.66	65.81	185.29	223.82	
6	345.92	162.06	127.83	150.61	208.39	118.27	? 187.84	178.41	69.37	137.42	202.42	
7	329.19	196.82	148.75	163.02	244.81	120.16	? 138.64	125.80	86.84	129.05	157.97	
8	317.47	170.92	142.28	158.31	249.44	117.61	? 132.00	140.47	103.65	132.41	134.60	
9	306.38	161.06	161.45	215.24	204.95	112.10	? 145.30	131.32	118.38	129.85	134.17	
10	296.88	162.42	157.44	149.41	207.18	119.48	? 135.92	85.65	119.38	137.87	132.50	
11	284.47	156.89	139.18	160.74	213.75	124.37	? 130.87	79.80	125.27	127.67	130.25	
12	275.99	152.14	136.45	154.68	254.10	121.24	111.17	138.54	77.96	165.15	134.48	130.63
13	271.50	159.01	129.43	155.77	224.89	? 113.77	131.72	75.04	167.90	163.43	129.86	
14	271.13	151.08	125.17	146.95	215.67	? 114.69	141.49	86.16	143.67	206.95	132.57	
15	244.29	148.56	123.89	136.41	199.75	? 102.56	115.87	75.37	135.86	218.51	145.86	
16	238.85	148.84	123.00	136.49	176.44	? 113.13	121.99	83.19	140.48	232.06	152.64	
17	220.59	146.21	120.14	66.49	182.60	? 142.26	122.28	111.45	126.83	222.17	167.43	
18	219.59	150.18	110.71	104.65	228.93	? 121.49	103.04	120.70	168.86	207.82	226.47	
19	216.97	157.56	109.09	134.10	244.68	? 129.03	118.32	94.89	207.36	225.24	157.36	
20	215.59	185.10	106.26	131.88	221.48	? 119.73	135.02	84.31	180.26	239.30	148.08	
21	200.67	242.16	100.80	129.29	183.99	? 119.86	133.59	67.79	163.97	235.62	154.98	
22	199.63	214.47	95.58	129.78	233.60	? 134.12	120.82	62.86	136.80	245.44	86.19	
23	205.31	219.51	101.86	133.63	271.74	? 179.66	86.40	69.67	126.02	258.18	146.52	
24	208.39	223.39	93.59	152.78	271.10	? 170.81	62.87	81.62	125.00	403.64	136.11	
25	190.88	219.01	89.55	172.72	241.61	? 129.85	67.81	79.72	150.18	370.65	133.42	
26	191.76	176.67	100.37	160.06	234.08	? 145.68	86.08	72.73	188.98	304.80	141.57	
27	210.69	148.91	97.76	187.20	210.17	? 165.85	85.24	107.99	180.83	249.85	141.60	
28	210.91	136.49	87.27	177.42	203.26	? 144.62	93.87	90.89	174.00	243.38	151.32	
29	232.35		95.72	185.90	149.26	? 155.91	84.05	66.12	200.98	261.94	235.67	
30	222.93		97.45	228.69	148.15	? 192.92	79.71	37.74	213.83	268.65	256.95	
31	198.60		96.62		152.47	? 239.64	62.21		205.81			
Min	190.88	136.49	87.27	66.49	148.15	110.51	102.56	62.21	37.74	51.36	127.67	86.19
Mean	266.67	172.23	119.60	145.05	212.29	119.84	142.34	130.17	98.26	136.00	214.70	171.73
Max	401.96	242.16	161.45	228.69	271.74	142.61	239.64	235.76	186.66	213.83	403.64	256.95

37.74
163.62
403.64

Daily means Flow m³/s Year 1975 site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec	
1	241.53	?	173.39	157.45	73.42	212.52	112.82	154.69	?	177.01	188.19	262.87	
2	261.90	?	159.55	134.45	129.79	173.91	110.78	105.59	?	115.19	181.89	260.71	
3	254.96	?	111.72	126.94	155.92	154.14	110.53	110.40	?	90.84	179.85	210.92	
4	243.11	?	124.60	123.66	131.87	116.28	110.17	104.04	?	80.06	179.56	208.94	
5	308.43	?	151.31	123.97	135.31	145.62	109.78	110.34	?	74.93	173.59	210.47	
6	527.04	?	171.30	135.05	120.20	148.24	97.95	113.12	?	69.47	201.09	227.01	
7	325.26	?	159.74	92.80	129.04	117.54	121.06	111.36	?	80.46	196.23	362.17	
8	279.49	?	163.38	187.73	166.45	112.23	116.60	111.27	?	85.77	196.28	852.42	
9	255.84	?	183.27	203.57	159.50	115.81	111.96	114.82	?	80.78	211.58	413.44	
10	320.35	?	171.52	?	145.12	117.78	110.32	123.34	?	84.04	339.93	577.58	
11	363.64	?	157.62	?	129.46	128.84	103.80	115.72	?	86.92	230.15	?	
12	377.31	?	125.71	144.64	130.59	143.02	99.33	112.82	?	82.04	195.47	?	
13	422.56	?	117.21	120.41	139.61	138.07	93.80	111.29	?	92.72	197.38	?	
14	291.51	?	117.93	118.87	133.37	108.47	111.94	107.14	94.08	138.37	207.88	?	
15	419.73	?	110.39	115.47	128.11	170.55	147.70	105.22	103.87	88.35	202.35	?	
16	292.80	?	115.34	118.59	134.70	171.67	160.98	122.88	102.32	83.32	214.23	?	
17	300.70	?	103.34	111.28	135.52	150.90	162.54	86.47	119.68	78.23	220.70	?	
18	366.89	?	95.04	107.69	125.50	114.47	140.10	79.16	188.57	79.06	224.14	?	
19	373.09	?	109.45	120.05	148.07	121.70	227.58	98.99	202.92	75.03	249.14	?	
20	277.18	?	123.54	120.58	150.07	116.93	293.45	?	159.38	101.62	222.44	?	
21	264.54	?	175.76	130.67	162.59	112.72	306.29	?	122.08	136.44	221.19	?	
22	?	123.79	146.47	141.52	197.97	115.16	278.12	?	111.48	94.10	220.78	?	
23	?	107.43	219.41	135.68	193.66	111.09	257.92	?	162.48	93.28	212.15	?	
24	?	128.12	219.51	147.25	177.47	98.94	256.95	?	197.02	85.27	205.92	?	
25	?	?	235.18	159.34	142.32	161.84	96.03	201.03	?	191.64	84.08	298.34	?
26	?	?	213.47	143.25	141.58	186.69	95.59	199.80	?	219.22	126.46	478.29	685.16
27	?	?	200.61	131.81	155.57	191.58	97.81	235.56	?	245.32	194.80	279.54	710.15
28	?	?	226.80	138.72	142.10	186.31	93.64	247.03	?	248.15	236.53	381.18	725.89
29	?	?	147.65	138.21	169.45	91.65	247.50	?	217.50	214.60	526.05	493.55	?
30	?	?	154.47	128.14	157.30	110.67	227.87	?	202.74	188.00	365.55	502.70	?
31	?	?	140.67	?	189.51	?	191.41	?	?	196.61	?	463.79	?
Min	241.53	107.43	95.04	92.80	73.42	91.65	93.80	79.16	94.08	69.47	173.59	208.94	69.47
Mean	322.28	176.49	145.88	134.51	150.84	126.73	171.05	110.46	169.91	112.72	246.70	447.99	181.93
Max	527.04	235.18	219.51	203.57	197.97	212.52	306.29	154.69	248.15	236.53	526.05	852.42	852.42

Daily means
Flow m³/s

Year 1976

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	414.74	114.54	125.48	105.28	234.88	139.33	154.17	92.99	167.47	250.82	297.42	310.08
2	389.14	142.17	127.42	107.59	311.87	122.71	102.59	139.44	150.72	220.57	284.40	283.81
3	376.90	167.34	124.43	112.82	317.77	153.06	102.65	142.47	151.09	198.02	274.15	278.79
4	416.96	144.50	115.79	83.92	221.88	166.60	99.45	119.71	166.65	198.99	275.66	274.91
5	358.62	157.70	101.53	109.27	197.94	147.10	99.14	100.81	193.38	188.72	230.52	228.97
6	313.58	148.67	91.30	100.57	182.42	153.41	176.48	96.18	163.71	185.30	205.98	214.08
7	311.87	144.85	87.38	111.25	200.68	256.90	224.78	94.42	119.66	200.77	229.21	203.20
8	315.30	128.78	101.87	109.84	196.95	314.97	180.91	81.58	91.69	229.36	310.40	217.26
9	305.40	123.47	107.21	100.49	240.83	322.48	179.38	82.04	105.33	224.13	233.92	210.78
10	301.71	128.44	113.14	130.31	233.08	274.66	157.88	101.54	92.49	208.26	193.71	188.27
11	266.46	133.03	116.65	179.37	250.81	188.58	151.78	92.03	79.39	218.86	190.69	142.65
12	194.95	132.19	118.63	121.73	288.31	151.82	135.16	84.73	75.14	208.40	192.79	158.33
13	188.13	130.58	118.27	123.61	274.53	140.30	127.38	93.91	75.26	207.24	192.54	145.00
14	200.99	104.90	118.40	138.73	237.73	139.46	138.66	137.18	77.34	276.66	216.53	136.11
15	201.73	131.01	155.17	143.82	249.31	137.23	132.75	76.92	76.04	223.66	214.86	137.54
16	194.25	137.61	153.27	140.42	221.82	134.83	129.10	79.78	75.78	181.64	164.54	119.52
17	205.59	120.78	106.66	149.11	199.55	136.66	116.26	103.19	123.27	177.61	193.86	133.03
18	227.74	129.50	122.15	132.07	141.62	143.94	105.48	116.81	216.88	176.59	150.64	126.67
19	181.82	134.86	124.19	141.05	151.79	143.29	104.98	129.17	240.73	156.80	186.25	140.07
20	172.73	134.19	121.00	148.66	130.69	129.22	111.94	141.95	214.87	205.38	213.19	119.17
21	177.04	133.79	108.57	133.08	156.98	118.25	107.29	114.84	182.11	198.18	193.39	118.11
22	188.62	110.21	113.93	130.58	169.66	112.04	100.89	112.71	148.86	133.50	149.40	101.17
23	161.41	118.39	129.21	148.16	153.65	114.47	102.06	102.75	149.09	154.01	203.35	143.19
24	174.11	107.81	146.03	194.69	123.80	104.84	108.77	111.27	191.74	187.80	257.99	146.80
25	166.10	102.20	142.36	192.28	119.82	94.70	107.31	100.58	122.74	235.89	243.07	148.95
26	157.96	93.20	123.65	276.85	116.61	106.66	105.60	112.45	141.02	257.62	294.10	146.24
27	158.63	87.53	137.95	325.65	126.32	117.21	100.06	110.48	137.62	237.69	299.83	139.28
28	169.73	100.08	130.68	366.82	113.63	138.65	112.15	143.33	202.92	283.68	312.98	145.03
29	200.85	109.20	148.18	358.54	119.62	136.12	112.35	183.41	249.97	308.73	403.79	147.50
30	105.71		121.64	293.45	92.67	142.75	107.22	173.72	248.84	339.21	381.75	136.33
31	96.01		102.78		124.21		110.90	172.66		295.64		123.22
Min	96.01	87.53	87.38	83.92	92.67	94.70	99.14	76.92	75.14	133.50	149.40	101.17
Mean	235.32	125.92	121.13	163.67	190.37	156.07	125.98	114.36	147.73	218.38	239.70	169.81
Max	416.96	167.34	155.17	366.82	317.77	322.48	224.78	183.41	249.97	339.21	403.79	310.08

Daily means
Flow m³/s

Year 1977

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	102.09	58.65	55.62	34.42	39.19	58.59	40.86	34.22	66.71	111.73	216.80	89.69
2	117.75	56.97	47.09	35.48	55.13	95.97	37.22	33.86	58.66	93.36	190.49	85.85
3	126.17	55.85	51.48	34.33	45.89	84.09	44.30	42.31	52.85	125.41	178.38	83.88
4	80.66	57.61	50.53	43.68	38.18	44.10	55.76	40.83	54.94	197.37	168.12	80.43
5	70.57	61.99	52.28	40.69	50.67	54.31	58.70	33.28	49.78	187.63	187.63	82.94
6	82.46	56.83	43.38	57.56	41.70	50.54	48.69	41.00	50.87	271.11	313.20	96.96
7	54.61	54.31	40.09	40.77	52.67	61.09	46.92	43.05	59.40	311.11	334.49	118.52
8	50.22	47.79	36.95	35.43	94.14	74.65	47.69	38.06	69.79	166.05	308.09	96.08
9	34.68	55.61	44.39	39.63	75.82	62.03	43.32	43.37	56.16	132.14	289.12	87.89
10	35.97	58.11	54.00	39.27	93.60	59.34	65.35	40.81	47.82	183.52	184.37	89.28
11	40.43	60.28	52.38	51.42	55.66	57.03	51.63	37.12	46.87	320.08	151.49	121.50
12	54.03	66.94	51.85	52.01	50.72	48.22	76.63	41.10	50.17	321.67	117.44	125.46
13	55.26	77.45	38.74	65.37	48.51	84.01	84.25	79.90	46.75	255.00	147.05	87.73
14	56.26	68.04	37.16	42.32	103.24	84.19	74.83	38.60	48.60	210.77	124.51	105.54
15	61.18	59.62	43.74	34.17	92.91	86.30	57.52	36.13	50.41	141.56	118.65	100.74
16	50.43	42.27	54.28	45.90	112.31	51.53	49.18	40.75	54.53	161.72	121.07	88.69
17	65.56	52.11	46.29	64.92	91.98	42.80	38.60	37.75	62.37	269.51	86.87	106.74
18	75.18	37.17	41.93	60.93	53.53	53.16	54.35	45.59	55.74	223.39	82.71	95.86
19	85.00	36.13	49.27	40.87	52.62	58.77	39.19	62.90	55.07	209.33	113.33	87.67
20	75.20	36.86	35.65	53.70	53.68	56.59	44.49	120.31	54.73	207.88	97.88	88.88
21	75.89	50.73	40.57	53.73	36.37	42.48	40.36	84.76	49.76	119.38	92.29	75.58
22	83.40	55.15	45.43	44.07	36.91	56.30	36.14	60.97	54.37	221.43	81.68	76.38
23	84.13	42.08	47.98	37.28	42.07	41.26	45.46	53.78	48.30	236.16	113.17	120.43
24	101.59	42.58	46.24	36.53	49.90	56.41	35.88	50.40	62.80	212.01	90.86	108.88
25	110.09	45.99	37.33	45.93	48.70	40.78	37.32	60.74	69.22	336.54	89.71	78.74
26	106.68	59.25	32.03	43.11	38.75	35.73	38.13	56.03	60.36	397.10	155.57	67.44
27	95.40	74.73	31.78	48.19	41.35	43.18	43.29	59.16	57.57	329.04	128.79	65.85
28	91.29	51.51	53.18	64.25	54.65	51.24	40.03	43.88	54.56	302.65	106.06	64.76
29	74.70		42.19	60.94	60.42	52.46	45.41	38.86	61.33	257.67	98.14	67.29
30	46.12		46.29	64.47	44.60	34.97	46.70	51.15	69.56	309.08	96.92	70.23
31	64.81		42.48	49.65	49.65	33.25	33.25	44.42	273.59	273.59	64.76	64.76
Min	34.68	36.13	31.78	34.17	36.37	34.97	33.25	33.28	46.75	93.36	81.68	64.76
Mean	74.45	54.38	44.92	47.05	58.24	56.21	48.43	49.52	56.00	228.59	152.83	89.70
Max	126.17	77.45	55.62	65.37	112.31	95.97	84.25	120.31	69.79	397.10	334.49	125.46
												31.78
												80.26
												397.10

Year 1978 site 4809443 PERAK at JAM. ISKANDAR, PERAK

Daily means
Flow m³/s

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	83.75	47.18	45.34	40.61	42.69	83.70	26.00	26.17	89.11	80.03	105.81	63.53
2	82.20	44.86	39.63	44.33	42.89	44.66	26.27	47.31	98.59	80.77	126.17	49.97
3	90.56	41.63	35.58	48.84	53.71	27.03	41.91	43.31	52.83	97.27	224.28	57.54
4	100.41	69.65	37.93	40.18	49.71	23.67	41.10	44.29	63.36	97.35	155.56	95.69
5	99.41	79.87	41.97	40.33	33.87	54.71	42.20	45.29	53.67	91.19	85.11	110.75
6	92.94	79.87	43.46	62.85	28.97	26.09	46.46	25.44	63.37	75.55	145.07	75.85
7	94.05	79.87	39.72	54.19	53.11	48.32	34.46	44.91	71.07	75.09	139.01	86.97
8	83.26	88.34	35.40	46.02	52.02	36.56	35.16	50.46	62.25	73.78	142.91	53.90
9	90.20	130.03	33.27	42.35	73.68	48.74	35.57	52.53	89.55	109.40	204.84	51.73
10	93.31	97.56	34.09	53.24	79.42	34.25	44.86	55.49	52.89	108.90	103.62	45.11
11	98.09	59.14	48.25	40.19	135.93	31.93	35.02	56.72	53.63	120.14	151.84	91.85
12	93.57	40.26	42.53	41.18	103.76	48.66	32.98	56.91	56.76	129.78	68.09	100.65
13	92.31	34.64	57.56	45.05	168.04	54.66	29.54	43.24	65.54	105.70	95.68	97.96
14	91.00	38.36	43.96	44.79	159.57	32.69	26.44	57.89	51.43	113.11	106.49	96.99
15	90.08	41.77	36.88	46.03	123.94	33.66	26.35	56.05	42.21	99.59	128.66	59.38
16	86.86	34.50	37.07	50.35	90.82	29.81	23.05	61.12	97.49	95.92	125.79	42.29
17	104.38	35.42	38.78	59.30	79.38	30.20	36.06	53.96	45.82	78.30	204.75	42.02
18	151.85	35.44	35.25	72.94	96.72	36.34	28.30	64.55	88.28	94.69	133.27	72.80
19	158.63	35.21	36.01	80.44	93.76	38.46	22.47	69.20	94.46	116.38	86.01	102.40
20	111.36	34.90	60.33	79.61	105.53	38.29	26.57	52.05	67.77	137.22	128.47	63.91
21	99.07	35.23	66.86	83.51	119.70	35.31	24.51	76.14	78.48	136.42	151.94	50.87
22	57.03	40.36	55.92	115.18	126.44	32.98	23.61	76.24	96.62	105.75	134.04	56.01
23	53.58	49.88	58.73	106.62	122.11	31.69	30.04	65.47	109.55	103.24	115.15	75.31
24	55.74	40.60	50.62	152.89	87.22	29.56	33.46	78.78	109.04	142.25	133.93	65.44
25	65.88	37.21	47.06	110.81	85.19	28.81	31.32	82.29	113.81	155.00	126.34	86.38
26	54.03	35.20	41.52	102.10	90.02	29.99	28.78	79.02	100.52	192.46	62.82	139.77
27	48.69	35.00	47.29	132.83	68.70	31.85	31.85	54.10	121.21	148.58	101.05	90.44
28	49.08	38.52	48.93	88.14	60.85	31.02	21.76	87.81	115.46	137.66	103.59	111.15
29	40.97		49.76	81.21	58.40	51.41	36.02	87.22	107.92	87.74	89.47	89.86
30	48.02		50.23	49.04	63.82	46.69	23.41	75.61	104.54	104.90	82.42	99.18
31	46.93		43.40		63.65		27.92	51.53		109.86		62.49
Min	40.97	34.50	33.27	40.18	28.97	23.67	21.76	25.44	42.21	73.78	62.82	42.02
Mean	84.10	52.16	44.62	68.51	84.31	38.60	31.40	58.74	80.57	109.81	125.41	77.04
Max	158.63	130.03	66.86	152.89	168.04	83.70	46.46	87.81	121.21	192.46	224.28	139.77

Daily means
Flow m³/s

Year 1979

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	63.66	18.82	77.11	21.03	58.92	100.79	156.80	71.59	59.44	108.29	164.41	301.44
2	86.21	33.47	69.42	19.37	69.88	83.33	156.11	71.36	57.17	123.56	122.77	292.01
3	107.22	66.87	40.54	21.19	75.10	46.19	97.87	64.72	57.96	122.18	270.81	282.48
4	83.76	43.08	40.21	37.02	67.46	64.43	162.63	77.76	54.43	122.89	110.62	178.06
5	54.73	84.26	44.83	78.19	67.92	76.30	162.29	43.08	53.66	118.43	203.20	170.26
6	62.06	91.32	87.60	84.95	48.24	55.24	165.28	86.75	54.09	154.38	136.05	143.94
7	52.48	155.22	78.06	64.11	52.88	65.00	206.89	104.02	54.09	90.11	233.70	139.25
8	114.60	78.10	48.46	46.53	84.35	113.99	135.14	68.09	53.78	134.11	194.49	186.01
9	111.21	93.95	63.22	60.20	92.34	123.10	189.77	100.11	54.02	88.75	249.17	116.25
10	108.18	70.97	48.96	65.61	79.80	105.29	71.18	104.61	?	80.99	237.27	143.10
11	69.68	73.36	64.45	49.35	56.47	161.47	84.60	100.50	155.86	145.03	184.21	126.31
12	71.22	91.02	70.62	44.85	58.00	116.24	151.77	73.36	267.37	108.63	190.80	150.71
13	79.14	89.37	72.33	37.81	76.59	167.15	132.08	74.24	243.46	149.52	187.43	161.05
14	64.87	109.46	94.22	55.64	85.89	170.32	141.86	90.63	270.94	107.61	182.27	115.78
15	87.59	187.68	100.93	32.82	55.37	168.28	125.06	102.77	323.22	186.29	168.13	166.72
16	87.09	85.90	109.43	48.30	85.13	169.09	100.41	122.48	288.15	110.99	158.41	112.19
17	77.38	117.27	107.05	57.36	90.25	159.28	56.46	?	265.90	188.33	182.90	80.48
18	90.78	97.55	68.83	54.51	96.08	155.00	75.78	?	257.69	199.91	324.08	122.38
19	86.68	119.66	32.85	55.02	107.56	67.55	84.27	?	287.64	162.74	238.82	116.35
20	88.43	85.25	37.94	34.57	109.87	68.59	123.68	?	274.74	182.29	233.89	148.23
21	83.00	97.87	34.20	36.98	111.57	90.36	88.48	?	253.33	198.65	268.73	168.70
22	96.58	88.02	32.80	40.58	80.95	90.90	115.28	?	258.26	124.91	248.98	145.63
23	73.09	96.97	40.40	83.00	76.28	70.49	72.98	?	288.33	133.88	213.48	128.45
24	67.88	79.36	63.12	64.79	94.74	61.03	?	?	281.32	155.23	239.83	76.83
25	58.57	48.24	25.82	73.03	89.60	107.24	?	?	148.39	192.04	125.67	59.29
26	114.29	81.16	36.46	101.20	90.48	135.46	?	?	236.43	257.35	173.17	143.98
27	109.08	75.05	28.40	97.85	87.67	130.47	?	?	182.42	232.25	398.92	97.63
28	74.28	77.86	47.11	103.56	39.87	107.12	?	58.74	198.93	257.52	735.08	71.66
29	58.45		45.72	112.27	47.76	152.64	84.31	62.55	261.10	197.64	349.23	91.04
30	56.05		21.22	134.04	53.25	154.43	103.02	61.23	186.15	130.46	313.83	105.31
31	33.25		21.07		83.93		89.29	57.22		127.52		123.61
Min	33.25	18.82	21.07	19.37	39.87	46.19	56.46	43.08	53.66	80.99	110.62	59.29
Mean	79.72	87.04	56.56	60.53	76.59	111.23	120.51	79.79	187.18	151.37	234.68	144.04
Max	114.60	187.68	109.43	134.04	111.57	170.32	206.89	122.48	323.22	257.52	735.08	301.44

Daily means
Flow m³/s

Year 1980

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	105.35	113.64	110.12	100.77	75.23	79.96	84.55	89.28	94.02	98.60	103.34	107.92
2	152.50	81.84	102.54	108.58	75.38	80.12	84.70	89.44	94.17	98.75	103.49	108.07
3	103.85	98.79	111.23	118.46	75.53	80.27	84.85	89.59	94.32	98.91	103.64	108.22
4	127.09	104.29	97.82	104.78	75.69	80.42	85.01	89.74	94.48	99.06	103.79	108.38
5	130.04	99.43	116.94	119.83	75.84	80.58	85.16	89.89	94.63	99.21	103.95	108.53
6	53.49	118.21	119.50	63.30	75.99	80.73	85.31	90.05	94.78	99.36	104.10	108.68
7	73.57	118.72	117.70	99.78	76.15	80.88	85.46	90.20	94.93	99.52	104.25	108.84
8	82.36	119.38	129.33	116.58	76.30	81.03	85.62	90.35	95.09	99.67	104.41	108.99
9	79.91	103.27	125.42	71.59	76.45	81.19	85.77	90.50	95.24	99.82	104.56	109.14
10	92.43	67.20	121.02	84.84	76.60	81.34	85.92	90.66	95.39	99.98	104.71	109.29
11	90.31	135.76	131.76	97.50	76.76	81.49	86.07	90.81	95.55	100.13	104.86	109.45
12	107.74	106.58	128.18	90.33	76.91	81.64	86.23	90.96	95.70	100.28	105.02	109.60
13	45.63	144.19	182.90	115.44	77.06	81.80	86.38	91.12	95.85	100.43	105.17	109.75
14	54.03	120.01	179.06	174.88	77.21	81.95	86.53	91.27	96.00	100.59	105.32	109.90
15	43.94	100.37	130.28	126.56	77.37	82.10	86.69	91.42	96.16	100.74	105.47	110.06
16	19.61	75.17	127.25	102.48	77.52	82.26	86.84	91.57	96.31	100.89	105.63	110.21
17	105.13	64.45	129.08	73.09	77.67	82.41	86.99	91.73	96.46	101.04	105.78	110.36
18	125.34	76.43	109.91	73.24	77.83	82.56	87.14	91.88	96.61	101.20	105.93	110.52
19	117.14	88.41	134.30	73.40	77.98	82.71	87.30	92.03	96.77	101.35	106.09	110.67
20	154.38	73.85	192.42	73.55	78.13	82.87	87.45	92.18	96.92	101.50	106.24	110.82
21	108.13	113.29	188.28	73.70	78.28	83.02	87.60	92.34	97.07	101.66	106.39	110.97
22	129.58	117.30	121.65	73.85	78.44	83.17	87.76	92.49	97.23	101.81	106.54	111.13
23	136.26	88.81	144.10	74.01	78.59	83.33	87.91	92.64	97.38	101.96	106.70	111.28
24	143.92	64.42	117.08	74.16	78.74	83.48	88.06	92.80	97.53	102.11	106.85	111.43
25	150.72	103.49	125.58	74.31	78.90	83.63	88.21	92.95	97.68	102.27	107.00	111.59
26	159.48	122.32	124.39	74.47	79.05	83.78	88.37	93.10	97.84	102.42	107.16	111.74
27	152.06	141.55	133.37	74.62	79.20	83.94	88.52	93.25	97.99	102.57	107.31	111.89
28	163.32	123.07	183.43	74.77	79.35	84.09	88.67	93.41	98.14	102.73	107.46	112.04
29	127.61	132.00	169.24	74.92	79.51	84.24	88.82	93.56	98.30	102.88	107.61	112.20
30	98.42		196.32	75.08	79.66	84.39	88.98	93.71	98.45	103.03	107.77	112.35
31	120.17		116.01		79.81	89.13	89.13	93.87	103.18			112.50
Min	19.61	64.42	97.82	63.30	75.23	79.96	84.55	89.28	94.02	98.60	103.34	107.92
Mean	108.18	104.01	136.01	91.10	77.52	82.18	86.84	91.57	96.23	100.89	105.55	110.21
Max	163.32	144.19	196.32	174.88	79.81	84.39	89.13	93.87	98.45	103.18	107.77	112.50

Daily means

Flow m³/s

Year 1981

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
1	112.65	117.39	121.67	126.40	130.99	135.72	140.30	145.04	149.78	154.36	159.09	163.68
2	112.81	117.54	121.82	126.56	131.14	135.87	140.46	145.19	149.93	154.51	159.25	163.83
3	112.96	117.70	121.97	126.71	131.29	136.03	140.61	145.35	150.08	154.66	159.40	163.98
4	113.11	117.85	122.13	126.86	131.44	136.18	140.76	145.50	150.23	154.82	159.55	164.13
5	113.27	118.00	122.28	127.01	131.60	136.33	140.92	145.65	150.39	154.97	159.70	164.29
6	113.42	118.15	122.43	127.17	131.75	136.49	141.07	145.80	150.54	155.12	159.86	164.44
7	113.57	118.31	122.58	127.32	131.90	136.64	141.22	145.96	150.69	155.27	160.01	164.59
8	113.72	118.46	122.74	127.47	132.05	136.79	141.37	146.11	150.84	155.43	160.16	164.75
9	113.88	118.61	122.89	127.62	132.21	136.94	141.53	146.26	151.00	155.58	160.32	164.90
10	114.03	118.76	123.04	127.78	132.36	137.10	141.68	146.41	151.15	155.73	160.47	165.05
11	114.18	118.92	123.19	127.93	132.51	137.25	141.83	146.57	151.30	155.89	160.62	165.20
12	114.33	119.07	123.35	128.08	132.67	137.40	141.98	146.72	151.46	156.04	160.77	165.36
13	114.49	119.22	123.50	128.24	132.82	137.55	142.14	146.87	151.61	156.19	160.93	165.51
14	114.64	119.38	123.65	128.39	132.97	137.71	142.29	147.03	151.76	156.34	161.08	165.66
15	114.79	119.53	123.81	128.54	133.12	137.86	142.44	147.18	151.91	156.50	161.23	165.81
16	114.95	119.68	123.96	128.69	133.28	138.01	142.60	147.33	152.07	156.65	161.38	165.97
17	115.10	119.83	124.11	128.85	133.43	138.17	142.75	147.48	152.22	156.80	161.54	166.12
18	115.25	119.99	124.26	129.00	133.58	138.32	142.90	147.64	152.37	156.96	161.69	166.27
19	115.40	120.14	124.42	129.15	133.74	138.47	143.05	147.79	152.53	157.11	161.84	166.43
20	115.56	120.29	124.57	129.31	133.89	138.62	143.21	147.94	152.68	157.26	162.00	166.58
21	115.71	120.45	124.72	129.46	134.04	138.78	143.36	148.10	152.83	157.41	162.15	166.73
22	115.86	120.60	124.88	129.61	134.19	138.93	143.51	148.25	152.98	157.57	162.30	166.88
23	116.02	120.75	125.03	129.76	134.35	139.08	143.67	148.40	153.14	157.72	162.45	167.04
24	116.17	120.90	125.18	129.92	134.50	139.23	143.82	148.55	153.29	157.87	162.61	167.19
25	116.32	121.06	125.33	130.07	134.65	139.39	143.97	148.71	153.44	158.02	162.76	167.34
26	116.47	121.21	125.49	130.22	134.80	139.54	144.12	148.86	153.59	158.18	162.91	167.50
27	116.63	121.36	125.64	130.37	134.96	139.69	144.28	149.01	153.75	158.33	163.07	167.65
28	116.78	121.51	125.79	130.53	135.11	139.85	144.43	149.16	153.90	158.48	163.22	167.80
29	116.93		125.94	130.68	135.26	140.00	144.58	149.32	154.05	158.64	163.37	167.95
30	117.08		126.10	130.83	135.42	140.15	144.73	149.47	154.21	158.79	163.52	168.11
31	117.24		126.25		135.57	140.30	144.89	149.62	154.36	158.94	163.67	168.26
Min	112.65	117.39	121.67	126.40	130.99	135.72	140.30	145.04	149.78	154.36	159.09	163.68
Mean	114.95	119.45	123.96	128.62	133.28	137.94	142.60	147.33	151.99	156.65	161.31	165.97
Max	117.24	121.51	126.25	130.83	135.57	140.15	144.89	149.62	154.21	158.94	163.52	168.26

Daily means
Flow m³/s

Year 1982

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
1	168.41	173.15	177.42	182.16	186.74	191.48	196.06	200.80	205.53	210.11	214.85	219.43
2	168.56	173.30	177.58	182.31	186.90	191.63	196.21	200.95	205.68	210.27	215.00	219.59
3	168.72	173.45	177.73	182.47	187.05	191.78	196.37	201.10	205.84	210.42	215.16	219.74
4	168.87	173.61	177.88	182.62	187.20	191.94	196.52	201.25	205.99	210.57	215.31	219.89
5	169.02	173.76	178.04	182.77	187.35	192.09	196.67	201.41	206.14	210.73	215.46	220.04
6	169.18	173.91	178.19	182.92	187.51	192.24	196.82	201.56	206.30	210.88	215.61	220.20
7	169.33	174.06	178.34	183.08	187.66	192.39	196.98	201.71	206.45	211.03	215.77	220.35
8	169.48	174.22	178.49	183.23	187.81	192.55	197.13	201.87	206.60	211.18	215.92	220.50
9	169.63	174.37	178.65	183.38	187.96	192.70	197.28	202.02	206.75	211.34	216.07	220.66
10	169.79	174.52	178.80	183.53	188.12	192.85	197.44	202.17	206.91	211.49	216.23	220.81
11	169.94	174.67	178.95	183.69	188.27	193.01	197.59	202.32	207.06	211.64	216.38	220.96
12	170.09	174.83	179.10	183.84	188.42	193.16	197.74	202.48	207.21	211.80	216.53	221.11
13	170.24	174.98	179.26	183.99	188.58	193.31	197.89	202.63	207.37	211.95	216.68	221.27
14	170.40	175.13	179.41	184.15	188.73	193.46	198.05	202.78	207.52	212.10	216.84	221.42
15	170.55	175.29	179.56	184.30	188.88	193.62	198.20	202.94	207.67	212.25	216.99	221.57
16	170.70	175.44	179.72	184.45	189.03	193.77	198.35	203.09	207.82	212.41	217.14	221.72
17	170.86	175.59	179.87	184.60	189.19	193.92	198.51	203.24	207.98	212.56	217.29	221.88
18	171.01	175.74	180.02	184.76	189.34	194.08	198.66	203.39	208.13	212.71	217.45	222.03
19	171.16	175.90	180.17	184.91	189.49	194.23	198.81	203.55	208.28	212.86	217.60	222.18
20	171.31	176.05	180.33	185.06	189.65	194.38	198.96	203.70	208.43	213.02	217.75	222.34
21	171.47	176.20	180.48	185.22	189.80	194.53	199.12	203.85	208.59	213.17	217.91	222.49
22	171.62	176.36	180.63	185.37	189.95	194.69	199.27	204.00	208.74	213.32	218.06	222.64
23	171.77	176.51	180.79	185.52	190.10	194.84	199.42	204.16	208.89	213.48	218.21	222.79
24	171.93	176.66	180.94	185.67	190.26	194.99	199.57	204.31	209.05	213.63	218.36	222.95
25	172.08	176.81	181.09	185.83	190.41	195.14	199.73	204.46	209.20	213.78	218.52	223.10
26	172.23	176.97	181.24	185.98	190.56	195.30	199.88	204.62	209.35	213.93	218.67	223.25
27	172.38	177.12	181.40	186.13	190.71	195.45	200.03	204.77	209.50	214.09	218.82	223.40
28	172.54	177.27	181.55	186.28	190.87	195.60	200.19	204.92	209.66	214.24	218.97	223.56
29	172.69		181.70	186.44	191.02	195.76	200.34	205.07	209.81	214.39	219.13	223.71
30	172.84		181.85	186.59	191.17	195.91	200.49	205.23	209.96	214.54	219.28	223.86
31	172.99		182.01		191.33		200.64	205.38		214.70		224.02
Min	168.41	173.15	177.42	182.16	186.74	191.48	196.06	200.80	205.53	210.11	214.85	219.43
Mean	170.70	175.21	179.72	184.38	189.03	193.69	198.35	203.09	207.75	212.41	217.07	221.72
Max	172.99	177.27	182.01	186.59	191.33	195.91	200.64	205.38	209.96	214.70	219.28	224.02

Daily means

Year 1983

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Flow m³/s

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	224.17	228.90	233.18	237.92	242.50	247.23	251.82	256.55	261.29	265.87	270.61	275.19
2	224.32	229.06	233.33	238.07	242.65	247.39	251.97	256.71	261.44	266.02	270.76	275.34
3	224.47	229.21	233.49	238.22	242.80	247.54	252.12	256.86	261.59	266.18	270.91	275.49
4	224.63	229.36	233.64	238.37	242.96	247.69	252.28	257.01	261.75	266.33	271.06	275.65
5	224.78	229.51	233.79	238.53	243.11	247.85	252.43	257.16	261.90	266.48	271.22	275.80
6	224.93	229.67	233.94	238.68	243.26	248.00	252.58	257.32	262.05	266.63	271.37	275.95
7	225.09	229.82	234.10	238.83	243.42	248.15	252.73	257.47	262.21	266.79	271.52	276.11
8	225.24	229.97	234.25	238.99	243.57	248.30	252.89	257.62	262.36	266.94	271.68	276.26
9	225.39	230.13	234.40	239.14	243.72	248.46	253.04	257.78	262.51	267.09	271.83	276.41
10	225.54	230.28	234.56	239.29	243.87	248.61	253.19	257.93	262.66	267.25	271.98	276.56
11	225.70	230.43	234.71	239.44	244.03	248.76	253.35	258.08	262.82	267.40	272.13	276.72
12	225.85	230.58	234.86	239.60	244.18	248.92	253.50	258.23	262.97	267.55	272.29	276.87
13	226.00	230.74	235.01	239.75	244.33	249.07	253.65	258.39	263.12	267.70	272.44	277.02
14	226.15	230.89	235.17	239.90	244.49	249.22	253.80	258.54	263.27	267.86	272.59	277.17
15	226.31	231.04	235.32	240.06	244.64	249.37	253.96	258.69	263.43	268.01	272.74	277.33
16	226.46	231.20	235.47	240.21	244.79	249.53	254.11	258.84	263.58	268.16	272.90	277.48
17	226.61	231.35	235.63	240.36	244.94	249.68	254.26	259.00	263.73	268.32	273.05	277.63
18	226.77	231.50	235.78	240.51	245.10	249.83	254.41	259.15	263.89	268.47	273.20	277.79
19	226.92	231.65	235.93	240.67	245.25	249.98	254.57	259.30	264.04	268.62	273.36	277.94
20	227.07	231.81	236.08	240.82	245.40	250.14	254.72	259.46	264.19	268.77	273.51	278.09
21	227.22	231.96	236.24	240.97	245.55	250.29	254.87	259.61	264.34	268.93	273.66	278.24
22	227.38	232.11	236.39	241.12	245.71	250.44	255.03	259.76	264.50	269.08	273.81	278.40
23	227.53	232.26	236.54	241.28	245.86	250.60	255.18	259.91	264.65	269.23	273.97	278.55
24	227.68	232.42	236.69	241.43	246.01	250.75	255.33	260.07	264.80	269.38	274.12	278.70
25	227.83	232.57	236.85	241.58	246.17	250.90	255.48	260.22	264.95	269.54	274.27	278.85
26	227.99	232.72	237.00	241.74	246.32	251.05	255.64	260.37	265.11	269.69	274.43	279.01
27	228.14	232.88	237.15	241.89	246.47	251.21	255.79	260.52	265.26	269.84	274.58	279.16
28	228.29	233.03	237.31	242.04	246.62	251.36	255.94	260.68	265.41	270.00	274.73	279.31
29	228.45		237.46	242.19	246.78	251.51	256.09	260.83	265.57	270.15	274.88	279.47
30	228.60		237.61	242.35	246.93	251.66	256.25	260.98	265.72	270.30	275.04	279.62
31	228.75		237.76		247.08		256.40	261.14		270.45		279.77
Min	224.17	228.90	233.18	237.92	242.50	247.23	251.82	256.55	261.29	265.87	270.61	275.19
Mean	226.46	230.97	235.47	240.13	244.79	249.45	254.11	258.84	263.50	268.16	272.82	277.48
Max	228.75	233.03	237.76	242.35	247.08	251.66	256.40	261.14	265.72	270.45	275.04	279.77

Daily means
Flow m³/s

Year 1984

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
1	279.92	284.66	289.09	293.82	298.41	303.14	307.72	312.46	317.20	321.78	326.51	331.10
2	280.08	284.81	289.24	293.98	298.56	303.29	307.88	312.61	317.35	321.93	326.67	331.25
3	280.23	284.96	289.39	294.13	298.71	303.45	308.03	312.77	317.50	322.08	326.82	331.40
4	280.38	285.12	289.55	294.28	298.87	303.60	308.18	312.92	317.65	322.24	326.97	331.55
5	280.54	285.27	289.70	294.44	299.02	303.75	308.34	313.07	317.81	322.39	327.12	331.71
6	280.69	285.42	289.85	294.59	299.17	303.91	308.49	313.22	317.96	322.54	327.28	331.86
7	280.84	285.58	290.01	294.74	299.32	304.06	308.64	313.38	318.11	322.69	327.43	332.01
8	280.99	285.73	290.16	294.89	299.48	304.21	308.79	313.53	318.26	322.85	327.58	332.17
9	281.15	285.88	290.31	295.05	299.63	304.36	308.95	313.68	318.42	323.00	327.74	332.32
10	281.30	286.03	290.46	295.20	299.78	304.52	309.10	313.83	318.57	323.15	327.89	332.47
11	281.45	286.19	290.62	295.35	299.93	304.67	309.25	313.99	318.72	323.31	328.04	332.62
12	281.60	286.34	290.77	295.50	300.09	304.82	309.40	314.14	318.88	323.46	328.19	332.78
13	281.76	286.49	290.92	295.66	300.24	304.98	309.56	314.29	319.03	323.61	328.35	332.93
14	281.91	286.65	291.07	295.81	300.39	305.13	309.71	314.45	319.18	323.76	328.50	333.08
15	282.06	286.80	291.23	295.96	300.55	305.28	309.86	314.60	319.33	323.92	328.65	333.23
16	282.22	286.95	291.38	296.12	300.70	305.43	310.02	314.75	319.49	324.07	328.80	333.39
17	282.37	287.10	291.53	296.27	300.85	305.59	310.17	314.90	319.64	324.22	328.96	333.54
18	282.52	287.26	291.69	296.42	301.00	305.74	310.32	315.06	319.79	324.37	329.11	333.69
19	282.67	287.41	291.84	296.57	301.16	305.89	310.47	315.21	319.94	324.53	329.26	333.85
20	282.83	287.56	291.99	296.73	301.31	306.04	310.63	315.36	320.10	324.68	329.42	334.00
21	282.98	287.71	292.14	296.88	301.46	306.20	310.78	315.51	320.25	324.83	329.57	334.15
22	283.13	287.87	292.30	297.03	301.61	306.35	310.93	315.67	320.40	324.99	329.72	334.30
23	283.28	288.02	292.45	297.18	301.77	306.50	311.09	315.82	320.56	325.14	329.87	334.46
24	283.44	288.17	292.60	297.34	301.92	306.66	311.24	315.97	320.71	325.29	330.03	334.61
25	283.59	288.33	292.76	297.49	302.07	306.81	311.39	316.13	320.86	325.44	330.18	334.76
26	283.74	288.48	292.91	297.64	302.23	306.96	311.54	316.28	321.01	325.60	330.33	334.92
27	283.90	288.63	293.06	297.80	302.38	307.11	311.70	316.43	321.17	325.75	330.49	335.07
28	284.05	288.78	293.21	297.95	302.53	307.27	311.85	316.58	321.32	325.90	330.64	335.22
29	284.20	288.94	293.37	298.10	302.68	307.42	312.00	316.74	321.47	326.05	330.79	335.37
30	284.35	289.09	293.52	298.25	302.84	307.57	312.15	316.89	321.62	326.21	330.94	335.53
31	284.51	289.24	293.67	298.40	302.99	307.72	312.31	317.04	321.77	326.36	331.09	335.68
Min	279.92	284.66	289.09	293.82	298.41	303.14	307.72	312.46	317.20	321.78	326.51	331.10
Mean	282.22	286.80	291.38	296.04	300.70	305.36	310.02	314.75	319.41	324.07	328.73	333.39
Max	284.51	288.94	293.67	298.25	302.99	307.57	312.31	317.04	321.62	326.36	330.94	335.68

Daily means
Flow m³/s

Year 1985

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	335.83	340.57	344.84	349.58	354.16	358.90	363.48	368.22	372.95	377.54	382.27	375.92
2	335.98	340.72	345.00	349.73	354.32	359.05	363.64	368.37	373.11	377.69	382.43	316.11
3	336.14	340.87	345.15	349.89	354.47	359.20	363.79	368.52	373.26	377.84	382.58	397.22
4	336.29	341.03	345.30	350.04	354.62	359.36	363.94	368.68	373.41	378.00	382.73	316.92
5	336.44	341.18	345.46	350.19	354.77	359.51	364.09	368.83	373.56	378.15	382.88	297.83
6	336.60	341.33	345.61	350.34	354.93	359.66	364.25	368.98	373.72	378.30	383.04	329.26
7	336.75	341.48	345.76	350.50	355.08	359.82	364.40	369.13	373.87	378.45	383.19	237.32
8	336.90	341.64	345.91	350.65	355.23	359.97	364.55	369.29	374.02	378.61	383.34	225.93
9	337.05	341.79	346.07	350.80	355.39	360.12	364.70	369.44	374.18	378.76	383.49	232.96
10	337.21	341.94	346.22	350.96	355.54	360.27	364.86	369.59	374.33	378.91	383.65	324.83
11	337.36	342.10	346.37	351.11	355.69	360.43	365.01	369.75	374.48	379.06	383.80	345.04
12	337.51	342.25	346.53	351.26	355.84	360.58	365.16	369.90	374.63	379.22	383.95	357.84
13	337.67	342.40	346.68	351.41	356.00	360.73	365.32	370.05	374.79	379.37	384.11	387.96
14	337.82	342.55	346.83	351.57	356.15	360.89	365.47	370.20	374.94	379.52	384.26	408.46
15	337.97	342.71	346.98	351.72	356.30	361.04	365.62	370.36	375.09	379.68	384.41	379.96
16	338.12	342.86	347.14	351.87	356.46	361.19	365.77	370.51	375.25	379.83	384.56	282.79
17	338.28	343.01	347.29	352.02	356.61	361.34	365.93	370.66	375.40	379.98	384.72	252.31
18	338.43	343.16	347.44	352.18	356.76	361.50	366.08	370.82	375.55	380.13	384.87	246.81
19	338.58	343.32	347.59	352.33	356.91	361.65	366.23	370.97	375.70	380.29	385.02	345.75
20	338.73	343.47	347.75	352.48	357.07	361.80	366.38	371.12	375.86	380.44	385.18	259.36
21	338.89	343.62	347.90	352.64	357.22	361.95	366.54	371.27	376.01	380.59	385.33	208.89
22	339.04	343.78	348.05	352.79	357.37	362.11	366.69	371.43	376.16	380.74	385.48	209.16
23	339.19	343.93	348.21	352.94	357.52	362.26	366.84	371.58	376.31	380.90	385.63	201.26
24	339.35	344.08	348.36	353.09	357.68	362.41	367.00	371.73	376.47	381.05	385.79	205.05
25	339.50	344.23	348.51	353.25	357.83	362.57	367.15	371.88	376.62	381.20	385.94	403.79
26	339.65	344.39	348.66	353.40	357.98	362.72	367.30	372.04	376.77	381.36	386.09	261.00
27	339.80	344.54	348.82	353.55	358.14	362.87	367.45	372.19	376.93	381.51	386.24	199.93
28	339.96	344.69	348.97	353.71	358.29	363.02	367.61	372.34	377.08	381.66	386.40	186.91
29	340.11		349.12	353.86	358.44	363.18	367.76	372.50	377.23	381.81	386.55	193.58
30	340.26		349.28	354.01	358.59	363.33	367.91	372.65	377.38	381.97	386.70	192.06
31	340.41		349.43	358.75	358.75	368.07	372.80	372.80	382.12	382.12	191.42	
Min	335.83	340.57	344.84	349.58	354.16	358.90	363.48	368.22	372.95	377.54	382.27	186.91
Mean	338.12	342.63	347.14	351.80	356.46	361.11	365.77	370.51	375.17	379.83	384.49	283.02
Max	340.41	344.69	349.43	354.01	358.75	363.33	368.07	372.80	377.38	382.12	386.70	408.46

Daily means
Flow m³/s

Year 1986

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	250.97	233.98	206.60	170.20	152.94	157.30	155.37	125.81	?	137.09	336.37	206.87
2	392.14	215.43	198.24	217.68	150.10	156.47	145.94	126.58	?	141.48	354.15	216.13
3	218.16	183.90	172.36	179.18	210.17	147.94	146.86	124.65	?	147.78	423.81	250.02
4	221.27	174.53	175.73	222.23	153.28	203.84	149.47	125.69	150.93	177.95	457.45	285.86
5	231.44	175.07	199.53	210.81	153.55	144.24	145.80	126.33	153.61	222.90	445.24	292.49
6	253.08	175.44	214.18	297.60	157.69	146.96	145.01	127.31	157.02	217.28	427.94	298.45
7	246.12	176.84	208.37	228.69	151.75	150.77	142.11	129.67	160.41	182.73	426.74	319.65
8	252.58	264.75	305.44	145.91	200.35	150.92	129.22	132.06	155.10	181.49	427.95	328.32
9	226.97	320.32	228.04	142.64	321.68	164.34	121.83	135.56	150.50	180.74	300.82	281.33
10	281.65	175.38	165.55	163.98	183.79	164.40	127.62	135.85	146.74	254.66	271.64	289.79
11	237.73	168.66	187.07	161.85	149.51	159.69	127.73	136.69	?	343.93	297.42	235.87
12	235.91	169.82	188.18	125.29	149.15	168.20	126.95	138.38	?	265.69	282.36	237.95
13	211.73	172.29	188.39	129.22	156.38	163.43	130.87	136.74	?	245.74	312.50	292.86
14	261.65	186.58	188.82	148.59	163.60	162.45	132.34	131.49	143.05	292.21	292.20	226.61
15	283.83	212.22	190.15	162.79	170.83	165.17	142.62	128.50	141.96	305.85	253.59	152.10
16	295.05	287.05	187.81	180.31	178.06	180.62	143.07	130.88	141.64	319.50	184.28	218.54
17	264.71	227.83	172.54	211.36	185.17	186.32	144.63	131.17	139.62	310.52	251.44	208.00
18	258.94	251.88	186.69	206.39	155.75	268.58	146.45	132.66	125.29	247.51	332.37	257.25
19	297.36	271.42	198.06	281.99	186.26	171.28	145.68	?	122.24	257.39	275.25	284.11
20	183.27	297.75	195.20	180.71	266.89	197.51	148.52	?	124.80	183.78	228.73	328.46
21	238.28	379.82	234.72	162.22	207.36	212.60	144.70	?	125.71	248.45	164.68	235.56
22	303.65	334.75	273.69	156.38	142.21	210.41	128.49	?	123.11	293.04	220.25	215.79
23	290.84	281.55	212.92	195.40	159.36	189.50	133.36	?	134.11	288.10	148.26	296.99
24	237.59	207.12	181.83	169.38	140.39	172.85	132.02	?	130.45	287.75	192.21	266.84
25	221.13	182.69	183.02	185.67	147.58	182.75	129.33	?	132.03	275.69	271.28	305.67
26	294.50	304.16	182.20	277.34	163.99	197.72	131.80	?	146.27	255.89	210.82	230.36
27	180.10	273.05	152.31	185.72	161.62	168.78	134.52	?	142.25	243.69	199.57	305.89
28	193.50	228.79	156.02	184.68	142.87	168.37	130.36	?	131.88	283.41	155.93	272.07
29	189.02	?	194.53	200.17	144.37	165.27	126.80	?	157.49	305.20	171.83	214.29
30	333.52	?	191.48	171.81	156.43	158.12	128.16	?	134.90	283.72	129.79	209.86
31	407.37	?	241.08	184.93	?	122.31	?	?	?	340.08	?	231.21
Min	180.10	168.66	152.31	125.29	140.39	144.24	121.83	124.65	122.24	137.09	129.79	152.10
Mean	257.87	233.32	198.73	188.54	172.52	174.56	136.77	130.89	140.46	249.07	281.56	257.91
Max	407.37	379.82	305.44	297.60	321.68	268.58	155.37	138.38	160.41	343.93	457.45	328.46

Daily means
Flow m³/s

Year 1987

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	211.62	133.72	142.08	146.83	173.32	175.77	253.85	190.34	148.16	326.38	480.97	344.03
2	214.08	140.80	137.87	189.31	169.87	212.38	267.04	213.26	174.42	377.35	487.10	407.09
3	263.91	145.48	138.27	226.73	167.64	241.10	257.91	222.80	222.34	419.56	471.92	462.31
4	216.30	144.85	138.53	164.66	188.29	316.51	215.21	224.76	265.11	334.39	463.44	469.89
5	147.38	142.13	142.42	143.67	169.64	310.51	224.79	172.14	182.04	352.69	463.00	521.00
6	209.29	154.00	143.87	131.35	165.68	360.84	250.57	191.43	165.71	450.06	397.94	470.59
7	210.63	170.98	150.89	155.34	165.34	317.48	?	193.33	201.65	433.28	397.92	442.02
8	214.44	201.99	148.16	133.80	181.00	236.56	?	200.28	222.12	429.92	472.38	508.84
9	222.56	194.65	150.49	140.41	195.08	269.80	?	275.28	224.31	412.92	501.92	545.61
10	212.07	206.31	146.53	120.37	214.22	178.17	?	171.13	281.10	305.25	470.13	459.46
11	220.42	187.98	145.21	137.27	200.40	171.62	?	168.82	236.12	343.07	453.09	509.89
12	202.03	179.48	158.19	141.34	183.42	222.00	?	176.85	184.79	232.19	436.98	625.55
13	209.62	149.85	146.89	172.53	210.90	344.60	?	305.15	197.89	342.63	420.04	644.52
14	185.99	140.54	156.89	174.09	229.90	189.77	?	321.52	172.27	353.98	366.61	768.78
15	181.81	133.20	160.06	182.34	230.79	185.63	?	313.00	220.56	391.98	304.67	767.06
16	221.79	135.36	159.79	162.64	248.98	188.49	?	282.96	227.55	448.72	430.35	642.21
17	247.39	164.18	153.55	172.42	224.04	196.88	?	260.54	253.59	430.41	410.54	564.26
18	184.04	145.54	154.13	154.51	193.79	200.99	116.93	302.68	273.67	371.54	331.36	529.33
19	152.09	145.15	154.55	158.26	204.43	210.96	133.00	275.55	256.13	357.42	335.16	582.22
20	179.11	145.15	154.55	154.30	231.33	213.71	138.23	236.27	270.51	389.51	356.97	511.01
21	173.52	163.26	151.34	151.54	251.92	209.31	143.13	328.55	242.67	399.87	366.54	449.25
22	166.28	152.76	144.15	192.97	249.68	194.45	139.21	359.71	340.61	397.23	287.19	424.57
23	204.94	160.50	146.53	183.62	216.92	181.85	123.89	280.27	389.52	406.29	328.36	444.89
24	194.54	153.22	142.61	176.88	216.00	183.77	155.60	205.69	294.33	456.89	424.18	473.12
25	166.81	149.43	144.55	171.74	209.69	181.56	326.87	309.56	229.89	393.50	329.09	441.04
26	161.02	151.18	176.98	189.66	289.95	174.73	193.34	276.86	408.50	395.87	328.41	440.76
27	166.66	150.04	187.31	176.70	272.93	190.99	178.10	199.05	458.00	440.36	294.68	418.99
28	241.94	150.80	176.39	160.34	252.47	208.39	176.30	245.54	409.36	586.68	332.01	416.89
29	264.82		195.80	163.13	216.22	205.44	160.58	229.62	320.43	520.04	298.14	426.71
30	135.04		133.21	166.65	191.84	231.05	173.37	177.14	324.30	476.09	300.53	412.26
31	122.92		169.48		175.17		262.28	144.46		479.01		407.21
Min	122.92	133.20	133.21	120.37	165.34	171.62	116.93	144.46	148.16	232.19	287.19	344.03
Mean	196.94	156.78	153.85	163.18	209.38	223.52	194.51	240.47	259.92	401.78	391.39	501.01
Max	264.82	206.31	195.80	226.73	289.95	360.84	326.87	359.71	458.00	586.68	501.92	768.78

Daily means
Flow m³/s

Year 1988

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	403.56	?	?	?	?	?	?	?	?	?	271.46	?
2	404.70	?	?	?	?	?	?	?	?	?	272.83	?
3	406.31	?	?	?	?	?	?	?	?	?	283.56	?
4	411.13	?	?	?	?	?	?	?	?	?	333.96	?
5	414.91	?	?	?	?	?	?	?	?	326.66	358.35	490.92
6	394.86	?	?	?	?	?	?	?	?	328.65	399.85	521.61
7	378.24	?	?	?	?	?	?	?	?	335.01	492.28	499.86
8	361.17	?	?	?	?	?	?	?	?	347.03	541.50	495.13
9	356.46	?	?	?	?	?	?	?	?	311.15	480.00	480.40
10	357.12	?	?	?	?	?	?	?	?	321.63	511.19	490.14
11	353.92	?	?	?	?	?	?	?	?	313.97	564.73	481.02
12	367.09	?	?	?	?	?	?	?	?	318.91	498.29	479.70
13	351.80	?	?	?	?	?	?	?	?	331.74	546.61	479.95
14	282.85	?	?	?	?	?	?	?	?	339.68	507.98	478.22
15	293.34	?	?	?	?	?	?	?	?	335.87	531.20	478.12
16	233.91	?	?	?	?	?	?	?	?	335.53	550.72	470.73
17	227.85	?	?	?	?	?	?	?	?	316.50	571.04	448.86
18	350.96	?	?	?	?	?	?	?	?	293.50	518.99	466.04
19	?	?	?	?	?	?	?	?	?	291.90	?	390.49
20	?	?	?	?	?	?	?	?	?	289.47	?	463.76
21	?	?	?	?	?	?	?	?	?	288.93	?	460.86
22	?	?	?	?	?	?	?	?	?	286.92	?	459.56
23	?	?	?	?	?	?	?	?	?	286.31	?	450.19
24	?	?	?	?	?	?	?	?	?	248.67	539.09	435.82
25	?	?	?	?	?	?	?	?	?	247.51	521.02	415.90
26	?	?	?	?	?	?	?	?	?	279.11	488.72	405.68
27	?	?	?	?	?	?	?	?	?	274.70	487.04	385.97
28	?	?	?	?	?	?	?	?	?	284.95	484.83	430.99
29	?	?	?	?	?	?	?	?	?	257.10	?	421.27
30	?	?	?	?	?	?	?	?	?	248.53	?	416.73
31	?	?	?	?	?	?	?	?	?	250.51	?	389.53
Min	227.85	?	?	?	?	?	?	?	?	247.51	271.46	385.97
Mean	352.79	?	?	?	?	?	?	?	?	299.65	467.62	455.09
Max	414.91	?	?	?	?	?	?	?	?	347.03	571.04	521.61

Daily means

Flow m³/s

Year 1989

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
1	422.55	171.56	?	173.57	180.85	237.09	182.01	193.36	142.33	280.93	324.78	237.69
2	419.61	156.60	?	196.80	208.87	260.41	205.00	173.49	156.16	186.60	270.37	270.48
3	431.35	161.71	?	168.34	235.50	301.66	182.29	171.50	166.08	186.40	283.56	217.81
4	436.67	189.00	?	193.32	270.64	311.26	234.01	183.96	152.05	208.53	270.46	171.38
5	427.58	195.11	?	201.01	261.02	299.18	227.82	167.19	143.64	243.58	246.35	232.36
6	445.49	184.62	?	193.40	253.91	297.35	242.96	169.30	147.03	252.33	233.40	288.79
7	427.63	198.35	?	178.65	179.35	284.60	222.55	161.70	181.43	213.08	275.16	184.73
8	415.92	187.68	?	238.98	170.48	286.07	231.95	156.40	186.30	226.61	254.16	202.65
9	401.99	177.20	?	232.51	179.02	267.06	212.40	216.88	166.12	224.05	313.16	172.93
10	414.47	?	?	176.28	215.24	190.07	296.13	219.34	235.65	172.28	252.35	369.30
11	453.25	?	?	197.58	209.39	181.42	223.90	196.07	164.87	138.11	206.53	301.66
12	425.85	?	?	156.59	241.03	185.01	293.89	200.42	173.14	138.78	168.37	288.83
13	388.12	?	?	158.82	294.67	244.89	230.58	198.83	199.43	153.20	181.81	322.34
14	404.34	?	?	180.74	255.07	258.58	240.72	228.08	172.05	144.35	228.03	289.32
15	415.57	?	?	187.90	255.09	260.35	198.65	231.31	204.58	142.17	159.76	391.52
16	314.66	?	?	207.57	257.86	275.03	187.01	211.35	200.10	136.86	228.22	320.90
17	187.92	?	?	201.44	229.79	232.90	173.47	197.93	238.45	157.19	328.77	336.26
18	168.53	?	?	172.12	245.42	191.97	182.88	205.06	163.96	153.37	281.43	277.04
19	170.00	?	?	157.22	242.71	254.85	189.76	278.13	156.72	166.00	237.10	182.44
20	171.60	?	?	166.36	232.47	296.69	208.31	251.17	149.05	199.20	217.61	223.46
21	171.13	?	?	168.33	212.23	295.12	205.33	267.42	166.00	274.85	209.15	320.03
22	185.02	?	?	171.36	177.95	247.47	199.05	222.13	181.81	260.02	177.62	286.30
23	207.97	?	?	198.55	182.90	237.71	188.69	194.95	190.78	255.63	219.01	274.52
24	184.31	?	?	197.42	166.71	247.27	177.33	218.09	180.41	351.93	211.12	272.58
25	150.35	?	?	205.93	188.27	248.78	167.53	217.54	150.01	297.46	279.79	260.95
26	155.80	?	?	186.21	215.26	245.88	136.67	217.82	145.97	322.38	351.58	225.14
27	148.43	?	?	170.13	223.04	249.94	167.25	238.98	137.72	410.01	420.58	219.36
28	147.37	?	?	181.32	192.53	230.20	180.81	194.04	132.55	420.51	372.53	265.52
29	159.96	?	?	191.47	189.24	238.24	171.50	186.70	165.49	417.99	287.75	266.83
30	188.87	?	?	202.46	181.37	297.08	180.06	177.35	202.32	384.70	433.10	245.31
31	169.30	?	?	187.83	265.88	173.36	196.80	405.26	132.55	159.76	182.44	140.03
Min	147.37	156.60	156.59	166.71	170.48	136.67	173.36	132.55	136.86	159.76	182.44	140.03
Mean	297.15	180.20	182.89	212.83	235.97	224.81	215.07	177.47	217.94	254.18	280.37	184.01
Max	453.25	198.35	207.57	294.67	297.08	311.26	278.13	238.45	420.51	433.10	391.52	288.79
												453.25

Daily means
Flow m³/s

Year 1990

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	143.47	150.16	161.91	138.59	167.38	185.31	?	148.87	143.55	176.75	442.66	333.71
2	137.60	149.85	157.42	141.04	178.04	146.64	?	165.42	107.96	197.80	797.67	177.53
3	139.29	151.28	156.88	155.96	182.31	140.04	?	153.67	103.49	186.11	917.14	169.05
4	136.73	152.22	158.86	151.24	226.41	178.90	?	111.76	107.10	198.30	718.19	177.44
5	143.47	154.18	159.53	142.79	171.69	162.86	?	112.14	103.98	248.76	564.83	204.65
6	162.98	154.09	160.08	140.83	167.65	145.31	?	155.51	102.17	273.36	449.98	230.13
7	139.74	152.35	156.31	146.38	182.48	182.64	?	149.78	102.19	229.14	377.56	218.62
8	144.80	154.10	158.06	159.58	179.89	235.80	?	160.41	113.10	291.06	316.71	206.66
9	155.48	154.16	165.87	137.70	170.25	221.43	?	229.49	108.59	315.15	309.88	163.07
10	175.37	150.42	163.59	158.40	176.18	275.27	?	169.75	108.39	308.13	335.99	149.29
11	186.27	152.27	160.81	192.35	193.83	174.48	?	129.78	104.44	341.77	230.43	201.47
12	174.73	152.48	157.36	162.49	191.62	170.65	?	105.55	106.32	379.99	264.32	222.49
13	178.90	151.04	153.84	146.24	182.09	169.89	?	145.27	111.65	356.66	296.34	285.09
14	171.79	175.12	144.84	136.81	173.29	168.77	?	112.67	110.63	358.72	287.08	251.93
15	165.01	157.37	161.33	137.73	166.89	166.25	?	121.75	109.70	305.37	246.32	168.04
16	179.88	150.70	145.35	145.49	292.46	154.68	?	111.20	111.35	297.76	233.44	141.15
17	190.60	160.77	147.44	142.29	309.08	139.30	?	112.65	113.57	206.56	232.98	198.49
18	250.40	168.36	147.67	134.18	298.48	162.26	?	107.53	126.06	247.95	241.58	196.51
19	192.45	160.25	148.38	138.88	188.60	178.61	?	108.40	120.90	377.47	213.23	215.65
20	191.28	155.57	142.03	144.24	182.51	172.85	?	99.27	119.12	518.45	250.57	277.02
21	154.49	165.64	143.35	163.60	228.50	191.25	?	95.51	131.60	550.66	210.50	254.15
22	150.37	158.14	144.22	144.76	242.51	155.78	?	95.44	138.97	446.47	238.61	234.42
23	179.99	156.85	148.89	142.94	223.61	147.39	?	137.45	139.41	397.70	230.87	150.71
24	187.99	156.68	148.34	147.94	246.52	113.74	?	100.68	124.01	344.72	217.47	249.59
25	174.88	155.05	152.21	143.36	240.15	119.65	?	94.81	156.50	292.15	181.46	142.36
26	167.88	156.83	149.91	144.04	226.06	?	?	93.08	133.88	342.15	194.74	184.79
27	169.32	171.43	151.94	147.82	163.88	?	?	93.29	136.48	499.10	247.53	189.11
28	162.29	160.15	148.79	148.51	206.97	?	?	133.45	147.48	431.70	230.85	183.66
29	150.87		147.25	143.49	208.16	?	?	156.43	134.42	454.43	210.43	161.68
30	150.30		147.22	162.41	144.25	?	?	150.60	131.56	449.81	260.85	156.49
31	150.49		149.25		173.61		135.57	115.03	453.77			201.69
Min	136.73	149.85	142.03	134.18	144.25	113.74	135.57	93.08	102.17	176.75	181.46	141.15
Mean	166.42	156.70	152.87	148.07	202.75	170.39	135.57	128.28	120.29	338.00	331.67	203.12
Max	250.40	175.12	165.87	192.35	309.08	275.27	135.57	229.49	156.50	550.66	917.14	333.71
												93.08
												193.09
												917.14

Daily means
Flow m³/s

Year 1991

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	141.13	127.15	311.44	134.63	152.50	348.39	160.45	123.75	112.90	175.85	287.64	171.66
2	173.75	131.83	205.97	128.43	180.58	313.61	148.05	183.33	154.42	188.40	296.85	187.32
3	194.97	123.20	130.07	131.88	148.90	521.41	249.99	151.26	198.90	237.46	172.90	231.97
4	180.88	131.51	175.72	160.76	216.84	471.21	200.26	123.28	190.94	226.26	195.41	174.95
5	159.73	181.37	168.29	171.96	180.29	430.66	192.28	175.39	198.74	224.00	138.00	232.54
6	125.01	180.35	160.42	187.09	242.22	389.90	181.98	162.82	254.61	166.55	168.96	170.61
7	178.22	210.10	142.86	140.71	195.11	371.22	139.52	205.72	167.94	178.83	198.76	204.70
8	175.16	219.16	156.65	177.00	180.67	272.97	147.10	194.90	116.66	253.58	214.45	131.76
9	185.53	218.94	139.15	153.29	179.10	178.45	160.57	159.46	177.75	287.55	196.70	186.04
10	191.24	123.77	133.74	241.44	198.62	204.71	209.22	208.59	202.67	239.19	148.25	205.94
11	194.01	159.62	184.63	245.92	187.18	273.90	236.62	160.38	200.71	240.69	228.70	221.26
12	148.07	168.37	169.12	200.73	140.01	273.28	231.43	189.45	223.47	239.00	345.47	204.79
13	135.61	161.73	227.02	156.13	168.13	247.68	137.15	186.13	217.22	194.54	354.21	235.63
14	135.91	158.16	153.80	124.68	190.89	210.47	112.93	201.80	249.72	254.89	349.22	190.20
15	203.49	125.66	193.04	122.23	172.20	207.28	169.43	207.58	205.15	336.00	309.68	182.49
16	230.84	122.06	160.21	119.06	249.08	241.69	178.17	158.05	177.37	257.04	169.40	193.76
17	231.13	121.07	116.73	118.94	201.12	171.76	174.49	161.22	199.85	211.86	144.55	210.09
18	243.55	147.67	216.46	119.75	144.09	210.88	145.07	113.69	232.81	232.75	160.32	220.84
19	202.05	179.94	267.70	118.99	159.07	243.63	120.20	156.49	179.65	238.02	223.99	251.30
20	169.24	199.70	174.77	120.46	279.20	246.05	165.70	193.09	123.53	172.52	256.23	156.63
21	183.24	212.50	185.32	126.79	282.86	240.59	118.35	230.71	148.26	233.28	246.60	153.96
22	240.72	240.73	222.42	202.47	318.78	134.99	117.19	224.10	112.04	333.19	222.50	130.80
23	178.16	218.65	218.76	202.86	338.27	152.77	153.00	201.25	203.99	335.69	197.27	163.87
24	139.17	127.76	181.58	154.33	325.43	123.08	169.73	173.06	208.79	346.40	182.01	194.80
25	183.52	181.79	166.85	187.07	315.57	147.76	198.85	126.31	188.18	275.03	241.99	125.09
26	174.40	235.57	182.79	147.15	404.53	164.19	185.20	177.42	175.28	207.33	218.77	130.54
27	143.02	258.45	238.56	190.97	408.73	211.04	189.59	195.81	146.32	136.68	253.98	239.02
28	213.73	235.14	212.34	140.19	504.20	240.97	127.90	214.71	147.37	187.17	214.38	244.45
29	260.21		204.90	190.37	465.05	189.31	165.05	230.35	121.38	288.47	160.11	166.10
30	128.34		125.34	148.95	459.24	132.94	162.17	248.99	171.48	245.38	205.52	199.34
31	133.36		126.15		413.82		164.83	121.24		242.72		226.96
Min	125.01	121.07	116.73	118.94	140.01	123.08	112.93	113.69	112.04	136.68	138.00	125.09
Mean	179.92	175.07	182.35	158.84	258.14	252.23	168.14	179.37	180.27	238.27	223.43	191.59
Max	260.21	258.45	311.44	245.92	504.20	521.41	249.99	248.99	254.61	346.40	354.21	251.30

112.04
199.11
521.41

Daily means
Flow m³/s

Year 1992

site 4809443 PERAK at JAM. ISKANDAR, PERAK

Day	Jan	Feb	Mar	Apr	May	Jun	Jly	Aug	Sep	Oct	Nov	Dec
1	177.55	127.34	127.93	146.68	199.26	171.63	217.46	149.48	139.08	249.97	243.05	189.51
2	196.87	187.68	164.25	155.24	170.84	213.89	151.09	141.60	?	195.68	184.85	186.30
3	209.17	119.45	171.11	125.45	153.21	213.23	154.23	162.55	?	116.26	201.62	188.71
4	143.00	112.37	173.92	120.70	141.38	187.43	187.80	226.95	?	87.42	165.43	157.74
5	128.95	115.36	125.17	121.40	199.14	252.61	145.70	263.91	?	105.98	211.34	139.08
6	155.48	115.07	147.79	124.15	233.51	213.17	147.19	248.24	?	136.62	177.17	138.99
7	208.52	123.63	116.58	137.67	227.42	156.15	222.86	194.63	?	77.84	183.82	150.30
8	247.26	133.58	120.06	132.13	156.06	177.09	173.75	139.50	202.10	110.47	151.14	186.64
9	246.54	137.11	125.89	130.77	136.95	276.60	268.97	130.17	148.78	117.62	211.30	229.75
10	201.43	124.80	154.50	124.97	130.32	240.84	215.12	163.20	128.41	123.08	177.29	180.64
11	127.13	123.56	147.06	116.14	127.43	164.96	190.06	185.72	173.40	117.36	210.33	237.11
12	136.53	143.95	148.52	182.46	157.76	163.79	172.88	180.47	140.04	116.24	249.46	178.63
13	135.92	205.20	178.71	126.51	219.11	138.78	165.35	223.37	120.12	179.33	370.07	157.25
14	175.66	190.45	113.67	158.00	145.83	137.03	266.12	171.03	126.74	225.07	363.38	157.88
15	131.54	156.03	108.15	146.45	175.08	171.62	259.19	140.94	150.92	182.74	224.69	152.49
16	122.93	126.97	136.51	217.19	157.35	226.20	237.18	141.71	183.37	196.12	218.49	148.56
17	122.08	134.60	131.98	184.46	135.60	207.01	280.52	186.33	197.95	180.37	266.97	164.16
18	123.34	186.67	192.06	151.05	149.12	241.83	224.12	219.01	133.98	176.67	211.93	164.28
19	114.91	130.71	183.56	121.14	189.42	222.22	148.00	184.51	146.78	189.24	284.33	148.25
20	107.33	185.95	181.72	217.87	246.92	212.10	212.44	144.38	128.09	218.80	253.26	143.72
21	117.97	179.24	134.71	169.62	212.25	165.07	262.94	129.92	183.81	232.48	180.03	154.47
22	120.51	158.94	105.09	127.98	182.06	169.14	262.21	134.70	232.80	200.91	245.99	168.11
23	113.65	130.02	137.13	218.13	171.63	198.35	225.55	132.11	241.88	141.60	213.22	163.58
24	116.96	122.14	163.75	247.81	169.66	233.81	243.37	171.36	238.59	146.10	251.46	147.74
25	123.33	126.21	175.67	117.24	194.90	202.09	240.39	185.13	226.14	143.33	283.49	143.35
26	125.42	156.63	226.14	115.76	185.38	165.74	157.16	244.03	199.31	135.33	304.89	161.06
27	119.90	140.34	180.31	177.82	178.19	163.56	167.73	225.53	181.05	169.73	245.22	156.08
28	114.04	125.66	155.77	244.18	171.37	119.73	287.41	182.36	208.36	143.89	191.07	192.44
29	115.15	158.16	124.81	218.37	175.05	142.04	221.67	231.61	243.62	185.27	163.60	193.34
30	112.62		125.36	207.10	229.07	155.44	202.92	230.63	229.56	283.56	145.45	221.04
31	112.98		231.73		169.71		208.58	148.42		260.78		210.65
Min	107.33	112.37	105.09	115.76	127.43	119.73	145.70	129.92	120.12	77.84	145.45	138.99
Mean	145.31	144.06	151.92	159.48	177.13	190.11	210.32	181.08	179.37	166.00	226.14	171.35
Max	247.26	205.20	231.73	247.81	246.92	276.60	287.41	263.91	243.62	283.56	370.07	237.11