

5.26 Personal Violation Update

Volume II Figure 2.5.2-27 and Table 2.5.2-27 show the outline of Personal Violation Update Process. As a result of System Design, the process is designed as below. Volume III Appendix A is referred to understand how to view figures and tables.

- Process Procedure

- 1) Retrieval

- i) Input

Read inputted data from Retrieval Window. Table 5.26-5 shows details of data items on the window.

- ii) Input Check

Check if all mandatory items are inputted. Then check value of inputted data following Table 5.26-6.

- iii) Retrieval

Following the condition below data will be retrieve to the client monitor

- a) Check ID Number from Basic information for personal common information, If ID Number exist, retrieve Update Window 1.

- b) And if ID Number does not exist show error message.

- 2) Violation List

- i) Retrieval

Retrieve data from databases for personal violator information and violation list in selection mode. Table 5.26-7 shows detail of data items on the window. If Detail Info button is pressed then retrieve Update Window 2, and if Select button is pressed then retrieve Update Window 3.

- 3) Update of Personal Violation

- i) Input

Read inputted data from Update Window 2. Table 5.26-8 shows details of data items on the window.

- ii) Input Check

Check if all mandatory items are inputted. Then check value of inputted data following Table 5.26-9.

iii) Retrieval

Retrieve data from tables by using the inputted codes. Edit and display the retrieved data into data fields corresponding to its code on the window. Table 5.26-1 shows list and location of codes to be used.

Table 5.26-1: List of codes

Code	Location of Table	Note
Gender code	Client	---
Identity Type code	Client	---
Country of Issue	Client	Used for Country of issue & Country of birth
Postal Code	Client	---
Hair Type code	Client	---
Hair color code	Client	---
Skin color code	Client	---
Eyes color code	Client	---

4) Update Violation Information

i) Input

Read inputted data from Update Window 3. Table 5.26-10 shows details of data items on the window.

ii) Input Check

Check if all mandatory items are inputted. Then check value of inputted data following Table 5.26-11.

iii) Retrieval

Retrieve data from tables by using the inputted codes. Edit and display the retrieved data into data fields corresponding to its code on the window. Table 5.26-2 show list and location of codes to be used.

Table 5.26-2: List of codes (1/2)

Code	Location of Table	Note
DJBC Office code	Client	---
Type of violation code	Client	---
Country code	Client	Used for country of origin & country of destination
Detection Methods code	Client	---
Information sources code	Client	---

Table 5.26-2: List of codes (2/2)

Code	Location of Table	Note
Case settlement code	Client	—
Case status code	Client	—

5) Update Relation Information

i) Input

Read inputted data from Update Window 4. Table 5.26-12 shows details of data items on the window.

ii) Input Check

Check if all mandatory items are inputted. Then check value of inputted data following Table 5.26-13.

iii) Retrieval

Retrieve data from tables by using the inputted codes. Edit and display the retrieved data into data fields corresponding to its code on the window. Tables 5.26-3 show list and location of codes to be used.

Table 5.26-3: List of codes

Code	Location of Table	Note
DJBC Office code	Client	—
Type of violation code	Client	—
Means of Transportation	Client	—
Country of origin	Client	Used for Country of origin & Country of destination
Detection Methods code	Client	—
Information sources code	Client	—
Case settlement code	Client	—
Case status code	Client	—

6) Update

i) Confirmation

Display a response-requiring message. (Message ID;R0000002)

ii) Registration

Register data into the database.

iii) Output

Display a normal message. (Message ID;N0000003)

- Window Design
 - Retrieval Window Figure 5.26-1
 - Update Window 1 Figure 5.26-2
 - Update Window 2 Figure 5.26-3
 - Update Window 3 Figure 5.26-4
 - Update Window 4 Figure 5.26-5

- Error Procedure

Display an error message following Table 5.26-4

Table 5.26-4: Error Procedure

Case	Error Contents	Message ID	Note
1)-ii), 1)-iii)	An error is detected at Input Check.	See Table 5.6-4 and 5.6-6	---
1)-iv)	SQL returned an error code.	E0000001	Fill in the blank part of the message text with the error code.
1)-iii)	The code to be retrieved at Code Retrieval does not exist in the code table.	E0000008	---
1)-ii)	The record to be updated does not exist.	E0000002	---
1)-iii)	There are one or more mandatory items which have not been inputted.	E0000007	---

- Note
 - For details of each message, see Volume II 1.4.
 - Records in Names Involved (Update Window 4) can be deleted during update or deletion only if registered date and ID of officer who registered of Basic Information are the same as updated date and ID of officer who updated of Basic Information.




Figure 5.26-1: Window Layout for Personal Violation Update (Retrieval Window)

Table 5.26-5: List of Items
(Window Name: Personal Violation Update (Retrieval Window))

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
1	ID Type <i>Jenis tanda pengenal</i>	✓			Identity type of a company or a person <ul style="list-style-type: none"> • NPWP (12 digits) • NPWP (10 digits) • Passport Number • KTP • Others (input, mandatory)	idtype_of. BASIC INFORMATION	1 char, Alpha- numeric
2	ID Number <i>Tanda pengenal / nomor</i>	✓			Identity number of a company or a person (input, mandatory)	ID NUMBER. BASIC INFORMATION	20 char, Alpha- numeric

Table 5.26-6: Input Check List
(Window name: Personal Violation Update (Retrieval Window))

No.	Item Name	Condition (range, format, and so on)	Message ID	Note
1	ID Number	Must have 5 digit characters or more	E0000015	—

Personal Violation Update

Update Window 1

Personal Violator Information

KIP Passport ID

ID Number:

ID Number:

Issue Country:

Name:

Street:

City:

Postal Code:

Phone Number:

Fax Number:

Violation List	DJBC Office	Type of Violation	Date	Type of goods	Detection Method	Cases Settlement

Figure 5.26-2: Window Layout for Personal Violation Update (Update Window 1)

Table 5.26-7: List of Items
(Window Name: Personal Violation Update (Update Window 1))(1/2)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
1	Personal Violator Information <i>Identitas pelanggar</i>	✓			Information about the violator (No repeat)	— (Group title)	—
2	ID Type <i>Jenis tanda pengenal</i>		✓		Identity type of a company or a person <ul style="list-style-type: none"> • NPWP (12 digits) • NPWP (10 digits) • Passport Number • KTP • Others (output)	idtype_of. BASIC INFORMATION	1 char, Alpha- numeric
3	ID Number <i>Tanda pengenal / nomor</i>		✓		Identity number of a company or a person (output)	ID NUMBER. BASIC INFORMATION	20 char, Alpha- numeric
4	Issue Country <i>Negara yang mengeluarkan tanda pengenal</i>		✓		Country who generate the identity card (input/output, optional)	issuctry_of. BASIC INFORMATION	25 char, Alpha- numeric
5	Name <i>Nama</i>		✓		Name of violator (input/output, optional)	NAME.BASIC INFORMATION	40 char, Alpha- numeric
6	Address <i>Alamat</i>		✓		Address of violator (No repeat)	— (Group title)	—
7	Street <i>Nama Jalan</i>			✓	Street name of violator address (input/output, mandatory)	STREET.BASIC INFORMATION	100 char, Alpha- numeric
8	City <i>Nama kota</i>			✓	City name of violator address (input/output, optional)	CITY.BASIC INFORMATION	30 char, Alpha- numeric
9	Postal Code <i>Kode pos</i>			✓	Postal code of violator address (input/output, optional)	POSTAL CODE. BASIC INFORMATION	8 char, Alpha- numeric
10	Phone Number <i>Nomor Telephone</i>			✓	Telephone number of violator address (input/output, optional)	PHONE NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
11	Fax Number <i>Nomor Fax</i>			✓	Fax number of violator address (input/output, optional)	FAX NUMBER. BASIC INFORMATION	12 char, Alpha- numeric

Table 5.26-7: List of Items
(Window Name: Personal Violation Update (Update Window 1))(2/2)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
12	Violation List <i>List pelanggaran</i>	✓			List of the violation (Repeat 5 times)	— (Group title)	—
13	DJBC Office <i>Kode kantor DJBC</i>		✓		The Customs Service Office who deliver violation information (input/output, mandatory)	violoffc_of. VIOLATION AND INVESTIGATION	6 char, Alpha-numeric
14	Type of Violation <i>Tipe Pelanggaran</i>		✓		The Type of violation (input/output, mandatory)	violcode_of. VIOLATION AND INVESTIGATION	2 char, Alpha-numeric
15	Date (DDMM YYYY) <i>Tanggal Pelanggaran (DDMM YYYY)</i>		✓		The date of the violation happened. (input/output, mandatory)	VIOLATION DATE.VIOLATION AND INVESTIGATION	8 char, date
16	Type of goods <i>Jenis barang</i>		✓		Type of goods (input/output, optional)	TYPE OF GOODS.VIOLATION GOODS	15 char, Alpha-numeric
17	Detection methods <i>Metode pendeteksian</i>		✓		Methods on detecting violation (input/output, optional)	dectmthd_of. VIOLATION AND INVESTIGATION	40 char, Alpha-numeric
18	Case settlement <i>Penyelesaian</i>		✓		Information about Case settlement (input/output, optional)	casestlm_of. VIOLATION AND INVESTIGATION	2 char, Alpha-numeric

Personal Violation Update

Update Windows 2

Personal Violator Information

KIP Passport ID

ID Type: Gender: Male Female

ID Number: Date Of Birth: (DDMMYY)

Issue Country: Country Of Birth:

Name: Job:

Alias: Nationality:

Address: Characters:

Street: Hair Type:

City: Hair Color:

Postal Code: Skin Color:

Phone Number: Eyes Color:

Fax Number: Weight:

State / Province: Height:

Country: Special Marks:

History: Note:

Last Operator: Operation date:

Figure 5.26-3: Window Layout for Personal Violation Update (Update Window 2)

Table 5.26-8: List of Items
(Window Name: Personal Violation Update (Update Window 2))(1/3)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
1	Personal Violator Information <i>Identitas pelanggar</i>	✓			Information about the violator (No repeat)	— (Group title)	—
2	ID Type <i>Jenis tanda pengenal</i>		✓		Identity type of a company or a person <ul style="list-style-type: none"> • NPWP (12 digits) • NPWP (10 digits) • Passport Number • KTP • Others (output)	idtype_of. BASIC INFORMATION	1 char, Alpha- numeric
3	ID Number <i>Tanda pengenal / nomor</i>		✓		Identity number of a company or a person (output)	ID NUMBER. BASIC INFORMATION	20 char, Alpha- numeric
4	Issues Country <i>Negara yang mengeluarkan tanda pengenal</i>		✓		Country who generate the identity card (input/output, optional)	issuctry_of. BASIC INFORMATION	25 char, Alpha- numeric
5	Name <i>Nama</i>		✓		Name of violator (input/output, optional)	NAME. BASIC INFORMATION	40 char, Alpha- numeric
6	Alias <i>Alias</i>		✓		Nickname, or other names of violator (input/output, optional)	ALIAS. PERSONAL COMMON INFORMATION	45 char, Alpha- numeric
7	Gender <i>Jenis Kelamin</i>		✓		Gender of the violator (input/output, optional)	GENDER. PERSONAL COMMON INFORMATION	1 char, Alpha- numeric
8	Date of Birth (DDMM YYYY) <i>Tanggal Lahir (DDMM YYYY)</i>		✓		The date of birth (input/output, optional)	DATE OF BIRTH. PERSONAL COMMON INFORMATION	8 char, date
9	Country of Birth <i>Tempat lahir</i>		✓		Country where violator born (input/output, optional)	birtctry_of. PERSONAL COMMON INFORMATION	25 char, Alpha- numeric

Table 5.26-8: List of Items
(Window Name: Personal Violation Update (Update Window 2))(2/3)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
10	Job <i>Pekerjaan</i>		✓		Job of the violator (input/output, optional)	JOB. PERSONAL COMMON INFORMATION	25 char, Alpha- numeric
11	Nationality <i>Warga- negara</i>		✓		Citizens of a country (input/output, optional)	national_of. PERSONAL COMMON INFORMATION	25 char, Alpha- numeric
12	Address <i>Alamat</i>		✓		Address of violator (No repeat)	— (Group title)	—
13	Street <i>Nama Jalan</i>			✓	Street name of violator address (input/output, mandatory)	STREET.BASIC INFORMATION	100 char, Alpha- numeric
14	City <i>Nama kota</i>			✓	City name of violator address (input/output, optional)	CITY.BASIC INFORMATION	30 char, Alpha- numeric
15	Postal Code <i>Kode pos</i>			✓	Postal code of violator address (input/output, optional)	POSTAL CODE. BASIC INFORMATION	8 char, Alpha- numeric
16	Phone Number <i>Nomor Telephone</i>			✓	Telephone number of violator address (input/output, optional)	PHONE NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
18	Fax Number <i>Nomor Fax</i>			✓	Fax number of violator address (input/output, optional)	FAX NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
19	State/Provin ce <i>Propinsi</i>			✓	State or province of violator address (input/output, optional)	province_of.BASIC INFORMATION	25 char, Alpha- numeric
20	Country <i>Negara</i>			✓	Country of violator address (input/output, optional)	country_of.BASIC INFORMATION	25 char, Alpha- numeric
21	Characters <i>Ciri-ciri</i>		✓		Characters of violator (No repeat)	— (Group title)	—
22	Hair type <i>Jenis rambut</i>			✓	Type of hair (input/output, optional)	hairtype_of. PERSONAL COMMON INFORMATION	2 char, Alpha- numeric
23	Hair color <i>Warna rambut</i>			✓	Color of hair (input/output, optional)	haircolor_of. PERSONAL COMMON INFORMATION	1 char, Alpha- numeric
24	Skin color <i>Warna kulit</i>			✓	Color of skin (input/output, optional)	skincolor_of. PERSONAL COMMON INFORMATION	1 char, Alpha- numeric

Table 5.26-8: List of Items
(Window Name: Personal Violation Update (Update Window 2))(3/3)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
25	Eyes color <i>Warna mata</i>			✓	Color of eyes (input/output, optional)	eyescolor_of. PERSONAL COMMON INFORMATION	1 char, Alpha- numeric
26	Weight <i>Berat badan</i>			✓	Weight of the violator (input/output, optional)	WEIGHT. PERSONAL COMMON INFORMATION	15 char, Alpha- numeric
27	Height <i>Tinggi badan</i>			✓	Tall, with meter measurement (input/output, optional)	HEIGHT. PERSONAL COMMON INFORMATION	15 char, Alpha- numeric
28	Special marks <i>Ciri khusus</i>			✓	Tatoos, scarf, or born marks (input/output, optional)	SPECIAL MARKS. PERSONAL COMMON INFORMATION	500 char, Alpha- numeric
29	History <i>Sejarah</i>		✓		Grouping title for History of this record (no repeat)	—	—
30	Last Operator <i>Pengguna Terkini</i>			✓	User-id of operator who registered/updated (output, mandatory)	LAST OPERATOR. VIOLATION AND INVESTIGATION	6 char, alpha- numeric
31	Operation Date (DDMM YYYY) <i>Tanggal Pengoperasian</i> (DDMM YYYY)			✓	Registration/Updated date (output, mandatory)	LAST UPDATE. VIOLATION AND INVESTIGATION	8 digits, date
32	Note <i>Catatan</i>			✓	Note for history information. The number of characters shown on the Note section is the maximum length of display. The maximum length of input is 800 characters. (input, optional)	NOTE. VIOLATION AND INVESTIGATION	240 char, alpha- numeric

Table 5.26-9: Input Check List
(Window name: Personal Violation Update (Update Window 2))

No.	Item Name	Condition (range, format, and so on)	Message ID	Note
1	Date of Birth	Must be past date, including today	E0000010	---
2	Weight	Must be greater than 0	E0000009	---
3	Height	Must be greater than 0	E0000009	---

Personal Violation Update

Update Window 3

Violation Information

DIBC Office: [Dropdown] Detection Method: [Dropdown]

Date of violation: [DDMMYYYY] Information Resources: [Dropdown]

Type of Violation: [Dropdown] State of Frenched In: [Dropdown]

Means of transportation name: [Text] Case Settlement: [DDMMYYYY]

Flight/Voyage/Plat Number: [DDMMYYYY] Date of case settlement: [DDMMYYYY]

Departure date: [DDMMYYYY] Date of Detention: [DDMMYYYY]

Arrival date: [DDMMYYYY] Amount of administrative fine: [Text]

Route: [Text]

Detection Method: [Dropdown]

Information Resources: [Dropdown]

State of Frenched In: [Dropdown]

Case Settlement: [DDMMYYYY]

Date of case settlement: [DDMMYYYY]

Date of Detention: [DDMMYYYY]

Amount of administrative fine: [Text]

Goods Detection

Kind of goods	Type	Brand	Origin	Destination	Quantity	Unit	Size	Condition	Custom value
[Text]	[Text]	[Text]	[Dropdown]	[Dropdown]	[Text]	[Text]	[Text]	[Text]	[Text]
[Text]	[Text]	[Text]	[Dropdown]	[Dropdown]	[Text]	[Text]	[Text]	[Text]	[Text]
[Text]	[Text]	[Text]	[Dropdown]	[Dropdown]	[Text]	[Text]	[Text]	[Text]	[Text]

Method Operated: [Text]

History: [Text]

Last operator: [Text]

Operation date: [Text]

Note: [Text]

[Update] [Cancel] [Previous Page] [Next Page]

Figure 5.26-4: Window Layout for Personal Violation Update (Update Window 3)

Table 5.26-10: List of Items
(Window Name: Personal Violation Update (Update Window 3))(1/4)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
1	Violation information <i>Informasi pelanggaran</i>	✓			Information about the violation (No repeat)	— (Group title)	—
2	DJBC Office <i>Kode kantor DJBC</i>		✓		The Customs Service Office who deliver violation information (input/output, mandatory)	violoffc_of. VIOLATION AND INVESTIGATION	6 char, Alpha-numeric
3	Date of Violation (DDMM YYYY) <i>Tanggal Pelanggaran (DDMM YYYY)</i>		✓		The date of the violation happened. (Input/output, mandatory)	VIOLATION DATE.VIOLATION AND INVESTIGATION	8 char, date
4	Type of Violation <i>Tipe Pelanggaran</i>		✓		The Type of violation (input/output, mandatory)	violcode_of. VIOLATION AND INVESTIGATION	2 char, Alpha-numeric
5	Means of Transportation name <i>Sarana pengangkut</i>		✓		Transportation vehicle (input/output, optional)	TRANSPORTATION NAME.VIOLATION OF PASSENGER	15 char, Alpha-numeric
6	Flight/Voyage/Plat Number <i>Penerbangan/pelayaran/Nomor Platt</i>		✓		Flight or Voyage and Plat Number (input/output, optional)	TRANSPORTATION NUMBER.VIOLATION OF PASSENGER	15 char, Alpha-numeric
7	Departure date (DDMM YYYY) <i>Tanggal keberangkatan (DDMM YYYY)</i>		✓		Date of departure (input/output, optional)	DEPARTURE DATE.VIOLATION AND INVESTIGATION	8 char, date

Table 5.26-10: List of Items
(Window Name: Personal Violation Update (Update Window 3))(2/4)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
8	Arrival date (DDMM YYYY) <i>Tanggal Kedatangan (DDMM YYYY)</i>		✓		Date of arrival (input/output, optional)	ARRIVAL DATE. VIOLATION AND INVESTIGATION	8 char, date
9	Route <i>Rute angkutan</i>		✓		The route of vehicle (input/output, optional)	ROUTE. VIOLATION AND INVESTIGATION	500 char, Alpha- numeric
10	Detection methods <i>Metode pendeteksi- an</i>		✓		Methods on detecting violation (input/output, optional)	dectmthd_of. VIOLATION AND INVESTIGATION	40 char, Alpha- numeric
11	Information resources <i>Sumber informasi</i>		✓		Resources where the information came from (input/output, optional)	srcinfo_of. VIOLATION AND INVESTIGATION	25 char, Alpha- numeric
12	State of financial loss <i>Kerugian Negara</i>		✓		The amount of loss for the government (input/output, optional)	STATE OF FINANCIAL LOSS.VIOLATION AND INVESTIGATION	15 digit, Numeric
13	Case settlement <i>Penyelesai- an</i>		✓		Information about Case settlement (input/output, optional)	casestlm_of. VIOLATION AND INVESTIGATION	2 char, Alpha- numeric
14	Date of Case settlement (DDMM YYYY) <i>Tanggal penyelesai- an</i>		✓		The date of matter to overcome (input/output,mandatory)	SETTLEMENT DATE.VIOLATIO N AND INVESTIGATION	8 char, date
15	Date of detention (DDMM YYYY) <i>Tanggal penegahan</i>		✓		The date of detention (input/output,optional)	DETENTION DATE. VIOLATION AND INVESTIGATION	8 char, date

Table 5.26-10: List of Items
(Window Name: Personal Violation Update (Update Window 3))(3/4)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
16	Amount of administrative fine <i>Jumlah denda koreksi</i>		✓		The amount of administrative fine (input/output, optional)	AMOUNT OF ADMINISTRATIO N FINE. VIOLATION AND INVESTIGATION	14 digit, Numeric
17	Goods Description information <i>Informasi Tentang Barang</i>		✓		Information about the Goods (Repeat 3 times)	— (Group title)	—
18	Kind of goods <i>Jenis barang</i>			✓	Kind of goods (input/output, optional)	KIND OF GOODS.VIOLATI ON GOODS	15 char, Alpha- numeric
19	Type <i>Tipe barang</i>			✓	Type of goods (input/output, optional)	TYPE OF GOODS.VIOLATI ON GOODS	15 char, Alpha- numeric
20	Brand <i>Merk barang</i>			✓	Brand of goods (input/output, optional)	BRAND.VIOLATI ON GOODS	20 char, Alpha- numeries
21	Origin <i>Negara asal</i>			✓	Origin country where the good are brought from (input/output, optional)	origctry of. VIOLATION GOODS	25 char, Alpha- numeric
22	Destination <i>Negara tujuan</i>			✓	Destination country where the goods are bring to (input/output, optional)	destctry of. VIOLATION GOODS	25 char, Alpha- numeric
23	Quantity <i>Jumlah barang</i>			✓	The amount of goods (input/output, optional)	QUANTITY. VIOLATION GOODS	12 digit, Numeric
24	Unit <i>Satuan</i>			✓	Unit measurements (input/output, optional)	UNIT. VIO0GODDS	15 char, Alpha- numeric
25	Size <i>Ukuran</i>			✓	Size of Goods (input, optional)	SIZE. VIOLATION GOODS	15 char, Alpha- numeric
26	Condition <i>Keadaan</i>			✓	Condition of Goods (input/output, optional)	CONDITION. VIOLATION GOODS	25 char, Alpha- numeric
27	Customs Value <i>Nilai Pabean</i>			✓	Tax of Goods (input/output, optional)	CUSTOMS VALUE. VIOLATION GOODS	15 digit, Numeric

Table 5.26-10: List of Items
(Window Name: Personal Violation Update (Update Window 3))(4/4)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
28	Modus Operandi <i>Modus operandi</i>		✓		The modus operandi (input/output, optional)	MODUS OPERANDI.VIOLATION AND INVESTIGATION	500 char, Alpha-numeric
29	History <i>Sejarah</i>		✓		Grouping title for History of this record (no repeat)	—	—
30	Last Operator <i>Pengguna Terkini</i>			✓	User-id of operator who registered/updated (output, mandatory)	LAST OPERATOR.VIOLATION AND INVESTIGATION	6 char, alpha-numeric
31	Operation Date (DDMM YYYY) <i>Tanggal Pengoperasian</i> (DDMM YYYY)			✓	Registration/Updated date (output, mandatory)	LAST UPDATE.VIOLATION AND INVESTIGATION	8 digits, date
32	Note <i>Catatan</i>			✓	Note for history information. The number of characters shown on the Note section is the maximum length of display. The maximum length of input is 800 characters. (input, optional)	NOTE.VIOLATION AND INVESTIGATION	240 char, alpha-numeric

Table 5.26-11 Input Check List
(Window name: Personal Violation Update (Update Window 3))

No.	Item Name	Condition (range, format, and so on)	Message ID	Note
1	Date of Violation	Must be past date, including today	E0000010	---
2	Departure date	Must be past date, including today	E0000010	---
3	Arrival date	Must be greater than or equal to Departure date	E0000014	---
4	Date of case settlement	Must be greater than or equal to Departure date	E0000014	---
5	Date of detention	Must be less than or equal to Date of violation	E0000014	---
6	Date of case brought to RO	Must be greater than or equal to Date of violation	E0000014	---
7	Date of case brought to court	Must be greater than or equal to Date of violation	E0000014	---
8	Start date of investigation	Must be greater than or equal to Date of violation	E0000014	---
9	Finished date of investigation	Must be greater than or equal to start date of investigation	E0000014	---

Personal Violation Update

Update Windows 4

Violation Information

NPWP Type 12 digit 10 digit

NPWP: Postal Code:

Name: Phone Number:

Street: Fax Number:

City: Nationality:

Names Involved

ID Type	ID Number	Name	Street	City	Postal Code	Phone	Fax
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Remarks:

Figure 5.26-5: Window Layout for Personal Violation Update (Update Window 4)

Table 5.26-12: List of Items
(Window Name: Personal Violation Update (Update Window 4))(1/2)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
1	Violation information <i>Informasi pelanggaran</i>	✓			Information about the violation (No repeat)	— (Group title)	—
2	NPWP Type <i>Jenis NPWP</i>		✓		Type of NPWP, (input/output, mandatory)	idtype_of. BASIC INFORMATION	1 char, Alpha- numeric
3	NPWP <i>No Pokok Wajib Pajak</i>		✓		Tax Payer Code Number (input/output, mandatory)	ID NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
4	Name <i>Nama</i>		✓		Name of violator (input/output, optional)	NAME. BASIC INFORMATION	40 char, Alpha- numeric
5	Street <i>Nama Jalan</i>			✓	Street name of violator address (input/output, mandatory)	STREET. BASIC INFORMATION	100 char, Alpha- numeric
6	City <i>Nama kota</i>			✓	City name of violator address (input/output, optional)	CITY. BASIC INFORMATION	30 char, Alpha- numeric
7	Postal Code <i>Kode pos</i>			✓	Postal code of violator address (input/output, optional)	POSTAL CODE. BASIC INFORMATION	8 char, Alpha- numeric
8	Phone Number <i>Nomor Telephone</i>			✓	Telephone number of violator address (input/output, optional)	PHONE NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
9	Fax Number <i>Nomor Fax</i>			✓	Fax number of violator addresss (input/output, optional)	FAX NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
10	Nationality <i>Warga- negara</i>		✓		Citizens of a country (input/output, optional)	national_of. PERSONAL COMMON INFORMATION	25 char, Alpha- numeric
11	Position <i>Jabatan</i>		✓		Position on the company (input/output, optional)	POSITION.VIOLA TION OF PASSENGER	25 char, Alpha- numeric
12	Names Invloed <i>Nama-nama yang terlibat</i>	✓			Names got invloed on the violation. (Repeat 4 times)	— (Group title)	—

Table 5.26-12: List of Items
(Window Name: Personal Violation Update (Update Window 4))(2/2)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
13	ID Type <i>Jenis tanda pengenal</i>		✓		Identity type of a company or a person <ul style="list-style-type: none"> • NPWP (12 digits) • NPWP (10 digits) • Passport Number • KTP • Others (input/output, mandatory)	idtype_of. VIOLATION RELATION	1 char, Alpha- numeric,
14	ID Number <i>Tanda pengenal / nomor</i>		✓		Identity number of a company or a person (input/output, mandatory)	ID NUMBER. VIOLATION RELATION	20 char, Alpha- numeric
15	Name <i>Nama</i>		✓		Name of violator (input/output, optional)	NAME. BASIC INFORMATION	40 char, Alpha- numeric
16	Street <i>Nama Jalan</i>		✓		Street name of violator address (input/output, mandatory)	STREET. BASIC INFORMATION	100 char, Alpha- numeric
17	City <i>Nama kota</i>		✓		City name of violator address (input/output, optional)	CITY. BASIC INFORMATION	30 char, Alpha- numeric
18	Postal Code <i>Kode pos</i>		✓		Postal code of violator address (input/output, optional)	POSTAL CODE. BASIC INFORMATION	8 char, Alpha- numeric
19	Phone <i>Nomor Telephone</i>		✓		Telephone number of violator address (input/output, optional)	PHONE NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
20	Fax <i>Nomor Fax</i>		✓		Fax number of violator address (input/output, optional)	FAX NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
21	Remarks <i>Catatan</i>	✓			Remarks on this records / information (output)	NOTES. VIOLATION AND INVESTIGATION	500 Char, Alpha- numeric

Table 5.26-13: Input Check List
(Window name: Personal Violation Update (Update Window 4))

No.	Item Name	Condition (range, format, and so on)	Message ID	Note
1	NPWP	Must have full length according to NPWP type	E0000015	—
2	NPWP	Must start with "0" when NPWP is 12 digits.	E0000016	—
3	NPWP	Must be numeric	E0000009	—

5.27 Personal Violation Deletion

Volume II Figure 2.5.2-28 and Table 2.5.2-28 show the outline of Personal Violation Deletion Process. As a result of System Design, the process is designed as below. Volume III Appendix A is referred to understand how to view figures and tables.

- Process Procedure

- 1) Retrieval

- i) Input

Read inputted data from Retrieval Window. Table 5.27-5 shows details of data items on the window.

- ii) Input Check

Check if all mandatory items are inputted. Then check value of inputted data following Table 5.27-6.

- iii) Retrieval

Following the condition below data will be retrieve to the client monitor.

- a) Check ID Number from Basic information for personal common information, if ID Number exist, retrieve Deletion Window 1.

- b) And if ID Number does not exist show error message.

- 2) Violation List

- i) Retrieval

Retrieve data from databases for personal violator information and violation list in selection mode. Table 5.27-7 shows detail of data items on the window. If Detail Info button is pressed then retrieve Deletion Window 2, and If Select button is pressed then retrieve Deletion Window 3.

- 3) Deletion of Personal Violation

- i) Retrieval

Read data from databases to Deletion Window 2. Table 5.27-8 shows details of data items on the window. Retrieve data from tables by using the inputted codes, retrieve data into data fields corresponding to its code on the window. Table 5.27-1 shows list and location of codes to be used.

Table 5.27-1: List of codes

Code	Location of Table	Note
Gender code	Client	---
Identity Type code	Client	---
Country code	Client	Used for Country of issue & Country of birth
Postal Code	Client	---
Hair Type code	Client	---
Hair color code	Client	---
Skin color code	Client	---
Eyes color code	Client	---

4) Deletion of Violation Information

i) Input

Read data from databases to Deletion Window 3. Table 5.27-9 shows details of data items on the window. Retrieve data from tables using the inputted codes, retrieve data into data fields corresponding to its code on the window. Table 5.27-2 show list and location of codes to be used.

Table 5.27-2: List of codes

Code	Location of Table	Note
DJBC Office code	Client	---
Type of violation code	Client	---
Means of Transportation	Client	---
Country code	Client	Used for Country of origin & Country of destination
Detection Methods code	Client	---
Information sources code	Client	---
Case settlement code	Client	---
Case status code	Client	---

5) Deletion of Relation Information

i) Input

Read data from databases to Deletion Window 4. Table 5.27-10 shows details of data items on the window. Retrieve data from tables using the inputted codes, retrieve data into data fields corresponding to its code on the window. Table 5.27-3 show list and location of codes to be used.

Table 5.27-3: List of codes

Code	Location of Table	Note
DJBC Office code	Client	---
Type of violation code	Client	---
Means of Transportation	Client	---
Country code	Client	Used for Country of origin & Country of destination
Detection Methods code	Client	---
Information sources code	Client	---
Case settlement code	Client	---
Case status code	Client	---

6) Deletion

i) Confirmation

Display a response-requiring message. (Message ID;R0000003)

ii) Registration

Register data into the database.

iii) Output

Display a normal message. (Message ID;N0000004)

- Window Design

- Retrieval Window Figure 5.27-1
- Deletion Window 1 Figure 5.27-2
- Deletion Window 2 Figure 5.27-3
- Deletion Window 3 Figure 5.27-4
- Deletion Window 4 Figure 5.27-5

- Error Procedure

Display an error message following Table 5.27-4.

Table 5.27-4: Error Procedure

Case	Error Contents	Message ID	Note
1)-ii), 1)-iii)	An error is detected at Input Check.	See Table 5.6-4 and 5.6-6	—
1)-iv)	SQL returned an error code.	E0000001	Fill in the blank part of the message text with the error code.
1)-iii)	The code to be retrieved at Code Retrieval does not exist in the code table.	E0000008	—
1)-ii)	The record to be updated does not exist.	E0000002	—
1)-iii)	There are one or more mandatory items which have not been inputted.	E0000007	—

- Note
 - For details of each message, see Volume II 1.4.
 - Records in Names Involved (Deletion Window 4) can be deleted during update or deletion only if registered date and ID of officer who registered of Basic Information are the same as updated date and ID of officer who updated of Basic Information.




Figure 5.27-1: Window Layout for Personal Violation Deletion (Retrieval Window)

Table 5.27-5: List of Items
(Window Name: Personal Violation Deletion (Retrieval Window))

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
1	ID Type <i>Jenis tanda pengenal</i>	✓			Identity type of a company or a person <ul style="list-style-type: none"> • NPWP (12 digits) • NPWP (10 digits) • Passport Number • KTP • Others (output) 	idtype_of. BASIC INFORMATION	1 char, Alpha- numeric
2	ID Number <i>Tanda pengenal / nomor</i>	✓			Identity number of a company or a person (input, mandatory)	ID NUMBER. BASIC INFORMATION	20 char, Alpha- numeric

Table 5.27-6: Input Check List
(Window name: Personal Violation Deletion (Retrieval Window))

No.	Item Name	Condition (range, format, and so on)	Message ID	Note
1	ID Number	Must have 5 digit characters or more.	E0000015	—

Personal Violation Deletion

Deletion Window 1

Personal Violator Information

KTP Passport ID

ID Number: City:

Issue Country: Postal Code:

Name: Phone Number:

Street: Fax Number:

Violation List

DJBC Office	Type of Violation	Date	Type of goods	Detection Methods	Cash Settlement
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Figure 5.27-2: Window Layout for Personal Violation Deletion (Deletion Window 1)

Table 5.27-7: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 1))(1/2)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
1	Personal Violator Information <i>Identitas pelanggar</i>	✓			Information about the violator (No repeat)	— (Group title)	—
2	ID Type <i>Jenis tanda pengenal</i>		✓		Identity type of a company or a person <ul style="list-style-type: none"> • NPWP (12 digits) • NPWP (10 digits) • Passport Number • KTP • Others (output)	idtype_of. BASIC INFORMATION	1 char, Alpha- numeric
3	ID Number <i>Tanda pengenal / nomor</i>		✓		Identity number of a company or a person (output)	ID NUMBER. BASIC INFORMATION	20 char, Alpha- numeric
4	Issue Country <i>Negara yang mengeluarkan tanda pengenal</i>		✓		Country who generate the identity card (output)	issucetry_of. BASIC INFORMATION	25 char, Alpha- numeric
5	Name <i>Nama</i>		✓		Name of violator (output)	NAME.BASIC INFORMATION	40 char, Alpha- numeric
6	Address <i>Alamat</i>		✓		Address of violator (No repeat)	— (Group title)	—
7	Street <i>Nama Jalan</i>			✓	Street name of violator address (output)	STREET.BASIC INFORMATION	100 char, Alpha- numeric
8	City <i>Nama kota</i>			✓	City name of violator address (output)	CITY.BASIC INFORMATION	30 char, Alpha- numeric
9	Postal Code <i>Kode pos</i>			✓	Postal code of violator address (output)	POSTAL CODE. BASIC INFORMATION	8 char, Alpha- numeric
10	Phone Number <i>Nomor Telephone</i>			✓	Telephone number of violator address (output)	PHONE NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
11	Fax Number <i>Nomor Fax</i>			✓	Fax number of violator address (output)	FAX NUMBER. BASIC INFORMATION	12 char, Alpha- numeric

Table 5.27-7: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 1))(2/2)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
12	Violation List <i>List pelanggaran</i>	✓			List of the violation (Repeat 5 times)	— (Group title)	—
13	DJBC Office <i>Kode kantor DJBC</i>		✓		The Customs service office who deliver violation information (output)	violoffc_of. VIOLATION AND INVESTIGATION	6 char, Alpha-numeric
14	Type of Violation <i>Tipe Pelanggaran</i>		✓		The Type of violation (output)	violcode_of. VIOLATION AND INVESTIGATION	2 char, Alpha-numeric
15	Date (DDMM YYYY) <i>Tanggal Pelanggaran (DDMM YYYY)</i>		✓		The date of the violation happened. (output)	VIOLATION DATE.VIOLATION AND INVESTIGATION	8 char, date
16	Type of goods <i>Jenis barang</i>		✓		Type of goods (output)	TYPE OF GOODS.VIOLATION GOODS	15 char, Alpha-numeric
17	Detection methods <i>Metode pendeteksian</i>		✓		Methods on detecting violation (output)	dectmthd_of. VIOLATION AND INVESTIGATION	40 char, Alpha-numeric
18	Case settlement <i>Penyelesaian</i>		✓		Information about Case settlement (output)	casestlm_of. VIOLATION AND INVESTIGATION	2 char, Alpha-numeric

Personal Violation Deletion

Deletion Windows 2

Personal Violation Information

KIP Passport ID

ID Type:

ID Number:

Issue Country:

Name:

Alias:

Gender: Male Female

Date Of Birth: (DDMMYYYY)

Country Of Birth:

Job:

Nationality:

Address:

Street:

City:

Postal Code:

Phone Number:

Fax Number:

State / Province:

Country:

Characters:

Hair Type:

Hair Color:

Skin Color:

Eyes Color:

Weight:

Height:

Special Marks:

Figure 5.28-3: Window Layout for Personal Violation Deletion (Deletion Window 2)

Table 5.27-8: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 2))(1/3)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
1	Personal Violator Information <i>Identitas pelanggar</i>	✓			Information about the violator (No repeat)	— (Group title)	—
2	ID Type <i>Jenis tanda pengenal</i>		✓		Identity type of a company or a person <ul style="list-style-type: none"> • NPWP (12 digits) • NPWP (10 digits) • Passport Number • KTP • Others (output)	idtype_of.BASIC INFORMATION	1 char, Alpha-numeric
3	ID Number <i>Tanda pengenal / nomor</i>		✓		Identity number of a company or a person (output)	ID NUMBER. BASIC INFORMATION	20 char, Alpha-numeric
4	Issues Country <i>Negara yang mengeluarkan tanda pengenal</i>		✓		Country who generate the identity card (output)	issuctry_of. BASIC INFORMATION	25 char, Alpha-numeric
5	Name <i>Nama</i>		✓		Name of violator (output)	NAME. BASIC INFORMATION	40 char, Alpha-numeric
6	Alias <i>Alias</i>		✓		Nickname, or other names of violator (output)	ALIAS. PERSONAL COMMON INFORMATION	45 char, Alpha-numeric
7	Gender <i>Jenis Kelamin</i>		✓		Gender of the violator (output)	GENDER. PERSONAL COMMON INFORMATION	1 char, Alpha-numeric
8	Date of Birth (DDMM YYYY) <i>Tanggal Lahir (DDMM YYYY)</i>		✓		The date of birth (output)	DATE OF BIRTH. PERSONAL COMMON INFORMATION	8 char, Alpha-numeric
9	Country of Birth <i>Tempat lahir</i>		✓		Country where violator born (output)	birtctry_of. PERSONAL COMMON INFORMATION	25 char, Alpha-numeric,

Table 5.27-8: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 2))(2/3)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
10	Job <i>Pekerjaan</i>		✓		Job of the violator (output)	JOB.PERSONAL COMMON INFORMATION	25 char, Alpha- numeric
11	Nationality <i>Warga- negara</i>		✓		Citizens of a country (output)	national_of. PERSONAL COMMON INFORMATION	25 char, Alpha- numeric
12	Address <i>Alamat</i>		✓		Address of violator (No repeat)	— (Group title)	—
13	Street <i>Nama Jalan</i>			✓	Street name of violator address (output)	STREET.BASIC INFORMATION	100 char, Alpha- numeric
14	City <i>Nama kota</i>			✓	City name of violator address (output)	CITY.BASIC INFORMATION	30 char, Alpha- numeric
15	Postal Code <i>Kode pos</i>			✓	Postal code of violator address (output)	POSTAL CODE. BASIC INFORMATION	8 char, Alpha- numeric
16	Phone Number <i>Nomor Telephone</i>			✓	Telephone number of violator address (output)	PHONE NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
18	Fax Number <i>Nomor Fax</i>			✓	Fax number of violator address (output)	FAX NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
19	State/Provin ce <i>Propinsi</i>			✓	State or province of violator address (input/output, optional)	province_of.BASIC INFORMATION	25 char, Alpha- numeric
20	Country <i>Negara</i>			✓	Country of violator address (input/output, optional)	country_of.BASIC INFORMATION	25 char, Alpha- numeric
21	Characters <i>Ciri-ciri</i>		✓		Characters of violator (No repeat)	— (Group title)	—
22	Hair type <i>Jenis rambut</i>			✓	Type of hair (output)	hairtype_of. PERSONAL COMMON INFORMATION	2 char, Alpha- numeric
23	Hair color <i>Warna rambut</i>			✓	Color of hair (output)	haircolr_of. PERSONAL COMMON INFORMATION	1 char, Alpha- numeric
24	Skin color <i>Warna kulit</i>			✓	Color of skin (output)	skincolor_of. PERSONAL COMMON INFORMATION	1 char, Alpha- numeric

Table 5.27-8: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 2))(3/3)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
25	Eyes color <i>Warna mata</i>			✓	Color of eyes (output)	eyescolor_of. PERSONAL COMMON INFORMATION	1 char, Alpha- numeric
26	Weight <i>Berat badan</i>			✓	Weight of the violator (output)	WEIGHT. PERSONAL COMMON INFORMATION	15 char, Alpha- numeric
27	Height <i>Tinggi badan</i>			✓	Tall, with meter measurement (output)	HEIGHT. PERSONAL COMMON INFORMATION	15 char, Alpha- numeric
28	Special marks <i>Ciri khusus</i>			✓	Tatoos, scarf, or born marks (output)	SPECIAL MARKS. PERSONAL COMMON INFORMATION	500 char, Alpha- numeric

Personal Violation Deletion

Deletion Window 3

Violation Information

DJBC Office: [Dropdown] Detection Methods: [Dropdown]

Date of violation: [Text] (DDMMYYYY) Information Resources: [Dropdown]

Type of Violation: [Dropdown] State of Financial Inst: [Text]

Means of transportation name: [Text] Case Settlement: [Text] (DDMMYYYY)

Flight/Voyage/Plat Number: [Text] Date of case settlement: [Text] (DDMMYYYY)

Departure date: [Text] (DDMMYYYY) Date of Deletion: [Text] (DDMMYYYY)

Arrival date: [Text] (DDMMYYYY) Amount of administrative fine: [Text]

Route: [Text]

Goods Description

Kind of goods	Type	Brand	Origin	Destination	Quantity	Unit	Size	Condition	Custom value
[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]
[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]
[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]	[Text]

Modus Operandi: [Text]

[Delete] [Cancel] [Previous Page] [Next Page]

Figure 5.27-4: Window Layout for Personal Violation Deletion (Deletion Window 3)

Table 5.27-9: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 3))(1/4)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
1	Violation information <i>Informasi pelanggaran</i>	✓			Information about the violation (No repeat)	— (Group title)	—
2	DJBC Office <i>Kode kantor DJBC</i>		✓		The Customs service office who deliver violation information (output)	violoffc_of. VIOLATION AND INVESTIGATION	6 char, Alpha-numeric
3	Date of Violation (DDMM YYYY) <i>Tanggal Pelanggaran (DDMM YYYY)</i>		✓		The date of the violation happened. (output)	VIOLATION DATE.VIOLATION AND INVESTIGATION	8 char, date
4	Type of Violation <i>Tipe Pelanggaran</i>		✓		The Type of violation (output)	violcode_of. VIOLATION AND INVESTIGATION	2 char, Alpha-numeric
5	Means of Transportation name <i>Sarana pengangkut</i>		✓		Transportation vehicle (output)	TRANSPORTATION NAME. VIOLATION OF PASSENGER	15 char, Alpha-numeric
6	Flight/Voyage/Plat Number <i>Penerbangan/pelayaran/ Nomor Platt</i>		✓		Flight or Voyage and Plat Number (output)	TRANSPORTATION NUMBER. VIOLATION OF PASSENGER	15 char, Alpha-numeric
7	Departure date (DDMM YYYY) <i>Tanggal keberangkatan (DDMM YYYY)</i>		✓		Date of departure (output)	DEPARTURE DATE.VIOLATION AND INVESTIGATION	8 char, date

Table 5.27-9: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 3))(2/4)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
8	Arrival date (DDMM YYYY) <i>Tanggal Kedatangan (DDMM YYYY)</i>		✓		Date of arrival (output)	ARRIVAL DATE. VIOLATION AND INVESTIGATION	8 char, date
9	Route <i>Rute angkutan</i>		✓		The route of vehicle (output)	ROUTE. VIOLATION AND INVESTIGATION	500 char, Alpha- numeric
10	Detection methods <i>Metode pendeteksi- an</i>		✓		Methods on detecting violation (output)	dectmthd_of. VIOLATION AND INVESTIGATION	40 char, Alpha- numeric
11	Information resources <i>Sumber informasi</i>		✓		Resources where the information came from (output)	srcinfo_of. VIOLATION AND INVESTIGATION	25 char, Alpha- numeric
12	State of financial loss <i>Kerugian Negara</i>		✓		The amount of loss for the government (output)	STATE OF FINANCIAL LOSS.VIOLATION AND INVESTIGATION	15 digit, Numeric
13	Case settlement <i>Penyelesai- an</i>		✓		Information about Case settlement (output)	casestlm_of. VIOLATION AND INVESTIGATION	2 char, Alpha- numeric
14	Date of Case settlement (DDMM YYYY) <i>Tanggal penyelesai- an (DDMM YYYY)</i>		✓		The date of matter to overcome (output)	SETTLEMENT DATE.VIOLATIO N AND INVESTIGATION	8 char, date
15	Date of detention (DDMM YYYY) <i>Tanggal penegahan (DDMM YYYY)</i>		✓		The date of detention (output)	DETENTION DATE. VIOLATION AND INVESTIGATION	8 char, date

Table 5.27-9: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 3))(3/4)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
16	Amount of administrative fine <i>Jumlah denda koreksi</i>		✓		The amount of administrative fine (output)	AMOUNT OF ADMINISTRATIVE FINE. VIOLATION AND INVESTIGATION	14 digit Numeric
17	Goods Description information <i>Informasi Tentang Barang</i>		✓		Information about the Goods (Repeat 3 times)	— (Group title)	—
18	Kind of goods <i>Jenis barang</i>			✓	Kind of goods (output)	KIND OF GOODS.VIOLATION GOODS	15 char, Alpha-numeric
19	Type <i>Tipe barang</i>			✓	Type of goods (output)	TYPE OF GOODS.VIOLATION GOODS	15 char, Alpha-numeric
20	Brand <i>Merk barang</i>			✓	Brand of goods (output)	BRAND.VIOLATION GOODS	20 char, Alpha-numeric
21	Origin <i>Negara asal</i>			✓	Origin country where the good are brought from (output)	origctry_of.VIOLATION GOODS	25 char, Alpha-numeric
22	Destination <i>Negara tujuan</i>			✓	Destination country where the goods are bring to (output)	destctry_of.VIOLATION GOODS	25 char, Alpha-numeric
23	Quantity <i>Jumlah barang</i>			✓	The amount of goods (output)	QUANTITY.VIOLATION GOODS	12 digit, Numeric
24	Unit <i>Satuan</i>			✓	Unit measurements (output)	UNIT.VIOLATION GOODS	15 char, Alpha-numeric
25	Size <i>Ukuran</i>			✓	Size of Goods (output)	SIZE.VIOLATION GOODS	15 char, Alpha-numeric
26	Condition <i>Keadaan</i>			✓	Condition of Goods (output)	CONDITION.VIOLATION GOODS	25 char, Alpha-numeric
27	Customs Value <i>Nilai Pajak</i>			✓	Tax of Goods (output)	CUSTOMS VALUE.VIOLATION GOODS	15 digit, Numeric

Table 5.27-9: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 3))(4/4)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
28	Modus Operandi <i>Modus operandi</i>		✓		The modus operandi (output)	MODUS OPERANDI.VIOLATION AND INVESTIGATION	500 char, Alpha-numeric

Personal Violation Deletion

Deletion Windows 4

Violation Information

NPWP Type 12 digit 10 digit

NPWP:

Name:

Street:

City:

Postal Code:

Phone Number:

Fax Number:

Nationality:

Position:

Names Involved		Street	City	Postal Code	Phone	Fax
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Remarks:

Figure 5.27-5: Window Layout for Personal Violation Deletion (Deletion Window 4)

Table 5.27-10: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 4))(1/2)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
1	Violation information <i>Informasi pelanggaran</i>	✓			Information about the violation (No repeat)	— (Group title)	—
2	NPWP Type <i>Jenis NPWP</i>		✓		Type of NPWP, (output)	idtype_of. BASIC INFORMATION	1 char, Alpha- numeric
3	NPWP <i>No Pokok Wajib Pajak</i>		✓		Tax Payer Code Number (output)	ID NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
4	Name <i>Nama</i>		✓		Name of violator (output)	NAME.BASIC INFORMATION	40 char, Alpha- numeric
5	Street <i>Nama Jalan</i>			✓	Street name of violator address (output)	STREET.BASIC INFORMATION	100 char, Alpha- numeric
6	City <i>Nama kota</i>			✓	City name of violator address (output)	CITY.BASIC INFORMATION	30 char, Alpha- numeric
7	Postal Code <i>Kode pos</i>			✓	Postal code of violator address (output)	POSTAL CODE. BASIC INFORMATION	8 char, Alpha- numeric
8	Phone Number <i>Nomor Telephone</i>			✓	Telephone number of violator address (output)	PHONE NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
9	Fax Number <i>Nomor Fax</i>			✓	Fax number of violator addresss (output)	FAX NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
10	Nationality <i>Warga- negara</i>		✓		Citizens of a country (output)	national_of. PERSONAL COMMON INFORMATION	25 char, Alpha- numeric
11	Position <i>Jabatan</i>		✓		Position on the company (output)	POSITION.VIOLA TION OF PASSENGER	25 char, Alpha- numeric
12	Names Invloed <i>Nama-nama yang terlibat</i>	✓			Names got invloed on the violation. (Repeat 4 times)	— (Group title)	—

Table 5.27-10: List of Items
(Window Name: Personal Violation Deletion (Deletion Window 4))(2/2)

No.	Item Name	Level			Description	Item in File	Note
		1	2	3			
13	ID Type <i>Jenis tanda pengenal</i>		✓		Identity type of a company or a person <ul style="list-style-type: none"> • NPWP (12 digits) • NPWP (10 digits) • Passport Number • KTP • Others (output)	idtype_of. VIOLATION RELATION	1 char, Alpha- numeric
14	ID Number <i>Tanda pengenal / nomor</i>		✓		Identity number of a company or a person (output)	ID NUMBER. VIOLATION RELATION	20 char, Alpha- numeric
15	Name <i>Nama</i>		✓		Name of violator (output)	NAME.BASIC INFORMATION	40 char, Alpha- numeric
16	Street <i>Nama Jalan</i>		✓		Street name of violator address (output)	STREET.BASIC INFORMATION	100 char, Alpha- numeric
17	City <i>Nama kota</i>		✓		City name of violator address (output)	CITY.BASIC INFORMATION	30 char, Alpha- numeric
18	Postal Code <i>Kode pos</i>		✓		Postal code of violator address (output)	POSTAL CODE. BASIC INFORMATION	8 char, Alpha- numeric
19	Phone <i>Nomor Telephone</i>		✓		Telephone number of violator address (output)	PHONE NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
20	Fax <i>Nomor Fax</i>		✓		Fax number of violator address (output)	FAX NUMBER. BASIC INFORMATION	12 char, Alpha- numeric
21	Remarks <i>Catatan</i>	✓			Remarks on this records / information (output)	NOTES. VIOLATION AND INVESTIGATION	500 Char, Alpha- numeric