

**OS. CORABIA
DAMAGED FOREST**

FOREST DAMAGE BOOK FOR DAMAGED FOREST

County	OS	UP	UA	Planning Area (ha)	Function Group	Soil Type	Topography	Bearing	Slope (degree)	Altitude (m)	Altitude (m)	Species	Mixed Ratio	Age (Year)	D.B.H (cm)	Height (m)	Productivity Class	Unit Volume (m ³ /ha)	Total Volume (m ³)	Growth Rate (m ³ /ha/y)	Damage Grade	Forest Management Type	Forest Mangle (m)	Note
OLT	Corabia	4	4A	0.2	6	1301	CM			65		O.ped	10	22	38	23	1	263	53	1.2	2	F7		
OLT	Corabia	4	4E	0.1	6	1301	CM			65		O.ped	2	15	6	6	3	9	1	0.6	2	F7		
												OT	4	15	8	7	3	22	3	1.6	2			
												OT	4	15	8	7	3	16	2	2.0	2			
OLT	Corabia	4	9A	1.1	5	9302	CM			65		R.p	10	19	16	17	2	116	153	11.6	3	F10		
OLT	Corabia	4	13A	1.4	5	1301	CM			65		R.p	10	14	12	14	2	82	147	11.4	3	F10	110	
OLT	Corabia	4	13C	1.1	5	1301	CM			65		R.p	10	19	18	16	3	104	132	8.0	2	F10		
OLT	Corabia	4	13F	1.7	5	1301	CM			65		R.p	10	19	14	14	3	82	167	8.0	2	F10	130	
OLT	Corabia	4	16D	2.0	5	1301	CM			65		OT	10	32	24	22	3	186	404	8.1	2	F8		
OLT	Corabia	4	16F	0.6	5	1301	CM			65		OT	10	10	16	16	1	147	113	20.5	2	F8		

OS. DRAGANESTI-OLT
DAMAGED FOREST

FOREST DAMAGE BOOK FOR DAMAGED FOREST

County	OS	UP	UA	Planning Area (ha)	Function Group	Soil Type	Topography	Bearing	Slope (degree)	Altitude (m)	Altitude (m)	Species	Mixed Ratio	Age (Year)	D.B.H (cm)	Height (m)	Productivity Class	Unit Volume (m ³ /ha)	Total Volume (m ³)	Growth Rate (m ³ /ha/y)	Damage Grade	Forest Management Type	Forest Mantle (m)	Note
OLT	Draganesti-Olt	4	72A	4.9	8	2408	CM			118		Q.f	1	100	40	17	4	19	108	0.3	2	F5	150	
												Q.f	9	60	20	14	3	120	838	5.1	2	F5		
OLT	Draganesti-Olt	4	72A	1.8	8	2408	CM			118		Q.f	1	100	40	17	4	19	40	0.3	3	F5		
												Q.f	9	60	20	14	3	120	308	5.1	3	F5		
OLT	Draganesti-Olt	4	72B	0.7	8	2408	CM			117		Q.f	10	60	20	14	3	134	134	5.7	2	F5	50	
OLT	Draganesti-Olt	4	73A	12.0	8	2408	CM			119		Q.f	10	60	18	14	3	131	2292	5.7	2	F5	220	
OLT	Draganesti-Olt	4	74A	5.2	8	2408	CM			118		Q.f	10	60	20	14	3	134	993	5.7	2	F5		
OLT	Draganesti-Olt	4	89A	1.9	8	2401	CM			160		Q.c	5	50	14	16	2	72	211	3.9	2	F6	420	
												Q.f	5	50	12	13	2	59	175	3.3	2	F6		
OLT	Draganesti-Olt	4	89A	14.4	8	2401	CM			160		Q.c	5	50	14	16	2	72	1598	3.9	3	F6	920	
												Q.f	5	50	12	13	2	59	1325	3.3	3	F6		
OLT	Draganesti-Olt	4	90	6.5	8	2401	CM			160		Q.f	6	55	14	14	2	80	787	4.1	2	F6	1150	
												Q.c	4	55	16	14	4	47	436	2.0	2	F6		
OLT	Draganesti-Olt	4	90	15.2	8	2401	CM			160		Q.f	6	55	14	14	2	80	1839	4.1	3	F6	390	
												Q.c	4	55	16	14	4	47	1018	2.0	3	F6		
OLT	Draganesti-Olt	4	91A	0.3	8	2401	CM			165		R.p	8	25	10	15	3	68	46	8.4	3	F9	110	
												R.p	2	31	20	15	4	23	11	1.4	3	F9		
OLT	Draganesti-Olt	4	91E	0.7	8	2401	CM			165		Q.c	10	45	14	13	3	104	113	5.7	3	F6	410	

**OS. SLATINA
DAMAGED FOREST**

FOREST DAMAGE BOOK FOR DAMAGED FOREST

County	OS	UP	UA	Planning Area (ha)	Function Group	Soil Type	Topography	Bearing	Slope (degree)	Altitude (m)	Altitude (m)	Species	Mixed Ratio	Age (year)	D.B.H (cm)	Height (m)	Productivity Class	Unit Volume (m ³ /ha)	Total Volume (m ³)	Growth Rate (m ³ /ha/y)	Damage Grade	Forest Management Type	Forest Mantle (m)	Note
OLT	Statina	3	47B	1.5	1	2301	CM			160		Qc	7	37	20	12	3	64	109	4.4	3	F6	340	
OLT	Statina	3	48B	1.4	1	2103	CI			180		Qf	3	37	16	11	3	27	45	1.5	3	F8	80	
OLT	Statina	3	48H	3.0	1	2301	CI			180		Qf	2	37	12	9	4	20	31	0.9	2	F6		
OLT	Statina	3	49D	13.0	1	2301	CI			180		Qf	3	62	18	12	5	35	109	0.6	5	F6		
OLT	Statina	3	50D	1.0	1	2101	CI			180		Qf	3	62	18	12	5	27	85	0.9	3	F6		
OLT	Statina	3	51B	18.1	1	2101	CI			180		Qp	2	62	18	13	5	21	66	0.5	3	F6		
OLT	Statina	3	53A	7.7	1	2103	CI			180		Qf	2	52	12	11	5	14	47	0.9	3	F6		
OLT	Statina	3	54T	0.6	1	2101	CI			170		Qf	6	72	20	13	5	62	850	1.7	2	F6	30	
OLT	Statina	3	55D	8.4	1	2302	CI			170		Qp	2	72	22	14	5	23	302	0.4	2	F6		
OLT	Statina	3	56F	0.2	1	2302	V	NE	15	160		Qc	1	72	22	14	5	10	138	0.3	2	F6		
OLT	Statina	3	56O	0.8	1	2301	CM			170		Qf	1	62	16	12	5	8	114	0.4	2	F6		
OLT	Statina	3	57A	0.6	1	2302	CM			170		Qf	10	32	14	12	3	109	123	6.9	3	F7	230	
OLT	Statina	3	57A	12.6	1	2302	CM			170		Qf	6	72	22	13	5	63	1184	1.7	3	F6		
OLT	Statina	3	57C	2.5	1	2302	CM			170		Qp	2	72	24	14	5	23	431	0.4	5	F6		
OLT	Statina	3	57E	1.0	1	2301	CM			170		Qf	2	72	16	11	5	14	279	0.7	3	F6		
OLT	Statina	3	57I	1.1	1	2302	CM			170		Qf	2	102	32	14	5	23	183	0.4	2	F6	320	
OLT	Statina	3	58A	2.6	1	2302	CM			170		Qp	2	102	36	15	5	26	208	0.5	2	F6		
OLT	Statina	3	58B	1.4	1	2301	CM			170		Qf	4	62	22	14	5	47	380	1.2	2	F6		
OLT	Statina	3	58C	0.6	1	2302	CM			170		Qp	2	62	24	15	5	26	208	0.5	2	F6		
OLT	Statina	3	58D	2.0	1	2302	CM			170		Qf	6	82	30	14	5	160	98	1.5	1	F6	30	
OLT	Statina	3	58E	0.3	1	2302	CM			170		Qf	4	82	22	12	5	13	9	1.2	1	F6		
OLT	Statina	3	61A	2.4	1	2301	V	NE	15	160		Qc	6	82	30	14	5	160	2054	1.5	3	F6		
OLT	Statina	4	1C	2.8	1	2401	FL			248		Qf	4	82	22	12	5	13	194	1.2	3	F6		
OLT	Statina	4	5A	6.2	1	2407	FL			248		Qc	10	47	18	13	4	91	250	4.4	2	F6	90	
OLT	Statina	4	5D	0.4	1	2407	FL			248		Qc	10	42	16	13	3	104	117	6.6	2	F6	110	
OLT	Statina	4	5E	0.5	3	2407	FL			248		Qf	6	42	14	10	4	41	50	2.2	1	F6		
OLT	Statina	4	6B	3.5	1	2407	FL			240		Qp	2	42	16	11	4	15	18	0.9	1	F6		
OLT	Statina	4	6G	1.9	1	2407	V	SE	20	240		Qf	2	42	16	11	4	17	21	1.0	1	F6		
OLT	Statina	4	6G	1.9	1	2407	V	SE	20	240		Qf	10	47	16	14	3	131	898	5.4	3	F5	220	
OLT	Statina	4	6G	1.9	1	2407	V	SE	20	240		Qc	10	37	8	8	5	59	27	4.1	3	F6		
OLT	Statina	4	6G	1.9	1	2407	V	SE	20	240		R.p	10	22	8	7	5	24	12	0.1	3	F9		
OLT	Statina	4	6G	1.9	1	2407	V	SE	20	240		Qf	10	67	18	14	3	134	505	5.2	3	F5		
OLT	Statina	4	6G	1.9	1	2407	V	SE	20	240		Qf	10	62	18	15	3	150	306	5.4	3	F5		

FOREST DAMAGE BOOK FOR DAMAGED FOREST

Country	OS	UP	UA	Planning Area (ha)	Function Group	Soil Type	Topography	Bearing	Slope (degree)	Altitude (m)	Altitude (m)	Species	Mixed Ratio	Age (Year)	D.B.H (cm)	Height (m)	Productivity Class	Unit Volume (m ³ /ha)	Total Volume (m ³)	Growth Rate (m ³ /ha/yr)	Damage Grade	Forest Management Type	Forest Mantle (m)	Note
OLT	Slatina	4	200	1.7	1	2401	FL			200		OT	7	17	6	5	3	16	38	3.2	3	F8	450	
												Qrb	3	3	2	1	3	1	2	0.1	3			
OLT	Slatina	4	21B	1.8	1	2401	FL		5	200		Rp	10	22	12	10	4	48	108	6.1	2	F9		
OLT	Slatina	4	21C	0.8	1	2407	FL		5	200		Qc	5	22	8	6	4	20	18	1.5	3	F6		
												Qc	2	22	8	6	4	7	7	0.8	3			
												Qc	2	22	8	6	4	8	8	0.8	3			
												Qc	1	22	6	5	4	2	2	0.5	3			
OLT	Slatina	4	21D	10.3	1	2401	FL		5	200		Qc	6	42	14	12	4	55	624	2.2	3	F6	160	
												Qc	3	42	16	13	4	27	311	1.3	3			
												OT	1	42	12	12	4	8	95	0.5	3			
OLT	Slatina	4	22I	0.6	1	2401	FL		5	200		Qp	4	27	12	10	3	30	21	2.3	2	F7		
												Qc	3	27	12	10	3	24	16	1.3	2			
												Qc	2	27	12	10	3	17	12	1.2	2			
												Fe	1	27	14	11	3	9	6	0.8	2			
OLT	Slatina	4	23A	0.6	1	2401	FL		5	210		Qc	10	47	16	13	3	133	87	6.0	2	F5	200	
OLT	Slatina	4	23C	0.2	1	2401	FL			210		Qc	9	37	14	11	3	82	19	6.3	1	F6		
												Qc	1	37	12	10	3	9	2	0.5	1			
OLT	Slatina	4	23C	0.5	1	2401	FL			210		Qc	9	37	14	11	3	82	47	6.3	2	F6		
												Qc	1	37	12	10	3	9	5	0.5	2			
OLT	Slatina	4	23E	1.4	1	2401	FL			210		Qc	4	32	10	10	3	38	62	3.1	2	F8		
												Qc	4	32	10	9	3	31	49	2.1	2			
												Qc	2	32	12	11	3	18	29	1.4	2			
OLT	Slatina	4	23I	0.2	1	2407	FL			210		Qc	8	42	16	13	3	73	16	4.1	1	F5		
												Qc	2	42	16	12	3	18	4	1.3	1			
OLT	Slatina	4	23J	0.2	1	2407	FL			210		Qc	9	27	8	7	3	49	12	5.2	1	F7		
												Fe	1	27	8	7	3	4	1	0.8	1			
OLT	Slatina	4	23P	0.8	1	2401	FL			210		Qc	7	42	16	11	4	45	42	2.2	1	F6		
												Qc	3	42	16	11	4	20	18	1.1	1			
OLT	Slatina	4	23P	0.4	1	2401	FL			210		Qc	7	42	16	11	4	49	21	2.2	2	F6	150	
												Qc	3	42	16	11	4	20	9	1.1	2			
OLT	Slatina	4	23S	0.8	1	2407	FL			210		Qc	9	12	4	2	3	4	5	1.3	1	F5		
												Fe	1	12	4	3	3	1	1	0.4	1			
OLT	Slatina	4	23U	0.4	1	2407	FL			210		Qc	10	12	4	3	3	11	6	1.6	2	F5		
OLT	Slatina	4	37A	4.2	1	2203	V	SE	10	220		Qc	8	47	18	13	3	95	435	4.3	3	F5	1330	
												Qc	1	47	18	14	3	13	60	0.6	3			
												OT	1	47	16	13	3	11	52	0.7	3			
OLT	Slatina	4	38A	4.1	1	2203	FL			230		Qc	10	47	16	14	3	151	668	6.0	3	F5	230	
OLT	Slatina	4	38C	12.8	1	2203	FL			230		Qc	9	37	16	14	3	118	1672	6.3	3	F6		
												Fe	1	37	14	13	3	14	202	0.9	3			
OLT	Slatina	4	41C	0.3	1	2203	FL			250		Qc	10	52	16	14	3	134	44	5.6	3	F5		
OLT	Slatina	4	41D	1.6	1	2203	VM	SE	15	240		Qc	9	37	12	11	3	82	145	4.4	2	F5		
												OT	1	37	10	9	3	6	12	0.7	2			
OLT	Slatina	4	42A	1.5	1	2203	FL			220		Qc	10	52	16	13	3	118	191	5.6	3	F5		
OLT	Slatina	4	42B	1.0	1	2203	FL			220		Qc	10	77	28	17	3	140	147	3.5	3	F5		
OLT	Slatina	4	42C	1.8	1	2203	FL			220		Qc	10	52	16	13	3	118	233	5.6	3	F5		
OLT	Slatina	4	42F	0.7	1	2203	VM	V	10	220		Qc	10	57	18	15	3	150	113	5.3	3	F5		
OLT	Slatina	4	42H	4.0	1	2203	VM	SE	15	230		Qc	9	57	18	14	3	120	520	5.0	2	F5		
												OT	1	57	16	13	3	11	49	0.6	2			
OLT	Slatina	4	43C	0.2	1	2401	VM	V	6	240		Rp	10	22	8	7	4	24	5	0.1	3	F9	360	
OLT	Slatina	4	43D	5.3	1	2401	VM	SE	10	240		Qc	10	62	24	15	3	150	852	5.4	3	F5	170	
OLT	Slatina	4	50C	8.4	1	2407	FL			250		Qc	7	72	32	18	3	141	1268	3.5	3	F5	870	
												Qc	3	42	20	17	3	56	496	1.5	3			

FOREST DAMAGE BOOK FOR DAMAGED FOREST

County	OS	UP	UA	Planning Area (ha)	Function Group	Soil Type	Topography	Bearing	Slope (degree)	Altitude (m)	Altitude (m)	Species	Mixed Ratio	Age (Year)	D.B.H (cm)	Height (m)	Productivity Class	Unit Volume (m ³ /ha)	Total Volume (m ³)	Growth Rate (m ³ /ha/y)	Damage Grade	Forest Management Type	Forest Mantle (m)	Note	
OLT	Slatina	4	121C	5.0	7	2407	V	SE	10	200		Qf	10	52	18	14	3	134	726	5.6	3	F5	1200		
OLT	Slatina	4	123	0.9	7	2401	PL			220		Qf	10	47	16	14	3	134	130	5.4	2	F5	330		
OLT	Slatina	4	124A	4.8	1	2401	PL			220		Qf	10	47	16	14	3	151	782	6.0	1	F5	770		
OLT	Slatina	4	125A	1.8	1	2401	PL			220		Qf	10	47	18	14	3	134	261	5.4	1	F5	300		
OLT	Slatina	4	125A	1.1	1	2401	PL			220		Qf	10	47	18	14	3	134	159	5.4	2	F5	350		
OLT	Slatina	4	131B	0.8	7	2401	PL			220		Qf	10	52	18	14	3	134	116	5.6	2	F5	90		
OLT	Slatina	4	132A	0.9	7	2401	PL			220		Qf	10	47	16	14	3	134	130	5.4	3	F5	80		
OLT	Slatina	4	137C	4.6	1	2401	PL			200		Qp	7	17	6	4	3	12	90	3.7	1	F8	90		
												Qf	2	17	6	4	3	4	24	0.5	1				
												OT	1	17	6	3	3	11	0.6	1					
OLT	Slatina	4	139D	1.7	1	2401	V	SE	15	190		Qp	6	32	16	11	3	54	104	3.7	3	F8	360		
												Qf	2	32	16	11	3	18	35	1.2	3				
												OT	2	32	14	10	3	14	29	1.5	3				
OLT	Slatina	4	140B	4.9	1	2401	VM	SV	15	210		Qp	7	42	18	13	3	83	450	4.4	3	F8	910		
												OT	2	42	14	9	4	13	66	0.2	3				
												OT	1	42	16	12	3	9	51	0.7	3				
OLT	Slatina	4	141B	4.2	1	2407	VM	E	15	210		Qp	6	42	18	14	3	80	367	3.7	3	F8	1020		
												OT	2	42	16	13	3	21	100	1.4	3				
												OT	2	42	14	9	4	13	57	0.2	3				
OLT	Slatina	4	142A	6.8	1	2401	PL			210		Qp	4	47	18	14	3	53	393	2.4	2	F6	1230		
												Qf	4	47	16	13	3	47	348	2.1	2				
												Qc	2	47	20	15	3	26	194	1.3	2				
OLT	Slatina	4	144A	1.7	1	2401	V	SV	8	200		Qp	2	57	28	15	3	30	55	1.1	2	F6	130		
												Qc	4	57	30	16	3	58	106	2.3	2				
												OT	2	57	28	15	3	30	55	1.1	2				
												OT	2	57	32	16	3	29	53	1.2	2				
OLT	Slatina	4	144A	1.7	1	2401	V	SV	8	200		Qp	2	57	28	15	3	30	55	1.1	3	F6	300		
												Qc	4	57	30	16	3	58	106	2.3	3				
												Qf	2	57	28	15	3	30	55	1.1	3				
												OT	2	57	32	16	3	29	53	1.2	3				
OLT	Slatina	4	145D	1.6	1	2407	U			190		Psp	10	20	16	13	3	42	80	3.9	2	F13	300		
OLT	Slatina	4	149A	1.0	1	2401	PL			200		Qf	10	17	6	5	3	25	29	2.1	1	F5	230		
OLT	Slatina	4	149A	1.9	1	2401	PL			200		Qf	10	17	6	5	3	25	55	2.1	2	F5			
OLT	Slatina	4	149D	0.8	1	2401	PL			200		Qf	5	42	16	12	3	52	46	2.6	2	F6	130		
												Qc	3	42	18	13	3	31	28	2.0	2				
												OT	2	42	16	12	3	19	17	1.4	2				
OLT	Slatina	4	149D	1.1	1	2401	PL			200		Qf	5	42	16	12	3	52	63	2.6	3	F6			
												Qc	3	42	18	13	3	31	39	2.0	3				
												OT	2	42	16	12	3	19	24	1.4	3				
OLT	Slatina	4	149E	1.4	1	2401	PL			200		Qf	10	52	18	13	3	118	181	5.6	3	F5			
OLT	Slatina	4	149F	1.4	1	2401	PL			200		Qf	10	72	22	17	3	186	274	5.0	3	F5			
OLT	Slatina	4	151A	0.5	1	2401	PL			200		Qf	10	72	22	17	3	186	98	5.0	3	F5	260		
OLT	Slatina	4	151B	2.5	1	2401	PL			210		Qf	9	52	16	12	3	94	260	5.0	3	F5	250		
												Qc	1	52	18	13	3	10	28	0.6	3				
OLT	Slatina	4	151	1.0	1	2401	PL			200		Qc	4	42	16	14	3	47	52	2.6	2	F6	290		
												Qp	3	42	14	13	3	35	39	1.9	2				
												OT	2	42	14	13	3	24	26	1.0	2				
												OT	1	42	14	13	3	11	12	0.7	2				
OLT	Slatina	4	155C	0.5	7	2401	PL			250		Qf	8	17	6	5	3	26	15	2.2	1	F5			
												Qp	1	17	6	5	3	2	0.5	1					
												OT	1	17	6	4	3	2	0.6	1					

FOREST DAMAGE BOOK FOR DAMAGED FOREST

County	OS	UP	UA	Planning Area (ha)	Function Group	Soil Type	Topography	Bearing	Slope (degree)	Altitude (m)	Altitude (m)	Species	Mixed Ratio	Age (Year)	D.B.H (cm)	Height (m)	Productivity Class	Unit Volume (m ³ /ha)	Total Volume (m ³)	Growth Rate (m ³ /ha/yr)	Damage Grade	Forest Management Type	Forest Mangle (m)	Note
OLT	Slatina	6	1808	3.9	1	2407	V	SE	10	190		Ol Rp	8 2	17 12	6 4	4 2	3 3	15 1	73 16	1.9 1.6	2 2	F5	320	

**OS. VULTRESTI
DAMAGED FOREST**

FOREST DAMAGE BOOK FOR DAMAGED FOREST

County	OS	UP	UA	Planning Area (ha)	Function Group	Soil Type	Topography	Bearing	Slope (degree)	Altitude (m)	Altitude (m)	Species	Mixed Ratio	Age (Year)	D.B.H (cm)	Height (m)	Productivity Class	Unit Volume (m ³ /ha)	Total Volume (m ³)	Growth Rate (m ³ /ha/y)	Damage Grade	Forest Management Type	Forest Mantle (m)	Note
OLT	Vukoresti	1	47A	4.5	2	240I	V	V	10	260		Q.f	9	48	14	10	4	71	452	3.7	1	F5	630	
OLT	Vukoresti	1	47A	1.5	2	240I	V	V	10	260		Q.f	1	48	14	10	5	7	50	0.5	1			
OLT	Vukoresti	1	47A	1.5	2	240I	V	V	10	260		Q.f	9	48	14	10	4	71	151	3.7	2	F5	110	
OLT	Vukoresti	1	60B	0.6	2	240I	VM	E	20	230		Q.f	10	48	16	12	3	104	87	5.1	2	F5		
OLT	Vukoresti	1	60D	1.3	2	240I	VM	E	20	230		Q.f	10	48	16	12	3	104	188	5.1	2	F5		
OLT	Vukoresti	1	64A	8.3	2	240I	PL			240		Q.f	8	43	16	11	4	77	931	4.4	2	F7		
OLT	Vukoresti	1	64A	1.6	2	240I	PL			240		F.c	2	43	18	12	4	21	254	1.2	2			
OLT	Vukoresti	1	64A	1.6	2	240I	PL			240		Q.f	8	43	16	11	4	77	180	4.4	3	F7		
OLT	Vukoresti	1	65A	0.9	2	240I	V	SE	20	230		F.c	2	43	18	12	4	21	49	1.2	3			
OLT	Vukoresti	1	66A	1.5	2	240I	VM	SE	25	230		Q.f	10	58	18	14	3	131	268	5.6	2	F5		
OLT	Vukoresti	1	98A	3.3	2	240I	VI	N	20	230		Q.p	1	138	50	23	3	92	309	0.2	2	F7		
												Q.p	3	73	28	17	3	46	183	1.2	2			
												Q.f	4	73	16	17	4	35	160	1.7	2			
												Q.f	2	73	18	17	4	14	67	0.8	2			
OLT	Vukoresti	3	115A	0.7	1	2407	V	SE	24	350		Q.f	9	68	24	18	2	186	163	5.8	2	F5		
												Q.c	1	68	26	19	3	19	17	0.6	2			
OLT	Vukoresti	3	115C	0.7	1	2407	PL			370		Q.f	9	53	16	15	2	152	141	6.7	1	F5	160	
												Q.c	1	53	16	16	3	16	15	0.7	1			
OLT	Vukoresti	3	115D	0.6	1	2407	V	S	19	350		Q.f	9	53	16	15	2	152	123	6.7	1	F5		
												Q.c	1	53	16	16	3	16	13	0.7	1			
OLT	Vukoresti	3	127A	1.0	1	2407	PL			340		Q.f	10	13	2	2	2	6	14	1.0	2	F5		
OLT	Vukoresti	3	138C	0.8	1	2407	FL			370		Q.f	8	63	22	10	5	59	70	3.5	2	F7		
												Q.c	2	63	26	12	4	16	18	0.8	2			

**OS. AMARADIA
DAMAGED FOREST**

FOREST DAMAGE BOOK FOR DAMAGED FOREST

County	OS	UP	UA	Planning Area (ha)	Function Group	Soil Type	Topography	Bearing	Slope (degree)	Altitude (m)	Altitude (m)	Species	Mixed Ratio	Age (Year)	D.B.H (cm)	Height (m)	Productivity Class	Unit Volume (m ³ /ha)	Total Volume (m ³)	Growth Rate (m ³ /ha/y)	Damage Grade	Forest Management Type	Forest Manile (m)	Note
DOL	Amarapura	4	676	2.7	1	2407	Cl			180		Or	9	42	18	11	4	65	197	3.9	2	F7	330	
												Fe	1	42	16	12	5	8	23	0.3	2			

OS. APELE VII
DAMAGED FOREST

FOREST DAMAGE BOOK FOR DAMAGED FOREST

County	OS	UP	UA	Planning Area (ha)	Function Group	Soil Type	Topography	Bearing	Slope (degree)	Altitude (m)	Altitude (m)	Species	Mixed Ratio	Age (Year)	D.B.H (cm)	Height (m)	Productivity Class	Unit Volume (m ³ /ha)	Total Volume (m ³)	Growth Rate (m ³ /ha/y)	Damage Grade	Forest Management Type	Forest Mantle (m)	Note
DOLJ	Apelc Vü	3	107E	1.5	5	2301	V	SV	12	124	131	Qc	7	73	24	17	4	107	197	3.0	2	F6	120	
DOLJ	Apelc Vü	3	107E	1.1	5	2301	V	SV	12	124	131	Qc	3	73	20	16	3	41	81	1.6	2	F6		
DOLJ	Apelc Vü	3	107E	1.1	5	2301	V	SV	12	124	131	Qc	7	73	24	17	4	107	144	3.0	3	F6		
DOLJ	Apelc Vü	3	108A	0.2	5	2301	V	SV	10	133	142	Qc	3	73	20	16	3	41	59	1.6	3	F6		
DOLJ	Apelc Vü	3	108A	0.2	5	2301	V	SV	10	133	142	Qc	5	73	20	16	3	102	24	2.3	2	F6		
DOLJ	Apelc Vü	3	108A	2.6	5	2301	V	SV	10	133	142	Qc	5	73	24	17	4	99	23	1.9	2	F6		
DOLJ	Apelc Vü	3	108A	2.6	5	2301	V	SV	10	133	142	Qc	5	73	20	16	3	102	313	2.3	3	F6		
DOLJ	Apelc Vü	3	108B	2.8	5	2305	CI			140	143	Qc	5	73	24	17	4	99	297	1.9	3	F5	290	
DOLJ	Apelc Vü	3	108B	0.9	5	2305	CI			140	143	Qc	8	73	20	15	4	105	362	3.0	1	F5		
DOLJ	Apelc Vü	3	108B	0.9	5	2305	CI			140	143	Qc	2	73	24	16	4	25	55	0.7	1	F5		
DOLJ	Apelc Vü	3	108B	9.7	5	2305	CI			140	143	Qc	8	73	20	15	4	105	116	3.0	2	F5		
DOLJ	Apelc Vü	3	108B	9.7	5	2305	CI			140	143	Qc	2	73	24	16	4	25	28	0.7	2	F5		
DOLJ	Apelc Vü	3	109A	4.7	5	2305	CI			143	147	Qc	7	73	19	17	3	158	878	3.6	1	F6	220	
DOLJ	Apelc Vü	3	109A	4.7	5	2305	CI			143	147	Qc	3	73	22	18	3	65	366	1.6	1	F6		
DOLJ	Apelc Vü	3	109A	7.1	5	2305	CI			143	147	Qc	7	73	19	17	3	158	1326	3.6	3	F6		
DOLJ	Apelc Vü	3	110A	4.1	5	2305	CI			144	149	Qc	3	73	22	18	3	65	552	1.6	3	F5	300	
DOLJ	Apelc Vü	3	110A	4.1	5	2305	CI			144	149	Qc	9	73	22	16	3	132	676	4.1	1	F5		
DOLJ	Apelc Vü	3	110A	7.1	5	2305	CI			144	149	Qc	1	73	24	17	4	14	70	0.4	1	F5		
DOLJ	Apelc Vü	3	110D	0.6	5	2305	CI			146		Fc	10	38	18	15	3	132	1170	4.1	3	F5		
DOLJ	Apelc Vü	3	111A	6.9	5	2305	CI			144		Qc	9	73	22	15	4	135	1147	3.9	1	F5	610	
DOLJ	Apelc Vü	3	111A	6.9	5	2305	CI			144		Qc	1	73	24	17	4	16	133	0.4	1	F5		
DOLJ	Apelc Vü	3	111A	11.4	5	2305	CI			144		Qc	9	73	22	15	4	135	1895	3.9	3	F5		
DOLJ	Apelc Vü	3	111C	0.8	5	2305	CI			144		Qc	1	73	24	17	4	16	219	0.4	3	F5		
DOLJ	Apelc Vü	3	111C	0.8	5	2305	CI			144		Qc	10	43	15	11	3	80	92	4.3	1	F5		
DOLJ	Apelc Vü	3	111C	3.6	5	2305	CI			144		Qc	10	43	15	11	3	80	412	4.3	3	F5		