


***CHAPTER 3***

***VES RESULT***



## VES Result

- Ha Tinh (35 Points)
- Thanh Hoa (61 Points)
- Ninh Binh (57 Points)
- Thai Nguyen (59 Points)

# VES Result


## Ha Tinh Province

- Duc Yen (9 Points)
- Bui Xa (7 Points)
- Trung Le (7 Points)
- Yen Ho (12 Points)

Province	Ha Tinh			Date	1998/11/11	
Commune	Duc Yen			Equipment	McOHM21	
Point number	VES1			Angle	156.0	
Longitude	18561880.0			Latitude	2050340.0	
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	13.5800	85.33
2	2.500	0.500	2.00	18.85	5.7240	107.89
3	3.000	0.500	2.50	27.49	4.3870	120.59
4	4.000	0.500	3.50	49.48	2.9700	146.96
5	5.000	0.500	4.50	77.75	2.1290	165.54
6	6.000	0.500	5.50	112.31	1.4280	160.38
7	7.000	0.500	6.50	153.15	1.0640	162.95
8	8.000	0.500	7.50	200.28	0.8113	162.48
9	8.000	3.000	0.83	28.80	6.7350	193.95
10	10.000	0.500	9.50	313.37	0.4983	156.15
11	10.000	3.000	1.17	47.65	3.7720	179.73
12	13.000	3.000	1.67	83.78	2.1290	178.36
13	17.000	3.000	2.33	146.61	1.0710	157.02
14	20.000	3.000	2.83	204.73	0.6176	126.44
15	25.000	3.000	3.67	322.54	0.3004	96.89
16	30.000	3.000	4.50	466.53	0.1290	60.18
17	40.000	3.000	6.17	833.05	0.0361	30.07
18	50.000	3.000	7.83	1304.28	0.0171	22.30
19	60.000	3.000	9.50	1880.24	0.0092	17.30
20	80.000	3.000	12.83	3346.32	0.0049	16.40
21	80.000	20.000	1.50	471.24	0.0303	14.28
22	100.000	3.000	16.17	5231.28	0.0036	18.83
23	100.000	20.000	2.00	753.98	0.0219	16.51
24	130.000	20.000	2.75	1295.91	0.0143	18.53
25	170.000	20.000	3.75	2238.38	0.0088	19.70
26	200.000	20.000	4.50	3110.18	0.0070	21.77

Elec Config : Schlumberger

Line Name : VES1




RVS = 134 (N)

Province	Ha Tihn	Date	1998/11/9
Commune	Duc Yen	Equipment	SAS300C
Point number	VES2	Angle	0.0
Longitude	18561850.0	Latitude	2049800.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	17.1500	107.76
2	2.500	0.500	2.00	18.85	5.0900	95.94
3	3.000	0.500	2.50	27.49	3.1900	87.69
4	4.000	0.500	3.50	49.48	1.1360	56.21
5	5.000	0.500	4.50	77.75	0.6910	53.73
6	6.000	0.500	5.50	112.31	0.4400	49.42
7	7.000	0.500	6.50	153.15	0.3020	46.25
8	8.000	0.500	7.50	200.28	0.2120	42.46
9	8.000	3.000	0.83	28.80	1.3410	38.62
10	10.000	0.500	9.50	313.37	0.1371	42.96
11	10.000	3.000	1.17	47.65	0.7840	37.36
12	13.000	3.000	1.67	83.78	0.4380	36.69
13	17.000	3.000	2.33	146.61	0.2570	37.68
14	20.000	3.000	2.83	204.73	0.1830	37.47
15	25.000	3.000	3.67	322.54	0.1180	38.06
16	30.000	3.000	4.50	466.53	0.0840	39.19
17	40.000	3.000	6.17	833.05	0.0510	42.49
18	50.000	3.000	7.83	1304.28	0.0347	45.26
19	60.000	3.000	9.50	1880.24	0.0255	47.95
20	80.000	3.000	12.83	3346.32	0.0143	47.85
21	80.000	20.000	1.50	471.24	0.1038	48.91
22	100.000	3.000	16.17	5231.28	0.0093	48.65
23	100.000	20.000	2.00	753.98	0.0659	49.69
24	130.000	20.000	2.75	1295.91	0.0337	43.67
25	170.000	20.000	3.75	2238.38	0.0162	36.26
26	200.000	20.000	4.50	3110.18	0.0110	34.21

Elec Config : Schlumberger

Line Name : VES2




RMS = 1.10 (%)

Province	Hà Tĩnh	Date	1998/11/9
Commune	Duc Yen	Equipment	McOHM21
Point number	VES3	Angle	4.0
Longitude	18561800.0	Latitude	2049300.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	14.2100	89.28
2	2.500	0.500	2.00	18.85	3.4300	64.65
3	3.000	0.500	2.50	27.49	2.0820	57.23
4	4.000	0.500	3.50	49.48	1.0460	51.76
5	5.000	0.500	4.50	77.75	0.6114	47.54
6	6.000	0.500	5.50	112.31	0.3642	40.90
7	7.000	0.500	6.50	153.15	0.2547	39.01
8	8.000	0.500	7.50	200.28	0.1877	37.59
9	8.000	3.000	0.83	28.80	1.2060	34.73
10	10.000	0.500	9.50	313.37	0.1467	45.97
11	10.000	3.000	1.17	47.65	0.6780	32.30
12	13.000	3.000	1.67	83.78	0.3840	32.17
13	17.000	3.000	2.33	146.61	0.2327	34.12
14	20.000	3.000	2.83	204.73	0.1774	36.32
15	25.000	3.000	3.67	322.54	0.1230	39.67
16	30.000	3.000	4.50	466.53	0.0848	39.56
17	40.000	3.000	6.17	833.05	0.0553	46.07
18	50.000	3.000	7.83	1304.28	0.0370	48.26
19	60.000	3.000	9.50	1880.24	0.0256	48.13
20	80.000	3.000	12.83	3346.32	0.0148	49.53
21	80.000	20.000	1.50	471.24	0.1007	47.45
22	100.000	3.000	16.17	5231.28	0.0076	39.76
23	100.000	20.000	2.00	753.98	0.0529	39.89
24	130.000	20.000	2.75	1295.91	0.0264	34.21
25	170.000	20.000	3.75	2238.38	0.0145	32.46
26	200.000	20.000	4.50	3110.18	0.0093	28.92

Elec Config : Schlumberger

Line Name : VES3




RMS = 1.66 (%)

Province	Hà Tĩnh	Date	1998/11/12
Commune	Duc Yen	Equipment	McOHM21
Point number	VES4	Angle	138.0
Longitude	18562420.0	Latitude	2050100.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	24.6600	154.94
2	2.500	0.500	2.00	18.85	8.6050	162.20
3	3.000	0.500	2.50	27.49	5.7050	156.82
4	4.000	0.500	3.50	49.48	3.2470	160.66
5	5.000	0.500	4.50	77.75	2.2470	174.71
6	6.000	0.500	5.50	112.31	1.6120	181.05
7	7.000	0.500	6.50	153.15	1.2050	184.55
8	8.000	0.500	7.50	200.28	0.9075	181.75
9	8.000	3.000	0.83	28.80	6.8820	198.19
10	10.000	0.500	9.50	313.37	0.5534	173.42
11	10.000	3.000	1.17	47.65	4.0340	192.21
12	13.000	3.000	1.67	83.78	2.0840	174.59
13	17.000	3.000	2.33	146.61	0.7789	114.19
14	20.000	3.000	2.83	204.73	0.4615	94.48
15	25.000	3.000	3.67	322.54	0.2579	83.18
16	30.000	3.000	4.50	466.53	0.1071	49.96
17	40.000	3.000	6.17	833.05	0.0251	20.91
18	50.000	3.000	7.83	1304.28	0.0137	17.87
19	60.000	3.000	9.50	1880.24	0.0082	15.42
20	80.000	3.000	12.83	3346.32	0.0054	18.07
21	80.000	20.000	1.50	471.24	0.0279	13.15
22	100.000	3.000	16.17	5231.28	0.0040	20.93
23	100.000	20.000	2.00	753.98	0.0191	14.40
24	130.000	20.000	2.75	1295.91	0.0129	16.72
25	170.000	20.000	3.75	2238.38	0.0079	17.68
26	200.000	20.000	4.50	3110.18	0.0068	21.15

Eleo Config : Schlumberger

Line Name : VES4



RMS = 1.88 (%)




Province	Ha Tihn	Date	1998/11/16
Commune	Duc Yen	Equipment	McOHM21
Point number	VES5	Angle	122.0
Longitude	18562340.0	Latitude	2049480.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	3.1940	20.07
2	2.500	0.500	2.00	18.85	0.9333	17.59
3	3.000	0.500	2.50	27.49	0.6011	16.52
4	4.000	0.500	3.50	49.48	0.2923	14.46
5	5.000	0.500	4.50	77.75	0.1754	13.64
6	6.000	0.500	5.50	112.31	0.1180	13.25
7	7.000	0.500	6.50	153.15	0.0837	12.82
8	8.000	0.500	7.50	200.28	0.0647	12.96
9	8.000	3.000	0.83	28.80	0.4995	14.38
10	10.000	0.500	9.50	313.37	0.0428	13.41
11	10.000	3.000	1.17	47.65	0.3055	14.56
12	13.000	3.000	1.67	83.78	0.1860	15.58
13	17.000	3.000	2.33	146.61	0.1115	16.35
14	20.000	3.000	2.83	204.73	0.0817	16.73
15	25.000	3.000	3.67	322.54	0.0524	16.90
16	30.000	3.000	4.50	466.53	0.0369	17.21
17	40.000	3.000	6.17	833.05	0.0207	17.24
18	50.000	3.000	7.83	1304.28	0.0132	17.21
19	60.000	3.000	9.50	1880.24	0.0089	16.73
20	80.000	3.000	12.83	3346.32	0.0047	15.87
21	80.000	20.000	1.50	471.24	0.0445	20.99
22	100.000	3.000	16.17	5231.28	0.0032	16.54
23	100.000	20.000	2.00	753.98	0.0252	19.00
24	130.000	20.000	2.75	1295.91	0.0142	18.46
25	170.000	20.000	3.75	2238.38	0.0087	19.47
26	200.000	20.000	4.50	3110.18	0.0066	20.68

Elec Config : Schlumberger

Line Name : VES5




RMS = 0.97 (%)

Province	Ha Tihn	Date	1998/11/11
Commune	Duc Yen	Equipment	SAS300C
Point number	VES6	Angle	172.0
Longitude	18562030.0	Latitude	2049050.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	26.4000	165.88
2	2.500	0.500	2.00	18.85	4.5300	85.39
3	3.000	0.500	2.50	27.49	2.1000	57.73
4	4.000	0.500	3.50	49.48	0.8390	41.51
5	5.000	0.500	4.50	77.75	0.4720	36.70
6	6.000	0.500	5.50	112.31	0.3110	34.93
7	7.000	0.500	6.50	153.15	0.2140	32.77
8	8.000	0.500	7.50	200.28	0.1680	33.65
9	8.000	3.000	0.83	28.80	1.0990	31.65
10	10.000	0.500	9.50	313.37	0.0980	30.71
11	10.000	3.000	1.17	47.65	0.6400	30.49
12	13.000	3.000	1.67	83.78	0.3600	30.16
13	17.000	3.000	2.33	146.61	0.2200	32.25
14	20.000	3.000	2.83	204.73	0.1620	33.17
15	25.000	3.000	3.67	322.54	0.1120	36.12
16	30.000	3.000	4.50	466.53	0.0830	38.72
17	40.000	3.000	6.17	833.05	0.0490	40.82
18	50.000	3.000	7.83	1304.28	0.0310	40.43
19	60.000	3.000	9.50	1880.24	0.0220	41.37
20	80.000	3.000	12.83	3346.32	0.0113	37.81
21	80.000	20.000	1.50	471.24	0.0875	41.23
22	100.000	3.000	16.17	5231.28	0.0066	34.53
23	100.000	20.000	2.00	753.98	0.0489	36.87
24	130.000	20.000	2.75	1295.91	0.0250	32.40
25	170.000	20.000	3.75	2238.38	0.0130	29.10
26	200.000	20.000	4.50	3110.18	0.0090	27.99

Elec Config : Schlumberger

Line Name : VES6




RMS = 0.91 (%)

Province	Ha Tinh	Date	1998/11/10
Commune	Duc Yen	Equipment	McOIM21
Point number	VES7	Angle	0.0
Longitude	18562300.0	Latitude	2048780.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	14.5500	91.42
2	2.500	0.500	2.00	18.85	3.0790	58.04
3	3.000	0.500	2.50	27.49	2.0620	56.68
4	4.000	0.500	3.50	49.48	0.8857	43.82
5	5.000	0.500	4.50	77.75	0.4898	38.08
6	6.000	0.500	5.50	112.31	0.2933	32.94
7	7.000	0.500	6.50	153.15	0.1930	29.56
8	8.000	0.500	7.50	200.28	0.1380	27.64
9	8.000	3.000	0.83	28.80	1.1130	32.05
10	10.000	0.500	9.50	313.37	0.0741	23.22
11	10.000	3.000	1.17	47.65	0.5532	26.36
12	13.000	3.000	1.67	83.78	0.2828	23.69
13	17.000	3.000	2.33	146.61	0.1521	22.30
14	20.000	3.000	2.83	204.73	0.1083	22.17
15	25.000	3.000	3.67	322.54	0.0673	21.71
16	30.000	3.000	4.50	466.53	0.0462	21.55
17	40.000	3.000	6.17	833.05	0.0259	21.58
18	50.000	3.000	7.83	1304.28	0.0171	22.30
19	60.000	3.000	9.50	1880.24	0.0126	23.69
20	80.000	3.000	12.83	3346.32	0.0075	25.10
21	80.000	20.000	1.50	471.24	0.0418	19.70
22	100.000	3.000	16.17	5231.28	0.0040	20.93
23	100.000	20.000	2.00	753.98	0.0271	20.43
24	130.000	20.000	2.75	1295.91	0.0162	20.99
25	170.000	20.000	3.75	2238.38	0.0105	23.50
26	200.000	20.000	4.50	3110.18	0.0079	24.57

Elec Config : Schlumberger

Line Name : Line1




RMS = 1.12 (%)

Province	Hà Tĩnh	Date	1998/11/9
Commune	Duc Yen	Equipment	McOHM21
Point number	VES8	Angle	120.0
Longitude	18561950.0	Latitude	2048340.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	26.4400	166.13
2	2.500	0.500	2.00	18.85	4.3330	81.68
3	3.000	0.500	2.50	27.49	1.7950	49.34
4	4.000	0.500	3.50	49.48	0.7397	36.60
5	5.000	0.500	4.50	77.75	0.3490	27.14
6	6.000	0.500	5.50	112.31	0.2150	24.15
7	7.000	0.500	6.50	153.15	0.1404	21.50
8	8.000	0.500	7.50	200.28	0.0990	19.83
9	8.000	3.000	0.83	28.80	0.7273	20.94
10	10.000	0.500	9.50	313.37	0.0644	20.18
11	10.000	3.000	1.17	47.65	0.4145	19.75
12	13.000	3.000	1.67	83.78	0.2421	20.28
13	17.000	3.000	2.33	146.61	0.1458	21.38
14	20.000	3.000	2.83	204.73	0.1053	21.56
15	25.000	3.000	3.67	322.54	0.0721	23.25
16	30.000	3.000	4.50	466.53	0.0496	23.14
17	40.000	3.000	6.17	833.05	0.0297	24.74
18	50.000	3.000	7.83	1304.28	0.0183	23.87
19	60.000	3.000	9.50	1880.24	0.0137	25.76
20	80.000	3.000	12.83	3346.32	0.0084	28.11
21	80.000	20.000	1.50	471.24	0.0430	20.26
22	100.000	3.000	16.17	5231.28	0.0039	20.40
23	100.000	20.000	2.00	753.98	0.0365	27.52
24	130.000	20.000	2.75	1295.91	0.0221	28.64
25	170.000	20.000	3.75	2238.38	0.0139	31.11
26	200.000	20.000	4.50	3110.18	0.0099	30.79

Elec Config : Schlumberger

Line Name : VES8




RMS = 203 (N)

Province	Ha Tinh	Date	1998/11/11
Commune	Duc Yen	Equipment	SAS300C
Point number	VES9	Angle	0.0
Longitude	18562780.0	Latitude	2049300.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	6.0000	37.70
2	2.500	0.500	2.00	18.85	1.7020	32.08
3	3.000	0.500	2.50	27.49	1.1290	31.04
4	4.000	0.500	3.50	49.48	0.6490	32.11
5	5.000	0.500	4.50	77.75	0.4040	31.41
6	6.000	0.500	5.50	112.31	0.2830	31.78
7	7.000	0.500	6.50	153.15	0.2050	31.40
8	8.000	0.500	7.50	200.28	0.1480	29.64
9	8.000	3.000	0.83	28.80	1.2430	35.80
10	10.000	0.500	9.50	313.37	0.0804	25.20
11	10.000	3.000	1.17	47.65	0.6300	30.02
12	13.000	3.000	1.67	83.78	0.3390	28.40
13	17.000	3.000	2.33	146.61	0.1620	23.75
14	20.000	3.000	2.83	204.73	0.1050	21.50
15	25.000	3.000	3.67	322.54	0.0590	19.03
16	30.000	3.000	4.50	466.53	0.0370	17.26
17	40.000	3.000	6.17	833.05	0.0180	14.99
18	50.000	3.000	7.83	1304.28	0.0110	14.35
19	60.000	3.000	9.50	1880.24	0.0080	15.04
20	80.000	3.000	12.83	3346.32	0.0041	13.72
21	80.000	20.000	1.50	471.24	0.0333	15.69
22	100.000	3.000	16.17	5231.28	0.0029	15.17
23	100.000	20.000	2.00	753.98	0.0220	16.59
24	130.000	20.000	2.75	1295.91	0.0143	18.53
25	170.000	20.000	3.75	2238.38	0.0092	20.59
26	200.000	20.000	4.50	3110.18	0.0076	23.64

Elec Config : Schlumberger

Line Name : VES9




Province	Ha Tihn	Date	1998/11/10
Commune	Bui Xa	Equipment	SAS300C
Point number	VES1	Angle	0.0
Longitude	18562920.0	Latitude	2048460.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	14.1600	88.97
2	2.500	0.500	2.00	18.85	3.2300	60.88
3	3.000	0.500	2.50	27.49	1.9860	54.59
4	4.000	0.500	3.50	49.48	0.9210	45.57
5	5.000	0.500	4.50	77.75	0.5140	39.97
6	6.000	0.500	5.50	112.31	0.3230	36.28
7	7.000	0.500	6.50	153.15	0.2250	34.46
8	8.000	0.500	7.50	200.28	0.1680	33.65
9	8.000	3.000	0.83	28.80	1.1870	34.18
10	10.000	0.500	9.50	313.37	0.1080	33.84
11	10.000	3.000	1.17	47.65	0.7190	34.26
12	13.000	3.000	1.67	83.78	0.4230	35.44
13	17.000	3.000	2.33	146.61	0.2630	38.56
14	20.000	3.000	2.83	204.73	0.2010	41.15
15	25.000	3.000	3.67	322.54	0.1410	45.48
16	30.000	3.000	4.50	466.53	0.0990	46.19
17	40.000	3.000	6.17	833.05	0.0560	46.65
18	50.000	3.000	7.83	1304.28	0.0350	45.65
19	60.000	3.000	9.50	1880.24	0.0230	43.25
20	80.000	3.000	12.83	3346.32	0.0113	37.81
21	80.000	20.000	1.50	471.24	0.0800	37.70
22	100.000	3.000	16.17	5231.28	0.0070	36.62
23	100.000	20.000	2.00	753.98	0.0450	33.93
24	130.000	20.000	2.75	1295.91	0.0230	29.81
25	170.000	20.000	3.75	2238.38	0.0123	27.53
26	200.000	20.000	4.50	3110.18	0.0090	27.99

Elec Config : Schlumberger

Line Name : VES1




RMS = 0.54 (%)

Province	Ha Tihn	Date	1998/11/10
Commune	Bui Xa	Equipment	SAS300C
Point number	VES2	Angle	117.0
Longitude	18563660.0	Latitude	2049140.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	5.2100	32.74
2	2.500	0.500	2.00	18.85	2.0500	38.64
3	3.000	0.500	2.50	27.49	1.3540	37.22
4	4.000	0.500	3.50	49.48	0.7950	39.34
5	5.000	0.500	4.50	77.75	0.4990	38.80
6	6.000	0.500	5.50	112.31	0.3270	36.73
7	7.000	0.500	6.50	153.15	0.2220	34.00
8	8.000	0.500	7.50	200.28	0.1610	32.24
9	8.000	3.000	0.83	28.80	1.2290	35.39
10	10.000	0.500	9.50	313.37	0.0929	29.11
11	10.000	3.000	1.17	47.65	0.6900	32.88
12	13.000	3.000	1.67	83.78	0.3240	27.14
13	17.000	3.000	2.33	146.61	0.1490	21.84
14	20.000	3.000	2.83	204.73	0.0935	19.14
15	25.000	3.000	3.67	322.54	0.0543	17.51
16	30.000	3.000	4.50	466.53	0.0359	16.75
17	40.000	3.000	6.17	833.05	0.0232	19.33
18	50.000	3.000	7.83	1304.28	0.0168	21.91
19	60.000	3.000	9.50	1880.24	0.0125	23.50
20	80.000	3.000	12.83	3346.32	0.0075	25.10
21	80.000	20.000	1.50	471.24	0.0616	29.03
22	100.000	3.000	16.17	5231.28	0.0050	26.16
23	100.000	20.000	2.00	753.98	0.0377	28.43
24	130.000	20.000	2.75	1295.91	0.0186	24.10
25	170.000	20.000	3.75	2238.38	0.0110	24.62
26	200.000	20.000	4.50	3110.18	0.0086	26.75

Elec Config : Schlumberger

Line Name : VES2




Province	Ha Tinh	Date	1998/11/10
Commune	Bui Xa	Equipment	SAS300C
Point number	VES3	Angle	0.0
Longitude	18563700.0	Latitude	2048820.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	4.7500	29.85
2	2.500	0.500	2.00	18.85	1.2030	22.68
3	3.000	0.500	2.50	27.49	0.6730	18.50
4	4.000	0.500	3.50	49.48	0.4690	23.21
5	5.000	0.500	4.50	77.75	0.2760	21.46
6	6.000	0.500	5.50	112.31	0.1700	19.09
7	7.000	0.500	6.50	153.15	0.1230	18.84
8	8.000	0.500	7.50	200.28	0.0634	12.70
9	8.000	3.000	0.83	28.80	0.6470	18.63
10	10.000	0.500	9.50	313.37	0.0530	16.61
11	10.000	3.000	1.17	47.65	0.3650	17.39
12	13.000	3.000	1.67	83.78	0.1830	15.33
13	17.000	3.000	2.33	146.61	0.0900	13.19
14	20.000	3.000	2.83	204.73	0.0590	12.08
15	25.000	3.000	3.67	322.54	0.0350	11.29
16	30.000	3.000	4.50	466.53	0.0230	10.73
17	40.000	3.000	6.17	833.05	0.0120	10.00
18	50.000	3.000	7.83	1304.28	0.0076	9.91
19	60.000	3.000	9.50	1880.24	0.0058	10.91
20	80.000	3.000	12.83	3346.32	0.0037	12.38
21	80.000	20.000	1.50	471.24	0.0264	12.44
22	100.000	3.000	16.17	5231.28	0.0028	14.65
23	100.000	20.000	2.00	753.98	0.0200	15.08
24	130.000	20.000	2.75	1295.91	0.0130	16.85
25	170.000	20.000	3.75	2238.38	0.0088	19.70
26	200.000	20.000	4.50	3110.18	0.0070	21.77

Elec Config : Schlumberger

Line Name : VES3




RMS = 2.11 (%)



Province	Ha Tihn			Date		1998/11/10
Commune	Bui Xa			Equipment		SAS300C
Point number	VES4			Angle		0.0
Longitude	18563700.0			Latitude		2048820.0
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	12.1700	76.47
2	2.500	0.500	2.00	18.85	4.4900	84.63
3	3.000	0.500	2.50	27.49	3.1900	87.69
4	4.000	0.500	3.50	49.48	1.7300	85.60
5	5.000	0.500	4.50	77.75	1.1860	92.22
6	6.000	0.500	5.50	112.31	0.7950	89.29
7	7.000	0.500	6.50	153.15	0.5630	86.22
8	8.000	0.500	7.50	200.28	0.4140	82.91
9	8.000	3.000	0.83	28.80	2.6700	76.89
10	10.000	0.500	9.50	313.37	0.2240	70.20
11	10.000	3.000	1.17	47.65	1.4260	67.95
12	13.000	3.000	1.67	83.78	0.5800	48.59
13	17.000	3.000	2.33	146.61	0.2130	31.23
14	20.000	3.000	2.83	204.73	0.1240	25.39
15	25.000	3.000	3.67	322.54	0.0614	19.80
16	30.000	3.000	4.50	466.53	0.0358	16.70
17	40.000	3.000	6.17	833.05	0.0172	14.33
18	50.000	3.000	7.83	1304.28	0.0100	13.04
19	60.000	3.000	9.50	1880.24	0.0069	12.97
20	80.000	3.000	12.83	3346.32	0.0042	14.05
21	80.000	20.000	1.50	471.24	0.0298	14.04
22	100.000	3.000	16.17	5231.28	0.0029	15.17
23	100.000	20.000	2.00	753.98	0.0205	15.46
24	130.000	20.000	2.75	1295.91	0.0132	17.11
25	170.000	20.000	3.75	2238.38	0.0079	17.68
26	200.000	20.000	4.50	3110.18	0.0059	18.35

Elec Config : Schlumberger

Line Name : VES4




RMS = 0.81 (%)

Province	Ha Tinh	Date	1998/11/10
Commune	Bui Xa	Equipment	McOHM21
Point number	VES5	Angle	77.0
Longitude	18564650.0	Latitude	2049950.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	6.0220	37.84
2	2.500	0.500	2.00	18.85	1.8180	34.27
3	3.000	0.500	2.50	27.49	1.2120	33.32
4	4.000	0.500	3.50	49.48	0.6266	31.00
5	5.000	0.500	4.50	77.75	0.3794	29.50
6	6.000	0.500	5.50	112.31	0.2370	26.62
7	7.000	0.500	6.50	153.15	0.1626	24.90
8	8.000	0.500	7.50	200.28	0.1414	28.32
9	8.000	3.000	0.83	28.80	0.8464	24.37
10	10.000	0.500	9.50	313.37	0.0698	21.87
11	10.000	3.000	1.17	47.65	0.4718	22.48
12	13.000	3.000	1.67	83.78	0.2271	19.03
13	17.000	3.000	2.33	146.61	0.1125	16.49
14	20.000	3.000	2.83	204.73	0.0731	14.97
15	25.000	3.000	3.67	322.54	0.0415	13.39
16	30.000	3.000	4.50	466.53	0.0284	13.25
17	40.000	3.000	6.17	833.05	0.0126	10.50
18	50.000	3.000	7.83	1304.28	0.0082	10.70
19	60.000	3.000	9.50	1880.24	0.0060	11.28
20	80.000	3.000	12.83	3346.32	0.0023	7.70
21	80.000	20.000	1.50	471.24	0.0265	12.49
22	100.000	3.000	16.17	5231.28	0.0022	11.51
23	100.000	20.000	2.00	753.98	0.0181	13.65
24	130.000	20.000	2.75	1295.91	0.0122	15.81
25	170.000	20.000	3.75	2238.38	0.0077	17.24
26	200.000	20.000	4.50	3110.18	0.0054	16.79

Elec Config : Schlumberger

Line Name : VES5




RMS = 2.43 (%)

Province	Ha Tinh	Date	1998/11/10
Commune	Bui Xa	Equipment	McOHM21
Point number	VES6	Angle	72.0
Longitude	18565300.0	Latitude	2050120.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	42.2700	265.59
2	2.500	0.500	2.00	18.85	13.7100	258.43
3	3.000	0.500	2.50	27.49	8.5300	234.48
4	4.000	0.500	3.50	49.48	3.4900	172.69
5	5.000	0.500	4.50	77.75	1.5600	121.30
6	6.000	0.500	5.50	112.31	0.7300	81.99
7	7.000	0.500	6.50	153.15	0.3900	59.73
8	8.000	0.500	7.50	200.28	0.2349	47.04
9	8.000	3.000	0.83	28.80	1.8270	52.61
10	10.000	0.500	9.50	313.37	0.0950	29.77
11	10.000	3.000	1.17	47.65	0.6780	32.30
12	13.000	3.000	1.67	83.78	0.2420	20.27
13	17.000	3.000	2.33	146.61	0.0969	14.21
14	20.000	3.000	2.83	204.73	0.0591	12.10
15	25.000	3.000	3.67	322.54	0.0271	8.74
16	30.000	3.000	4.50	466.53	0.0151	7.04
17	40.000	3.000	6.17	833.05	0.0091	7.58
18	50.000	3.000	7.83	1304.28	0.0045	5.87
19	60.000	3.000	9.50	1880.24	0.0036	6.77
20	80.000	3.000	12.83	3346.32	0.0021	7.03
21	80.000	20.000	1.50	471.24	0.0189	8.91
22	100.000	3.000	16.17	5231.28	0.0012	6.28
23	100.000	20.000	2.00	753.98	0.0127	9.58
24	130.000	20.000	2.75	1295.91	0.0106	13.74
25	170.000	20.000	3.75	2238.38	0.0066	14.77
26	200.000	20.000	4.50	3110.18	0.0048	14.93

Elec Config : Schlumberger

Line Name : VES6




RMS = 4.03 (%)

Province	Ha Tihn	Date	1998/11/10
Commune	Bui Xa	Equipment	McOHM21
Point number	VES7	Angle	164.0
Longitude	18565020.0	Latitude	2049800.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	8.6320	54.24
2	2.500	0.500	2.00	18.85	2.5550	48.16
3	3.000	0.500	2.50	27.49	1.5230	41.87
4	4.000	0.500	3.50	49.48	0.6458	31.95
5	5.000	0.500	4.50	77.75	0.3554	27.63
6	6.000	0.500	5.50	112.31	0.1935	21.73
7	7.000	0.500	6.50	153.15	0.1067	16.34
8	8.000	0.500	7.50	200.28	0.0704	14.10
9	8.000	3.000	0.83	28.80	0.6330	18.23
10	10.000	0.500	9.50	313.37	0.0324	10.15
11	10.000	3.000	1.17	47.65	0.2488	11.85
12	13.000	3.000	1.67	83.78	0.0942	7.89
13	17.000	3.000	2.33	146.61	0.0378	5.54
14	20.000	3.000	2.83	204.73	0.0251	5.14
15	25.000	3.000	3.67	322.54	0.0126	4.06
16	30.000	3.000	4.50	466.53	0.0106	4.95
17	40.000	3.000	6.17	833.05	0.0054	4.50
18	50.000	3.000	7.83	1304.28	0.0043	5.61
19	60.000	3.000	9.50	1880.24	0.0037	6.96
20	80.000	3.000	12.83	3346.32	0.0012	4.02
21	80.000	20.000	1.50	471.24	0.0140	6.60
22	100.000	3.000	16.17	5231.28	0.0016	8.37
23	100.000	20.000	2.00	753.98	0.0108	8.14
24	130.000	20.000	2.75	1295.91	0.0077	9.98
25	170.000	20.000	3.75	2238.38	0.0054	12.09
26	200.000	20.000	4.50	3110.18	0.0041	12.75

Elec Config : Schlumberger


Line Name : VES7



Province	Ha Tihn			Date	1998/11/11	
Commune	Trung Le			Equipment	McOHM21	
Point number	VES1			Angle	81.0	
Longitude	18566000.0			Latitude	2048300.0	
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	2.3330	14.66
2	2.500	0.500	2.00	18.85	0.7773	14.65
3	3.000	0.500	2.50	27.49	0.5379	14.79
4	4.000	0.500	3.50	49.48	0.3116	15.42
5	5.000	0.500	4.50	77.75	0.1873	14.56
6	6.000	0.500	5.50	112.31	0.1165	13.08
7	7.000	0.500	6.50	153.15	0.0784	12.01
8	8.000	0.500	7.50	200.28	0.0553	11.08
9	8.000	3.000	0.83	28.80	0.4561	13.13
10	10.000	0.500	9.50	313.37	0.0337	10.56
11	10.000	3.000	1.17	47.65	0.2574	12.26
12	13.000	3.000	1.67	83.78	0.1179	9.88
13	17.000	3.000	2.33	146.61	0.0608	8.91
14	20.000	3.000	2.83	204.73	0.0432	8.84
15	25.000	3.000	3.67	322.54	0.0282	9.10
16	30.000	3.000	4.50	466.53	0.0218	10.17
17	40.000	3.000	6.17	833.05	0.0142	11.83
18	50.000	3.000	7.83	1304.28	0.0105	13.69
19	60.000	3.000	9.50	1880.24	0.0082	15.42
20	80.000	3.000	12.83	3346.32	0.0057	19.07
21	80.000	20.000	1.50	471.24	0.0444	20.92
22	100.000	3.000	16.17	5231.28	0.0041	21.45
23	100.000	20.000	2.00	753.98	0.0325	24.50
24	130.000	20.000	2.75	1295.91	0.0229	29.68
25	170.000	20.000	3.75	2238.38	0.0155	34.69
26	200.000	20.000	4.50	3110.18	0.0118	36.70

Elec Config : Schlumberger

Line Name : VES1




RMS = 0.91 (%)

Province	Ha Tihn	Date	1998/11/12
Commune	Trung Le	Equipment	SAS300C
Point number	VES2	Angle	128.0
Longitude	18565800.0	Latitude	2047600.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	6.0700	38.14
2	2.500	0.500	2.00	18.85	1.6410	30.93
3	3.000	0.500	2.50	27.49	1.0470	28.78
4	4.000	0.500	3.50	49.48	0.5030	24.89
5	5.000	0.500	4.50	77.75	0.2840	22.08
6	6.000	0.500	5.50	112.31	0.1803	20.25
7	7.000	0.500	6.50	153.15	0.1260	19.30
8	8.000	0.500	7.50	200.28	0.0955	19.13
9	8.000	3.000	0.83	28.80	0.6550	18.86
10	10.000	0.500	9.50	313.37	0.0603	18.90
11	10.000	3.000	1.17	47.65	0.3860	18.39
12	13.000	3.000	1.67	83.78	0.2160	18.10
13	17.000	3.000	2.33	146.61	0.1290	18.91
14	20.000	3.000	2.83	204.73	0.0980	20.06
15	25.000	3.000	3.67	322.54	0.0640	20.64
16	30.000	3.000	4.50	466.53	0.0460	21.46
17	40.000	3.000	6.17	833.05	0.0270	22.49
18	50.000	3.000	7.83	1304.28	0.0166	21.65
19	60.000	3.000	9.50	1880.24	0.0107	20.12
20	80.000	3.000	12.83	3346.32	0.0051	17.07
21	80.000	20.000	1.50	471.24	0.0383	18.05
22	100.000	3.000	16.17	5231.28	0.0031	16.22
23	100.000	20.000	2.00	753.98	0.0222	16.74
24	130.000	20.000	2.75	1295.91	0.0117	15.16
25	170.000	20.000	3.75	2238.38	0.0072	16.12
26	200.000	20.000	4.50	3110.18	0.0058	18.04

Elec Config : Schlumberger

Line Name : VES2




Province	Ha Tinh	Date	1998/11/12
Commune	Trung Le	Equipment	SAS300C
Point number	VES3	Angle	42.0
Longitude	18565780.0	Latitude	2047330.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	12.9500	81.37
2	2.500	0.500	2.00	18.85	6.0400	113.85
3	3.000	0.500	2.50	27.49	2.4300	66.80
4	4.000	0.500	3.50	49.48	0.6240	30.88
5	5.000	0.500	4.50	77.75	0.2470	19.21
6	6.000	0.500	5.50	112.31	0.1437	16.14
7	7.000	0.500	6.50	153.15	0.1000	15.32
8	8.000	0.500	7.50	200.28	0.0845	16.92
9	8.000	3.000	0.83	28.80	0.5510	15.87
10	10.000	0.500	9.50	313.37	0.0536	16.80
11	10.000	3.000	1.17	47.65	0.3280	15.63
12	13.000	3.000	1.67	83.78	0.1990	16.67
13	17.000	3.000	2.33	146.61	0.1235	18.11
14	20.000	3.000	2.83	204.73	0.0970	19.86
15	25.000	3.000	3.67	322.54	0.0643	20.74
16	30.000	3.000	4.50	466.53	0.0452	21.09
17	40.000	3.000	6.17	833.05	0.0306	25.49
18	50.000	3.000	7.83	1304.28	0.0241	31.43
19	60.000	3.000	9.50	1880.24	0.0110	20.68
20	80.000	3.000	12.83	3346.32	0.0057	19.07
21	80.000	20.000	1.50	471.24	0.0399	18.80
22	100.000	3.000	16.17	5231.28	0.0037	19.36
23	100.000	20.000	2.00	753.98	0.0245	18.47
24	130.000	20.000	2.75	1295.91	0.0143	18.53
25	170.000	20.000	3.75	2238.38	0.0092	20.59
26	200.000	20.000	4.50	3110.18	0.0072	22.39

Elec Config : Schlumberger

Line Name : VES3




RMS = 2.59 (%)

Province	Ha Tihn	Date	1998/11/11
Commune	Trung Le	Equipment	McOHM21
Point number	VES4	Angle	165.0
Longitude	18566240.0	Latitude	2048260.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	1.6350	10.27
2	2.500	0.500	2.00	18.85	0.4278	8.06
3	3.000	0.500	2.50	27.49	0.2939	8.08
4	4.000	0.500	3.50	49.48	0.1729	8.56
5	5.000	0.500	4.50	77.75	0.1084	8.43
6	6.000	0.500	5.50	112.31	0.0760	8.54
7	7.000	0.500	6.50	153.15	0.0586	8.97
8	8.000	0.500	7.50	200.28	0.0461	9.23
9	8.000	3.000	0.83	28.80	0.3062	8.82
10	10.000	0.500	9.50	313.37	0.0324	10.15
11	10.000	3.000	1.17	47.65	0.2030	9.67
12	13.000	3.000	1.67	83.78	0.1204	10.09
13	17.000	3.000	2.33	146.61	0.0708	10.38
14	20.000	3.000	2.83	204.73	0.0543	11.12
15	25.000	3.000	3.67	322.54	0.0401	12.93
16	30.000	3.000	4.50	466.53	0.0302	14.09
17	40.000	3.000	6.17	833.05	0.0204	16.99
18	50.000	3.000	7.83	1304.28	0.0139	18.13
19	60.000	3.000	9.50	1880.24	0.0100	18.80
20	80.000	3.000	12.83	3346.32	0.0067	22.42
21	80.000	20.000	1.50	471.24	0.0439	20.69
22	100.000	3.000	16.17	5231.28	0.0048	25.11
23	100.000	20.000	2.00	753.98	0.0312	23.52
24	130.000	20.000	2.75	1295.91	0.0211	27.34
25	170.000	20.000	3.75	2238.38	0.0146	32.68
26	200.000	20.000	4.50	3110.18	0.0118	36.70

Elec Config : Schlumberger

Line Name : VES4




RMS = 0.77 (%)



Province	Ha Tinh			Date	1998/11/16	
Commune	Trung Le			Equipment	SAS300C	
Point number	VES5			Angle	165.0	
Longitude	18566000.0			Latitude	2047920.0	
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	7.4150	46.59
2	2.500	0.500	2.00	18.85	1.9497	36.75
3	3.000	0.500	2.50	27.49	1.0745	29.54
4	4.000	0.500	3.50	49.48	0.5124	25.35
5	5.000	0.500	4.50	77.75	0.2986	23.22
6	6.000	0.500	5.50	112.31	0.1956	21.97
7	7.000	0.500	6.50	153.15	0.1306	20.00
8	8.000	0.500	7.50	200.28	0.0933	18.69
9	8.000	3.000	0.83	28.80	0.7759	22.34
10	10.000	0.500	9.50	313.37	0.0552	17.28
11	10.000	3.000	1.17	47.65	0.3817	18.19
12	13.000	3.000	1.67	83.78	0.2537	21.25
13	17.000	3.000	2.33	146.61	0.1462	21.44
14	20.000	3.000	2.83	204.73	0.1082	22.15
15	25.000	3.000	3.67	322.54	0.0712	22.96
16	30.000	3.000	4.50	466.53	0.0544	25.40
17	40.000	3.000	6.17	833.05	0.0347	28.93
18	50.000	3.000	7.83	1304.28	0.0210	27.46
19	60.000	3.000	9.50	1880.24	0.0148	27.92
20	80.000	3.000	12.83	3346.32	0.0080	26.75
21	80.000	20.000	1.50	471.24	0.0532	25.07
22	100.000	3.000	16.17	5231.28	0.0048	25.26
23	100.000	20.000	2.00	753.98	0.0330	24.88
24	130.000	20.000	2.75	1295.91	0.0194	25.20
25	170.000	20.000	3.75	2238.38	0.0126	28.20
26	200.000	20.000	4.50	3110.18	0.0098	30.63

Elec Config : Schlumberger

Line Name : VES5




RMS = 0.90 (%)

Province	Ha Tihn	Date	1998/11/12
Commune	Trung Le	Equipment	SAS300C
Point number	VES6	Angle	30.0
Longitude	18566100.0	Latitude	2047640.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	32.8000	206.09
2	2.500	0.500	2.00	18.85	4.6700	88.03
3	3.000	0.500	2.50	27.49	2.0000	54.98
4	4.000	0.500	3.50	49.48	0.6350	31.42
5	5.000	0.500	4.50	77.75	0.3330	25.89
6	6.000	0.500	5.50	112.31	0.1890	21.23
7	7.000	0.500	6.50	153.15	0.1090	16.69
8	8.000	0.500	7.50	200.28	0.0540	10.81
9	8.000	3.000	0.83	28.80	0.6290	18.11
10	10.000	0.500	9.50	313.37	0.0290	9.09
11	10.000	3.000	1.17	47.65	0.2620	12.48
12	13.000	3.000	1.67	83.78	0.1310	10.97
13	17.000	3.000	2.33	146.61	0.0740	10.85
14	20.000	3.000	2.83	204.73	0.0530	10.85
15	25.000	3.000	3.67	322.54	0.0344	11.10
16	30.000	3.000	4.50	466.53	0.0250	11.66
17	40.000	3.000	6.17	833.05	0.0150	12.50
18	50.000	3.000	7.83	1304.28	0.0113	14.74
19	60.000	3.000	9.50	1880.24	0.0080	15.04
20	80.000	3.000	12.83	3346.32	0.0049	16.40
21	80.000	20.000	1.50	471.24	0.0317	14.94
22	100.000	3.000	16.17	5231.28	0.0033	17.26
23	100.000	20.000	2.00	753.98	0.0200	15.08
24	130.000	20.000	2.75	1295.91	0.0113	14.64
25	170.000	20.000	3.75	2238.38	0.0067	15.00
26	200.000	20.000	4.50	3110.18	0.0054	16.79

Elec Config : Schlumberger

Line Name : VES6




RMS = 2.64 (%)

Province	Ha Tihn	Date	1998/11/16
Commune	Trung Le	Equipment	SAS300C
Point number	VES7(RIP Center)	Angle	170.0
Longitude	18565700.0	Latitude	2047925.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	7.3300	46.06
2	2.500	0.500	2.00	18.85	1.9400	36.57
3	3.000	0.500	2.50	27.49	1.1800	32.44
4	4.000	0.500	3.50	49.48	0.5600	27.71
5	5.000	0.500	4.50	77.75	0.3440	26.75
6	6.000	0.500	5.50	112.31	0.2310	25.94
7	7.000	0.500	6.50	153.15	0.1650	25.27
8	8.000	0.500	7.50	200.28	0.1250	25.03
9	8.000	3.000	0.83	28.80	0.7990	23.01
10	10.000	0.500	9.50	313.37	0.0760	23.82
11	10.000	3.000	1.17	47.65	0.4540	21.63
12	13.000	3.000	1.67	83.78	0.2580	21.61
13	17.000	3.000	2.33	146.61	0.1560	22.87
14	20.000	3.000	2.83	204.73	0.1660	33.98
15	25.000	3.000	3.67	322.54	0.0790	25.48
16	30.000	3.000	4.50	466.53	0.0570	26.59
17	40.000	3.000	6.17	833.05	0.0338	28.16
18	50.000	3.000	7.83	1304.28	0.0217	28.30
19	60.000	3.000	9.50	1880.24	0.0164	30.84
20	80.000	3.000	12.83	3346.32	0.0090	30.12
21	80.000	20.000	1.50	471.24	0.0520	24.50
22	100.000	3.000	16.17	5231.28	0.0043	22.49
23	100.000	20.000	2.00	753.98	0.0299	22.54
24	130.000	20.000	2.75	1295.91	0.0162	20.99
25	170.000	20.000	3.75	2238.38	0.0100	22.38
26	200.000	20.000	4.50	3110.18	0.0071	22.08

Elec Config : Schlumberger

Line Name : VES7




RMS = 120 (%)

Province	Ha Tinh	Date	1998/11/12
Commune	Yen HO	Equipment	McOHM21
Point number	VES1	Angle	51.0
Longitude	18567825.0	Latitude	2052675.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	6.9020	43.37
2	2.500	0.500	2.00	18.85	2.0460	38.57
3	3.000	0.500	2.50	27.49	1.5430	42.42
4	4.000	0.500	3.50	49.48	0.8803	43.56
5	5.000	0.500	4.50	77.75	0.6120	47.59
6	6.000	0.500	5.50	112.31	0.4488	50.41
7	7.000	0.500	6.50	153.15	0.3310	50.69
8	8.000	0.500	7.50	200.28	0.2524	50.55
9	8.000	3.000	0.83	28.80	1.4860	42.79
10	10.000	0.500	9.50	313.37	0.1532	48.01
11	10.000	3.000	1.17	47.65	0.8443	40.23
12	13.000	3.000	1.67	83.78	0.4918	41.20
13	17.000	3.000	2.33	146.61	0.2843	41.68
14	20.000	3.000	2.83	204.73	0.2028	41.52
15	25.000	3.000	3.67	322.54	0.1196	38.58
16	30.000	3.000	4.50	466.53	0.0788	36.76
17	40.000	3.000	6.17	833.05	0.0437	36.40
18	50.000	3.000	7.83	1304.28	0.0258	33.65
19	60.000	3.000	9.50	1880.24	0.0139	26.14
20	80.000	3.000	12.83	3346.32	0.0065	21.75
21	80.000	20.000	1.50	471.24	0.0451	21.25
22	100.000	3.000	16.17	5231.28	0.0036	18.83
23	100.000	20.000	2.00	753.98	0.0253	19.08
24	130.000	20.000	2.75	1295.91	0.0153	19.83
25	170.000	20.000	3.75	2238.38	0.0101	22.61
26	200.000	20.000	4.50	3110.18	0.0084	26.13

Elec Config : Schlumberger

Line Name : VES1




RMS = 1.34 (%)

Province	Ha Tinh	Date	1998/11/12
Commune	Yen HO	Equipment	McOIM21
Point number	VES2	Angle	90.0
Longitude	18567875.0	Latitude	2052350.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	12.8400	80.68
2	2.500	0.500	2.00	18.85	3.4080	64.24
3	3.000	0.500	2.50	27.49	2.1530	59.18
4	4.000	0.500	3.50	49.48	1.0850	53.69
5	5.000	0.500	4.50	77.75	0.6377	49.58
6	6.000	0.500	5.50	112.31	0.3906	43.87
7	7.000	0.500	6.50	153.15	0.2881	44.12
8	8.000	0.500	7.50	200.28	0.2052	41.10
9	8.000	3.000	0.83	28.80	1.4380	41.41
10	10.000	0.500	9.50	313.37	0.1214	38.04
11	10.000	3.000	1.17	47.65	0.8351	39.79
12	13.000	3.000	1.67	83.78	0.4115	34.47
13	17.000	3.000	2.33	146.61	0.2108	30.90
14	20.000	3.000	2.83	204.73	0.1418	29.03
15	25.000	3.000	3.67	322.54	0.0813	26.22
16	30.000	3.000	4.50	466.53	0.0545	25.43
17	40.000	3.000	6.17	833.05	0.0292	24.32
18	50.000	3.000	7.83	1304.28	0.0180	23.48
19	60.000	3.000	9.50	1880.24	0.0125	23.50
20	80.000	3.000	12.83	3346.32	0.0069	23.09
21	80.000	20.000	1.50	471.24	0.0478	22.53
22	100.000	3.000	16.17	5231.28	0.0047	24.59
23	100.000	20.000	2.00	753.98	0.0297	22.39
24	130.000	20.000	2.75	1295.91	0.0184	23.84
25	170.000	20.000	3.75	2238.38	0.0114	25.52
26	200.000	20.000	4.50	3110.18	0.0088	27.37

Elec Config : Schlumberger

Line Name : VES2




Province	Ha Tinh	Date	1998/11/13
Commune	Yen HO	Equipment	McOHM21
Point number	VES3	Angle	145.0
Longitude	18567625.0	Latitude	2052125.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	20.6800	129.94
2	2.500	0.500	2.00	18.85	3.6280	68.39
3	3.000	0.500	2.50	27.49	2.1400	58.83
4	4.000	0.500	3.50	49.48	0.8668	42.89
5	5.000	0.500	4.50	77.75	0.4715	36.66
6	6.000	0.500	5.50	112.31	0.3268	36.70
7	7.000	0.500	6.50	153.15	0.2459	37.66
8	8.000	0.500	7.50	200.28	0.1922	38.49
9	8.000	3.000	0.83	28.80	1.4970	43.11
10	10.000	0.500	9.50	313.37	0.1218	38.17
11	10.000	3.000	1.17	47.65	0.8434	40.19
12	13.000	3.000	1.67	83.78	0.5096	42.69
13	17.000	3.000	2.33	146.61	0.3249	47.63
14	20.000	3.000	2.83	204.73	0.2495	51.08
15	25.000	3.000	3.67	322.54	0.1707	55.06
16	30.000	3.000	4.50	466.53	0.1245	58.08
17	40.000	3.000	6.17	833.05	0.0729	60.73
18	50.000	3.000	7.83	1304.28	0.0466	60.78
19	60.000	3.000	9.50	1880.24	0.0336	63.18
20	80.000	3.000	12.83	3346.32	0.0197	65.92
21	80.000	20.000	1.50	471.24	0.1623	76.48
22	100.000	3.000	16.17	5231.28	0.0122	63.82
23	100.000	20.000	2.00	753.98	0.1140	85.95
24	130.000	20.000	2.75	1295.91	0.0588	76.20
25	170.000	20.000	3.75	2238.38	0.0282	63.12
26	200.000	20.000	4.50	3110.18	0.0184	57.23

Elec Config : Schlumberger

Line Name : VES3




Province	Ha Tihn	Date	1998/11/12
Commune	Yen HO	Equipment	SAS300C
Point number	VES4	Angle	18.0
Longitude	18568025.0	Latitude	2051800.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	11.2400	70.62
2	2.500	0.500	2.00	18.85	4.0400	76.15
3	3.000	0.500	2.50	27.49	2.7000	74.22
4	4.000	0.500	3.50	49.48	1.6000	79.17
5	5.000	0.500	4.50	77.75	1.0180	79.15
6	6.000	0.500	5.50	112.31	0.6600	74.13
7	7.000	0.500	6.50	153.15	0.4740	72.59
8	8.000	0.500	7.50	200.28	0.4620	92.53
9	8.000	3.000	0.83	28.80	2.2900	65.95
10	10.000	0.500	9.50	313.37	0.2030	63.61
11	10.000	3.000	1.17	47.65	1.2840	61.18
12	13.000	3.000	1.67	83.78	0.6220	52.11
13	17.000	3.000	2.33	146.61	0.3620	53.07
14	20.000	3.000	2.83	204.73	0.2390	48.93
15	25.000	3.000	3.67	322.54	0.1370	44.19
16	30.000	3.000	4.50	466.53	0.0950	44.32
17	40.000	3.000	6.17	833.05	0.0498	41.49
18	50.000	3.000	7.83	1304.28	0.0318	41.48
19	60.000	3.000	9.50	1880.24	0.0266	50.01
20	80.000	3.000	12.83	3346.32	0.0142	47.52
21	80.000	20.000	1.50	471.24	0.0846	39.87
22	100.000	3.000	16.17	5231.28	0.0100	52.31
23	100.000	20.000	2.00	753.98	0.0600	45.24
24	130.000	20.000	2.75	1295.91	0.0420	54.43
25	170.000	20.000	3.75	2238.38	0.0258	57.75
26	200.000	20.000	4.50	3110.18	0.0265	82.42

Elec Config : Schlumberger

Line Name : VES4




RMS = 1.61 (%)

Province	Ha Tihn	Date	1998/11/12
Commune	Yen HO	Equipment	SAS300C
Point number	VES5	Angle	95.0
Longitude	18568375.0	Latitude	2051720.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	5.9400	37.32
2	2.500	0.500	2.00	18.85	2.7900	52.59
3	3.000	0.500	2.50	27.49	2.0300	55.80
4	4.000	0.500	3.50	49.48	1.2120	59.97
5	5.000	0.500	4.50	77.75	0.8090	62.90
6	6.000	0.500	5.50	112.31	0.5730	64.35
7	7.000	0.500	6.50	153.15	0.4040	61.87
8	8.000	0.500	7.50	200.28	0.3120	62.49
9	8.000	3.000	0.83	28.80	2.3000	66.24
10	10.000	0.500	9.50	313.37	0.1880	58.91
11	10.000	3.000	1.17	47.65	1.3300	63.37
12	13.000	3.000	1.67	83.78	0.7000	58.64
13	17.000	3.000	2.33	146.61	0.3450	50.58
14	20.000	3.000	2.83	204.73	0.2060	42.17
15	25.000	3.000	3.67	322.54	0.0990	31.93
16	30.000	3.000	4.50	466.53	0.0570	26.59
17	40.000	3.000	6.17	833.05	0.0280	23.33
18	50.000	3.000	7.83	1304.28	0.0159	20.74
19	60.000	3.000	9.50	1880.24	0.0114	21.43
20	80.000	3.000	12.83	3346.32	0.0074	24.76
21	80.000	20.000	1.50	471.24	0.0617	29.08
22	100.000	3.000	16.17	5231.28	0.0055	28.77
23	100.000	20.000	2.00	753.98	0.0449	33.85
24	130.000	20.000	2.75	1295.91	0.0294	38.10
25	170.000	20.000	3.75	2238.38	0.0163	36.49
26	200.000	20.000	4.50	3110.18	0.0112	34.83

Elec Config : Schlumberger

Line Name : VES5



RMS = 1.10 (%)




Province	Ha Tinh	Date	1998/11/13
Commune	Yen HO	Equipment	SAS300C
Point number	VES6	Angle	118.0
Longitude	18568825.0	Latitude	2052050.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	4.1300	25.95
2	2.500	0.500	2.00	18.85	1.2480	23.52
3	3.000	0.500	2.50	27.49	0.8290	22.79
4	4.000	0.500	3.50	49.48	0.4550	22.51
5	5.000	0.500	4.50	77.75	0.2850	22.16
6	6.000	0.500	5.50	112.31	0.1880	21.11
7	7.000	0.500	6.50	153.15	0.1330	20.37
8	8.000	0.500	7.50	200.28	0.0670	13.42
9	8.000	3.000	0.83	28.80	0.6800	19.58
10	10.000	0.500	9.50	313.37	0.0610	19.12
11	10.000	3.000	1.17	47.65	0.4000	19.06
12	13.000	3.000	1.67	83.78	0.2150	18.01
13	17.000	3.000	2.33	146.61	0.1190	17.45
14	20.000	3.000	2.83	204.73	0.0820	16.79
15	25.000	3.000	3.67	322.54	0.0520	16.77
16	30.000	3.000	4.50	466.53	0.0350	16.33
17	40.000	3.000	6.17	833.05	0.0197	16.41
18	50.000	3.000	7.83	1304.28	0.0132	17.22
19	60.000	3.000	9.50	1880.24	0.0099	18.61
20	80.000	3.000	12.83	3346.32	0.0062	20.75
21	80.000	20.000	1.50	471.24	0.0435	20.50
22	100.000	3.000	16.17	5231.28	0.0046	24.06
23	100.000	20.000	2.00	753.98	0.0320	24.13
24	130.000	20.000	2.75	1295.91	0.0210	27.21
25	170.000	20.000	3.75	2238.38	0.0150	33.58
26	200.000	20.000	4.50	3110.18	0.0116	36.08

Elec Config : Schlumberger

Line Name : VES6




RMS = 1.61 (%)

Province	Ha Tihn			Date		1998/11/16
Commune	Yen HO			Equipment		SAS300C
Point number	VES7			Angle		95.0
Longitude	18568970.0			Latitude		2051717.0
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	5.6100	35.25
2	2.500	0.500	2.00	18.85	3.1000	58.43
3	3.000	0.500	2.50	27.49	2.5600	70.37
4	4.000	0.500	3.50	49.48	1.9000	94.01
5	5.000	0.500	4.50	77.75	1.3530	105.20
6	6.000	0.500	5.50	112.31	0.8260	92.77
7	7.000	0.500	6.50	153.15	0.5190	79.49
8	8.000	0.500	7.50	200.28	0.3360	67.29
9	8.000	3.000	0.83	28.80	2.4800	71.42
10	10.000	0.500	9.50	313.37	0.1820	57.03
11	10.000	3.000	1.17	47.65	1.2580	59.94
12	13.000	3.000	1.67	83.78	0.6100	51.10
13	17.000	3.000	2.33	146.61	0.2960	43.40
14	20.000	3.000	2.83	204.73	0.1670	34.19
15	25.000	3.000	3.67	322.54	0.0617	19.90
16	30.000	3.000	4.50	466.53	0.0345	16.10
17	40.000	3.000	6.17	833.05	0.0140	11.66
18	50.000	3.000	7.83	1304.28	0.0085	11.09
19	60.000	3.000	9.50	1880.24	0.0068	12.79
20	80.000	3.000	12.83	3346.32	0.0045	15.06
21	80.000	20.000	1.50	471.24	0.0526	24.79
22	100.000	3.000	16.17	5231.28	0.0033	17.26
23	100.000	20.000	2.00	753.98	0.0370	27.90
24	130.000	20.000	2.75	1295.91	0.0249	32.27
25	170.000	20.000	3.75	2238.38	0.0137	30.67
26	200.000	20.000	4.50	3110.18	0.0093	28.92

Elec Config : Schlumberger

Line Name : VES7




Province	Ha Tihn	Date	1998/11/13
Commune	Yen HO	Equipment	McOHM21
Point number	VES8	Angle	6.0
Longitude	18569250.0	Latitude	2052300.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	6.6350	41.69
2	2.500	0.500	2.00	18.85	1.8790	35.42
3	3.000	0.500	2.50	27.49	1.3490	37.08
4	4.000	0.500	3.50	49.48	0.7771	38.45
5	5.000	0.500	4.50	77.75	0.5015	38.99
6	6.000	0.500	5.50	112.31	0.3544	39.80
7	7.000	0.500	6.50	153.15	0.2597	39.77
8	8.000	0.500	7.50	200.28	0.1951	39.07
9	8.000	3.000	0.83	28.80	1.4020	40.37
10	10.000	0.500	9.50	313.37	0.1271	39.83
11	10.000	3.000	1.17	47.65	0.8653	41.23
12	13.000	3.000	1.67	83.78	0.4775	40.00
13	17.000	3.000	2.33	146.61	0.2606	38.21
14	20.000	3.000	2.83	204.73	0.1771	36.26
15	25.000	3.000	3.67	322.54	0.0907	29.25
16	30.000	3.000	4.50	466.53	0.0524	24.45
17	40.000	3.000	6.17	833.05	0.0246	20.49
18	50.000	3.000	7.83	1304.28	0.0137	17.87
19	60.000	3.000	9.50	1880.24	0.0093	17.49
20	80.000	3.000	12.83	3346.32	0.0059	19.74
21	80.000	20.000	1.50	471.24	0.0480	22.62
22	100.000	3.000	16.17	5231.28	0.0046	24.06
23	100.000	20.000	2.00	753.98	0.0323	24.35
24	130.000	20.000	2.75	1295.91	0.0231	29.94
25	170.000	20.000	3.75	2238.38	0.0162	36.26
26	200.000	20.000	4.50	3110.18	0.0129	40.12

Elec Config : Schlumberger

Line Name : VES8




Province	Ha Tinh	Date	1998/11/15
Commune	Yen HO	Equipment	McOHM21
Point number	VES9	Angle	90.0
Longitude	18569200.0	Latitude	2051925.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	15.6600	98.39
2	2.500	0.500	2.00	18.85	3.9910	75.23
3	3.000	0.500	2.50	27.49	2.5230	69.35
4	4.000	0.500	3.50	49.48	1.2580	62.25
5	5.000	0.500	4.50	77.75	0.7146	55.56
6	6.000	0.500	5.50	112.31	0.4878	54.79
7	7.000	0.500	6.50	153.15	0.3220	49.32
8	8.000	0.500	7.50	200.28	0.2277	45.60
9	8.000	3.000	0.83	28.80	1.5250	43.92
10	10.000	0.500	9.50	313.37	0.1402	43.94
11	10.000	3.000	1.17	47.65	0.8688	41.40
12	13.000	3.000	1.67	83.78	0.4355	36.48
13	17.000	3.000	2.33	146.61	0.2008	29.44
14	20.000	3.000	2.83	204.73	0.1280	26.21
15	25.000	3.000	3.67	322.54	0.0690	22.26
16	30.000	3.000	4.50	466.53	0.0430	20.06
17	40.000	3.000	6.17	833.05	0.0232	19.33
18	50.000	3.000	7.83	1304.28	0.0158	20.61
19	60.000	3.000	9.50	1880.24	0.0123	23.13
20	80.000	3.000	12.83	3346.32	0.0083	27.77
21	80.000	20.000	1.50	471.24	0.0603	28.42
22	100.000	3.000	16.17	5231.28	0.0062	32.43
23	100.000	20.000	2.00	753.98	0.0457	34.46
24	130.000	20.000	2.75	1295.91	0.0313	40.56
25	170.000	20.000	3.75	2238.38	0.0232	51.93
26	200.000	20.000	4.50	3110.18	0.0177	55.05

Elec Config : Schlumberger

Line Name : VES9




RMS = 0.66 (%)

Province	Ha Tinh	Date	1998/11/13
Commune	Yen HO	Equipment	McOHM21
Point number	VES10	Angle	90.0
Longitude	18569200.0	Latitude	2051925.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	9.6710	60.76
2	2.500	0.500	2.00	18.85	2.7160	51.20
3	3.000	0.500	2.50	27.49	1.7530	48.19
4	4.000	0.500	3.50	49.48	0.8545	42.28
5	5.000	0.500	4.50	77.75	0.4783	37.19
6	6.000	0.500	5.50	112.31	0.3025	33.97
7	7.000	0.500	6.50	153.15	0.2016	30.88
8	8.000	0.500	7.50	200.28	0.1205	24.13
9	8.000	3.000	0.83	28.80	0.8994	25.90
10	10.000	0.500	9.50	313.37	0.0897	28.11
11	10.000	3.000	1.17	47.65	0.6295	29.99
12	13.000	3.000	1.67	83.78	0.3559	29.82
13	17.000	3.000	2.33	146.61	0.1881	27.58
14	20.000	3.000	2.83	204.73	0.1268	25.96
15	25.000	3.000	3.67	322.54	0.0711	22.93
16	30.000	3.000	4.50	466.53	0.0443	20.67
17	40.000	3.000	6.17	833.05	0.0233	19.41
18	50.000	3.000	7.83	1304.28	0.0153	19.96
19	60.000	3.000	9.50	1880.24	0.0110	20.68
20	80.000	3.000	12.83	3346.32	0.0066	22.09
21	80.000	20.000	1.50	471.24	0.0359	16.92
22	100.000	3.000	16.17	5231.28	0.0057	29.82
23	100.000	20.000	2.00	753.98	0.0321	24.20
24	130.000	20.000	2.75	1295.91	0.0216	27.99
25	170.000	20.000	3.75	2238.38	0.0166	37.16
26	200.000	20.000	4.50	3110.18	0.0132	41.05

Elec Config : Schlumberger

Line Name : VES10




Province	Ha Tinh	Date	1998/11/13
Commune	Yen HO	Equipment	SAS300C
Point number	VES11	Angle	100.0
Longitude	18569800.0	Latitude	2052150.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	8.9000	55.92
2	2.500	0.500	2.00	18.85	2.4200	45.62
3	3.000	0.500	2.50	27.49	1.5600	42.88
4	4.000	0.500	3.50	49.48	0.7490	37.06
5	5.000	0.500	4.50	77.75	0.4760	37.01
6	6.000	0.500	5.50	112.31	0.3390	38.07
7	7.000	0.500	6.50	153.15	0.2490	38.14
8	8.000	0.500	7.50	200.28	0.1940	38.85
9	8.000	3.000	0.83	28.80	1.4330	41.27
10	10.000	0.500	9.50	313.37	0.1260	39.49
11	10.000	3.000	1.17	47.65	0.8780	41.83
12	13.000	3.000	1.67	83.78	0.5090	42.64
13	17.000	3.000	2.33	146.61	0.2760	40.46
14	20.000	3.000	2.83	204.73	0.1860	38.08
15	25.000	3.000	3.67	322.54	0.1050	33.87
16	30.000	3.000	4.50	466.53	0.0597	27.85
17	40.000	3.000	6.17	833.05	0.0270	22.49
18	50.000	3.000	7.83	1304.28	0.0159	20.74
19	60.000	3.000	9.50	1880.24	0.0110	20.68
20	80.000	3.000	12.83	3346.32	0.0070	23.42
21	80.000	20.000	1.50	471.24	0.0499	23.51
22	100.000	3.000	16.17	5231.28	0.0055	28.77
23	100.000	20.000	2.00	753.98	0.0380	28.65
24	130.000	20.000	2.75	1295.91	0.0275	35.64
25	170.000	20.000	3.75	2238.38	0.0196	43.87
26	200.000	20.000	4.50	3110.18	0.0155	48.21

Elec Config : Schlumberger

Line Name : VES11




RMS = 0.42 (%)

Province	Ha Tihn	Date	1998/11/16
Commune	Yen HO	Equipment	McOHM21
Point number	VES12	Angle	13.0
Longitude	18570225.0	Latitude	2051900.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	8.2270	51.69
2	2.500	0.500	2.00	18.85	2.3600	44.48
3	3.000	0.500	2.50	27.49	1.5230	41.87
4	4.000	0.500	3.50	49.48	0.7284	36.04
5	5.000	0.500	4.50	77.75	0.4247	33.02
6	6.000	0.500	5.50	112.31	0.2893	32.49
7	7.000	0.500	6.50	153.15	0.2057	31.50
8	8.000	0.500	7.50	200.28	0.1523	30.50
9	8.000	3.000	0.83	28.80	1.1050	31.82
10	10.000	0.500	9.50	313.37	0.0886	27.76
11	10.000	3.000	1.17	47.65	0.6014	28.66
12	13.000	3.000	1.67	83.78	0.3090	25.89
13	17.000	3.000	2.33	146.61	0.1472	21.58
14	20.000	3.000	2.83	204.73	0.0925	18.94
15	25.000	3.000	3.67	322.54	0.0490	15.80
16	30.000	3.000	4.50	466.53	0.0305	14.23
17	40.000	3.000	6.17	833.05	0.0163	13.58
18	50.000	3.000	7.83	1304.28	0.0113	14.74
19	60.000	3.000	9.50	1880.24	0.0088	16.55
20	80.000	3.000	12.83	3346.32	0.0064	21.42
21	80.000	20.000	1.50	471.24	0.0418	19.70
22	100.000	3.000	16.17	5231.28	0.0047	24.59
23	100.000	20.000	2.00	753.98	0.0310	23.37
24	130.000	20.000	2.75	1295.91	0.0220	28.51
25	170.000	20.000	3.75	2238.38	0.0152	34.02
26	200.000	20.000	4.50	3110.18	0.0122	37.94

Elec Config : Schlumberger

Line Name : VES12



RMS = 0.28 (%)