

VES Result


Thanh Hoa Province

- Nong Cong (3 Points)
- Van Thang (13 Points)
- Dinh Tuong (13 Points)
- Thieu Hung (10 Points)
- Thieu Do (7 Points)
- Vinh Thanh (12 Points)
- Vinh Loc (3 Points)

Province	Thang Hoa	Date	1998/11/25
Commune	Van Thang	Equipment	McOHM21
Point number	VES1	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	12.0300	75.59
2	2.500	0.500	2.00	18.85	6.0890	114.77
3	3.000	0.500	2.50	27.49	4.8460	133.21
4	4.000	0.500	3.50	49.48	3.0810	152.45
5	5.000	0.500	4.50	77.75	2.0240	157.37
6	6.000	0.500	5.50	112.31	1.8800	211.15
7	7.000	0.500	6.50	153.15	1.4550	222.84
8	8.000	0.500	7.50	200.28	1.1640	233.12
9	8.000	3.000	0.83	28.80	7.8260	225.37
10	10.000	0.500	9.50	313.37	0.7850	246.00
11	10.000	3.000	1.17	47.65	5.1950	247.53
12	13.000	3.000	1.67	83.78	3.2500	272.27
13	17.000	3.000	2.33	146.61	1.8330	268.73
14	20.000	3.000	2.83	204.73	1.3750	281.50
15	25.000	3.000	3.67	322.54	0.8270	266.74
16	30.000	3.000	4.50	466.53	0.5352	249.68
17	40.000	3.000	6.17	833.05	0.2535	211.18
18	50.000	3.000	7.83	1304.28	0.1376	179.47
19	60.000	3.000	9.50	1880.24	0.0833	156.62
20	80.000	3.000	12.83	3346.32	0.0465	155.60
21	80.000	20.000	1.50	471.24	0.3348	157.77
22	100.000	3.000	16.17	5231.28	0.0319	166.88
23	100.000	20.000	2.00	753.98	0.2113	159.32
24	130.000	20.000	2.75	1295.91	0.1635	211.88
25	170.000	20.000	3.75	2238.38	0.0734	164.30
26	200.000	20.000	4.50	3110.18	0.0557	173.24


Elec Config : Schlumberger
Line Name : VES1



Province	Thang Hoa	Date	1998/11/25
Commune	Van Thang	Equipment	McOHM21
Point number	VES2	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	41.3300	259.68
2	2.500	0.500	2.00	18.85	15.5300	292.73
3	3.000	0.500	2.50	27.49	10.5700	290.56
4	4.000	0.500	3.50	49.48	5.7620	285.10
5	5.000	0.500	4.50	77.75	3.4180	265.76
6	6.000	0.500	5.50	112.31	2.5610	287.63
7	7.000	0.500	6.50	153.15	1.9260	294.97
8	8.000	0.500	7.50	200.28	1.5030	301.02
9	8.000	3.000	0.83	28.80	11.2200	323.11
10	10.000	0.500	9.50	313.37	0.9765	306.01
11	10.000	3.000	1.17	47.65	6.8740	327.53
12	13.000	3.000	1.67	83.78	4.5230	378.92
13	17.000	3.000	2.33	146.61	2.5090	367.84
14	20.000	3.000	2.83	204.73	2.0120	411.91
15	25.000	3.000	3.67	322.54	1.2990	418.98
16	30.000	3.000	4.50	466.53	0.8588	400.65
17	40.000	3.000	6.17	833.05	0.4398	366.37
18	50.000	3.000	7.83	1304.28	0.2543	331.68
19	60.000	3.000	9.50	1880.24	0.1560	293.32
20	80.000	3.000	12.83	3346.32	0.0703	235.25
21	80.000	20.000	1.50	471.24	0.5000	235.62
22	100.000	3.000	16.17	5231.28	0.0374	195.65
23	100.000	20.000	2.00	753.98	0.2556	192.72
24	130.000	20.000	2.75	1295.91	0.1269	164.45
25	170.000	20.000	3.75	2238.38	0.0769	172.13
26	200.000	20.000	4.50	3110.18	0.0547	170.13

Elec Config : Schlumberger
Line Name : VES2




Province	Thang Hoa	Date	1998/11/25
Commune	Van Thang	Equipment	McOHM21
Point number	VES3	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	69.8200	438.69
2	2.500	0.500	2.00	18.85	18.4600	347.96
3	3.000	0.500	2.50	27.49	11.2800	310.08
4	4.000	0.500	3.50	49.48	5.5180	273.03
5	5.000	0.500	4.50	77.75	3.4650	269.42
6	6.000	0.500	5.50	112.31	2.3570	264.72
7	7.000	0.500	6.50	153.15	1.6750	256.53
8	8.000	0.500	7.50	200.28	1.2340	247.14
9	8.000	3.000	0.83	28.80	9.4410	271.88
10	10.000	0.500	9.50	313.37	0.7440	233.15
11	10.000	3.000	1.17	47.65	5.3740	256.06
12	13.000	3.000	1.67	83.78	2.8980	242.78
13	17.000	3.000	2.33	146.61	1.5140	221.96
14	20.000	3.000	2.83	204.73	1.0050	205.75
15	25.000	3.000	3.67	322.54	0.5650	182.23
16	30.000	3.000	4.50	466.53	0.3682	171.78
17	40.000	3.000	6.17	833.05	0.1949	162.36
18	50.000	3.000	7.83	1304.28	0.1198	156.25
19	60.000	3.000	9.50	1880.24	0.0756	142.15
20	80.000	3.000	12.83	3346.32	0.0436	145.90
21	80.000	20.000	1.50	471.24	0.2872	135.34
22	100.000	3.000	16.17	5231.28	0.0256	133.92
23	100.000	20.000	2.00	753.98	0.1646	124.11
24	130.000	20.000	2.75	1295.91	0.0986	127.78
25	170.000	20.000	3.75	2238.38	0.0604	135.20
26	200.000	20.000	4.50	3110.18	0.0479	148.98

Elec Config : Schlumberger

Line Name : VES3




RMS = 0.75 (%)

Province	Thang Hoa			Date		1998/11/24
Commune	Van Thang			Equipment		McOHM21
Point number	VES4			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	18.3600	115.36
2	2.500	0.500	2.00	18.85	7.3350	138.26
3	3.000	0.500	2.50	27.49	5.4580	150.03
4	4.000	0.500	3.50	49.48	3.3830	167.39
5	5.000	0.500	4.50	77.75	2.2850	177.67
6	6.000	0.500	5.50	112.31	1.6410	184.30
7	7.000	0.500	6.50	153.15	1.2420	190.22
8	8.000	0.500	7.50	200.28	0.9684	193.95
9	8.000	3.000	0.83	28.80	6.6970	192.86
10	10.000	0.500	9.50	313.37	0.5953	186.55
11	10.000	3.000	1.17	47.65	3.9470	188.06
12	13.000	3.000	1.67	83.78	2.0660	173.08
13	17.000	3.000	2.33	146.61	1.1290	165.52
14	20.000	3.000	2.83	204.73	0.8140	166.65
15	25.000	3.000	3.67	322.54	0.5293	170.72
16	30.000	3.000	4.50	466.53	0.3727	173.87
17	40.000	3.000	6.17	833.05	0.2052	170.94
18	50.000	3.000	7.83	1304.28	0.1335	174.12
19	60.000	3.000	9.50	1880.24	0.0959	180.32
20	80.000	3.000	12.83	3346.32	0.0523	175.01
21	80.000	20.000	1.50	471.24	0.3782	178.22
22	100.000	3.000	16.17	5231.28	0.0345	180.48
23	100.000	20.000	2.00	753.98	0.2399	180.88
24	130.000	20.000	2.75	1295.91	0.1419	183.89
25	170.000	20.000	3.75	2238.38	0.0815	182.43
26	200.000	20.000	4.50	3110.18	0.0606	188.48

Elec Config : Schlumberger


Line Name : VES4



Province	Thang Hoa			Date	1998/11/23	
Commune	Van Thang			Equipment	McOHM21	
Point number	VES5			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	15.9800	100.41
2	2.500	0.500	2.00	18.85	7.9070	149.04
3	3.000	0.500	2.50	27.49	5.8000	159.44
4	4.000	0.500	3.50	49.48	3.8160	188.82
5	5.000	0.500	4.50	77.75	2.7300	212.27
6	6.000	0.500	5.50	112.31	1.9880	223.28
7	7.000	0.500	6.50	153.15	1.5220	233.10
8	8.000	0.500	7.50	200.28	1.2340	247.14
9	8.000	3.000	0.83	28.80	6.7910	195.57
10	10.000	0.500	9.50	313.37	0.6361	199.34
11	10.000	3.000	1.17	47.65	3.4380	163.81
12	13.000	3.000	1.67	83.78	1.7810	149.20
13	17.000	3.000	2.33	146.61	0.8621	126.39
14	20.000	3.000	2.83	204.73	0.5438	111.33
15	25.000	3.000	3.67	322.54	0.3123	100.73
16	30.000	3.000	4.50	466.53	0.2231	104.08
17	40.000	3.000	6.17	833.05	0.1228	102.30
18	50.000	3.000	7.83	1304.28	0.0863	112.56
19	60.000	3.000	9.50	1880.24	0.0627	117.89
20	80.000	3.000	12.83	3346.32	0.0401	134.19
21	80.000	20.000	1.50	471.24	0.2771	130.58
22	100.000	3.000	16.17	5231.28	0.0318	166.35
23	100.000	20.000	2.00	753.98	0.1955	147.40
24	130.000	20.000	2.75	1295.91	0.1226	158.88
25	170.000	20.000	3.75	2238.38	0.0756	169.22
26	200.000	20.000	4.50	3110.18	0.0546	169.82

Elec Config : Schlumberger

Line Name : VES5




Province	Thang Hoa	Date	1998/11/23
Commune	Van Thang	Equipment	McOHM21
Point number	VES6	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	5.2510	32.99
2	2.500	0.500	2.00	18.85	2.0970	39.53
3	3.000	0.500	2.50	27.49	1.3340	36.67
4	4.000	0.500	3.50	49.48	0.9658	47.79
5	5.000	0.500	4.50	77.75	0.6688	52.00
6	6.000	0.500	5.50	112.31	0.4855	54.53
7	7.000	0.500	6.50	153.15	0.3671	56.22
8	8.000	0.500	7.50	200.28	0.2849	57.06
9	8.000	3.000	0.83	28.80	1.9990	57.57
10	10.000	0.500	9.50	313.37	0.1848	57.91
11	10.000	3.000	1.17	47.65	1.2590	59.99
12	13.000	3.000	1.67	83.78	0.7428	62.23
13	17.000	3.000	2.33	146.61	0.4282	62.78
14	20.000	3.000	2.83	204.73	0.3106	63.59
15	25.000	3.000	3.67	322.54	0.2033	65.57
16	30.000	3.000	4.50	466.53	0.1555	72.54
17	40.000	3.000	6.17	833.05	0.1379	114.88
18	50.000	3.000	7.83	1304.28	0.1024	133.56
19	60.000	3.000	9.50	1880.24	0.0717	134.81
20	80.000	3.000	12.83	3346.32	0.0432	144.56
21	80.000	20.000	1.50	471.24	0.2609	122.95
22	100.000	3.000	16.17	5231.28	0.0275	143.86
23	100.000	20.000	2.00	753.98	0.1675	126.29
24	130.000	20.000	2.75	1295.91	0.0916	118.71
25	170.000	20.000	3.75	2238.38	0.0495	110.80
26	200.000	20.000	4.50	3110.18	0.0328	102.01

Elec Config : Schlumberger

Line Name : VES6




RMS = 1.69 (%)

Province	Thang Hoa	Date	1998/11/23
Commune	Van Thang	Equipment	SAS300C
Point number	VES7	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	28.9000	181.58
2	2.500	0.500	2.00	18.85	10.8300	204.14
3	3.000	0.500	2.50	27.49	7.6000	208.92
4	4.000	0.500	3.50	49.48	4.5100	223.16
5	5.000	0.500	4.50	77.75	2.9300	227.82
6	6.000	0.500	5.50	112.31	2.0500	230.24
7	7.000	0.500	6.50	153.15	1.5660	239.84
8	8.000	0.500	7.50	200.28	1.1640	233.12
9	8.000	3.000	0.83	28.80	7.4800	215.41
10	10.000	0.500	9.50	313.37	0.7210	225.94
11	10.000	3.000	1.17	47.65	4.4500	212.03
12	13.000	3.000	1.67	83.78	2.3100	193.52
13	17.000	3.000	2.33	146.61	1.1170	163.76
14	20.000	3.000	2.83	204.73	0.7240	148.22
15	25.000	3.000	3.67	322.54	0.3960	127.72
16	30.000	3.000	4.50	466.53	0.2570	119.90
17	40.000	3.000	6.17	833.05	0.1330	110.80
18	50.000	3.000	7.83	1304.28	0.0860	112.17
19	60.000	3.000	9.50	1880.24	0.0600	112.81
20	80.000	3.000	12.83	3346.32	0.0370	123.81
21	80.000	20.000	1.50	471.24	0.2550	120.17
22	100.000	3.000	16.17	5231.28	0.0264	138.11
23	100.000	20.000	2.00	753.98	0.1760	132.70
24	130.000	20.000	2.75	1295.91	0.1180	152.92
25	170.000	20.000	3.75	2238.38	0.0830	185.79
26	200.000	20.000	4.50	3110.18	0.0640	199.05

Elec Config : Schlumberger

Line Name : VES7




Province	Thang Hoa			Date	1998/11/23	
Commune	Van Thang			Equipment	SAS300C	
Point number	VES8			Angle		
Longitude				Latitude		

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	16.4500	103.36
2	2.500	0.500	2.00	18.85	7.4000	139.49
3	3.000	0.500	2.50	27.49	5.5400	152.29
4	4.000	0.500	3.50	49.48	3.5900	177.63
5	5.000	0.500	4.50	77.75	2.4900	193.61
6	6.000	0.500	5.50	112.31	1.7990	202.05
7	7.000	0.500	6.50	153.15	1.3150	201.40
8	8.000	0.500	7.50	200.28	0.9820	196.67
9	8.000	3.000	0.83	28.80	6.5700	189.20
10	10.000	0.500	9.50	313.37	0.5550	173.92
11	10.000	3.000	1.17	47.65	3.7500	178.68
12	13.000	3.000	1.67	83.78	1.8730	156.91
13	17.000	3.000	2.33	146.61	0.7730	113.33
14	20.000	3.000	2.83	204.73	0.4580	93.77
15	25.000	3.000	3.67	322.54	0.2570	82.89
16	30.000	3.000	4.50	466.53	0.1820	84.91
17	40.000	3.000	6.17	833.05	0.1170	97.47
18	50.000	3.000	7.83	1304.28	0.0810	105.65
19	60.000	3.000	9.50	1880.24	0.0620	116.58
20	80.000	3.000	12.83	3346.32	0.0390	130.51
21	80.000	20.000	1.50	471.24	0.2160	101.79
22	100.000	3.000	16.17	5231.28	0.0270	141.24
23	100.000	20.000	2.00	753.98	0.1750	131.95
24	130.000	20.000	2.75	1295.91	0.1230	159.40
25	170.000	20.000	3.75	2238.38	0.0770	172.36
26	200.000	20.000	4.50	3110.18	0.0590	183.50

Elec Config : Schlumberger


Line Name : VES3



Province	Thang Hoa			Date	1998/11/23	
Commune	Van Thang			Equipment	McOHM21	
Point number	VES9			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	25.1000	157.71
2	2.500	0.500	2.00	18.85	6.0080	113.25
3	3.000	0.500	2.50	27.49	3.6640	100.72
4	4.000	0.500	3.50	49.48	1.6520	81.74
5	5.000	0.500	4.50	77.75	0.8921	69.36
6	6.000	0.500	5.50	112.31	0.5657	63.53
7	7.000	0.500	6.50	153.15	0.3939	60.33
8	8.000	0.500	7.50	200.28	0.2818	56.44
9	8.000	3.000	0.83	28.80	2.2500	64.80
10	10.000	0.500	9.50	313.37	0.1692	53.02
11	10.000	3.000	1.17	47.65	1.1620	55.37
12	13.000	3.000	1.67	83.78	0.5894	49.38
13	17.000	3.000	2.33	146.61	0.2985	43.76
14	20.000	3.000	2.83	204.73	0.2082	42.62
15	25.000	3.000	3.67	322.54	0.1388	44.77
16	30.000	3.000	4.50	466.53	0.1001	46.70
17	40.000	3.000	6.17	833.05	0.0586	48.82
18	50.000	3.000	7.83	1304.28	0.0397	51.78
19	60.000	3.000	9.50	1880.24	0.0290	54.53
20	80.000	3.000	12.83	3346.32	0.0178	59.56
21	80.000	20.000	1.50	471.24	0.1342	63.24
22	100.000	3.000	16.17	5231.28	0.0110	57.54
23	100.000	20.000	2.00	753.98	0.0874	65.90
24	130.000	20.000	2.75	1295.91	0.0586	75.94
25	170.000	20.000	3.75	2238.38	0.0405	90.65
26	200.000	20.000	4.50	3110.18	0.0314	97.66

Elec Config : Schlumberger

Line Name : VES9




RMS = 1.18 (%)

Province	Thang Hoa	Date	1998/11/25
Commune	Van Thang	Equipment	McOHM21
Point number	VES10	Angle	
Longitude	Latitude		

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	35.4100	222.49
2	2.500	0.500	2.00	18.85	16.5000	311.02
3	3.000	0.500	2.50	27.49	11.1900	307.60
4	4.000	0.500	3.50	49.48	5.7080	282.43
5	5.000	0.500	4.50	77.75	3.3080	257.21
6	6.000	0.500	5.50	112.31	2.1370	240.01
7	7.000	0.500	6.50	153.15	1.5470	236.93
8	8.000	0.500	7.50	200.28	1.1320	226.71
9	8.000	3.000	0.83	28.80	8.4080	242.13
10	10.000	0.500	9.50	313.37	0.6686	209.52
11	10.000	3.000	1.17	47.65	4.6310	220.66
12	13.000	3.000	1.67	83.78	2.3630	197.96
13	17.000	3.000	2.33	146.61	1.1980	175.64
14	20.000	3.000	2.83	204.73	0.8138	166.61
15	25.000	3.000	3.67	322.54	0.4817	155.37
16	30.000	3.000	4.50	466.53	0.3174	148.08
17	40.000	3.000	6.17	833.05	0.1684	140.28
18	50.000	3.000	7.83	1304.28	0.1045	136.30
19	60.000	3.000	9.50	1880.24	0.0716	134.63
20	80.000	3.000	12.83	3346.32	0.0382	127.83
21	80.000	20.000	1.50	471.24	0.2560	120.64
22	100.000	3.000	16.17	5231.28	0.0247	129.21
23	100.000	20.000	2.00	753.98	0.1693	127.65
24	130.000	20.000	2.75	1295.91	0.1119	145.01
25	170.000	20.000	3.75	2238.38	0.0720	161.16
26	200.000	20.000	4.50	3110.18	0.0519	161.42

Elec Config : Schlumberger

Line Name : VES10




Province	Thang Hoa	Date	1998/11/25
Commune	Van Thang	Equipment	McOHM21
Point number	VES11	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	69.5300	436.87
2	2.500	0.500	2.00	18.85	18.2200	343.44
3	3.000	0.500	2.50	27.49	11.5100	316.40
4	4.000	0.500	3.50	49.48	5.5780	276.00
5	5.000	0.500	4.50	77.75	3.1470	244.69
6	6.000	0.500	5.50	112.31	2.0390	229.00
7	7.000	0.500	6.50	153.15	1.3210	202.31
8	8.000	0.500	7.50	200.28	0.8747	175.18
9	8.000	3.000	0.83	28.80	7.2450	208.64
10	10.000	0.500	9.50	313.37	0.4583	143.62
11	10.000	3.000	1.17	47.65	3.5680	170.01
12	13.000	3.000	1.67	83.78	1.4190	118.88
13	17.000	3.000	2.33	146.61	0.5977	87.63
14	20.000	3.000	2.83	204.73	0.4056	83.04
15	25.000	3.000	3.67	322.54	0.2632	84.89
16	30.000	3.000	4.50	466.53	0.1912	89.20
17	40.000	3.000	6.17	833.05	0.1102	91.80
18	50.000	3.000	7.83	1304.28	0.0651	84.91
19	60.000	3.000	9.50	1880.24	0.0415	78.03
20	80.000	3.000	12.83	3346.32	0.0226	75.63
21	80.000	20.000	1.50	471.24	0.1479	69.70
22	100.000	3.000	16.17	5231.28	0.0164	85.79
23	100.000	20.000	2.00	753.98	0.0945	71.25
24	130.000	20.000	2.75	1295.91	0.0613	79.44
25	170.000	20.000	3.75	2238.38	0.0407	91.10
26	200.000	20.000	4.50	3110.18	0.0313	97.35

Elec Config : Schlumberger


Line Name : VES11



Province	Thang Hoa			Date	1998/11/25		
Commune	Van Thang			Equipment	McOHM21		
Point number	VES12			Angle			
Longitude				Latitude			
No	AB/2	MN/2	m	K	V/I	Rho-a	
1	1.500	0.500	1.00	6.28	15.9200	100.03	
2	2.500	0.500	2.00	18.85	6.6390	125.14	
3	3.000	0.500	2.50	27.49	4.6350	127.41	
4	4.000	0.500	3.50	49.48	2.7260	134.88	
5	5.000	0.500	4.50	77.75	1.8000	139.96	
6	6.000	0.500	5.50	112.31	1.2810	143.87	
7	7.000	0.500	6.50	153.15	0.9681	148.27	
8	8.000	0.500	7.50	200.28	0.7475	149.71	
9	8.000	3.000	0.83	28.80	4.8870	140.74	
10	10.000	0.500	9.50	313.37	0.4988	156.31	
11	10.000	3.000	1.17	47.65	3.1040	147.90	
12	13.000	3.000	1.67	83.78	1.9360	162.19	
13	17.000	3.000	2.33	146.61	1.1680	171.24	
14	20.000	3.000	2.83	204.73	0.8572	175.49	
15	25.000	3.000	3.67	322.54	0.5589	180.27	
16	30.000	3.000	4.50	466.53	0.3935	183.58	
17	40.000	3.000	6.17	833.05	0.2070	172.44	
18	50.000	3.000	7.83	1304.28	0.1301	169.69	
19	60.000	3.000	9.50	1880.24	0.0822	154.56	
20	80.000	3.000	12.83	3346.32	0.0401	134.19	
21	80.000	20.000	1.50	471.24	0.2752	129.68	
22	100.000	3.000	16.17	5231.28	0.0240	125.55	
23	100.000	20.000	2.00	753.98	0.1611	121.47	
24	130.000	20.000	2.75	1295.91	0.0899	116.50	
25	170.000	20.000	3.75	2238.38	0.0501	112.14	
26	200.000	20.000	4.50	3110.18	0.0363	112.90	

Elec Config : Schlumberger

Line Name : VES12




RMS = 0.54%

Province	Thang Hoa	Date	1998/11/25
Commune	Van Thang	Equipment	McOHM21
Point number	VES13	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	3.4410	21.62
2	2.500	0.500	2.00	18.85	1.3850	26.11
3	3.000	0.500	2.50	27.49	1.0530	28.95
4	4.000	0.500	3.50	49.48	0.7040	34.83
5	5.000	0.500	4.50	77.75	0.5512	42.86
6	6.000	0.500	5.50	112.31	0.4426	49.71
7	7.000	0.500	6.50	153.15	0.3519	53.89
8	8.000	0.500	7.50	200.28	0.2899	58.06
9	8.000	3.000	0.83	28.80	2.6100	75.16
10	10.000	0.500	9.50	313.37	0.2075	65.03
11	10.000	3.000	1.17	47.65	1.8190	86.67
12	13.000	3.000	1.67	83.78	1.0280	86.12
13	17.000	3.000	2.33	146.61	0.5680	83.27
14	20.000	3.000	2.83	204.73	0.3745	76.67
15	25.000	3.000	3.67	322.54	0.1839	59.31
16	30.000	3.000	4.50	466.53	0.1168	54.49
17	40.000	3.000	6.17	833.05	0.0591	49.23
18	50.000	3.000	7.83	1304.28	0.0397	51.78
19	60.000	3.000	9.50	1880.24	0.0294	55.28
20	80.000	3.000	12.83	3346.32	0.0195	65.25
21	80.000	20.000	1.50	471.24	0.1374	64.75
22	100.000	3.000	16.17	5231.28	0.0137	71.67
23	100.000	20.000	2.00	753.98	0.0929	70.04
24	130.000	20.000	2.75	1295.91	0.0654	84.75
25	170.000	20.000	3.75	2238.38	0.0457	102.29
26	200.000	20.000	4.50	3110.18	0.0356	110.72

Elec Config : Schlumberger

Line Name : VES13




RMS = 1.92 (%)

Province	Thang Hoa			Date		1998/11/24
Commune	Non Cong			Equipment		McOHM21
Point number	VES1			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	3.0230	18.99
2	2.500	0.500	2.00	18.85	0.9657	18.20
3	3.000	0.500	2.50	27.49	0.6659	18.30
4	4.000	0.500	3.50	49.48	0.4927	24.38
5	5.000	0.500	4.50	77.75	0.3593	27.94
6	6.000	0.500	5.50	112.31	0.2760	31.00
7	7.000	0.500	6.50	153.15	0.2119	32.45
8	8.000	0.500	7.50	200.28	0.1651	33.07
9	8.000	3.000	0.83	28.80	1.2130	34.93
10	10.000	0.500	9.50	313.37	0.1027	32.18
11	10.000	3.000	1.17	47.65	0.7300	34.78
12	13.000	3.000	1.67	83.78	0.3762	31.52
13	17.000	3.000	2.33	146.61	0.1982	29.06
14	20.000	3.000	2.83	204.73	0.1371	28.07
15	25.000	3.000	3.67	322.54	0.0841	27.13
16	30.000	3.000	4.50	466.53	0.0607	28.32
17	40.000	3.000	6.17	833.05	0.0348	28.99
18	50.000	3.000	7.83	1304.28	0.0257	33.52
19	60.000	3.000	9.50	1880.24	0.0191	35.91
20	80.000	3.000	12.83	3346.32	0.0111	37.14
21	80.000	20.000	1.50	471.24	0.0847	39.91
22	100.000	3.000	16.17	5231.28	0.0091	47.60
23	100.000	20.000	2.00	753.98	0.0596	44.94
24	130.000	20.000	2.75	1295.91	0.0368	47.69
25	170.000	20.000	3.75	2238.38	0.0254	56.85
26	200.000	20.000	4.50	3110.18	0.0204	63.45

Elec Config : Schlumberger

Line Name : VES1




RMS = 1.43 (%)

Province	Thang Hoa	Date	1998/11/24
Commune	Non Cong	Equipment	SAS300C
Point number	VES2	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	14.0300	88.15
2	2.500	0.500	2.00	18.85	3.8700	72.95
3	3.000	0.500	2.50	27.49	2.2700	62.40
4	4.000	0.500	3.50	49.48	1.0300	50.96
5	5.000	0.500	4.50	77.75	0.6040	46.96
6	6.000	0.500	5.50	112.31	0.3730	41.89
7	7.000	0.500	6.50	153.15	0.2570	39.36
8	8.000	0.500	7.50	200.28	0.1920	38.45
9	8.000	3.000	0.83	28.80	1.3110	37.75
10	10.000	0.500	9.50	313.37	0.1160	36.35
11	10.000	3.000	1.17	47.65	0.7330	34.93
12	13.000	3.000	1.67	83.78	0.3960	33.18
13	17.000	3.000	2.33	146.61	0.2130	31.23
14	20.000	3.000	2.83	204.73	0.1500	30.71
15	25.000	3.000	3.67	322.54	0.0910	29.35
16	30.000	3.000	4.50	466.53	0.0620	28.92
17	40.000	3.000	6.17	833.05	0.0390	32.49
18	50.000	3.000	7.83	1304.28	0.0287	37.43
19	60.000	3.000	9.50	1880.24	0.0234	44.00
20	80.000	3.000	12.83	3346.32	0.0163	54.55
21	80.000	20.000	1.50	471.24	0.1040	49.01
22	100.000	3.000	16.17	5231.28	0.0117	61.21
23	100.000	20.000	2.00	753.98	0.0748	56.40
24	130.000	20.000	2.75	1295.91	0.0506	65.57
25	170.000	20.000	3.75	2238.38	0.0288	64.47
26	200.000	20.000	4.50	3110.18	0.0198	61.58

Eleo Config : Schlumberger


Line Name : VES2



Province	Thang Hoa			Date		1998/11/24
Commune	Non Cong			Equipment		McOHM21
Point number	VES3			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	4.5980	28.89
2	2.500	0.500	2.00	18.85	1.1090	20.90
3	3.000	0.500	2.50	27.49	0.7293	20.05
4	4.000	0.500	3.50	49.48	0.3847	19.03
5	5.000	0.500	4.50	77.75	0.2555	19.87
6	6.000	0.500	5.50	112.31	0.1766	19.83
7	7.000	0.500	6.50	153.15	0.1259	19.28
8	8.000	0.500	7.50	200.28	0.0929	18.61
9	8.000	3.000	0.83	28.80	0.7170	20.65
10	10.000	0.500	9.50	313.37	0.0585	18.33
11	10.000	3.000	1.17	47.65	0.4202	20.02
12	13.000	3.000	1.67	83.78	0.2238	18.75
13	17.000	3.000	2.33	146.61	0.1244	18.24
14	20.000	3.000	2.83	204.73	0.0862	17.65
15	25.000	3.000	3.67	322.54	0.0553	17.84
16	30.000	3.000	4.50	466.53	0.0378	17.63
17	40.000	3.000	6.17	833.05	0.0230	19.16
18	50.000	3.000	7.83	1304.28	0.0154	20.09
19	60.000	3.000	9.50	1880.24	0.0114	21.43
20	80.000	3.000	12.83	3346.32	0.0070	23.42
21	80.000	20.000	1.50	471.24	0.0481	22.67
22	100.000	3.000	16.17	5231.28	0.0047	24.59
23	100.000	20.000	2.00	753.98	0.0370	27.90
24	130.000	20.000	2.75	1295.91	0.0256	33.18
25	170.000	20.000	3.75	2238.38	0.0169	37.83
26	200.000	20.000	4.50	3110.18	0.0138	42.92

Elec Config : Schlumberger

Line Name : VES3




RMS = 0.65 (%)

Province	Thang Hoa	Date	1998/12/1
Commune	Dinh Tuong	Equipment	McOHM21
Point number	VESI	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	2.2770	14.31
2	2.500	0.500	2.00	18.85	0.7763	14.63
3	3.000	0.500	2.50	27.49	0.5151	14.16
4	4.000	0.500	3.50	49.48	0.2744	13.58
5	5.000	0.500	4.50	77.75	0.1644	12.78
6	6.000	0.500	5.50	112.31	0.1151	12.93
7	7.000	0.500	6.50	153.15	0.0871	13.34
8	8.000	0.500	7.50	200.28	0.0701	14.04
9	8.000	3.000	0.83	28.80	0.5052	14.55
10	10.000	0.500	9.50	313.37	0.0496	15.54
11	10.000	3.000	1.17	47.65	0.3264	15.55
12	13.000	3.000	1.67	83.78	0.2038	17.07
13	17.000	3.000	2.33	146.61	0.1248	18.30
14	20.000	3.000	2.83	204.73	0.0925	18.94
15	25.000	3.000	3.67	322.54	0.0628	20.26
16	30.000	3.000	4.50	466.53	0.0450	20.99
17	40.000	3.000	6.17	833.05	0.0249	20.74
18	50.000	3.000	7.83	1304.28	0.0163	21.26
19	60.000	3.000	9.50	1880.24	0.0114	21.43
20	80.000	3.000	12.83	3346.32	0.0071	23.76
21	80.000	20.000	1.50	471.24	0.0608	28.65
22	100.000	3.000	16.17	5231.28	0.0050	26.16
23	100.000	20.000	2.00	753.98	0.0422	31.82
24	130.000	20.000	2.75	1295.91	0.0274	35.51
25	170.000	20.000	3.75	2238.38	0.0178	39.84
26	200.000	20.000	4.50	3110.18	0.0134	41.68

Elec Config : Schlumberger

Line Name : VESI




RMS = 0.07 (%)

Province	Thang Hoa	Date	1998/12/1
Commune	Dinh Tuong	Equipment	McOHM21
Point number	VES2	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	3.6710	23.07
2	2.500	0.500	2.00	18.85	1.5580	29.37
3	3.000	0.500	2.50	27.49	1.0310	28.34
4	4.000	0.500	3.50	49.48	0.5790	28.65
5	5.000	0.500	4.50	77.75	0.3799	29.54
6	6.000	0.500	5.50	112.31	0.2686	30.17
7	7.000	0.500	6.50	153.15	0.2033	31.14
8	8.000	0.500	7.50	200.28	0.1631	32.67
9	8.000	3.000	0.83	28.80	1.3750	39.60
10	10.000	0.500	9.50	313.37	0.1124	35.22
11	10.000	3.000	1.17	47.65	0.8927	42.53
12	13.000	3.000	1.67	83.78	0.5645	47.29
13	17.000	3.000	2.33	146.61	0.3460	50.73
14	20.000	3.000	2.83	204.73	0.2420	49.54
15	25.000	3.000	3.67	322.54	0.1620	52.25
16	30.000	3.000	4.50	466.53	0.1140	53.18
17	40.000	3.000	6.17	833.05	0.0573	47.73
18	50.000	3.000	7.83	1304.28	0.0322	42.00
19	60.000	3.000	9.50	1880.24	0.0215	40.43
20	80.000	3.000	12.83	3346.32	0.0108	36.14
21	80.000	20.000	1.50	471.24	0.0894	42.13
22	100.000	3.000	16.17	5231.28	0.0066	34.53
23	100.000	20.000	2.00	753.98	0.0523	39.43
24	130.000	20.000	2.75	1295.91	0.0298	38.62
25	170.000	20.000	3.75	2238.38	0.0158	35.37
26	210.000	20.000	4.75	3432.19	0.0097	33.29

Elec Config : Schlumberger

Line Name : VES2




RES= 0.00 (s)

Province	Thang Hoa	Date	1998/12/1
Commune	Dinh Tuong	Equipment	McOHM21
Point number	VES3	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	5.5580	34.92
2	2.500	0.500	2.00	18.85	1.6150	30.44
3	3.000	0.500	2.50	27.49	1.1110	30.54
4	4.000	0.500	3.50	49.48	0.6858	33.93
5	5.000	0.500	4.50	77.75	0.4177	32.48
6	6.000	0.500	5.50	112.31	0.2965	33.30
7	7.000	0.500	6.50	153.15	0.2357	36.10
8	8.000	0.500	7.50	200.28	0.2270	45.46
9	8.000	3.000	0.83	28.80	1.8930	54.51
10	10.000	0.500	9.50	313.37	0.1570	49.20
11	10.000	3.000	1.17	47.65	1.2380	58.99
12	13.000	3.000	1.67	83.78	0.7617	63.81
13	17.000	3.000	2.33	146.61	0.4593	67.34
14	20.000	3.000	2.83	204.73	0.3467	70.98
15	25.000	3.000	3.67	322.54	0.2341	75.51
16	30.000	3.000	4.50	466.53	0.1646	76.79
17	40.000	3.000	6.17	833.05	0.0948	78.97
18	50.000	3.000	7.83	1304.28	0.0582	75.91
19	60.000	3.000	9.50	1880.24	0.0394	74.08
20	80.000	3.000	12.83	3346.32	0.0201	67.26
21	80.000	20.000	1.50	471.24	0.1376	64.84
22	100.000	3.000	16.17	5231.28	0.0121	63.30
23	100.000	20.000	2.00	753.98	0.0835	62.96
24	130.000	20.000	2.75	1295.91	0.0461	59.74
25	170.000	20.000	3.75	2238.38	0.0266	59.54
26	200.000	20.000	4.50	3110.18	0.0199	61.89

Elec Config : Schlumberger

Line Name : VES3




RES - Grid (b)

Province	Thang Hoa			Date	1998/12/1	
Commune	Dinh Tuong			Equipment	McOHM21	
Point number	VES4			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	12.9900	81.62
2	2.500	0.500	2.00	18.85	4.3490	81.98
3	3.000	0.500	2.50	27.49	2.9113	80.03
4	4.000	0.500	3.50	49.48	1.5790	78.13
5	5.000	0.500	4.50	77.75	1.0280	79.93
6	6.000	0.500	5.50	112.31	0.7523	84.49
7	7.000	0.500	6.50	153.15	0.5609	85.90
8	8.000	0.500	7.50	200.28	0.4386	87.84
9	8.000	3.000	0.83	28.80	3.0140	86.80
10	10.000	0.500	9.50	313.37	0.2939	92.10
11	10.000	3.000	1.17	47.65	1.9100	91.01
12	13.000	3.000	1.67	83.78	1.1210	93.91
13	17.000	3.000	2.33	146.61	0.6172	90.49
14	20.000	3.000	2.83	204.73	0.4259	87.19
15	25.000	3.000	3.67	322.54	0.2437	78.60
16	30.000	3.000	4.50	466.53	0.1532	71.47
17	40.000	3.000	6.17	833.05	0.0717	59.73
18	50.000	3.000	7.83	1304.28	0.0371	48.39
19	60.000	3.000	9.50	1880.24	0.0253	47.57
20	80.000	3.000	12.83	3346.32	0.0145	48.52
21	80.000	20.000	1.50	471.24	0.0977	46.04
22	100.000	3.000	16.17	5231.28	0.0091	47.60
23	100.000	20.000	2.00	753.98	0.0601	45.31
24	130.000	20.000	2.75	1295.91	0.0343	44.45
25	170.000	20.000	3.75	2238.38	0.0192	42.98
26	200.000	20.000	4.50	3110.18	0.0131	40.74

Elec Config : Schlumberger

Line Name : VES4




RMS = 0.43 (%)

Province	Thang Hoa	Date	1998/12/1
Commune	Dinh Tuong	Equipment	McOHM21
Point number	VES5	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	15.2400	95.76
2	2.500	0.500	2.00	18.85	5.5530	104.67
3	3.000	0.500	2.50	27.49	3.9660	109.02
4	4.000	0.500	3.50	49.48	2.2780	112.72
5	5.000	0.500	4.50	77.75	1.3340	103.72
6	6.000	0.500	5.50	112.31	0.9094	102.14
7	7.000	0.500	6.50	153.15	0.6713	102.81
8	8.000	0.500	7.50	200.28	0.5162	103.38
9	8.000	3.000	0.83	28.80	2.9310	84.41
10	10.000	0.500	9.50	313.37	0.3361	105.32
11	10.000	3.000	1.17	47.65	1.7550	83.62
12	13.000	3.000	1.67	83.78	1.0310	86.37
13	17.000	3.000	2.33	146.61	0.5799	85.02
14	20.000	3.000	2.83	204.73	0.4069	83.30
15	25.000	3.000	3.67	322.54	0.2305	74.34
16	30.000	3.000	4.50	466.53	0.1442	67.27
17	40.000	3.000	6.17	833.05	0.0679	56.56
18	50.000	3.000	7.83	1304.28	0.0395	51.52
19	60.000	3.000	9.50	1880.24	0.0260	48.89
20	80.000	3.000	12.83	3346.32	0.0150	50.19
21	80.000	20.000	1.50	471.24	0.1099	51.79
22	100.000	3.000	16.17	5231.28	0.0102	53.36
23	100.000	20.000	2.00	753.98	0.0735	55.42
24	130.000	20.000	2.75	1295.91	0.0448	58.06
25	170.000	20.000	3.75	2238.38	0.0285	63.79
26	200.000	20.000	4.50	3110.18	0.0211	65.62

Elec Config : Schlumberger

Line Name : VES5




RMS = 0.42 (%)

Province	Thang Hoa	Date	1998/12/1
Commune	Dinh Tuong	Equipment	McOHM21
Point number	VES6	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	4.9680	31.21
2	2.500	0.500	2.00	18.85	1.3200	24.88
3	3.000	0.500	2.50	27.49	0.8478	23.31
4	4.000	0.500	3.50	49.48	0.4574	22.63
5	5.000	0.500	4.50	77.75	0.2918	22.69
6	6.000	0.500	5.50	112.31	0.2027	22.77
7	7.000	0.500	6.50	153.15	0.1503	23.02
8	8.000	0.500	7.50	200.28	0.1138	22.79
9	8.000	3.000	0.83	28.80	0.7856	22.62
10	10.000	0.500	9.50	313.37	0.0708	22.19
11	10.000	3.000	1.17	47.65	0.4653	22.17
12	13.000	3.000	1.67	83.78	0.2567	21.51
13	17.000	3.000	2.33	146.61	0.1456	21.35
14	20.000	3.000	2.83	204.73	0.1014	20.76
15	25.000	3.000	3.67	322.54	0.0640	20.64
16	30.000	3.000	4.50	466.53	0.0453	21.13
17	40.000	3.000	6.17	833.05	0.0281	23.41
18	50.000	3.000	7.83	1304.28	0.0207	27.00
19	60.000	3.000	9.50	1880.24	0.0165	31.02
20	80.000	3.000	12.83	3346.32	0.0114	38.15
21	80.000	20.000	1.50	471.24	0.0777	36.62
22	100.000	3.000	16.17	5231.28	0.0086	44.99
23	100.000	20.000	2.00	753.98	0.0580	43.73
24	130.000	20.000	2.75	1295.91	0.0421	54.56
25	170.000	20.000	3.75	2238.38	0.0302	67.60
26	200.000	20.000	4.50	3110.18	0.0234	72.78

Elec Config : Schlumberger

Line Name : VES6




RMS = 0.24 (%)

Province	Thang Hoa			Date		1998/12/2
Commune	Dinh Tuong			Equipment		McOHM21
Point number	VES7			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	4.9610	31.17
2	2.500	0.500	2.00	18.85	1.8200	34.31
3	3.000	0.500	2.50	27.49	1.2350	33.95
4	4.000	0.500	3.50	49.48	0.5793	28.66
5	5.000	0.500	4.50	77.75	0.3378	26.27
6	6.000	0.500	5.50	112.31	0.2154	24.19
7	7.000	0.500	6.50	153.15	0.1481	22.68
8	8.000	0.500	7.50	200.28	0.1114	22.31
9	8.000	3.000	0.83	28.80	0.7206	20.75
10	10.000	0.500	9.50	313.37	0.0764	23.94
11	10.000	3.000	1.17	47.65	0.4095	19.51
12	13.000	3.000	1.67	83.78	0.2237	18.74
13	17.000	3.000	2.33	146.61	0.1104	16.19
14	20.000	3.000	2.83	204.73	0.0763	15.62
15	25.000	3.000	3.67	322.54	0.0489	15.77
16	30.000	3.000	4.50	466.53	0.0354	16.52
17	40.000	3.000	6.17	833.05	0.0228	18.99
18	50.000	3.000	7.83	1304.28	0.0170	22.17
19	60.000	3.000	9.50	1880.24	0.0143	26.89
20	80.000	3.000	12.83	3346.32	0.0104	34.80
21	80.000	20.000	1.50	471.24	0.0822	38.74
22	100.000	3.000	16.17	5231.28	0.0083	43.42
23	100.000	20.000	2.00	753.98	0.0652	49.16
24	130.000	20.000	2.75	1295.91	0.0486	62.98
25	170.000	20.000	3.75	2238.38	0.0399	89.31
26	200.000	20.000	4.50	3110.18	0.0306	95.17

Elec Config : Schlumberger


Line Name : VES7



Province	Thang Hoa			Date	1998/12/2	
Commune	Dinh Tuong			Equipment	McOHM21	
Point number	VES8			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	2.7130	17.05
2	2.500	0.500	2.00	18.85	0.7326	13.81
3	3.000	0.500	2.50	27.49	0.4853	13.34
4	4.000	0.500	3.50	49.48	0.2760	13.66
5	5.000	0.500	4.50	77.75	0.1883	14.64
6	6.000	0.500	5.50	112.31	0.1402	15.75
7	7.000	0.500	6.50	153.15	0.1077	16.49
8	8.000	0.500	7.50	200.28	0.0888	17.78
9	8.000	3.000	0.83	28.80	0.6132	17.66
10	10.000	0.500	9.50	313.37	0.0622	19.49
11	10.000	3.000	1.17	47.65	0.4096	19.52
12	13.000	3.000	1.67	83.78	0.2665	22.33
13	17.000	3.000	2.33	146.61	0.1831	26.84
14	20.000	3.000	2.83	204.73	0.1422	29.11
15	25.000	3.000	3.67	322.54	0.1018	32.83
16	30.000	3.000	4.50	466.53	0.0792	36.95
17	40.000	3.000	6.17	833.05	0.0491	40.90
18	50.000	3.000	7.83	1304.28	0.0354	46.17
19	60.000	3.000	9.50	1880.24	0.0284	53.40
20	80.000	3.000	12.83	3346.32	0.0196	65.59
21	80.000	20.000	1.50	471.24	0.1260	59.38
22	100.000	3.000	16.17	5231.28	0.0156	81.61
23	100.000	20.000	2.00	753.98	0.0961	72.46
24	130.000	20.000	2.75	1295.91	0.0791	102.51
25	170.000	20.000	3.75	2238.38	0.0560	125.35
26	200.000	20.000	4.50	3110.18	0.0487	151.47

Elec Config : Schlumberger


Line Name : VES8



Province	Thang Hoa			Date	1998/12/1	
Commune	Dinh Tuong			Equipment	McOHM21	
Point number	VES9			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	17.4300	109.52
2	2.500	0.500	2.00	18.85	6.4250	121.11
3	3.000	0.500	2.50	27.49	4.4270	121.69
4	4.000	0.500	3.50	49.48	2.3650	117.02
5	5.000	0.500	4.50	77.75	1.5150	117.80
6	6.000	0.500	5.50	112.31	1.0020	112.54
7	7.000	0.500	6.50	153.15	0.6885	105.45
8	8.000	0.500	7.50	200.28	0.5024	100.62
9	8.000	3.000	0.83	28.80	4.8000	138.23
10	10.000	0.500	9.50	313.37	0.3031	94.98
11	10.000	3.000	1.17	47.65	2.7460	130.84
12	13.000	3.000	1.67	83.78	1.4140	118.46
13	17.000	3.000	2.33	146.61	0.7180	105.26
14	20.000	3.000	2.83	204.73	0.4415	90.39
15	25.000	3.000	3.67	322.54	0.2231	71.96
16	30.000	3.000	4.50	466.53	0.1275	59.48
17	40.000	3.000	6.17	833.05	0.0561	46.73
18	50.000	3.000	7.83	1304.28	0.0335	43.69
19	60.000	3.000	9.50	1880.24	0.0209	39.30
20	80.000	3.000	12.83	3346.32	0.0118	39.49
21	80.000	20.000	1.50	471.24	0.1003	47.27
22	100.000	3.000	16.17	5231.28	0.0072	37.67
23	100.000	20.000	2.00	753.98	0.0585	44.11
24	130.000	20.000	2.75	1295.91	0.0334	43.28
25	170.000	20.000	3.75	2238.38	0.0206	46.11
26	200.000	20.000	4.50	3110.18	0.0154	47.90

Elec Config : Schlumberger


Line Name : VES9



Province	Thang Hoa			Date	1998/12/2	
Commune	Dinh Tuong			Equipment	SAS300C	
Point number	VES10			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	5.6100	35.25
2	2.500	0.500	2.00	18.85	2.2800	42.98
3	3.000	0.500	2.50	27.49	1.5880	43.65
4	4.000	0.500	3.50	49.48	1.0370	51.31
5	5.000	0.500	4.50	77.75	0.7560	58.78
6	6.000	0.500	5.50	112.31	0.6100	68.51
7	7.000	0.500	6.50	153.15	0.4580	70.14
8	8.000	0.500	7.50	200.28	0.4600	92.13
9	8.000	3.000	0.83	28.80	2.4000	69.12
10	10.000	0.500	9.50	313.37	0.3030	94.95
11	10.000	3.000	1.17	47.65	1.6950	80.76
12	13.000	3.000	1.67	83.78	1.1680	97.85
13	17.000	3.000	2.33	146.61	0.6920	101.45
14	20.000	3.000	2.83	204.73	0.5190	106.25
15	25.000	3.000	3.67	322.54	0.3190	102.89
16	30.000	3.000	4.50	466.53	0.2040	95.17
17	40.000	3.000	6.17	833.05	0.0896	74.64
18	50.000	3.000	7.83	1304.28	0.0456	59.48
19	60.000	3.000	9.50	1880.24	0.0275	51.71
20	80.000	3.000	12.83	3346.32	0.0154	51.53
21	80.000	20.000	1.50	471.24	0.0975	45.95
22	100.000	3.000	16.17	5231.28	0.0089	46.56
23	100.000	20.000	2.00	753.98	0.0584	44.03
24	130.000	20.000	2.75	1295.91	0.0337	43.67
25	170.000	20.000	3.75	2238.38	0.0205	45.89
26	200.000	20.000	4.50	3110.18	0.0147	45.72

Elec Config : Schlumberger

Line Name : VES10




RMS = 1.16 (N)

Province	Thang Hoa			Date	1998/12/2	
Commune	Dinh Tuong			Equipment	McOHM21	
Point number	VES11			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	7.2070	45.28
2	2.500	0.500	2.00	18.85	2.7410	51.67
3	3.000	0.500	2.50	27.49	2.0520	56.41
4	4.000	0.500	3.50	49.48	1.2440	61.55
5	5.000	0.500	4.50	77.75	0.8552	66.50
6	6.000	0.500	5.50	112.31	0.6345	71.26
7	7.000	0.500	6.50	153.15	0.4793	73.41
8	8.000	0.500	7.50	200.28	0.3914	78.39
9	8.000	3.000	0.83	28.80	2.6470	76.23
10	10.000	0.500	9.50	313.37	0.2583	80.94
11	10.000	3.000	1.17	47.65	1.6700	79.57
12	13.000	3.000	1.67	83.78	0.9897	82.91
13	17.000	3.000	2.33	146.61	0.5658	82.95
14	20.000	3.000	2.83	204.73	0.3935	80.56
15	25.000	3.000	3.67	322.54	0.2128	68.64
16	30.000	3.000	4.50	466.53	0.1145	53.42
17	40.000	3.000	6.17	833.05	0.0511	42.57
18	50.000	3.000	7.83	1304.28	0.0329	42.91
19	60.000	3.000	9.50	1880.24	0.0208	39.11
20	80.000	3.000	12.83	3346.32	0.0123	41.16
21	80.000	20.000	1.50	471.24	0.0812	38.26
22	100.000	3.000	16.17	5231.28	0.0085	44.47
23	100.000	20.000	2.00	753.98	0.0533	40.19
24	130.000	20.000	2.75	1295.91	0.0347	44.97
25	170.000	20.000	3.75	2238.38	0.0198	44.32
26	200.000	20.000	4.50	3110.18	0.0139	43.23

Elec Config : Schlumberger

Line Name : VES11




RMS = 1.29 (%)

Province	Thang Hoa			Date	1998/12/3	
Commune	Dinh Tuong			Equipment	McOHM21	
Point number	VES12			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	2.000	0.500	1.50	11.78	4.6960	55.32
2	2.500	0.500	2.00	18.85	3.0410	57.32
3	3.000	0.500	2.50	27.49	2.1730	59.73
4	4.000	0.500	3.50	49.48	1.2630	62.49
5	5.000	0.500	4.50	77.75	0.8546	66.45
6	6.000	0.500	5.50	112.31	0.5940	66.71
7	7.000	0.500	6.50	153.15	0.4531	69.39
8	8.000	0.500	7.50	200.28	0.3426	68.61
9	8.000	3.000	0.83	28.80	2.9750	85.67
10	10.000	0.500	9.50	313.37	0.2290	71.76
11	10.000	3.000	1.17	47.65	1.8820	89.67
12	13.000	3.000	1.67	83.78	1.0600	88.80
13	17.000	3.000	2.33	146.61	0.5770	84.59
14	20.000	3.000	2.83	204.73	0.3989	81.67
15	25.000	3.000	3.67	322.54	0.2435	78.54
16	30.000	3.000	4.50	466.53	0.1603	74.78
17	40.000	3.000	6.17	833.05	0.0867	72.23
18	50.000	3.000	7.83	1304.28	0.0509	66.39
19	60.000	3.000	9.50	1880.24	0.0335	62.99
20	80.000	3.000	12.83	3346.32	0.0178	59.56
21	80.000	20.000	1.50	471.24	0.1311	61.78
22	100.000	3.000	16.17	5231.28	0.0126	65.91
23	100.000	20.000	2.00	753.98	0.0885	66.73
24	130.000	20.000	2.75	1295.91	0.0570	73.87
25	170.000	20.000	3.75	2238.38	0.0385	86.18
26	200.000	20.000	4.50	3110.18	0.0303	94.24

Elec Config : Schlumberger

Line Name : VES12




RMS = 108 (%)

Province	Thang Hoa			Date	1998/12/3	
Commune	Dinh Tuong			Equipment	SAS300C	
Point number	VES13			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	9.3700	58.87
2	2.500	0.500	2.00	18.85	3.1293	58.99
3	3.000	0.500	2.50	27.49	2.1500	59.10
4	4.000	0.500	3.50	49.48	1.2540	62.05
5	5.000	0.500	4.50	77.75	0.8270	64.30
6	6.000	0.500	5.50	112.31	0.5950	66.83
7	7.000	0.500	6.50	153.15	0.4690	71.83
8	8.000	0.500	7.50	200.28	0.3710	74.30
9	8.000	3.000	0.83	28.80	2.2600	65.08
10	10.000	0.500	9.50	313.37	0.2600	81.48
11	10.000	3.000	1.17	47.65	1.5340	73.09
12	13.000	3.000	1.67	83.78	0.9700	81.26
13	17.000	3.000	2.33	146.61	0.5750	84.30
14	20.000	3.000	2.83	204.73	0.4100	83.94
15	25.000	3.000	3.67	322.54	0.2480	79.99
16	30.000	3.000	4.50	466.53	0.1520	70.91
17	40.000	3.000	6.17	833.05	0.0666	55.48
18	50.000	3.000	7.83	1304.28	0.0394	51.39
19	60.000	3.000	9.50	1880.24	0.0266	50.01
20	80.000	3.000	12.83	3346.32	0.0156	52.20
21	80.000	20.000	1.50	471.24	0.1005	47.36
22	100.000	3.000	16.17	5231.28	0.0091	47.60
23	100.000	20.000	2.00	753.98	0.0563	42.45
24	130.000	20.000	2.75	1295.91	0.0318	41.21
25	170.000	20.000	3.75	2238.38	0.0181	40.51
26	200.000	20.000	4.50	3110.18	0.0137	42.61

Elec Config : Schlumberger

Line Name : VES13




Province	Thang Hoa	Date	1998/11/26
Commune	Thieu Hung	Equipment	McOHM21
Point number	VES1	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	10.0940	63.42
2	2.500	0.500	2.00	18.85	4.8880	92.14
3	3.000	0.500	2.50	27.49	3.6070	99.15
4	4.000	0.500	3.50	49.48	2.3440	115.98
5	5.000	0.500	4.50	77.75	1.5810	122.93
6	6.000	0.500	5.50	112.31	1.2010	134.89
7	7.000	0.500	6.50	153.15	0.9915	151.85
8	8.000	0.500	7.50	200.28	0.8017	160.56
9	8.000	3.000	0.83	28.80	5.1930	149.55
10	10.000	0.500	9.50	313.37	0.5662	177.43
11	10.000	3.000	1.17	47.65	3.7090	176.72
12	13.000	3.000	1.67	83.78	2.3740	198.88
13	17.000	3.000	2.33	146.61	1.3870	203.34
14	20.000	3.000	2.83	204.73	0.9166	187.65
15	25.000	3.000	3.67	322.54	0.5051	162.91
16	30.000	3.000	4.50	466.53	0.3276	152.83
17	40.000	3.000	6.17	833.05	0.1421	118.38
18	50.000	3.000	7.83	1304.28	0.0810	105.65
19	60.000	3.000	9.50	1880.24	0.0479	90.06
20	80.000	3.000	12.83	3346.32	0.0257	86.00
21	80.000	20.000	1.50	471.24	0.1757	82.80
22	100.000	3.000	16.17	5231.28	0.0147	76.90
23	100.000	20.000	2.00	753.98	0.0976	73.59
24	130.000	20.000	2.75	1295.91	0.0471	61.04
25	170.000	20.000	3.75	2238.38	0.0227	50.81
26	200.000	20.000	4.50	3110.18	0.0157	48.83

Elec Config : Schlumberger


Line Name : VES1



Province	Thang Hoa			Date	1998/11/26	
Commune	Thieu Hung			Equipment	McOHM21	
Point number	VES2			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	4.6580	29.27
2	2.500	0.500	2.00	18.85	1.7957	33.85
3	3.000	0.500	2.50	27.49	1.4240	39.14
4	4.000	0.500	3.50	49.48	0.8471	41.91
5	5.000	0.500	4.50	77.75	0.6060	47.12
6	6.000	0.500	5.50	112.31	0.4480	50.32
7	7.000	0.500	6.50	153.15	0.3445	52.76
8	8.000	0.500	7.50	200.28	0.2761	55.30
9	8.000	3.000	0.83	28.80	1.7430	50.19
10	10.000	0.500	9.50	313.37	0.1885	59.07
11	10.000	3.000	1.17	47.65	1.1520	54.89
12	13.000	3.000	1.67	83.78	0.7129	59.72
13	17.000	3.000	2.33	146.61	0.4370	64.07
14	20.000	3.000	2.83	204.73	0.3177	65.04
15	25.000	3.000	3.67	322.54	0.2010	64.83
16	30.000	3.000	4.50	466.53	0.1386	64.66
17	40.000	3.000	6.17	833.05	0.0685	57.06
18	50.000	3.000	7.83	1304.28	0.0399	52.04
19	60.000	3.000	9.50	1880.24	0.0270	50.77
20	80.000	3.000	12.83	3346.32	0.0162	54.21
21	80.000	20.000	1.50	471.24	0.1142	53.82
22	100.000	3.000	16.17	5231.28	0.0116	60.68
23	100.000	20.000	2.00	753.98	0.0807	60.85
24	130.000	20.000	2.75	1295.91	0.0579	75.03
25	170.000	20.000	3.75	2238.38	0.0387	86.63
26	200.000	20.000	4.50	3110.18	0.0303	94.24

Elec Config : Schlumberger

Line Name : VES2




RMS = 0.51 (%)

Province	Thang Hoa			Date	1998/11/26	
Commune	Thieu Hung			Equipment	SAS300C	
Point number	VES3			Angle		
Longitude				Latitude		

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	18.8200	118.25
2	2.500	0.500	2.00	18.85	2.7000	50.89
3	3.000	0.500	2.50	27.49	1.3930	38.29
4	4.000	0.500	3.50	49.48	0.5620	27.81
5	5.000	0.500	4.50	77.75	0.2790	21.69
6	6.000	0.500	5.50	112.31	0.1750	19.65
7	7.000	0.500	6.50	153.15	0.1209	18.52
8	8.000	0.500	7.50	200.28	0.0879	17.60
9	8.000	3.000	0.83	28.80	0.6650	19.15
10	10.000	0.500	9.50	313.37	0.0541	16.95
11	10.000	3.000	1.17	47.65	0.3740	17.82
12	13.000	3.000	1.67	83.78	0.2080	17.43
13	17.000	3.000	2.33	146.61	0.1151	16.87
14	20.000	3.000	2.83	204.73	0.0791	16.19
15	25.000	3.000	3.67	322.54	0.0499	16.09
16	30.000	3.000	4.50	466.53	0.0352	16.42
17	40.000	3.000	6.17	833.05	0.0215	17.91
18	50.000	3.000	7.83	1304.28	0.0154	20.09
19	60.000	3.000	9.50	1880.24	0.0121	22.75
20	80.000	3.000	12.83	3346.32	0.0086	28.78
21	80.000	20.000	1.50	471.24	0.0581	27.38
22	100.000	3.000	16.17	5231.28	0.0066	34.53
23	100.000	20.000	2.00	753.98	0.0443	33.40
24	130.000	20.000	2.75	1295.91	0.0324	41.99
25	170.000	20.000	3.75	2238.38	0.0236	52.83
26	200.000	20.000	4.50	3110.18	0.0195	60.65

Elec Config : Schlumberger

Line Name : VES3




RMS = 1.19 (%)

Province	Thang Hoa	Date	1998/11/26
Commune	Thieu Hung	Equipment	SAS300C
Point number	VES4	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	19.1400	120.26
2	2.500	0.500	2.00	18.85	3.1200	58.81
3	3.000	0.500	2.50	27.49	1.6700	45.91
4	4.000	0.500	3.50	49.48	0.7140	35.33
5	5.000	0.500	4.50	77.75	0.3620	28.15
6	6.000	0.500	5.50	112.31	0.2270	25.49
7	7.000	0.500	6.50	153.15	0.1530	23.43
8	8.000	0.500	7.50	200.28	0.1090	21.83
9	8.000	3.000	0.83	28.80	0.8110	23.36
10	10.000	0.500	9.50	313.37	0.0610	19.12
11	10.000	3.000	1.17	47.65	0.4068	19.38
12	13.000	3.000	1.67	83.78	0.2040	17.09
13	17.000	3.000	2.33	146.61	0.1060	15.54
14	20.000	3.000	2.83	204.73	0.0754	15.44
15	25.000	3.000	3.67	322.54	0.0503	16.22
16	30.000	3.000	4.50	466.53	0.0364	16.98
17	40.000	3.000	6.17	833.05	0.0230	19.16
18	50.000	3.000	7.83	1304.28	0.0163	21.31
19	60.000	3.000	9.50	1880.24	0.0126	23.69
20	80.000	3.000	12.83	3346.32	0.0083	27.77
21	80.000	20.000	1.50	471.24	0.0591	27.85
22	100.000	3.000	16.17	5231.28	0.0060	31.39
23	100.000	20.000	2.00	753.98	0.0416	31.37
24	130.000	20.000	2.75	1295.91	0.0287	37.19
25	170.000	20.000	3.75	2238.38	0.0204	45.66
26	200.000	20.000	4.50	3110.18	0.0168	52.25

Elec Config : Schlumberger

Line Name : VES4




RMS = 1.78 (%)

Province	Thang Hoa	Date	1998/11/26
Commune	Thieu Hung	Equipment	McOHM21
Point number	VES5	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	10.7000	67.23
2	2.500	0.500	2.00	18.85	3.2640	61.52
3	3.000	0.500	2.50	27.49	1.9630	53.96
4	4.000	0.500	3.50	49.48	0.9560	47.30
5	5.000	0.500	4.50	77.75	0.5029	39.10
6	6.000	0.500	5.50	112.31	0.3054	34.30
7	7.000	0.500	6.50	153.15	0.2131	32.64
8	8.000	0.500	7.50	200.28	0.1629	32.63
9	8.000	3.000	0.83	28.80	1.1730	33.78
10	10.000	0.500	9.50	313.37	0.1043	32.68
11	10.000	3.000	1.17	47.65	0.6808	32.44
12	13.000	3.000	1.67	83.78	0.4028	33.74
13	17.000	3.000	2.33	146.61	0.2573	37.72
14	20.000	3.000	2.83	204.73	0.1807	36.99
15	25.000	3.000	3.67	322.54	0.1203	38.80
16	30.000	3.000	4.50	466.53	0.0815	38.02
17	40.000	3.000	6.17	833.05	0.0440	36.65
18	50.000	3.000	7.83	1304.28	0.0287	37.43
19	60.000	3.000	9.50	1880.24	0.0189	35.54
20	80.000	3.000	12.83	3346.32	0.0101	33.80
21	80.000	20.000	1.50	471.24	0.0829	39.07
22	100.000	3.000	16.17	5231.28	0.0063	32.96
23	100.000	20.000	2.00	753.98	0.0502	37.85
24	130.000	20.000	2.75	1295.91	0.0312	40.43
25	170.000	20.000	3.75	2238.38	0.0187	41.86
26	200.000	20.000	4.50	3110.18	0.0161	50.07

Elec Config : Schlumberger


Line Name : VES5



Province	Thang Hoa			Date	1998/11/26	
Commune	Thieu Hung			Equipment	McOHM21	
Point number	VES6			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	15.2700	95.94
2	2.500	0.500	2.00	18.85	5.7250	107.91
3	3.000	0.500	2.50	27.49	3.9980	109.90
4	4.000	0.500	3.50	49.48	2.5370	125.53
5	5.000	0.500	4.50	77.75	1.7040	132.49
6	6.000	0.500	5.50	112.31	1.2960	145.56
7	7.000	0.500	6.50	153.15	1.0080	154.38
8	8.000	0.500	7.50	200.28	0.8214	164.51
9	8.000	3.000	0.83	28.80	4.7030	135.44
10	10.000	0.500	9.50	313.37	0.5014	157.13
11	10.000	3.000	1.17	47.65	2.7970	133.27
12	13.000	3.000	1.67	83.78	1.4880	124.66
13	17.000	3.000	2.33	146.61	0.8047	117.98
14	20.000	3.000	2.83	204.73	0.5692	116.53
15	25.000	3.000	3.67	322.54	0.2990	96.44
16	30.000	3.000	4.50	466.53	0.2313	107.91
17	40.000	3.000	6.17	833.05	0.1088	90.64
18	50.000	3.000	7.83	1304.28	0.0566	73.82
19	60.000	3.000	9.50	1880.24	0.0348	65.43
20	80.000	3.000	12.83	3346.32	0.0152	50.86
21	80.000	20.000	1.50	471.24	0.0842	39.68
22	100.000	3.000	16.17	5231.28	0.0091	47.60
23	100.000	20.000	2.00	753.98	0.0499	37.62
24	130.000	20.000	2.75	1295.91	0.0286	37.06
25	170.000	20.000	3.75	2238.38	0.0186	41.63
26	200.000	20.000	4.50	3110.18	0.0142	44.16

Elec Config : Schlumberger

Line Name : VES6




RMS = 1.66 (%)

Province	Thang Hoa	Date	1998/11/26
Commune	Thieu Hung	Equipment	McOHM21
Point number	VES7	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	14.5300	91.29
2	2.500	0.500	2.00	18.85	3.2100	60.51
3	3.000	0.500	2.50	27.49	1.8080	49.70
4	4.000	0.500	3.50	49.48	0.7073	35.00
5	5.000	0.500	4.50	77.75	0.3376	26.25
6	6.000	0.500	5.50	112.31	0.1991	22.36
7	7.000	0.500	6.50	153.15	0.1332	20.40
8	8.000	0.500	7.50	200.28	0.0956	19.15
9	8.000	3.000	0.83	28.80	0.7291	21.00
10	10.000	0.500	9.50	313.37	0.0598	18.74
11	10.000	3.000	1.17	47.65	0.4131	19.68
12	13.000	3.000	1.67	83.78	0.2251	18.86
13	17.000	3.000	2.33	146.61	0.1318	19.32
14	20.000	3.000	2.83	204.73	0.1001	20.49
15	25.000	3.000	3.67	322.54	0.0655	21.13
16	30.000	3.000	4.50	466.53	0.0496	23.14
17	40.000	3.000	6.17	833.05	0.0324	26.99
18	50.000	3.000	7.83	1304.28	0.0239	31.17
19	60.000	3.000	9.50	1880.24	0.0182	34.22
20	80.000	3.000	12.83	3346.32	0.0117	39.15
21	80.000	20.000	1.50	471.24	0.0743	35.01
22	100.000	3.000	16.17	5231.28	0.0086	44.99
23	100.000	20.000	2.00	753.98	0.0539	40.64
24	130.000	20.000	2.75	1295.91	0.0377	48.86
25	170.000	20.000	3.75	2238.38	0.0273	61.11
26	200.000	20.000	4.50	3110.18	0.0229	71.22

Elec Config : Schlumberger


Line Name : VES7



Province	Thang Hoa			Date	1998/11/26	
Commune	Thieu Hung			Equipment	McOHM21	
Point number	VES8			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	10.4600	65.72
2	2.500	0.500	2.00	18.85	2.7700	52.21
3	3.000	0.500	2.50	27.49	1.5880	43.65
4	4.000	0.500	3.50	49.48	0.6808	33.69
5	5.000	0.500	4.50	77.75	0.3846	29.90
6	6.000	0.500	5.50	112.31	0.2442	27.43
7	7.000	0.500	6.50	153.15	0.1780	27.26
8	8.000	0.500	7.50	200.28	0.1356	27.16
9	8.000	3.000	0.83	28.80	1.0630	30.61
10	10.000	0.500	9.50	313.37	0.0886	27.76
11	10.000	3.000	1.17	47.65	0.6351	30.26
12	13.000	3.000	1.67	83.78	0.3830	32.09
13	17.000	3.000	2.33	146.61	0.2226	32.63
14	20.000	3.000	2.83	204.73	0.1630	33.37
15	25.000	3.000	3.67	322.54	0.1043	33.64
16	30.000	3.000	4.50	466.53	0.0756	35.27
17	40.000	3.000	6.17	833.05	0.0445	37.07
18	50.000	3.000	7.83	1304.28	0.0291	37.95
19	60.000	3.000	9.50	1880.24	0.0200	37.60
20	80.000	3.000	12.83	3346.32	0.0120	40.16
21	80.000	20.000	1.50	471.24	0.0806	37.98
22	100.000	3.000	16.17	5231.28	0.0091	47.60
23	100.000	20.000	2.00	753.98	0.0571	43.05
24	130.000	20.000	2.75	1295.91	0.0405	52.48
25	170.000	20.000	3.75	2238.38	0.0273	61.11
26	200.000	20.000	4.50	3110.18	0.0231	71.85

Elec Config : Schlumberger

Line Name : VES8




RMS = 0.77 (%)

Province	Thang Hoa			Date	1998/11/28		
Commune	Thieu Hung			Equipment	McOHM21		
Point number	VES9			Angle			
Longitude				Latitude			
No	AB/2	MN/2	m	K	V/I	Rho-a	
1	1.500	0.500	1.00	6.28	11.6400	73.14	
2	2.500	0.500	2.00	18.85	2.7330	51.52	
3	3.000	0.500	2.50	27.49	1.7600	48.38	
4	4.000	0.500	3.50	49.48	0.7348	36.36	
5	5.000	0.500	4.50	77.75	0.3906	30.37	
6	6.000	0.500	5.50	112.31	0.2369	26.61	
7	7.000	0.500	6.50	153.15	0.1598	24.47	
8	8.000	0.500	7.50	200.28	0.1143	22.89	
9	8.000	3.000	0.83	28.80	0.9367	26.98	
10	10.000	0.500	9.50	313.37	0.0668	20.93	
11	10.000	3.000	1.17	47.65	0.4925	23.47	
12	13.000	3.000	1.67	83.78	0.2572	21.55	
13	17.000	3.000	2.33	146.61	0.1429	20.95	
14	20.000	3.000	2.83	204.73	0.1033	21.15	
15	25.000	3.000	3.67	322.54	0.0676	21.80	
16	30.000	3.000	4.50	466.53	0.0483	22.53	
17	40.000	3.000	6.17	833.05	0.0309	25.74	
18	50.000	3.000	7.83	1304.28	0.0223	29.09	
19	60.000	3.000	9.50	1880.24	0.0170	31.96	
20	80.000	3.000	12.83	3346.32	0.0111	37.14	
21	80.000	20.000	1.50	471.24	0.0791	37.27	
22	100.000	3.000	16.17	5231.28	0.0077	40.28	
23	100.000	20.000	2.00	753.98	0.0569	42.90	
24	130.000	20.000	2.75	1295.91	0.0402	52.10	
25	170.000	20.000	3.75	2238.38	0.0285	63.79	
26	200.000	20.000	4.50	3110.18	0.0237	73.71	
27	250.000	20.000	5.75	4877.32	0.0174	84.87	
28	300.000	20.000	7.00	7037.17	0.0137	96.41	

Elec Config : Schlumberger


Line Name : VES9



Province	Thang Hoa	Date	1998/11/28
Commune	Thieu Hung	Equipment	McOHM21
Point number	VES10	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	10.4600	65.72
2	2.500	0.500	2.00	18.85	4.1870	78.92
3	3.000	0.500	2.50	27.49	2.7590	75.84
4	4.000	0.500	3.50	49.48	1.4310	70.81
5	5.000	0.500	4.50	77.75	0.8460	65.78
6	6.000	0.500	5.50	112.31	0.5391	60.55
7	7.000	0.500	6.50	153.15	0.3608	55.26
8	8.000	0.500	7.50	200.28	0.2593	51.93
9	8.000	3.000	0.83	28.80	1.6820	48.44
10	10.000	0.500	9.50	313.37	0.1514	47.44
11	10.000	3.000	1.17	47.65	0.8980	42.79
12	13.000	3.000	1.67	83.78	0.4762	39.89
13	17.000	3.000	2.33	146.61	0.2577	37.78
14	20.000	3.000	2.83	204.73	0.1790	36.65
15	25.000	3.000	3.67	322.54	0.1170	37.74
16	30.000	3.000	4.50	466.53	0.0734	34.24
17	40.000	3.000	6.17	833.05	0.0402	33.49
18	50.000	3.000	7.83	1304.28	0.0240	31.30
19	60.000	3.000	9.50	1880.24	0.0165	31.02
20	80.000	3.000	12.83	3346.32	0.0108	36.14
21	80.000	20.000	1.50	471.24	0.0753	35.48
22	100.000	3.000	16.17	5231.28	0.0072	37.67
23	100.000	20.000	2.00	753.98	0.0510	38.45
24	130.000	20.000	2.75	1295.91	0.0338	43.80
25	170.000	20.000	3.75	2238.38	0.0241	53.95
26	200.000	20.000	4.50	3110.18	0.0187	58.16

Elec Config : Schlumberger
 Line Name : VES10




RMS = 3.00 (%)

Province	Thang Hoa			Date		1998/11/27
Commune	Thieu Do			Equipment		McOHM21
Point number	VES1			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	9.6510	60.64
2	2.500	0.500	2.00	18.85	3.1110	58.64
3	3.000	0.500	2.50	27.49	2.0150	55.39
4	4.000	0.500	3.50	49.48	1.0570	52.30
5	5.000	0.500	4.50	77.75	0.6274	48.78
6	6.000	0.500	5.50	112.31	0.4417	49.61
7	7.000	0.500	6.50	153.15	0.3269	50.07
8	8.000	0.500	7.50	200.28	0.2473	49.53
9	8.000	3.000	0.83	28.80	1.7730	51.06
10	10.000	0.500	9.50	313.37	0.1493	46.79
11	10.000	3.000	1.17	47.65	1.0250	48.84
12	13.000	3.000	1.67	83.78	0.5558	46.56
13	17.000	3.000	2.33	146.61	0.2654	38.91
14	20.000	3.000	2.83	204.73	0.1683	34.46
15	25.000	3.000	3.67	322.54	0.0962	31.03
16	30.000	3.000	4.50	466.53	0.0663	30.93
17	40.000	3.000	6.17	833.05	0.0385	32.07
18	50.000	3.000	7.83	1304.28	0.0264	34.43
19	60.000	3.000	9.50	1880.24	0.0194	36.48
20	80.000	3.000	12.83	3346.32	0.0123	41.16
21	80.000	20.000	1.50	471.24	0.0834	39.30
22	100.000	3.000	16.17	5231.28	0.0085	44.47
23	100.000	20.000	2.00	753.98	0.0572	43.13
24	130.000	20.000	2.75	1295.91	0.0414	53.65
25	170.000	20.000	3.75	2238.38	0.0290	64.91
26	200.000	20.000	4.50	3110.18	0.0237	73.71

Elec Config : Schlumberger

Line Name : VES1




Province	Thang Hoa	Date	1998/11/27
Commune	Thieu Do	Equipment	SAS300C
Point number	VES2	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	9.0400	56.80
2	2.500	0.500	2.00	18.85	2.9800	56.17
3	3.000	0.500	2.50	27.49	1.8410	50.61
4	4.000	0.500	3.50	49.48	0.9360	48.79
5	5.000	0.500	4.50	77.75	0.5720	44.48
6	6.000	0.500	5.50	112.31	0.3780	42.45
7	7.000	0.500	6.50	153.15	0.2630	40.28
8	8.000	0.500	7.50	200.28	0.1890	37.85
9	8.000	3.000	0.83	28.80	1.0810	31.13
10	10.000	0.500	9.50	313.37	0.1120	35.10
11	10.000	3.000	1.17	47.65	0.5980	28.49
12	13.000	3.000	1.67	83.78	0.3200	26.81
13	17.000	3.000	2.33	146.61	0.1800	26.39
14	20.000	3.000	2.83	204.73	0.1270	26.00
15	25.000	3.000	3.67	322.54	0.0865	27.90
16	30.000	3.000	4.50	466.53	0.0618	28.83
17	40.000	3.000	6.17	833.05	0.0397	33.07
18	50.000	3.000	7.83	1304.28	0.0290	37.82
19	60.000	3.000	9.50	1880.24	0.0226	42.49
20	80.000	3.000	12.83	3346.32	0.0152	50.86
21	80.000	20.000	1.50	471.24	0.0980	46.18
22	100.000	3.000	16.17	5231.28	0.0115	60.16
23	100.000	20.000	2.00	753.98	0.0731	55.12
24	130.000	20.000	2.75	1295.91	0.0528	68.42
25	170.000	20.000	3.75	2238.38	0.0385	86.18
26	200.000	20.000	4.50	3110.18	0.0313	97.35

Elec Config : Schlumberger

Line Name : VES2



RMS = 128 (%)