


Province	NinhBinh	Date	1998/12/20
Commune	QuangSon	Equipment	McOHM21
Point number	VES19	Angle	
Longitude	591668.0	Latitude	2228596.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	87.6000	550.41
2	2.500	0.500	2.00	18.85	10.2400	193.02
3	3.000	0.500	2.50	27.49	4.2880	117.87
4	4.000	0.500	3.50	49.48	1.3780	68.18
5	5.000	0.500	4.50	77.75	0.6136	47.71
6	6.000	0.500	5.50	112.31	0.3466	38.93
7	7.000	0.500	6.50	153.15	0.2424	37.12
8	8.000	0.500	7.50	200.28	0.1788	35.81
9	8.000	3.000	0.83	28.80	1.3900	40.03
10	10.000	0.500	9.50	313.37	0.1388	43.50
11	10.000	3.000	1.17	47.65	0.9775	46.58
12	13.000	3.000	1.67	83.78	0.6723	56.32
13	17.000	3.000	2.33	146.61	0.5107	74.87
14	20.000	3.000	2.83	204.73	0.4496	92.05
15	25.000	3.000	3.67	322.54	0.3369	108.66
16	30.000	3.000	4.50	466.53	0.2860	133.43
17	40.000	3.000	6.17	833.05	0.2017	168.03
18	50.000	3.000	7.83	1304.28	0.1576	205.56
19	60.000	3.000	9.50	1880.24	0.1406	264.36
20	80.000	3.000	12.83	3346.32	0.1100	368.10
21	80.000	20.000	1.50	471.24	0.7977	375.91
22	100.000	3.000	16.17	5231.28	0.0799	417.98
23	100.000	20.000	2.00	753.98	0.6198	467.32
24	130.000	20.000	2.75	1295.91	0.5169	669.85
25	170.000	20.000	3.75	2238.38	0.3711	830.66
26	200.000	20.000	4.50	3110.18	0.2947	916.57

Elec Config : Schlumberger

Line Name : VES19




Province	NinhBinh	Date	1998/12/19
Commune	QuangSon	Equipment	McOHM21
Point number	VES20	Angle	114.0
Longitude	592312.0	Latitude	2228671.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	29.9400	188.12
2	2.500	0.500	2.00	18.85	5.3310	100.49
3	3.000	0.500	2.50	27.49	2.8860	79.33
4	4.000	0.500	3.50	49.48	1.0610	52.60
5	5.000	0.500	4.50	77.75	0.5138	39.95
6	6.000	0.500	5.50	112.31	0.3066	34.43
7	7.000	0.500	6.50	153.15	0.2194	33.60
8	8.000	0.500	7.50	200.28	0.1716	34.37
9	8.000	3.000	0.83	28.80	1.2170	35.05
10	10.000	0.500	9.50	313.37	0.1228	38.48
11	10.000	3.000	1.17	47.65	0.7715	36.76
12	13.000	3.000	1.67	83.78	0.5546	46.46
13	17.000	3.000	2.33	146.61	0.4236	62.10
14	20.000	3.000	2.83	204.73	0.3640	74.52
15	25.000	3.000	3.67	322.54	0.2987	96.34
16	30.000	3.000	4.50	466.53	0.2538	118.40
17	40.000	3.000	6.17	833.05	0.1910	159.11
18	50.000	3.000	7.83	1304.28	0.1455	189.77
19	60.000	3.000	9.50	1880.24	0.1169	219.80
20	80.000	3.000	12.83	3346.32	0.0843	282.09
21	80.000	20.000	1.50	471.24	0.5712	269.17
22	100.000	3.000	16.17	5231.28	0.0640	334.80
23	100.000	20.000	2.00	753.98	0.4266	321.65
24	130.000	20.000	2.75	1295.91	0.2947	381.90
25	170.000	20.000	3.75	2238.38	0.2157	482.82
26	200.000	20.000	4.50	3110.18	0.1802	560.45

Elec Config : Schlumberger

Line Name : VES20




RMS = 2.00 (%)

Province	NinhBinh	Date	1998/12/19
Commune	QuangSon	Equipment	McOHM21
Point number	VES21	Angle	109.0
Longitude	592787.0	Latitude	2228521.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	4.8370	30.39
2	2.500	0.500	2.00	18.85	0.8245	15.54
3	3.000	0.500	2.50	27.49	0.4151	11.41
4	4.000	0.500	3.50	49.48	0.1860	9.20
5	5.000	0.500	4.50	77.75	0.1022	7.95
6	6.000	0.500	5.50	112.31	0.0695	7.81
7	7.000	0.500	6.50	153.15	0.0484	7.41
8	8.000	0.500	7.50	200.28	0.0377	7.55
9	8.000	3.000	0.83	28.80	0.2306	6.64
10	10.000	0.500	9.50	313.37	0.0255	7.99
11	10.000	3.000	1.17	47.65	0.1439	6.86
12	13.000	3.000	1.67	83.78	0.0922	7.72
13	17.000	3.000	2.33	146.61	0.0583	8.55
14	20.000	3.000	2.83	204.73	0.0456	9.34
15	25.000	3.000	3.67	322.54	0.0350	11.29
16	30.000	3.000	4.50	466.53	0.0299	13.95
17	40.000	3.000	6.17	833.05	0.0217	18.08
18	50.000	3.000	7.83	1304.28	0.0174	22.69
19	60.000	3.000	9.50	1880.24	0.0145	27.26
20	80.000	3.000	12.83	3346.32	0.0109	36.47
21	80.000	20.000	1.50	471.24	0.0825	38.88
22	100.000	3.000	16.17	5231.28	0.0083	43.42
23	100.000	20.000	2.00	753.98	0.0602	45.39
24	130.000	20.000	2.75	1295.91	0.0470	60.91
25	170.000	20.000	3.75	2238.38	0.0370	82.82
26	200.000	20.000	4.50	3110.18	0.0337	104.81

Elec Config : Schlumberger


Line Name : VES21



Province	NinhBinh			Date	1998/12/19	
Commune	QuangSon			Equipment	McOHM21	
Point number	VES22			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	21.5800	135.59
2	2.500	0.500	2.00	18.85	9.5990	180.94
3	3.000	0.500	2.50	27.49	7.0580	194.02
4	4.000	0.500	3.50	49.48	4.6060	227.91
5	5.000	0.500	4.50	77.75	3.4260	266.39
6	6.000	0.500	5.50	112.31	2.7110	304.48
7	7.000	0.500	6.50	153.15	2.1720	332.65
8	8.000	0.500	7.50	200.28	1.7710	354.69
9	8.000	3.000	0.83	28.80	10.5400	303.53
10	10.000	0.500	9.50	313.37	1.2230	383.26
11	10.000	3.000	1.17	47.65	7.0680	336.77
12	13.000	3.000	1.67	83.78	4.3140	361.41
13	17.000	3.000	2.33	146.61	2.3000	337.20
14	20.000	3.000	2.83	204.73	1.6040	328.38
15	25.000	3.000	3.67	322.54	1.0210	329.31
16	30.000	3.000	4.50	466.53	0.7407	345.56
17	40.000	3.000	6.17	833.05	0.3922	326.72
18	50.000	3.000	7.83	1304.28	0.2603	339.51
19	60.000	3.000	9.50	1880.24	0.2075	390.15
20	80.000	3.000	12.83	3346.32	0.1308	437.70
21	80.000	20.000	1.50	471.24	1.0330	486.79
22	100.000	3.000	16.17	5231.28	0.0962	503.25
23	100.000	20.000	2.00	753.98	0.7675	578.68
24	130.000	20.000	2.75	1295.91	0.5357	694.22
25	170.000	20.000	3.75	2238.38	0.3591	803.80
26	200.000	20.000	4.50	3110.18	0.2736	850.94

Elec Config : Schlumberger

Line Name : VES22




RMS = 1.32 (%)

Province	NinhBinh			Date	1998/12/19	
Commune	QuangSon			Equipment	McOHM21	
Point number	VES23			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	261.3000	1641.80
2	2.500	0.500	2.00	18.85	53.6900	1012.03
3	3.000	0.500	2.50	27.49	34.4100	945.89
4	4.000	0.500	3.50	49.48	13.7900	682.33
5	5.000	0.500	4.50	77.75	8.1540	634.01
6	6.000	0.500	5.50	112.31	5.7590	646.80
7	7.000	0.500	6.50	153.15	3.7250	570.49
8	8.000	0.500	7.50	200.28	2.8700	574.79
9	8.000	3.000	0.83	28.80	17.8600	514.33
10	10.000	0.500	9.50	313.37	1.9480	610.45
11	10.000	3.000	1.17	47.65	11.7300	558.91
12	13.000	3.000	1.67	83.78	6.0160	504.00
13	17.000	3.000	2.33	146.61	3.2530	476.91
14	20.000	3.000	2.83	204.73	2.2950	469.85
15	25.000	3.000	3.67	322.54	1.4300	461.23
16	30.000	3.000	4.50	466.53	1.0300	480.52
17	40.000	3.000	6.17	833.05	0.6259	521.40
18	50.000	3.000	7.83	1304.28	0.4693	612.10
19	60.000	3.000	9.50	1880.24	0.3636	683.66
20	80.000	3.000	12.83	3346.32	0.2526	845.28
21	80.000	20.000	1.50	471.24	2.3180	1092.33
22	100.000	3.000	16.17	5231.28	0.1916	1002.31
23	100.000	20.000	2.00	753.98	1.7280	1302.88
24	130.000	20.000	2.75	1295.91	1.1860	1536.95
25	170.000	20.000	3.75	2238.38	0.7938	1776.83
26	200.000	20.000	4.50	3110.18	0.6229	1937.33

Elec Config : Schlumberger

Line Name : VES23




Province	NinhBinh	Date	1998/12/21
Commune	QuangSon	Equipment	SAS300C
Point number	VES24	Angle	
Longitude	589197.0	Latitude	229237.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	96.2000	604.44
2	2.500	0.500	2.00	18.85	35.1000	661.62
3	3.000	0.500	2.50	27.49	25.6024	703.78
4	4.000	0.500	3.50	49.48	15.1300	748.63
5	5.000	0.500	4.50	77.75	10.0400	780.65
6	6.000	0.500	5.50	112.31	7.6100	854.69
7	7.000	0.500	6.50	153.15	5.9800	915.85
8	8.000	0.500	7.50	200.28	4.5700	915.26
9	8.000	3.000	0.83	28.80	31.5204	907.72
10	10.000	0.500	9.50	313.37	2.6867	841.93
11	10.000	3.000	1.17	47.65	18.8938	900.24
12	13.000	3.000	1.67	83.78	10.2900	862.05
13	17.000	3.000	2.33	146.61	5.7500	842.99
14	20.000	3.000	2.83	204.73	4.1900	857.81
15	25.000	3.000	3.67	322.54	2.5600	825.69
16	30.000	3.000	4.50	466.53	1.7040	794.96
17	40.000	3.000	6.17	833.05	0.7360	613.12
18	50.000	3.000	7.83	1304.28	0.4050	528.24
19	60.000	3.000	9.50	1880.24	0.2800	526.47
20	80.000	3.000	12.83	3346.32	0.1555	520.37
21	80.000	20.000	1.50	471.24	1.1722	552.41
22	100.000	3.000	16.17	5231.28	0.1106	578.69
23	100.000	20.000	2.00	753.98	0.8040	606.22
24	130.000	20.000	2.75	1295.91	0.4780	619.44
25	170.000	20.000	3.75	2238.38	0.3190	714.04
26	200.000	20.000	4.50	3110.18	0.2470	768.21

Elec Config : Schlumberger

Line Name : VES24




Province	NinhBinh	Date	1998/12/22
Commune	QuangSon	Equipment	McOHM21
Point number	VES25	Angle	
Longitude	589063.0	Latitude	2228818.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	63.1200	396.59
2	2.500	0.500	2.00	18.85	25.2700	476.33
3	3.000	0.500	2.50	27.49	17.5900	483.53
4	4.000	0.500	3.50	49.48	9.3870	464.47
5	5.000	0.500	4.50	77.75	5.5950	435.04
6	6.000	0.500	5.50	112.31	3.7850	425.10
7	7.000	0.500	6.50	153.15	2.6210	401.41
8	8.000	0.500	7.50	200.28	1.9130	383.13
9	8.000	3.000	0.83	28.80	14.2900	411.52
10	10.000	0.500	9.50	313.37	1.1270	353.17
11	10.000	3.000	1.17	47.65	7.7610	369.79
12	13.000	3.000	1.67	83.78	3.9800	333.43
13	17.000	3.000	2.33	146.61	2.1600	316.67
14	20.000	3.000	2.83	204.73	1.3780	282.11
15	25.000	3.000	3.67	322.54	0.7376	237.90
16	30.000	3.000	4.50	466.53	0.4294	200.33
17	40.000	3.000	6.17	833.05	0.2166	180.44
18	50.000	3.000	7.83	1304.28	0.1398	182.34
19	60.000	3.000	9.50	1880.24	0.1055	198.37
20	80.000	3.000	12.83	3346.32	0.0629	210.48
21	80.000	20.000	1.50	471.24	0.4796	226.01
22	100.000	3.000	16.17	5231.28	0.0447	233.84
23	100.000	20.000	2.00	753.98	0.3348	252.43
24	130.000	20.000	2.75	1295.91	0.2349	304.41
25	170.000	20.000	3.75	2238.38	0.1598	357.69
26	200.000	20.000	4.50	3110.18	0.1222	380.06

Elec Config : Schlumberger

Line Name : VES25




Province	NinhBinh	Date	1998/12/22
Commune	QuangSon	Equipment	McOHM21
Point number	VES26	Angle	
Longitude	588921.0	Latitude	2228409.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	17.5400	110.21
2	2.500	0.500	2.00	18.85	6.9390	130.80
3	3.000	0.500	2.50	27.49	4.5350	124.66
4	4.000	0.500	3.50	49.48	2.6440	130.83
5	5.000	0.500	4.50	77.75	1.6300	126.74
6	6.000	0.500	5.50	112.31	1.0960	123.09
7	7.000	0.500	6.50	153.15	0.8272	126.69
8	8.000	0.500	7.50	200.28	0.6585	131.88
9	8.000	3.000	0.83	28.80	5.2350	150.76
10	10.000	0.500	9.50	313.37	0.4257	133.40
11	10.000	3.000	1.17	47.65	3.1460	149.90
12	13.000	3.000	1.67	83.78	1.7930	150.21
13	17.000	3.000	2.33	146.61	0.9071	132.99
14	20.000	3.000	2.83	204.73	0.5735	117.41
15	25.000	3.000	3.67	322.54	0.3773	121.69
16	30.000	3.000	4.50	466.53	0.2353	109.77
17	40.000	3.000	6.17	833.05	0.1577	131.37
18	50.000	3.000	7.83	1304.28	0.1062	138.52
19	60.000	3.000	9.50	1880.24	0.0840	157.94
20	80.000	3.000	12.83	3346.32	0.0608	203.46
21	80.000	20.000	1.50	471.24	0.5179	244.05
22	100.000	3.000	16.17	5231.28	0.0475	248.49
23	100.000	20.000	2.00	753.98	0.3991	300.91
24	130.000	20.000	2.75	1295.91	0.2846	368.82
25	170.000	20.000	3.75	2238.38	0.2113	472.97
26	200.000	20.000	4.50	3110.18	0.1767	549.57

Eleo Config : Schlumberger

Line Name : VES26




RMS = 1.94 (%)

Province	NinhBinh			Date	1998/12/24	
Commune	QuangSon			Equipment	McOHM21	
Point number	VES27			Angle	100.0	
Longitude	593895.0			Latitude	2228511.0	
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	54.4800	342.31
2	2.500	0.500	2.00	18.85	16.7200	315.16
3	3.000	0.500	2.50	27.49	14.0200	385.39
4	4.000	0.500	3.50	49.48	8.4590	418.55
5	5.000	0.500	4.50	77.75	5.7910	450.28
6	6.000	0.500	5.50	112.31	3.9220	440.49
7	7.000	0.500	6.50	153.15	2.9040	444.76
8	8.000	0.500	7.50	200.28	2.3070	462.04
9	8.000	3.000	0.83	28.80	17.5800	506.27
10	10.000	0.500	9.50	313.37	1.4920	467.55
11	10.000	3.000	1.17	47.65	11.0700	527.46
12	13.000	3.000	1.67	83.78	5.4780	458.92
13	17.000	3.000	2.33	146.61	2.8750	421.50
14	20.000	3.000	2.83	204.73	1.8160	371.78
15	25.000	3.000	3.67	322.54	1.0620	342.53
16	30.000	3.000	4.50	466.53	0.7653	357.03
17	40.000	3.000	6.17	833.05	0.4880	406.53
18	50.000	3.000	7.83	1304.28	0.3479	453.76
19	60.000	3.000	9.50	1880.24	0.2909	546.96
20	80.000	3.000	12.83	3346.32	0.1893	633.46
21	80.000	20.000	1.50	471.24	1.4340	675.76
22	100.000	3.000	16.17	5231.28	0.1316	688.44
23	100.000	20.000	2.00	753.98	0.9936	749.16
24	130.000	20.000	2.75	1295.91	0.6353	823.29
25	170.000	20.000	3.75	2238.38	0.4039	904.08
26	200.000	20.000	4.50	3110.18	0.3253	1011.74

Elec Config : Schlumberger

Line Name : VFS27




RMS = 0.03 (%)

Province	Ninh Binh			Date	1998/12/17	
Commune	Yen Thang			Equipment	McOHM21	
Point number	VES1			Angle		
Longitude	599046.0			Latitude	2229016.0	
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	3.0100	18.91
2	2.500	0.500	2.00	18.85	0.4248	8.01
3	3.000	0.500	2.50	27.49	0.2128	5.85
4	4.000	0.500	3.50	49.48	0.0778	3.85
5	5.000	0.500	4.50	77.75	0.0366	2.85
6	6.000	0.500	5.50	112.31	0.0198	2.22
7	7.000	0.500	6.50	153.15	0.0112	1.72
8	8.000	0.500	7.50	200.28	0.0089	1.78
9	8.000	3.000	0.83	28.80	0.0731	2.11
10	10.000	0.500	9.50	313.37	0.0044	1.38
11	10.000	3.000	1.17	47.65	0.0364	1.73
12	13.000	3.000	1.67	83.78	0.0188	1.57
13	17.000	3.000	2.33	146.61	0.0117	1.72
14	20.000	3.000	2.83	204.73	0.0088	1.80
15	25.000	3.000	3.67	322.54	0.0064	2.06
16	30.000	3.000	4.50	466.53	0.0052	2.43
17	40.000	3.000	6.17	833.05	0.0038	3.17
18	50.000	3.000	7.83	1304.28	0.0030	3.91
19	60.000	3.000	9.50	1880.24	0.0024	4.51
20	80.000	3.000	12.83	3346.32	0.0017	5.69
21	80.000	20.000	1.50	471.24	0.0155	7.30
22	100.000	3.000	16.17	5231.28	0.0014	7.32
23	100.000	20.000	2.00	753.98	0.0109	8.22
24	130.000	20.000	2.75	1295.91	0.0080	10.37
25	170.000	20.000	3.75	2238.38	0.0059	13.21
26	200.000	20.000	4.50	3110.18	0.0050	15.55

Elec Config : Schlumberger

Line Name : VES1




Province	Ninh Binh	Date	1998/12/17
Commune	Yen Thang	Equipment	McOHM21
Point number	VES2	Angle	
Longitude	599298.0	Latitude	3184.7

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	5.3910	33.87
2	2.500	0.500	2.00	18.85	0.8454	15.94
3	3.000	0.500	2.50	27.49	0.4024	11.06
4	4.000	0.500	3.50	49.48	0.1458	7.21
5	5.000	0.500	4.50	77.75	0.0657	5.11
6	6.000	0.500	5.50	112.31	0.0403	4.53
7	7.000	0.500	6.50	153.15	0.0247	3.78
8	8.000	0.500	7.50	200.28	0.0170	3.40
9	8.000	3.000	0.83	28.80	0.1285	3.70
10	10.000	0.500	9.50	313.37	0.0096	3.01
11	10.000	3.000	1.17	47.65	0.0643	3.06
12	13.000	3.000	1.67	83.78	0.0314	2.63
13	17.000	3.000	2.33	146.61	0.0167	2.45
14	20.000	3.000	2.83	204.73	0.0126	2.58
15	25.000	3.000	3.67	322.54	0.0090	2.92
16	30.000	3.000	4.50	466.53	0.0071	3.30
17	40.000	3.000	6.17	833.05	0.0045	3.78
18	50.000	3.000	7.83	1304.28	0.0035	4.51
19	60.000	3.000	9.50	1880.24	0.0026	4.89
20	80.000	3.000	12.83	3346.32	0.0018	6.02
21	80.000	20.000	1.50	471.24	0.0137	6.46
22	100.000	3.000	16.17	5231.28	0.0014	7.48
23	100.000	20.000	2.00	753.98	0.0111	8.37
24	130.000	20.000	2.75	1295.91	0.0093	12.05
25	170.000	20.000	3.75	2238.38	0.0079	17.68
26	200.000	20.000	4.50	3110.18	0.0074	23.02

Elec Config : Schlumberger

Line Name : VES2




RMS = 2.68 (%)

Province	Ninh Binh			Date	1998/12/17	
Commune	Yen Thang			Equipment	McOHM21	
Point number	VES3			Angle		
Longitude	599885.0			Latitude	2229535.0	
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	3.0950	19.45
2	2.500	0.500	2.00	18.85	0.9015	16.99
3	3.000	0.500	2.50	27.49	0.5802	15.95
4	4.000	0.500	3.50	49.48	0.2672	13.22
5	5.000	0.500	4.50	77.75	0.1403	10.91
6	6.000	0.500	5.50	112.31	0.0810	9.10
7	7.000	0.500	6.50	153.15	0.0465	7.12
8	8.000	0.500	7.50	200.28	0.0308	6.17
9	8.000	3.000	0.83	28.80	0.2392	6.89
10	10.000	0.500	9.50	313.37	0.0145	4.54
11	10.000	3.000	1.17	47.65	0.1004	4.78
12	13.000	3.000	1.67	83.78	0.0399	3.34
13	17.000	3.000	2.33	146.61	0.0191	2.80
14	20.000	3.000	2.83	204.73	0.0134	2.74
15	25.000	3.000	3.67	322.54	0.0092	2.97
16	30.000	3.000	4.50	466.53	0.0078	3.65
17	40.000	3.000	6.17	833.05	0.0054	4.50
18	50.000	3.000	7.83	1304.28	0.0041	5.36
19	60.000	3.000	9.50	1880.24	0.0034	6.39
20	80.000	3.000	12.83	3346.32	0.0024	8.03
21	80.000	20.000	1.50	471.24	0.0196	9.24
22	100.000	3.000	16.17	5231.28	0.0023	12.03
23	100.000	20.000	2.00	753.98	0.0150	11.31
24	130.000	20.000	2.75	1295.91	0.0127	16.46
25	170.000	20.000	3.75	2238.38	0.0100	22.38
26	200.000	20.000	4.50	3110.18	0.0094	29.24

Elec Config : Schlumberger

Line Name : VES3




Province	Ninh Binh	Date	1998/12/17
Commune	Yen Thang	Equipment	McOHM21
Point number	VES4	Angle	
Longitude	600133.0	Latitude	2229960.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	12.4500	78.23
2	2.500	0.500	2.00	18.85	2.7920	52.63
3	3.000	0.500	2.50	27.49	1.6790	46.15
4	4.000	0.500	3.50	49.48	0.8364	41.39
5	5.000	0.500	4.50	77.75	0.4187	32.56
6	6.000	0.500	5.50	112.31	0.2214	24.87
7	7.000	0.500	6.50	153.15	0.1308	20.03
8	8.000	0.500	7.50	200.28	0.0740	14.82
9	8.000	3.000	0.83	28.80	0.5208	15.00
10	10.000	0.500	9.50	313.37	0.0325	10.18
11	10.000	3.000	1.17	47.65	0.2230	10.63
12	13.000	3.000	1.67	83.78	0.1059	8.87
13	17.000	3.000	2.33	146.61	0.0420	6.16
14	20.000	3.000	2.83	204.73	0.0267	5.48
15	25.000	3.000	3.67	322.54	0.0166	5.35
16	30.000	3.000	4.50	466.53	0.0112	5.21
17	40.000	3.000	6.17	833.05	0.0071	5.90
18	50.000	3.000	7.83	1304.28	0.0053	6.87
19	60.000	3.000	9.50	1880.24	0.0041	7.75
20	80.000	3.000	12.83	3346.32	0.0026	8.86
21	80.000	20.000	1.50	471.24	0.0206	9.69
22	100.000	3.000	16.17	5231.28	0.0020	10.65
23	100.000	20.000	2.00	753.98	0.0162	12.23
24	130.000	20.000	2.75	1295.91	0.0111	14.38
25	170.000	20.000	3.75	2238.38	0.0067	15.00
26	200.000	20.000	4.50	3110.18	0.0050	15.55

Elec Config : Schlumberger

Line Name : VES4




Province	Ninh Binh	Date	1998/12/18
Commune	Yen Thang	Equipment	McOHM21
Point number	VES5	Angle	32.0
Longitude	600215.0	Latitude	2228473.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	10.6500	66.92
2	2.500	0.500	2.00	18.85	1.2810	24.15
3	3.000	0.500	2.50	27.49	0.6748	18.55
4	4.000	0.500	3.50	49.48	0.2004	9.92
5	5.000	0.500	4.50	77.75	0.0877	6.82
6	6.000	0.500	5.50	112.31	0.0467	5.24
7	7.000	0.500	6.50	153.15	0.0285	4.36
8	8.000	0.500	7.50	200.28	0.0182	3.65
9	8.000	3.000	0.83	28.80	0.1508	4.34
10	10.000	0.500	9.50	313.37	0.0093	2.91
11	10.000	3.000	1.17	47.65	0.0604	2.88
12	13.000	3.000	1.67	83.78	0.0294	2.46
13	17.000	3.000	2.33	146.61	0.0146	2.14
14	20.000	3.000	2.83	204.73	0.0104	2.13
15	25.000	3.000	3.67	322.54	0.0071	2.29
16	30.000	3.000	4.50	466.53	0.0053	2.47
17	40.000	3.000	6.17	833.05	0.0036	3.00
18	50.000	3.000	7.83	1304.28	0.0028	3.65
19	60.000	3.000	9.50	1880.24	0.0023	4.32
20	80.000	3.000	12.83	3346.32	0.0018	6.02
21	80.000	20.000	1.50	471.24	0.0129	6.08
22	100.000	3.000	16.17	5231.28	0.0014	7.32
23	100.000	20.000	2.00	753.98	0.0098	7.39
24	130.000	20.000	2.75	1295.91	0.0073	9.46
25	170.000	20.000	3.75	2238.38	0.0056	12.53
26	200.000	20.000	4.50	3110.18	0.0047	14.62

Elec Config : Schlumberger

Line Name : VES5




RMS = 294 (%)

Province	Ninh Binh			Date	1998/12/18	
Commune	Yen Thang			Equipment	McOHM21	
Point number	VES6			Angle	33.0	
Longitude	600767.0			Latitude	2229402.0	
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	13.6600	85.83
2	2.500	0.500	2.00	18.85	3.6610	69.01
3	3.000	0.500	2.50	27.49	2.2540	61.96
4	4.000	0.500	3.50	49.48	0.9707	48.03
5	5.000	0.500	4.50	77.75	0.5308	41.27
6	6.000	0.500	5.50	112.31	0.3144	35.31
7	7.000	0.500	6.50	153.15	0.1969	30.16
8	8.000	0.500	7.50	200.28	0.1303	26.10
9	8.000	3.000	0.83	28.80	0.9960	28.68
10	10.000	0.500	9.50	313.37	0.0662	20.75
11	10.000	3.000	1.17	47.65	0.4457	21.24
12	13.000	3.000	1.67	83.78	0.1777	14.89
13	17.000	3.000	2.33	146.61	0.0714	10.47
14	20.000	3.000	2.83	204.73	0.0468	9.58
15	25.000	3.000	3.67	322.54	0.0266	8.58
16	30.000	3.000	4.50	466.53	0.0167	7.79
17	40.000	3.000	6.17	833.05	0.0092	7.66
18	50.000	3.000	7.83	1304.28	0.0068	8.87
19	60.000	3.000	9.50	1880.24	0.0052	9.78
20	80.000	3.000	12.83	3346.32	0.0037	12.38
21	80.000	20.000	1.50	471.24	0.0246	11.59
22	100.000	3.000	16.17	5231.28	0.0025	13.08
23	100.000	20.000	2.00	753.98	0.0176	13.27
24	130.000	20.000	2.75	1295.91	0.0134	17.37
25	170.000	20.000	3.75	2238.38	0.0096	21.49
26	200.000	20.000	4.50	3110.18	0.0077	23.95

Elec Config : Schlumberger

Line Name : VES6




Province	Ninh Binh	Date	1998/12/18
Commune	Yen Thang	Equipment	McOHM21
Point number	VES7	Angle	36.0
Longitude	601017.0	Latitude	2229737.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	10.3800	65.22
2	2.500	0.500	2.00	18.85	2.0730	39.08
3	3.000	0.500	2.50	27.49	0.9870	27.13
4	4.000	0.500	3.50	49.48	0.3657	18.09
5	5.000	0.500	4.50	77.75	0.1799	13.99
6	6.000	0.500	5.50	112.31	0.0995	11.18
7	7.000	0.500	6.50	153.15	0.0624	9.56
8	8.000	0.500	7.50	200.28	0.0434	8.69
9	8.000	3.000	0.83	28.80	0.3436	9.89
10	10.000	0.500	9.50	313.37	0.0218	6.83
11	10.000	3.000	1.17	47.65	0.1548	7.38
12	13.000	3.000	1.67	83.78	0.0680	5.70
13	17.000	3.000	2.33	146.61	0.0301	4.41
14	20.000	3.000	2.83	204.73	0.0197	4.03
15	25.000	3.000	3.67	322.54	0.0126	4.06
16	30.000	3.000	4.50	466.53	0.0087	4.06
17	40.000	3.000	6.17	833.05	0.0055	4.58
18	50.000	3.000	7.83	1304.28	0.0041	5.35
19	60.000	3.000	9.50	1880.24	0.0032	6.02
20	80.000	3.000	12.83	3346.32	0.0023	7.70
21	80.000	20.000	1.50	471.24	0.0152	7.16
22	100.000	3.000	16.17	5231.28	0.0019	9.94
23	100.000	20.000	2.00	753.98	0.0126	9.50
24	130.000	20.000	2.75	1295.91	0.0091	11.79
25	170.000	20.000	3.75	2238.38	0.0066	14.77
26	200.000	20.000	4.50	3110.18	0.0055	17.11

Elec Config : Schlumberger

Line Name : VES7




Province	Ninh Binh	Date	1998/12/17
Commune	Yen Thang	Equipment	McOHM21
Point number	VES8	Angle	32.0
Longitude	600942.0	Latitude	2228952.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	6.2330	39.16
2	2.500	0.500	2.00	18.85	1.9470	36.70
3	3.000	0.500	2.50	27.49	1.1640	32.00
4	4.000	0.500	3.50	49.48	0.4989	24.69
5	5.000	0.500	4.50	77.75	0.2296	17.85
6	6.000	0.500	5.50	112.31	0.1230	13.81
7	7.000	0.500	6.50	153.15	0.0674	10.32
8	8.000	0.500	7.50	200.28	0.0352	7.06
9	8.000	3.000	0.83	28.80	0.2027	5.84
10	10.000	0.500	9.50	313.37	0.0154	4.83
11	10.000	3.000	1.17	47.65	0.0889	4.24
12	13.000	3.000	1.67	83.78	0.0444	3.72
13	17.000	3.000	2.33	146.61	0.0195	2.86
14	20.000	3.000	2.83	204.73	0.0135	2.76
15	25.000	3.000	3.67	322.54	0.0096	3.10
16	30.000	3.000	4.50	466.53	0.0075	3.50
17	40.000	3.000	6.17	833.05	0.0050	4.17
18	50.000	3.000	7.83	1304.28	0.0040	5.22
19	60.000	3.000	9.50	1880.24	0.0032	6.02
20	80.000	3.000	12.83	3346.32	0.0025	8.37
21	80.000	20.000	1.50	471.24	0.0188	8.86
22	100.000	3.000	16.17	5231.28	0.0019	9.94
23	100.000	20.000	2.00	753.98	0.0119	8.97
24	130.000	20.000	2.75	1295.91	0.0095	12.31
25	170.000	20.000	3.75	2238.38	0.0072	16.12
26	200.000	20.000	4.50	3110.18	0.0058	18.04

Elec Config : Schlumberger

Line Name : VES8




RMS = 2.83 (%)

Province	Ninh Binh	Date	1998/12/17
Commune	Yen Thang	Equipment	McOHM21
Point number	VES9	Angle	
Longitude	601223.0	Latitude	2229368.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	2.7730	17.42
2	2.500	0.500	2.00	18.85	0.8108	15.28
3	3.000	0.500	2.50	27.49	0.5144	14.14
4	4.000	0.500	3.50	49.48	0.2212	10.94
5	5.000	0.500	4.50	77.75	0.1256	9.77
6	6.000	0.500	5.50	112.31	0.0666	7.48
7	7.000	0.500	6.50	153.15	0.0412	6.31
8	8.000	0.500	7.50	200.28	0.0264	5.29
9	8.000	3.000	0.83	28.80	0.2158	6.21
10	10.000	0.500	9.50	313.37	0.0121	3.79
11	10.000	3.000	1.17	47.65	0.0885	4.22
12	13.000	3.000	1.67	83.78	0.0405	3.39
13	17.000	3.000	2.33	146.61	0.0205	3.01
14	20.000	3.000	2.83	204.73	0.0146	2.99
15	25.000	3.000	3.67	322.54	0.0091	2.94
16	30.000	3.000	4.50	466.53	0.0071	3.31
17	40.000	3.000	6.17	833.05	0.0050	4.17
18	50.000	3.000	7.83	1304.28	0.0035	4.56
19	60.000	3.000	9.50	1880.24	0.0030	5.64
20	80.000	3.000	12.83	3346.32	0.0021	7.03
21	80.000	20.000	1.50	471.24	0.0139	6.55
22	100.000	3.000	16.17	5231.28	0.0016	8.37
23	100.000	20.000	2.00	753.98	0.0111	8.37
24	130.000	20.000	2.75	1295.91	0.0084	10.89
25	170.000	20.000	3.75	2238.38	0.0066	14.77
26	200.000	20.000	4.50	3110.18	0.0055	17.11

Elec Config : Schlumberger

Line Name : VES9




Province	Ninh Binh	Date	1998/12/17
Commune	Yen Thang	Equipment	McOHM21
Point number	VES10	Angle	39.0
Longitude	601846.0	Latitude	2229411.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	3.9440	24.78
2	2.500	0.500	2.00	18.85	1.0190	19.21
3	3.000	0.500	2.50	27.49	0.6298	17.31
4	4.000	0.500	3.50	49.48	0.2570	12.72
5	5.000	0.500	4.50	77.75	0.1200	9.33
6	6.000	0.500	5.50	112.31	0.0692	7.77
7	7.000	0.500	6.50	153.15	0.0371	5.68
8	8.000	0.500	7.50	200.28	0.0246	4.93
9	8.000	3.000	0.83	28.80	0.1714	4.94
10	11.000	0.500	10.50	379.35	0.0094	3.57
11	11.000	3.000	1.33	58.64	0.0523	3.07
12	13.000	3.000	1.67	83.78	0.0361	3.02
13	17.000	3.000	2.33	146.61	0.0189	2.77
14	20.000	3.000	2.83	204.73	0.0136	2.78
15	25.000	3.000	3.67	322.54	0.0091	2.94
16	30.000	3.000	4.50	466.53	0.0068	3.17
17	40.000	3.000	6.17	833.05	0.0045	3.75
18	50.000	3.000	7.83	1304.28	0.0035	4.56
19	60.000	3.000	9.50	1880.24	0.0026	4.89
20	80.000	3.000	12.83	3346.32	0.0019	6.36
21	80.000	20.000	1.50	471.24	0.0137	6.46
22	100.000	3.000	16.17	5231.28	0.0016	8.37
23	100.000	20.000	2.00	753.98	0.0104	7.84
24	130.000	20.000	2.75	1295.91	0.0080	10.37
25	170.000	20.000	3.75	2238.38	0.0062	13.88
26	200.000	20.000	4.50	3110.18	0.0051	15.86

Elec Config : Schlumberger

Line Name : VES10




Province	Ninh Binh	Date	1998/12/18
Commune	Yen Thang	Equipment	McOHM21
Point number	VES11	Angle	130.0
Longitude	600924.0	Latitude	2228737.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	3.1440	19.75
2	2.500	0.500	2.00	18.85	0.7178	13.53
3	3.000	0.500	2.50	27.49	0.4281	11.77
4	4.000	0.500	3.50	49.48	0.1806	8.94
5	5.000	0.500	4.50	77.75	0.0944	7.34
6	6.000	0.500	5.50	112.31	0.0556	6.24
7	7.000	0.500	6.50	153.15	0.0354	5.42
8	8.000	0.500	7.50	200.28	0.0243	4.87
9	8.000	3.000	0.83	28.80	0.1815	5.23
10	10.000	0.500	9.50	313.37	0.0133	4.17
11	10.000	3.000	1.17	47.65	0.0898	4.28
12	13.000	3.000	1.67	83.78	0.0441	3.69
13	17.000	3.000	2.33	146.61	0.0223	3.27
14	20.000	3.000	2.83	204.73	0.0155	3.17
15	25.000	3.000	3.67	322.54	0.0099	3.19
16	30.000	3.000	4.50	466.53	0.0074	3.45
17	40.000	3.000	6.17	833.05	0.0050	4.17
18	50.000	3.000	7.83	1304.28	0.0039	5.09
19	60.000	3.000	9.50	1880.24	0.0032	6.02
20	80.000	3.000	12.83	3346.32	0.0025	8.37
21	80.000	20.000	1.50	471.24	0.0156	7.35
22	100.000	3.000	16.17	5231.28	0.0021	10.99
23	100.000	20.000	2.00	753.98	0.0124	9.35
24	130.000	20.000	2.75	1295.91	0.0095	12.31
25	170.000	20.000	3.75	2238.38	0.0070	15.67
26	200.000	20.000	4.50	3110.18	0.0060	18.66

Elec Config : Schlumberger

Line Name : VES11




RMS = 1.50 (%)

Province	Ninh Binh			Date	1998/12/17	
Commune	Yen Thang			Equipment	McOHM21	
Point number	VES12			Angle	126.0	
Longitude	601535.0			Latitude	2229076.0	
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	3.5690	22.42
2	2.500	0.500	2.00	18.85	0.8990	16.95
3	3.000	0.500	2.50	27.49	0.5380	14.79
4	4.000	0.500	3.50	49.48	0.2355	11.65
5	5.000	0.500	4.50	77.75	0.0836	6.50
6	6.000	0.500	5.50	112.31	0.0513	5.76
7	7.000	0.500	6.50	153.15	0.0310	4.75
8	8.000	0.500	7.50	200.28	0.0194	3.89
9	8.000	3.000	0.83	28.80	0.1654	4.76
10	10.000	0.500	9.50	313.37	0.0093	2.91
11	10.000	3.000	1.17	47.65	0.0653	3.11
12	13.000	3.000	1.67	83.78	0.0287	2.40
13	17.000	3.000	2.33	146.61	0.0156	2.29
14	20.000	3.000	2.83	204.73	0.0102	2.09
15	25.000	3.000	3.67	322.54	0.0071	2.29
16	30.000	3.000	4.50	466.53	0.0053	2.47
17	40.000	3.000	6.17	833.05	0.0035	2.92
18	50.000	3.000	7.83	1304.28	0.0028	3.65
19	60.000	3.000	9.50	1880.24	0.0023	4.32
20	80.000	3.000	12.83	3346.32	0.0018	6.02
21	80.000	20.000	1.50	471.24	0.0116	5.47
22	100.000	3.000	16.17	5231.28	0.0013	6.80
23	100.000	20.000	2.00	753.98	0.0093	7.01
24	130.000	20.000	2.75	1295.91	0.0072	9.33
25	170.000	20.000	3.75	2238.38	0.0056	12.53
26	200.000	20.000	4.50	3110.18	0.0045	14.00

Elec Config : Schlumberger

Line Name : VES12




Province	Ninh Binh	Date	1998/12/18
Commune	Yen Thang	Equipment	SAS300C
Point number	VES13	Angle	
Longitude	600728.0	Latitude	2227563.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	9.0200	56.67
2	2.500	0.500	2.00	18.85	2.0200	38.08
3	3.000	0.500	2.50	27.49	1.3050	35.87
4	4.000	0.500	3.50	49.48	0.5680	28.10
5	5.000	0.500	4.50	77.75	0.2880	22.39
6	6.000	0.500	5.50	112.31	0.1601	17.98
7	7.000	0.500	6.50	153.15	0.0995	15.24
8	8.000	0.500	7.50	200.28	0.0570	11.42
9	8.000	3.000	0.83	28.80	0.4580	13.19
10	10.000	0.500	9.50	313.37	0.0268	8.40
11	10.000	3.000	1.17	47.65	0.1944	9.26
12	13.000	3.000	1.67	83.78	0.0901	7.55
13	17.000	3.000	2.33	146.61	0.0395	5.79
14	20.000	3.000	2.83	204.73	0.0257	5.26
15	25.000	3.000	3.67	322.54	0.0165	5.32
16	30.000	3.000	4.50	466.53	0.0121	5.64
17	40.000	3.000	6.17	833.05	0.0082	6.81
18	50.000	3.000	7.83	1304.28	0.0069	9.04
19	60.000	3.000	9.50	1880.24	0.0052	9.68
20	80.000	3.000	12.83	3346.32	0.0036	11.98
21	80.000	20.000	1.50	471.24	0.0269	12.68
22	100.000	3.000	16.17	5231.28	0.0030	15.69
23	100.000	20.000	2.00	753.98	0.0200	15.08
24	130.000	20.000	2.75	1295.91	0.0128	16.59
25	170.000	20.000	3.75	2238.38	0.0080	17.91
26	200.000	20.000	4.50	3110.18	0.0060	18.66

Elec Config : Schlumberger

Line Name : VES13




RMS = 2.13 (%)

Province	Ninh Binh	Date	1998/12/18
Commune	Yen Thang	Equipment	SAS300C
Point number	VES14	Angle	
Longitude	600449.0	Latitude	2227890.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	2.8700	18.03
2	2.500	0.500	2.00	18.85	0.5690	10.73
3	3.000	0.500	2.50	27.49	0.3470	9.54
4	4.000	0.500	3.50	49.48	0.1379	6.82
5	5.000	0.500	4.50	77.75	0.0671	5.22
6	6.000	0.500	5.50	112.31	0.0382	4.29
7	7.000	0.500	6.50	153.15	0.0250	3.83
8	8.000	0.500	7.50	200.28	0.0179	3.58
9	8.000	3.000	0.83	28.80	0.1373	3.95
10	10.000	0.500	9.50	313.37	0.0095	2.98
11	10.000	3.000	1.17	47.65	0.0676	3.22
12	13.000	3.000	1.67	83.78	0.0328	2.75
13	17.000	3.000	2.33	146.61	0.0160	2.35
14	20.000	3.000	2.83	204.73	0.0114	2.33
15	25.000	3.000	3.67	322.54	0.0071	2.29
16	30.000	3.000	4.50	466.53	0.0054	2.52
17	40.000	3.000	6.17	833.05	0.0037	3.11
18	50.000	3.000	7.83	1304.28	0.0029	3.82
19	60.000	3.000	9.50	1880.24	0.0025	4.66
20	80.000	3.000	12.83	3346.32	0.0019	6.29
21	80.000	20.000	1.50	471.24	0.0132	6.22
22	100.000	3.000	16.17	5231.28	0.0015	8.00
23	100.000	20.000	2.00	753.98	0.0106	7.99
24	130.000	20.000	2.75	1295.91	0.0082	10.63
25	170.000	20.000	3.75	2238.38	0.0064	14.33
26	200.000	20.000	4.50	3110.18	0.0054	16.79

Elec Config : Schlumberger

Line Name : VES14




Province	Ninh Binh	Date	1998/12/18
Commune	Yen Thang	Equipment	SAS300C
Point number	VES15	Angle	
Longitude	600155.0	Latitude	2227567.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	2.7100	17.03
2	2.500	0.500	2.00	18.85	0.7620	14.36
3	3.000	0.500	2.50	27.49	0.4660	12.81
4	4.000	0.500	3.50	49.48	0.1628	8.06
5	5.000	0.500	4.50	77.75	0.0691	5.37
6	6.000	0.500	5.50	112.31	0.0374	4.20
7	7.000	0.500	6.50	153.15	0.0229	3.51
8	8.000	0.500	7.50	200.28	0.0150	3.00
9	8.000	3.000	0.83	28.80	0.1123	3.23
10	10.000	0.500	9.50	313.37	0.0078	2.44
11	10.000	3.000	1.17	47.65	0.0509	2.43
12	13.000	3.000	1.67	83.78	0.0232	1.94
13	17.000	3.000	2.33	146.61	0.0122	1.79
14	20.000	3.000	2.83	204.73	0.0089	1.83
15	25.000	3.000	3.67	322.54	0.0062	2.00
16	30.000	3.000	4.50	466.53	0.0048	2.25
17	40.000	3.000	6.17	833.05	0.0035	2.88
18	50.000	3.000	7.83	1304.28	0.0028	3.59
19	60.000	3.000	9.50	1880.24	0.0023	4.34
20	80.000	3.000	12.83	3346.32	0.0017	5.82
21	80.000	20.000	1.50	471.24	0.0110	5.16
22	100.000	3.000	16.17	5231.28	0.0013	6.96
23	100.000	20.000	2.00	753.98	0.0087	6.53
24	130.000	20.000	2.75	1295.91	0.0067	8.73
25	170.000	20.000	3.75	2238.38	0.0052	11.71
26	200.000	20.000	4.50	3110.18	0.0045	14.00

Elec Config : Schlumberger

Line Name : VES15




Province	Ninh Binh	Date	1998/12/19
Commune	Yen Thang	Equipment	McOHM21
Point number	VES16	Angle	
Longitude	600465.0	Latitude	2227378.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	6.8070	42.77
2	2.500	0.500	2.00	18.85	0.9016	16.99
3	3.000	0.500	2.50	27.49	0.4124	11.34
4	4.000	0.500	3.50	49.48	0.1515	7.50
5	5.000	0.500	4.50	77.75	0.0673	5.23
6	6.000	0.500	5.50	112.31	0.0388	4.36
7	7.000	0.500	6.50	153.15	0.0249	3.81
8	8.000	0.500	7.50	200.28	0.0176	3.52
9	8.000	3.000	0.83	28.80	0.1192	3.43
10	10.000	0.500	9.50	313.37	0.0103	3.23
11	10.000	3.000	1.17	47.65	0.0614	2.93
12	13.000	3.000	1.67	83.78	0.0322	2.70
13	17.000	3.000	2.33	146.61	0.0206	3.02
14	20.000	3.000	2.83	204.73	0.0165	3.38
15	25.000	3.000	3.67	322.54	0.0122	3.93
16	30.000	3.000	4.50	466.53	0.0100	4.67
17	40.000	3.000	6.17	833.05	0.0071	5.91
18	50.000	3.000	7.83	1304.28	0.0054	7.04
19	60.000	3.000	9.50	1880.24	0.0041	7.71
20	80.000	3.000	12.83	3346.32	0.0028	9.37
21	80.000	20.000	1.50	471.24	0.0199	9.38
22	100.000	3.000	16.17	5231.28	0.0020	10.46
23	100.000	20.000	2.00	753.98	0.0141	10.63
24	130.000	20.000	2.75	1295.91	0.0097	12.57
25	170.000	20.000	3.75	2238.38	0.0077	17.24
26	200.000	20.000	4.50	3110.18	0.0070	21.77

Elec Config : Schlumberger

Line Name : VES16




RMS = 1.97 (%)

Province	Ninh Binh	Date	1998/12/18
Commune	Yen Thang	Equipment	SAS300C
Point number	VES17	Angle	
Longitude	601486.0	Latitude	2227138.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	2.7600	17.34
2	2.500	0.500	2.00	18.85	0.7130	13.44
3	3.000	0.500	2.50	27.49	0.4640	12.75
4	4.000	0.500	3.50	49.48	0.1936	9.58
5	5.000	0.500	4.50	77.75	0.0926	7.20
6	6.000	0.500	5.50	112.31	0.0485	5.45
7	7.000	0.500	6.50	153.15	0.0289	4.43
8	8.000	0.500	7.50	200.28	0.0185	3.70
9	8.000	3.000	0.83	28.80	0.1182	3.40
10	10.000	0.500	9.50	313.37	0.0100	3.13
11	10.000	3.000	1.17	47.65	0.0572	2.73
12	13.000	3.000	1.67	83.78	0.0283	2.37
13	17.000	3.000	2.33	146.61	0.0140	2.05
14	20.000	3.000	2.83	204.73	0.0098	2.01
15	25.000	3.000	3.67	322.54	0.0062	2.00
16	30.000	3.000	4.50	466.53	0.0050	2.35
17	40.000	3.000	6.17	833.05	0.0033	2.75
18	50.000	3.000	7.83	1304.28	0.0026	3.44
19	60.000	3.000	9.50	1880.24	0.0023	4.32
20	80.000	3.000	12.83	3346.32	0.0014	4.68
21	80.000	20.000	1.50	471.24	0.0108	5.09
22	100.000	3.000	16.17	5231.28	0.0013	6.54
23	100.000	20.000	2.00	753.98	0.0087	6.56
24	130.000	20.000	2.75	1295.91	0.0068	8.81
25	170.000	20.000	3.75	2238.38	0.0054	12.09
26	200.000	20.000	4.50	3110.18	0.0048	14.93

Elec Config : Schlumberger

Line Name : VES17




RMS = 1.98 (%)

Province	Ninh Binh	Date	1998/12/18
Commune	Yen Thang	Equipment	SAS300C
Point number	VES18	Angle	
Longitude	601743.0	Latitude	2227276.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	8.1400	51.15
2	2.500	0.500	2.00	18.85	2.2300	42.03
3	3.000	0.500	2.50	27.49	1.1610	31.91
4	4.000	0.500	3.50	49.48	0.4140	20.48
5	5.000	0.500	4.50	77.75	0.1583	12.31
6	6.000	0.500	5.50	112.31	0.0796	8.94
7	7.000	0.500	6.50	153.15	0.0480	7.35
8	8.000	0.500	7.50	200.28	0.0267	5.35
9	8.000	3.000	0.83	28.80	0.1450	4.17
10	10.000	0.500	9.50	313.37	0.0104	3.26
11	10.000	3.000	1.17	47.65	0.0891	4.25
12	13.000	3.000	1.67	83.78	0.0338	2.83
13	17.000	3.000	2.33	146.61	0.0160	2.35
14	20.000	3.000	2.83	204.73	0.0106	2.17
15	25.000	3.000	3.67	322.54	0.0070	2.26
16	30.000	3.000	4.50	466.53	0.0051	2.38
17	40.000	3.000	6.17	833.05	0.0036	3.00
18	50.000	3.000	7.83	1304.28	0.0027	3.52
19	60.000	3.000	9.50	1880.24	0.0023	4.32
20	80.000	3.000	12.83	3346.32	0.0017	5.69
21	80.000	20.000	1.50	471.24	0.0116	5.47
22	100.000	3.000	16.17	5231.28	0.0013	6.80
23	100.000	20.000	2.00	753.98	0.0091	6.86
24	130.000	20.000	2.75	1295.91	0.0068	8.81
25	170.000	20.000	3.75	2238.38	0.0055	12.29
26	200.000	20.000	4.50	3110.18	0.0049	15.30

Elec Config : Schlumberger

Line Name : VES18




RMS = 3.12 (%)

Province	NinhBinh	Date	1998/12/22
Commune	DongPhong	Equipment	McOHM21
Point number	VES1	Angle	162.0
Longitude	577222.0	Latitude	2247891.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	41.1300	258.43
2	2.500	0.500	2.00	18.85	6.8730	129.55
3	3.000	0.500	2.50	27.49	3.2430	89.15
4	4.000	0.500	3.50	49.48	1.3420	66.40
5	5.000	0.500	4.50	77.75	0.8662	67.35
6	6.000	0.500	5.50	112.31	0.6347	71.28
7	7.000	0.500	6.50	153.15	0.5152	78.90
8	8.000	0.500	7.50	200.28	0.4331	86.74
9	8.000	3.000	0.83	28.80	2.7100	78.04
10	10.000	0.500	9.50	313.37	0.3427	107.39
11	10.000	3.000	1.17	47.65	2.0420	97.30
12	13.000	3.000	1.67	83.78	1.4750	123.57
13	17.000	3.000	2.33	146.61	1.1080	162.44
14	20.000	3.000	2.83	204.73	0.9418	192.81
15	25.000	3.000	3.67	322.54	0.7414	239.13
16	30.000	3.000	4.50	466.53	0.6070	283.18
17	40.000	3.000	6.17	833.05	0.4545	378.62
18	50.000	3.000	7.83	1304.28	0.3425	446.72
19	60.000	3.000	9.50	1880.24	0.2765	519.89
20	80.000	3.000	12.83	3346.32	0.1912	639.82
21	80.000	20.000	1.50	471.24	1.6770	790.27
22	100.000	3.000	16.17	5231.28	0.1392	728.19
23	100.000	20.000	2.00	753.98	1.2080	910.81
24	130.000	20.000	2.75	1295.91	0.7667	993.57
25	170.000	20.000	3.75	2238.38	0.4510	1009.51
26	200.000	20.000	4.50	3110.18	0.3218	1000.85

Elec Config : Schlumberger

Line Name : VES1




RMS = 3.05 (%)

Province	NinhBinh			Date		1998/12/22
Commune	DongPhong			Equipment		McOHM21
Point number	VES2			Angle		106.0
Longitude	577535.0			Latitude		2247644.0
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	30.6900	192.83
2	2.500	0.500	2.00	18.85	5.6750	106.97
3	3.000	0.500	2.50	27.49	2.6920	74.00
4	4.000	0.500	3.50	49.48	1.0210	50.52
5	5.000	0.500	4.50	77.75	0.5707	44.37
6	6.000	0.500	5.50	112.31	0.4156	46.68
7	7.000	0.500	6.50	153.15	0.3362	51.49
8	8.000	0.500	7.50	200.28	0.2836	56.80
9	8.000	3.000	0.83	28.80	1.9910	57.34
10	10.000	0.500	9.50	313.37	0.2212	69.32
11	10.000	3.000	1.17	47.65	1.4910	71.04
12	13.000	3.000	1.67	83.78	1.0640	89.14
13	17.000	3.000	2.33	146.61	0.7580	111.13
14	20.000	3.000	2.83	204.73	0.5921	121.22
15	25.000	3.000	3.67	322.54	0.4527	146.01
16	30.000	3.000	4.50	466.53	0.3612	168.51
17	40.000	3.000	6.17	833.05	0.2538	211.43
18	50.000	3.000	7.83	1304.28	0.1861	242.73
19	60.000	3.000	9.50	1880.24	0.1487	279.59
20	80.000	3.000	12.83	3346.32	0.1053	352.37
21	80.000	20.000	1.50	471.24	0.7438	350.51
22	100.000	3.000	16.17	5231.28	0.0831	434.72
23	100.000	20.000	2.00	753.98	0.5855	441.46
24	130.000	20.000	2.75	1295.91	0.3918	507.74
25	170.000	20.000	3.75	2238.38	0.2437	545.49
26	200.000	20.000	4.50	3110.18	0.1889	587.51

Elec Config : Schlumberger

Line Name : VES2




RMS = 1.55 (%)

Province	NinhBinh			Date	1998/12/22	
Commune	DongPhong			Equipment	McOHM21	
Point number	VES3			Angle	90.0	
Longitude	578414.0			Latitude	2247609.0	
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	18.8700	118.56
2	2.500	0.500	2.00	18.85	5.0180	94.59
3	3.000	0.500	2.50	27.49	3.2200	88.51
4	4.000	0.500	3.50	49.48	1.4860	73.53
5	5.000	0.500	4.50	77.75	0.8801	68.43
6	6.000	0.500	5.50	112.31	0.6253	70.23
7	7.000	0.500	6.50	153.15	0.4136	63.34
8	8.000	0.500	7.50	200.28	0.3136	62.81
9	8.000	3.000	0.83	28.80	2.4470	70.47
10	10.000	0.500	9.50	313.37	0.2131	66.78
11	10.000	3.000	1.17	47.65	1.4860	70.80
12	13.000	3.000	1.67	83.78	0.9435	79.04
13	17.000	3.000	2.33	146.61	0.6484	95.06
14	20.000	3.000	2.83	204.73	0.5195	106.36
15	25.000	3.000	3.67	322.54	0.3849	124.14
16	30.000	3.000	4.50	466.53	0.3031	141.40
17	40.000	3.000	6.17	833.05	0.2143	178.52
18	50.000	3.000	7.83	1304.28	0.1591	207.51
19	60.000	3.000	9.50	1880.24	0.1233	231.83
20	80.000	3.000	12.83	3346.32	0.0836	279.75
21	80.000	20.000	1.50	471.24	0.6664	314.03
22	100.000	3.000	16.17	5231.28	0.0555	290.34
23	100.000	20.000	2.00	753.98	0.4360	328.74
24	130.000	20.000	2.75	1295.91	0.2491	322.81
25	170.000	20.000	3.75	2238.38	0.1362	304.87
26	200.000	20.000	4.50	3110.18	0.0919	285.83
27	250.000	20.000	5.75	4877.32	0.0517	252.16
28	300.000	20.000	7.00	7037.17	0.0358	251.93

Elec Config : Schlumberger


Line Name : VES3



Province	NinhBinh			Date		1998/12/22
Commune	DongPhong			Equipment		McOHM21
Point number	VES4			Angle		85.0
Longitude	576393.0			Latitude		2247633.0
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	11.9100	74.83
2	2.500	0.500	2.00	18.85	3.7380	70.46
3	3.000	0.500	2.50	27.49	2.7990	76.94
4	4.000	0.500	3.50	49.48	2.1000	103.91
5	5.000	0.500	4.50	77.75	1.5000	116.63
6	6.000	0.500	5.50	112.31	1.1890	133.54
7	7.000	0.500	6.50	153.15	0.9556	146.35
8	8.000	0.500	7.50	200.28	0.7910	158.42
9	8.000	3.000	0.83	28.80	4.6560	134.08
10	10.000	0.500	9.50	313.37	0.5987	187.62
11	10.000	3.000	1.17	47.65	3.4510	164.43
12	13.000	3.000	1.67	83.78	2.2540	188.83
13	17.000	3.000	2.33	146.61	1.6930	248.21
14	20.000	3.000	2.83	204.73	1.4880	304.63
15	25.000	3.000	3.67	322.54	1.2190	393.17
16	30.000	3.000	4.50	466.53	0.9669	451.08
17	40.000	3.000	6.17	833.05	0.6741	561.56
18	50.000	3.000	7.83	1304.28	0.4934	643.53
19	60.000	3.000	9.50	1880.24	0.3991	750.41
20	80.000	3.000	12.83	3346.32	0.3104	1038.70
21	80.000	20.000	1.50	471.24	1.8690	880.75
22	100.000	3.000	16.17	5231.28	0.2125	1111.65
23	100.000	20.000	2.00	753.98	1.2440	937.95
24	130.000	20.000	2.75	1295.91	0.7585	982.95
25	170.000	20.000	3.75	2238.38	0.5006	1120.54
26	200.000	20.000	4.50	3110.18	0.4191	1303.48

Elec Config : Schlumberger


Line Name : VES4



Province	NinhBinh			Date	1998/12/23	
Commune	DongPhong			Equipment	McOHM21	
Point number	VES5			Angle	12.0	
Longitude	576976.0			Latitude	2247336.0	
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	21.7700	136.78
2	2.500	0.500	2.00	18.85	4.3380	81.77
3	3.000	0.500	2.50	27.49	2.9890	82.16
4	4.000	0.500	3.50	49.48	1.9020	94.11
5	5.000	0.500	4.50	77.75	1.3590	105.67
6	6.000	0.500	5.50	112.31	1.0550	118.49
7	7.000	0.500	6.50	153.15	0.8362	128.07
8	8.000	0.500	7.50	200.28	0.5824	116.64
9	8.000	3.000	0.83	28.80	4.5890	132.15
10	10.000	0.500	9.50	313.37	0.5155	161.54
11	10.000	3.000	1.17	47.65	3.3050	157.47
12	13.000	3.000	1.67	83.78	2.4990	209.36
13	17.000	3.000	2.33	146.61	1.8610	272.84
14	20.000	3.000	2.83	204.73	1.5570	318.76
15	25.000	3.000	3.67	322.54	1.1900	383.82
16	30.000	3.000	4.50	466.53	0.9112	425.10
17	40.000	3.000	6.17	833.05	0.5899	491.41
18	50.000	3.000	7.83	1304.28	0.3873	505.15
19	60.000	3.000	9.50	1880.24	0.2841	534.18
20	80.000	3.000	12.83	3346.32	0.1663	556.49
21	80.000	20.000	1.50	471.24	1.1930	562.19
22	100.000	3.000	16.17	5231.28	0.1176	615.20
23	100.000	20.000	2.00	753.98	0.8371	631.16
24	130.000	20.000	2.75	1295.91	0.5492	711.71
25	170.000	20.000	3.75	2238.38	0.4221	944.82
26	200.000	20.000	4.50	3110.18	0.3120	970.38

Elec Config : Schlumberger

Line Name : VES5




RMS = 1.92 (%)

Province	NinhBinh	Date	1998/12/23
Commune	DongPhong	Equipment	McOHM21
Point number	VES6	Angle	163.0
Longitude	577572.0	Latitude	2247100.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	17.3400	108.95
2	2.500	0.500	2.00	18.85	3.0830	58.11
3	3.000	0.500	2.50	27.49	2.0400	56.08
4	4.000	0.500	3.50	49.48	1.0800	53.44
5	5.000	0.500	4.50	77.75	0.7276	56.57
6	6.000	0.500	5.50	112.31	0.5680	63.79
7	7.000	0.500	6.50	153.15	0.4689	71.81
8	8.000	0.500	7.50	200.28	0.4001	80.13
9	8.000	3.000	0.83	28.80	2.4230	69.78
10	10.000	0.500	9.50	313.37	0.2448	76.71
11	10.000	3.000	1.17	47.65	1.7700	84.34
12	13.000	3.000	1.67	83.78	1.2350	103.46
13	17.000	3.000	2.33	146.61	0.8330	122.12
14	20.000	3.000	2.83	204.73	0.6522	133.52
15	25.000	3.000	3.67	322.54	0.4642	149.72
16	30.000	3.000	4.50	466.53	0.3517	164.08
17	40.000	3.000	6.17	833.05	0.2176	181.27
18	50.000	3.000	7.83	1304.28	0.1553	202.56
19	60.000	3.000	9.50	1880.24	0.1197	225.07
20	80.000	3.000	12.83	3346.32	0.0793	265.36
21	80.000	20.000	1.50	471.24	0.5374	253.24
22	100.000	3.000	16.17	5231.28	0.0577	301.84
23	100.000	20.000	2.00	753.98	0.3872	291.94
24	130.000	20.000	2.75	1295.91	0.2758	357.41
25	170.000	20.000	3.75	2238.38	0.1716	384.11
26	200.000	20.000	4.50	3110.18	0.1325	412.10

Elec Config : Schlumberger

Line Name : VES6




RMS = 1.67 (%)

Province	NinhBinh	Date	1998/12/23
Commune	DongPhong	Equipment	McOHM21
Point number	VES7	Angle	76.0
Longitude	575732.0	Latitude	2246552.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	28.5600	179.45
2	2.500	0.500	2.00	18.85	2.4180	45.58
3	3.000	0.500	2.50	27.49	1.3470	37.03
4	4.000	0.500	3.50	49.48	0.8088	40.02
5	5.000	0.500	4.50	77.75	0.6069	47.19
6	6.000	0.500	5.50	112.31	0.5049	56.71
7	7.000	0.500	6.50	153.15	0.4563	69.88
8	8.000	0.500	7.50	200.28	0.4039	80.89
9	8.000	3.000	0.83	28.80	2.4510	70.58
10	10.000	0.500	9.50	313.37	0.3294	103.23
11	10.000	3.000	1.17	47.65	1.8770	89.43
12	13.000	3.000	1.67	83.78	1.3630	114.19
13	17.000	3.000	2.33	146.61	1.0460	153.35
14	20.000	3.000	2.83	204.73	0.8967	183.58
15	25.000	3.000	3.67	322.54	0.7019	226.39
16	30.000	3.000	4.50	466.53	0.5634	262.84
17	40.000	3.000	6.17	833.05	0.3852	320.89
18	50.000	3.000	7.83	1304.28	0.2680	349.55
19	60.000	3.000	9.50	1880.24	0.2040	383.57
20	80.000	3.000	12.83	3346.32	0.1217	407.25
21	80.000	20.000	1.50	471.24	1.0820	509.88
22	100.000	3.000	16.17	5231.28	0.0813	425.30
23	100.000	20.000	2.00	753.98	0.7190	542.11
24	130.000	20.000	2.75	1295.91	0.4238	549.21
25	170.000	20.000	3.75	2238.38	0.2662	595.86
26	200.000	20.000	4.50	3110.18	0.2169	674.60

Elec Config : Schlumberger

Line Name : VES7




RMS = 2.93 (%)

Province	NinhBinh	Date	1998/12/23
Commune	DongPhong	Equipment	McOHM21
Point number	VES8	Angle	102.0
Longitude	576816.0	Latitude	2246792.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	6.0150	37.79
2	2.500	0.500	2.00	18.85	2.0110	37.91
3	3.000	0.500	2.50	27.49	1.6130	44.34
4	4.000	0.500	3.50	49.48	1.1730	58.04
5	5.000	0.500	4.50	77.75	0.9445	73.44
6	6.000	0.500	5.50	112.31	0.7869	88.38
7	7.000	0.500	6.50	153.15	0.6730	103.07
8	8.000	0.500	7.50	200.28	0.5880	117.76
9	8.000	3.000	0.83	28.80	4.0040	115.31
10	10.000	0.500	9.50	313.37	0.4970	155.75
11	10.000	3.000	1.17	47.65	3.0690	146.23
12	13.000	3.000	1.67	83.78	2.3650	198.13
13	17.000	3.000	2.33	146.61	1.7180	251.87
14	20.000	3.000	2.83	204.73	1.4240	291.53
15	25.000	3.000	3.67	322.54	1.1410	368.01
16	30.000	3.000	4.50	466.53	0.9296	433.68
17	40.000	3.000	6.17	833.05	0.6626	551.98
18	50.000	3.000	7.83	1304.28	0.4857	633.49
19	60.000	3.000	9.50	1880.24	0.3856	725.02
20	80.000	3.000	12.83	3346.32	0.2528	845.95
21	80.000	20.000	1.50	471.24	2.2900	1079.14
22	100.000	3.000	16.17	5231.28	0.1784	933.26
23	100.000	20.000	2.00	753.98	1.5970	1204.11
24	130.000	20.000	2.75	1295.91	1.0050	1302.39
25	170.000	20.000	3.75	2238.38	0.5760	1289.31
26	200.000	20.000	4.50	3110.18	0.4478	1392.74
26	250.000	20.000	5.75	4877.32	0.321	1565.62

Elec Config : Schlumberger

Line Name : VES8




RMS = 229 (%)

Province	NinhBinh	Date	1998/12/23
Commune	DongPhong	Equipment	SAS200C
Point number	VES9	Angle	
Longitude	577567.0	Latitude	2246973.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	44.9900	282.68
2	2.500	0.500	2.00	18.85	3.8600	72.76
3	3.000	0.500	2.50	27.49	2.4400	67.07
4	4.000	0.500	3.50	49.48	1.3470	66.65
5	5.000	0.500	4.50	77.75	0.9430	73.32
6	6.000	0.500	5.50	112.31	0.7350	82.55
7	7.000	0.500	6.50	153.15	0.5900	90.36
8	8.000	0.500	7.50	200.28	0.5030	100.74
9	8.000	3.000	0.83	28.80	3.4700	99.93
10	10.000	0.500	9.50	313.37	0.3760	117.83
11	10.000	3.000	1.17	47.65	2.5100	119.60
12	13.000	3.000	1.67	83.78	1.7650	147.86
13	17.000	3.000	2.33	146.61	1.3170	193.08
14	20.000	3.000	2.83	204.73	1.0930	223.77
15	25.000	3.000	3.67	322.54	0.8740	281.90
16	30.000	3.000	4.50	466.53	0.7220	336.83
17	40.000	3.000	6.17	833.05	0.5100	424.85
18	50.000	3.000	7.83	1304.28	0.3790	494.32
19	60.000	3.000	9.50	1880.24	0.2880	541.51
20	80.000	3.000	12.83	3346.32	0.1958	655.21
21	80.000	20.000	1.50	471.24	1.2370	582.92
22	100.000	3.000	16.17	5231.28	0.1379	721.39
23	100.000	20.000	2.00	753.98	0.8630	650.69
24	130.000	20.000	2.75	1295.91	0.5460	707.57
25	170.000	20.000	3.75	2238.38	0.3200	716.28
26	200.000	20.000	4.50	3110.18	0.2330	724.67

Elec Config : Schlumberger

Line Name : VES9




RMS = 2.37 (%)

Province	NinhBinh	Date	1998/12/23
Commune	DongPhong	Equipment	SAS200C
Point number	VES10	Angle	
Longitude	577125.0	Latitude	2246327.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	19.1000	120.01
2	2.500	0.500	2.00	18.85	5.0805	95.77
3	3.000	0.500	2.50	27.49	3.4698	95.38
4	4.000	0.500	3.50	49.48	1.9199	95.00
5	5.000	0.500	4.50	77.75	1.3330	103.65
6	6.000	0.500	5.50	112.31	1.0070	113.10
7	7.000	0.500	6.50	153.15	0.7755	118.77
8	8.000	0.500	7.50	200.28	0.6650	133.18
9	8.000	3.000	0.83	28.80	4.6600	134.20
10	10.000	0.500	9.50	313.37	0.4115	128.94
11	10.000	3.000	1.17	47.65	2.9314	139.67
12	13.000	3.000	1.67	83.78	1.8060	151.30
13	17.000	3.000	2.33	146.61	1.2880	188.83
14	20.000	3.000	2.83	204.73	1.0890	222.95
15	25.000	3.000	3.67	322.54	0.8410	271.25
16	30.000	3.000	4.50	466.53	0.6600	307.91
17	40.000	3.000	6.17	833.05	0.3910	325.72
18	50.000	3.000	7.83	1304.28	0.2610	340.42
19	60.000	3.000	9.50	1880.24	0.1860	349.73
20	80.000	3.000	12.83	3346.32	0.1039	347.68
21	80.000	20.000	1.50	471.24	0.5580	262.95
22	100.000	3.000	16.17	5231.28	0.0668	349.45
23	100.000	20.000	2.00	753.98	0.3550	267.66
24	130.000	20.000	2.75	1295.91	0.1959	253.87
25	170.000	20.000	3.75	2238.38	0.1126	252.04
26	200.000	20.000	4.50	3110.18	0.0823	255.97
27	250.000	20.000	5.75	4877.32	0.054	263.38
28	300.000	20.000	7.00	7037.17	0.0402	282.89

Elec Config : Schlumberger

Line Name : VES10




RMS = 2.44 (%)

Province	NinhBinh			Date		1998/12/23
Commune	DongPhong			Equipment		SAS200C
Point number	VES11			Angle		
Longitude	578334.0			Latitude		2246112.0
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	4.5400	28.53
2	2.500	0.500	2.00	18.85	0.8610	16.23
3	3.000	0.500	2.50	27.49	0.5860	16.11
4	4.000	0.500	3.50	49.48	0.3600	17.81
5	5.000	0.500	4.50	77.75	0.2860	22.24
6	6.000	0.500	5.50	112.31	0.2310	25.94
7	7.000	0.500	6.50	153.15	0.1969	30.16
8	8.000	0.500	7.50	200.28	0.1844	36.93
9	8.000	3.000	0.83	28.80	1.0620	30.58
10	10.000	0.500	9.50	313.37	0.1539	48.23
11	10.000	3.000	1.17	47.65	0.8710	41.50
12	13.000	3.000	1.67	83.78	0.6910	57.89
13	17.000	3.000	2.33	146.61	0.5400	79.17
14	20.000	3.000	2.83	204.73	0.4430	90.69
15	25.000	3.000	3.67	322.54	0.3280	105.79
16	30.000	3.000	4.50	466.53	0.2430	113.37
17	40.000	3.000	6.17	833.05	0.1505	125.37
18	50.000	3.000	7.83	1304.28	0.1087	141.78
19	60.000	3.000	9.50	1880.24	0.0830	156.06
20	80.000	3.000	12.83	3346.32	0.0447	149.58
21	80.000	20.000	1.50	471.24	0.2980	140.43
22	100.000	3.000	16.17	5231.28	0.0269	140.72
23	100.000	20.000	2.00	753.98	0.1776	133.91
24	130.000	20.000	2.75	1295.91	0.1078	139.70
25	170.000	20.000	3.75	2238.38	0.0652	145.94
26	200.000	20.000	4.50	3110.18	0.0492	153.02

Elec Config : Schlumberger

Line Name : VES11



Province	NinhBinh	Date	1998/12/24
Commune	DongPhong	Equipment	McOHM21
Point number	VES12	Angle	
Longitude	577326.0	Latitude	2246489.0

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	11.2700	70.81
2	2.500	0.500	2.00	18.85	2.8970	54.61
3	3.000	0.500	2.50	27.49	2.1250	58.41
4	4.000	0.500	3.50	49.48	1.3840	68.48
5	5.000	0.500	4.50	77.75	1.0470	81.41
6	6.000	0.500	5.50	112.31	0.8534	95.85
7	7.000	0.500	6.50	153.15	0.7384	113.09
8	8.000	0.500	7.50	200.28	0.6445	129.08
9	8.000	3.000	0.83	28.80	4.3580	125.50
10	10.000	0.500	9.50	313.37	0.5087	159.41
11	10.000	3.000	1.17	47.65	3.3880	161.43
12	13.000	3.000	1.67	83.78	2.5810	216.23
13	17.000	3.000	2.33	146.61	2.0260	297.03
14	20.000	3.000	2.83	204.73	1.7400	356.23
15	25.000	3.000	3.67	322.54	1.3600	438.65
16	30.000	3.000	4.50	466.53	1.1900	555.17
17	40.000	3.000	6.17	833.05	0.8867	738.66
18	50.000	3.000	7.83	1304.28	0.5811	757.92
19	60.000	3.000	9.50	1880.24	0.3778	710.36
20	80.000	3.000	12.83	3346.32	0.1986	664.58
21	80.000	20.000	1.50	471.24	1.2400	584.34
22	100.000	3.000	16.17	5231.28	0.1168	611.01
23	100.000	20.000	2.00	753.98	0.7179	541.28
24	130.000	20.000	2.75	1295.91	0.4608	597.15
25	170.000	20.000	3.75	2238.38	0.2953	661.00
26	200.000	20.000	4.50	3110.18	0.2216	689.22

Elec Config : Schlumberger

Line Name : VES12

