

VES Result


Thai Nguyen Province

- Dong Bam (5 Points)
- Hoa Thuong (18 Points)
- Thinh Duc (23 Points)
- Nam Tien (13 Points)

Province	Thai Nguen			Date	1999/1/4	
Commune	Dong Bam			Equipment	McOHM21	
Point number	VES1			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	20.2000	126.92
2	2.500	0.500	2.00	18.85	8.0570	151.87
3	3.000	0.500	2.50	27.49	6.0290	165.73
4	4.000	0.500	3.50	49.48	4.0280	199.31
5	5.000	0.500	4.50	77.75	3.0810	239.56
6	6.000	0.500	5.50	112.31	2.4150	271.23
7	7.000	0.500	6.50	153.15	2.0690	316.87
8	8.000	0.500	7.50	200.28	1.6680	334.06
9	8.000	3.000	0.83	28.80	9.6180	276.98
10	10.000	0.500	9.50	313.37	1.2260	384.20
11	10.000	3.000	1.17	47.65	6.9850	332.82
12	13.000	3.000	1.67	83.78	4.6930	393.16
13	17.000	3.000	2.33	146.61	3.0640	449.21
14	20.000	3.000	2.83	204.73	2.3700	485.20
15	25.000	3.000	3.67	322.54	1.5900	512.83
16	30.000	3.000	4.50	466.53	1.2070	563.10
17	40.000	3.000	6.17	833.05	0.7557	629.53
18	50.000	3.000	7.83	1304.28	0.5383	702.10
19	60.000	3.000	9.50	1880.24	0.4173	784.63
20	80.000	3.000	12.83	3346.32	0.2850	953.70
21	80.000	20.000	1.50	471.24	2.0150	949.55
22	100.000	3.000	16.17	5231.28	0.2119	1108.51
23	100.000	20.000	2.00	753.98	1.3380	1008.83
24	130.000	20.000	2.75	1295.91	0.9382	1215.82
25	170.000	20.000	3.75	2238.38	0.5322	1191.27
26	200.000	20.000	4.50	3110.18	0.4055	1261.18

Elec Corrig : Schlumberger


Line Name : VES1



Province	Thai Nguen			Date	1999/1/4	
Commune	Dong Bam			Equipment	McOHM21	
Point number	VES2			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	29.9500	188.18
2	2.500	0.500	2.00	18.85	8.7810	165.52
3	3.000	0.500	2.50	27.49	6.0300	165.76
4	4.000	0.500	3.50	49.48	3.5240	174.37
5	5.000	0.500	4.50	77.75	2.3400	181.95
6	6.000	0.500	5.50	112.31	1.7340	194.75
7	7.000	0.500	6.50	153.15	1.1950	183.02
8	8.000	0.500	7.50	200.28	0.9137	182.99
9	8.000	3.000	0.83	28.80	5.8530	168.55
10	10.000	0.500	9.50	313.37	0.5555	174.08
11	10.000	3.000	1.17	47.65	3.4980	166.67
12	13.000	3.000	1.67	83.78	1.8460	154.65
13	17.000	3.000	2.33	146.61	1.2350	181.06
14	20.000	3.000	2.83	204.73	1.0110	206.98
15	25.000	3.000	3.67	322.54	0.7199	232.19
16	30.000	3.000	4.50	466.53	0.5994	279.64
17	40.000	3.000	6.17	833.05	0.4469	372.29
18	50.000	3.000	7.83	1304.28	0.3464	451.80
19	60.000	3.000	9.50	1880.24	0.2780	522.71
20	80.000	3.000	12.83	3346.32	0.1976	661.23
21	80.000	20.000	1.50	471.24	1.2170	573.50
22	100.000	3.000	16.17	5231.28	0.1616	845.37
23	100.000	20.000	2.00	753.98	0.9567	721.33
24	130.000	20.000	2.75	1295.91	0.7064	915.43
25	170.000	20.000	3.75	2238.38	0.5472	1224.84
26	200.000	20.000	4.50	3110.18	0.4436	1379.67

Elec Config : Schlumberger

Line Name : VES2




RMS = 1.26 (%)

Province	Thai Nguen			Date	1999/1/4	
Commune	Dong Bam			Equipment	McOHM21	
Point number	VES3			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	26.4900	166.44
2	2.500	0.500	2.00	18.85	10.1900	192.08
3	3.000	0.500	2.50	27.49	7.2100	198.20
4	4.000	0.500	3.50	49.48	4.1630	205.99
5	5.000	0.500	4.50	77.75	2.9810	231.79
6	6.000	0.500	5.50	112.31	2.3550	264.49
7	7.000	0.500	6.50	153.15	1.9420	297.42
8	8.000	0.500	7.50	200.28	1.4920	298.81
9	8.000	3.000	0.83	28.80	8.6760	249.85
10	10.000	0.500	9.50	313.37	1.1000	344.71
11	10.000	3.000	1.17	47.65	6.1940	295.13
12	13.000	3.000	1.67	83.78	4.0430	338.71
13	17.000	3.000	2.33	146.61	2.5420	372.68
14	20.000	3.000	2.83	204.73	2.1560	441.39
15	25.000	3.000	3.67	322.54	1.5820	510.25
16	30.000	3.000	4.50	466.53	1.1510	536.97
17	40.000	3.000	6.17	833.05	0.7075	589.38
18	50.000	3.000	7.83	1304.28	0.4542	592.41
19	60.000	3.000	9.50	1880.24	0.3319	624.05
20	80.000	3.000	12.83	3346.32	0.2061	689.68
21	80.000	20.000	1.50	471.24	1.4350	676.23
22	100.000	3.000	16.17	5231.28	0.1318	689.48
23	100.000	20.000	2.00	753.98	0.9067	683.64
24	130.000	20.000	2.75	1295.91	0.5797	751.24
25	170.000	20.000	3.75	2238.38	0.4052	906.99
26	200.000	20.000	4.50	3110.18	0.3275	1018.58

Elec Config : Schlumberger


Line Name : VES3



Province	Thai Nguen			Date	1999/1/4	
Commune	Dong Bam			Equipment	McOHM21	
Point number	VES4			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	19.9800	125.54
2	2.500	0.500	2.00	18.85	8.3770	157.90
3	3.000	0.500	2.50	27.49	5.8330	160.34
4	4.000	0.500	3.50	49.48	3.2170	159.18
5	5.000	0.500	4.50	77.75	2.1690	168.65
6	6.000	0.500	5.50	112.31	1.3330	149.71
7	7.000	0.500	6.50	153.15	0.8907	136.41
8	8.000	0.500	7.50	200.28	0.6380	127.78
9	8.000	3.000	0.83	28.80	5.0740	146.12
10	10.000	0.500	9.50	313.37	0.3261	102.19
11	10.000	3.000	1.17	47.65	2.4460	116.55
12	13.000	3.000	1.67	83.78	0.9854	82.55
13	17.000	3.000	2.33	146.61	0.4208	61.69
14	20.000	3.000	2.83	204.73	0.2830	57.94
15	25.000	3.000	3.67	322.54	0.1654	53.35
16	30.000	3.000	4.50	466.53	0.1047	48.85
17	40.000	3.000	6.17	833.05	0.0620	51.65
18	50.000	3.000	7.83	1304.28	0.0413	53.87
19	60.000	3.000	9.50	1880.24	0.0307	57.72
20	80.000	3.000	12.83	3346.32	0.0202	67.60
21	80.000	20.000	1.50	471.24	0.1353	63.76
22	100.000	3.000	16.17	5231.28	0.0138	72.19
23	100.000	20.000	2.00	753.98	0.0934	70.42
24	130.000	20.000	2.75	1295.91	0.0658	85.27
25	170.000	20.000	3.75	2238.38	0.0463	103.64
26	200.000	20.000	4.50	3110.18	0.0416	129.38

Elec Config : Schlumberger


Line Name : VES4



Province	Thai Nguen			Date	1999/1/4	
Commune	Dong Bam			Equipment	McOHM21	
Point number	VES5			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	7.4200	46.62
2	2.500	0.500	2.00	18.85	2.3300	43.92
3	3.000	0.500	2.50	27.49	1.4420	39.64
4	4.000	0.500	3.50	49.48	0.7010	34.69
5	5.000	0.500	4.50	77.75	0.3853	29.96
6	6.000	0.500	5.50	112.31	0.3050	34.26
7	7.000	0.500	6.50	153.15	0.2641	40.45
8	8.000	0.500	7.50	200.28	0.1950	39.05
9	8.000	3.000	0.83	28.80	1.3880	39.97
10	10.000	0.500	9.50	313.37	0.1150	36.04
11	10.000	3.000	1.17	47.65	0.8873	42.28
12	13.000	3.000	1.67	83.78	0.5676	47.55
13	17.000	3.000	2.33	146.61	0.4020	58.94
14	20.000	3.000	2.83	204.73	0.3173	64.96
15	25.000	3.000	3.67	322.54	0.2380	76.76
16	30.000	3.000	4.50	466.53	0.1839	85.79
17	40.000	3.000	6.17	833.05	0.1336	111.29
18	50.000	3.000	7.83	1304.28	0.0990	129.12
19	60.000	3.000	9.50	1880.24	0.0811	152.49
20	80.000	3.000	12.83	3346.32	0.0568	190.07
21	80.000	20.000	1.50	471.24	0.4323	203.72
22	100.000	3.000	16.17	5231.28	0.0445	232.79
23	100.000	20.000	2.00	753.98	0.3359	253.26
24	130.000	20.000	2.75	1295.91	0.2306	298.84
25	170.000	20.000	3.75	2238.38	0.1603	358.81
26	200.000	20.000	4.50	3110.18	0.1180	367.00

Elec Config : Schlumberger


Line Name : VES5



Province	Thai Nguen			Date	1999/1/5	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES1			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	6.9960	43.96
2	2.500	0.500	2.00	18.85	2.5610	48.27
3	3.000	0.500	2.50	27.49	1.9500	53.60
4	4.000	0.500	3.50	49.48	1.2060	59.67
5	5.000	0.500	4.50	77.75	0.8480	65.94
6	6.000	0.500	5.50	112.31	0.6539	73.44
7	7.000	0.500	6.50	153.15	0.5186	79.42
8	8.000	0.500	7.50	200.28	0.4282	85.76
9	8.000	3.000	0.83	28.80	2.6720	76.95
10	10.000	0.500	9.50	313.37	0.3087	96.74
11	10.000	3.000	1.17	47.65	2.0690	98.58
12	13.000	3.000	1.67	83.78	1.2220	102.37
13	17.000	3.000	2.33	146.61	0.8174	119.84
14	20.000	3.000	2.83	204.73	0.6368	130.37
15	25.000	3.000	3.67	322.54	0.4014	129.47
16	30.000	3.000	4.50	466.53	0.3016	140.70
17	40.000	3.000	6.17	833.05	0.1934	161.11
18	50.000	3.000	7.83	1304.28	0.1306	170.34
19	60.000	3.000	9.50	1880.24	0.1014	190.66
20	80.000	3.000	12.83	3346.32	0.0656	219.52
21	80.000	20.000	1.50	471.24	0.4434	208.95
22	100.000	3.000	16.17	5231.28	0.0518	270.98
23	100.000	20.000	2.00	753.98	0.3333	251.30
24	130.000	20.000	2.75	1295.91	0.2288	296.50
25	170.000	20.000	3.75	2238.38	0.1698	380.08
26	200.000	20.000	4.50	3110.18	0.1252	389.39

Elec Config : Schlumberger


Line Name : VES1



Province	Thai Nguen			Date	1999/1/5	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES2			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	128.1000	804.88
2	2.500	0.500	2.00	18.85	40.2700	759.07
3	3.000	0.500	2.50	27.49	27.6600	760.34
4	4.000	0.500	3.50	49.48	14.2000	702.62
5	5.000	0.500	4.50	77.75	7.7047	599.08
6	6.000	0.500	5.50	112.31	4.5480	510.79
7	7.000	0.500	6.50	153.15	2.7060	414.43
8	8.000	0.500	7.50	200.28	1.7890	358.29
9	8.000	3.000	0.83	28.80	10.3223	297.26
10	10.000	0.500	9.50	313.37	0.7870	246.63
11	10.000	3.000	1.17	47.65	6.4900	309.23
12	13.000	3.000	1.67	83.78	2.2780	190.84
13	17.000	3.000	2.33	146.61	0.7272	106.61
14	20.000	3.000	2.83	204.73	0.4692	96.06
15	25.000	3.000	3.67	322.54	0.3222	103.92
16	30.000	3.000	4.50	466.53	0.2442	113.93
17	40.000	3.000	6.17	833.05	0.1597	133.04
18	50.000	3.000	7.83	1304.28	0.1080	140.86
19	60.000	3.000	9.50	1880.24	0.0812	152.60
20	80.000	3.000	12.83	3346.32	0.0494	165.31
21	80.000	20.000	1.50	471.24	0.3765	177.42
22	100.000	3.000	16.17	5231.28	0.0364	190.42
23	100.000	20.000	2.00	753.98	0.2627	198.07
24	130.000	20.000	2.75	1295.91	0.1590	206.04
25	170.000	20.000	3.75	2238.38	0.0996	222.94
26	200.000	20.000	4.50	3110.18	0.0772	240.11

Elec Config : Schlumberger


Line Name : VES2



Province	Thai Nguen			Date	1999/1/5	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES3			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	45.3100	284.69
2	2.500	0.500	2.00	18.85	14.4700	272.75
3	3.000	0.500	2.50	27.49	8.5660	235.47
4	4.000	0.500	3.50	49.48	3.8880	192.38
5	5.000	0.500	4.50	77.75	1.9090	148.43
6	6.000	0.500	5.50	112.31	1.1140	125.12
7	7.000	0.500	6.50	153.15	0.7658	117.28
8	8.000	0.500	7.50	200.28	0.5649	113.14
9	8.000	3.000	0.83	28.80	3.8670	111.36
10	10.000	0.500	9.50	313.37	0.3784	118.58
11	10.000	3.000	1.17	47.65	2.2980	109.49
12	13.000	3.000	1.67	83.78	1.4740	123.49
13	17.000	3.000	2.33	146.61	0.8285	121.46
14	20.000	3.000	2.83	204.73	0.5745	117.62
15	25.000	3.000	3.67	322.54	0.3895	125.63
16	30.000	3.000	4.50	466.53	0.2923	136.37
17	40.000	3.000	6.17	833.05	0.1917	159.69
18	50.000	3.000	7.83	1304.28	0.1301	169.69
19	60.000	3.000	9.50	1880.24	0.0933	175.43
20	80.000	3.000	12.83	3346.32	0.0595	199.11
21	80.000	20.000	1.50	471.24	0.4794	225.91
22	100.000	3.000	16.17	5231.28	0.0405	211.87
23	100.000	20.000	2.00	753.98	0.3156	237.96
24	130.000	20.000	2.75	1295.91	0.2141	277.45
25	170.000	20.000	3.75	2238.38	0.1391	311.36
26	200.000	20.000	4.50	3110.18	0.1072	333.41

Elec Config : Schlumberger


Line Name : VES3



Province	Thai Nguen			Date	1999/1/5	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES4			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	26.4500	166.19
2	2.500	0.500	2.00	18.85	7.2270	136.23
3	3.000	0.500	2.50	27.49	4.3750	120.26
4	4.000	0.500	3.50	49.48	1.9880	98.37
5	5.000	0.500	4.50	77.75	1.1480	89.26
6	6.000	0.500	5.50	112.31	0.7685	86.31
7	7.000	0.500	6.50	153.15	0.5795	88.75
8	8.000	0.500	7.50	200.28	0.4555	91.23
9	8.000	3.000	0.83	28.80	3.1400	90.43
10	10.000	0.500	9.50	313.37	0.2749	86.15
11	10.000	3.000	1.17	47.65	1.7710	84.38
12	13.000	3.000	1.67	83.78	1.2570	105.31
13	17.000	3.000	2.33	146.61	0.8267	121.20
14	20.000	3.000	2.83	204.73	0.6510	133.28
15	25.000	3.000	3.67	322.54	0.4783	154.27
16	30.000	3.000	4.50	466.53	0.3674	171.40
17	40.000	3.000	6.17	833.05	0.2345	195.35
18	50.000	3.000	7.83	1304.28	0.1639	213.77
19	60.000	3.000	9.50	1880.24	0.1235	232.21
20	80.000	3.000	12.83	3346.32	0.0766	256.33
21	80.000	20.000	1.50	471.24	0.5047	237.83
22	100.000	3.000	16.17	5231.28	0.0525	274.64
23	100.000	20.000	2.00	753.98	0.3426	258.31
24	130.000	20.000	2.75	1295.91	0.2149	278.49
25	170.000	20.000	3.75	2238.38	0.1303	291.66
26	200.000	20.000	4.50	3110.18	0.0975	303.24

Elec Config : Schlumberger


Line Name : VES4



Province	Thai Nguen			Date	1999/1/5	
Commune	Hoa Thuong			Equipment	SAS300C	
Point number	VES5			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	153.0000	961.33
2	2.500	0.500	2.00	18.85	65.7000	1238.42
3	3.000	0.500	2.50	27.49	48.0000	1319.47
4	4.000	0.500	3.50	49.48	24.1000	1192.47
5	5.000	0.500	4.50	77.75	12.7500	991.37
6	6.000	0.500	5.50	112.31	6.3500	713.18
7	7.000	0.500	6.50	153.15	3.9800	609.55
8	8.000	0.500	7.50	200.28	2.3700	474.66
9	8.000	3.000	0.83	28.80	21.5000	619.16
10	10.000	0.500	9.50	313.37	0.9660	302.72
11	10.000	3.000	1.17	47.65	8.2800	394.52
12	13.000	3.000	1.67	83.78	2.9200	244.63
13	17.000	3.000	2.33	146.61	1.4690	215.37
14	20.000	3.000	2.83	204.73	1.1210	229.50
15	25.000	3.000	3.67	322.54	0.8970	289.32
16	30.000	3.000	4.50	466.53	0.7400	345.23
17	40.000	3.000	6.17	833.05	0.5390	449.01
18	50.000	3.000	7.83	1304.28	0.4250	554.32
19	60.000	3.000	9.50	1880.24	0.3320	624.24
20	80.000	3.000	12.83	3346.32	0.2230	746.23
21	80.000	20.000	1.50	471.24	1.7510	825.14
22	100.000	3.000	16.17	5231.28	0.1679	878.33
23	100.000	20.000	2.00	753.98	1.3100	987.72
24	130.000	20.000	2.75	1295.91	0.7850	1017.29
25	170.000	16.000	4.81	2812.12	0.3740	1051.73
26	200.000	16.000	5.75	3901.86	0.2730	1065.21
27	250.000	16.000	7.31	6110.79	0.1769	1081.00

Elec Config : Schlumberger

Line Name : VES5




RMS = 1.93 (%)

Province	Thai Nguen			Date	1999/1/5	
Commune	Hoa Thuong			Equipment	SAS300C	
Point number	VES6			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	89.1000	559.83
2	2.500	0.500	2.00	18.85	30.9000	582.45
3	3.000	0.500	2.50	27.49	22.3000	613.00
4	4.000	0.500	3.50	49.48	13.4200	664.02
5	5.000	0.500	4.50	77.75	9.0600	704.46
6	6.000	0.500	5.50	112.31	5.8300	654.78
7	7.000	0.500	6.50	153.15	3.4400	526.85
8	8.000	0.500	7.50	200.28	1.9500	390.54
9	8.000	3.000	0.83	28.80	11.8700	341.83
10	10.000	0.500	9.50	313.37	0.9230	289.24
11	10.000	3.000	1.17	47.65	5.3500	254.91
12	13.000	3.000	1.67	83.78	2.7300	228.71
13	17.000	3.000	2.33	146.61	1.4430	211.55
14	20.000	3.000	2.83	204.73	1.0270	210.25
15	25.000	3.000	3.67	322.54	0.7430	239.64
16	30.000	3.000	4.50	466.53	0.6270	292.51
17	40.000	3.000	6.17	833.05	0.4081	340.00
18	50.000	3.000	7.83	1304.28	0.2755	359.35
19	60.000	3.000	9.50	1880.24	0.2020	379.81
20	80.000	3.000	12.83	3346.32	0.1247	417.29
21	80.000	20.000	1.50	471.24	0.8010	377.46
22	100.000	3.000	16.17	5231.28	0.0912	477.09
23	100.000	20.000	2.00	753.98	0.5760	434.29
24	130.000	20.000	2.75	1295.91	0.3660	474.30
25	170.000	20.000	3.75	2238.38	0.2430	543.93
26	200.000	20.000	4.50	3110.18	0.1706	530.60

Elec Config : Schlumberger


Line Name : VES6



Province	Thai Nguen			Date	1999/1/5	
Commune	Hoa Thuong			Equipment	SAS300C	
Point number	VES7			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	450.0000	2827.43
2	2.500	0.500	2.00	18.85	175.0000	3298.67
3	3.000	0.500	2.50	27.49	121.0000	3326.16
4	4.000	0.500	3.50	49.48	50.5000	2498.74
5	5.000	0.500	4.50	77.75	26.9000	2091.59
6	6.000	0.500	5.50	112.31	17.3700	1950.86
7	7.000	0.500	6.50	153.15	8.8100	1349.27
8	8.000	0.500	7.50	200.28	7.7100	1544.13
9	8.000	3.000	0.83	28.80	40.8000	1174.96
10	10.000	0.500	9.50	313.37	1.8250	571.91
11	10.000	3.000	1.17	47.65	13.5400	645.15
12	13.000	3.000	1.67	83.78	4.0600	340.13
13	17.000	3.000	2.33	146.61	1.3210	193.67
14	20.000	3.000	2.83	204.73	1.0020	205.14
15	25.000	3.000	3.67	322.54	0.6650	214.49
16	30.000	3.000	4.50	466.53	0.5550	258.92
17	40.000	3.000	6.17	833.05	0.3100	258.24
18	50.000	3.000	7.83	1304.28	0.2400	313.03
19	60.000	3.000	9.50	1880.24	0.1954	367.40
20	80.000	3.000	12.83	3346.32	0.1408	471.16
21	80.000	20.000	1.50	471.24	0.7410	349.19
22	100.000	3.000	16.17	5231.28	0.0908	475.00
23	100.000	20.000	2.00	753.98	0.5290	398.86
24	130.000	20.000	2.75	1295.91	0.4170	540.39
25	170.000	20.000	3.75	2238.38	0.2470	552.88
26	200.000	20.000	4.50	3110.18	0.1970	612.70

Elec Config : Schlumberger


Line Name : VES7



Province	Thai Nguen			Date	1999/1/5	
Commune	Hoa Thuong			Equipment	SAS300C	
Point number	VES8			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	25.6000	160.85
2	2.500	0.500	2.00	18.85	6.0600	114.23
3	3.000	0.500	2.50	27.49	3.9600	108.86
4	4.000	0.500	3.50	49.48	2.0500	101.43
5	5.000	0.500	4.50	77.75	1.1070	86.07
6	6.000	0.500	5.50	112.31	0.7370	82.77
7	7.000	0.500	6.50	153.15	0.5450	83.47
8	8.000	0.500	7.50	200.28	0.3860	77.31
9	8.000	3.000	0.83	28.80	2.9800	85.82
10	10.000	0.500	9.50	313.37	0.2640	82.73
11	10.000	3.000	1.17	47.65	1.8970	90.39
12	13.000	3.000	1.67	83.78	1.0440	87.46
13	17.000	3.000	2.33	146.61	0.6230	91.34
14	20.000	3.000	2.83	204.73	0.4520	92.54
15	25.000	3.000	3.67	322.54	0.2970	95.79
16	30.000	3.000	4.50	466.53	0.2050	95.64
17	40.000	3.000	6.17	833.05	0.1224	101.96
18	50.000	3.000	7.83	1304.28	0.0865	112.82
19	60.000	3.000	9.50	1880.24	0.0676	127.10
20	80.000	3.000	12.83	3346.32	0.0411	137.53
21	80.000	20.000	1.50	471.24	0.2820	132.89
22	100.000	3.000	16.17	5231.28	0.0317	165.83
23	100.000	20.000	2.00	753.98	0.1999	150.72
24	130.000	20.000	2.75	1295.91	0.1416	183.50
25	170.000	20.000	3.75	2238.38	0.1066	238.61
26	200.000	20.000	4.50	3110.18	0.0863	268.41

Elec Config : Schlumberger

Line Name : VES8




Province	Thai Nguyen	Date	1999/1/6
Commune	Hoa Thuong	Equipment	McOHM21
Point number	VES9	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	14.6700	92.17
2	2.500	0.500	2.00	18.85	4.3740	82.45
3	3.000	0.500	2.50	27.49	2.8040	77.08
4	4.000	0.500	3.50	49.48	1.4520	71.85
5	5.000	0.500	4.50	77.75	0.8646	67.23
6	6.000	0.500	5.50	112.31	0.5624	63.16
7	7.000	0.500	6.50	153.15	0.4105	62.87
8	8.000	0.500	7.50	200.28	0.3242	64.93
9	8.000	3.000	0.83	28.80	2.4150	69.55
10	10.000	0.500	9.50	313.37	0.2185	68.47
11	10.000	3.000	1.17	47.65	1.3700	65.28
12	13.000	3.000	1.67	83.78	0.9311	78.00
13	17.000	3.000	2.33	146.61	0.5807	85.14
14	20.000	3.000	2.83	204.73	0.4602	94.22
15	25.000	3.000	3.67	322.54	0.3120	100.63
16	30.000	3.000	4.50	466.53	0.2260	105.43
17	40.000	3.000	6.17	833.05	0.1522	126.79
18	50.000	3.000	7.83	1304.28	0.1126	146.86
19	60.000	3.000	9.50	1880.24	0.0855	160.76
20	80.000	3.000	12.83	3346.32	0.0587	196.43
21	80.000	20.000	1.50	471.24	0.3701	174.41
22	100.000	3.000	16.17	5231.28	0.0418	218.67
23	100.000	20.000	2.00	753.98	0.2608	196.64
24	130.000	20.000	2.75	1295.91	0.1775	230.02
25	170.000	20.000	3.75	2238.38	0.1193	267.04
26	200.000	20.000	4.50	3110.18	0.0950	295.47

Elec Config : Schlumberger


Line Name : VES9



Province	Thai Nguyen			Date	1999/1/6	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES10			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	26.9300	169.21
2	2.500	0.500	2.00	18.85	9.4760	178.62
3	3.000	0.500	2.50	27.49	6.2100	170.71
4	4.000	0.500	3.50	49.48	2.5070	124.05
5	5.000	0.500	4.50	77.75	1.5350	119.35
6	6.000	0.500	5.50	112.31	0.9414	105.73
7	7.000	0.500	6.50	153.15	0.7917	121.25
8	8.000	0.500	7.50	200.28	0.5802	116.20
9	8.000	3.000	0.83	28.80	3.6990	106.52
10	10.000	0.500	9.50	313.37	0.3479	109.02
11	10.000	3.000	1.17	47.65	2.0210	96.30
12	13.000	3.000	1.67	83.78	1.2400	103.88
13	17.000	3.000	2.33	146.61	0.7494	109.87
14	20.000	3.000	2.83	204.73	0.5764	118.00
15	25.000	3.000	3.67	322.54	0.4872	157.14
16	30.000	3.000	4.50	466.53	0.3804	177.47
17	40.000	3.000	6.17	833.05	0.2298	191.43
18	50.000	3.000	7.83	1304.28	0.1403	182.99
19	60.000	3.000	9.50	1880.24	0.0945	177.68
20	80.000	3.000	12.83	3346.32	0.0533	178.36
21	80.000	20.000	1.50	471.24	0.3621	170.64
22	100.000	3.000	16.17	5231.28	0.0359	187.80
23	100.000	20.000	2.00	753.98	0.2393	180.43
24	130.000	20.000	2.75	1295.91	0.1444	187.13
25	170.000	20.000	3.75	2238.38	0.0992	222.05
26	200.000	20.000	4.50	3110.18	0.0710	220.82
27	250.000	20.000	5.75	4877.32	0.0469	228.75
28	300.000	20.000	7.00	7037.17	0.0344	242.08

Elec Config : Schlumberger


Line Name : VES10



Province	Thai Nguen			Date	1999/1/6	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES11			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	17.0200	106.94
2	2.500	0.500	2.00	18.85	6.2290	117.41
3	3.000	0.500	2.50	27.49	4.2720	117.43
4	4.000	0.500	3.50	49.48	2.4790	122.66
5	5.000	0.500	4.50	77.75	1.6060	124.87
6	6.000	0.500	5.50	112.31	1.1160	125.34
7	7.000	0.500	6.50	153.15	0.7976	122.15
8	8.000	0.500	7.50	200.28	0.5769	115.54
9	8.000	3.000	0.83	28.80	4.3020	123.89
10	10.000	0.500	9.50	313.37	0.3436	107.68
11	10.000	3.000	1.17	47.65	2.4010	114.40
12	13.000	3.000	1.67	83.78	1.1930	99.94
13	17.000	3.000	2.33	146.61	0.6177	90.56
14	20.000	3.000	2.83	204.73	0.4583	93.83
15	25.000	3.000	3.67	322.54	0.3418	110.24
16	30.000	3.000	4.50	466.53	0.2703	126.10
17	40.000	3.000	6.17	833.05	0.1859	154.86
18	50.000	3.000	7.83	1304.28	0.1426	185.99
19	60.000	3.000	9.50	1880.24	0.1156	217.36
20	80.000	3.000	12.83	3346.32	0.0809	270.72
21	80.000	20.000	1.50	471.24	0.5899	277.98
22	100.000	3.000	16.17	5231.28	0.0617	322.77
23	100.000	20.000	2.00	753.98	0.4408	332.36
24	130.000	20.000	2.75	1295.91	0.3112	403.29
25	175.000	20.000	3.88	2373.87	0.1908	452.93
26	200.000	20.000	4.50	3110.18	0.1527	474.92

Elec Config : Schlumberger

Line Name : VES11




RMS = 1.49 (%)

Province	Thai Nguyen			Date	1999/1/6	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES12			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	19.2600	121.01
2	2.500	0.500	2.00	18.85	5.4610	102.94
3	3.000	0.500	2.50	27.49	3.4200	94.01
4	4.000	0.500	3.50	49.48	2.0560	101.73
5	5.000	0.500	4.50	77.75	1.3210	102.71
6	6.000	0.500	5.50	112.31	0.9528	107.01
7	7.000	0.500	6.50	153.15	0.7248	111.01
8	8.000	0.500	7.50	200.28	0.5773	115.62
9	8.000	3.000	0.83	28.80	4.0380	116.29
10	10.000	0.500	9.50	313.37	0.3754	117.64
11	10.000	3.000	1.17	47.65	2.4880	118.55
12	13.000	3.000	1.67	83.78	1.6240	136.05
13	17.000	3.000	2.33	146.61	0.9576	140.39
14	20.000	3.000	2.83	204.73	0.7327	150.00
15	25.000	3.000	3.67	322.54	0.5231	168.72
16	30.000	3.000	4.50	466.53	0.4090	190.81
17	40.000	3.000	6.17	833.05	0.3021	251.66
18	50.000	3.000	7.83	1304.28	0.2546	332.07
19	60.000	3.000	9.50	1880.24	0.2299	432.27
20	80.000	3.000	12.83	3346.32	0.1508	504.63
21	80.000	20.000	1.50	471.24	0.9042	426.09
22	100.000	3.000	16.17	5231.28	0.0977	511.10
23	100.000	20.000	2.00	753.98	0.5777	435.58
24	130.000	20.000	2.75	1295.91	0.3981	515.90
25	170.000	20.000	3.75	2238.38	0.2331	521.77
26	200.000	20.000	4.50	3110.18	0.1824	567.30
27	250.000	20.000	5.75	4877.32	0.1268	618.44
28	300.000	20.000	7.00	7037.17	0.0830	584.08

Elec Config : Schlumberger

Line Name : VES12




RMS = 1.90 (%)

Province	Thai Nguyen			Date	1999/1/6	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES13			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	77.6800	488.08
2	2.500	0.500	2.00	18.85	20.9800	395.46
3	3.000	0.500	2.50	27.49	12.0600	331.52
4	4.000	0.500	3.50	49.48	5.1760	256.11
5	5.000	0.500	4.50	77.75	2.5560	198.74
6	6.000	0.500	5.50	112.31	1.0960	123.09
7	7.000	0.500	6.50	153.15	0.7713	118.13
8	8.000	0.500	7.50	200.28	0.5156	103.26
9	8.000	3.000	0.83	28.80	3.6530	105.20
10	10.000	0.500	9.50	313.37	0.2744	85.99
11	10.000	3.000	1.17	47.65	1.6080	76.62
12	13.000	3.000	1.67	83.78	0.7853	65.79
13	17.000	3.000	2.33	146.61	0.4198	61.55
14	20.000	3.000	2.83	204.73	0.3180	65.10
15	25.000	3.000	3.67	322.54	0.2261	72.93
16	30.000	3.000	4.50	466.53	0.1786	83.32
17	40.000	3.000	6.17	833.05	0.1244	103.63
18	50.000	3.000	7.83	1304.28	0.0921	120.12
19	60.000	3.000	9.50	1880.24	0.0764	143.65
20	80.000	3.000	12.83	3346.32	0.0552	184.72
21	80.000	20.000	1.50	471.24	0.4546	214.23
22	100.000	3.000	16.17	5231.28	0.0443	231.75
23	100.000	20.000	2.00	753.98	0.3530	266.16
24	130.000	20.000	2.75	1295.91	0.2729	353.65
25	170.000	20.000	3.75	2238.38	0.2086	466.93
26	200.000	20.000	4.50	3110.18	0.1745	542.73


Elec Config : Schlumberger

Line Name : VES13



Province	Thai Nguen		Date	1999/1/7		
Commune	Hoa Thuong		Equipment	McOHM21		
Point number	VES14		Angle			
Longitude			Latitude			
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	93.3800	586.72
2	2.500	0.500	2.00	18.85	22.6500	426.94
3	3.000	0.500	2.50	27.49	12.2500	336.74
4	4.000	0.500	3.50	49.48	5.0630	250.52
5	5.000	0.500	4.50	77.75	3.1100	241.82
6	6.000	0.500	5.50	112.31	2.1000	235.86
7	7.000	0.500	6.50	153.15	1.5520	237.69
8	8.000	0.500	7.50	200.28	1.2080	241.93
9	8.000	3.000	0.83	28.80	8.7662	252.45
10	10.000	0.500	9.50	313.37	0.8406	263.42
11	10.000	3.000	1.17	47.65	5.9220	282.17
12	13.000	3.000	1.67	83.78	3.7590	314.91
13	17.000	3.000	2.33	146.61	2.1962	321.98
14	20.000	3.000	2.83	204.73	1.6080	329.20
15	25.000	3.000	3.67	322.54	1.0250	330.60
16	30.000	3.000	4.50	466.53	0.8325	388.38
17	40.000	3.000	6.17	833.05	0.7150	595.63
18	50.000	3.000	7.83	1304.28	0.6032	786.74
19	60.000	3.000	9.50	1880.24	0.5091	957.23
20	80.000	3.000	12.83	3346.32	0.3171	1061.12
21	80.000	20.000	1.50	471.24	2.0990	989.13
22	100.000	3.000	16.17	5231.28	0.2265	1184.88
23	100.000	20.000	2.00	753.98	1.4750	1112.12
24	130.000	20.000	2.75	1295.91	0.8848	1146.62
25	170.000	20.000	3.75	2238.38	0.5353	1198.21
26	200.000	20.000	4.50	3110.18	0.4264	1326.18

Elec Config : Schlumberger
 Line Name : VES14




RMS = 256 (%)

Province	Thai Nguen	Date	1999/1/6
Commune	Hoa Thuong	Equipment	McOHM21
Point number	VES15	Angle	
Longitude		Latitude	


No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	29.6500	186.30
2	2.500	0.500	2.00	18.85	6.2650	118.09
3	3.000	0.500	2.50	27.49	3.9180	107.70
4	4.000	0.500	3.50	49.48	2.0950	103.66
5	5.000	0.500	4.50	77.75	1.4180	110.26
6	6.000	0.500	5.50	112.31	1.0150	114.00
7	7.000	0.500	6.50	153.15	0.7770	119.00
8	8.000	0.500	7.50	200.28	0.6442	129.02
9	8.000	3.000	0.83	28.80	3.7010	106.58
10	10.000	0.500	9.50	313.37	0.4029	126.26
11	10.000	3.000	1.17	47.65	2.2140	105.49
12	13.000	3.000	1.67	83.78	1.3200	110.58
13	17.000	3.000	2.33	146.61	0.7609	111.55
14	20.000	3.000	2.83	204.73	0.5112	104.66
15	25.000	3.000	3.67	322.54	0.3333	107.50
16	30.000	3.000	4.50	466.53	0.2399	111.92
17	40.000	3.000	6.17	833.05	0.1367	113.88
18	50.000	3.000	7.83	1304.28	0.0939	122.47
19	60.000	3.000	9.50	1880.24	0.0674	126.73
20	80.000	3.000	12.83	3346.32	0.0379	126.83
21	80.000	20.000	1.50	471.24	0.2410	113.57
22	100.000	3.000	16.17	5231.28	0.0243	127.12
23	100.000	20.000	2.00	753.98	0.1516	114.30
24	130.000	20.000	2.75	1295.91	0.0850	110.15
25	170.000	20.000	3.75	2238.38	0.0496	111.02
26	200.000	20.000	4.50	3110.18	0.0382	118.81

Elec Config : Schlumberger

Line Name : VES15




RMS = 1.81 (%)



Province	Thai Nguyen			Date	1999/1/6	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES16			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	35.2600	221.55
2	2.500	0.500	2.00	18.85	12.2100	230.15
3	3.000	1.000	1.00	12.57	18.0700	227.07
4	4.000	1.500	0.83	14.40	12.7400	183.44
5	5.000	1.500	1.17	23.82	7.6730	182.80
6	6.000	1.500	1.50	35.34	4.6440	164.13
7	7.000	1.500	1.83	48.96	2.8100	137.57
8	8.000	1.500	2.17	64.66	1.8970	122.67
9	8.000	3.000	0.83	28.80	5.0440	145.26
10	10.000	0.500	9.50	313.37	0.3650	114.38
11	10.000	3.000	1.17	47.65	2.6450	126.03
12	13.000	3.000	1.67	83.78	1.3130	110.00
13	17.000	3.000	2.33	146.61	0.7403	108.53
14	20.000	3.000	2.83	204.73	0.5304	108.59
15	25.000	3.000	3.67	322.54	0.3603	116.21
16	30.000	3.000	4.50	466.53	0.2603	121.44
17	40.000	3.000	6.17	833.05	0.1521	126.71
18	50.000	3.000	7.83	1304.28	0.1018	132.78
19	60.000	3.000	9.50	1880.24	0.0718	135.00
20	80.000	3.000	12.83	3346.32	0.0415	138.87
21	80.000	20.000	1.50	471.24	0.2644	124.60
22	100.000	3.000	16.17	5231.28	0.0291	152.23
23	100.000	20.000	2.00	753.98	0.1792	135.11
24	130.000	20.000	2.75	1295.91	0.1053	136.46
25	170.000	20.000	3.75	2238.38	0.0574	128.48
26	200.000	20.000	4.50	3110.18	0.0433	134.67
27	250.000	20.000	5.75	4877.32	0.0282	137.54


Elec Config : Schlumberger

Line Name : VES16



Province	Thai Nguen			Date	1999/1/6	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES17			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	23.9100	150.23
2	2.500	0.500	2.00	18.85	12.1700	229.40
3	3.000	0.500	2.50	27.49	8.6630	238.14
4	4.000	0.500	3.50	49.48	5.4900	271.65
5	5.000	0.500	4.50	77.75	4.0700	316.46
6	6.000	0.500	5.50	112.31	2.8160	316.27
7	7.000	0.500	6.50	153.15	2.0580	315.19
8	8.000	0.500	7.50	200.28	1.4580	292.00
9	8.000	3.000	0.83	28.80	12.1500	349.89
10	10.000	0.500	9.50	313.37	0.8719	273.23
11	10.000	3.000	1.17	47.65	6.8520	326.48
12	13.000	3.000	1.67	83.78	3.0740	257.53
13	17.000	3.000	2.33	146.61	1.1990	175.78
14	20.000	3.000	2.83	204.73	0.6560	134.30
15	25.000	3.000	3.67	322.54	0.3280	105.79
16	30.000	3.000	4.50	466.53	0.2120	98.90
17	40.000	3.000	6.17	833.05	0.1234	102.80
18	50.000	3.000	7.83	1304.28	0.0858	111.91
19	60.000	3.000	9.50	1880.24	0.0640	120.34
20	80.000	3.000	12.83	3346.32	0.0385	128.83
21	80.000	20.000	1.50	471.24	0.3013	141.98
22	100.000	3.000	16.17	5231.28	0.0241	126.07
23	100.000	20.000	2.00	753.98	0.1884	142.05
24	130.000	20.000	2.75	1295.91	0.1133	146.83
25	170.000	20.000	3.75	2238.38	0.0684	153.11
26	200.000	20.000	4.50	3110.18	0.0512	159.24

Elec Config : Schlumberger
 Line Name : VES17




RMS = 1.49 (%)

Province	Thai Nguen			Date	1999/1/6	
Commune	Hoa Thuong			Equipment	McOHM21	
Point number	VES18			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	11.4400	71.88
2	2.500	0.500	2.00	18.85	3.0910	58.26
3	3.000	0.500	2.50	27.49	1.9760	54.32
4	4.000	0.500	3.50	49.48	1.1210	55.47
5	5.000	0.500	4.50	77.75	0.7566	58.83
6	6.000	0.500	5.50	112.31	0.5777	64.88
7	7.000	0.500	6.50	153.15	0.4574	70.05
8	8.000	0.500	7.50	200.28	0.3763	75.36
9	8.000	2.500	1.10	36.29	2.1290	77.25
10	10.000	0.500	9.50	313.37	0.2611	81.82
11	10.000	2.500	1.50	58.90	1.3660	80.46
12	13.000	2.500	2.10	102.26	0.8342	85.30
13	17.000	2.500	2.90	177.66	0.5179	92.01
14	20.000	2.500	3.50	247.40	0.4130	102.18
15	25.000	2.500	4.50	388.77	0.2749	106.87
16	30.000	2.500	5.50	561.56	0.2109	118.43
17	40.000	2.500	7.50	1001.38	0.1339	134.09
18	50.000	2.500	9.50	1566.87	0.1013	158.72
19	60.000	2.500	11.50	2258.02	0.0757	170.93
20	80.000	2.500	15.50	4017.31	0.0479	192.43
21	80.000	17.000	1.85	564.66	0.2961	167.19
22	100.000	2.500	19.50	6279.26	0.0367	230.45
23	100.000	17.000	2.44	897.29	0.2253	202.16
24	130.000	17.000	3.32	1534.85	0.1418	217.64
25	170.000	17.000	4.50	2643.65	0.0914	241.63
26	200.000	17.000	5.38	3669.29	0.0678	248.78

Elec Config : Schlumberger

Line Name : VES18




RMS = 1.67 (%)

Province	Thai Nguyen			Date	1999/1/13	
Commune	Thinh Duc			Equipment	McOHM21	
Point number	VES1			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	53.8300	338.22
2	2.500	0.500	2.00	18.85	16.7700	316.11
3	3.000	0.500	2.50	27.49	11.2500	309.25
4	4.000	0.500	3.50	49.48	6.4330	318.31
5	5.000	0.500	4.50	77.75	3.9290	305.50
6	6.000	0.500	5.50	112.31	2.6040	292.46
7	7.000	0.500	6.50	153.15	1.9350	296.35
8	8.000	0.500	7.50	200.28	1.4790	296.21
9	8.000	3.000	0.83	28.80	10.5500	303.82
10	10.000	0.500	9.50	313.37	0.8821	276.43
11	10.000	3.000	1.17	47.65	6.1530	293.17
12	13.000	3.000	1.67	83.78	3.4580	289.70
13	17.000	3.000	2.33	146.61	1.9460	285.30
14	20.000	3.000	2.83	204.73	1.3220	270.65
15	25.000	3.000	3.67	322.54	0.7443	240.06
16	30.000	3.000	4.50	466.53	0.4558	212.64
17	40.000	3.000	6.17	833.05	0.2302	191.77
18	50.000	3.000	7.83	1304.28	0.1254	163.56
19	60.000	3.000	9.50	1880.24	0.0890	167.34
20	80.000	3.000	12.83	3346.32	0.0549	183.71
21	80.000	20.000	1.50	471.24	0.3602	169.74
22	100.000	3.000	16.17	5231.28	0.0402	210.30
23	100.000	20.000	2.00	753.98	0.2492	187.89
24	130.000	20.000	2.75	1295.91	0.1844	238.97
25	170.000	20.000	3.75	2238.38	0.1376	308.00
26	200.000	20.000	4.50	3110.18	0.1070	332.79

Elec Config : Schlumberger


Line Name : VES1



Province	Thai Nguyen			Date	1999/1/13	
Commune	Thinh Duc			Equipment	McOHM21	
Point number	VES2			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	12.3400	77.53
2	2.500	0.500	2.00	18.85	3.0860	58.17
3	3.000	0.500	2.50	27.49	1.7370	47.75
4	4.000	0.500	3.50	49.48	0.9208	45.56
5	5.000	0.500	4.50	77.75	0.5506	42.81
6	6.000	0.500	5.50	112.31	0.3496	39.26
7	7.000	0.500	6.50	153.15	0.2416	37.00
8	8.000	0.500	7.50	200.28	0.1778	35.61
9	8.000	3.000	0.83	28.80	1.4510	41.79
10	10.000	0.500	9.50	313.37	0.1103	34.57
11	10.000	3.000	1.17	47.65	0.8582	40.89
12	13.000	3.000	1.67	83.78	0.5166	43.28
13	17.000	3.000	2.33	146.61	0.3474	50.93
14	20.000	3.000	2.83	204.73	0.2767	56.65
15	25.000	3.000	3.67	322.54	0.2001	64.54
16	30.000	3.000	4.50	466.53	0.1551	72.36
17	40.000	3.000	6.17	833.05	0.1037	86.39
18	50.000	3.000	7.83	1304.28	0.0743	96.91
19	60.000	3.000	9.50	1880.24	0.0609	114.51
20	80.000	3.000	12.83	3346.32	0.0468	156.61
21	80.000	20.000	1.50	471.24	0.3232	152.30
22	100.000	3.000	16.17	5231.28	0.0333	174.20
23	100.000	20.000	2.00	753.98	0.2316	174.62
24	130.000	20.000	2.75	1295.91	0.1669	216.29
25	170.000	20.000	3.75	2238.38	0.1201	268.83
26	200.000	20.000	4.50	3110.18	0.0952	296.09

Elec Config : Schlumberger

Line Name : VES2




RMS = 1.20 (%)

Province	Thai Nguyen			Date	1999/1/13	
Commune	Thinh Duc			Equipment	McOHM21	
Point number	VES3			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	31.5000	197.92
2	2.500	0.500	2.00	18.85	11.5100	216.96
3	3.000	0.500	2.50	27.49	8.6130	236.76
4	4.000	0.500	3.50	49.48	5.6370	278.92
5	5.000	0.500	4.50	77.75	4.2660	331.70
6	6.000	0.500	5.50	112.31	3.3440	375.57
7	7.000	0.500	6.50	153.15	2.6270	402.33
8	8.000	0.500	7.50	200.28	2.2910	458.83
9	8.000	3.000	0.83	28.80	12.9500	372.93
10	10.000	0.500	9.50	313.37	1.5620	489.49
11	10.000	3.000	1.17	47.65	9.1300	435.02
12	13.000	3.000	1.67	83.78	6.4230	538.09
13	17.000	3.000	2.33	146.61	4.5000	659.73
14	20.000	3.000	2.83	204.73	3.4100	698.12
15	25.000	3.000	3.67	322.54	2.4270	782.80
16	30.000	3.000	4.50	466.53	1.545	720.78
17	40.000	3.000	6.17	833.05	0.7517	626.20
18	50.000	3.000	7.83	1304.28	0.4126	538.15
19	60.000	3.000	9.50	1880.24	0.2529	475.51
20	80.000	3.000	12.83	3346.32	0.1254	419.63
21	80.000	20.000	1.50	471.24	0.9630	453.80
22	100.000	3.000	16.17	5231.28	0.0709	370.90
23	100.000	20.000	2.00	753.98	0.5598	422.08
24	130.000	20.000	2.75	1295.91	0.3378	437.76
25	170.000	20.000	3.75	2238.38	0.2092	468.27
26	200.000	20.000	4.50	3110.18	0.1630	506.96

Elec Config : Schlumberger

Line Name : VES3




RMS = 1.32 (%)

Province	Thai Nguyen			Date	1999/1/13	
Commune	Thinh Duc			Equipment	McOHM21	
Point number	VES4			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	51.2500	322.01
2	2.500	0.500	2.00	18.85	16.9300	319.12
3	3.000	0.500	2.50	27.49	12.0700	331.79
4	4.000	0.500	3.50	49.48	6.2590	309.70
5	5.000	0.500	4.50	77.75	3.2460	252.39
6	6.000	0.500	5.50	112.31	1.8820	211.37
7	7.000	0.500	6.50	153.15	1.3430	205.68
8	8.000	0.500	7.50	200.28	0.8761	175.46
9	8.000	3.000	0.83	28.80	6.9335	199.67
10	10.000	0.500	9.50	313.37	0.5275	165.30
11	10.000	3.000	1.17	47.65	4.0680	193.83
12	13.000	3.000	1.67	83.78	2.2790	190.93
13	17.000	3.000	2.33	146.61	1.2670	185.75
14	20.000	3.000	2.83	204.73	0.8757	179.28
15	25.000	3.000	3.67	322.54	0.5387	173.75
16	30.000	3.000	4.50	466.53	0.3541	165.20
17	40.000	3.000	6.17	833.05	0.1691	140.87
18	50.000	3.000	7.83	1304.28	0.1074	140.08
19	60.000	3.000	9.50	1880.24	0.0805	151.36
20	80.000	3.000	12.83	3346.32	0.0538	180.03
21	80.000	25.000	1.10	362.85	0.5900	214.08
22	100.000	3.000	16.17	5231.28	0.0369	193.03
23	100.000	25.000	1.50	589.05	0.3811	224.49
24	130.000	25.000	2.10	1022.59	0.2338	239.08
25	170.000	25.000	2.90	1776.57	0.1444	256.54
26	200.000	25.000	3.50	2474.00	0.1064	263.23

Elec Config : Schlumberger

Line Name : VES4




RMS = 1.59 (%)

Province	Thai Nguyen			Date	1999/1/14	
Commune	Thinh Duc			Equipment	McOHM21	
Point number	VES5			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	25.8900	162.67
2	2.500	0.500	2.00	18.85	10.3500	195.09
3	3.000	0.500	2.50	27.49	7.4840	205.73
4	4.000	0.500	3.50	49.48	3.8690	191.44
5	5.000	0.500	4.50	77.75	2.2480	174.79
6	6.000	0.500	5.50	112.31	1.7530	196.88
7	7.000	0.500	6.50	153.15	1.2310	188.53
8	8.000	0.500	7.50	200.28	1.0130	202.88
9	8.000	3.000	0.83	28.80	7.7200	222.32
10	10.000	0.500	9.50	313.37	0.8393	263.01
11	10.000	3.000	1.17	47.65	4.8880	232.90
12	13.000	3.000	1.67	83.78	3.0670	256.94
13	17.000	3.000	2.33	146.61	1.6700	244.83
14	20.000	3.000	2.83	204.73	1.1090	227.04
15	25.000	3.000	3.67	322.54	0.5683	183.30
16	30.000	3.000	4.50	466.53	0.3605	168.18
17	40.000	3.000	6.17	833.05	0.1882	156.78
18	50.000	3.000	7.83	1304.28	0.1277	166.56
19	60.000	3.000	9.50	1880.24	0.1030	193.67
20	80.000	3.000	12.83	3346.32	0.0642	214.83
21	80.000	20.000	1.50	471.24	0.4121	194.20
22	100.000	3.000	16.17	5231.28	0.0428	223.90
23	100.000	20.000	2.00	753.98	0.2813	212.10
24	130.000	20.000	2.75	1295.91	0.1890	244.93
25	170.000	20.000	3.75	2238.38	0.1313	293.90
26	200.000	20.000	4.50	3110.18	0.1021	317.55

Elec Config : Schlumberger

Line Name : VES5




Province	Thai Nguyen	Date	1999/1/15
Commune	Thinh Duc	Equipment	SAS300C
Point number	VES6	Angle	
Longitude		Latitude	

No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	103.6000	650.94
2	2.500	0.500	2.00	18.85	32.9000	620.15
3	3.000	0.500	2.50	27.49	20.8000	671.77
4	4.000	0.500	3.50	49.48	10.3200	510.63
5	5.000	0.500	4.50	77.75	5.8600	455.64
6	6.000	0.500	5.50	112.31	3.1200	350.41
7	7.000	0.500	6.50	153.15	1.8380	281.49
8	8.000	0.500	7.50	200.28	1.2190	244.14
9	8.000	3.000	0.83	28.80	9.3400	268.97
10	10.000	0.500	9.50	313.37	0.6570	205.89
11	10.000	3.000	1.17	47.65	4.1200	196.31
12	13.000	3.000	1.67	83.78	2.4400	204.41
13	17.000	3.000	2.33	146.61	1.5850	232.37
14	20.000	3.000	2.83	204.73	1.1930	244.24
15	25.000	3.000	3.67	322.54	0.8780	283.19
16	30.000	3.000	4.50	466.53	0.6970	325.17
17	40.000	3.000	6.17	833.05	0.3810	317.39
18	50.000	3.000	7.83	1304.28	0.2050	267.38
19	60.000	3.000	9.50	1880.24	0.1290	242.55
20	80.000	3.000	12.83	3346.32	0.0600	200.78
21	80.000	20.000	1.50	471.24	0.3820	180.01
22	100.000	3.000	16.17	5231.28	0.0440	230.18
23	100.000	20.000	2.00	753.98	0.2690	202.82
24	130.000	20.000	2.75	1295.91	0.1797	232.87
25	170.000	20.000	3.75	2238.38	0.1067	238.84
26	200.000	20.000	4.50	3110.18	0.0800	248.81

Elec Config : Schlumberger

Line Name : VES6




FMS = 2.01 (S)

Province	Thai Nguyen			Date	1999/1/14	
Commune	Thinh Duc			Equipment	McOHM21	
Point number	VES7			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	345.4000	2170.21
2	2.500	0.500	2.00	18.85	95.8900	1807.48
3	3.000	0.500	2.50	27.49	62.2600	1711.46
4	4.000	0.500	3.50	49.48	26.8000	1326.07
5	5.000	0.500	4.50	77.75	16.5600	1209.86
6	6.000	0.500	5.50	112.31	10.3800	1165.80
7	7.000	0.500	6.50	153.15	7.0830	1084.78
8	8.000	0.500	7.50	200.28	5.1380	1029.02
9	8.000	3.000	0.83	28.80	38.2200	1100.66
10	10.000	0.500	9.50	313.37	3.1270	979.92
11	10.000	3.000	1.17	47.65	21.1300	1006.79
12	13.000	3.000	1.67	83.78	11.7900	987.72
13	17.000	3.000	2.33	146.61	6.5140	955.00
14	20.000	3.000	2.83	204.73	4.4120	903.26
15	25.000	3.000	3.67	322.54	2.7870	898.91
16	30.000	3.000	4.50	466.53	1.6826	784.98
17	40.000	3.000	6.17	833.05	0.9123	759.99
18	50.000	3.000	7.83	1304.28	0.5221	680.97
19	60.000	3.000	9.50	1880.24	0.3194	600.55
20	80.000	3.000	12.83	3346.32	0.1433	479.53
21	80.000	20.000	1.50	471.24	0.9118	429.68
22	100.000	3.000	16.17	5231.28	0.0706	369.33
23	100.000	20.000	2.00	753.98	0.4525	341.18
24	130.000	20.000	2.75	1295.91	0.2700	349.89
25	170.000	20.000	3.75	2238.38	0.1722	385.45
26	200.000	20.000	4.50	3110.18	0.1352	420.50

Elec Config : Schlumberger


Line Name : VES7



Province	Thai Nguyen			Date	1999/1/14	
Commune	Thinh Duc			Equipment	McOHM21	
Point number	VES8			Angle		
Longitude				Latitude		
No	AB/2	MN/2	m	K	V/I	Rho-a
1	1.500	0.500	1.00	6.28	104.8000	658.48
2	2.500	0.500	2.00	18.85	27.1800	512.33
3	3.000	0.500	2.50	27.49	14.1900	390.07
4	4.000	0.500	3.50	49.48	9.7060	480.25
5	5.000	0.500	4.50	77.75	7.3020	567.76
6	6.000	0.500	5.50	112.31	4.9560	556.62
7	7.000	0.500	6.50	153.15	3.4200	523.78
8	8.000	0.500	7.50	200.28	2.4810	496.89
9	8.000	3.000	0.83	28.80	17.5700	505.98
10	10.000	0.500	9.50	313.37	1.4590	457.21
11	10.000	3.000	1.17	47.65	10.7900	514.12
12	13.000	3.000	1.67	83.78	5.5750	467.05
13	17.000	3.000	2.33	146.61	3.1050	455.22
14	20.000	3.000	2.83	204.73	1.4890	304.84
15	25.000	3.000	3.67	322.54	0.6742	217.45
16	30.000	3.000	4.50	466.53	0.3927	183.20
17	40.000	3.000	6.17	833.05	0.1847	153.86
18	50.000	3.000	7.83	1304.28	0.1143	149.08
19	60.000	3.000	9.50	1880.24	0.0747	140.45
20	80.000	3.000	12.83	3346.32	0.0574	192.08
21	80.000	20.000	1.50	471.24	0.4754	224.03
22	100.000	3.000	16.17	5231.28	0.0427	223.38
23	100.000	20.000	2.00	753.98	0.3392	255.75
24	130.000	20.000	2.75	1295.91	0.2438	315.94
25	170.000	20.000	3.75	2238.38	0.1587	355.23
26	200.000	20.000	4.50	3110.18	0.1225	381.00

Elec Config : Schlumberger

Line Name : VES8



Vertical text or markings along the left edge of the page, possibly a page number or header.