


参 考 文 献



Collected Data


1. Akobleva, N. A. (1953) : Altyn-kazgan geological expedition works in 1952, Samarkandgeology, 182p.
2. Chernjavsky, Yu. A. (1961) : Report of the Lyangar exploration in 1960 and copper ore reserves estimation, Samarkandgeology, 154p.
3. Dyukov, Yu. F. (1972) : Report on the results of the prospecting by the scope of geophysical methods in the region of Khalbashinsk, Maulyan-Beshbulak, Aktau arcas and Sarmich-Altyn-kazgan ore zone, Samarkandgeology, 234p.
4. Karasiy, A. (1976) : Report on the results of preliminary exploration of Sarmich and Tsentralny sites of the Sarmich deposit and evaluation of the ore manifestations of Karatau ore zone, carried out during 1973-1975, Samarkandgeology.
5. Khan, R. S. (1989) : Geological structure and minerals of Aktau and Karakchatau mountains, Samarkandgeology, 175p.
6. Kumanikin, N. P. (1960) : Report on the results of geological prospecting at Altynkazgan deposit and works of Altynkazgan party in 1959, Samarkandgeology, 369p.
7. Loshkin, Yu. I. (1967) : Report on the geological survey works of Karakchatausk geological survey party during 1965-1966, Samarkandgeology, 138p.
8. Mezentsev, V. I. (1978) : Report on the results of detailed prospecting of gold and other minerals by the scope of geological-geophysical methods in the western part of Karatau and the central part of Bashtut ore zone and evaluation works at the ore manifestations of Tansarai, Bitab, Bashtut and others, Samarkandgeology, 175p.
9. Ogarev, D. M. (1970) : Geological structure and minerals of the quadrangles of K-41-131- Г , K-41-132- В , K-41-143- Б and K-41-144-А/ Б , Samarkandgeology, 368p.
10. Ogarev, D. M. (1974) : Report on the results of geological-geophysical prospecting for gold and other minerals in the western part of Karatau gold ore zone during 1972-1974, Samarkandgeology, 242p.
11. Ogarev, D. M. (1976) : Report on the results of geological prospecting for gold in the central and eastern parts of Karatau and Bashtut ore zones, Samarkandgeology, 147p.
12. Pyanovskaya, I. A., Enchikova A.F. and Pyanovski G.V. (1986): Geological structure of the southern Nuratau range, Ministry of Geology, 130p.

13. Shamshurin, I. (1950) : Report on the prospecting for tin in Karatau mountains of Nurata range, Samarkandgeology, 174p.
14. Shubin, E. N. (1983) : Report on the results of detailed prospecting at the Biran, Kuraim and Pirash sites and evaluation of the ore bodies No.1, 3, 4 and 7 of Biran site, Samarkandgeology, 199p.
15. Shurygin, V. (1957) : Report of the lead prospecting party of the works in 1956, Samarkandgeology, 163p.
16. Trojanov, M. (1956) : An overall calculation of tungsten-molybdenum reserves in the Lyangar deposit, Samarkandgeology, 411p.

卷末資料













Appendix 1. Geologic Core Logs of the Drillings



Appendix 1. Geologic Core Logs of the Drillings

Legend

	Soil		Dip (bedding plane)
	Slate		Dip (joint plane, fault plane, contact plane of silicified rock)
	Sandstone		
	Phyllite		
	Quartz vein		
	Quartz veinlets		
	Silicification		
	Fracture zone		

Au	Ag	As
2.0	7.8	0.38


Assay Result
Au(g/t), Ag(g/t), As(%)

LAB TEST $\frac{BA\ 11 - 1}{F \cdot T \cdot P \cdot X}$ ----- Laboratory Test $\frac{Sample\ No.}{Samples}$

F ----- Fluid inclusion test sample, T ----- Thin section sample
P ----- Polished section sample, X ----- X-Ray diffraction analysis sample

Abbreviation

qz, v	quartz vein	asp	arsenopyrite
qz vls	quartz veinlets	chl	chlorite
sl	slate	cp	chalcopyrite
ss	sandstone.	limo	limonite
bek	black	tor	tourmaline
dk	dark	py	pyrite
diss	disseminate		
frac	fracture	int	interval
silic	silicified	w	width



GEOLOGIC CORE LOG OF MJSN-15 (1/3)

1/200

MJSN-15 (1/3) 0 m ~ 50 m

Level 833.50m
X 61.360.59m
Y 53.931.21m

Direction N30°W
Inclination -25°
Length 110.0 m

LITHOLOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~1.00m soil w/rock frags						
	1.00	0~ brownish grey silic. sl.						
	2							
	4							
	6	6.10m gZ, Pg, limo v. (w=2cm, 35°)						
	8							
	10							
	11.70	11.70~16.90m gZ, Pg, limo v & vls (w=0.1~6cm, int=1-5cm, partly network)	11.70					
	13.00		13.00	BA-1501	0.2	<1		
	14.40		14.40	1502	0.9	8.2		
	15.70	15.70m gZ, Pg, limo v (w=6cm)	15.70	1503	0.2	<1		
	16.90		16.90	1504	0.4	6.8		
	18.40	18.40m w=0.2cm gZ v.						
	20							
	22							
	24.50	24.50~25.10m frac. zone						
	25.10							
	27.00	27.00~31.10m gZ, Pg, limo v & vls (w=0.1~2cm, int=1-3cm)	27.00					
	27.00	27.00m gZ, Pg, limo v. (w=1cm, 3°)	27.00	1505	13.6	9.2		
	28.10		28.10	1506	11.2	3.8		
	32.70	32.70~34.98m gZ, Pg, limo v. & vls (w=0.1~1cm, int=1-2cm partly network)	32.70					
	33.90		33.90	1507	1.6	4.8		
	34.90		34.90	1508	0.4	<1		
	36.40	36.40~38.80m str. silic sl w/ gZ, Pg, limo v & vls (w=0.1~0.3cm, int=1-3cm)	36.40					
	37.60		37.60	1509	0.5	1.8		
	38.80		38.80	1510	0.8	<1		
	39.80	39.80~40.90m gZ, Pg, limo vls	39.80					
	40.90		40.90	1511	0.2	<1		
	43.60	43.60~48.60m gZ, Pg, limo vls (w=0.1~0.5cm, int=1-3cm)	43.60					
	44.60		44.60	1512	0.2	<1		
	45.30	45.30~46.15m gZ, Pg v.	45.30	1513	1.2	0.4		
	46.15		46.15	1514	0.8	<1	45.70 BAIS-1 45.90 BAIS-2	
	47.20		47.20	1515	0.4	3.6		
	48.60		48.60	1516	0.4	2.8		

GEOLOGIC CORE LOG OF MJSN-15 (2/3)

1/200

MJSN-15 (2/3) 50 m ~ 100 m

Level 837.50 m Direction N30° W
 X 61.360.53 m Inclination -75°
 Y 53.971.21 m Length 110.0 m

LITHO-LOGGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	51.50	51.50~52.70 m, gz, py vls (w=0.1-1.5cm, int=1-3cm) 52.20m gz v. w=1.5cm	51.50					
	52.70		52.70	BA-1517	0.6	<1		
	53.60	53.60-61.70m gz, py, limo vls (w=0.1-1cm, int=2-5cm) 54.60-61.70m str. silic. limo ss	53.60					
	54.60		54.60	1518	<0.1	1.2		
			55.50	1519	0.1	<1		
			56.40	1520	0.1	2.4		
			57.70	1521	0.6	2.2		
			68.80	1522	0.4	2.4		
			60.20	1523	0.2	<1		
			61.70	1524	0.8	1.8		
			62.40					
			68.30	1525	0.1	3.8		
			65.30	1526	0.2	<1		
			67.80					
			69.20	1527	0.2	<1		
			71.10	1528	2.0	1.6		
			74.50					
			75.40	1529	0.4	2.4		
			76.90	1530	0.4	<1		
			78.20	1531	0.4	<1		
			79.40					
			80.50					
			85.70					
			86.50					
			87.00	1532	0.2	<1		
			87.85	1533	0.7	3.2	87.20	BA15-4
			90.20					
			91.50	1534	1.8	<1		
			99.40					
			99.40	1535	0.1	3.6		

GEOLOGIC CORE LOG OF MJSN-15 (3/3)

1/200

MJSN-15 (3/3) 100 m ~ 110 m

Level 833.50 m Direction N 30° W
 X 61.360.53 m Inclination -95°
 Y 53.931.21 m Length 110.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
100	100.70		100.70	BA-1535				0
2		dk grey silic. sl						2
4								4
6								6
8								8
110		110.0 m Bottom of the hole						0
2								2
4								4
6								6
8								8
0								0
2								2
4								4
6								6
8								8
0								0
2								2
4								4
6								6
8								8
0								0
2								2
4								4
6								6
8								8
0								0

GEOLOGIC CORE LOG OF MJSN-16 (1/2)

1/200

MJSN-16 (1/2) 0 m ~ 50 m

Level 849.19 m Direction N30°W
 X 61.408.04m Inclination -75°
 Y 57.907.05m Length 60.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~3.40m Soil w/rock frags.						
	3.40	3.40~ grey silic. sl. w/few g2 vls						
	5.80	4.6m g2, limo. v (w=0.2cm, 45°)	5.80					
	7.80	5.80~7.80m g2, limo vls (w=0.1-0.3cm int=1-3cm)	6.80	BA-1601	0.4	<1		
			7.80	1602	0.2	<1		
	11.00	11.0-16.30m g2, limo vls (w=0.1-0.3cm int=2-5cm)	11.00					
	12.40		12.40	1603	0.4	<1		
	13.50		13.50	1604	1.2	<1		
	14.80		14.80	1605	0.2	<1		
	16.30		16.30	1606	<0.1	<1		
	18.10	18.10~19.50m g2, limo vls	18.10					
	19.50		19.50	1607	0.4	<1		
	20.20	20.20~21.60m few g2, limo vls	20.20					
	21.60		21.60	1608	0.4	<1		
	24.30	24.30~28.30m g2, limo vls (w=0.1~0.2cm, int=2-5cm)	24.30					
	25.60		25.60	1609	0.2	1.6		
	27.00		27.00	1610	0.6	<1		
	28.30		28.30	1611	0.4	<1		
	31.30	31.30~33.40m g2, py vls (w=0.1~0.5cm)	31.30					
	32.40		32.40	1612	0.4	<1		
	33.40		33.40	1613	0.4	<1		
	35.00	35.0~35.30m frac. zone						
	35.30							
	39.95	39.95~47.00m grey silic. sl w/g2, py vls (w=0.1~0.5cm)	39.95					
	41.20		41.20	1614	0.8	<1		
	42.40		42.40	1615	0.8	<1		
	43.90		43.90	1616	0.8	<1		
	45.20		45.20	1617	2.8	<1		
	47.00	47.00~49.80m g2, py, limo v & vls (w=0.1~3cm, partly network)	47.00					
	48.20		48.20	1618	1.6	<1		
	48.80		48.80	1619	2.8	<1		
	49.80	49.80~51.00m g2, py, limo v.	49.80	1620	0.8	<1		

47.90m
Au=8.74

BA16-1

GEOLOGIC CORE LOG OF MJSN-16 (2/2)

1/200

MJSN--16(2/2) 50 m ~ 60 m

Level 849 .19 m
 X 61.908.04m
 Y 53.907.05m
 Direction N30° W
 Inclination -75°
 Length 60.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	50.00		51.00	BA-1621	44.8	6.8		BA16-2 BA16-3
	51.80	51.00~51.80m g2 vls (w= 0.1-0.3cm, int=1-3cm, partly network)	51.80	1622	1.8	<1	51.80	
	56.50	56.50m g2 v. w=3cm, 30°						
	58.20	58.20~59.30m few g2, pg, limo vls	58.20					
	59.30		59.30	1623	0.8	1.6		
	60.00	60.00m Bottom of the hole						

GEOLOGIC CORE LOG OF MJML-3 (1/1)

1/200

MJML-3 (1/1) 0 m ~ 30 m

Level 1,085.0 m Direction S20°W
 X 69.839.0 m Inclination -75°
 Y 59.439.0 m Length 30.0 m

LITHO LOG	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~2.00m soil w/ rock frag.						
	2.00	2.00~2.60m, weathered silic. sdy phy						
	2.60	2.60~9.80m grey silic. sdy phy.						
	5.90	5.90~6.70m silic. sdy phy w/abu. g2 v (max 15%)	5.90					
	6.70	6.70~7.70m network g2 vls (w=α(α~0.2cm))	6.70	BM-301	0.6	<1		
	7.70	7.70~8.10m g2, py limo v.	7.70	302	1.3	<1		
	8.10	8.10~9.80m frac zone w/abu g2 v.	8.10	303	3.6	<1		
	9.80	9.80~11.00m g2, py limo v.	9.80	304	2.4	<1		
	11.00	11.00~13.90m grey silic. phy	11.00	305	1.2	<1		
	11.80	11.00~11.80m frac. zone	11.80	306	0.8	<1		
	13.40	11.00~11.90m g2 vls (max. 5cm?)	11.80	307	0.2	<1		
	13.90	11.80~13.40m few g2 vls	13.40	308	<0.1	<1	11.70	BM3-1
	14.40	14.40~15.90m frac. zone	13.40	309	<0.1	<1		
	14.90	14.90~15.70m g2 v. l vls	14.90					
	15.70	17.90~18.70m few g2 vls	14.90	310	<0.1	<1		
	17.90		15.70					
	18.70		17.90					
	23.30	23.30~23.70m frac. zone w/g2	17.90	311	<0.1	1.6		
	23.70	23.70~30.00m grey silic sdy phy	18.70					
	30.00	30.00m Bottom of the hole	23.30					
			23.70	312	<0.1	6.0		

GEOLOGIC CORE LOG OF MJML-4 (1/1)

1/200

MJML-4 (1/1) 0 m ~ 30 m

Level 1,011.0 m
 X 69.913.0 m Direction S20° W
 Y 59.452.0 m Inclination -75°
 Length 30.0 m

LITHOLOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~3.20m soil w/rock frags						
	3.20	3.20~6.20m dk grey phy w/network gz & dissem. py	3.20					
	4.20		4.20	BM-401	<0.1	7.2		
	5.00		5.00	402	<0.1	2.0		
	6.20	6.20~20.00m silty phy silic.	6.20	403	<0.1	<1		
	6.60	6.20~6.60m silic rock w/gz vls (w=0.1-0.2cm, int=1-2cm)	6.60	404	<0.1	<1		
	7.10	6.60~8.90m frac. zone w/gz v & vls (w=0.1-10um)	7.10	405	<0.1	<1		
	8.90	8.90~11.00m network gz vls & dissem. py	8.90	406	0.2	<1		
	10.00		10.00	407	0.3	<1		
	11.00	11.00~15.00m few gz vls	11.00	408	<0.1	<1		
	15.00	15.00~19.00m frac. zone w/few gz vls	15.00	409	<0.1	<1		
	16.00		16.00	410	<0.1	<1		
	17.00	17.00~19.00m network gz, py vls	17.00	411	<0.1	<1		
	18.00		18.00	412	<0.1	<1		
	19.00	19.00~20.00m few gz, py vls	19.00	413	<0.1	<1		
	20.00		20.00	414	<0.1	<1		
	23.00	20.00~30.00m dk grey phy	23.00					
	24.00	23.00~28.00m few gz, py vls	24.00	415	<0.1	<1		
	25.00		25.00	416	<0.1	<1		
	26.00		26.00	417	<0.1	<1		
	27.00		27.00	418	<0.1	<1		
	28.00		28.00	419	0.2	<1		
	30.00	30.00m Bottom of the hole						

GEOLOGIC CORE LOG OF MJML-5 (1/1)

1/200

MJML-5 (1/1) 0 m ~ 30 m

Level 1,064.0 m Direction 520° W
 X 70.018.0 m Inclination -25°
 Y 39.398.0 m Length 30.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
		0~3.00m soil of rock frags						
	3.00	3.00~30.00m dk grey phy						
~ ~ ~	4.70	4.70~6.10m gr V. & vls (w=0.2-5cm, int=2~5cm)	4.70					
~ ~ ~	5.60		5.60	501	9.6	2.0		
~ ~ ~	6.10		6.10	502	<0.1	<1		
~ ~ ~		8.20m gr V. (w=1.5cm)						
~ ~ ~	15.20	15.20~15.70m Hfac. zone w/gr V. (max. 5cm)	15.20					
~ ~ ~	15.70		15.70	503	1.5	<1		
~ ~ ~	16.90	15.70~16.90m gr, py vls. (w=0.1~0.3cm int=2~5cm)	16.90	504	0.8	<1		
~ ~ ~		20.60m gr, py, chl V. (w=1cm, 25°)						
~ ~ ~	23.20	23.20~24.20m few gr, limo vls	23.20					
~ ~ ~	24.20		24.20	505	0.2	<1		
~ ~ ~	29.70	29.70m gr, py V. (w=1cm, 10°)						
~ ~ ~	30.00	30.00m Bottom of the hole						

GEOLOGIC CORE LOG OF MJML-7 (1/1)

1/200

MJML-7 (1/1) 0 m ~ 30 m

Level 1,005.0 m Direction 520° W
 X 70.118.0 m Inclination -75°
 Y 59.325.0 m Length 30.0 m

LITHO LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
0	0.00	0~1.00m weathered phy	0.00					
1.00	1.00	1.00~1.60m frac. zone w/ g ₂ v.	1.00					
1.60	1.60	1.60~30.00m dk grey phy	1.60	BM-201	<0.1	<1		
4.30	4.30	1.60~4.30m few g ₂ vls	4.30					
4.30	4.30	4.30~6.30m frac. zone w/ g ₂ v. & vls	4.30					
6.30	6.30		6.30	702	<0.1	<1		
6.30	6.30		6.30	703	<0.1	<1		
11.10	11.10	11.10~12.20m g ₂ py v.	11.10					
12.20	12.20		12.20	704	0.2	<1	12.10	BM12-1
19.70	19.70	19.70~20.10m frac. zone w/ g ₂ v.	19.70					
20.60	20.60	20.60~21.00m frac. zone w/ g ₂ v.	20.60	705	<0.1	<1		
22.50	22.50	22.50~23.60m	22.50					
23.60	23.60	g ₂ v. & vls (w=0.2~1.0m, int=1~3cm)	23.60	706	0.2	<1		
25.70	25.70	25.70~26.90m g ₂ v & vls (w=0.1~1.5cm, int=3~10cm)	25.70					
26.90	26.90	25.70m g ₂ (w=1.5cm)	26.90	709	<0.1	<1		
26.90	26.90	25.90m g ₂ (w=10m, 25°)						
30.00	30.00	30.00 Bottom of the hole						

GEOLOGIC CORE LOG OF MJML-8 (1/1)

1/200

MJML-8 (1/1) 0 m ~ 30.0 m

Level 948.0 m Direction S20°W
 X 70.182.0 m Inclination -75°
 Y 59.117.0 m Length 30.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~1.00m Soil w/ rock frags	0					
	1.00	1.00~2.60m weathered sdy phy w/gz v. (max. 2cm)	1.00					
	2.60	2.60~3.80m frac. zone w/gz, py, limo v. (max. 3cm)	2.60	BA-801	<0.1	<1		
	3.80	3.80~19.00m grey silic. sdy phy.	3.80	802	0.6	<1		
	6.00	6.00~6.80m frac. zone	6.00					
	6.80	6.00~7.70m gz, py, limo v. & vls	6.80	803	0.2	<1		
	7.70		7.70	804	<0.1	<1		
	9.40	9.40~11.00m frac zone w/gz v.	9.40					
	11.00	11.00~12.20m gz, py, limo network vls	11.00	805	<0.1	<1		
	12.20		12.20	806	<0.1	<1		
	18.60	18.60~19.00m frac. zone w/gz v. & vls						
	19.00	19.00~23.80m dk grey phy						
	23.80	23.80~30.00m grey silic. sdy phy						
	24.80	24.80~26.30m gz, py, limo v. & vls	24.80					
	25.80	24.80m gz v. (w=5cm)	25.80	807	2.2	2.4	↑ ↓ BMS-1	
	26.30	25.80~26.30m gz, py, limo v.	26.30	808	0.9	<1		
	27.70	27.70~28.20m gz, py, limo vls	27.70					
	28.20		28.20	809	0.5	<1		
	29.10	29.10~30.00m gz, py, limo vls	29.10					
	30.00		30.00	810	<0.1	<1		

GEOLOGIC CORE LOG OF MJML-9 (1/1)

1/200

MJML-9 (1/1) 0 m ~ 30 m

Level 925.0 m Direction 520° W
 X 70.291.0 m Inclination -75°
 Y 59.301.0 m Length 30.0 m

LITHOLOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~3.60m weathered sdy phy						
	3.60	3.60~23.50m grey silic. sdy phy w/few zc vls	4.60					
	5.30	5.30~5.40m zc, py v.	5.60	811-901	0.4	<1		
	6.60	6.60~8.70m frac. zone	7.10	902	0.4	<1		
	8.70		8.30	903	<0.1	<1		
	10.50	10.50~12.90m few zc, py vls	10.50					
	12.90		11.70	904	0.2	<1		
	14.40		12.90	905	0.1	<1		
	15.20	14.40~15.20m zc, side. py vls (w=0.1~2cm, int=1~5cm)	14.40					
	16.30		15.20	906	0.1	<1		
	17.30	16.30~17.30m few zc vls	16.30					
	17.30		17.30	907	<0.1	<1		
	19.30	17.30~20.70m zc, py vls	18.30	908	<0.1	<1		
	20.70		19.70	909	<0.1	<1		
	22.70	22.70~30.00m few zc vls (w=0.1~0.2cm, int=1~2cm partly network)	20.70	910	0.1	<1		
	23.50	23.50~30.00m dk grey silic phy	22.70					
	25.70		23.70	911	<0.1	<1		
	27.90		24.70	912	0.2	<1		
	30.00	30.00m zc, py, chl v. (w=3cm, 5°)	25.70	913	0.1	<1		
	30.00	30.00m Bottom of the hole	26.70	914	<0.1	<1		
			27.90	915	0.1	<1		
			29.00	916	<0.1	<1		
			30.00	917	0.4	<1		

GEOLOGIC CORE LOG OF MJML-10 (1/1)

1/200

MJML-10 (1/1) 0 m ~ 30 m

Level 988.0 m Direction S20°W
 X 69.442.0 m Inclination -25°
 Y 59.381.0 m Length 30.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~2.00m soil w/rock frags						
	2.00	2.00~18.60m brownish grey sdy phy						
	5.60	5.60~7.00m frac. zone w/gz, py, limo. vls	5.60					
	7.00		7.00	BT-1001	<0.1	2.8		
	8.40	8.40~9.20m frac. zone w/gz, py, limo. vls	8.40					
	9.20	9.20~10.70m gz, py vls (w=0.1~1cm, into 1-5cm)	9.20	1002	<0.1	2.0		
	10.70	10.70m gz (w=1cm)	10.70	1003	<0.1	4.0		
	13.90	13.90~19.60m frac. zone w/gz vls	13.90					
			15.00	1004	<0.1	4.0		
			16.10	1005	<0.1	2.0		
			17.20	1006	<0.1	2.0		
	18.60	18.60~20.60m blk phy	18.60	1007	<0.1	2.4		
	19.60	19.60~20.20m gz vls	19.60	1008	<0.1	1.6		
	20.20	20.20~23.90m frac. zone w/gz	20.60	1009	<0.1	<1		
	20.60	20.60~30.00m grey silty. sdy phy	21.70	1010	<0.1	2.0		
			23.00	1011	<0.1	3.6		
	23.90	23.90~24.20m gz, cal, limo v.	24.20	1012	<0.1	<1		
							24.00	BM10-1
	27.50	27.50~28.80m gz, cal, py, limo v & vls (w=0.1-2cm, into 1-5cm)						
	27.70	27.70m gz, cal v (w=2cm)						
	30.00	Bottom of the hole						

GEOLOGIC CORE LOG OF MJML-11 (1/1)

1/200

MJML-11 (1/1) 0 m ~ 30 m

Level 1,024.0 m Direction 520° W
 X 69,498.0 m Inclination -75°
 Y 59,349.0 m Length 30.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0 ~ 2.20m soil w/rock frags						
	2.20	2.20 ~ 5.70m	2.20					
		frac. phy w/abu. g ₂ v.	3.50	BM-1101	1.4	3.2	↑ 4.5m ↓ 1.7, 2.2	
			4.50	1102	1.4	2.8		
	5.70	5.70 ~ 30.00m grey silic stly phy	5.70	1103	2.0	<1		
	6.20	6.20 ~ 7.50m few g ₂ , py. vls	6.70	1104	2.1	2.4		
	7.50	7.50 ~ 13.70m frac. zone	7.50	1105	0.1	3.6		
	9.80	9.80 ~ 12.50m g ₂ , py v & vls	9.80					
	10.90		10.90	1106	<0.1	<1		
	12.50		12.50	1107	<0.1	<1		
	13.70							
	15.40	15.40 ~ 19.70m frac. zone w/g ₂ , py v. & vls (w=0.1~2cm)	15.40					
			16.90	1108	<0.1	2.8		
			18.40	1109	<0.1	<1		
	19.70		19.70	1110	<0.1	<1		
	27.20	27.20 ~ 28.40m frac. zone w/g ₂ , cal, py v. & vls (w=0.1~3cm; int=1-2cm)	27.20					
	28.40	28.40 ~ 29.50m few g ₂ , py vls	28.40	1111	0.1	<1		
	29.50	29.50 ~ 30.00m Bottom of the hole	29.50	1112	0.1	<1		

GEOLOGIC CORE LOG OF MJML-13 (1/1)

1/200

MJML-13 (1/1) 0 m ~ 30 m

Level 962.0 m Direction S20° W
 X 89.779.0 m Inclination -75°
 Y 59.216.0 m Length 30.0 m

LITHOLOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
0		0 ~ 1.00 m soil w/rock frags						0
1	1.00	1.00 ~ 2.00 m weathered silty phy						2
2	2.00	2.00 ~ 17.80 m grey silty phy						4
4								6
6								8
8	7.60	7.60 ~ 13.20 m few fz, limo vls. (w=0.1%/cm, int=1/5cm)	7.60					8
8	8.60	8.60 ~ 13.20 m frac. zone	8.60	BM-130	<0.1	<1		8
10			9.60	1302	<0.1	<1		10
10			10.40	1303	<0.1	<1		10
12			11.40	1304	<0.1	<1		12
12			12.20	1305	<0.1	<1		12
14	13.20		13.20	1306	<0.1	<1		14
14								16
16								18
18	17.80	17.80 ~ 20.30 m blk phy						18
18	18.90	18.90 ~ 19.60 m frac. zone						20
20	19.60	20.30 ~ 30.00 m grey silic. phy						20
20	20.30	21.20 ~ 25.60 m frac. zone						22
22	21.20	22.40 ~ 25.60 m few fz, py, limo vls	22.40					22
22	22.40		23.20	1307	<0.1	<1		22
24			24.10	1308	<0.1	<1		24
24	25.60		25.60	1309	<0.1	<1		24
26								26
26								28
28								28
30	30.00	30.00 m bottom of the hole						30
32								32
34								34
36								36
38								38
40								40
42								42
44								44
46								46
48								48
50								50

GEOLOGIC CORE LOG OF MJML-14 (1/1)

1/200

MJML-14 (1/1) 0 m ~ 30 m

Level 982.0 m Direction 520° W
 X 49.836.0 m Inclination -75°
 Y 59.206.0 m Length 30.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0-9.0	0~0.90m soil w/ rock frag 0.90~2.70m weathered sdy phy						
	2.20	2.70~17.80m grey silic. sdy phy						
	6.10	6.10~6.60m frac. zone						
	7.30	7.30~7.80m frac. zone w/ few gz	7.30					
	7.80		8.20	BM-1401	<0.1	<1		
	9.10	9.10~9.40m frac. zone w/ gz v.	9.40	1402	<0.1	<1		
	10.40	9.70~10.40m frac. zone w/ few gz	10.40	1403	<0.1	<1		
	14.10	14.10~16.80m few gz vls.	14.10					
	15.30	15.40~15.70m frac. zone w/ gz v.	15.30	1404	<0.1	<1		
	16.80		16.80	1405	<0.1	<1		
	17.80	17.80~22.90m dk grey phy						
	22.90	22.90~24.20m grey silic. sdy phy						
	24.20	24.20~24.70m brownish grey str. silic sdy phy	24.20					
	24.70		24.70	1406	<0.1	<1		
	25.80	24.70~27.60m frac. zone w/clay & few gz v.	25.80	1407	<0.1	<1		
	26.80		26.80	1408	<0.1	<1		
	27.60	27.60~29.30m gz vls (w=0.1-0.2% net work)	27.60	1409	<0.1	<1		
	28.50		28.50	1410	<0.1	<1		
	29.30	29.30~30.00m frac. zone w/clay & few gz v.	29.30	1411	<0.1	<1		
	30.00	30.00m Bottom of the hole	30.00	1412	<0.1	<1		

GEOLOGIC CORE LOG OF MJML-16(1/1)

1/200

MJML-16(1/1) 0 m ~ 30 m

Level 1,003.0 m Direction S20°W
 X 69.961.0 m Inclination -25°
 Y 59.175.0 m Length 30.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0		0.00					
	1.00	0~1.00m weathered sdy phy w/gz	1.00	BH-1601	1.0	<1	↑ 2.0m ↓	
	2.00	1.00~3.00m gz v.	2.00	1602	1.6	<1		
	3.00	3.00~6.50m grey silic. sdy phy	3.00	1603	2.4	<1		
	4.80	4.80~5.80m gz v. & vls (w=0.1-0.5%, int=5-10cm)	4.80					
	5.80		5.80	1604	0.4	<1		
	6.80	6.50~8.00m dk grey phy	6.80	1605	<0.1	<1		
	7.80	6.80~7.00m gz v.	7.80	1606	<0.1	<1		
	8.50	7.20~7.80m gz, py v.	8.50	1607	0.2	<1		
	8.50	8.50~30.00m grey silic. sdy phy						
	11.50		11.50					
	12.50	11.50~14.80m few gz vls (w=0.1-0.8%, int=2-10cm)	12.50	1608	<0.1	<1		
	13.90	11.80m gz (w=0.3%, 35°)	13.90	1609	<0.1	<1		
	14.80		14.80	1610	<0.1	<1		
	19.60		19.60					
	20.10	19.60~20.10m frac zone w/gz	20.10	1611	<0.1	<1		
	25.00		25.00					
	26.00	25.00~27.90m frac. zone w/gz, py v.	26.00	1612	<0.1	<1		
	26.90		26.90	1613	0.5	8.0		
	27.90	27.90~30.00m	27.90	1614	<0.1	<1		
	28.90	gz, py vls (w=0.1~0.3%, int=3-5cm)	28.90	1615	<0.1	1.2		
	30.00	30.00m Bottom of the hole	30.00	1616	<0.1	<1		

GEOLOGIC CORE LOG OF MJML-17 (1/1)

1/200

MJML-17 (1/1) 0 m ~ 30.0 m

Level 970.0 m Direction 520° W
 X 20.113.0 m Inclination -75°
 Y 59.113.0 m Length 30.0 m

LITHOLOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~2.30m weathered sdy phy						
	2.30	2.30~12.60m grey sdy phy						
	3.00		3.00					
	3.50	3.00~3.50m gZ V	3.50	BM-1701	0.1	<1		
	4.90	4.90~5.70m gZ V	4.90					
	5.70		5.70	1702	<0.1	<1		
	6.40	5.70~6.40m frac. zone w/ few gZ	6.40	1703	<0.1	<1		
	9.70	9.70~10.60m few gZ, py vls (w=0.1 to 0.5cm)	9.70					
	10.60	10.60~11.50m frac. zone int=3~10cm	10.60	1704	<0.1	<1		
	11.50	11.70m gZ, py v. (w=0.5cm, 2g)	11.50	1705	<0.1	<1		
	12.50	12.50~30.00m dk grey phy	12.50	1706	<0.1	<1		
	13.50		13.50	1707	0.2	<1		
	14.30	13.50~14.30m frac. zone						
	16.60	16.60~19.50m frac. zone of silic. phy w/gZ vls & dissem. py	16.60					
	17.70		17.70	1708	0.1	3.6		
	18.60		18.60	1709	<0.1	<1		
	19.50	20.10~20.40m frac. zone	19.50	1710	<0.1	3.2		
	20.40	20.40~21.40m silic. phy w/gZ vls & dissem. py	20.40	1711	<0.1	<1		
	21.40		21.40	1712	<0.1	6.8		
	22.00	22.00~24.50m str. silic. phy w/gZ vls & py	22.00	1713	<0.1	<1		
	23.20		23.20	1714	<0.1	<1		
	24.50	24.50~26.10m frac. zone of silic. phy w/gZ vls & dissem py	24.50	1715	<0.1	<1		
	25.20		25.20	1716	<0.1	<1		
	26.40	26.40~27.00m frac. zone	26.40	1717	<0.1	2.4		
	27.50	27.00~30.00m silic. phy w/gZ vls & dissem py	27.50	1718	<0.1	<1		
	28.50		28.50	1719	<0.1	<1		
	29.20		29.20	1720	<0.1	<1		
	30.00	30.00m Bottom of the hole	30.00	1721	<0.1	<1		

GEOLOGIC CORE LOG OF MJML-18 (1/1)

1/200

MJML-18 (1/1) 0 m ~ 30 m

Level 948.0 m Direction S20°W
 X 70.251.0 m Inclination -75°
 Y 59.414.0 m Length 30.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~3.30m weathered phy						
	3.30	3.30~4.70m dk grey phy						
	4.70	4.70~30.00m grey silic. sdy phy						
	8.50	8.50~9.50m g2, py, chl vls (w=0.1-0.2m, int=2-4cm)	8.50					
	9.50	9.50~10.90m frac zone w/g2, py, chl v. (w=0.1-5cm)	9.50	BM 1801	0.4	<1		
	10.90	10.90~11.90m g2 vls (w=0.1-0.2cm, int=2-5cm)	10.90	1802	0.4	<1		
	11.90	11.90~12.15m g2 v.	11.90	1803	0.8	1.6		
	12.15		12.15	1804	0.4	<1		
	13.90	13.90~14.10m g2, py, chl v (45°)	13.90	1805	20.1	<1	11.80	BM118-1
	14.10	14.10~15.70m g2, py vls (w=0.1-0.3cm, int=3-5cm)	14.90	1806	0.4	<1		
	15.70	15.70~16.10m frac. zone w/g2 v.	14.90	1807	0.1	<1		
	16.10	16.50~17.00m frac. zone w/g2 v.	15.70	1808	0.1	<1		
	17.00	17.00~17.60m g2, py, chl vls	16.50	1809	0.4	<1		
	19.00	17.00~17.60m g2, py, chl vls	17.60	1810	0.2	<1		
	19.35	19.00~19.35m g2, py, chl v.	19.00	1811	0.2	<1		
	20.90	19.35~24.30m g2 v. vls (w=0.1-1cm, int=2-4cm, partly network)	19.35	1812	0.1	1.6		
	21.40	21.40m g2, py v (3cm)	20.90	1813	<0.1	<1		
	22.00	22.00m g2, py, chl v (w=5-7cm)	21.50	1814	0.4	1.6		
	24.30		22.20	1815	0.4	<1	22.15	BM118-2
	26.30	26.30~27.30m g2 vls (w=0.1-0.2cm, int=1-3cm)	24.30	1816	<0.1	<1		
	27.30		26.30	1817	0.1	<1		
	30.00	30.00m Bottom of the hole	27.30	1818	<0.1	<1		

GEOLOGIC CORE LOG OF MJML--19 (1/1)

1/200

MJML-19(1/1) 10 m ~ 30 m

Level 948.0 m Direction S20°W
 X 20.317.0 m Inclination -75°
 Y 59.050.0 m Length 30.0 m

LITHOLOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~3.30m weathered phy						
	3.30	3.30~7.65m dk gray phy						
	5.00	5.00~5.90m frac zone						
	5.90	6.20~6.80m frac. zone						
	6.80	6.80~7.65m g2, py vls	6.80					
	7.65	7.65~12.20m grey sdg ph	7.65	BM-1901	<0.1	<1		
	9.90	9.90m g2 V (w=0.2m, 350)						
	12.20	9.90~12.20m frac. zone						
	12.20	12.20~27.70m blk phy						
	15.10	15.10~15.80m frac. zone w/ g2, limo, clay	15.10					
	15.80	15.80~18.20m frac. zone w/ few g2 vls	15.80	1902	<0.1	<1		
	18.30		17.10	1903	0.4	<1		
	20.00	20.00~20.70m frac zone	18.20	1904	0.1	<1		
	20.70							
	21.20	21.20~21.90m few g2 vls (w=0.1-0.3cm)	21.20					
	21.90		21.90	1905	0.2	<1		
	23.65	23.65~23.80m g2, py V	22.90	1906	0.4	<1		
	24.50	24.50~25.30m few g2 vls (w=0.1-0.2cm)	23.80	1907	5.8	<1		
	26.10	26.10~27.20m frac. zone	24.50	1908	0.2	<1		
	27.20		25.30	1909	0.4	<1		
	27.70	27.70~30.00m grey silic. sdg phy	27.70					
	27.70	27.70~30.00m frac. zone	27.70	1910	0.4	<1		
	30.00	30.00m bottom of the hole	30.00	1911	<0.1	<1		

GEOLOGIC CORE LOG OF MJML-20 (1/1)

1/200

MJML-20 (1/1) 0 m ~ 30 m

Level 974.0 m Direction S20°W
 X 70.428.0 m Inclination -75°
 Y 59.060.0 m Length 30.0 m

LITHO-LOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~2.20m weathered phy						
	2.20	2.20~5.00m dk grey phy	3.80					
	5.00	5.00~5.50m frac zone w/ g2 V (max. 2cm)	5.00	BH-2001	0.2	<1		
	5.50	5.50~7.50m grey sdy phy	6.10	2002	0.6	<1		
	5.90	5.90~7.00m frac. zone of g2 V & clay	7.00	2003	0.2	<1		
	7.00	7.00~7.50m grey sdy phy w/ g2 V. & vls	7.50	2004	0.4	<1		
	7.50	7.50~8.00m grey phy	8.00	2005	0.1	<1		
	8.00	8.00~8.90m frac. zone w/ g2 V (max. 3cm)	8.90	2006	0.4	<1		
	11.80	11.80~13.80m g2 V. & vls (w=0.1~3cm, int=2-4cm)	11.80				12.00	BM20-1
	12.80		12.80	2007	0.4	<1		
	13.80		13.80	2008	0.4	<1	13.70	BM20-2
	16.80	16.80~17.80m g2 V & vls (w=0.1~1cm, int=3-7cm)	16.80					
	17.80		17.80	2009	2.0	<1		
	20.70	20.70~21.30m g2 V. & vls (w=0.1-1cm, int=3-10cm)	20.70					
	21.30		21.30	2010	0.8	<1		
	22.50	22.50m g2, P8 V (w=2.5cm, 35°)	22.50	2011	0.2	1.2		
	26.4m	26.4m g2 V (w=0.2cm, 25°)						
	30.00	30.00m Bottom of the hole						

GEOLOGIC CORE LOG OF MJML-21 (1/1)

1/200

MJML-21(1/1) 0 m ~ 30 m

Level 969.0 m Direction 520° W
 X 70.499.0 m Inclination -25°
 Y 58.968.0 m Length 30.0 m

LITHOLOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~1.80m weathered sdy phy						
	1.80	1.80~8.00m dk grey sdy phy						
	3.90	3.90m g2 V. (w=0.1-0.3%, 5°, 45°)						
	8.00	8.00~8.60m dk grey silic phy						
	8.60	8.60~24.00m grey silic phy						
	10.00	10.00m g2 (w=0.3%, 25°)						
	12.10	12.10~12.70m frac. zone						
	12.70							
	14.40	14.40~15.40m g2 V. & vls (w=0.3-1%)	14.40					
	15.40		15.40	BM-2101	0.6	<1		
	16.40		16.40	2102	0.1	<1		
	17.20	17.20~17.60m g2, py V	17.20	2103	0.6	<1		
	17.60	17.60~18.50m g2, py vls (w=0.1-0.3%, int=3-18°)	17.60	2104	0.8	<1		
	18.50		18.50	2105	0.6	<1		
	23.10	23.10~24.30m g2, py vls (w=0.1-1%)	23.10					
	24.00	24.00~25.60m dk grey phy	24.30	2106	<0.1	1.8		
	25.60	25.60~30.00m grey sdy phy						
	27.20	27.20m g2 V (w=3%, 5°)	27.20					
	28.40	28.40~29.20m g2, py V (5°)	28.40	2107	0.6	<1		
	29.20		29.20	2108	0.1	<1		
	30.00	30.00m Bottom of the hole						


GEOLOGIC CORE LOG OF MJML-22 (1/1)

1/200


MJML-22 (1/1) 0 m ~ 30.0 m

Level 955.0 m Direction S20° W
 X 90.691.0 m Inclination 75°
 Y 52.910.0 m Length 30.0 m

LITHOLOGY	DEPTH (m)	DESCRIPTIONS	DEPTH (m)	SAMPLE No.	ASSAY RESULT			LAB. TEST
					Au	Ag	As	
	0	0~2.00m dk grey weathered phy.						
	2.00	2.00~2.50m grey weathered phy w/gz vls	2.00					
	2.50	2.50~5.20m blk phy w/gz vls (w=0.1-1cm, int=2-5cm)	2.10	BH-2201	<0.1	1.2		
			4.20	2202	<0.1	<1		
	5.20	5.20~5.80m gz V.	5.20	2203	<0.1	2.8		
	5.80	5.80~9.50m grey silic. sdy phy	5.80	2204	<0.1	<1		
			6.30	2205	<0.1	<1		
	7.80	7.30m gz V w=0.5cm, 25°	7.40					
	8.20	7.80~8.20m frac. zone w/gz vls	8.20	2206	<0.1	<1		
	9.50	9.50~10.70m blk phy						
	10.10	10.10~10.70m gz vls (w=0.1-0.3cm)	10.10					
	10.70	10.70~13.50m gre silic. sdy phy	10.70	2207	<0.1	<1		
		10.70~11.40m frac. zone						
	13.50	13.50~15.90m blk phy w/ gz v. & vls (w=0.1~3cm, int=3-10cm)	13.50					
		14.70m gz V (w=3cm)	14.70	2208	<0.1	<1		
	15.90	15.80m gz V (w=3cm)	15.90	2209	<0.1	<1		
		15.90~17.60m blk phy						
	17.60	17.60~30.00m grey silic. sdy phy						
		22.50m j w/limo, 50°	23.00					
	24.20	24.20~24.40m gz, py V.	24.20	2210	<0.1	<1		
	24.40		24.40	2211	0.4	<1	24.20	BM22-2
	26.00	24.40~25.00m gz vls (w=0.1~0.3cm, Int=3-5cm)	26.00	2212	0.1	<1		
	30.00	30.00m Bottom of the hole						



Appendix 2. Results of Laboratory Works




Appendix 2-1 List of Laboratory Works

Items	Quantity	
	Drilling survey	Total
1. Thin section	5	5
2. Polished section	6	6
3. Ore analysis (Au,Ag)	312	312
4. Fluid inclusion test	11	11



Appendix 2-2 Microscopic Observations of the Thin Sections



Appendix 2-2 Microscopic Observation of the Thin Sections

No. Sample No	Locality		Sample Name	Primary minerals										Secondary minerals										Remarks												
	Drill Hole	Depth		Qz	Pl	Kf	Bi	Ms	Hb	Ga	Cal	And	Sph	Gr	To	Ap	Hm	Gt	Qz	Pl	Kf	Ms	Chl		Bi	Ep	Ga	Cal	And	Sph	Gr	To	Ap	Hm	Gt	
1	BA15-3	MJSN-15	79.45 m	Andalusite-muscovite schist																																
2	BA16-1	MJSN-16	49.20 m	Hematite-tourmaline-muscovite schist																																
3	BM12-1	MJML-12	25.30 m	Garnet-epidote-chlorite schist (Meta-hornblende diorite)																																
4	BM18-1	MJML-18	11.80 m	Muscovite-chlorite-biotite schist																																
5	BM22-1	Near MJML-22	Outcrop	Garnet-epidote-chlorite schist (Meta-hornblende diorite)																																


[Abbreviation]

And : andalusite, Ap : apatite, Bi : biotite, Cal : calcite, Chl : chlorite, Ep : epidote, Ga : garnet, Gr : graphite, Gt : goethite,
Hb : hornblende, Hm : hematite, Kf : K-feldspar, Ms : muscovite, Qz : quartz, Pl : plagioclase, Sph : sphene, To : tourmaline

[Legend]

⊙ : Abundant ○ : Common △ : Poor • : Rare
 [Primary/Secondary]


Primary=igneous origin, Secondary=metamorphic origin




Appendix 2-3 Photomicrographs of the Thin Sections

Abbreviations

Bt	:	Biotite
Ch	:	Chlorite
Ep	:	Epidote
Ga	:	Garnet
Gr	:	Graphite
Gt	:	Goethite,
Hb	:	Hornblende
Hm	:	Hematite
Mu	:	Muscovite
Qz	:	Quartz
Pl	:	Plagioclase
Sph	:	Sphene
To	:	Tourmaline




Appendix 2-3 Photomicrographs of the Thin Sections






Appendix 2-3 Photomicrographs of the Thin Sections





**Appendix 2-4 Microscopic Observations
of the Polished Thin Sections**



Appendix 2-4 Microscopic Observation of the Polished Thin Sections


No.	Sample no.	Locality	Depth(m)	Gar	Cpx	Hb	Pl	Kf	Qtz	Chl	Ep	Ms	Bi	Se	Sphn	Tm	Vesuv	Pr	Wo	Cal	Mgt	Ilm	Hm	Go	Cp	Bn	Py	Po	Mc	Sph	Tet	Apy	Cc	Cov	El	Bi-Te		
1	BA15-2	MJSN-15	45.80					⊙	⊙			⊙				⊙							☆	☆														
2	BA16-2	MJSN-16	50.30				☆	⊙				⊙								☆			☆	☆														
3	BM3-1	MJML-3	11.70				☆	⊙																⊙														
4	BM18-2	MJML-18	22.15					⊙	△			☆	☆										☆	☆														
5	BM20-2	MJML-20	13.70					⊙	☆			☆	☆																									
5	BM21-1	MJML-21	17.30					⊙	☆			☆	☆	△																								

Gar=Garnet, Cpx=Clinopyroxene, Hb=Amphiboles, Pl=Plagioclase, Kf=Potash feldspar, Qtz=Quartz, Chl=Chlorite, Ep=Epidote, Ms=Muscovite

Bi=Biotite, Se=Sericite, Sphn=Sphene, Tm=Tourmaline, Vesuv=Vesuvianite, Pr=Prehnite, Wo=Wollastonite, Cal=Calcite

Mgt=Magnetite, Ilm=Ilmenite, Hm=Hematite, Go=Goethite, Cp=Chalcopyrite, Sn=Bornite, Py=Pyrite, Po=Pyrrhotite, Mc=Macasite

Sph=Sphalerite, Tet=Tetrahedrite-series, Apy=Arsenopyrite, Cc=Chalcocite, Cov=Covellite, El=Electrum, Bi-Te=Bi-Te series








Appendix 2-5 Photomicrographs of the Polished Thin Sections

Abbreviations

Kf	:	K-feldspar
Qtz	:	Quartz
Chl	:	Chlorite
Ms	:	Muscovite
Bi	:	Biotite
Tm	:	Tourmaline
Go	:	Goethite
Py	:	Pyrite




Appendix 2-5 Photomicrographs of the Polished Sections





Appendix 2-6 Assay Results of the Ore Samples



Appendix 2-6 (1) Assay Results of Ore Samples (Altynsai Drillcore)

No.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Remarks
			Lower limit=>	0.1g/t	1.0g/t	
1	BA- 1501	11.70 ~ 13.00	1.30	0.2	<1	
2	BA- 1502	13.00 ~ 14.40	1.40	0.9	8.2	
3	BA- 1503	14.40 ~ 15.70	1.30	0.2	<1	
4	BA- 1504	15.70 ~ 16.90	1.20	0.4	6.8	
5	BA- 1505	29.00 ~ 30.00	1.00	13.6	9.2	
6	BA- 1506	30.00 ~ 31.00	1.00	11.2	3.8	
7	BA- 1507	32.70 ~ 33.90	1.20	1.6	4.8	
8	BA- 1508	33.90 ~ 34.90	1.00	0.4	<1	
9	BA- 1509	36.40 ~ 37.60	1.20	0.5	1.8	
10	BA- 1510	37.60 ~ 38.80	1.20	0.8	<1	
11	BA- 1511	39.80 ~ 40.90	1.10	0.2	<1	
12	BA- 1512	43.60 ~ 44.60	1.00	0.2	<1	
13	BA- 1513	44.60 ~ 45.30	0.70	1.2	0.4	
14	BA- 1514	45.30 ~ 46.15	0.85	0.8	<1	
15	BA- 1515	46.15 ~ 47.20	1.05	0.4	3.6	
16	BA- 1516	47.20 ~ 48.60	1.40	0.4	2.8	
17	BA- 1517	51.50 ~ 52.70	1.20	0.6	<1	
18	BA- 1518	53.60 ~ 54.60	1.00	<0.1	1.2	
19	BA- 1519	54.60 ~ 55.50	0.90	0.1	<1	
20	BA- 1520	55.50 ~ 56.40	0.90	0.1	2.4	
21	BA- 1521	56.40 ~ 57.70	1.30	0.6	2.2	
22	BA- 1522	57.70 ~ 58.80	1.10	0.4	2.4	
23	BA- 1523	58.80 ~ 60.20	1.40	0.2	<1	
24	BA- 1524	60.20 ~ 61.70	1.50	0.8	1.8	
25	BA- 1525	63.40 ~ 64.30	0.90	0.1	3.8	
26	BA- 1526	64.30 ~ 65.30	1.00	0.2	<1	
27	BA- 1527	67.80 ~ 69.20	1.40	0.2	<1	
28	BA- 1528	69.20 ~ 71.10	1.90	2.0	1.6	
29	BA- 1529	74.50 ~ 75.90	1.40	0.4	2.4	
30	BA- 1530	75.90 ~ 76.90	1.00	0.4	<1	
31	BA- 1531	76.90 ~ 78.20	1.30	0.4	<1	
32	BA- 1532	85.70 ~ 87.00	1.30	0.2	<1	
33	BA- 1533	87.00 ~ 87.85	0.85	0.7	3.2	
34	BA- 1534	90.20 ~ 91.50	1.30	1.8	<1	
35	BA- 1535	99.40 ~ 100.70	1.30	0.1	3.6	
36	BA- 1601	5.80 ~ 6.80	1.00	0.4	<1	
37	BA- 1602	6.80 ~ 7.80	1.00	0.2	<1	
38	BA- 1603	11.00 ~ 12.40	1.40	0.4	<1	
39	BA- 1604	12.40 ~ 13.50	1.10	1.2	<1	
40	BA- 1605	13.50 ~ 14.80	1.30	0.2	<1	
41	BA- 1606	14.80 ~ 16.30	1.50	<0.1	<1	
42	BA- 1607	18.10 ~ 19.50	1.40	0.4	<1	
43	BA- 1608	20.20 ~ 21.60	1.40	0.4	<1	
44	BA- 1609	24.30 ~ 25.60	1.30	0.2	1.6	
45	BA- 1610	25.60 ~ 27.00	1.40	0.6	<1	
46	BA- 1611	27.00 ~ 28.30	1.30	0.4	<1	
47	BA- 1612	31.30 ~ 32.30	1.00	0.4	<1	
48	BA- 1613	32.30 ~ 33.40	1.10	0.4	<1	
49	BA- 1614	39.95 ~ 41.20	1.25	0.8	<1	
50	BA- 1615	41.20 ~ 42.40	1.20	0.8	<1	
51	BA- 1616	42.40 ~ 43.90	1.50	0.8	<1	
52	BA- 1617	43.90 ~ 45.20	1.30	2.8	<1	
53	BA- 1618	45.20 ~ 47.00	1.80	1.6	<1	
54	BA- 1619	47.00 ~ 48.20	1.20	2.8	<1	
55	BA- 1620	48.20 ~ 49.80	1.60	0.8	<1	
56	BA- 1621	49.80 ~ 51.00	1.20	44.8	6.8	
57	BA- 1622	51.00 ~ 51.80	0.80	1.8	<1	
58	BA- 1623	58.20 ~ 59.30	1.10	0.8	1.6	

Appendix 2-6 (2) Assay Results of Ore Samples (Maulyan Drillcore)

No.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Remarks
			Lower limit→	0.1g/t	1.0g/t	
1	BM- 301	5.90 ~ 6.70	0.80	0.6	<1	
2	BM- 302	6.70 ~ 7.70	1.00	1.3	<1	
3	BM- 303	7.70 ~ 8.10	0.40	5.6	<1	
4	BM- 304	8.10 ~ 8.80	0.70	2.4	<1	
5	BM- 305	8.80 ~ 9.80	1.00	1.2	<1	
6	BM- 306	9.80 ~ 10.40	0.60	0.8	<1	
7	BM- 307	10.40 ~ 11.00	0.60	0.2	<1	
8	BM- 308	11.00 ~ 11.80	0.80	<0.1	<1	
9	BM- 309	11.80 ~ 13.40	1.60	<0.1	<1	
10	BM- 310	14.90 ~ 15.70	0.80	<0.1	<1	
11	BM- 311	17.90 ~ 18.70	0.80	<0.1	1.6	
12	BM- 312	23.30 ~ 23.70	0.40	<0.1	6.0	
13	BM- 401	3.20 ~ 4.20	1.00	<0.1	7.2	
14	BM- 402	4.20 ~ 5.00	0.80	<0.1	2.0	
15	BM- 403	5.00 ~ 6.20	1.20	<0.1	<1	
16	BM- 404	6.20 ~ 6.60	0.40	<0.1	<1	
17	BM- 405	6.60 ~ 7.10	0.50	<0.1	<1	
18	BM- 406	7.10 ~ 8.10	1.00	0.2	<1	
19	BM- 407	8.10 ~ 8.90	0.80	0.3	<1	
20	BM- 408	8.90 ~ 10.00	1.10	<0.1	<1	
21	BM- 409	10.00 ~ 11.00	1.00	<0.1	<1	
22	BM- 410	15.00 ~ 16.00	1.00	<0.1	<1	
23	BM- 411	16.00 ~ 17.00	1.00	<0.1	<1	
24	BM- 412	17.00 ~ 18.00	1.00	<0.1	<1	
25	BM- 413	18.00 ~ 19.00	1.00	<0.1	<1	
26	BM- 414	19.00 ~ 20.00	1.00	<0.1	<1	
27	BM- 415	23.00 ~ 24.00	1.00	<0.1	<1	
28	BM- 416	24.00 ~ 25.00	1.00	<0.1	<1	
29	BM- 417	25.00 ~ 26.00	1.00	<0.1	<1	
30	BM- 418	26.00 ~ 27.00	1.00	<0.1	<1	
31	BM- 419	27.00 ~ 28.00	1.00	0.2	<1	
32	BM- 501	4.70 ~ 5.60	0.90	9.6	2.0	
33	BM- 502	5.60 ~ 6.10	0.50	<0.1	<1	
34	BM- 503	15.20 ~ 15.70	0.50	1.5	<1	
35	BM- 504	15.70 ~ 16.90	1.20	0.8	<1	
36	BM- 505	23.20 ~ 24.20	1.00	0.2	<1	
37	BM- 601	2.00 ~ 2.80	0.80	<0.1	<1	
38	BM- 602	2.80 ~ 3.40	0.60	<0.1	<1	
39	BM- 603	5.90 ~ 6.80	0.90	0.5	<1	
40	BM- 604	7.90 ~ 8.70	0.80	<0.1	<1	
41	BM- 605	8.70 ~ 9.40	0.70	<0.1	<1	
42	BM- 606	10.70 ~ 11.30	0.60	<0.1	<1	
43	BM- 607	11.30 ~ 12.10	0.80	<0.1	<1	
44	BM- 608	24.00 ~ 24.80	0.80	<0.1	<1	
45	BM- 609	24.80 ~ 25.50	0.70	<0.1	<1	
46	BM- 610	28.60 ~ 29.60	1.00	<0.1	<1	
47	BM- 701	1.00 ~ 1.60	0.60	<0.1	<1	
48	BM- 702	4.30 ~ 5.20	0.90	<0.1	<1	

Appendix 2-6 (3) Assay Results of Ore Samples (Maulyan Drillcore)

No.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Remarks
			Lower limit⇒	0.1g/t	1.0g/t	
49	BM- 703	5.20 ~ 6.30	1.10	<0.1	<1	
50	BM- 704	11.10 ~ 12.20	1.10	0.2	<1	
51	BM- 705	19.70 ~ 21.00	1.30	<0.1	<1	
52	BM- 706	22.50 ~ 23.60	1.10	0.2	<1	
53	BM- 707	25.70 ~ 26.90	1.20	<0.1	<1	
54	BM- 801	1.00 ~ 2.60	1.60	<0.1	<1	
55	BM- 802	2.60 ~ 3.80	1.20	0.6	<1	
56	BM- 803	6.00 ~ 6.80	0.80	0.2	<1	
57	BM- 804	6.80 ~ 7.70	0.90	<0.1	<1	
58	BM- 805	9.40 ~ 11.00	1.60	<0.1	<1	
59	BM- 806	11.00 ~ 12.20	1.20	<0.1	<1	
60	BM- 807	24.80 ~ 25.80	1.00	2.2	2.4	
61	BM- 808	25.80 ~ 26.30	0.50	0.9	<1	
62	BM- 809	27.20 ~ 28.20	1.00	0.5	<1	
63	BM- 810	29.10 ~ 30.00	0.90	<0.1	<1	
64	BM- 901	4.60 ~ 5.60	1.00	0.4	<1	
65	BM- 902	5.60 ~ 7.10	1.50	0.4	<1	
66	BM- 903	7.10 ~ 8.30	1.20	<0.1	<1	
67	BM- 904	10.50 ~ 11.70	1.20	0.2	<1	
68	BM- 905	11.70 ~ 12.90	1.20	0.1	<1	
69	BM- 906	14.40 ~ 15.20	0.80	0.1	<1	
70	BM- 907	16.30 ~ 17.30	1.00	<0.1	<1	
71	BM- 908	17.30 ~ 18.70	1.40	<0.1	<1	
72	BM- 909	18.70 ~ 19.70	1.00	<0.1	<1	
73	BM- 910	19.70 ~ 20.70	1.00	0.1	<1	
74	BM- 911	22.70 ~ 23.70	1.00	<0.1	<1	
75	BM- 912	23.70 ~ 24.70	1.00	0.2	<1	
76	BM- 913	24.70 ~ 25.70	1.00	0.1	<1	
77	BM- 914	25.70 ~ 26.70	1.00	<0.1	<1	
78	BM- 915	26.70 ~ 27.90	1.20	0.1	<1	
79	BM- 916	27.90 ~ 29.00	1.10	<0.1	<1	
80	BM- 917	29.00 ~ 30.00	1.00	0.4	<1	
81	BM- 1001	5.60 ~ 7.00	1.40	<0.1	2.8	
82	BM- 1002	8.40 ~ 9.20	0.80	<0.1	2.0	
83	BM- 1003	9.20 ~ 10.70	1.50	<0.1	4.0	
84	BM- 1004	13.90 ~ 15.00	1.10	<0.1	4.0	
85	BM- 1005	15.00 ~ 16.10	1.10	<0.1	2.0	
86	BM- 1006	16.10 ~ 17.20	1.10	<0.1	2.0	
87	BM- 1007	17.20 ~ 18.60	1.40	<0.1	2.4	
88	BM- 1008	18.60 ~ 19.60	1.00	<0.1	1.6	
89	BM- 1009	19.60 ~ 20.60	1.00	<0.1	<1	
90	BM- 1010	20.60 ~ 21.70	1.10	<0.1	2.0	
91	BM- 1011	21.70 ~ 23.00	1.30	<0.1	3.6	
92	BM- 1012	23.00 ~ 24.20	1.20	<0.1	<1	
93	BM- 1101	2.20 ~ 3.50	1.30	1.4	3.2	
94	BM- 1102	3.50 ~ 4.50	1.00	1.4	2.8	
95	BM- 1103	4.50 ~ 5.70	1.20	2.0	<1	
96	BM- 1104	5.70 ~ 6.70	1.00	2.1	2.4	

Appendix 2-6 (4) Assay Results of Ore Samples (Maulyan Drillcore)

No.	Samp.no.	Depth(m)	Length(m)	Au(g/l)	Ag(g/l)	Remarks
			Lower limit→	0.1g/l	1.0g/l	
97	BM- 1105	6.70 ~ 7.50	0.80	0.1	3.6	
98	BM- 1106	9.80 ~ 10.90	1.10	<0.1	<1	
99	BM- 1107	10.90 ~ 12.50	1.60	<0.1	<1	
100	BM- 1108	15.40 ~ 16.90	1.50	<0.1	2.8	
101	BM- 1109	16.90 ~ 18.40	1.50	<0.1	<1	
102	BM- 1110	18.40 ~ 19.70	1.30	<0.1	<1	
103	BM- 1111	27.20 ~ 28.40	1.20	0.1	<1	
104	BM- 1112	28.40 ~ 29.50	1.10	0.1	<1	
105	BM- 1201	3.20 ~ 4.50	1.30	0.2	<1	
106	BM- 1202	4.50 ~ 5.70	1.20	<0.1	<1	
107	BM- 1203	5.70 ~ 6.60	0.90	<0.1	<1	
108	BM- 1204	6.60 ~ 7.60	1.00	<0.1	<1	
109	BM- 1205	12.70 ~ 13.90	1.20	<0.1	<1	
110	BM- 1206	13.90 ~ 14.80	0.90	<0.1	<1	
111	BM- 1207	14.80 ~ 16.00	1.20	0.2	<1	
112	BM- 1208	16.00 ~ 16.90	0.90	<0.1	<1	
113	BM- 1209	16.90 ~ 17.70	0.80	0.4	<1	
114	BM- 1210	17.70 ~ 19.10	1.40	<0.1	<1	
115	BM- 1211	19.10 ~ 20.00	0.90	<0.1	<1	
116	BM- 1212	20.00 ~ 21.00	1.00	<0.1	<1	
117	BM- 1213	21.00 ~ 22.50	1.50	<0.1	<1	
118	BM- 1214	22.50 ~ 23.50	1.00	<0.1	<1	
119	BM- 1215	23.50 ~ 24.50	1.00	<0.1	<1	
120	BM- 1216	24.50 ~ 25.50	1.00	<0.1	<1	
121	BM- 1217	25.50 ~ 26.60	1.10	<0.1	<1	
122	BM- 1218	26.60 ~ 27.40	0.80	<0.1	<1	
123	BM- 1219	27.40 ~ 29.10	1.70	<0.1	<1	
124	BM- 1301	7.60 ~ 8.60	1.00	<0.1	<1	
125	BM- 1302	8.60 ~ 9.60	1.00	<0.1	<1	
126	BM- 1303	9.60 ~ 10.40	0.80	<0.1	<1	
127	BM- 1304	10.40 ~ 11.40	1.00	<0.1	<1	
128	BM- 1305	11.40 ~ 12.20	0.80	<0.1	<1	
129	BM- 1306	12.20 ~ 13.20	1.00	<0.1	<1	
130	BM- 1307	22.40 ~ 23.20	0.80	<0.1	<1	
131	BM- 1308	23.20 ~ 24.10	0.90	<0.1	<1	
132	BM- 1309	24.10 ~ 25.60	1.50	<0.1	<1	
133	BM- 1401	7.30 ~ 8.20	0.90	<0.1	<1	
134	BM- 1402	8.20 ~ 9.40	1.20	<0.1	<1	
135	BM- 1403	9.40 ~ 10.40	1.00	<0.1	<1	
136	BM- 1404	14.10 ~ 15.30	1.20	<0.1	<1	
137	BM- 1405	15.30 ~ 16.80	1.50	<0.1	<1	
138	BM- 1406	24.20 ~ 24.70	0.50	<0.1	<1	
139	BM- 1407	24.70 ~ 25.80	1.10	<0.1	<1	
140	BM- 1408	25.80 ~ 26.80	1.00	<0.1	<1	
141	BM- 1409	26.80 ~ 27.60	0.80	<0.1	<1	
142	BM- 1410	27.60 ~ 28.50	0.90	<0.1	<1	
143	BM- 1411	28.50 ~ 29.30	0.80	<0.1	<1	
144	BM- 1412	29.30 ~ 30.00	0.70	<0.1	<1	

Appendix 2-6 (5) Assay Results of Ore Samples (Maulyan Drillcore)


No.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Remarks
			Lower limit→	0.1g/t	1.0g/t	
145	BM- 1501	6.40 ~ 7.50	1.10	<0.1	3.2	
146	BM- 1502	8.30 ~ 8.80	0.50	<0.1	2.8	
147	BM- 1503	8.80 ~ 9.50	0.70	0.2	<1	
148	BM- 1504	9.50 ~ 10.00	0.50	0.1	<1	
149	BM- 1505	10.00 ~ 10.60	0.60	<0.1	<1	
150	BM- 1506	10.60 ~ 11.20	0.60	<0.1	<1	
151	BM- 1507	11.20 ~ 11.90	0.70	0.2	<1	
152	BM- 1508	11.90 ~ 12.80	0.90	0.2	<1	
153	BM- 1509	12.80 ~ 13.40	0.60	<0.1	4.0	
154	BM- 1510	14.60 ~ 15.20	0.60	0.8	<1	
155	BM- 1511	24.70 ~ 26.20	1.50	0.2	<1	
156	BM- 1512	28.00 ~ 28.90	0.90	0.5	<1	
157	BM- 1513	28.90 ~ 29.70	0.80	0.5	<1	
158	BM- 1601	0.00 ~ 1.00	1.00	1.0	<1	
159	BM- 1602	1.00 ~ 2.00	1.00	1.6	<1	
160	BM- 1603	2.00 ~ 3.00	1.00	2.4	<1	
161	BM- 1604	4.80 ~ 5.80	1.00	0.4	<1	
162	BM- 1605	5.80 ~ 6.80	1.00	<0.1	<1	
163	BM- 1606	6.80 ~ 7.80	1.00	<0.1	<1	
164	BM- 1607	7.80 ~ 8.50	0.70	0.2	<1	
165	BM- 1608	11.50 ~ 12.50	1.00	<0.1	<1	
166	BM- 1609	12.50 ~ 13.90	1.40	<0.1	<1	
167	BM- 1610	13.90 ~ 14.80	0.90	<0.1	<1	
168	BM- 1611	19.60 ~ 20.10	0.50	<0.1	<1	
169	BM- 1612	25.00 ~ 26.00	1.00	<0.1	<1	
170	BM- 1613	26.00 ~ 26.90	0.90	0.5	8.0	
171	BM- 1614	26.90 ~ 27.90	1.00	<0.1	<1	
172	BM- 1615	27.90 ~ 28.90	1.00	<0.1	1.2	
173	BM- 1616	28.90 ~ 30.00	1.10	<0.1	<1	
174	BM- 1701	3.00 ~ 3.50	0.50	0.1	<1	
175	BM- 1702	4.90 ~ 5.70	0.80	<0.1	<1	
176	BM- 1703	5.70 ~ 6.40	0.70	<0.1	<1	
177	BM- 1704	9.70 ~ 10.60	0.90	<0.1	<1	
178	BM- 1705	10.60 ~ 11.50	0.90	<0.1	<1	
179	BM- 1706	11.50 ~ 12.50	1.00	<0.1	<1	
180	BM- 1707	12.50 ~ 13.50	1.00	0.2	<1	
181	BM- 1708	16.60 ~ 17.70	1.10	0.1	3.6	
182	BM- 1709	17.70 ~ 18.60	0.90	<0.1	<1	
183	BM- 1710	18.60 ~ 19.50	0.90	<0.1	3.2	
184	BM- 1711	19.50 ~ 20.40	0.90	<0.1	<1	
185	BM- 1712	20.40 ~ 21.40	1.00	<0.1	6.8	
186	BM- 1713	21.40 ~ 22.00	0.60	<0.1	<1	
187	BM- 1714	22.00 ~ 23.20	1.20	<0.1	<1	
188	BM- 1715	23.20 ~ 24.50	1.30	<0.1	<1	
189	BM- 1716	24.50 ~ 25.30	0.80	<0.1	<1	
190	BM- 1717	25.30 ~ 26.40	1.10	<0.1	2.4	
191	BM- 1718	26.40 ~ 27.50	1.10	<0.1	<1	
192	BM- 1719	27.50 ~ 28.50	1.00	<0.1	<1	

Appendix 2-6 (6) Assay Results of Ore Samples (Maulyan Drillcore)

No.	Samp.no.	Depth(m)	Length(m)	Au(g/t)	Ag(g/t)	Remarks
			Lower limit→	0.1g/t	1.0g/t	
193	BM- 1720	28.50 ~ 29.20	0.70	<0.1	<1	
194	BM- 1721	29.20 ~ 30.00	0.80	<0.1	<1	
195	BM- 1801	8.50 ~ 9.50	1.00	0.4	<1	
196	BM- 1802	9.50 ~ 10.10	0.60	0.4	<1	
197	BM- 1803	10.10 ~ 10.90	0.80	0.8	1.6	
198	BM- 1804	10.90 ~ 11.60	0.70	0.4	<1	
199	BM- 1805	11.60 ~ 12.15	0.55	<0.1	<1	
200	BM- 1806	12.15 ~ 13.90	1.75	0.4	<1	
201	BM- 1807	13.90 ~ 14.90	1.00	0.1	<1	
202	BM- 1808	14.90 ~ 15.70	0.80	0.1	<1	
203	BM- 1809	15.70 ~ 16.50	0.80	0.4	<1	
204	BM- 1810	16.50 ~ 17.60	1.10	0.2	<1	
205	BM- 1811	17.60 ~ 19.00	1.40	0.2	<1	
206	BM- 1812	19.00 ~ 19.35	0.35	0.1	1.6	
207	BM- 1813	19.35 ~ 20.40	1.05	<0.1	<1	
208	BM- 1814	20.40 ~ 21.50	1.10	0.4	1.6	
209	BM- 1815	21.50 ~ 22.20	0.70	0.4	<1	
210	BM- 1816	22.20 ~ 23.40	1.20	<0.1	<1	
211	BM- 1817	23.40 ~ 24.30	0.90	0.1	<1	
212	BM- 1818	26.30 ~ 27.30	1.00	<0.1	<1	
213	BM- 1901	6.80 ~ 7.65	0.85	<0.1	<1	
214	BM- 1902	15.10 ~ 15.80	0.70	<0.1	<1	
215	BM- 1903	15.80 ~ 17.10	1.30	0.4	<1	
216	BM- 1904	17.10 ~ 18.20	1.10	0.1	<1	
217	BM- 1905	21.20 ~ 21.90	0.70	0.2	<1	
218	BM- 1906	21.90 ~ 22.90	1.00	0.4	<1	
219	BM- 1907	22.90 ~ 23.80	0.90	5.8	<1	
220	BM- 1908	23.80 ~ 24.50	0.70	0.2	<1	
221	BM- 1909	24.50 ~ 25.30	0.80	0.4	<1	
222	BM- 1910	27.90 ~ 29.00	1.10	0.4	<1	
223	BM- 1911	29.00 ~ 30.00	1.00	<0.1	<1	
224	BM- 2001	3.80 ~ 5.00	1.20	0.2	<1	
225	BM- 2002	5.00 ~ 6.10	1.10	0.6	<1	
226	BM- 2003	6.10 ~ 7.00	0.90	0.2	<1	
227	BM- 2004	7.00 ~ 7.50	0.50	0.4	<1	
228	BM- 2005	7.50 ~ 8.00	0.50	0.1	<1	
229	BM- 2006	8.00 ~ 8.90	0.90	0.4	<1	
230	BM- 2007	11.80 ~ 12.80	1.00	0.4	<1	
231	BM- 2008	12.80 ~ 13.80	1.00	0.4	<1	
232	BM- 2009	16.80 ~ 17.80	1.00	2.0	<1	
233	BM- 2010	20.70 ~ 21.30	0.60	0.8	<1	
234	BM- 2011	21.30 ~ 22.50	1.20	0.2	1.2	
235	BM- 2101	14.40 ~ 15.40	1.00	0.6	<1	
236	BM- 2102	15.40 ~ 16.40	1.00	0.1	<1	
237	BM- 2103	16.40 ~ 17.20	0.80	0.6	<1	
238	BM- 2104	17.20 ~ 17.60	0.40	0.8	<1	
239	BM- 2105	17.60 ~ 18.50	0.90	0.6	<1	
240	BM- 2106	23.10 ~ 24.30	1.20	<0.1	1.8	





**Appendix 2-7 Homogenization Temperatures
of the Fluid Inclusions**








Appendix 2-7(1) Homogenization Temperatures of the Fluid Inclusions

No.	Sample No.	Location	Mineral	Au(g/t)	Number of Inclusion	Range of filling temperature (°C)	
						Min.	Max.
1	BA15-1	MJSN- 15, 45.30 m	Quartz	1.2		no fluid inclusion	
2	BA15-4	MJSN- 15, 87.20 m	Quartz	0.2	16	146	403
3	BA16-3	MJSN- 16, 50.70 m	Quartz	1.8	15	179	200
4	BM6-1	MJML- 6, 12.00 m	Quartz	<0.1	16	195	349
5	BM7-1	MJML- 7, 12.10 m	Quartz	0.2	19	199	345
6	BM8-1	MJML- 8, 26.30 m	Quartz	0.9	16	125	289
7	BM10-1	MJML- 10, 24.00 m	Quartz	<0.1		no fluid inclusion	
8	BM15-1	MJML- 15, 28.70 m	Quartz	0.5		no fluid inclusion	
9	BM20-1	MJML- 20, 12.00 m	Quartz	0.4	16	143	338
10	BM21-1	MJML- 21, 17.30 m	Quartz	0.6	16	173	387
11	BM22-2	MJML- 22, 24.20 m	Quartz	0.4	15	204	386








Appendix 2-7(2) Homogenization Temperature of the Fluid Inclusion




Temperature(°C)

Appendix 2-7(3) Homogenization Temperature of the Fluid Inclusion



Temperature(°C)

Appendix 2-7(4) Homogenization Temperature of the Fluid Inclusion



Appendix 2-7(5) Homogenization Temperature of the Fluid Inclusion

