

付 図

## **List of appendices**

- Appendix 1 Descriptions of thin sections in the project area
- Appendix 2 Descriptions of polished sections in the project area
- Appendix 3 Results of X-ray diffraction analyses in the project area
- Appendix 4 List of dating results in the project area
- Appendix 5 Analytical results and histogram of fluid inclusion in the project area.
- Appendix 6 List of ore assay in the survey area
- Appendix 7 Drilling Equipment and consumed materials
- Appendix 8 Generalized drilling results and progress records of drilling
- Appendix 9 Drilling logs
- Appendix 10 Descriptions of thin sections for drilling survey
- Appendix 11 Descriptions of polished sections for drilling survey
- Appendix 12 Results of X-ray diffraction analyses for drilling survey
- Appendix 13 List of ore assay for drilling survey
- Appendix 14 List of soil geochemical samples in Block B
- Appendix 15 Analytical results for check soil geochemical samples
- Appendix 16 Analytical results of soil geochemical samples in Block B
- Appendix 17 Statistical data of soil geochemical survey, histogram, EDA and Cumulative frequency of each elements in Block B
- Appendix 18 Distribution map of elements in Block B
- Appendix 19 List of auger geochemical samples in Block B
- Appendix 20 Analytical results for auger geochemical samples
- Appendix 21 Statistics of auger geochemical survey, histogram, EDA and cumulative frequency of each elements in Block B
- Appendix 22 List of soil geochemical samples in Block C
- Appendix 23 Analytical results of soil geochemical samples in Block C
- Appendix 24 Statistical data of soil geochemical survey histogram, EDA and cumulative frequency of each elements in Block C
- Appendix 25 Distribution map of elements in Block C
- Appendix 26 List of auger geochemical samples in Block C
- Appendix 27 Analytical results for auger geochemical samples in Block C
- Appendix 28 Statistical data of auger geochemical survey histogram, EDA and Cumulative frequency of each elements in Block C
- Appendix 29 List of soil geochemical samples in Block F
- Appendix 30 Analytical results of soil geochemical samples in Block F

- Appendix 31 Statistical data of soil geochemical survey histogram, EDA and cumulative frequency of each elements in Block F
- Appendix 32 Distribution map of elements in Block F
- Appendix 33 List of auger geochemical samples in the Serrinha do Guaranta Block F
- Appendix 34 Analytical results for auger geochemical samples in the Serrinha Block F
- Appendix 35 Statistical data of auger geochemical survey histogram, EDA and cumulative frequency of each elements in Block F
- Appendix 36 List of soil geochemical samples in Block G
- Appendix 37 Analytical results of soil geochemical samples in Block G
- Appendix 38 Statistical data of soil geochemical survey histogram, EDA and cumulative frequency of each elements in Block G
- Appendix 39 Distribution map of elements in Block G

Appendix 1 Descriptions of thin sections in the project area





## Appendix 2 Descriptions of polished sections in the project area







### Appendix 3 Results of X-ray diffraction analyses in the project area



Ser. No.	Sample No.	Block	Coordination		Descriptions	Detected Minerals														Remarks				
			S	W		quartz	K-feldspar	albite	biotite	sericite	chlorite	kaolinite	talc	l/S	vermiculite	Tremolite	calcite	dolomite	pyrite		goethite	sphareilite		
1	A2126	Block B	9°22'43"	56°35'54"	sheared, silicified granite	⊙	○			⊙														
2	A2131	Block B	9°22'43"	56°35'54"	sheared, silicified granite	⊙				△														
3	A2136	Block B	9°22'43"	56°26'42"	sheared, silicified granite	⊙	△			⊙														
4	A2140	Block B	9°22'43"	56°26'42"	sheared, silicified granite	⊙	○			○												○		
5	A2141	Block B	9°22'43"	56°26'42"	silicified granite	⊙	⊙			○		△						△						
6	A2035	Block C	9°29'46"	56°33'50"	chl-epi, py diss. in granite	⊙	○	⊙		⊙														
7	A2040	Block C	9°30'56"	56°35'54"	qtz in granite	⊙				△														
8	A2041	Block C	9°30'56"	56°35'54"	argillized granite	⊙	○					○										△		
9	A2042	Block C	9°30'56"	56°35'54"	argillized granite	⊙	⊙			⊙												○		
10	A2043	Block C	9°30'56"	56°35'54"	sil. granite	⊙	△			⊙		△												
11	A2047	Block C	9°30'56"	56°35'54"	argillized granite	⊙	⊙			⊙		△												
12	A2306	Block F	10°00'55"	55°01'50"		⊙				○														
13	A2328	Block F	9°59'58"	54°57'15"	sil. argillized volcanic rock	⊙																		
14	A2331	Block F	9°56'58"	54°57'15"	sil. argillized rock	⊙																		
15	A2347	Block F	9°59'41"	54°57'08"	sil. epi., qtz network	⊙						△												
16	F0701700	Block F	10°01'26"	54°58'28"	unknown mineral (qtz?)	⊙																		
17	B2003	Block F	10°01'19"	55°00'36"	altered rock							○		○		⊙	○				○			
18	B2023	Block F	10°01'18"	55°00'47"	schist (sapolite)	⊙																		
19	B2031	Block F	10°01'20"	55°00'45"	talc-chl-schist							○		○		⊙	△				○			
20	B2041	Block F	10°01'29"	55°00'35"	schist	⊙						○		⊙	○									
21	B2050	Block F	09°58'24"	54°58'18"	pink granite	⊙	○	⊙			○											△		
22	P2014	Block F	09°58'14"	54°58'46"	sheared rock																			
23	A2428	Block G	9°54'36"	55°20'57"	ser., sil. granite	⊙						⊙												
24	A2429	Block G	9°54'36"	55°20'57"	sil., argillized granite	⊙						⊙												
25	A2442	Block G	9°53'16"	55°20'56"	sil. granite	⊙	⊙				○													
26	A2450	Block G	9°52'21"	55°20'09"	sil. granite with hm-lim-goe	⊙					○													
27	A2452	Block G	9°52'21"	55°20'09"	py rich qtz vein	⊙						⊙												
28	A2467	Block G	9°56'28"	55°12'57"	sil. argilled granite	⊙						○												
29	A2474	Block G	9°56'26"	55°13'02"	sil. argilled granite	⊙						○												
30	A2475	Block G	9°56'26"	55°13'02"	sil. argilled granite	⊙						○												
31	A2484	Block G	9°56'28"	55°12'57"	chl-epi sil. granite	⊙						△											△	△
32	A2501	South of Block B	9°31'59"	57°30'38"	silicified granite	⊙	⊙	⊙	⊙													△		
33	A2504	South of Block B	9°32'03"	57°30'49"	silicified granite	⊙	○					⊙												
34	A2517	South of Block B	9°32'38"	57°36'09"	silicified granite	⊙	⊙	⊙				△											△	



⊙ : abundant, ○ : common, △ : a little, · : rare.



Appendix 4 List of dating results in the project area

Ser. No.	Sample No.	Area	Coordination		Rock Name	Geol. Unite	Texture	207Pb/235U	206Pb/238U	Age
			S	W						Upper intercept
1	F2001	Block C	9°31'05"	56°39'15"	Rhyolite	Puiv	Porphyritic	4.03825 3.98633 3.70384 4.294438	0.268711 0.266479 0.245968 0.283432	1786 ± 17 Ma (U/Pb method)
2	F2002	Block C	9°27'20"	56°39'45"	Granodiorite	Grillb	Inequigranular	3.72078 4.38498 4.3147 4.41599	0.246719 0.289459 0.282839 0.289439	1803 ± 16 Ma (U/Pb method)
3	F2003	Block C	9°30'52"	56°35'47"	Biotite monzogranite	Grillb	Granitic	3.74967 4.51469 4.37845 4.39034	0.246953 0.297036 0.28774 0.290217	1801.2 ± 7.8 Ma (U/Pb method)
4	F2005	Block B	9°24'39"	57°22'05"	granite	Grilla	Inequigranular	2.96239 3.59264 3.87979 4.08475	0.202159 0.240381 0.258131 0.269853	1819.7 ± 6/-5.6 Ma (U/Pb method)
5	F2006	Block B	9°23'17"	57°27'50"	Granite	Grillb	Inequigranular	2.79778 3.13026 4.06224 4.24664	0.196922 0.214863 0.270152 0.284908	1816 ± 57 Ma (U/Pb method)
6	F2007	Block G	9°58'32"	55°13'45"	Bi-ms monzogranite	Grll	Granitic			1823 ± 35 Ma (Pb/Pb method)
7	F2008	Block G	9°59'14"	55°20'31"	Biotite monzogranite	Grill	Inequigranular	4.6515 4 4.899 1.3605 5.023	0.2959 0.2576 0.3148 0.08353 0.323	1848 ± 17 Ma (U/Pb method)
8	F2009	Block G	9°54'37"	55°15'28"	Biotite granite	Pxg	Inequigranular	4.595 3.1048 3.016 2.669 3.016	0.2982 0.1871 0.1817 0.1625 0.1817	1817 ± 57 Ma (U/Pb method)
9	F2010	Block G	9°51'16"	55°10'32"	Granite	Gru	Granoblastic	3.112 6.6238 5.437	0.1907 0.4059 0.3303	1937 ± 100 Ma (U/Pb method)
10	F1011	Block F	10°00'38"	55°01'04"	Monzogranite ?	Pxg	Inequigranular	2.5978 2.2822 2.2973 4.516 5.352	0.158 0.13897 0.1399 0.2813 0.335	1894 ± 5.9 Ma (U/Pb method)

















**SAMPLE FD-07**

	$^{207}\text{Pb}/^{206}\text{Pb}^*$	Age (Ma)		
Zircon 1	0.1099	1797.75	0.2	* corrected for common Pb
	0.1097	1794.43	0.2	
	0.112	1832.12	0.2	
	0.1111	1817.49	0.2	
	0.1118	1828.88	0.2	
Zircon 2	0.112	1832.12	0.2	
	0.1128	1845.01	0.2	
	0.1123	1836.97	0.2	
	0.113	1848.21	0.2	
	0.1125	1840.19	0.2	
	0.1118	1828.88	0.2	
Zircon 3	0.11	1799.40	0.2	
	0.1098	1796.09	0.2	0.11145 1823.195
	0.11	1799.40	0.2	0.002192
	0.112	1832.12	0.2	0.113642 1858.455
	0.1123	1836.97	0.2	
	0.12	1956.22	0.2	35.25931
Zircon 4	0.1199	1954.73	0.2	
	0.1125	1840.19	0.2	
	0.1134	1854.60	0.2	
	0.1132	1851.41	0.2	
	0.1129	1846.61	0.2	
Zircon 5	0.11	1799.40	0.2	
	0.1127	1843.40	0.2	
	0.1132	1851.41	0.2	
	0.1128	1845.01	0.2	
	0.113	1848.21	0.2	

**AGE = 1823 +/- 35 Ma\***

\* This age is derived from the grand average of all  $^{207}\text{Pb}/^{206}\text{Pb}$  ratios. The best age estimate is derived from the graph in annex, excluding anomalously low and high ages.



Appendix 5 Analytical results and histogram of fluid inclusion  
in the project area




Temperatures and Salinity of Fluid Inclusion in the Project Area.



Ser. No.	Sample No.	District	Coordination		Rock Name	Description	Temperature (°C)			Salinity (%)		Au (g/t)
			S	W			Number	Range	Average	Number	NaCl eq.	
1	A2126	Block B	9, 24'41"	57, 24'00"	quartz vein	quartz vein	20	200.8 to 269.4	225.3	5	9.0	0.12
2	A2136	Block B	9, 24'41"	57, 24'00"	quartz vein	quartz vein	24	177.0 to 362.2	232.3	5	8.8	1.13
3	A2009	Block C	9, 22'34"	57, 14'22"	quartz vein	quartz vein with goethite	21	150.1 to 326.6	183	5	18.6	0.01
4	A2014	Block C	9, 32'42"	56, 32'18"	quartz vein	quartz vein with hematite	20	182.6 to 365.5	278.1	5	13.0	0.29
5	A2040	Block C	9, 31'03"	56, 34'18"	quartz vein	quartz vein with py-cp Dissemination	20	272.1 to 386.0	313.4	5	11.9	(113.44 to 76.74)
6	A2049	Block C	9, 31'03"	56, 34'18"	quartz vein	quartz vein with hematite	20	225.5 to 378.8	292.8	5	>19.0	0.09
7	B2002	Block F	9, 30'39"	56, 35'17"	quartz vein	quartz vein	22	195.2 to 332.4	260.7	2	11.8	0.14
8	B2024	Block F	10, 02'13"	55, 01'31"	quartz vein	quartz vein	20	129.8 to 258.6	155.3	5	7.0	0.29
9	B2044	Block F	10, 01'32"	55, 00'31"	quartz vein	quartz vein	20	171.0 to 294.4	226.5	5	7.0	9.53
10	B2048	Block F	9, 58'09"	54, 58'44"	quartz vein	quartz vein	20	174.8 to 308.8	224.7	5	2.6	1.76
11	B2051	Block F	9, 58'09"	54, 58'44"	quartz vein	quartz vein	21	155.3 to 284.5	186.4	5	13.2	
12	P2001	Block F	9, 52'23"	55, 20'10"	quartz vein	quartz vein	26	148.4 to 190.3	164.7	5	7.6	0.73
13	P2002	Block F	9, 52'23"	55, 20'10"	quartz vein	quartz vein	20	182.5 to 282.9	221.5	5	1.2	0.03
14	P2006	Block F	9, 52'23"	55, 20'10"	quartz vein	quartz vein	20	200.8 to 269.4	225.4	5	9.0	0.85
15	P2015	Block F	9, 52'23"	55, 20'10"	quartz vein	quartz vein	20	158.8 to 280.8	216.8	5	7.9	1.55
16	S2404	Block G	9, 52'23"	55, 20'10"	quartz vein	quartz vein	20	184.7 to 332.6	253.4	5	9.9	(1.87 to <0.01)
17	A2430	Block G	9, 52'23"	55, 20'10"	quartz vein	quartz vein with hm	20	175.1 to 343.5	234.8	5	7.5	(28.73 to 45.06)
18	A2440	Block G	9, 52'23"	55, 20'10"	quartz vein	hm-goe rich quartz vein	20	179.0 to 279.2	223.8	5	5.9	(0.05 to 10.04)
19	A2443	Block G	9, 52'23"	55, 20'10"	quartz vein	quartz vein with hm-py	20	189.3 to 355.0	260.1	5	7.9	(0.04 to 1.41)
20	A2450	Block G	9, 52'23"	55, 20'10"	quartz vein	quartz vein with hm-lim-goe	20	182.4 to 341.8	259.1	5	2.9	5.76
21	A2452	Block G	9, 52'23"	55, 20'10"	quartz vein	quartz vein with hm	20	175.3 to 298.9	226.2	5	9.5	27.61
22	A2491	Block G	9, 52'23"	55, 20'10"	quartz vein	quartz vein with hm	20	187.8 to 349.3	258.8	5	1.9	0.29
23	A2503	South of Block B	9, 32'03"	57, 30'49"	quartz vein	quartz vein (w. 80 cm)	20	180.0 to 283.9	230.1	5	9.0	<0.01
24	A2543	South of Block B	9, 33'50"	57, 35'29"	quartz vein	Floata of quartz veins	19	219.6 to 382.3	293.8	5	2.9	<0.01
25	A2544	South of Block B	9, 33'50"	57, 35'29"	quartz vein	Floata of quartz veins	20	189.9 to 355.6	269.5	5	3.9	<0.01
26	A2551	South of Block B	9, 32'59"	57, 30'38"	quartz vein	Floata of quartz vein with lim films along the fracture.	20	190.9 to 343.2	257.2	5	6.9	<0.01

Temperatures and Salinities of Fluid Inclusions

Type	Sample Block No.	Th: L+V			Tm: Ice			Salinity(%) (NaCl eq.)		
		Num.	Range	Ave.*	Num.	Range	Ave.			
H2O	A2009	21	150.1_326.6	183	5	-18.4_-10.9	-15	18.6		
H2O	A2126	20	200.8_269.4	225.3	5	-6.5_-5.4	-5.8	9.0		
H2O	A2136	24	177.0_362.2	232.3	5	-7.4_-4.7	-5.7	8.8		
H2O	B2024	20	129.8_258.6	155.3	5	-5.0_-3.7	-4.4	7.0		
H2O	B2044	20	171.0_294.4	226.5	5	-5.2_-3.9	-4.4	7.0		
H2O	B2048	20	174.8_308.8	224.7	5	-2.2_-1.2	-1.5	2.6		
H2O	B2051	21	155.3_284.5	186.4	5	-13.1_-5.1	-9.3	13.2		
H2O	P2001	26	148.4_190.3	164.7	5	-5.2_-4.3	-4.8	7.6		
H2O	P2002	20	182.5_282.9	221.5	5	-1.2_-0.3	-0.7	1.2		
H2O	P2006	20	200.8_269.4	225.4	5	-6.5_-5.4	-5.8	9.0		
H2O	P2015	20	158.8_280.8	216.8	5	-7.1_-2.7	-5.0	7.9		
H2O	S2404	20	184.7_332.6	253.4	5	-9.0_-4.9	-6.5	9.9		
H2O	A2430	20	175.1_343.5	234.8	5	-6.4_-3.0	-4.7	7.5		
H2O	A2440	20	179.279.2	223.8	5	-7.2_-1.3	-3.6	5.9		
H2O	A2443	20	189.3_355	260.1	5	-5.9_-4.2	-5.0	7.9		
H2O	A2450	20	182.4_341.8	259.1	5	-3.3_-0.9	-1.7	2.9		
H2O	A2452	20	175.3_298.9	226.2	5	-8.0_-4.7	-6.2	9.5		
H2O	A2491	20	187.8_349.3	258.8	5	-2.2_-0.5	-1.1	1.9		
H2O	A2503	20	180_283.9	230.1	5	-8.5_-4.1	-5.9	9.0		
H2O	A2543	19	219.6_382.3	293.8	5	-3.5_-0.1	-1.7	2.9		
H2O	A2544	20	189.9_355.6	269.5	5	-3.2_-0.3	-2.3	3.9		
H2O	A2552	20	190.9_343.2	257.2	5	-6.0_-2.1	-4.3	6.9		
		Th: CO2+H2O			Th: CO2(L)+CO2(V)			Tm: Dryice		
		Num.	Range	Ave.*	Num.	Range	Ave.	Num.	Range	Ave.
H2O-CO2	A2014	20	182.6_365.5	278.1	5	24.4_30.4	27.0	5	-57.8_-57.6	-57.7
H2O-CO2	A2040	20	272.1_386.0	313.4	5	12.8_22.0	18.0	5	-58.1_-57.2	-57.4
H2O-CO2	A2049	20	225.5_378.8	292.8	5	5.9_11.2	8.8	5	-59.6_-58.1	-59.0
H2O-CO2	B2002	22	195.2_332.4	260.7	2	20.1_31.0	25.6	5	-57.8_-56.9	-57.4









Appendix 6 List of ore assay in the survey area

Detection limit for ore assay samples

Elements	<u>Method of Analysis</u>	Detection Limit	
Au	Fire Assay-AA	0.005	ppm
Ag	ICP	0.2	ppm
Cu	ICP	1	ppm
Pb	ICP	2	ppm
Zn	ICP	1	ppm
Fe	ICP	0.01	%
As	HYDR. GEN/AA	1	ppm
Sb	HYDR. GEN/AA	0.2	ppm
Hg	Cold Vapor AA	10	ppb
Bi	HYDR. GEN/AA	0.2	ppm
Cd	ICP	0.2	ppm
Co	ICP	1	ppm
Ni	ICP	1	ppm
V	ICP	1	ppm
Mn	ICP	1	ppm
Mo	ICP	1	ppm
K	ICP	0.01	%
W	ICP	20	ppm

Ser. No.	Sample No.	District	Coordination		Description	Assay Results																	
			S	W		Au	Ag	Cu	Pb	Zn	Fe	As	Sb	Hg	Bi	Cd	Co	Ni	V	Mn	Mo	K	W
						(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(%)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
1	A2110	Block B	9°22'19"	57°26'56"	argillized, sheared silicified rock with nodules	<0.01	<0.2	2	2	2	0.32	<1	<0.2	0.03	<0.2	<1	3	2	26	<1	0.02	<20	
2	A2121	Block B	9°22'43"	57°26'42"	argillized, oxidized rock Py dissemination (50 cm)	0.04	<0.2	21	257	54	0.78	4.7	<0.2	<0.01	1.7	<0.2	3	3	7	447	1	0.17	<20
3	A2122	Block B	9°22'43"	57°26'42"	silicified, sheared rock with Py dissemination (20 cm)	0.44	<0.2	38	631	67	1.18	12.5	<0.2	0.01	7.1	<0.2	4	2	9	1271	2	0.19	<20
4	A2123	Block B	9°22'43"	57°26'42"	argillized, silicified rock with Py dissemination (50 cm)	0.27	<0.2	22	295	50	0.79	6.7	<0.2	0.01	2	<0.2	2	2	6	446	<1	0.13	<20
5	A2124	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	0.02	<0.2	33	224	107	0.84	5.7	<0.2	<0.01	2.3	<0.2	3	3	8	544	2	0.22	<20
6	A2125	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	0.08	<0.2	56	443	46	1.70	25.3	<0.2	<0.01	6.2	<0.2	3	2	6	720	2	0.21	<20
7	A2126	Block B	9°22'43"	57°26'42"	spot sample of sheared, silicified granite with Py dissemination	0.12	<0.2	44	363	35	1.43	17.2	<0.2	<0.01	12.8	0.3	2	3	6	184	2	0.19	<20
8	A2127	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	1.64	<0.2	99	819	123	3.37	31.4	0.4	0.03	12.4	<0.2	3	3	12	1173	5	0.16	<20
9	A2128	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	0.59	<0.2	60	235	55	1.45	18.6	1	0.02	8.5	<0.2	1	3	4	336	3	0.16	<20
10	A2129	Block B	9°22'43"	57°26'42"	float sample of quartz vein	0.01	0.7	3	10	8	0.37	<1	0.3	<0.01	<0.2	<0.2	<1	2	3	17	<1	<0.01	<20
11	A2130	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	0.02	<0.2	17	296	51	0.59	4	<0.2	0.01	2.4	<0.2	2	2	5	555	2	0.21	<20
12	A2131	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	379.96	21.4	75	256	50	0.93	16	<0.2	0.08	17.3	<0.2	1	<1	3	352	2	0.07	<20
13	A2132	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	0.20	<0.2	56	664	119	1.58	18.3	<0.2	0.12	9.8	<0.2	3	4	8	1121	4	0.15	<20
14	A2133	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	42.77	14.9	1584	492	393	9.82	157	0.5	0.28	139	0.8	2	4	19	204	7	0.18	<20
15	A2134	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	0.76	<0.2	21	301	165	0.81	5.7	<0.2	0.02	1.1	<0.2	2	2	8	288	<1	0.19	<20
16	A2135	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	0.01	<0.2	24	94	194	0.93	3	<0.2	0.02	<0.2	<0.2	4	3	9	488	<1	0.2	<20
17	A2136	Block B	9°22'43"	57°26'42"	spot sample of goethite rich vein	1.13	1.1	319	830	181	4.08	64	0.4	0.09	45	0.3	3	3	13	702	4	0.24	<20
18	A2137	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	0.03	<0.2	96	493	227	1.12	5.2	<0.2	0.02	6.5	<0.2	2	3	12	813	1	0.16	<20
19	A2138	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	0.66	0.9	760	844	510	10.00	114	<0.2	0.39	102	<0.2	3	4	65	863	6	0.09	<20
20	A2139	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination (1m)	0.02	<0.2	19	467	275	0.99	2.5	<0.2	<0.01	1.1	<0.2	4	3	12	941	1	0.17	<20
21	A2140	Block B	9°22'43"	57°26'42"	spot sample of sulphide rich quartz vein	1.30	6.9	923	499	167	10.00	181	<0.2	0.68	142	<0.2	<1	9	65	30	8	0.05	<20
22	A2142	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination, including silicified vein (1m)	0.02	<0.2	28	404	108	1.07	4	<0.2	0.01	5.5	<0.2	6	3	10	1308	1	0.2	<20
23	A2143	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination, including silicified vein (1m)	1.49	0.6	85	144	137	1.68	20.4	<0.2	0.02	10.3	<0.2	1	4	12	192	1	0.17	<20
24	A2144	Block B	9°22'43"	57°26'42"	sheared, silicified granite with Py dissemination, including silicified vein (1m)	16.46	4.4	93	524	147	2.47	25	<0.2	0.08	36	<0.2	2	3	13	813	6	0.18	<20
25	E2037	Block B	9°23'38"	57°28'41"	strong sheared silicified rock (mylonite) with hematite (30cmx20cmx30cm)	0.02	<0.2	1	4	2	0.28	<1	<0.2	<0.01	0.2	<0.2	<1	<1	4	17	<1	<0.01	<20
26	E2041	Block B	9°23'09"	57°28'21"	strong sheared silicified rock (mylonite) with hematite (30cmx30cmx30cm)	1.45	0.9	12	36	6	1.67	55	0.3	0.02	2.2	0.2	<1	<1	<1	7	85	0.06	<20
27	E2059	Block B	9°24'37"	57°23'38"	Quartz vein with hematite network (30cmx20cmx40cm)	0.01	<0.2	2	6	1	0.16	<1	<0.2	<0.01	<0.2	<0.2	<1	2	<1	18	<1	<0.01	<20

Ser. No.	Sample No.	District	Coordination		Description	Assay Results																	
			S	W		Au (ppm)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppm)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (ppm)	Mo (ppm)	K (%)	W (ppm)
28	C2040	Block B	9°22'39"	57°26'43"	Quartz vein with hematite network (30cm x 30cm x 40cm)	0.05	<0.2	22	36	12	0.74	5.1	<0.2	0.02	2.9	<0.2	<1	3	5	50	<1	0.01	<20
29	C2041	Block B	9°22'39"	57°26'43"	Quartz vein with hematite network (30cm x 40cm x 40cm)	0.03	<0.2	18	486	52	0.96	4.3	0.2	0.04	0.3	<0.2	<1	2	16	91	<1	0.03	<20
30	C2042	Block B	9°22'39"	57°26'43"	Quartz vein with hematite network (20cm x 20cm x 40cm)	0.03	<0.2	12	186	44	1.09	4.5	<0.2	0.04	0.8	<0.2	<1	3	14	20	<1	0.03	<20
31	A2008	Block C	9°29'27"	56°35'35"	White yellow, argillized rock with Py holes disseminated.	0.05	<0.2	24	10	12	2.46	8.1	<0.2	0.13	1.1	<0.2	4	3	40	57	6	0.11	<20
32	A2008	Block C	9°29'27"	56°35'35"	Quartz vein with goethite.	0.01	<0.2	48	507	18	0.85	3.2	0.3	0.03	0.5	<0.2	226	5	24	4423	13	0.02	<20
33	A2010	Block C	9°29'27"	56°35'35"	reddish brown, argillized rock with Py disseminated.	0.01	<0.2	6	17	13	3.52	2.3	<0.2	0.12	0.8	<0.2	3	3	71	85	3	0.04	<20
34	A2011	Block C	9°29'27"	56°35'35"	Spot sample of quartz vein with hematite and goethite.	<0.01	<0.2	39	339	7	0.58	2	0.2	0.02	2.6	<0.2	29	3	15	2590	5	0.01	<20
35	A2014	Block C	9°31'01"	56°35'52"	Quartz vein with hematite.	0.29	0.3	11	8	16	0.41	<1	<0.2	0.01	6.8	<0.2	<1	2	2	34	<1	<0.01	<20
36	A2015	Block C	9°31'01"	56°35'52"	Quartz vein with Py holes ( $\phi = 1 \sim 10$ mm) and hematite.	0.38	0.9	87	28	55	2.95	2.6	0.2	0.05	74	<0.2	3	2	11	46	1	0.07	<20
37	A2035	Block C	9°29'46"	56°33'50"	Spot sample ( $\phi = 20 \times 30$ cm) of K-feldspar, porphyritic biotite-granite with chl-sep alteration and Py dissemination.	0.02	<0.2	6	11	48	1.49	<1	<0.2	<0.01	2.6	<0.2	9	6	22	482	1	0.73	<20
38	A2040a	Block C	9°30'56"	56°35'54"	Piled ores of quartz vein with Py-Cp dissemination.	113.44	194.3	1073	6828	2198	2.87	4.7	0.6	0.30	970	16.2	4	3	6	539	<1	0.01	<20
39	A2040b	Block C	9°30'56"	56°35'54"	Piled ores of quartz vein with Py-Cp dissemination.	76.74	158.0	776	3410	1847	2.41	3.5	0.8	0.26	320	36.6	5	2	10	478	<1	<0.01	<20
40	A2041	Block C	9°31'01"	56°35'52"	1 m channeling sample of oxidized and argillized granite.	0.02	<0.2	52	34	122	3.38	<1	<0.2	<0.01	4.8	<0.2	23	10	82	609	<1	0.54	<20
41	A2042	Block C	9°31'01"	56°35'52"	1 m channeling sample of oxidized and argillized granite.	0.02	<0.2	36	60	75	2.71	<1	<0.2	<0.01	3.8	<0.2	17	7	63	715	<1	0.4	<20
42	A2043	Block C	9°31'01"	56°35'52"	1 m channeling sample of oxidized and argillized granite.	0.28	0.5	72	800	253	1.86	<1	0.2	0.02	4.5	<0.2	55	3	36	5970	1	0.17	24
43	A2044	Block C	9°31'01"	56°35'52"	1 m channeling sample of oxidized and argillized granite.	0.50	<0.2	71	647	267	1.98	<1	<0.2	0.02	4.7	<0.2	91	4	40	5021	2	0.17	30
44	A2045	Block C	9°31'01"	56°35'52"	1 m channeling sample of oxidized and argillized granite.	0.09	<0.2	55	254	198	2.31	<1	<0.2	0.02	0.5	<0.2	17	3	49	2573	1	0.11	<20
45	A2046	Block C	9°31'01"	56°35'52"	1 m channeling sample of oxidized and argillized granite.	0.02	<0.2	16	33	25	2.82	<1	0.2	0.02	1.4	<0.2	2	2	81	106	1	0.02	<20
46	A2048	Block C	9°31'01"	56°35'52"	Sheared granite with chl-sep alteration and Py dissemination.	0.26	<0.2	68	421	71	1.57	<1	<0.2	0.02	12.5	<0.2	16	3	13	735	<1	0.18	<20
47	A2049	Block C	9°31'01"	56°35'52"	Quartz vein.	0.09	0.5	7	28	8	0.24	<1	<0.2	<0.01	4	<0.2	3	3	2	168	1	0.03	<20
48	C2017	Block C	9°30'17"	56°34'36"	Quartz vein.	<0.01	<0.2	2	5	4	0.44	<1	<0.2	<0.01	0.3	<0.2	<1	1	8	20	<1	0.02	<20
49	C2020	Block C	9°31'21"	56°34'36"	Quartz vein.	0.04	<0.2	3	11	4	1.51	<1	<0.2	0.01	0.6	<0.2	2	3	24	149	<1	0.05	<20
50	C2021	Block C	9°31'21"	56°34'36"	Yellowish green, silicified and epidotized rock.	0.01	<0.2	3	8	1	1.13	<1	0.2	0.01	0.2	<0.2	2	1	18	110	<1	0.06	<20
51	C2022	Block C	9°31'26"	56°34'36"	Quartz vein.	<0.01	<0.2	1	5	3	1.37	<1	<0.2	0.01	0.4	<0.2	1	1	27	179	<1	0.02	<20
52	C2023	Block C	9°31'27"	56°34'36"	Quartz vein.	0.01	<0.2	1	9	1	1.31	<1	<0.2	<0.01	0.9	<0.2	<1	<1	18	100	<1	0.03	<20
53	E2023	Block C	9°31'35"	56°34'16"	Strongly silicified rock with disseminated Py and hematite.	0.79	<0.2	186	240	80	4.82	1.8	<0.2	0.01	1.6	<0.2	31	8	27	292	1	0.24	<20
54	E2024	Block C	9°30'54"	56°38'13"	Quartz vein with hematite in sheared zone. (W=30 cm)	0.02	<0.2	3	26	4	1.00	<1	<0.2	0.02	0.8	<0.2	<1	1	4	22	1	0.02	<20

Ser. No.	Sample No.	District	Coordination		Description	Assay Results																	
			S	W		Au (ppm)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppm)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (ppm)	Mo (ppm)	K (%)	W (ppm)
55	E2025	Block C	9°30'54"	56°38'13"	Grey quartz vein with hematite.	0.45	<0.2	6	323	50	3.43	1.5	<0.2	0.04	0.8	<0.2	5	2	18	629	2	0.16	<0.2
56	E2028	Block C	9°29'47"	56°33'37"	White, silicified and argillized rock with Py dissemination.	0.08	<0.2	3	10	2	0.22	<1	<0.2	0.02	<0.2	<0.2	<1	2	4	50	<1	0.02	<0.2
57	E2030	Block C	9°29'45"	56°33'37"	Sheared, silicified and argillized rock with Py dissemination.	0.75	10.0	162	23	8	1.16	<1	<0.2	0.01	74	<0.2	2	5	10	16	1	0.02	<0.2
58	J2003	Block C	9°31'29"	56°35'22"	Dark grey gabbro with Py dissemination.	0.01	<0.2	71	5	38	4.16	<1	<0.2	0.02	0.7	<0.2	38	111	83	381	<1	0.1	<0.2
59	J2007	Block C	9°30'45"	56°36'08"	Spot sample of strongly silicified and epidotized rock with quartz vein network.	0.01	<0.2	2	5	2	0.66	<1	<0.2	<0.01	<0.2	<0.2	1	5	21	55	<1	0.01	<0.2
60	J2013	Block C	9°29'39"	56°36'42"	Spot sample of quartz vein with Py dissemination. (W: 30 cm)	0.14	<0.2	7	6	2	1.01	1	<0.2	<0.01	0.7	<0.2	124	6	1	13	<1	<0.01	<0.2
61	J2024	Block C	9°29'35"	56°34'48"	Silicified, bi-granite with Ep-alt. and Py dissemination and films.	<0.01	<0.2	29	18	55	1.84	<1	<0.2	<0.01	0.4	<0.2	11	6	35	424	2	0.75	<0.2
62	A2301	Block F	10°00'55"	55°01'50"	Piled ores of white quartz veins with Lm and Hm.	0.01	<0.2	3	<2	3	0.51	<1	0.2	<0.01	0.4	<0.2	<1	4	5	10	<1	<0.01	<0.2
63	A2304	Block F	10°00'55"	55°01'50"	Piled ores of Quartz veins.	0.01	<0.2	9	2	2	0.47	<1	<0.2	<0.01	<0.2	<0.2	1	4	3	20	<1	<0.01	<0.2
64	A2305	Block F	10°00'55"	55°01'50"	Piled ores of Quartz veins.	<0.01	<0.2	7	<2	2	0.35	<1	<0.2	<0.01	<0.2	<0.2	<1	6	2	14	<1	<0.01	<0.2
65	A2306	Block F	10°00'55"	55°01'50"	Piled ores of Quartz veins with Hm (Py holes).	0.12	<0.2	11	8	2	0.91	<1	<0.2	<0.01	1	<0.2	3	6	3	10	<1	0.02	<0.2
66	A2307	Block F	10°00'55"	55°01'50"	Piled ores of Quartz veins with Hm (Py holes).	0.02	<0.2	11	<2	2	0.72	<1	<0.2	<0.01	0.3	<0.2	2	7	2	6	<1	0.02	<0.2
67	A2308	Block F	10°00'55"	55°01'50"	Piled ores of Quartz veins.	<0.01	<0.2	3	<2	<1	0.28	<1	<0.2	<0.01	<0.2	<0.2	<1	5	<1	7	<1	0.01	<0.2
68	A2310	Block F	10°00'49"	55°01'09"	1 m channeling sample of white quartz veins.	0.03	<0.2	7	<2	<1	0.30	<1	<0.2	<0.01	2	<0.2	<1	3	2	8	<1	<0.01	<0.2
69	A2311	Block F	10°00'49"	55°01'09"	1 m channeling sample of white quartz veins.	0.01	<0.2	11	<2	2	0.45	<1	<0.2	<0.01	0.5	<0.2	<1	6	4	9	1	<0.01	<0.2
70	A2312	Block F	10°00'49"	55°01'09"	1 m channeling sample of white quartz veins.	0.02	<0.2	17	<2	2	0.49	<1	<0.2	<0.01	0.6	<0.2	6	6	4	31	<1	<0.01	<0.2
71	A2313	Block F	10°00'49"	55°01'09"	Quartz vein with Hm.	<0.01	<0.2	6	<2	1	0.28	<1	<0.2	<0.01	<0.2	<0.2	<1	4	1	9	<1	<0.01	<0.2
72	A2314	Block F	10°00'49"	55°01'09"	Quartz vein with Hm.	0.01	<0.2	8	<2	1	0.24	<1	<0.2	<0.01	4.3	<0.2	<1	2	2	4	<1	<0.01	<0.2
73	A2316	Block F	10°00'48"	55°01'09"	scattered floats of quartz veins (N80W direction), channeling samples (5 x 10 m)	<0.01	<0.2	3	<2	<1	0.31	<1	<0.2	<0.01	<0.2	<0.2	<1	4	2	7	<1	<0.01	<0.2
74	A2317	Block F	9°59'36"	54°59'05"	Network quartz vein in sheared zone (3 m channeling sample)	0.01	<0.2	9	<2	6	0.65	<1	<0.2	<0.01	<0.2	<0.2	2	9	9	83	<1	0.01	<0.2
75	A2318	Block F	9°59'36"	54°59'05"	Network quartz vein in sheared zone (3 m channeling sample)	0.02	<0.2	9	5	4	0.86	<1	<0.2	<0.01	0.5	<0.2	1	3	10	55	<1	0.02	<0.2
76	A2319	Block F	9°59'36"	54°59'05"	Brecciated, sheared, network quartz veins in white argillized and silicified rock. (3 m channeling sample)	0.01	<0.2	8	<2	4	1.01	<1	<0.2	<0.01	<0.2	<0.2	<1	5	11	43	<1	0.02	<0.2
77	A2320	Block F	9°59'36"	54°59'05"	Brecciated, white argillized rock with network quartz veins. (3 m channeling sample)	0.03	<0.2	23	14	13	1.05	<1	<0.2	<0.01	0.8	<0.2	2	11	11	58	2	0.03	<0.2
78	A2321	Block F	9°59'36"	54°59'05"	Stock work quartz veins with Lm and Hm in silicified argillized rock. (3 m channeling sample)	0.02	<0.2	9	5	5	0.77	<1	<0.2	<0.01	0.3	<0.2	1	6	9	56	<1	0.02	<0.2
79	A2322	Block F	9°59'36"	54°59'05"	Silicified rock with network quartz veins. (3 m channeling sample)	0.01	<0.2	22	2	14	1.51	<1	<0.2	<0.01	0.4	<0.2	5	21	22	226	<1	0.05	<0.2
80	A2323	Block F	9°59'36"	54°59'05"	Silicified rock with Lm and Hm. Py holes. (3 m channeling sample)	0.08	<0.2	36	5	9	1.24	<1	<0.2	<0.01	0.8	<0.2	2	9	15	61	<1	0.04	<0.2
81	A2326	Block F	9°59'58"	54°57'15"	White silicified, argillized volcanic rock. (3 m channeling sample)	0.03	<0.2	9	<2	1	0.38	<1	<0.2	<0.01	0.3	<0.2	<1	9	2	11	<1	<0.01	<0.2

Ser. Sample No.	District	Coordination		Description	Assay Results																		
		S	W		Au (ppm)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppm)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (ppm)	Mo (ppm)	K (%)	W (ppm)	
82	A2327	Block F	54°57'15"	54°57'15"	White silicified, argillized volcanic rock with quartz network veins. (3 m channeling sample)	0.03	<0.2	12	<2	1	0.40	<1	<0.2	0.01	0.8	0.3	<1	3	2	6	<1	0.02	<20
83	A2328	Block F	54°57'15"	54°57'15"	White silicified, argillized volcanic rock with quartz network veins. (3 m channeling sample)	0.01	<0.2	14	5	1	0.36	<1	<0.2	<0.01	0.5	<0.2	2	4	2	75	1	0.02	<20
84	A2329	Block F	54°57'15"	54°57'15"	White silicified, argillized volcanic rock with quartz network veins. (3 m channeling sample)	<0.01	<0.2	4	<2	<1	0.22	<1	<0.2	<0.01	<0.2	<0.2	<1	1	1	6	<1	0.02	<20
85	A2330	Block F	54°57'15"	54°57'15"	White silicified, argillized volcanic rock with quartz network veins. (3 m channeling sample)	0.02	<0.2	12	2	1	0.43	<1	<0.2	<0.01	0.6	<0.2	<1	5	2	12	2	0.04	<20
86	A2331	Block F	54°57'15"	54°57'15"	White, silicified and argillized rock. (3 m channeling sample)	0.01	<0.2	17	<2	1	0.46	<1	<0.2	<0.01	<0.2	<0.2	<1	2	4	6	<1	0.07	<20
87	A2332	Block F	54°57'15"	54°57'15"	White, silicified and argillized rock with quartz network. (3 m channeling sample)	0.01	<0.2	12	2	1	0.43	<1	<0.2	<0.01	0.4	<0.2	<1	4	3	9	<1	0.03	<20
88	A2333	Block F	54°57'15"	54°57'15"	White, silicified rock with quartz network. (3 m channeling sample)	0.01	<0.2	8	<2	1	0.39	<1	<0.2	0.01	0.2	<0.2	<1	2	4	3	<1	0.02	<20
89	A2347	Block F	54°57'08"	54°57'08"	Silicified, epizonized quartz network in brecciated rock (40 cm x 50 cm)	0.02	<0.2	59	3	27	1.34	<1	<0.2	<0.01	<0.2	<0.2	5	12	17	144	<1	0.05	<20
90	B2001	Block F	54°58'00"	54°58'00"	Silicified rock with quartz network (2-3 cm)	14.13	<0.2	525	247	11	6.48	1.9	0.5	0.02	423	<0.2	15	9	63	1993	8	0.1	<20
91	B2002	Block F	55°00'07"	55°00'07"	Py network in Kao rich granite	0.14	<0.2	161	158	7	4.30	1.2	<0.2	0.03	4.4	<0.2	5	6	80	699	4	0.1	<20
92	B2004	Block F	55°00'31"	55°00'31"	Vitreous quartz vein, Mn-rich in talc-schist within saprolite. (W. 5-7cm)	0.04	0.4	36	3	1	0.34	<1	<0.2	<0.01	0.4	<0.2	7	8	3	63	<1	<0.01	<20
93	B2005	Block F	55°00'34"	55°00'34"	Sheared schist (W. 1.2m, filled Qz vein of 1-2cm). Channeling sample	0.03	<0.2	254	39	14	4.47	<1	<0.2	0.02	3.4	<0.2	33	68	92	872	<1	0.02	<20
94	B2006	Block F	55°00'34"	55°00'34"	Quartz vein with boxwork in schist. (W. 30 cm)	0.02	0.4	10	<2	<1	0.33	<1	<0.2	<0.01	1.7	<0.2	<1	5	2	32	<1	<0.01	<20
95	B2007	Block F	55°00'29"	55°00'29"	Vitreous quartz vein (NW direction) in sheared rock with Mn rich. Py dissemination in granitic schist.	1.20	<0.2	21	3	<1	0.53	<1	<0.2	<0.01	1.9	<0.2	<1	4	4	14	<1	<0.01	<20
96	B2008	Block F	55°00'29"	55°00'29"	Quartz vein with Mn in sheared granite.	<0.01	<0.2	14	3	2	0.27	<1	<0.2	<0.01	<0.2	<0.2	25	11	2	183	1	<0.01	<20
97	B2009	Block F	55°00'43"	55°00'43"	Quartz vein (W. 8 cm) in sheared and schistose rock with Mn patches.	0.03	0.2	111	6	8	1.78	<1	<0.2	0.01	1.2	<0.2	74	133	34	953	<1	<0.01	<20
98	B2010	Block F	55°00'43"	55°00'43"	Brownish yellow schist, clayish saprolite	0.03	<0.2	304	16	30	7.86	<1	0.2	0.02	0.7	<0.2	85	351	151	1267	<1	<0.01	<20
99	B2011	Block F	55°00'43"	55°00'43"	Schist with patch with yellow and violet saprolite.	0.29	<0.2	302	16	28	7.28	<1	<0.2	0.02	0.6	<0.2	172	328	128	1799	<1	<0.01	<20
100	B2012	Block F	55°00'43"	55°00'43"	Schist with patch with yellow and violet saprolite.	0.05	<0.2	319	13	36	7.55	<1	<0.2	0.02	0.3	<0.2	220	497	123	3060	1	0.03	<20
101	B2013	Block F	55°00'43"	55°00'43"	Violet saprolite of schist with black Mn in patch.	0.09	<0.2	349	14	30	8.51	<1	<0.2	0.01	0.9	<0.2	198	373	129	2279	1	0.01	<20
102	B2014	Block F	55°00'43"	55°00'43"	Violet saprolite of schist with black Mn in patch.	0.03	<0.2	426	11	41	9.30	<1	<0.2	0.01	0.4	<0.2	189	487	156	2083	<1	0.04	<20
103	B2015	Block F	55°00'43"	55°00'43"	Violet saprolite of schist with black Mn in patch.	0.02	<0.2	274	13	84	9.81	<1	<0.2	0.01	0.3	<0.2	350	772	173	3798	<1	0.02	<20
104	B2016	Block F	55°00'43"	55°00'43"	Violet saprolite of schist with black Mn in patch.	0.02	<0.2	157	8	51	7.29	<1	<0.2	<0.01	0.4	<0.2	136	514	132	1708	<1	0.02	<20
105	B2017	Block F	55°00'43"	55°00'43"	Violet saprolite of schist with black Mn in patch.	0.02	<0.2	160	6	51	7.05	<1	<0.2	0.01	0.2	<0.2	107	595	122	1939	1	0.02	<20
106	B2019	Block F	55°00'47"	55°00'47"	Weathered diorite. Yellowish green saprolite with reddish spots.	0.02	<0.2	827	23	22	10.00	<1	0.2	0.02	0.6	<0.2	194	328	298	2395	3	0.08	<20
107	B2020	Block F	55°00'47"	55°00'47"	Weathered diorite. Yellowish green saprolite with reddish spots.	0.03	<0.2	926	33	20	10.00	<1	0.3	0.02	0.9	<0.2	404	335	268	3135	4	0.1	<20
108	B2021	Block F	55°00'47"	55°00'47"	Schist. Violet schistose saprolite with Mn in fracture.	0.03	0.3	1311	26	34	10.00	<1	<0.2	0.02	1.6	<0.2	243	553	198	4626	1	0.02	<20

Ser. Sample No.	District	Coordination		Description	Assay Results																		
		S	W		Au	Ag	Cu	Pb	Zn	Fe	As	Sb	Hg	Bi	Cd	Co	Ni	V	Mn	Mo	K	W	
					(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(%)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(%)
109	B2022	Block F	10°01'18"	55°00'47"	Schist. Violet schistose saprotilite with Mn in fracture. With parts of Kao rich granitic saprotilite.	0.02	<0.2	486	12	36	7.84	<1	<0.2	0.02	0.3	<0.2	164	505	126	3244	1	0.01	<20
110	B2023	Block F	10°01'18"	55°00'47"	Schist. Violet schistose saprotilite with Mn in fracture. With parts of Kao rich granitic saprotilite.	0.02	<0.2	550	17	28	7.93	<1	<0.2	0.02	0.7	<0.2	148	476	136	2698	1	0.01	<20
111	B2024	Block F	10°01'18"	55°00'47"	Quartz vein in sheared parts. (W:50cm in zone. w. of az. 2 to 5 cm)	0.29	1.0	1310	25	17	8.60	<1	<0.2	0.02	10.6	<0.2	137	250	115	3713	2	0.01	<20
112	B2027	Block F	10°01'20"	55°00'45"	Yellowish green talc<chl schist with Mn in fracture.	0.01	<0.2	74	4	98	8.06	<1	<0.2	0.01	<0.2	<0.2	114	1600	78	1405	<1	0.03	<20
113	B2028	Block F	10°01'20"	55°00'45"	Yellowish green talc<chl schist with Mn in fracture.	0.02	<0.2	97	8	84	9.35	<1	<0.2	<0.01	<0.2	<0.2	157	1196	107	1599	<1	0.03	<20
114	B2029	Block F	10°01'20"	55°00'45"	Yellowish green talc<chl schist with Mn in fracture.	0.02	<0.2	155	8	58	9.18	<1	<0.2	<0.01	<0.2	<0.2	140	775	151	1885	1	0.02	<20
115	B2030	Block F	10°01'20"	55°00'45"	Yellowish green talc<chl schist with Mn in fracture.	<0.01	<0.2	132	4	77	9.03	<1	<0.2	<0.01	<0.2	<0.2	119	988	104	2083	<1	0.03	<20
116	B2031	Block F	10°01'20"	55°00'45"	Yellowish green talc<chl schist with Mn in fracture.	0.01	<0.2	70	5	108	8.27	<1	<0.2	<0.01	<0.2	<0.2	107	1312	72	1388	<1	0.09	<20
117	B2032	Block F	10°01'20"	55°00'45"	Yellowish green talc<chl schist with Mn in fracture.	0.01	<0.2	86	6	121	7.73	<1	<0.2	<0.01	<0.2	<0.2	85	1555	72	1196	<1	0.08	<20
118	B2033	Block F	10°01'29"	55°00'35"	Yellowish brown schist.	0.02	0.3	1158	17	271	6.44	<1	<0.2	<0.01	<0.2	<0.2	58	1113	132	1194	<1	0.88	<20
119	B2034	Block F	10°01'29"	55°00'35"	Reddish schist.	0.04	0.7	1102	24	121	9.23	<1	<0.2	0.01	0.7	<0.2	53	379	154	2011	<1	0.37	<20
120	B2035	Block F	10°01'29"	55°00'35"	Yellowish brown schist.	0.07	1.1	4389	53	245	9.19	<1	<0.2	<0.01	1.6	<0.2	63	979	157	1961	<1	1.44	<20
121	B2036	Block F	10°01'29"	55°00'35"	Schist. Reddish saprotilite with Kao rich veinlets.	0.32	1.5	4129	61	95	7.41	<1	<0.2	<0.01	7.4	<0.2	51	154	168	1928	<1	1.13	<20
122	B2037	Block F	10°01'29"	55°00'35"	Schist. Reddish saprotilite with Kao rich veinlets.	0.07	1.0	2010	36	64	6.78	<1	<0.2	0.01	3	<0.2	35	118	104	1568	<1	0.63	<20
123	B2038	Block F	10°01'29"	55°00'35"	Yellowish schist.	0.01	<0.2	144	15	91	6.73	<1	<0.2	<0.01	<0.2	<0.2	78	469	116	951	<1	0.27	<20
124	B2039	Block F	10°01'29"	55°00'35"	Yellowish green schist with Kao rich dyke.	0.03	0.2	150	8	114	5.87	<1	<0.2	<0.01	<0.2	<0.2	43	515	92	1229	<1	0.35	<20
125	B2040	Block F	10°01'29"	55°00'35"	Yellowish green schist.	0.02	0.3	77	6	99	4.61	<1	<0.2	<0.01	<0.2	<0.2	35	442	71	1348	<1	0.36	<20
126	B2041	Block F	10°01'29"	55°00'35"	Yellowish green schist.	0.02	0.2	203	9	71	5.60	<1	<0.2	<0.01	<0.2	<0.2	86	428	89	1993	<1	0.09	<20
127	B2042	Block F	10°01'29"	55°00'35"	Yellowish green schist.	0.01	<0.2	208	7	55	4.95	<1	<0.2	<0.01	<0.2	<0.2	59	405	80	1218	<1	0.11	<20
128	B2043	Block F	10°01'29"	55°00'35"	Yellowish green schist.	0.02	<0.2	230	10	78	6.14	<1	<0.2	<0.01	<0.2	<0.2	77	578	96	1150	<1	0.2	<20
129	B2044	Block F	9°58'17"	54°58'28"	Brecciated quartz vein with Py and Cc dissemination.	9.53	1.6	71	11	7	3.02	<1	<0.2	0.02	77	<0.2	7	11	2	18	155	0.18	<20
130	B2045	Block F	9°58'24"	54°58'18"	Weathered, sheared granite.	0.36	<0.2	123	95	5	1.61	<1	<0.2	0.01	10	<0.2	10	6	25	743	3	0.14	<20
131	B2046	Block F	9°58'24"	54°58'18"	Weathered, sheared granite of central part.	0.58	<0.2	242	221	14	5.95	<1	<0.2	0.02	20	<0.2	63	17	88	3754	2	0.14	<20
132	B2047	Block F	9°58'24"	54°58'18"	Weathered, sheared granite.	0.01	<0.2	8	5	4	0.73	<1	<0.2	<0.01	0.6	<0.2	<1	4	9	17	<1	0.08	<20
133	B2048	Block F	9°58'13"	54°58'42"	Quartz vein with Py dissemination. (W: 20 cm)	1.76	2.3	6958	84	3	1.80	<1	<0.2	0.05	89	<0.2	8	10	4	16	12	0.01	<20
134	B2049	Block F	9°58'24"	54°58'18"	Sheared granite.	3.99	<0.2	316	122	10	8.56	1.4	<0.2	0.05	94	<0.2	29	9	121	1045	31	0.13	<20
135	P2001	Block F	10°01'27"	55°00'43"	Milky quartz vein with Mn rich part. (W: 7 cm)	0.73	0.3	19	<2	<1	0.22	1.2	<0.2	<0.01	0.2	<0.2	11	6	2	74	<1	<0.01	<20

Ser. No.	Sample No.	District	Coordination		Description	Assay Results																											
			S	W		Au	Ag	Cu	Pb	Zn	Fe	As	Sb	Hg	Bi	Cd	Co	Ni	V	Mn	Mo	K	W										
						(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(%)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(%)	(ppm)							
136	P2002	Block F	10°01'31"	55°00'42"	Milky quartz vein with Mn rich part. (W. 12 cm)	0.03	<0.2	42	3	1	0.98	<1	<0.2	<0.01	1.1	<0.2	2	6	6	47	<1	<0.01	<20										
137	P2004	Block F	10°01'24"	55°01'03"	Floata of milky quartz vein.	0.01	<0.2	11	<2	<1	0.22	<1	<0.2	<0.01	<0.2	<0.2	<1	5	<1	14	<1	<0.01	<20										
138	P2005	Block F	10°00'54"	55°00'58"	Floata of fine grained, vitreous quartz vein.	0.01	<0.2	26	16	2	0.92	<1	<0.2	<0.01	0.9	<0.2	4	4	4	1256	<1	0.01	<20										
139	P2006	Block F	10°01'41"	55°00'22"	Milky quartz vein with sulphide along the fracture.	0.85	0.8	88	2	1	0.99	<1	<0.2	<0.01	9.4	<0.2	<1	4	7	12	2	<0.01	<20										
140	P2014	Block F	9°58'21"	54°58'20"	Channel sample of quartz vein in sheared rock.	12.45	4.1	357	133	12	4.89	<1	<0.2	0.02	131	<0.2	19	11	43	883	77	0.44	<20										
141	P2015	Block F	9°58'14"	54°58'46"	Brecciated quartz vein with high Py dissemination.	1.55	1.3	4399	88	11	8.64	9	<0.2	0.02	31	<0.2	36	24	<1	9	14	<0.01	<20										
142	A2411	Block G	9°51'08"	55°17'504"	Weathered and altered granite.	0.01	<0.2	9	4	3	0.22	<1	<0.2	<0.01	<0.2	<0.2	<1	3	2	67	<1	0.12	<20										
143	A2418	Block G	9°54'36"	55°20'57"	brown soiled granitic rock (channel sample: 1.5m)	0.42	<0.2	111	33	11	2.75	12	0.2	0.03	0.7	0.9	23	12	87	513	1	0.17	<20										
144	A2419	Block G	9°54'36"	55°20'57"	Quartz vein with Hm and Goethite (W. 30 cm)	32.07	4.3	220	15	14	3.25	4.3	0.4	0.22	13.1	0.4	11	16	101	72	1	0.02	<20										
145	A2420	Block G	9°54'36"	55°20'57"	brown soiled granitic rock (channel sample: 1.5m)	0.55	<0.2	150	13	19	6.30	1.8	0.3	0.05	1.3	0.4	7	16	154	240	1	0.13	<20										
146	A2421	Block G	9°54'36"	55°20'57"	brown soiled granitic rock (channel sample: 1.5m)	0.27	<0.2	67	13	13	3.13	<1	0.2	0.04	0.5	0.3	6	10	101	115	1	0.1	<20										
147	A2422	Block G	9°54'36"	55°20'57"	Quartz vein with Hm and Goethite (W. 50 cm)	33.95	3.2	93	19	9	2.49	1.5	0.2	0.10	7.7	0.3	8	8	77	114	1	0.14	<20										
148	A2423	Block G	9°54'36"	55°20'57"	brown soiled granitic rock (channel sample: 1.5m)	6.62	0.2	130	15	15	4.76	1.7	0.3	0.05	3.7	0.2	11	13	124	276	<1	0.12	<20										
149	A2424	Block G	9°54'36"	55°20'57"	brown soiled granitic rock (channel sample: 1.5m)	0.14	<0.2	72	11	11	2.83	<1	0.2	0.05	<0.2	<0.2	5	10	83	129	<1	0.13	<20										
150	A2425	Block G	9°54'36"	55°20'57"	Quartz veins (10 cm & 3 cm) with Hm and Goethite (W. 50 cm)	28.73	5.2	302	27	15	4.93	3.9	0.6	0.11	15.7	0.3	34	21	133	665	2	0.15	<20										
151	A2426	Block G	9°54'36"	55°20'57"	brown soiled granitic rock (channel sample: 1.5m)	1.04	<0.2	83	12	15	5.01	1.6	0.3	0.03	1.6	0.2	6	12	132	569	1	0.13	<20										
152	A2427	Block G	9°54'36"	55°20'57"	Spot sample of quartz vein with Hm & goethite (Py holes)	45.06	4.1	116	11	13	1.78	2.1	<0.2	0.07	8.6	<0.2	5	10	51	33	<1	0.02	<20										
153	A2432	Block G	9°53'54"	55°20'55"	Floata of quartz veins with Hm & Goethite. (Carnal sample 6 m)	0.05	<0.2	38	6	12	6.15	1.4	0.3	<0.01	3.45	0.4	8	11	25	31	23	0.03	<20										
154	A2433	Block G	9°53'54"	55°20'55"	Floata of quartz veins with Hm & Goethite. (Carnal sample 6 m)	0.08	0.3	10	5	11	6.27	<1	<0.2	0.02	24.4	<0.2	9	6	14	27	3	0.01	<20										
155	A2434	Block G	9°53'54"	55°20'55"	Floata of quartz veins with Hm & Goethite. (Carnal sample 6 m)	0.02	0.4	6	3	7	2.18	<1	<0.2	<0.01	1.43	<0.2	2	7	6	19	2	<0.01	<20										
156	A2435	Block G	9°53'54"	55°20'55"	Floata of quartz veins with Hm & Goethite. (Carnal sample 6 m)	0.21	0.6	137	20	40	10.00	3.6	0.3	0.03	2.41	0.5	12	30	101	29	14	<0.01	<20										
157	A2436	Block G	9°53'54"	55°20'55"	Floata of quartz veins with Hm & Goethite. (Carnal sample 6 m)	10.04	1.3	406	28	49	10.00	7.8	0.4	0.08	365	0.5	10	25	156	40	12	<0.01	<20										
158	A2437	Block G	9°53'54"	55°20'55"	Spot sample of quartz vein with Hm & goethite (Py holes)	0.07	<0.2	22	10	24	10.00	1.8	0.2	0.01	1.97	0.4	9	17	36	18	3	<0.01	<20										
159	A2441	Block G	9°53'16"	55°20'56"	Sulphide rich quartz vein with many Py + Hm + Lm + Goe.	0.08	3.2	68	16	46	10.00	2.6	<0.2	0.02	309	0.7	34	47	65	3	4	<0.01	<20										
160	A2442	Block G	9°53'16"	55°20'56"	K-salt, silicified granite with Py dissemination.	1.41	6.7	18	8	6	2.07	1.5	<0.2	<0.01	5.6	<0.2	8	4	6	44	1	0.25	<20										
161	A2444	Block G	9°53'16"	55°20'56"	Floata of quartz vein with Hm + Lm + Py holes. (50 cm x 50 cm)	0.04	0.4	6	3	4	0.69	<1	<0.2	<0.01	3.9	<0.2	2	5	<1	15	3	<0.01	<20										
162	A2445	Block G	9°53'16"	55°20'56"	Floata of quartz vein with Hm + Lm + Py holes. (30 cm x 40 cm)	0.09	0.9	6	2	3	0.59	<1	<0.2	<0.01	52	<0.2	1	4	2	10	3	<0.01	24										



Ser. Sample No.	District	Coordination		Description	Assay Results																		
		S	W		Au (ppm)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppm)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (ppm)	Mo (ppm)	K (%)	W (ppm)	
163	A2446	Block G	9°53'16"	55°20'56"	Piled quartz veins with Py holes + Lm + Hm + Goe	0.04	<0.2	5	3	6	0.57	<1	<0.2	<0.01	1.9	<0.2	<1	5	2	27	2	0.01	<20
164	A2447	Block G	9°53'16"	55°20'56"	Pile of sheared quartz veins with Py holes + Lm + Hm + Goe	0.04	<0.2	3	<2	2	0.87	<1	<0.2	<0.01	6	<0.2	<1	4	1	8	<1	<0.01	<20
165	A2448	Block G	9°52'21"	55°20'09"	Spot samples of grayish green, silicified, quartz-networked rock with Lm + Hm	0.85	2.2	950	6	6	1.66	1.1	<0.2	0.02	4.8	<0.2	30	5	2	17	1	0.21	<20
166	A2449	Block G	9°52'21"	55°20'09"	Spot samples of sulfide rich vein with Hm + Goe + Lm in Py-dissiminated, argillized and silicified rock.	4.50	16.5	141	8	9	6.20	6.6	<0.2	0.04	13.5	0.3	3	5	14	30	6	0.21	<20
167	A2450	Block G	9°52'21"	55°20'09"	Spot samples of sulfide rich vein with Hm + Goe + Lm in Py-dissiminated, argillized and silicified rock.	5.76	6.9	104	5	5	1.60	1.7	<0.2	0.03	7.8	<0.2	1	3	1	21	2	0.21	<20
168	A2451	Block G	9°52'21"	55°20'09"	Spot samples of fine grained, Py disseminated rock with strong silicification, Lm + Hm + Gp?	13.94	14.2	3429	16	18	3.44	10.1	0.8	0.10	12.3	<0.2	10	15	9	20	3	0.1	<20
169	A2452	Block G	9°52'21"	55°20'09"	Spot samples of Py rich quartz vein.	27.61	19.1	9737	45	33	10.00	29.4	0.4	0.17	37.7	0.5	86	59	10	10	4	0.05	<20
170	A2453	Block G	9°52'21"	55°20'09"	Spot samples of stockwork quartz vein with Cp, green Cu, Py dissemination	35.71	11.1	8825	3	17	1.77	1.9	<0.2	0.25	10.4	<0.2	26	6	2	17	2	0.1	<20
171	A2455	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.07	<0.2	26	27	26	3.88	1.6	0.2	<0.01	0.2	0.3	5	6	80	256	1	0.02	<20
172	A2456	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.03	<0.2	21	21	35	4.61	1.4	0.2	0.01	0.4	0.3	5	7	90	227	1	0.03	<20
173	A2457	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.03	<0.2	23	22	35	4.67	1.6	0.2	<0.01	1.5	<0.2	6	7	92	286	1	0.04	<20
174	A2458	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.03	<0.2	21	24	36	5.47	1.6	0.3	<0.01	<0.2	0.3	11	6	111	336	1	0.04	<20
175	A2459	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.02	<0.2	12	19	37	5.93	1.4	0.3	<0.01	0.9	0.3	6	7	119	299	<1	0.05	<20
176	A2460	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.02	<0.2	11	16	35	5.56	1.9	0.3	0.02	0.3	0.2	7	7	119	389	<1	0.04	<20
177	A2461	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.02	<0.2	18	16	23	4.22	1.5	<0.2	<0.01	<0.2	0.3	6	6	85	233	1	0.04	<20
178	A2462	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.03	<0.2	37	144	50	5.30	3	0.5	0.02	1.4	0.3	17	25	95	1967	1	0.05	<20
179	A2463	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.01	<0.2	49	149	105	9.08	2.3	0.5	<0.01	0.6	0.4	48	46	152	2001	<1	0.02	<20
180	A2464	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.05	<0.2	46	55	66	7.18	2.2	0.4	<0.01	0.6	0.3	8	16	123	628	<1	0.04	<20
181	A2465	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.02	<0.2	14	32	32	5.61	1.8	0.4	<0.01	0.5	<0.2	11	5	97	463	2	0.06	<20
182	A2466	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.02	<0.2	11	17	24	4.49	1.6	0.3	<0.01	0.3	0.3	5	4	85	261	2	0.09	<20
183	A2468	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.01	<0.2	36	90	19	2.83	1.6	<0.2	0.01	<0.2	<0.2	64	4	52	708	1	0.05	<20
184	A2469	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.02	<0.2	59	29	14	2.88	6.5	0.2	<0.01	0.7	0.2	6	6	49	143	2	0.11	<20
185	A2470	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	0.03	<0.2	43	17	18	3.60	2.2	<0.2	<0.01	0.6	0.3	3	5	49	56	1	0.11	<20
186	A2471	Block G	9°56'28"	55°12'57"	Brown weathered granite (channel sample : 2 m)	1.13	<0.2	81	84	26	5.11	7.2	0.5	<0.01	43.2	0.2	15	5	41	219	5	0.2	<20
187	A2472	Block G	9°56'28"	55°12'57"	Spot sample of quartz vein with Goe. (W. 4 to 5 cm)	0.02	<0.2	67	454	22	1.29	1.7	<0.2	<0.01	0.2	<0.2	264	7	37	3206	3	0.03	<20
188	A2473	Block G	9°56'28"	55°12'57"	Spot sample of quartz vein with Goe. (W. 5 to 10 cm)	0.03	<0.2	36	19	6	1.36	6.1	0.2	<0.01	0.7	<0.2	3	2	23	53	<1	0.03	<20
189	A2476	Block G	9°56'28"	55°12'57"	Stockwork quartz vein in weathered granite Py dissemination and Hm (Py holes).	0.95	<0.2	17	43	10	1.85	28.4	0.3	<0.01	24.6	<0.2	8	3	15	125	2	0.18	<20

Ser. Sample No.	District	Coordination		Description	Assay Results																							
		S	W		Au (ppm)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)	As (ppm)	Sb (ppm)	Hg (ppm)	Bi (ppm)	Cd (ppm)	Co (ppm)	Ni (ppm)	V (ppm)	Mn (ppm)	Mo (ppm)	K (%)	W (ppm)						
																							Au (ppm)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%)
190	A2477	Block G	9°56'28"	55°12'57"	Stockwork quartz vein in weathered granite Py dissemination and Hm (Py holes).	0.34	<0.2	42	72	15	2.31	35.1	0.4	<0.01	5.6	0.2	48	5	22	373	3	0.21	<20					
191	A2478	Block G	9°56'28"	55°12'57"	Stockwork quartz vein in weathered granite Py dissemination and Hm (Py holes).	60.45	2.11	76	59	17	2.89	52	0.4	0.08	4.7	<0.2	56	4	39	412	5	0.24	<20					
192	A2479	Block G	9°56'28"	55°12'57"	Floats of Py disseminated ores in sil. epi. granite.	0.46	<0.2	21	15	8	2.74	59	0.3	0.01	4.5	<0.2	2	4	2	20	1	0.2	<20					
193	A2480	Block G	9°56'28"	55°12'57"	Floats of subhedral rich ore (massive Py ore)	46.07	74.5	982	87	46	10.00	276	0.4	0.09	987	0.4	91	21	7	57	2	0.03	<20					
194	A2481	Block G	9°56'28"	55°12'57"	Piled ores of green Py disseminated ore in chf-epical granite with quartz network. (50 cm x 40 cm)	0.84	3.8	121	10	8	3.00	56	0.2	<0.01	26	<0.2	3	5	3	25	3	0.19	<20					
195	A2482	Block G	9°56'28"	55°12'57"	Piled ores of green Py disseminated ore with quartz veins including Py in argillized, silicified, chf-epi granite. (50 cm x 40 cm)	2.75	4.1	197	29	25	6.45	56	<0.2	<0.01	49.5	0.3	19	9	1	17	1	0.15	<20					
196	A2483	Block G	9°56'28"	55°12'57"	Piled ores of pale green Py disseminated ore in chf-epical granite with quartz network. (30 cm x 40 cm)	0.15	0.5	142	8	5	2.80	45.6	<0.2	<0.01	4.8	<0.2	4	5	1	11	2	0.21	<20					
197	A2484	Block G	9°56'28"	55°12'57"	Piled ores of pale green Py disseminated ore in chf-epical granite with quartz network. (50 cm x 40 cm)	0.06	1.1	22	17	9	1.91	56	<0.2	<0.01	3.9	<0.2	3	4	2	25	<1	0.21	<20					
198	A2485	Block G	9°56'28"	55°12'57"	Black Hm-Goe-nich quartz vein. (50 cm x 30 cm)	0.42	23.5	42	25	42	10.00	29.9	0.7	0.01	3	0.6	4	16	80	100	<1	<0.01	<20					
199	A2486	Block G	9°56'28"	55°12'57"	Network quartz vein in sil-epi granite with Py holes (1 m)	0.72	<0.2	18	11	8	1.74	36.9	0.2	<0.01	3.7	<0.2	1	4	4	44	1	0.16	<20					
200	A2487	Block G	9°56'28"	55°12'57"	Network quartz vein in sil-epi granite with Py holes (1 m)	0.52	<0.2	86	45	19	3.32	56	0.2	0.01	21.2	<0.2	87	7	25	872	6	0.17	<20					
201	A2488	Block G	9°51'46"	55°15'41"	White sheared quartz vein with Hm (10 cm)	0.01	<0.2	2	<2	1	0.15	<1	<0.2	<0.01	0.7	<0.2	<1	1	<1	8	<1	0.02	<20					
202	A2489	Block G	9°51'46"	55°15'41"	White sheared quartz vein with Hm (10 cm)	0.01	<0.2	4	4	1	0.30	<1	<0.2	<0.01	0.3	<0.2	<1	4	<1	32	<1	0.02	<20					
203	A2490	Block G	9°51'46"	55°15'41"	White sheared quartz vein with Hm (10 cm)	<0.01	<0.2	2	4	<1	0.15	<1	<0.2	<0.01	2.2	<0.2	<1	1	<1	15	<1	<0.01	<20					
204	A2491	Block G	9°51'46"	55°15'41"	Spot sample of quartz vein with Hm (1 to 5 cm)	0.29	<0.2	10	48	9	1.22	1.2	0.2	<0.01	0.5	<0.2	4	6	22	511	<1	0.04	56					
205	S2401	Block G	9°52'03"	55°15'45"	Float of quartz vein with Lm + Hm + Py holes (20cm x 30cm + 10cm)	0.02	<0.2	8	64	17	1.59	1.1	<0.2	<0.01	15.7	<0.2	2	4	<1	259	1	0.01	<20					
206	S2402	Block G	9°52'03"	55°15'45"	Float of quartz vein (1m) with Lm + Hm + Py holes in silicified rock (20cm x 30cm x 10cm)	0.02	1.1	12	33	24	0.81	2.2	0.2	0.61	8.8	<0.2	<1	3	<1	29	2	0.06	<20					
207	S2403	Block G	9°52'03"	55°15'45"	Float of sheared granite with Py dissemination. (20cm x 30cm x 10cm)	0.01	0.3	25	63	36	2.18	6.6	<0.2	0.02	5.4	0.2	1	3	2	90	1	0.28	<20					
208	S2404	Block G	9°52'03"	55°15'45"	Float of quartz vein (W 15cm) with Lm + Hm + Py holes (15cm x 30cm x 20cm)	<0.01	2.9	19	94	60	0.74	1.4	<0.2	0.10	6.4	<0.2	<1	4	<1	277	<1	0.03	<20					
209	S2405	Block G	9°52'03"	55°15'45"	Float of quartz vein sheared with Hm (15cm x 10cm x 10cm)	1.87	9.4	31	107	33	4.11	6.6	0.3	0.02	94	0.2	2	4	2	50	3	0.18	<20					
210	S2406	Block G	9°52'03"	55°15'45"	Float of sheared quartz vein with massive Hm and Goe (30cm x 60cm x 40cm)	0.01	<0.2	5	27	17	0.85	<1	<0.2	<0.01	7	<0.2	<1	4	<1	94	<1	0.04	<20					
211	S2407	Block G	9°52'03"	55°15'45"	Floats of white argillized, silicified and sheared granite.	0.07	0.3	11	60	24	2.65	4.8	0.3	<0.01	16.2	<0.2	1	3	1	66	3	0.16	<20					
212	A2502	South of Block B	9°32'03"	57°30'49"	Quartz vein (W 60 cm)	0.01	<0.2	4	4	4	0.49	12.8	<0.2	0.01	<0.2	<0.2	<1	4	6	25	<1	0.01	<20					
213	A2503	South of Block B	9°32'03"	57°30'49"	Quartz vein (W 80 cm)	<0.01	<0.2	7	3	7	0.49	1.7	<0.2	<0.01	<0.2	<0.2	<1	5	8	48	<1	0.01	<20					
214	A2506	South of Block B	9°32'08"	57°31'08"	Floats of quartz veins	<0.01	<0.2	6	<2	2	0.20	<1	<0.2	<0.01	<0.2	<0.2	<1	4	<1	10	<1	<0.01	<20					
215	A2509	South of Block B	9°32'15"	57°33'15"	Floats of quartz veins	<0.01	<0.2	3	<2	3	0.31	3.3	<0.2	<0.01	0.5	<0.2	<1	3	2	35	<1	<0.01	<20					
216	A2510	South of Block B	9°32'15"	57°33'15"	Floats of quartz veins	<0.01	<0.2	2	<2	2	0.23	1	<0.2	0.01	0.3	<0.2	<1	3	1	22	<1	<0.01	<20					

Ser. No.	Sample No.	District	Coordination		Description	Assay Results																	
			S	W		Au	Ag	Cu	Pb	Zn	Fe (%)	As	Sb	Hg	Bi	Cd	Co	Ni	V	Mn	Mo	K (%)	W (ppm)
						(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(%)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
217	A2511	South of Block B	9°32'15"	57°33'15"	Floata of quartz veins	<0.01	<0.2	3	6	1	0.24	4.6	<0.2	<0.01	0.3	<0.2	<1	4	1	22	<1	<0.01	<20
218	A2512	South of Block B	9°32'17"	57°33'28"	white silicified mylonite	<0.01	<0.2	4	3	12	2.90	3.4	<0.2	0.03	0.7	<0.2	1	3	39	23	1	0.01	<20
219	A2513	South of Block B	9°32'30"	57°35'31"	Floata of quartz veins	<0.01	<0.2	5	10	1	0.26	1.3	<0.2	<0.01	0.2	<0.2	<1	6	1	13	1	<0.01	<20
220	A2514	South of Block B	9°32'30"	57°35'31"	Floata of quartz veins	<0.01	<0.2	3	5	<1	0.23	3.5	<0.2	<0.01	<0.2	<0.2	<1	5	1	10	1	<0.01	<20
221	A2515	South of Block B	9°32'29"	57°35'31"	Floata of quartz veins	<0.01	<0.2	3	<2	<1	0.28	<1	<0.2	<0.01	0.3	<0.2	<1	3	2	17	<1	<0.01	<20
222	A2517	South of Block B	9°32'38"	57°36'09"	Pink granite with Py dissemination and spot.	<0.01	<0.2	27	15	6	0.46	3.1	<0.2	<0.01	0.5	<0.2	<1	3	2	101	<1	0.19	<20
223	A2522	South of Block B	9°34'11"	57°30'11"	Floata of quartz veins	<0.01	<0.2	2	<2	<1	0.25	2.1	<0.2	0.01	<0.2	<0.2	<1	4	<1	19	<1	<0.01	<20
224	A2523	South of Block B	9°34'14"	57°30'20"	Floata of quartz veins	<0.01	<0.2	4	<2	2	0.24	1.4	<0.2	0.02	0.3	<0.2	<1	2	2	28	19	0.01	<20
225	A2526	South of Block B	9°34'40"	57°31'03"	Floata of quartz veins	<0.01	<0.2	3	<2	<1	0.23	1.8	<0.2	0.01	0.3	<0.2	<1	5	<1	13	1	<0.01	<20
226	A2528	South of Block B	9°34'50"	57°31'22"	Floata of quartz veins	<0.01	<0.2	3	2	1	0.35	4.6	<0.2	<0.01	<0.2	<0.2	<1	3	5	20	<1	<0.01	<20
227	A2529	South of Block B	9°34'50"	57°31'22"	Floata of quartz veins	<0.01	<0.2	3	16	5	3.17	4.1	<0.2	0.06	0.5	<0.2	7	5	56	453	1	<0.01	<20
228	A2532	South of Block B	9°35'00"	57°31'51"	Floata of quartz veins	0.01	<0.2	1	<2	<1	0.18	1.5	<0.2	<0.01	<0.2	<0.2	<1	3	<1	8	<1	<0.01	<20
229	A2538	South of Block B	9°34'23"	57°33'21"	Floata of quartz veins	0.01	<0.2	4	<2	<1	0.15	1.2	<0.2	<0.01	0.3	<0.2	<1	2	<1	11	<1	<0.01	<20
230	A2539	South of Block B	9°34'23"	57°33'21"	White silicified mylonite	<0.01	<0.2	9	6	9	1.95	5.8	<0.2	0.01	0.3	<0.2	2	9	34	42	1	0.02	<20
231	A2541	South of Block B	9°33'58"	57°35'22"	Floata of quartz veins	0.15	<0.2	34	17	6	4.94	3.8	1	0.01	50	<0.2	5	5	25	87	17	0.01	121
232	A2543	South of Block B	9°33'50"	57°35'29"	Floata of quartz veins	<0.01	<0.2	6	2	3	1.05	1.9	<0.2	0.02	1.2	<0.2	3	3	26	159	<1	<0.01	<20
233	A2544	South of Block B	9°32'50"	57°35'29"	Floata of quartz veins	<0.01	<0.2	2	<2	1	0.36	3.6	<0.2	<0.01	0.5	<0.2	<1	3	6	17	<1	<0.01	<20
234	A2546	South of Block B	9°31'20"	57°35'37"	White silicified mylonite	<0.01	<0.2	1	<2	<1	0.19	3.5	<0.2	0.02	0.4	<0.2	<1	2	2	40	<1	<0.01	<20
235	A2549	South of Block B	9°29'56"	57°35'19"	Floata of quartz veins	<0.01	<0.2	1	2	<1	0.20	2.7	<0.2	<0.01	0.5	<0.2	<1	2	<1	11	<1	<0.01	<20
236	A2551	South of Block B	9°31'59"	57°30'38"	Floata of quartz veins with Lm films along the fracture	<0.01	<0.2	1	<2	1	0.24	2.5	<0.2	0.01	0.4	<0.2	<1	3	1	16	<1	<0.01	<20
237	A2552	South of Block B	9°32'15"	57°39'21"	Brown pebble gravels of Quaternary sediments with Lm + Hm.	0.03	<0.2	32	71	37	10.00	5.5	0.3	0.03	1	0.4	5	10	194	187	27	<0.01	<20
238	A2556	South of Block B	9°31'16"	57°37'41"	Reddish brown, silicified rock with Lm + Goe in Quaternary deposits.	9.00	<0.2	41	47	80	5.53	3.7	0.6	0.03	0.5	<0.2	8	7	32	2944	2	<0.01	<20

## Appendix 7 Drilling Equipment and consumed materials

Consumed Materials

Hole No.	MJBA-1	MJBA-2	MJBA-3	MJBA-4	MJBA-5	MJBA-6	MJBA-7
Bit: HW	-	-	1	1	1	1	-
Bit: NX	-	-	-	1	1	1	1
Hidro Oil (L)	8	51	-	35	30	65	-
Light Oil (L)	7	3	-	10	2	1	-
E.M. (Kg)	-	-	-	-	-	-	10
Grease (Kg)	2	3	2	2	1	1	2
Rod grease (Kg)	5	14	-	7	5	4	2
Bentonite (Kg)	100	100	175	75	100	100	100
Diesel (L)	370	355	165	245	120	190	205

Hole No.	MJBA-8	MJBA-9	MJBA-10	MJBA-11	MJBA-12	MJBA-13
Bit: NW	-	-	-	-	-	1
Bit: NQ	1	-	-	-	-	1
Hidro Oil (L)	-	-	-	-	-	-
Light Oil (L)	-	-	-	-	-	-
E.M. (Kg)	-	-	-	10	6	20
Grease (Kg)	2	2	4	1	1	3
Rod grease (Kg)	7	5	6	-	2	4
Bentonite (Kg)	100	50	75	100	75	100
Diesel (L)	430	185	290	160	180	200

## Drilling Equipment

Article	Model	Specification	Quantity
Drilling Machine	BBS-25	Maker: JKS-Boyles. Engine Perkins 4232-1 Capacity: BQWL 580m	1set
Diesel Engine	4232-1	Maker: Perkins	2sets
Drilling Pump	SB-95	Maker: SONDEQ	2sets
Water Pump	SB-95	Maker: BEAN ROYAL	1set
Generator	Agrale M-90	Maker: BAMBOZZI	1set
Drill Rod		Maker: LONGYEAR NQ(3m/joint)	55joints
		Maker: GEOSOL BW(3m/joint)	22joints
		Maker: GEOSOL NQ(3m/joint)	22joints
		Maker: LONGYEAR HQ(3m/joint)	20joints
Casing Pipe		Maker: GEOSOL HW(3m/joint)	10joints
		Maker: GEOSOL NW(3m/joint)	22joints



Progress record of drilling

	Hole No.	MJBA-1	MJBA-2	MJBA-6	MJBA-5	MJBA-4	MJBA-3	MJBA-8
Drilling Period		(*1shift/day)	(*1shift/day)	(**2shift/day)	(**2shift/day)	(**2shift/day)	(**2shift/day)	(**2shift/day)
	Preparation phase	8/30 to 8/31	9/12 to 9/13	9/26 to 9/28	10/01	10/05	10/09	10/14
	Number of days	2.0	2.0	3.0	0.5	0.5	0.5	1.0
	Drilling	9/01 to 9/09	9/14 to 9/22	9/29 to 10/01	10/01 to 10/04	10/06 to 10/08	10/09 to 10/11	10/15 to 10/18
	Drilling days	9.0	9.0	2.5	3.0	3.0	2.0	4.0
Mobilization phase	9/10 to 9/11	9/23 to 9/25	10/01	10/05	10/09	10/12 to 10/13	10/19	
	Number of days	2.0	3.0	0.0	0.5	0.5	2.0	0.5
Total of days	13.0	14.0	5.5	4.0	4.0	4.5	5.5	
Depth	Planned depth	100.00m	100.00m	50.00m	50.00m	50.00m	50.00m	100.00m
	Drilled depth	100.15m	100.55m	50.65m	50.70m	50.45m	50.30m	100.15m
Recovery	Overburden	1.00m	1.50m	2.20m	1.50m	1.50m	1.60m	2.50m
	Core length	99.29m	100.45m	50.65m	50.70m	50.45m	50.30m	100.15m
	Recovery	99%	99%	100%	100%	100%	100%	100%
Casing	HW casing	12.20m	6.10m	3.00m	3.00m	3.00m	3.00m	3.00m
	HQ casing	60.00m	-	-	-	-	-	-
	NW casing	-	33.85m	13.40m	22.80m	29.05m	-	29.70m
Rate	meters / day	11.13m	11.17m	20.26m	16.90m	16.82m	25.15m	25.04m
	meters / total days	7.70m	7.18m	9.21m	12.67m	12.61m	11.18m	18.21m


	Hole No.	MJBA-9	MJBA-10	MJBA-7	MJBA-13	MJBA-12	MJBA-11
Drilling Period		(**2shift/day)	(**2shift/day)	(**2shift/day)	(**2shift/day)	(**2shift/day)	(**2shift/day)
	Preparation	10/19	10/21	10/25	10/29	11/01	11/03
	Days	0.0	0.0	0.5	0.5	0.5	0.0
	Drilling	10/19 to 10/21	10/21 to 10/25	10/26 to 10/27	10/29 to 10/31	11/01 to 11/03	11/04 to 11/05
	Days	1.5	3.5	2.0	2.0	2.0	2.0
Moving	10/21	10/25	10/28	10/31	10/03	11/06 to 11/8	
Days	0.5	0.5	1.0	0.5	0.5	3.0	
Total of days	2.0	4.0	3.5	3.0	3.0	5.0	
Depth	Planned depth	50.00m	50.00m	50.00m	50.00m	50.00m	50.00m
	Drilled depth	50.05m	50.55m	50.80m	50.70m	50.65m	50.15m
Recovery	Overburden	2.00m	1.40m	2.00m	1.30m	4.00m	4.65m
	Core length	50.05m	50.40m	50.80m	50.70m	50.65m	50.15m
	Recovery	100%	99%	100%	100%	100%	100%
Casing	HW casing	3.00m	3.00m	3.0m	3.00m	3.00m	3.00m
	HQ casing	-	-	-	-	-	-
	NW casing	16.00m	27.40m	24.00m	18.20m	-	-
Rate	meters / day	33.37m	14.44m	25.40m	25.35m	25.32m	25.07m
	meters / total days	25.02m	12.64m	14.51m	16.90m	16.88m	10.03m

Appendix 8 Generalized drilling results and progress records of drilling








MJBA-4




MJBA-3








MJBA-8




MJBA-7







MJBA-12



MJBA-11



MIBA-13



## Appendix 9 Drilling logs




Hole No. : MJBA-1 (From 0.00 m to 50.00 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling	Ore Assay		
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz. veinlets	Qz. Calcite veinlets	Calcite veinlets	Pyrite diss.	Pyrite veinlets	Chalcopyrite diss.	Magnetite	Hematite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	
0		Transported soils																0.00 to 1.00	1310	3.5	14000
		Schistose saproite: Yellowish to violet color, mica rich																1.00 to 2.00	128	<0.2	2576
		5.30 to 5.80m: Dark grey siliceous saproite																2.00 to 3.00	44	<0.2	1946
		5.80 to 7.90m: Greenish yellow clayey saproite																3.00 to 4.00	24	<0.2	2235
		Chl schist: Yellowish green, angle of schistosity 30deg																4.00 to 5.00	29	0.3	2547
-10																		5.00 to 6.00	31	0.2	2503
																		6.00 to 7.00	24	0.3	3126
																		7.00 to 8.00	27	0.4	1273
																		8.00 to 9.00	19	0.6	243
																		9.00 to 10.00	557	0.6	203
																		10.00 to 11.00	27	0.8	185
																		11.00 to 12.00	20	0.7	440
																		12.00 to 13.00	27	0.9	534
																		13.00 to 14.00	31	1.2	524
																		14.00 to 15.00	34	1.2	68
																		15.00 to 16.00	1759	1.7	1703
																		16.00 to 17.00	38	1.2	1344
																		17.00 to 18.00	88	1.3	1487
																		18.00 to 19.00	88	1.3	1109
-20		20.90 to 22.20m: Strong eol-chl. alt.																19.00 to 20.00	185	3.0	3886
		Chl. schist: Yellowish green color																20.00 to 21.00	207	4.0	1836
		22.90 to 25.25m: Quartz rich chl. schist																21.00 to 22.00	26	3.5	1836
		24.00 to 25.25m: Strong sheared chl. schist																22.00 to 23.00	25	3.4	2478
		25.25 to 26.60m: Quartz vein																23.00 to 24.00	67	3.0	2615
		26.60 to 27.40m: Chl. schist and qtz vein mixed layer																24.00 to 25.00	2253	6.1	5690
		Talc-chl. schist: Black color																25.00 to 26.00	91	3.4	2945
-30																		26.00 to 27.00	7674	2.1	488
																		27.00 to 28.00	37	1.0	250
																		28.00 to 29.00	8	0.7	178
																		29.00 to 30.00	23	0.6	708
																		30.00 to 31.00	<5	<0.2	131
																		31.00 to 32.00	8	0.5	191
																		32.00 to 33.00	8	22.9	316
																		33.00 to 34.00	6	1.7	144
																		34.00 to 35.00	21	5.0	379
																		35.00 to 36.00	7	1.3	1154
																		36.00 to 37.00	<5	2.4	12000
																		37.00 to 38.00	<5	12.1	41000
																		38.00 to 39.00	2030	51.4	8371
																		39.00 to 40.00	458	10.2	32000
-40		38.10 to 38.22m: Strongly fract. qtz. with sulph. barwork																40.00 to 41.00	45	2.2	25000
		39.95 to 46.15m: Strong sheared blackish schist with many milky qz. veinlets, locally green color																41.00 to 42.00	49	14.3	14000
		42.10 to 42.60m: Weakly sheared granite, 42.10m and 42.60m: qtz. vein (w:3.0cm)																42.00 to 43.00	17	2.0	3595
		43.70m: qtz. vein (w:2.0cm)																43.00 to 44.00	66	2.1	2963
		45.00 to 45.60m: Coarse mica rich schists																44.00 to 45.00	8	1.9	1329
		Locally green color																45.00 to 46.00	43	2.5	230
		Granite intruded in schists: Pinkish color, strong sheared, potassic alt.																46.00 to 47.00	<5	4.7	106
																		47.00 to 48.00	<5	3.4	67
																		48.00 to 49.00	8	1.2	52
-50																		49.00 to 50.00	8	<0.2	24

Hole No. : MJBA-1 (From 50.00 m to 100.15 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration							Mineralization					Sampling		Ore Assay		
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz veins	Qz-Calcite veins	Calcite veins	Pyrite diss	Pyrite veins	Chalcopyrite diss	Magnetite	Hematinite	Depth (m)	Au (ppb)	Ag (ppm)



Hole No. : MJBA-2 (From 0.00 m to 50.00 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling	Ore Assay		
			Silicification	Argilization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz veinlets	Qz-Calcite veinlets	Calcite veinlets	Pyrite diss	Pyrite veinlets	Chalcopyrite diss.	Magnetite	Hematite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	
0		0.00m to 1.50m: Transported materials Transported soils																0.00 to 1.00	98	<0.2	158
		1.50m to 11.00m: Granitic saproite Yellowish brown to reddish brown, qz fragments between 8.60m and 9.20m																1.00 to 2.00	167	<0.2	242
		11.00m to 20.75m: Granitic saproite Light brown to pinkish brown, locally very loose																2.00 to 3.00	48	<0.2	138
		20.75m to 23.00m: Granitic saproite. Pinkish light brown, epi.-chl. alt., slight, kao.																3.00 to 4.00	118	<0.2	164
		23.00m to 25.20m: Granitic saproite Light brown to pinkish brown, locally very loose																4.00 to 5.00	38	<0.2	200
		25.20m to 28.10m: Strong weathered diabase Greenish gray, chl.alt.																5.00 to 6.00	22	<0.2	123
		28.10m to 29.90m: Diabase: Greenish dark gray, chl. alt., slight, py.diss.																6.00 to 7.00	184	<0.2	278
		30.00m to 30.80m: Diabase: Slight sheared, chl. alt., slight, py.diss.																7.00 to 8.00	14	<0.2	577
		30.80m to 32.00m: Granite: Pinkish color, weathered and slight, silicified, slight, epi.-chl. alt., potassic alt.(strong)																8.00 to 9.00	15	<0.2	511
		32.00m to 34.10m: Diabase: Weathered and loose																9.00 to 10.00	230	<0.2	743
		34.10m to 38.20m: Diabase: Dark greenish gray, epi.-chl. alt., slight,py.diss., qz-cal. veinlets, weak silic.(34.10m to 35.75m)																10.00 to 11.00	1506	<0.2	847
		38.20m to 49.90m: Coar. hb.-bi. granite: Pinkish, strong silic., strong epi.-chl. alt. along fractures, weak py.diss., potassic alt.(strong).																11.00 to 12.00	52	<0.2	142
		49.90m to 46.10m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																12.00 to 13.00	13	0.3	157
		46.10m to 44.90m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																13.00 to 14.00	20	<0.2	129
		44.90m to 48.10m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																14.00 to 15.00	21	<0.2	151
		48.10m to 49.90m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																15.00 to 16.00	9	<0.2	104
		49.90m to 50.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																16.00 to 17.00	<5	<0.2	104
		50.00m to 51.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																17.00 to 18.00	11	<0.2	110
		51.00m to 52.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																18.00 to 19.00	12	<0.2	162
		52.00m to 53.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																19.00 to 20.00	8	<0.2	132
		53.00m to 54.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																20.00 to 21.00	<5	<0.2	126
		54.00m to 55.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																21.00 to 22.00	10	<0.2	110
		55.00m to 56.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																22.00 to 23.00	<5	2.3	118
		56.00m to 57.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																23.00 to 24.00	22	4.5	149
		57.00m to 58.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																24.00 to 25.00	81	4.6	144
		58.00m to 59.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																25.00 to 26.00	8	0.5	843
		59.00m to 60.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																26.00 to 27.00	9	<0.2	1054
		60.00m to 61.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																27.00 to 28.00	10	<0.2	1017
		61.00m to 62.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																28.00 to 29.00	5	<0.2	974
		62.00m to 63.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																29.00 to 30.00	34	<0.2	1336
		63.00m to 64.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																30.00 to 31.00	625	<0.2	892
		64.00m to 65.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																31.00 to 32.00	28	<0.2	395
		65.00m to 66.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																32.00 to 33.00	1174	1.4	1011
		66.00m to 67.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																33.00 to 34.00	12	<0.2	833
		67.00m to 68.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																34.00 to 35.00	10	<0.2	821
		68.00m to 69.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																35.00 to 36.00	<5	<0.2	94
		69.00m to 70.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																36.00 to 37.00	<5	<0.2	100
		70.00m to 71.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																37.00 to 38.00	6	0.2	186
		71.00m to 72.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																38.00 to 39.00	14	<0.2	305
		72.00m to 73.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																39.00 to 40.00	<5	<0.2	15
		73.00m to 74.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																40.00 to 41.00	<5	<0.2	27
		74.00m to 75.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																41.00 to 42.00	<5	<0.2	36
		75.00m to 76.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																42.00 to 43.00	<5	<0.2	46
		76.00m to 77.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																43.00 to 44.00	7	<0.2	64
		77.00m to 78.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																44.00 to 45.00	6	<0.2	9
		78.00m to 79.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																45.00 to 46.00	44	<0.2	429
		79.00m to 80.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																48.00 to 47.00	<5	<0.2	14
		80.00m to 81.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																47.00 to 48.00	<5	<0.2	9
		81.00m to 82.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																48.00 to 49.00	<5	<0.2	38
		82.00m to 83.00m: strong chl.alt. qz-veinlets along fractures, intrusion angle of diabase : 50deg.																49.00 to 50.00	<5	<0.2	9

Hole No. : MJBA-2 (From 50.00 m to 100.55 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling	Ore Assay																																																																																																																																																																																													
			Silicification	Argillization	Epudate	Chlorite	K-feldspar	Kaolinite	Qz veinlets	Qz-Calcite veinlets	Calcite veinlets	Pyrite diss.	Pyrite veinlets	Chalcopyrite	Magnetite	Hematite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)																																																																																																																																																																																												
-50		Diabase: Greenish dark grey, with calcite veinlets, intrusion angle - 80deg.																			51.80m to 62.70m: Med. bi. granite. Pinkish, silic.(strong), epi-chl. alt.(med. to strong) along fractures, potassic alt.(strong)																			Weak, brecciated and sheared granite: Pinkish, silic., py.diss., epi-chl. alt.(med. to strong), potassic alt.(strong)																			62.90m to 63.85: Diabase: Greenish dark grey, weak schistosity and silic., epi-chl. alt.(med. to strong), py.diss.(strong) 63.20m, 63.80m. qz veinlets (w/1cm) with strong py.diss.																			Brecciated and sheared bi. granite: Pinkish, silic., py.diss., epi-chl.(med. to strong), potassic alt.(strong)																			64.10m to 64.30m: Med. bi. granite. Pinkish, silic.(weak to strong), py.diss.(med.), epi-chl. alt.(med.) along fractures, potassic alt.(strong to med.)																			Diabase: Greenish grey, calc veinlets (w/0.1cm to 0.5cm)																			84.60m to 94.20m: Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med. to strong) along fractures, potassic alt.(med.)																			94.20m to 98.60m: Diabase: Greenish grey, py.diss.(very weak), calc veinlets (w/0.1cm to 0.5cm)																			Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med.) along fractures, potassic alt.(med.)																	-100																		
		51.80m to 62.70m: Med. bi. granite. Pinkish, silic.(strong), epi-chl. alt.(med. to strong) along fractures, potassic alt.(strong)																			Weak, brecciated and sheared granite: Pinkish, silic., py.diss., epi-chl. alt.(med. to strong), potassic alt.(strong)																			62.90m to 63.85: Diabase: Greenish dark grey, weak schistosity and silic., epi-chl. alt.(med. to strong), py.diss.(strong) 63.20m, 63.80m. qz veinlets (w/1cm) with strong py.diss.																			Brecciated and sheared bi. granite: Pinkish, silic., py.diss., epi-chl.(med. to strong), potassic alt.(strong)																			64.10m to 64.30m: Med. bi. granite. Pinkish, silic.(weak to strong), py.diss.(med.), epi-chl. alt.(med.) along fractures, potassic alt.(strong to med.)																			Diabase: Greenish grey, calc veinlets (w/0.1cm to 0.5cm)																			84.60m to 94.20m: Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med. to strong) along fractures, potassic alt.(med.)																			94.20m to 98.60m: Diabase: Greenish grey, py.diss.(very weak), calc veinlets (w/0.1cm to 0.5cm)																			Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med.) along fractures, potassic alt.(med.)																	-100																																					
		Weak, brecciated and sheared granite: Pinkish, silic., py.diss., epi-chl. alt.(med. to strong), potassic alt.(strong)																			62.90m to 63.85: Diabase: Greenish dark grey, weak schistosity and silic., epi-chl. alt.(med. to strong), py.diss.(strong) 63.20m, 63.80m. qz veinlets (w/1cm) with strong py.diss.																			Brecciated and sheared bi. granite: Pinkish, silic., py.diss., epi-chl.(med. to strong), potassic alt.(strong)																			64.10m to 64.30m: Med. bi. granite. Pinkish, silic.(weak to strong), py.diss.(med.), epi-chl. alt.(med.) along fractures, potassic alt.(strong to med.)																			Diabase: Greenish grey, calc veinlets (w/0.1cm to 0.5cm)																			84.60m to 94.20m: Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med. to strong) along fractures, potassic alt.(med.)																			94.20m to 98.60m: Diabase: Greenish grey, py.diss.(very weak), calc veinlets (w/0.1cm to 0.5cm)																			Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med.) along fractures, potassic alt.(med.)																	-100																																																								
		62.90m to 63.85: Diabase: Greenish dark grey, weak schistosity and silic., epi-chl. alt.(med. to strong), py.diss.(strong) 63.20m, 63.80m. qz veinlets (w/1cm) with strong py.diss.																			Brecciated and sheared bi. granite: Pinkish, silic., py.diss., epi-chl.(med. to strong), potassic alt.(strong)																			64.10m to 64.30m: Med. bi. granite. Pinkish, silic.(weak to strong), py.diss.(med.), epi-chl. alt.(med.) along fractures, potassic alt.(strong to med.)																			Diabase: Greenish grey, calc veinlets (w/0.1cm to 0.5cm)																			84.60m to 94.20m: Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med. to strong) along fractures, potassic alt.(med.)																			94.20m to 98.60m: Diabase: Greenish grey, py.diss.(very weak), calc veinlets (w/0.1cm to 0.5cm)																			Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med.) along fractures, potassic alt.(med.)																	-100																																																																											
		Brecciated and sheared bi. granite: Pinkish, silic., py.diss., epi-chl.(med. to strong), potassic alt.(strong)																			64.10m to 64.30m: Med. bi. granite. Pinkish, silic.(weak to strong), py.diss.(med.), epi-chl. alt.(med.) along fractures, potassic alt.(strong to med.)																			Diabase: Greenish grey, calc veinlets (w/0.1cm to 0.5cm)																			84.60m to 94.20m: Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med. to strong) along fractures, potassic alt.(med.)																			94.20m to 98.60m: Diabase: Greenish grey, py.diss.(very weak), calc veinlets (w/0.1cm to 0.5cm)																			Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med.) along fractures, potassic alt.(med.)																	-100																																																																																														
		64.10m to 64.30m: Med. bi. granite. Pinkish, silic.(weak to strong), py.diss.(med.), epi-chl. alt.(med.) along fractures, potassic alt.(strong to med.)																			Diabase: Greenish grey, calc veinlets (w/0.1cm to 0.5cm)																			84.60m to 94.20m: Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med. to strong) along fractures, potassic alt.(med.)																			94.20m to 98.60m: Diabase: Greenish grey, py.diss.(very weak), calc veinlets (w/0.1cm to 0.5cm)																			Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med.) along fractures, potassic alt.(med.)																	-100																																																																																																																	
		Diabase: Greenish grey, calc veinlets (w/0.1cm to 0.5cm)																			84.60m to 94.20m: Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med. to strong) along fractures, potassic alt.(med.)																			94.20m to 98.60m: Diabase: Greenish grey, py.diss.(very weak), calc veinlets (w/0.1cm to 0.5cm)																			Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med.) along fractures, potassic alt.(med.)																	-100																																																																																																																																				
		84.60m to 94.20m: Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med. to strong) along fractures, potassic alt.(med.)																			94.20m to 98.60m: Diabase: Greenish grey, py.diss.(very weak), calc veinlets (w/0.1cm to 0.5cm)																			Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med.) along fractures, potassic alt.(med.)																	-100																																																																																																																																																							
		94.20m to 98.60m: Diabase: Greenish grey, py.diss.(very weak), calc veinlets (w/0.1cm to 0.5cm)																			Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med.) along fractures, potassic alt.(med.)																	-100																																																																																																																																																																										
		Med. hb. bear. bi. granite: Pinkish, silic., py.diss.(very weak), epi-chl.(med.) along fractures, potassic alt.(med.)																	-100																																																																																																																																																																																													
-100																																																																																																																																																																																																																

Hole No. : MJBA-3 (From 0.00 m to 50.30 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling		Ore Assay		
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Oz veins	Oz -veinlets	Calcite veinlets	Calcite veinlets	Pyrite diss.	Pyrite veinlets	Chalcopyrite diss.	Magnetite	Hematite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	
0		Transported soils																0.00 to 1.00	525	<0.2	9	
		B soil Reddish brown																1.00 to 2.00	17	<0.2	14	
		Granitic saprolite Reddish brown to pinkish brown, matrix:clayey, stripe pattern develop (angle 10 deg, shearing?)																2.00 to 3.00	26	<0.2	25	
		Granitic saprolite Reddish brown to pinkish brown, matrix:clayey, mica (bleached biotite) remain																3.00 to 4.00	6	<0.2	15	
																		4.00 to 5.00	7	<0.2	14	
																		5.00 to 6.00	11	<0.2	13	
																		6.00 to 7.00	241	<0.2	16	
																		7.00 to 8.00	6	<0.2	12	
																		8.00 to 9.00	17	<0.2	18	
-10																		9.00 to 10.00	49	<0.2	15	
		10.63m to 25.20m Saprolite (granite): Mixed color (greenish gray, reddish brown, light brown, pinkish brown); matrix:clayey, stripe pattern develop (angle:10deg, shearing?)																10.00 to 11.00	8	<0.2	18	
																		11.00 to 12.00	<5	<0.2	28	
																		12.00 to 13.00	69	<0.2	20	
																		13.00 to 14.00	<5	<0.2	19	
																		14.00 to 15.00	15	<0.2	18	
																		15.00 to 16.00	19	<0.2	23	
																		16.00 to 17.00	46	<0.2	34	
																		17.00 to 18.00	35	<0.2	52	
																		18.00 to 19.00	101	<0.2	58	
																		19.00 to 20.00	61	<0.2	45	
																		20.00 to 21.00	13	<0.2	39	
																		21.00 to 22.00	22	<0.2	33	
																		22.00 to 23.00	67	<0.2	46	
																		23.00 to 24.00	12	<0.2	36	
																		24.00 to 25.00	18	<0.2	39	
		Saprolite (granite): Light yellow matrix:clayey to sandy, silicified and bleached zone?																25.00 to 26.00	146	<0.2	29	
																		26.00 to 27.00	22	<0.2	26	
		27.10m to 34.80m Saprolite (granite): Pinkish light brown, matrix:clayey, stripe pattern develop (angle:10deg, shearing?), oxidized py.inc, bleached biotite																27.00 to 28.00	387	<0.2	94	
																		28.00 to 29.00	8	<0.2	64	
																		29.00 to 30.00	341	<0.2	42	
																		30.00 to 31.00	14	<0.2	79	
																		31.00 to 32.00	26	<0.2	35	
																		32.00 to 33.00	90	<0.2	30	
																		33.00 to 34.00	24	<0.2	25	
																		34.00 to 35.00	547	<0.2	22	
		Saprolite (granite): Yellow to greenish grey, clayey, py. strong diss.																35.00 to 36.00	47	<0.2	27	
																		36.00 to 37.00	19	<0.2	29	
		Saprolite (granite): Light brown to light grey matrix:clayey																37.00 to 38.00	46	<0.2	16	
																		38.00 to 39.00	29	<0.2	28	
		Saprolite (granite): Light brown and yellowish brown, matrix:silty to sandy, bleaching and py.strong diss.zone																39.00 to 40.00	78	1.2	29	
																		40.00 to 41.00	20	0.3	18	
		40.10m to 44.00m Saprolite (granite): Light brown and yellowish brown, matrix:silty to sandy																41.00 to 42.00	67	1.3	32	
																		42.00 to 43.00	26	1.5	78	
																		43.00 to 44.00	12	0.6	72	
																		44.00 to 45.00	9	<0.2	72	
		Kf.porph.coar.hb - bi:granite: Kf pinkish color, py.strong diss., epi - chl. strong																45.00 to 46.00	8	<0.2	55	
		Sheared granite (mylonite): Shearing angle: 10 to 20deg.																46.00 to 47.00	<5	<0.2	32	
																		47.00 to 48.00	<5	<0.2	29	
		Kf.porph.coar.hb - bi:granite: Kf pinkish color, py.diss., epi - chl.strong along fractures (int:40cm, angle:70 deg.)																48.00 to 49.00	<5	<0.2	27	
																		49.00 to 50.35	<5	<0.2	13	
		49.05m to 49.20m Oz.vein: W:10cm, py.med., k-alk.strong, epi - chl.med.																				
		Silicified and bleached granite: Strong silic.py.diss.epi - chl.med.k-alk.strong																				
		Kf.porph.coar.hb - bi:granite: Kf pinkish, py.diss., epi - chl																				

Hole No. : MJBA-4 (From 0.00 m to 50.45 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling	Ore Assay		
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz veinlets	Qz-Calcite veinlets	Calcite veinlets	Pyrite diss.	Pyrite veinlets	Chalcopyrite diss.	Magnetite	Hematite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	
0		Transported soils																0.00 to 1.00	531	0.3	34
		B soil: Reddish brown and yellowish brown																1.00 to 2.00	31	<0.2	12
		3.50m to 8.25m : Saprolite (granite): Reddish brown and cream																2.00 to 3.00	15	<0.2	9
																		3.00 to 4.00	15	<0.2	8
																		4.00 to 5.00	8	<0.2	7
																		5.00 to 6.00	61	<0.2	6
																		6.00 to 7.00	14	<0.2	7
																		7.00 to 8.00	6	<0.2	6
-10		8.25m to 28.20m : Saprolite (granite): Reddish brown and cream, flow structure with angle:20 to 10deg.																8.00 to 9.00	<5	<0.2	8
																		9.00 to 10.00	<5	<0.2	9
																		10.00 to 11.00	<5	<0.2	10
																		11.00 to 12.00	<5	<0.2	12
																		12.00 to 13.00	<5	<0.2	13
																		13.00 to 14.00	<5	<0.2	17
																		14.00 to 15.00	6	<0.2	16
																		15.00 to 16.00	<5	<0.2	17
																		16.00 to 17.00	<5	<0.2	14
																		17.00 to 18.00	40	<0.2	14
																		18.00 to 19.00	24	<0.2	15
																		19.00 to 20.00	11	<0.2	22
																		20.00 to 21.00	<5	<0.2	33
																		21.00 to 22.00	7	<0.2	26
																		22.00 to 23.00	7	<0.2	14
																		23.00 to 24.00	7	<0.2	13
																		24.00 to 25.00	8	<0.2	12
																		25.00 to 26.00	<5	<0.2	19
																		26.00 to 27.00	<5	<0.2	32
																		27.00 to 28.00	<5	<0.2	41
		Sheared and bleached granite: Light blue and cream, strongly bleached and silicified, epi.-chl. med.																28.00 to 29.00	1093	<0.2	23
		28.45m to 28.50m : Qz.vein: With py.veinlets.																29.00 to 30.00	<5	<0.2	16
		28.50m to 39.35m : K-f.porph.coar.hb.-bi-granite: With blue qz., silicified med. epi.-chl.med. along fractures(angle:90deg.), magnetic granite																30.00 to 31.00	<5	<0.2	13
																		31.00 to 32.00	6	<0.2	11
																		32.00 to 33.00	<5	<0.2	10
																		33.00 to 34.00	<5	<0.2	7
																		34.00 to 35.00	<5	<0.2	8
																		35.00 to 36.00	<5	<0.2	7
																		36.00 to 37.00	<5	<0.2	9
																		37.00 to 38.00	<5	<0.2	8
																		38.00 to 39.00	<5	<0.2	7
																		39.00 to 40.00	<5	<0.2	6
		Silicified granite: Strong silic. weak.py.diss., epi.-chl.med., rounded x-f.																40.00 to 41.00	<5	<0.2	5
		40.70m to 50.45m : K-f.porph.coar.hb.-bi-granite: With blue qz., silicified med. epi.-chl.med. along fractures, magnetic granite. 41.10m : py.film along fractures. 48.50m and 49.05m : qz.-cal.veinlets with epi.-chl.(w:4mm)																41.00 to 42.00	10	<0.2	6
																		42.00 to 43.00	<5	<0.2	6
																		43.00 to 44.00	<5	<0.2	6
																		44.00 to 45.00	<5	<0.2	6
																		45.00 to 46.00	<5	<0.2	6
																		46.00 to 47.00	<5	<0.2	6
																		47.00 to 48.00	<5	<0.2	7
																		48.00 to 49.00	<5	<0.2	11
-50																		49.00 to 50.45	<5	<0.2	7

Hole No. : MJBA-5 (From 0.00 m to 50.70 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling	Ore Assay		
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz veinlets	Qz - Calcite veinlets	Calcite veinlets	Pyrite diss.	Pyrite	Pyrite veinlets	Chalcopyrite diss.	Magnetite	Hematite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)
0		Transported soils																0.00 to 1.00	292	<0.2	32
1.50m to 8.90m		Saprock (granite) Yellowish brown to yellowish light brown, matrix sity to clayey																1.00 to 2.00	870	<0.2	28
2.00 to 3.00																		2.00 to 3.00	57	<0.2	17
3.00 to 4.00																		3.00 to 4.00	59	<0.2	21
4.00 to 5.00																		4.00 to 5.00	34	<0.2	12
5.00 to 6.00																		5.00 to 6.00	24	<0.2	11
6.00 to 7.00																		6.00 to 7.00	22	<0.2	16
7.00 to 8.00																		7.00 to 8.00	<5	<0.2	30
8.00 to 9.00																		8.00 to 9.00	<5	<0.2	23
9.00 to 10.00																		9.00 to 10.00	<5	<0.2	14
10.00 to 11.00																		10.00 to 11.00	<5	<0.2	29
11.00 to 12.00																		11.00 to 12.00	<5	<0.2	15
12.00 to 13.00																		12.00 to 13.00	<5	<0.2	17
13.00 to 14.00																		13.00 to 14.00	26	<0.2	13
14.00 to 15.00																		14.00 to 15.00	<5	<0.2	14
15.00 to 16.00																		15.00 to 16.00	<5	<0.2	9
16.00 to 17.00																		16.00 to 17.00	<5	<0.2	14
17.00 to 18.00																		17.00 to 18.00	<5	<0.2	11
18.00 to 19.00																		18.00 to 19.00	<5	<0.2	9
19.00 to 20.00																		19.00 to 20.00	61	<0.2	13
20.00 to 21.00																		20.00 to 21.00	42	<0.2	12
21.00 to 22.00																		21.00 to 22.00	<5	<0.2	5
22.00 to 23.00																		22.00 to 23.00	<5	<0.2	5
23.00 to 24.00																		23.00 to 24.00	<5	<0.2	5
24.00 to 25.00																		24.00 to 25.00	<5	<0.2	4
25.00 to 26.00																		25.00 to 26.00	<5	<0.2	3
26.00 to 27.00																		26.00 to 27.00	<5	<0.2	4
27.00 to 28.00																		27.00 to 28.00	<5	<0.2	3
28.00 to 29.00																		28.00 to 29.00	<5	<0.2	4
29.00 to 30.00																		29.00 to 30.00	<5	<0.2	15
30.00 to 31.00																		30.00 to 31.00	<5	<0.2	2
31.00 to 32.00																		31.00 to 32.00	<5	<0.2	2
32.00 to 33.00																		32.00 to 33.00	<5	<0.2	6
33.00 to 34.00																		33.00 to 34.00	<5	<0.2	5
34.00 to 35.00																		34.00 to 35.00	<5	<0.2	4
35.00 to 36.00																		35.00 to 36.00	<5	<0.2	6
36.00 to 37.00																		36.00 to 37.00	<5	<0.2	19
37.00 to 38.00																		37.00 to 38.00	7	<0.2	53
38.00 to 39.00																		38.00 to 39.00	75	5.8	3075
39.00 to 40.00																		39.00 to 40.00	73	<0.2	28
40.00 to 41.00																		40.00 to 41.00	192	0.4	24
41.00 to 42.00																		41.00 to 42.00	<5	<0.2	6
42.00 to 43.00																		42.00 to 43.00	<5	<0.2	6
43.00 to 44.00																		43.00 to 44.00	<5	<0.2	5
44.00 to 45.00																		44.00 to 45.00	<5	<0.2	12
45.00 to 46.00																		45.00 to 46.00	23	<0.2	13
46.00 to 47.00																		46.00 to 47.00	<5	<0.2	11
47.00 to 48.00																		47.00 to 48.00	<5	<0.2	9
48.00 to 49.00																		48.00 to 49.00	<5	<0.2	15
49.00 to 50.70																		49.00 to 50.70	<5	<0.2	29

Hole No. : MJBA-6 (From 0.00 m to 50.65 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling Depth (m)	Ore Assay						
			Silicification	Argillization	Epitaxial	Chlorite	K-feldspar	Kaolinite	Qz veins	Qz-Calcite veins	Calcite veins	Pyrite diss	Pyrite veins	Chalcopyrite	Chalcopyrite diss	Magnetite	Hematite		Au (ppb)	Ag (ppm)	Cu (ppm)				
0		Transported soils																			0.00 to 1.00	22	<0.2	28	
		0.7m to 2.2m : B soil Reddish brown, az frag.included																				1.00 to 2.00	19	<0.2	18
		2.20m to 4.80m : Saprolite/granite: Yellowish brown, homogeneous																				2.00 to 3.00	232	<0.2	65
		4.80m to 9.30m : Saprolite/granite: Reddish brown with yellowish spots																				3.00 to 4.00	13	<0.2	148
																						4.00 to 5.00	16	<0.2	23
																						5.00 to 6.00	<5	<0.2	29
																						6.00 to 7.00	<5	<0.2	14
																						7.00 to 8.00	<5	<0.2	15
																						8.00 to 9.00	<5	<0.2	13
-10		Granitic saprolite: Low angle shearing, clay rich																				9.00 to 10.00	<5	<0.2	10
		Mica rich granitic saprolite																				10.00 to 11.00	6	<0.2	14
																						11.00 to 12.00	<5	<0.2	22
																						12.00 to 13.00	<5	<0.2	32
		12.90m to 22.40m : K-fporph.coar.hb-bi-granite: Silici.(med.), epi-chl.(med.), blue az., magnetic granite																				13.00 to 14.00	<5	<0.2	10
																						14.00 to 15.00	<5	<0.2	10
																						15.00 to 16.00	<5	<0.2	8
																						16.00 to 17.00	<5	<0.2	30
																						17.00 to 18.00	<5	<0.2	20
																						18.00 to 19.00	<5	<0.2	6
																						19.00 to 20.00	<5	<0.2	10
																						20.00 to 21.00	<5	<0.2	5
																						21.00 to 22.00	<5	<0.2	7
		22.40m to 24.30m : Strong silic.aplite: Strong silicified, py.diss.(weak to med.), epi-chl.(weak), potassic alt.(weak)																				22.00 to 23.00	<5	<0.2	63
		Aplite: Med.silicified, py.diss.(weak), epi-chl.(med), potassic alt.(weak)																				23.00 to 24.00	<5	0.2	77
		28.15m to 29.30m : Strong silic.aplite: Strong silicified, py.diss.(med. to strong), epi-chl.(med), potassic alt.(weak), magnetite alt.(partial)																				24.00 to 25.00	<5	<0.2	68
																						25.00 to 26.00	<5	<0.2	17
																						26.00 to 27.00	<5	<0.2	6
																						27.00 to 28.00	13	<0.2	31
																						28.00 to 29.00	<5	<0.2	8
-30		K-fporph.coar.hb-bi-granite: Silicified med., epi-chl.(weak), similar to 22.90m to 22.40m facies																				29.00 to 30.00	<5	<0.2	9
		31.40m to 32.40m : Strong silic.aplite: Strong silicified, py.diss.(med.), epi-chl.(med.)																				30.00 to 31.00	<5	<0.2	7
		32.40m to 50.85m : K-fporph.coar.hb-bi-granite: Similar to 29.30m to 31.40m, epi-chl.(weak), with melanoclastic texture in part																				31.00 to 32.00	<5	<0.2	4
																						32.00 to 33.00	<5	<0.2	4
																						33.00 to 34.00	<5	<0.2	5
																						34.00 to 35.00	<5	<0.2	4
																						35.00 to 36.00	<5	<0.2	5
																						36.00 to 37.00	<5	<0.2	5
																						37.00 to 38.00	<5	<0.2	5
																						38.00 to 39.00	<5	<0.2	6
																						39.00 to 40.00	<5	<0.2	6
																						40.00 to 41.00	<5	<0.2	4
																						41.00 to 42.00	<5	<0.2	5
																						42.00 to 43.00	<5	<0.2	6
																						43.00 to 44.00	<5	<0.2	5
																						44.00 to 45.00	<5	<0.2	6
																						45.00 to 46.00	<5	<0.2	6
																						46.00 to 47.00	<5	<0.2	5
																						47.00 to 48.00	<5	<0.2	6
																						48.00 to 49.00	<5	<0.2	5
-50																						49.00 to 50.65	<5	<0.2	6



Hole No. : MJBA-7 (From 0.00 m to 50.80 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling	Ore Assay		
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz veins	Qz -Calcite veins	Calcite veins	Pyrite diss	Pyrite veins	Chalcopyrite	K-diss	Magnetite	Hematite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)
0		Transported soil																0.00 to 1.00	39	<0.2	45
		0.85m to 2.00m : B soil: Brown color																1.00 to 2.00	49	<0.2	71
		Yellowish brown soil																2.00 to 3.00	36	<0.2	66
		5.30m to 13.70m : Saprolite: Yellow to light yellow, with qz, feldspar mica grains																3.00 to 4.00	29	<0.2	71
																		4.00 to 5.00	30	<0.2	59
																		5.00 to 6.00	31	<0.2	55
																		6.00 to 7.00	45	<0.2	52
																		7.00 to 8.00	33	<0.2	41
																		8.00 to 9.00	15	<0.2	62
																		9.00 to 10.00	6	<0.2	68
																		10.00 to 11.00	10	<0.2	63
																		11.00 to 12.00	8	<0.2	71
																		12.00 to 13.00	17	<0.2	94
																		13.00 to 14.00	49	<0.2	89
		13.70m to 16.90m : Clayey saprolite: Light yellow, with mica																14.00 to 15.00	18	<0.2	76
																		15.00 to 16.00	153	<0.2	93
																		16.00 to 17.00	18	<0.2	97
		16.90m to 19.70m : Strongly weathered fine granite(saprolite): Light pink, kao																17.00 to 18.00	<5	<0.2	28
																		18.00 to 19.00	<5	<0.2	23
																		19.00 to 20.00	<5	<0.2	19
		Strongly weathered granite: Very loose and sandy																20.00 to 21.00	8	<0.2	41
																		21.00 to 22.00	8	<0.2	53
																		22.00 to 23.00	<5	0.4	68
																		23.00 to 24.00	10	0.8	115
		23.20m to 27.60m : Weathered hb-bi-granite: Pinkish light gray, silic, py.diss.(weak), epi./chilano k-alt., with blue qz. 23.50m to 23.80m : fractures with hematite films. 24.05m to 24.10m : strong silic.(angle:80deg.). 24.80m to 25.18m : fractures with ht.(angle:80deg.); 26.43m to 26.95m : fractures with ht.(angle:75 to 45deg.)																24.00 to 25.00	<5	0.7	115
																		25.00 to 26.00	<5	0.3	76
																		26.00 to 27.00	<5	<0.2	80
		Strongly k-alt.silic.Hb-bi-granite: Pinkish color, with blue qz, py.diss.(weak), epi.(med), epi.film(angle:80 to 60deg.)																27.00 to 28.00	<5	<0.2	26
																		28.00 to 29.00	<5	<0.2	15
		29.70m to 35.60m : Hb-bi-granite: Pinkish gray color, K-alt.(med), epi.(med), chl.(med), sil.(weak-med), py.diss.(weak), with blue qz.																29.00 to 30.00	19	<0.2	37
																		30.00 to 31.00	<5	<0.2	37
																		31.00 to 32.00	<5	<0.2	44
																		32.00 to 33.00	<5	<0.2	41
																		33.00 to 34.00	<5	<0.2	41
																		34.00 to 35.00	<5	<0.2	45
																		35.00 to 36.00	<5	<0.2	52
		35.80m to 36.00m : strongly k-alt-granite: Py.diss.(med-weak)																36.00 to 37.00	8	<0.2	71
		Coar-med.hb-bi-granite: Greenish gray color, ep.(weak), chl.(weak), py.(weak); with blue qz.																37.00 to 38.00	<5	<0.2	31
																		38.00 to 39.00	<5	<0.2	14
		39.33m to 40.45m : strongly k-alt-granite: Pinkish color, silic.(med)																39.00 to 40.00	<5	<0.2	13
																		40.00 to 41.00	<5	<0.2	15
		Hb-bi-granite: Pinkish gray color, k-alt.(med), epi.(med), chl.(weak), py.diss.(v.weak-weak)																41.00 to 42.00	<5	<0.2	32
																		42.00 to 43.00	<5	<0.2	31
		42.50m to 43.16m : Weak sheared zone: With epi-chl veins(angle:10deg), py.diss.(weak)																43.00 to 44.00	<5	<0.2	38
																		44.00 to 45.00	<5	<0.2	33
		Hb-bi-granite: Greenish gray color, epi-chl(weak), py.diss(weak), with blue qz.																45.00 to 46.00	<5	<0.2	32
																		46.00 to 47.00	<5	<0.2	32
		Medk-alt.hb-bi-granite: Pinkish gray color, k-alt.(med), epi-chl(weak), py.diss(weak)																47.00 to 48.00	<5	<0.2	73
																		48.00 to 49.00	<5	<0.2	110
		Strongly k-alt.hb-bi-granite: Pink to brown color, k-alt.(strong), epi-chl(weak), py.diss(weak), with blue qz. 48.10m to 48.20m: sheared zone																48.00 to 50.80	8	<0.2	21

Hole No. : MJBA-8 (From 0.00 m to 50.00 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration											Mineralization					Sampling	Ore Assay		
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz veins	Qz-Calcite veins	Calcite veins	Pyrite diss	Pyrite veins	Chalcopyrite diss	Magnetite	Ilmenite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)		
0		Transported soil																0.00 to 1.00	23	<0.2	40	
		0.5m to 2.5m : B soil Yellowish brown, homogeneous soil																1.00 to 2.00	37	0.4	41	
		2.50m to 6.80m : Saprolite(granite): Yellowish brown to reddish brown																2.00 to 3.00	71	<0.2	47	
																		3.00 to 4.00	35	<0.2	31	
																		4.00 to 5.00	23	<0.2	24	
																		5.00 to 6.00	11	<0.2	41	
																		6.00 to 7.00	15	<0.2	40	
		6.80m to 27.75m : Saprolite(granite): Pinkish reddish brown to light brown																7.00 to 8.00	8	<0.2	41	
-10																		8.00 to 9.00	<5	<0.2	40	
																		9.00 to 10.00	<5	<0.2	41	
																		10.00 to 11.00	9	<0.2	48	
																		11.00 to 12.00	<5	<0.2	50	
																		12.00 to 13.00	<5	<0.2	57	
																		13.00 to 14.00	<5	<0.2	51	
																		14.00 to 15.00	8	<0.2	48	
																		15.00 to 16.00	17	<0.2	90	
																		16.00 to 17.00	<5	<0.2	50	
																		17.00 to 18.00	7	<0.2	58	
																		18.00 to 19.00	10	<0.2	85	
-20																		19.00 to 20.00	17	<0.2	67	
																		20.00 to 21.00	14	<0.2	91	
																		21.00 to 22.00	7	<0.2	99	
																		22.00 to 23.00	17	<0.2	63	
																		23.00 to 24.00	11	<0.2	44	
																		24.00 to 25.00	12	<0.2	68	
																		25.00 to 26.00	11	<0.2	52	
																		26.00 to 27.00	9	<0.2	115	
		27.75m to 31.65m : Weathered med. to coar.hb.bi.granite																27.00 to 28.00	8	<0.2	106	
-30																		28.00 to 29.00	6	<0.2	76	
																		29.00 to 30.00	11	0.7	223	
																		30.00 to 31.00	8	<0.2	143	
		31.65m to 37.50m : K-fsrich.coar.hb.bi.granite: K-fsrich, silicified, epi-chl.(med.to strong), py.diss.(med.), py.film develop along fractures, fractures interval of 50cm and angle of 45 to 75deg																31.00 to 32.00	21	0.4	131	
																		32.00 to 33.00	11	<0.2	285	
																		33.00 to 34.00	<5	<0.2	202	
																		34.00 to 35.00	13	<0.2	122	
																		35.00 to 36.00	13	0.7	455	
																		36.00 to 37.00	7	<0.2	140	
																		37.00 to 38.00	8	<0.2	177	
		37.50m to 42.20m : Weak brecciated granite: Silicified(med.), brecciate(weak), shearing(med.), epi-chl.(med.), py.diss.(strong), py.film(strong)along fractures(angle 65 to 80deg), interval of fractures of 15cm																38.00 to 39.00	<5	<0.2	167	
-40																		39.00 to 40.00	11	<0.2	102	
																		40.00 to 41.00	13	<0.2	88	
																		41.00 to 42.00	23	<0.2	147	
																		42.00 to 43.00	43	1.3	74	
																		43.00 to 44.00	158	1.9	16	
																		44.00 to 45.00	150	7.9	77	
																		45.00 to 46.00	87	<0.2	50	
																		46.00 to 47.00	187	0.6	131	
																		47.00 to 48.00	26	<0.2	85	
		45.00m to 49.20m : Weakly brecciated granite: Silicified(med.to strong), brecciate(weak), shearing(med.), epi-chl.(med.), py.diss.(strong), py.film(strong)along fractures(angle 65 to 80deg), fractures interval of 15cm																48.00 to 49.00	18	<0.2	79	
-50																		49.00 to 50.00	85	0.6	105	
		Strong silic. and brecciated granite																				



Hole No. : MJBA-9 (From 0.00 m to 50.05 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration							Mineralization					Sampling Depth (m)	Ore Assay			
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz veins	Qz-Calcite veins	Calcite veins	Pyrite diss.	Pyrite veins	Chalcopyrite diss.		Magnetite	Hematite	Au (ppb)	Ag (ppm)
0		Transported soil: Brown color: sandy														0.00 to 1.00	68	<0.2	36
		0.60m to 2.00m : B soil: Reddish yellow color : granite soil														1.00 to 2.00	35	<0.2	77
		2.00m to 6.50m : Saprolite (granite): Reddish yellow														2.00 to 3.00	36	<0.2	103
																3.00 to 4.00	38	<0.2	110
																4.00 to 5.00	54	<0.2	85
																5.00 to 6.00	22	<0.2	81
		6.50m to 9.50m : Saprolite (granite): Yellowish color														6.00 to 7.00	23	<0.2	62
																7.00 to 8.00	18	<0.2	63
																8.00 to 9.00	33	<0.2	29
-10		9.50m to 15.50m Saprolite (granite): Reddish yellow color : medium grained granitic saprolite														9.00 to 10.00	15	<0.2	25
																10.00 to 11.00	<5	<0.2	16
																11.00 to 12.00	<5	<0.2	16
																12.00 to 13.00	54	<0.2	16
																13.00 to 14.00	<5	<0.2	13
																14.00 to 15.00	21	<0.2	15
																15.00 to 16.00	<5	<0.2	11
		15.50m to 16.40m : Pinkish granite: Pinkish color : acaugranular granite : silici(med.), epi-chl(weak)														16.00 to 17.00	<5	<0.2	9
		16.40m to 39.80m : K-fporphhb-bigranite: Grey color : very homogeneous, with mafic xenolith: epi(med.), chl(weak), silici(weak), py.diss(weak)														17.00 to 18.00	<5	<0.2	72
																18.00 to 19.00	<5	<0.2	22
																19.00 to 20.00	<5	<0.2	37
																20.00 to 21.00	<5	<0.2	35
																21.00 to 22.00	<5	<0.2	23
																22.00 to 23.00	<5	<0.2	44
																23.00 to 24.00	9	<0.2	23
																24.00 to 25.00	<5	<0.2	15
																25.00 to 26.00	<5	<0.2	16
																26.00 to 27.00	<5	<0.2	15
																27.00 to 28.00	<5	<0.2	12
																28.00 to 29.00	<5	<0.2	14
																29.00 to 30.00	<5	<0.2	14
																30.00 to 31.00	<5	<0.2	16
																31.00 to 32.00	<5	<0.2	13
																32.00 to 33.00	<5	<0.2	15
																33.00 to 34.00	<5	<0.2	19
																34.00 to 35.00	<5	<0.2	19
																35.00 to 36.00	<5	<0.2	27
																36.00 to 37.00	<5	<0.2	23
																37.00 to 38.00	<5	<0.2	53
																38.00 to 39.00	<5	<0.2	43
																39.00 to 40.00	<5	<0.2	46
		39.80m to 41.70m : Fractured granite: fracture (angle:30to 40deg.): k-alt(med.), epi(med.), chl(weak), silici(weak), py.diss(weak): 41.80m:py.film along fractures(angle:75 deg.)														40.00 to 41.00	<5	<0.2	34
																41.00 to 42.00	<5	<0.2	82
																42.00 to 43.00	<5	<0.2	53
																43.00 to 44.00	<5	<0.2	73
																44.00 to 45.00	<5	<0.2	94
																45.00 to 46.00	<5	<0.2	38
																46.00 to 47.00	<5	<0.2	23
																47.00 to 48.00	<5	<0.2	34
		41.70m to 50.05m : K-fporphhb-bigranite: Greenish grey color : very homogeneous, with mafic xenolith: py.film along fractures(angle:65 to 75deg.)														48.00 to 49.00	<5	<0.2	13
																49.00 to 50.05	<5	<0.2	15

Hole No. : MJBA-10 (From 0.00 m to 50.55 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling	Ore Assay		
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz. veinlets	Qz. Calcite veinlets	Calcite veinlets	Pyrite diss.	Pyrite veinlets	Chalcopyrite diss.	Magnetite	Hematite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)	
0		Transported soil with gravel																0.00 to 1.00	35	<0.2	35
		1.40m to 3.60m : Saprolite (granite) Reddish to yellowish brown color : with parts of weathered granite																1.00 to 2.00	118	<0.2	50
																		2.00 to 3.00	12	<0.2	52
																		3.00 to 4.00	<5	<0.2	84
																		4.00 to 5.00	<5	<0.2	38
																		5.00 to 6.00	<5	<0.2	19
																		6.00 to 7.00	<5	<0.2	31
																		7.00 to 8.00	<5	<0.2	31
		Hb.-bi.granite: Epi.(med.), silic.(weak), py.diss.(weak)																8.00 to 9.00	<5	<0.2	25
-10		Argilized granite: Yellowish brown color																9.00 to 10.00	<5	<0.2	34
		Weathered hb.-bi.granite: Brown color																10.00 to 11.00	84	<0.2	33
																		11.00 to 12.00	<5	<0.2	31
																		12.00 to 13.00	<5	<0.2	30
																		13.00 to 14.00	<5	<0.2	23
		Coar.hb.-bi.granite: Greenish light grey color : epi.(med), chl.(weak), py.diss.(weak)																14.00 to 15.00	<5	<0.2	10
		Sheared zone: Weakly brecciated																15.00 to 16.00	<5	<0.2	14
		14.88m to 19.53m : Coar.hb.-bi.granite: Greenish light grey color : epi.(med), chl.(weak), py.diss.(weak), epi.vein(w:1mm)																16.00 to 17.00	<5	<0.2	13
																		17.00 to 18.00	<5	<0.2	14
																		18.00 to 19.00	<5	<0.2	12
-20		Sheared and brecciated granite: Brown color : weathering : py.diss.(weak-med), hm.-ilm.(med)																19.00 to 20.00	<5	<0.2	13
																		20.00 to 21.00	<5	<0.2	43
		21.45m to 22.23m : Mylonite: Mylonitized angle:90 to 85deg. : hm.-gea.vein(w:1mm), py.diss.(med)																21.00 to 22.00	<5	<0.2	30
																		22.00 to 23.00	<5	<0.2	49
																		23.00 to 24.00	21	<0.2	88
																		24.00 to 25.00	9	<0.2	24
																		25.00 to 26.00	<5	<0.2	9
		Med.hb.-bi.granite: Greenish grey color : chl.-epi. : 24.40m to 24.43m:silic.(strong) : 24.40m to 25.60m:magnetite(strong) with chl.concentrate																26.00 to 27.00	<5	<0.2	12
																		27.00 to 28.00	<5	0.5	57
																		28.00 to 29.00	<5	0.3	39
		Brecciated zone with fractures: Fracture angle:90deg., hm.-ilm.film along fractures																29.00 to 30.00	<5	0.3	27
-30		Med.hb.-bi.granite: Greenish grey color : chl.-epi.																30.00 to 31.00	<5	0.2	15
																		31.00 to 32.00	<5	0.3	14
		K- altered granite: With silic, epi,alt																32.00 to 33.00	<5	0.3	10
		Sheared granite: Bleaching and silic. : with qz.vein(w:1mm, 80deg.)																33.00 to 34.00	<5	<0.2	13
																		34.00 to 35.00	<5	<0.2	10
		32.70m to 33.37m : Mylonite: Shearing angle:90-70deg. : epi.-chl. alt., py.diss.(weak-med)																35.00 to 36.00	<5	<0.2	21
																		36.00 to 37.00	<5	<0.2	38
		Hb.-bi.granite: With blue qz. : chl.>epi., silic., k-alt.(strongly below 35.05m), py.diss.(v.weak-weak)																37.00 to 38.00	<5	<0.2	38
																		38.00 to 39.00	<5	0.3	55
		Sheared granite: Shearing angle 85-80deg., k-alt., chl., epi., silic., py.diss.(weak) : with elongated blue qz.																39.00 to 40.00	15	0.2	86
-40																		40.00 to 41.00	<5	0.3	107
		Silicified granite: Pinkish green color brecciated and bleaching : silic.(med-strong), k-alt.(strong), epi.(strong), chl.(weak) : epi.-chl. alt. along fractures																41.00 to 42.00	<5	0.8	70
																		42.00 to 43.00	<5	<0.2	23
		42.00m to 45.30m : Brecciated and sheared granite: K-alt.(strong), epi.(strong), chl.(med) : inc. blue qz.																43.00 to 44.00	<5	<0.2	15
																		44.00 to 45.00	<5	<0.2	20
																		45.00 to 46.00	<5	0.8	28
		45.30m to 50.55m : Hb.-bi.granite: Brown-pink color : k-alt., epi.-chl film along fractures : blue qz. inc.																46.00 to 47.00	<5	2.3	120
																		47.00 to 48.00	<5	0.6	25
																		48.00 to 49.00	<5	<0.2	37
-50																		49.00 to 50.55	<5	<0.2	14

Hole No. : MJBA-11 (From 0.00 m to 50.15 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling		Ore Assay		
			Silicification	Argilization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz veinlets	Qz-Calcite veinlets	Calcite	veinlets	Pyrite diss.	Pyrite	veinlets	Chalcopyrite diss.	Magnetite	Hematite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)
0		Transported soil: Dark brown A/B soil																0.00 to 1.00	28	<0.2	9	
		B soil: Brown color																1.00 to 2.00	32	<0.2	8	
		B soil: Reddish brown color : with many psilolite																2.00 to 3.00	36	<0.2	9	
		4.85m to 5.90m : Saprolite: Yellow color																3.00 to 4.00	27	<0.2	8	
		5.90m to 7.80m : Clayey saprolite: Yellow color																4.00 to 5.00	42	<0.2	8	
		7.80m to 10.40m : Clayey saprolite: Pale red color : with white layers(1-2mm)																5.00 to 6.00	75	<0.2	7	
		10.40m to 12.85m : Clayey saprolite: Pale yellowish brown color																6.00 to 7.00	72	<0.2	5	
		12.85m to 22.25m : Clayey saprolite: Pale reddish brown : with whitish lines																7.00 to 8.00	51	<0.2	5	
		22.25m to 25.35m : Clayey saprolite: Pale yellowish brown : with pale reddish lines																8.00 to 9.00	23	<0.2	5	
		25.35m to 29.30m : Saprolite: Pale reddish brown color																9.00 to 10.00	15	<0.2	5	
		29.30m to 32.45m : Saprolite: Pale yellow color : partially with granitic saprolite																10.00 to 11.00	38	<0.2	6	
		32.45m to 33.85m : Argillized saprolite: Pale brownish grey color : sheared zone?																11.00 to 12.00	359	<0.2	7	
		33.85m to 39.50m : Argillized saprolite: Pale grey color : with limonite-rich part, granite texture in part																12.00 to 13.00	1384	<0.2	8	
		39.50m to 40.50m : Weathered and brecciated granite: Gray color																13.00 to 14.00	644	<0.2	7	
		40.50m to 41.85m : Weathered hb.-bi-granite: Bluish grey color : clayey, chl																14.00 to 15.00	69	<0.2	6	
		41.85m to 44.10m : Weathered hb.-bi-granite: Pinkish grey color : chl.(med.), k=alt.(med-weak)																15.00 to 16.00	46	<0.2	7	
		44.10m to 47.90m : Hb.-bi-granite: Pale greenish grey color : chl.(med.), epi.(weak), k=alt.(weak)																16.00 to 17.00	12	<0.2	7	
		47.90m to 48.11m : Qz-vein: 47.90m-3cm, angle:50deg.; 48.11m-2cm, angle:30deg.																17.00 to 18.00	<5	<0.2	6	
		48.11m to 49.00m : Bleached and sheared granite: Greenish grey color : shearing angle:30deg.; chl.(strong), py.diss.(med.) along fractures:angle:40-60deg.																18.00 to 19.00	8	<0.2	8	
		49.00m to 50.15m : Bleached and sheared granite: Ditto to 48.20m-47.90m granite																19.00 to 20.00	8	<0.2	6	
		50.15m to 50.15m : Hb.-bi-granite: Pale greenish grey color : chl.(weak), py.diss.(weak) along fractures:angle:60-40deg.																20.00 to 21.00	9	<0.2	7	
																		21.00 to 22.00	55	<0.2	7	
																		22.00 to 23.00	39	<0.2	9	
																		23.00 to 24.00	93	<0.2	10	
																		24.00 to 25.00	28	<0.2	12	
																		25.00 to 26.00	23	<0.2	9	
																		26.00 to 27.00	<5	<0.2	9	
																		27.00 to 28.00	<5	<0.2	8	
																		28.00 to 29.00	<5	<0.2	9	
																		29.00 to 30.00	<5	<0.2	10	
																		30.00 to 31.00	<5	<0.2	11	
																		31.00 to 32.00	6	<0.2	11	
																		32.00 to 33.00	<5	<0.2	12	
																		33.00 to 34.00	<5	<0.2	10	
																		34.00 to 35.00	<5	<0.2	12	
																		35.00 to 36.00	7	<0.2	14	
																		36.00 to 37.00	7	<0.2	10	
																		37.00 to 38.00	<5	<0.2	9	
																		38.00 to 39.00	<5	<0.2	11	
																		39.00 to 40.00	<5	<0.2	15	
																		40.00 to 41.00	<5	<0.2	13	
																		41.00 to 42.00	<5	<0.2	13	
																		42.00 to 43.00	<5	<0.2	10	
																		43.00 to 44.00	<5	<0.2	6	
																		44.00 to 45.00	<5	<0.2	9	
																		45.00 to 46.00	<5	<0.2	10	
																		46.00 to 47.00	6	<0.2	33	
																		47.00 to 48.00	<5	<0.2	9	
																		48.00 to 49.00	<5	<0.2	28	
																		49.00 to 50.15	<5	<0.2	16	

Hole No. : MJBA-12 (From 0.00 m to 50.65 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration										Mineralization					Sampling		Ore Assay		
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz. veins	Qz.-Calcite veins	Calcite veins	Pyrite diss.	Pyrite veins	Chalcopyrite diss.	Magnetite	Hematite	Depth (m)	Au (ppb)	Ag (ppm)	Cu (ppm)		
0		Transported soil. Brownish color																0.00 to 1.00	34	<0.2	12	
		B soil: Brownish yellow color : clayey																1.00 to 2.00	43	<0.2	12	
		B soil: Reddish brown color : siliceous																2.00 to 3.00	33	<0.2	18	
																		3.00 to 4.00	53	<0.2	13	
																		4.00 to 5.00	127	<0.2	13	
																		5.00 to 6.00	34	<0.2	17	
		5.95m to 14.00m : Saprolite (granite): Yellowish color with reddish band: strongly sheared granite, many fault plane inc., shear plane: 30-40deg. 12.00m to 14.00m: partially brecciated																6.00 to 7.00	225	<0.2	8	
																		7.00 to 8.00	39	<0.2	9	
																		8.00 to 9.00	18	<0.2	6	
																		9.00 to 10.00	9	<0.2	5	
																		10.00 to 11.00	13	<0.2	8	
																		11.00 to 12.00	11	<0.2	8	
																		12.00 to 13.00	<5	<0.2	7	
																		13.00 to 14.00	<5	<0.2	8	
		14.00m to 16.00m : Brecciated granite: With reddish spots																14.00 to 15.00	<5	<0.2	13	
																		15.00 to 16.00	8	<0.2	14	
		16.00m to 25.50m : Silicified granite: Brown red color : slightly oriented (mylonite?), with clayey spot, silic. fragments and few cubic py. 20.30m to 25.50m : yellowish color, ser.-rich																16.00 to 17.00	20	<0.2	33	
																		17.00 to 18.00	51	<0.2	37	
																		18.00 to 19.00	20	<0.2	34	
																		19.00 to 20.00	30	<0.2	29	
																		20.00 to 21.00	<5	<0.2	20	
																		21.00 to 22.00	5	<0.2	34	
																		22.00 to 23.00	<5	<0.2	36	
																		23.00 to 24.00	<5	<0.2	45	
																		24.00 to 25.00	<5	<0.2	44	
		25.50m to 26.90m : Weathered and sheared granite. Strong sheared with oxidized cubic py dis. (med.)																25.00 to 26.00	18	<0.2	37	
																		26.00 to 27.00	644	<0.2	20	
		26.90m to 35.00m : Sheared (weak) porph. granite: Weak sheared, epi. (med.)																27.00 to 28.00	226	<0.2	11	
																		28.00 to 29.00	281	<0.2	10	
																		29.00 to 30.00	121	<0.2	8	
																		30.00 to 31.00	27	<0.2	7	
																		31.00 to 32.00	5	<0.2	7	
																		32.00 to 33.00	<5	<0.2	8	
																		33.00 to 34.00	<5	<0.2	8	
																		34.00 to 35.00	<5	<0.2	10	
		Qz. vein: W:8cm along fractures, milky color.																35.00 to 36.00	7	<0.2	25	
		35.10m to 43.80m : Sheared porph. granite: Silicified (med.) py. diss. (weak-med.), chl. (med.)																36.00 to 37.00	17	0.5	37	
																		37.00 to 38.00	12	<0.2	23	
																		38.00 to 39.00	91	<0.2	28	
																		39.00 to 40.00	12	<0.2	13	
																		40.00 to 41.00	9	<0.2	13	
																		41.00 to 42.00	6	<0.2	15	
																		42.00 to 43.00	8	<0.2	6	
																		43.00 to 44.00	<5	<0.2	8	
		43.80m to 43.90m : Silicified granite. Pinkish color : strong silicified																44.00 to 45.00	16	<0.2	7	
		Ditto to 35.10-43.80m granite																45.00 to 46.00	8	<0.2	7	
		Qz. vein: W:3cm, 30deg., white color																46.00 to 47.00	7	<0.2	7	
		Silicified granite: Pinkish color : silic. (strong), K-at. (med.), epi. (med.)																47.00 to 48.00	<5	<0.2	7	
		Qz. vein: W:2cm, 30deg., white color																48.00 to 49.00	<5	<0.2	8	
		Ditto to 46.50-47.20m granite																49.00 to 50.65	<5	<0.2	6	
		Qz. vein: W:4cm, 20deg., white color																				
		Ditto to 46.50-47.20m granite																				
		Qz. vein: W:3cm, 20deg., white color																				
		Ditto to 46.50-47.20m granite																				

Hole No. : MJBA-13 (From 0.00 m to 50.70 m)

DEPTH (m)	CHART	LITHOLOGY	Alteration							Mineralization					Sampling Depth (m)	Ore Assay			
			Silicification	Argillization	Epidote	Chlorite	K-feldspar	Kaolinite	Qz veins	Qz-Calcite veins	Calcite veins	Pyrite diss.	Pyrite veins	Chalcopyrite diss.		Magnetite	Hematite	Au (ppb)	Ag (ppm)
0		Transported soil: Yellowish brown color: clayey with few qz. and psalitic fragments														0.00 to 1.00	50	<0.2	18
		Saprolite of reddish color: With sandy parts														1.00 to 2.00	25	<0.2	26
		Saprolite (granite): With reddish and yellowish spots														2.00 to 3.00	24	<0.2	27
		6.95m to 7.05m: Qz vein: Milky color, w:4-6cm														3.00 to 4.00	35	<0.2	30
		Saprolite (granite): Yellowish and reddish color: siliceous and strong sheared granite, with very low shearing angle														4.00 to 5.00	54	<0.2	20
		Qz vein: Milky color, w:5cm														5.00 to 6.00	62	<0.2	14
		Similar between 7.05m to 8.50m														6.00 to 7.00	139	<0.2	16
		11.30m to 16.90m: Porph. granite. Weathered and sheared (slightly). fractures angle: 80deg. epi. (weak)														7.00 to 8.00	247	<0.2	18
		Porph. granite. Weakly sheared, silicified (weak). epi. (med.). rounded k-f.														8.00 to 9.00	18	<0.2	20
		Strongly sheared and brecciated granite. Silicified and k-alt. (med.)														9.00 to 10.00	<5	<0.2	21
		Qz vein: W:2cm, angle: 55deg., whitish color														10.00 to 11.00	11	<0.2	41
		Sheared and brecciated granite: Strong silicified and k-alt. (med.). 22.70m to 25.00m: cubic py. diss. (weak to med.)														11.00 to 12.00	<5	<0.2	19
		25.00m to 29.80m: Sheared porph. granite: Shearing plane: 20-70deg. epi. (med.), silicified (weak), rounded k-f. 29.80m to 30.20m: silicified (strong), f. py. diss. (med.)														12.00 to 13.00	<5	<0.2	23
		Strong silicification														13.00 to 14.00	<5	<0.2	22
		Sheared porph. granite: Silicified and k-alt. (med.), py. diss. (weak)														14.00 to 15.00	305	<0.2	12
		34.20m to 41.00m: Sheared porph. granite: Epi. (med.), silicified (weak), rounded k-f.														15.00 to 16.00	<5	<0.2	10
		41.00m to 47.50m: Porph. granite: Slightly sheared (angle: 40-60deg.), epi. (med.), silicified (weak), py. diss. (weak-med.), 47.00m to 47.20m: cubic py. med. diss.														16.00 to 17.00	81	<0.2	31
		47.50m: Aplite dike: W:4cm														17.00 to 18.00	<5	<0.2	23
		Porph. granite: Ditto to 41.00m to 47.50m granite														18.00 to 19.00	<5	<0.2	8
		49.50m: Qz vein: Milky color: w:4cm, py. diss.														19.00 to 20.00	<5	<0.2	8
		Aplite														20.00 to 21.00	<5	<0.2	11
																21.00 to 22.00	<5	<0.2	8
																22.00 to 23.00	529	<0.2	7
																23.00 to 24.00	5091	<0.2	7
																24.00 to 25.00	2520	<0.2	18
																25.00 to 26.00	8	<0.2	17
																26.00 to 27.00	8	<0.2	15
																27.00 to 28.00	<5	<0.2	8
																28.00 to 29.00	<5	<0.2	10
																29.00 to 30.00	7	<0.2	26
																30.00 to 31.00	<5	<0.2	31
																31.00 to 32.00	<5	<0.2	9
																32.00 to 33.00	6	<0.2	16
																33.00 to 34.00	<5	<0.2	33
																34.00 to 35.00	11	<0.2	8
																35.00 to 36.00	<5	<0.2	10
																36.00 to 37.00	<5	<0.2	9
																37.00 to 38.00	<5	<0.2	11
																38.00 to 39.00	<5	<0.2	8
																39.00 to 40.00	6	<0.2	8
																40.00 to 41.00	<5	<0.2	7
																41.00 to 42.00	<5	<0.2	9
																42.00 to 43.00	<5	<0.2	10
																43.00 to 44.00	<5	<0.2	13
																44.00 to 45.00	<5	<0.2	12
																45.00 to 46.00	<5	<0.2	11
																46.00 to 47.00	<5	<0.2	10
																47.00 to 48.00	<5	<0.2	10
																48.00 to 49.00	<5	<0.2	15
																49.00 to 50.70	44	<0.2	16



Appendix 10 Descriptions of thin sections for drilling survey



