

Sample List for Soil Geochemistry

Ser. No.	Sample No.	Coordinates		Rock Name	Geolo. Unit	Horizon of Soil	Depth (cm)	Color	Soil Profile (cm)				Vegetation				
		X	Y						0	100	G. *1	S. *2		T. *3	H. *4		
841	C08 40 1200	544145	8947498	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
842	40 1300	544145	8947598	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
843	40 1400	544145	8947698	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
844	40 1500	544145	8947798	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
845	40 1600	544145	8947898	Bi-granite	Grillb	B	100	YB					M	S	F	D	Secondary
846	40 1700	544145	8947998	Bi-granite	Grillb	B	100	YB					M	S	F	D	Secondary
847	40 1800	544145	8948098	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
848	40 1900	544145	8948198	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
849	40 2000	544145	8948298	Alluvial deposits	Qa	B	100	RB					R	C	F	D	Secondary
850	40 2100	544145	8948398	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
851	40 2200	544145	8948498	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
852	40 2300	544145	8948598	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
853	40 2400	544145	8948698	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
854	40 2500	544145	8948798	Bi-granite	Grillb	B	100	RB					F	S	M	D	Secondary
855	40 2600	544145	8948898	Bi-granite	Grillb	B	100	RB					R	S	M	D	Secondary
856	40 2700	544145	8948998	Bi-granite	Grillb	AB	100	RB					M	S	M	D	Secondary
857	40 2800	544145	8949098	Bi-granite	Grillb	AB	100	RB					M	S	M	D	Secondary
858	40 2900	544145	8949198	Bi-granite	Grillb	B	100	RB					R	S	M	D	Secondary
859	40 3000	544145	8949298	Bi-granite	Grillb	B	100	LB					R	C	S	D	Secondary
860	40 3100	544145	8949398	Bi-granite	Grillb	B	100	RB					F	C	M	D	Secondary
861	40 3200	544145	8949498	Bi-granite	Grillb	B	100	RB					R	S	M	D	Secondary
862	40 3300	544145	8949598	Bi-granite	Grillb	B	100	RB					F	S	M	D	Secondary
863	40 3400	544145	8949698	Bi-granite	Grillb	B	100	LB					R	C	M	D	Secondary
864	40 3500	544145	8949798	Bi-granite	Grillb	B	100	YB					R	C	F	D	Secondary
865	40 3600	544145	8949898	Alluvial deposits	Qa	AB	100	WG					F	S	M	D	Secondary
866	40 3700	544145	8949998	Alluvial deposits	Qa	AB	100	LB					R	S	F	D	Secondary
867	40 3800	544145	8950098	Alluvial deposits	Qa	B	100	LB					R	S	M	D	Secondary
868	40 3900	544145	8950198	Bi-granite	Grillb	B	100	RB					R	C	M	D	Secondary
869	40 4000	544145	8950298	Bi-granite	Grillb	B	100	LB					F	C	M	D	Secondary
870	40 4100	544145	8950398	Bi-granite	Grillb	B	100	RB					F	S	M	D	Secondary
871	40 4200	544145	8950498	Bi-granite	Grillb	B	100	B					M	S	S	D	Secondary
872	40 4300	544145	8950598	Bi-granite	Grillb	B	100	LB					R	C	F	D	Secondary
873	40 4400	544145	8950698	Aplite	Ap	B	100	LB					R	S	F	D	Secondary
874	40 4500	544145	8950798	Aplite	Ap	B	100	LB					R	C	F	D	Secondary
875	C08 50 0000	544345	8946298	Bi-granite	Grillb	B	100	B					R	C	M	D	Secondary
876	50 0100	544345	8946398	Bi-granite	Grillb	B	100	YB					R	C	M	D	Secondary
877	50 0200	544345	8946498	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
878	50 0300	544345	8946598	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
879	50 0400	544345	8946698	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
880	50 0500	544345	8946798	Bi-granite	Grillb	B	100	B					M	C	F	D	Secondary
881	50 0600	544345	8946898	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
882	50 0700	544345	8946998	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
883	50 0800	544345	8947098	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
884	50 0900	544345	8947198	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
885	50 1000	544345	8947298	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
886	50 1100	544345	8947398	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
887	50 1200	544345	8947498	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
888	50 1300	544345	8947598	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
889	50 1400	544345	8947698	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
890	50 1500	544345	8947798	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
891	50 1600	544345	8947898	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
892	50 1700	544345	8947998	Bi-granite	Grillb	B	100	B					M	C	F	D	Secondary
893	50 1800	544345	8948098	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
894	50 1900	544345	8948198	Bi-granite	Grillb	B	100	DB					F	C	F	D	Secondary
895	50 2000	544345	8948298	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
896	50 2100	544345	8948398	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
897	50 2200	544345	8948498	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
898	50 2300	544345	8948598	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
899	50 2400	544345	8948698	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
900	50 2500	544345	8948798	Bi-granite	Grillb	B	100	RB					F	C	F	D	Secondary

*1:Gravel; many(M),few(F),rare or none(R). *2:Grain size; sandy(S),clay(S). *3:Topography; steep(S),moderate(M),flat(F). *4:Humidity; dry(D),wet(W)

B:brown, G:gley, R:red, Y:yellow, W:white, L:light, D:dark gray □ A layer ▣ A/B layer ■ B layer ▤ C layer

Sample List for Soil Geochemistry

Ser. No.	Sample No.	Coordinates		Rock Name	Geolo. Unit	Horizon of Soil	Depth (cm)	Color	Soil Profile (cm)	G. *1	S. *2	T. *3	H. *4	Vegetation
		X	Y											
901	C08 50 2600	544345	8948898	Bi-granite	Grillb	B	100	RB		F	C	M	D	Secondary
902	50 2700	544345	8948998	Bi-granite	Grillb	B	100	RB		M	C	F	D	Secondary
903	50 2800	544345	8949098	Bi-granite	Grillb	B	100	RB		M	C	F	D	Secondary
904	50 2900	544345	8949198	Bi-granite	Grillb	B	100	DR		F	C	M	D	Primary
905	50 3000	544345	8949298	Bi-granite	Grillb	B	100	RB		M	C	M	D	Primary
906	50 3100	544345	8949398	Bi-granite	Grillb	B	100	RB		M	C	M	D	Primary
907	50 3200	544345	8949498	Bi-granite	Grillb	B	100	RB		M	C	F	D	Primary
908	50 3300	544345	8949598	Bi-granite	Grillb	B	100	RB		F	C	M	D	Primary
909	50 3400	544345	8949698	Bi-granite	Grillb	B	100	Y		M	C	M	D	Primary
910	50 3500	544345	8949798	Bi-granite	Grillb	B	100	Y		M	C	F	D	Primary
911	50 3600	544345	8949898	Bi-granite	Grillb	B	100	YB		M	C	F	D	Primary
912	50 3700	544345	8949998	Bi-granite	Grillb	B	100	RB		F	C	F	D	Primary
913	50 3800	544345	8950098	Bi-granite	Grillb	B	100	LB		R	C	S	D	Primary
914	50 3900	544345	8950198	Bi-granite	Grillb	B	100	YB		R	C	F	D	Primary
915	50 4000	544345	8950298	Bi-granite	Grillb	B	100	RB		R	C	M	D	Primary
916	50 4100	544345	8950398	Bi-granite	Grillb	B	100	DR		R	C	F	D	Primary
917	50 4200	544345	8950498	Bi-granite	Grillb	B	100	RB		R	C	F	D	Primary
918	50 4300	544345	8950598	Bi-granite	Grillb	B	100	LB		R	C	F	D	Primary
919	50 4400	544345	8950698	Bi-granite	Grillb	B	100	YB		R	C	F	D	Primary
920	50 4500	544345	8950798	Bi-granite	Grillb	B	100	LB		R	S	F	D	Primary
921	C09 10 0000	544745	8946298	Bi-granite	Grillb	B	100	B		F	C	M	D	Secondary
922	10 0100	544745	8946398	Bi-granite	Grillb	B	100	B		F	C	F	D	Secondary
923	10 0200	544745	8946498	Bi-granite	Grillb	B	100	B		F	C	F	D	Secondary
924	10 0300	544745	8946598	Bi-granite	Grillb	B	100	DB		F	C	F	D	Secondary
925	10 0400	544745	8946698	Bi-granite	Grillb	B	100	B		F	C	F	D	Secondary
926	10 0500	544745	8946798	Bi-granite	Grillb	B	100	DB		M	C	F	D	Secondary
927	10 0600	544745	8946898	Bi-granite	Grillb	B	100	B		F	C	M	D	Secondary
928	10 0700	544745	8946998	Bi-granite	Grillb	B	100	B		F	C	F	D	Secondary
929	10 0800	544745	8947098	Bi-granite	Grillb	B	100	B		F	C	M	D	Secondary
930	10 0900	544745	8947198	Bi-granite	Qa	B	100	LB		F	C	M	D	Secondary
931	10 1000	544745	8947298	Bi-granite	Grillb	B	100	LB		F	C	F	D	Secondary
932	10 1100	544745	8947398	Bi-granite	Grillb	B	100	LG		F	C	M	W	Secondary
933	10 1200	544745	8947498	Bi-granite	Grillb	B	100	YB		M	C	F	D	Secondary
934	10 1300	544745	8947598	Bi-granite	Grillb	B	100	B		M	C	F	D	Secondary
935	10 1400	544745	8947698	Bi-granite	Grillb	B	100	B		F	C	F	D	Secondary
936	10 1500	544745	8947798	Bi-granite	Grillb	B	100	B		F	C	F	D	Secondary
937	10 1600	544745	8947898	Bi-granite	Grillb	B	100	B		M	C	F	D	Secondary
938	10 1700	544745	8947998	Bi-granite	Grillb	B	100	B		M	C	M	D	Secondary
939	10 1800	544745	8948098	Bi-granite	Grillb	B	100	DB		M	C	M	D	Secondary
940	10 1900	544745	8948198	Bi-granite	Grillb	B	100	B		F	C	F	D	Secondary
941	10 2000	544745	8948298	Alluvial deposits	Qa	Sand	100	B		F	S	F	W	Secondary
942	10 2100	544745	8948398	Bi-granite	Grillb	Sand	100	DB		F	S	F	D	Secondary
943	10 2200	544745	8948498	Bi-granite	Grillb	B	100	B		F	C	F	D	Secondary
944	10 2300	544745	8948598	Bi-granite	Grillb	B	100	B		F	C	F	D	Secondary
945	10 2400	544745	8948698	Bi-granite	Grillb	B	100	B		F	C	F	D	Secondary
946	10 2500	544745	8948798	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
947	10 2600	544745	8948898	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
948	10 2700	544745	8948998	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
949	10 2800	544745	8949098	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
950	10 2900	544745	8949198	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
951	10 3000	544745	8949298	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
952	10 3100	544745	8949398	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
953	10 3200	544745	8949498	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
954	10 3300	544745	8949598	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
955	10 3400	544745	8949698	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
956	10 3500	544745	8949798	Bi-granite	Grillb	B	100	B		R	C	F	D	Secondary
957	10 3600	544745	8949898	Bi-granite	Grillb	B	100	RB		R	C	F	D	Primary
958	10 3700	544745	8949998	Bi-granite	Grillb	B	100	RB		R	C	F	D	Primary
959	10 3800	544745	8950098	Bi-granite	Grillb	B	100	RB		R	C	F	D	Primary
960	10 3900	544745	8950198	Bi-granite	Grillb	B	100	RB		R	C	F	D	Primary

*1: Gravel; many(M), few(F), rare or none(R). *2: Grain size; sandy(S), clay(C). *3: Topography; steep(S), moderate(M), flat(F). *4: Humidity; dry(D), wet(W)

B: brown, G: gley, R: red, Y: yellow, W: white, L: light, D: dark gray □ A layer ▣ A/B layer ■ B layer ▤ C layer

Sample List for Soil Geochemistry

Ser. No.	Sample No.	Coordinates		Rock Name	Geolo. Unit	Horizon of Soil	Depth (cm)	Color	Soil Profile (cm)				Vegetation				
		X	Y						0	100	G. *1	S. *2		T. *3	H. *4		
961	C09-10 4000	544745	9850298	Bi-granite	Grillb	B	100	B					R	C	F	D	Primary
962	10 4100	544745	9850398	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
963	10 4200	544745	9850498	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
964	10 4300	544745	9850598	Bi-granite	Grillb	B	100	YB					M	S	F	D	Secondary
965	10 4400	544745	9850698	Bi-granite	Grillb	B	100	YB					F	S	F	D	Secondary
966	10 4500	544745	9850798	Bi-granite	Grillb	B	100	YB					F	S	F	D	Secondary
967	C09 20 0000	544945	8946298	Bi-granite	Grillb	B	100	R					F	S	M	D	?
968	20 0100	544945	8946398	Bi-granite	Grillb	B	100	R					F	S	M	D	Secondary
969	20 0200	544945	8946498	Bi-granite	Grillb	B	100	YB					R	S	M	D	Primary
970	20 0300	544945	8946598	Bi-granite	Grillb		100	YG					R	S	M	D	Primary
971	20 0400	544945	8946698	Diabase	Di	B	100	YB					M	S	F	D	Primary
972	20 0500	544945	8946798	Bi-granite	Grillb	B	100	YB					R	S	M	D	Primary
973	20 0600	544945	8946898	Bi-granite	Grillb	B	100	YB					R	S	M	D	Primary
974	20 0700	544945	8946998	Bi-granite	Grillb	B	100	YB					R	S	M	D	Primary
975	20 0800	544945	8947098	Bi-granite	Grillb	B	100	YB					R	S	M	D	?
976	20 0900	544945	8947198	Bi-granite	Grillb	B	100	Y					F	S	M	D	?
977	20 1000	544945	8947298	Alluvial deposits	Qa	B	100	Y					F	S	M	D	Secondary
978	20 1100	544945	8947398	Bi-granite	Grillb	B	100	Y					M	S	M	D	Secondary
979	20 1200	544945	8947498	Bi-granite	Grillb	B	100	YB					M	S	M	D	Secondary
980	20 1300	544945	8947598	Bi-granite	Grillb	B	100	R					F	S	M	D	Secondary
981	20 1400	544945	8947698	Bi-granite	Grillb	B	100	R					R	C	F	D	Secondary
982	20 1500	544945	8947798	Bi-granite	Grillb	B	100	R					R	C	F	D	Secondary
983	20 1600	544945	8947898	Bi-granite	Grillb	B	100	R					R	C	F	D	Secondary
984	20 1700	544945	8947998	Bi-granite	Grillb	B	100	R					R	C	M	D	Secondary
985	20 1800	544945	8948098	Bi-granite	Grillb	B	100	R					R	C	M	D	Secondary
986	20 1900	544945	8948198	Bi-granite	Grillb	B	100	RB					F	S	M	D	Secondary
987	20 2000	544945	8948298	Bi-granite	Grillb	B	100	RB					R	S	F	D	Secondary
988	20 2100	544945	8948398	Alluvial deposits	Qa	Clay	100	Y					R	C	F	W	Secondary
989	20 2200	544945	8948498	Bi-granite	Grillb	Sand	100	YG					R	S	F	W	Secondary
990	20 2300	544945	8948598	Bi-granite	Grillb	Sand	100	R					R	S	F	D	Secondary
991	20 2400	544945	8948698	Bi-granite	Grillb	Sand	100	Y					R	S	F	W	Secondary
992	20 2500	544945	8948798	Bi-granite	Grillb	Sand	100	YB					M	S	F	D	Secondary
993	20 2600	544945	8948898	Bi-granite	Grillb		100	DB					F	S	F	D	Glass
994	20 2700	544945	8948998	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
995	20 2800	544945	8949098	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
996	20 2900	544945	8949198	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
997	20 3000	544945	8949298	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
998	20 3100	544945	8949398	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
999	20 3200	544945	8949498	Bi-granite	Grillb	B	100	B					R	C	F	D	Glass
1000	20 3300	544945	8949598	Bi-granite	Grillb	B	100	RB					R	C	F	D	Secondary
1001	20 3400	544945	8949698	Bi-granite	Grillb	B	100	RB					R	C	F	D	Glass
1002	20 3500	544945	8949798	Bi-granite	Grillb	B	100	YB					F	S	F	D	Secondary
1003	20 3600	544945	8949898	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
1004	20 3700	544945	8949998	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
1005	20 3800	544945	8950098	Bi-granite	Grillb	B	100	B					R	C	F	D	Secondary
1006	20 3900	544945	8950198	Bi-granite	Grillb	B	100	B					F	C	F	D	Secondary
1007	20 4000	544945	8950298	Bi-granite	Grillb	B	100	G					R	S	F	W	Secondary
1008	20 4100	544945	8950398	Bi-granite	Grillb	B	100	BG					R	S	F	D	Secondary
1009	20 4200	544945	8950498	Bi-granite	Grillb	B	100	LG					R	S	F	D	Secondary
1010	20 4300	544945	8950598	Alluvial deposits	Qa	B	100	G					F	S	F	D	Secondary
1011	20 4400	544945	8950698	Alluvial deposits	Qa	B	100	B					R	S	F	D	Secondary
1012	20 4500	544945	8950798	Alluvial deposits	Qa	Sand	100	LY					F	S	F	D	Secondary
1013	C09 30 0000	545145	8946298	Bi-granite	Grillb	B	100	RB					F	S	F	D	Primary
1014	30 0100	545145	8946398	Bi-granite	Grillb	B	100	RB					F	S	F	D	Primary
1015	30 0200	545145	8946498	Bi-granite	Grillb	B	100	Y					F	S	F	D	Primary
1016	30 0300	545145	8946598	Bi-granite	Grillb	B	100	YB					F	S	F	D	Primary
1017	30 0400	545145	8946698	Bi-granite	Grillb	B	100	YB					F	S	M	D	Primary
1018	30 0500	545145	8946798	Bi-granite	Grillb	Sand	100	Y					R	S	M	D	Secondary
1019	30 0600	545145	8946898	Bi-granite	Grillb	B	100	YB					R	S	M	D	Primary
1020	30 0700	545145	8946998	Diabase	Di	B	100	YB					F	S	M	D	Secondary

*1:Gravel; many(M),few(F),rare or none(R). *2:Grain size; sandy(S),clay(C). *3:Topography; steep(S),moderate(M),flat(F). *4:Humidity; dry(D),wet(W)

B:brown, G:grey, R:red, Y:yellow, W:white, L:light, D:dark gray □ A layer ■ A/B layer ■ B layer ■ C layer

Sample List for Soil Geochemistry

Ser. No.	Sample No.	Coordinates		Rock Name	Geolo. Unit	Horizon of Soil	Depth (cm)	Color	Soil Profile (cm)				Vegetation		
		X	Y						0	100	G. #1	S. #2		T. #3	H. #4
1021	C09 30 0800	545145	8947098	Bi-granite	Grillb	B	100	YB			M	S	M	D	Secondary
1022	30 0900	545145	8947198	Bi-granite	Grillb	B	100	YB			M	S	M	D	Secondary
1023	30 1000	545145	8947298	Bi-granite	Grillb		100	YB			M	S	M	D	Secondary
1024	30 1100	545145	8947398	Alluvial deposits	Qa		100	YR			F	C	M	D	Secondary
1025	30 1200	545145	8947498	Bi-granite	Grillb	B	100	Y			F	S	M	D	Secondary
1026	30 1300	545145	8947598	Bi-granite	Grillb	B	100	RB			F	S	M	D	Secondary
1027	30 1400	545145	8947698	Bi-granite	Grillb	B	100	R			R	C	M	D	Secondary
1028	30 1500	545145	8947798	Bi-granite	Grillb	B	100	R			R	C	M	D	Secondary
1029	30 1600	545145	8947898	Bi-granite	Grillb	B	100	R			R	C	M	D	Secondary
1030	30 1700	545145	8947998	Bi-granite	Grillb	B	100	R			R	C	F	D	Secondary
1031	30 1800	545145	8948098	Bi-granite	Grillb	B	100	R			R	C	F	D	Secondary
1032	30 1900	545145	8948198	Bi-granite	Grillb	B	100	R			R	C	F	D	Secondary
1033	30 2000	545145	8948298	Bi-granite	Grillb	B	100	R			F	C	F	D	Secondary
1034	30 2100	545145	8948398	Bi-granite	Grillb	B	100	RB			F	C	M	D	Secondary
1035	30 2200	545145	8948498	Bi-granite	Grillb	Sand	100	Y			F	S	F	W	Secondary
1036	30 2300	545145	8948598	Alluvial deposits	Qa	Sand	100	YG			F	S	F	W	Secondary
1037	30 2400	545145	8948698	Bi-granite	Grillb	Sand	100	YG			R	S	F	W	Secondary
1038	30 2500	545145	8948798	Bi-granite	Grillb	B	100	RD			R	C	M	D	Secondary
1039	30 2600	545145	8948898	Bi-granite	Grillb	B	100	R			F	C	F	D	Secondary
1040	30 2700	545145	8948998	Bi-granite	Grillb	B	100	RB			M	C	F	D	Secondary
1041	30 2800	545145	8949098	Bi-granite	Grillb	B	100	YR			M	C	F	D	Secondary
1042	30 2900	545145	8949198	Bi-granite	Grillb	B	100	YR			M	C	M	D	Primary
1043	30 3000	545145	8949298	Bi-granite	Grillb	B	100	YB			M	C	M	D	Primary
1044	30 3100	545145	8949398	Bi-granite	Grillb	B	100	RD			M	C	F	D	Primary
1045	30 3200	545145	8949498	Bi-granite	Grillb	B	100	RD			M	C	F	D	Secondary
1046	30 3300	545145	8949598	Bi-granite	Grillb	B	100	RD			F	C	M	D	Secondary
1047	30 3400	545145	8949698	Bi-granite	Grillb	B	100	RB			F	C	M	D	Secondary
1048	30 3500	545145	8949798	Bi-granite	Grillb	B	100	B			M	S	M	D	Secondary
1049	30 3600	545145	8949898	Bi-granite	Grillb	B	100	RB			M	C	M	D	Primary
1050	30 3700	545145	8949998	Bi-granite	Grillb	B	100	YB			M	C	M	D	Primary
1051	30 3800	545145	8950098	Bi-granite	Grillb	B	100	RB			M	C	M	D	Primary
1052	30 3900	545145	8950198	Bi-granite	Grillb	B	100	RD			F	C	M	D	Primary
1053	30 4000	545145	8950298	Bi-granite	Grillb	B	100	RD			M	C	F	D	Primary
1054	30 4100	545145	8950398	Bi-granite	Grillb	B	100	R			F	C	F	D	Primary
1055	30 4200	545145	8950498	Bi-granite	Grillb	B	100	YR			M	C	F	D	Primary
1056	30 4300	545145	8950598	Bi-granite	Grillb	B	100	R			F	C	F	D	Primary
1057	30 4400	545145	8950698	Bi-granite	Grillb	B	100	YR			R	S	F	D	Primary
1058	30 4500	545145	8950798	Bi-granite	Grillb	B	100	R			F	C	F	D	Primary
1059	C09 40 0000	545345	8946298	Bi-granite	Grillb	B	100	RB			R	S	F	D	Secondary
1060	40 0100	545345	8946398	Bi-granite	Grillb	B	100	RB			R	S	F	D	Secondary
1061	40 0200	545345	8946498	Bi-granite	Grillb	B	100	YB			R	S	F	D	Secondary
1062	40 0300	545345	8946598	Bi-granite	Grillb	B	100	YB			R	S	F	D	Secondary
1063	40 0400	545345	8946698	Bi-granite	Grillb	B	100	YB			F	S	F	D	Secondary
1064	40 0500	545345	8946798	Bi-granite	Grillb	AB	100	YB			M	S	F	D	Secondary
1065	40 0600	545345	8946898	Alluvial deposits	Qa		100	YB			R	S	M	D	
1066	40 0700	545345	8946998	Bi-granite	Grillb		100	YG			R	C	F	D	Secondary
1067	40 0800	545345	8947098	Bi-granite	Grillb	B	100	YB			M	S	M	D	Secondary
1068	40 0900	545345	8947198	Bi-granite	Grillb	B	100	YB			F	S	F	D	
1069	40 1000	545345	8947298	Bi-granite	Grillb	AB	100	B			M	S	F	D	
1070	40 1100	545345	8947398	Alluvial deposits	Qa	AB	100	YR			F	S	S	D	
1071	40 1200	545345	8947498	Bi-granite	Grillb	Sand	100	YR			F	S	M	D	
1072	40 1300	545345	8947598	Bi-granite	Grillb	B	100	Y			F	C	M	D	
1073	40 1400	545345	8947698	Bi-granite	Grillb	B	100	YB			R	C	M	D	
1074	40 1500	545345	8947798	Bi-granite	Grillb	B	100	BR			R	C	F	D	
1075	40 1600	545345	8947898	Bi-granite	Grillb	B	100	BR			R	C	F	D	
1076	40 1700	545345	8947998	Bi-granite	Grillb	B	100	BR			F	C	F	D	
1077	40 1800	545345	8948098	Bi-granite	Grillb	B	100	R			R	C	F	D	
1078	40 1900	545345	8948198	Bi-granite	Grillb	B	100	RB			R	C	F	D	
1079	40 2000	545345	8948298	Bi-granite	Grillb	B	100	YR			R	C	F	D	
1080	40 2100	545345	8948398	Bi-granite	Grillb	B	100	Y			F	C	M	D	

*1:Gravel; many(M),few(F),rare or none(R). *2:Grain size; sandy(S),clay(S). *3:Topography; steep(S),moderate(M),flat(F). *4:Humidity; dry(D),wet(W)

B:brown, G:grey, R:red, Y:yellow, W:white, L:light, D:dark gray □ A layer ■ A/B layer ■ B layer ▨ C layer

Sample List for Soil Geochemistry

Ser. No.	Sample No.	Coordinates		Rock Name	Geolo. Unit	Horizon of Soil	Depth (cm)	Color	Soil Profile (cm)		G. *1	S. *2	T. *3	H. *4	Vegetation
		X	Y						0	100					
1081	C09 40 2200	545345	8948498	Bi-granite	Grillb	B	100	YB			R	C	M	D	?
1082	40 2300	545345	8948598	Alluvial deposits	Qa		100								Secondary
1083	40 2400	545345	8948698	Alluvial deposits	Qa		100								?
1084	40 2500	545345	8948798	Alluvial deposits	Qa	Sand	100	B			F	S	F	D	Secondary
1085	40 2600	545345	8948898	Alluvial deposits	Qa	Sand	100	YB			F	S	F	W	Secondary
1086	40 2700	545345	8948998	Alluvial deposits	Qa	Sand	100	DB			F	S	F	W	Secondary
1087	40 2800	545345	8949098	Alluvial deposits	Qa	B	100	B			F	C	F	D	Secondary
1088	40 2900	545345	8949198	Bi-granite	Grillb	B	100	B			F	C	M	D	Secondary
1089	40 3000	545345	8949298	Bi-granite	Grillb	B	100	B			M	C	F	D	Secondary
1090	40 3100	545345	8949398	Bi-granite	Grillb	B	100	LB			F	C	F	D	Secondary
1091	40 3200	545345	8949498	Bi-granite	Grillb	B	100	LB			F	C	F	D	Secondary
1092	40 3300	545345	8949598	Bi-granite	Grillb	B	100	LB			F	C	F	D	Secondary
1093	40 3400	545345	8949698	Bi-granite	Grillb	B	100	B			M	C	F	D	Secondary
1094	40 3500	545345	8949798	Alluvial deposits	Qa	B	100	B			F	C	M	D	Secondary
1095	40 3600	545345	8949898	Bi-granite	Grillb	B	100	DB			F	C	F	W	Secondary
1096	40 3700	545345	8949998	Bi-granite	Grillb	AB	100	DB			F	C	F	D	Secondary
1097	40 3800	545345	8950098	Bi-granite	Grillb	B	100	B			F	C	M	D	Secondary
1098	40 3900	545345	8950198	Bi-granite	Grillb	B	100	B			F	C	F	D	Secondary
1099	40 4000	545345	8950298	Bi-granite	Grillb	B	100	B			F	C	F	D	Secondary
1100	40 4100	545345	8950398	Bi-granite	Grillb	B	100	B			F	C	F	D	Secondary
1101	40 4200	545345	8950498	Bi-granite	Grillb	B	100	B			F	C	F	D	Secondary
1102	40 4300	545345	8950598	Bi-granite	Grillb	B	100	B			F	C	F	D	Secondary
1103	40 4400	545345	8950698	Bi-granite	Grillb	B	100	B			F	C	F	D	Secondary
1104	40 4500	545345	8950798	Bi-granite	Grillb	B	100	B			F	C	F	D	Secondary
1105	C09 50 0000	545545	8946298	Bi-granite	Grillb	B	100	RB			R	S	F	D	Secondary
1106	50 0100	545545	8946398	Bi-granite	Grillb	B	100	RB			R	S	F	D	Secondary
1107	50 0200	545545	8946498	Bi-granite	Grillb	B	100	RB			F	S	F	D	Secondary
1108	50 0300	545545	8946598	Bi-granite	Grillb	B	100	RB			R	S	M	D	Secondary
1109	50 0400	545545	8946698	Bi-granite	Grillb	B	100	LB			R	S	M	D	Secondary
1110	50 0500	545545	8946798	Alluvial deposits	Qa	B	100	LB			F	S	M	D	Secondary
1111	50 0600	545545	8946898	Bi-granite	Grillb	B	100	LB			R	C	M	D	Secondary
1112	50 0700	545545	8946998	Bi-granite	Grillb	B	100	RB			F	S	M	D	Secondary
1113	50 0800	545545	8947098	Bi-granite	Grillb	B	100	RB			F	S	M	D	Secondary
1114	50 0900	545545	8947198	Bi-granite	Grillb	B	100	RB			F	S	M	D	Secondary
1115	50 1000	545545	8947298	Bi-granite	Grillb	B	100	RB			F	S	M	D	Secondary
1116	50 1100	545545	8947398	Bi-granite	Grillb	AB	100	LB			F	S	M	D	Secondary
1117	50 1200	545545	8947498	Bi-granite	Grillb	B	100	LB			F	C	M	D	Secondary
1118	50 1300	545545	8947598	Bi-granite	Grillb	B	100	RB			R	C	F	D	Secondary
1119	50 1400	545545	8947698	Alluvial deposits	Qa	Sand	100	LB			M	S	F	W	Glass
1120	50 1500	545545	8947798	Bi-granite	Grillb	B	100	LB			F	S	M	D	Secondary
1121	50 1600	545545	8947898	Bi-granite	Grillb	B	100	RB			F	S	M	D	Secondary
1122	50 1700	545545	8947998	Bi-granite	Grillb	B	100	RB			R	C	F	D	Secondary
1123	50 1800	545545	8948098	Bi-granite	Grillb	B	100	RB			F	S	F	D	Secondary
1124	50 1900	545545	8948198	Bi-granite	Grillb	AB	100	LB			F	S	M	D	Secondary
1125	50 2000	545545	8948298	Bi-granite	Grillb	B	100	RB			F	S	M	D	Secondary
1126	50 2100	545545	8948398	Bi-granite	Grillb	AB	100	RB			M	S	M	D	Secondary
1127	50 2200	545545	8948498	Bi-granite	Grillb	AB	100	LB			M	S	M	D	Secondary
1128	50 2300	545545	8948598	Bi-granite	Grillb	AB	100	LB			M	S	M	D	Secondary
1129	50 2400	545545	8948698	Alluvial deposits	Qa	AB	100	LB			R	C	F	W	Glass
1130	50 2500	545545	8948798	Bi-granite	Grillb	B	100	LB			R	C	F	W	Secondary
1131	50 2600	545545	8948898	Bi-granite	Grillb	B	100	B			R	C	M	D	Secondary
1132	50 2700	545545	8948998	Bi-granite	Grillb	B	100	B			F	S	M	D	Secondary
1133	50 2800	545545	8949098	Bi-granite	Grillb	B	100	LB			F	C	M	D	Secondary
1134	50 2900	545545	8949198	Bi-granite	Grillb	B	100	LB			F	C	F	D	Secondary
1135	50 3000	545545	8949298	Bi-granite	Grillb	B	100	LB			R	C	F	D	Secondary
1136	50 3100	545545	8949398	Bi-granite	Grillb	B	100	B			R	C	M	D	Secondary
1137	50 3200	545545	8949498	Bi-granite	Grillb	B	100	LB			R	C	M	D	Secondary
1138	50 3300	545545	8949598	Bi-granite	Grillb	B	100	LB			M	S	M	D	Secondary
1139	50 3400	545545	8949698	Bi-granite	Grillb	Clay	100	YB			F	C	S	W	?
1140	50 3500	545545	8949798	Alluvial deposits	Qa	AB	100	GB			F	C	M	D	Secondary

*1: Gravel; many(M), few(F), rare or none(R). *2: Grain size; sandy(S), clay(C). *3: Topography; steep(S), moderate(M), flat(F). *4: Humidity; dry(D), wet(W)

B: brown, G: gley, R: red, Y: yellow, W: white, L: light, D: dark gray □ A layer ▣ A/B layer ■ B layer ▨ C layer