

Sample List for Soil Geochemistry

Ser. No.	Sample No.	Coordinates		Rock Name	Geolo. Unit	Horizon of Soil	Depth (cm)	Color	Soil Profile (cm)				Vegetation		
		X	Y						0	100	G. *1	S. *2		T. *3	H. *4
541	G06 0 8400	685702	8901450	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
542	0 8500	685702	8901550	Bi-granite	Pxgg	B	100	R			R	C	F	W	Secondary
543	0 8600	685702	8901650	Acidic volcanic rocks	Pxv	B	100	R			R	C	F	W	Secondary
544	0 8700	685702	8901750	Acidic volcanic rocks	Pxv	B	100	R			R	C	F	W	Secondary
545	0 8800	685702	8901850	Acidic volcanic rocks	Pxv	B	100	RB			F	C	F	W	Secondary
546	0 8900	685702	8901950	Alluvial deposits	Qa	A	100	B			R	S	F	W	Secondary
547	0 9000	685702	8902050	Bi-granite	Pxgg	V	100	R			R	C/S	F	W	Primary
548	0 9100	685702	8902150	Bi-granite	Pxgg	V	100	R			R	C/S	F	W	Primary
549	0 9200	685702	8902250	Bi-granite	Pxgg	A	100	G			R	S	F	W	Primary
550	0 9300	685702	8902350	Bi-granite	Pxgg	A	100	G			R	S	F	W	Primary
551	0 9400	685702	8902450	Bi-granite	Pxgg	A	100	G			R	S	F	W	Primary
552	0 9500	685702	8902550	Bi-granite	Pxgg	B	100	YB			R	C	F	W	Secondary
553	0 9600	685702	8902650	Bi-granite	Pxgg	B	100	YB			R	C/S	F	W	Secondary
554	0 9700	685702	8902750	Bi-granite	Pxgg	B	100	YB			R	C	F	W	Secondary
555	0 9800	685702	8902850	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Secondary
556	0 9900	685702	8902950	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Secondary
557	1 0000	685702	8903050	Bi-granite	Pxgg	B	100	YB			R	C	F	W	Secondary
558	1 0100	685702	8903150	Bi-granite	Pxgg	B	100	YB			R	C/S	F	W	Primary
559	1 0200	685702	8903250	Bi-granite	Pxgg	B	100	YB			R	C	F	W	Primary
560	1 0300	685702	8903350	Bi-granite	Pxgg	B	100	YB			R	C	F	W	Primary
561	1 0400	685702	8903450	Bi-granite	Pxgg	B	100	YB			R	C	F	W	Primary
562	1 0500	685702	8903550	Bi-granite	Pxgg	B	100	YB			R	C/S	F	W	Primary
563	1 0600	685702	8903650	Bi-granite	Pxgg	B	100	R			R	C/S	F	W	Primary
564	1 0700	685702	8903750	Alluvial deposits	Qa	B	100	R			R	C/S	F	W	Primary
565	1 0800	685702	8903850	Alluvial deposits	Qa	A	100	G			R	C	F	W	Primary
566	1 0900	685702	8903950	Alluvial deposits	Qa	A	100	G			R	C	F	W	Primary
567	1 1000	685702	8904050	Bi-granite	Pxgg	B	100	YR			R	C	F	W/D	Primary
568	1 1100	685702	8904150	Bi-granite	Pxgg	B	100	R			R	C	F	W/D	Primary
569	1 1200	685702	8904250	Bi-granite	Pxgg	B	100	R			R	C	F	W/D	Primary
570	1 1300	685702	8904350	Bi-granite	Pxgg	B	100	R			R	C	F	W	Primary
571	1 1400	685702	8904450	Bi-granite	Pxgg	B	100	R			R	C	F	W	Primary
572	1 1500	685702	8904550	Bi-granite	Pxgg	B	100	R			R	C	F	W/D	Primary
573	1 1600	685702	8904650	Bi-granite	Pxgg	B	100	R			R	C	F	W/D	Primary
574	1 1700	685702	8904750	Bi-granite	Pxgg	B	100	R			R	C	F	W/D	Primary
575	1 1800	685702	8904850	Bi-granite	Pxgg	B	100	YRB			R	C	F	W/D	Primary
576	1 1900	685702	8904950	Bi-granite	Pxgg	B	100	YR			R	C	F	W/D	Primary
577	1 2000	685702	8905050	Bi-granite	Pxgg	B	100	YR			R	C	F	W/D	Primary
578	1 2100	685702	8905150	Bi-granite	Pxgg	B	100	LR			R	C	F	W/D	Primary
579	1 2200	685702	8905250	Bi-granite	Pxgg	B	100	LR			R	C	F	W/D	Primary
580	1 2300	685702	8905350	Bi-granite	Pxgg	B	100	R			R	C	F	W/D	Primary
581	1 2400	685702	8905450	Bi-granite	Pxgg	B	100	R			R	C	F	W/D	Secondary
582	1 2500	685702	8905550	Bi-granite	Pxgg	B	100	R			R	C	F	W/D	Secondary
583	1 2600	685702	8905650	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
584	1 2700	685702	8905750	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
585	1 2800	685702	8905850	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
586	1 2900	685702	8905950	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
587	1 3000	685702	8906050	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
588	1 3100	685702	8906150	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
589	1 3200	685702	8906250	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
590	1 3300	685702	8906350	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
591	1 3400	685702	8906450	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
592	1 3500	685702	8906550	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
593	1 3600	685702	8906650	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
594	1 3700	685702	8906750	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
595	1 3800	685702	8906850	Bi-granite	Pxgg	B	100	G			R	C	F	D	Secondary
596	1 3900	685702	8906950	Alluvial deposits	Qa	B	100	YB			R	C	F	D	Secondary
597	1 4000	685702	8907050	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
598	1 4100	685702	8907150	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
599	1 4200	685702	8907250	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
600	1 4300	685702	8907350	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary

\*1:Gravel; many(M),few(F),rare or none(R). \*2:Grain size; sandy(S),clay(S). \*3:Topography; steep(S),moderate(M),flat(F). \*4:Humidity; dry(D),wet(W)

B:brown, G:grey, R:red, Y:yellow, W:white, L:light, D:dark gray □ A layer ▣ A/B layer ■ B layer ▤ C layer

Sample List for Soil Geochemistry

Ser. No.	Sample No.	Coordinates		Rock Name	Geolo. Unit	Horizon of Soil	Depth (cm)	Color	Soil Profile (cm)		G. *1	S. *2	T. *3	H. *4	Vegetation
		X	Y						0	100					
601	G06 1 4400	685702	8907450	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
602	1 4500	685702	8907550	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
603	1 4600	685702	8907650	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
604	1 4700	685702	8907750	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
605	1 4800	685702	8907850	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
606	1 4900	685702	8907950	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
607	1 5000	685702	8908050	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
608	1 5100	685702	8908150	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
609	1 5200	685702	8908250	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
610	1 5300	685702	8908350	Bi-granite	Pxgg	B	100	B			R	M	F	D	Secondary
611	1 5400	685702	8908450	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
612	1 5500	685702	8908550	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
613	1 5600	685702	8908650	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
614	1 5700	685702	8908750	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
615	1 5800	685702	8908850	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
616	1 5900	685702	8908950	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
617	1 6000	685702	8909050	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
618	1 6100	685702	8909150	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
619	1 6200	685702	8909250	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
620	1 6300	685702	8909350	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
621	1 6400	685702	8909450	Bi-granite	Pxgg	B	100	DB			R	C	F	D	Secondary
622	1 6500	685702	8909550	Bi-granite	Pxgg	B	100	DB			R	C	F	D	Secondary
623	1 6600	685702	8909650	Bi-granite	Pxgg	B	100	DB			R	C	F	D	Secondary
624	1 6700	685702	8909750	Bi-granite	Pxgg	AB	100	G			R	C	F	D	Secondary
625	1 6800	685702	8909850	Bi-granite	Pxgg	AB	100	G			R	C	F	D	Secondary
626	1 6900	685702	8909950	Alluvial deposits	Qa	sand	100	G			R	S	F	W	Secondary
627	1 7000	685702	8910050	Alluvial deposits	Qa	clay	100	G			R	C	F	D	Secondary
628	1 7100	685702	8910150	Bi-granite	Pxgg	B	100	B			R	C	M	D	Secondary
629	1 7200	685702	8910250	Bi-granite	Pxgg	B	100	B			R	C	F	D	Fazenda
630	1 7300	685702	8910350	Bi-granite	Pxgg	B	100	B			R	C	F	D	Fazenda
631	1 7400	685702	8910450	Bi-granite	Pxgg	B	100	B			R	C	F	D	Fazenda
632	1 7500	685702	8910550	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
633	1 7600	685702	8910650	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
634	1 7700	685702	8910750	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
635	1 7800	685702	8910850	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
636	1 7900	685702	8910950	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
637	1 8000	685702	8911050	Bi-granite	Pxgg	B	100	B			R	C	F	D	Fazenda
638	1 8100	685702	8911150	Bi-granite	Pxgg	B	100	B			R	C	F	D	Fazenda
639	1 8200	685702	8911250	Bi-granite	Pxgg	clay	100	DB			R	C	F	D	Fazenda
640	1 8300	685702	8911350	Bi-granite	Pxgg	B	100	B			R	C	F	D	Fazenda
641	1 8400	685702	8911450	Bi-granite	Pxgg	B	100	B			R	C	F	D	Fazenda
642	1 8500	685702	8911550	Bi-granite	Pxgg	B	100	B			R	C	F	D	Fazenda
643	G07 1 1400	686902	8904450	Bi-granite	Pxgg	B	100	R			R	C	F	W	Primary
644	1 1500	686902	8904550	Bi-granite	Pxgg	B	100	YB			R	C/S	M	W	Primary
645	1 1600	686902	8904650	Bi-granite	Gru	B	100	YR			R	C	F	W	Primary
646	1 1700	686902	8904750	Bi-granite	Gru	B	100	YR			R	C	F	W	Primary
647	1 1800	686902	8904850	Bi-granite	Gru	B	100	R			R	C	F	W	Primary
648	1 1900	686902	8904950	Bi-granite	Pxgg	B	100	R			M	C	F	W	Primary
649	1 2000	686902	8905050	Bi-granite	Pxgg	B	100	YB			R	C/S	M	W	Primary
650	1 2100	686902	8905150	Bi-granite	Pxgg	B	100	R			R	C	F	W	Primary
651	1 2200	686902	8905250	Bi-granite	Pxgg	B	100	YR			R	C	F	W	Primary
652	1 2300	686902	8905350	Bi-granite	Pxgg	B	100	YB			R	C	F	W	Secondary
653	1 2400	686902	8905450	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Secondary
654	1 2500	686902	8905550	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Secondary
655	1 2600	686902	8905650	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
656	1 2700	686902	8905750	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
657	1 2800	686902	8905850	Bi-granite	Pxgg	sand	100	B			M	C	F	D	Secondary
658	1 2900	686902	8905950	Bi-granite	Pxgg	B	100	B			F	C	F	D	Secondary
659	1 3000	686902	8906050	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
660	1 3100	686902	8906150	Bi-granite	Pxgg	sand	100	G			R	S	F	W	Secondary

\*1:Gravel; many(M),few(F),rare or none(R). \*2:Grain size; sandy(S),clay(S). \*3:Topography; steep(S),moderate(M),flat(F). \*4:Humidity; dry(D),wet(W)

B:brown, G:grey, R:red, Y:yellow, W:white, L:light, D:dark gray □ A layer ■ A/B layer ■ B layer ▨ C layer

Sample List for Soil Geochemistry

Ser. No.	Sample No.	Coordinates		Rock Name	Geolo. Unit	Horizon of Soil	Depth (cm)	Color	Soil Profile (cm)		G. *1	S. *2	T. *3	H. *4	Vegetation
		X	Y						0	100					
661	G07 1 3200	686902	8906250	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
662	1 3300	686902	8906350	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
663	1 3400	686902	8906450	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
664	1 3500	686902	8906550	Bi-granite	Pxgg	B	100	B			R	C	F	D	Grass
665	1 3600	686902	8906650	Bi-granite	Pxgg	clay	100	G			R	C	F	D	Grass
666	1 3700	686902	8906750	Bi-granite	Pxgg	B	100	B			R	C	F	D	Grass
667	1 3800	686902	8906850	Bi-granite	Pxgg	B	100	B			R	C	F	D	Grass
668	1 3900	686902	8906950	Bi-granite	Pxgg	B	100	B			R	C	F	D	Grass
669	1 4000	686902	8907050	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
670	1 4100	686902	8907150	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
671	1 4200	686902	8907250	Bi-granite	Pxgg	sand	100	YG			R	S	M	D	Secondary
672	1 4300	686902	8907350	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
673	1 4400	686902	8907450	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
674	1 4500	686902	8907550	Bi-granite	Pxgg	B	100	B			R	C	F	D	Secondary
675	1 4600	686902	8907650	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Primary
676	1 4700	686902	8907750	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Primary
677	1 4800	686902	8907850	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Secondary
678	1 4900	686902	8907950	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Secondary
679	1 5000	686902	8908050	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Secondary
680	1 5100	686902	8908150	Bi-granite	Pxgg	B	100	B			R	C	F	W	Secondary
681	1 5200	686902	8908250	Bi-granite	Pxgg	B	100	B			R	C	F	W	Secondary
682	1 5300	686902	8908350	Bi-granite	Pxgg	B	100	BY			R	C	F	W	Secondary
683	1 5400	686902	8908450	Bi-granite	Pxgg	B	100	BY			R	C	F	W	Secondary
684	1 5500	686902	8908550	Bi-granite	Pxgg	B	100	BR			R	C	F	W	Secondary
685	1 5600	686902	8908650	Bi-granite	Pxgg	B	100	BR			R	C	F	W	Secondary
686	1 5700	686902	8908750	Bi-granite	Pxgg	B	100	BR			R	C	F	W	Secondary
687	1 5800	686902	8908850	Bi-granite	Pxgg	B	100	BR			R	C	F	W	Secondary
688	1 5900	686902	8908950	Bi-granite	Pxgg	B	100	BR			R	C	F	W	Secondary
689	1 6000	686902	8909050	Bi-granite	Pxgg	B	100	BR			R	C	F	W	Secondary
690	1 6100	686902	8909150	Bi-granite	Pxgg	B	100	BR			F	C	F	W	Secondary
691	1 6200	686902	8909250	Bi-granite	Pxgg	B	100	BR			R	C	F	W	Secondary
692	1 6300	686902	8909350	Bi-granite	Pxgg	B	100	G			R	S	F	W	Secondary
693	1 6400	686902	8909450	Bi-granite	Pxgg	B	100	G			F	S	F	W	Primary
694	1 6500	686902	8909550	Bi-granite	Pxgg	B	100	G			F	S	F	W	Primary
695	1 6600	686902	8909650	Alluvial deposits	Qa	B	100	YG			R	C	F	W	Primary
696	1 6700	686902	8909750	Alluvial deposits	Qa	-	100	B			M	S	F	W	Primary
697	1 6800	686902	8909850	Bi-granite	Pxgg	B	100	G			R	C	F	W	Primary
698	1 6900	686902	8909950	Bi-granite	Pxgg	B	100	BY			R	C	F	W	Primary
699	1 7000	686902	8910050	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Primary
700	1 7100	686902	8910150	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Primary
701	1 7200	686902	8910250	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Primary
702	1 7300	686902	8910350	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Primary
703	1 7400	686902	8910450	Bi-granite	Pxgg	B	100	RB			R	S	F	W	Primary
704	1 7500	686902	8910550	Bi-granite	Pxgg	B	100	RB			R	S	F	W	Primary
705	1 7600	686902	8910650	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Secondary
706	1 7700	686902	8910750	Bi-granite	Pxgg	B	100	B			R	C	F	W	Secondary
707	1 7800	686902	8910850	Bi-granite	Pxgg	B	100	B			R	C	F	W	Secondary
708	1 7900	686902	8910950	Bi-granite	Pxgg	B	100	B			R	C	F	W	Secondary
709	1 8000	686902	8911050	Bi-granite	Pxgg	B	100	B			R	C	F	W	Secondary
710	1 8100	686902	8911150	Bi-granite	Pxgg	B	100	B			R	C	F	W	Primary
711	1 8200	686902	8911250	Alluvial deposits	Qa	-	100	G			F	S	F	W	Primary
712	1 8300	686902	8911350	Bi-granite	Pxgg	B	100	G			F	S	F	W	Primary
713	1 8400	686902	8911450	Bi-granite	Pxgg	B	100	G			F	S	F	W	Primary
714	G08 1 0000	688102	8903050	Bi-granite	Pxgn	B	100	B			R	C	F	D	Secondary
715	1 0100	688102	8903150	Bi-granite	Pxgn	B	100	B			R	C	F	D	Secondary
716	1 0200	688102	8903250	Bi-granite	Pxgn	B	100	B			R	C	F	D	Secondary
717	1 0300	688102	8903350	Bi-granite	Pxgn	B	100	B			R	C	F	D	Secondary
718	1 0400	688102	8903450	Bi-granite	Pxgn	B	100	B			R	C	F	D	Secondary
719	1 0500	688102	8903550	Bi-granite	Pxgn	B	100	B			R	C	F	D	Secondary
720	1 0600	688102	8903650	Bi-granite	Pxgn	B	100	B			R	C	F	D	Secondary

\*1:Gravel; many(M),few(F),rare or none(R). \*2:Grain size; sandy(S),clay(S). \*3:Topography; steep(S),moderate(M),flat(F). \*4:Humidity; dry(D),wet(W)

B:brown, G:gray, R:red, Y:yellow, W:white, L:light, D:dark gray □ A layer ▣ A/B layer ■ B layer ▨ C layer



Sample List for Soil Geochemistry

Ser. No.	Sample No.	Coordinates		Rock Name	Geolo. Unit	Horizon of Soil	Depth (cm)	Color	Soil Profile (cm)		G. *1	S. *2	T. *3	H. *4	Vegetation
		X	Y						0	100					
781	G08 1 6700	688102	8909750	Bi-granite	Pxgg	B	100	BY			R	C	F	W	Primary
782	1 6800	688102	8909850	Bi-granite	Pxgg	B	100	RY			R	C	F	W	Primary
783	1 6900	688102	8909950	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Primary
784	1 7000	688102	8910050	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Primary
785	1 7100	688102	8910150	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Primary
786	1 7200	688102	8910250	Bi-granite	Pxgg	B	100	RY			R	C	F	W	Secondary
787	1 7300	688102	8910350	Bi-granite	Pxgg	B	100	RY			R	C/S	F	W	Secondary
788	1 7400	688102	8910450	Bi-granite	Pxgg	B	100	RY			R	C/S	F	W	Secondary
789	G09 1 0000	689302	8903050	Bi-granite	Pxgn	B	100	DB			F	S	F	D	Secondary
790	1 0100	689302	8903150	Bi-granite	Pxgn	B	100	DB			M	S	F	D	Secondary
791	1 0200	689302	8903250	Bi-granite	Pxgn	B	100	GB			M	S	F	D	Secondary
792	1 0300	689302	8903350	Alluvial deposits	Qa	B	100	GB			F	S	F	D	Secondary
793	1 0400	689302	8903450	Bi-granite	Gru	B	100	DB			M	S	F	D	Secondary
794	1 0500	689302	8903550	Bi-granite	Pxgg	B	100	RB			R	C	F	D	Secondary
795	1 0600	689302	8903650	Bi-granite	Pxgg	B	100	RB			R	C	F	D	Secondary
796	1 0700	689302	8903750	Bi-granite	Pxgg	B	100	RB			R	C	F	D	Secondary
797	1 0800	689302	8903850	Bi-granite	Gru	B	100	RB			R	C	F	D	Secondary
798	1 0900	689302	8903950	Bi-granite	Gru	B	100	RB			R	C	F	D	Secondary
799	1 1000	689302	8904050	Bi-granite	Gru	B	100	RB			R	C	F	D	Secondary
800	1 1100	689302	8904150	Bi-granite	Gru	B	100	BY			R	C	F	D	Secondary
801	1 1200	689302	8904250	Bi-granite	Gru	B	100	BY			R	C	F	D	Secondary
802	1 1300	689302	8904350	Bi-granite	Gru	B	100	BY			R	C	F	D	Secondary
803	1 1400	689302	8904450	Bi-granite	Gru	B	100	RB			R	C	F	D	Secondary
804	1 1500	689302	8904550	Bi-granite	Gru	B	100	RB			R	C	F	D	Secondary
805	1 1600	689302	8904650	Bi-granite	Pxgg	B	100	BY			M	S	F	D	Secondary
806	1 1700	689302	8904750	Bi-granite	Pxgg	B	100	RB			R	C	F	D	Secondary
807	1 1800	689302	8904850	Bi-granite	Pxgg	B	100	RB			R	C	F	D	Secondary
808	1 1900	689302	8904950	Bi-granite	Pxgg	B	100	RB			R	C	F	D	Secondary
809	1 2000	689302	8905050	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
810	1 2100	689302	8905150	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
811	1 2200	689302	8905250	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
812	1 2300	689302	8905350	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
813	1 2400	689302	8905450	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
814	1 2500	689302	8905550	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
815	1 2600	689302	8905650	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
816	1 2700	689302	8905750	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
817	1 2800	689302	8905850	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
818	1 2900	689302	8905950	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
819	1 3000	689302	8906050	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
820	1 3100	689302	8906150	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
821	1 3200	689302	8906250	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
822	1 3300	689302	8906350	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
823	1 3400	689302	8906450	Bi-granite	Pxgg	B	100	RB			R	C	F	W	Secondary
824	1 3500	689302	8906550	Bi-granite	Pxgg	B	100	DRB			R	C	F	W	Secondary
825	1 3600	689302	8906650	Bi-granite	Pxgg	B	100	DRB			R	C	F	W	Secondary
826	1 3700	689302	8906750	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
827	1 3800	689302	8906850	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
828	1 3900	689302	8906950	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
829	1 4000	689302	8907050	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
830	1 4100	689302	8907150	Bi-granite	Pxgg	B	100	YR			R	C	F	W	Secondary
831	1 4200	689302	8907250	Bi-granite	Pxgg	B	100	DR			R	C	F	W	Secondary
832	1 4300	689302	8907350	Bi-granite	Pxgg	B	100	R			R	C	F	W	Secondary
833	1 4400	689302	8907450	Bi-granite	Pxgg	B	100	R			R	C	F	W	Secondary
834	1 4500	689302	8907550	Bi-granite	Pxgg	B	100	RB			R	C/S	F	W	Secondary
835	1 4600	689302	8907650	Bi-granite	Pxgg	B	100	YB			R	C	F	W	Secondary
836	1 4700	689302	8907750	Alluvial deposits	Qa	A	100	G			R	S	F	W	Primary
837	1 4800	689302	8907850	Bi-granite	Pxgg	A	100	B			R	S	F	W	Primary
838	1 4900	689302	8907950	Bi-granite	Pxgg	B	100	B			R	S/C	F	W	Secondary
839	1 5000	689302	8908050	Bi-granite	Pxgg	B	100	RB			R	S/C	F	W	Secondary
840	1 5100	689302	8908150	Bi-granite	Pxgg	B	100	R			R	S/C	F	W	Secondary

\*1:Gravel; many(M),few(F),rare or none(R). \*2:Grain size; sandy(S),clay(S). \*3:Topography; steep(S),moderate(M),flat(F). \*4:Humidity; dry(D),wet(W)

B:brown, G:grey, R:red, Y:yellow, W:white, L:light, D:dark gray □ A layer ■ A/B layer ■ B layer □ C layer