

Appendix 7

Assay Result of the Drillcore Samples (1) – (12)

Abbreviations

Asp	:Arsenopyrite
Bn	:Bornite
Bt	:Biotite
Cal	:Calcite
Ch	:Chlorite
Cp	:Chalcopyrite
Cpx	:Clinopyroxene
Ga	:Garnet
Hb	:Hornblende
Lm	:Limonite
Mt	:Magnetite
Po	:Pyrrhotite
Py	:Pyrite
Qz	:Quartz
Sid	:Siderite
brn	:brown
carb-	:carbonatized
csg	:coarse grain
dissem	:dissemination
dk	:dark
fng	:fine grain
f-mdg	:fine-medium grain
grn	:green
mdg	:medium grain
p-	:pale
sil	:silicified

Appendix 7 Assay Result of the Dorillcore Samples

Serial no.	Sample no.	Locality		Rock name	Au(g/t)		Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)
		Drillhole	Depth (m)		Length (m)	FA							
1	A14001		17.8 ~ 18.0	0.2	skarnized lamprophyre with Qz veinlets	2.8	7	0.2	40	4	120	-	9
2	A14002		18.0 ~ 18.9	0.9	skarnized lamprophyre	0.6	0.07	0.2	150	15	120	-	7
3	A14003		37.1 ~ 38.0	0.9	argillized dike	0.6	0.15	0.2	300	4	150	200	1.5
4	A14004		38.0 ~ 39.0	1.0	argillized dike	<0.5	0.02	<0.1	120	4	150	1200	200
5	A14005		39.0 ~ 40.0	1.0	argillized dike	0.6	0.02	<0.1	120	5	150	3000	700
6	A14006		87.4 ~ 88.2	0.8	skarnized dike	<0.5	0.12	0.9	300	4	120	-	3
7	A14007		102.2 ~ 103.5	1.3	Ga-Px skarn	0.6	0.5	-	15	<3	90	-	1.2
8	A14008		103.5 ~ 104.2	0.7	Sid-Mt-Py-Ca zone	0.8	0.9	0.3	90	30	150	7200	1500
9	A14009		104.2 ~ 105.4	1.2	Mt-Ga Px skarn	1.1	1.5	<0.1	70	3	300	1500	150
10	A14010		109.1 ~ 110.0	0.9	Px-Fld skarn	<0.5	0.12	<0.1	30	5	120	-	2
11	A14011		110.0 ~ 111.0	1.0	Px-Fld skarn	<0.5	0.2	<0.1	70	15	200	-	3
12	A14012		111.0 ~ 112.0	1.0	silicified-skarnized lamprophyre	<0.5	0.04	-	12	7	120	-	3
13	A14013		112.0 ~ 113.0	1.0	Px-Fld skarn	1.3	1.5	0.2	150	12	200	300	3
14	A14014		113.0 ~ 114.0	1.0	Px-Fld skarn with Asp-Qz vein	1.2	0.5	<0.1	90	30	200	1500	5
15	A14015		114.0 ~ 115.0	1.0	Px-Fld skarn with Asp-Qz vein	1.0	1.5	<0.1	70	15	200	2000	7
16	A14016		115.0 ~ 116.0	1.0	Px-Fld skarn with Ga-Qz vein	2.3	2	<0.1	30	5	300	200	5
17	A14017	MJKA-14	116.0 ~ 117.0	1.0	Px-Fld skarn with Asp-Qz vein	0.9	0.5	2	12	5	150	-	9
18	A14018		117.0 ~ 118.0	1.0	Px-Fld skarn with Ca vein	1.3	1.5	0.15	20	9	200	-	7
19	A14019		118.0 ~ 119.0	1.0	Px-Fld skarn	1.1	1.2	<0.1	30	5	150	-	7
20	A14020		119.0 ~ 120.0	1.0	Px-Fld skarn with Asp-Qz	1.7	1.5	0.15	50	12	150	700	7
21	A14021		120.0 ~ 121.0	1.0	Px-Fld skarn with Ga	5.0	7	0.2	40	15	150	2000	7
22	A14022		121.0 ~ 122.0	1.0	Px-Fld skarn with Asp-Qz vein	2.6	4	0.2	50	15	150	500	7
23	A14023		122.0 ~ 123.0	1.0	Px-Fld skarn	4.3	7	0.5	30	12	150	500	7
24	A14024		123.0 ~ 124.0	1.0	Px-Fld skarn with prophyrite dike	1.4	1.5	0.15	20	<3	120	-	3
25	A14025		124.0 ~ 125.0	1.0	Px-Fld skarn with Asp-Qz vein	5.9	7	0.7	30	12	120	4000	9
26	A14026		125.0 ~ 125.9	0.9	Px-Fld skarn with Asp-Qz vein	4.4	10	0.5	15	7	70	-	15
27	A14027		125.9 ~ 126.3	0.4	Fld-Px skarn	2.9	5	0.15	30	5	70	3000	12
28	A14028		126.3 ~ 127.0	0.7	skarnized granodiorite	2.8	4	0.15	30	15	200	-	9
29	A14029		127.0 ~ 128.0	1.0	skarnized granodiorite	2.7	7	0.15	15	7	90	-	12
30	A14030		128.0 ~ 129.0	1.0	skarnized granodiorite	1.9	4	<0.1	<10	9	120	-	9
31	A14031		129.0 ~ 130.0	1.0	skarnized granodiorite	3.3	1.2	0.15	20	12	120	-	12
32	A14032		130.0 ~ 131.0	1.0	skarnized granodiorite	1.6	1.5	<0.1	40	15	120	-	5
33	A14033		131.0 ~ 132.0	1.0	skarnized granodiorite	2.5	7	0.3	30	12	90	-	30
34	A14034		132.0 ~ 133.0	1.0	skarnized granodiorite	1.4	0.9	<0.1	70	9	70	300	9
35	A14035		133.0 ~ 134.2	1.2	skarnized granodiorite	1.2	1.2	<0.1	30	15	30	300	15

Appendix 7 Assay Result of the Dorillcore Samples

Sienal no.	Sample no.	Locality			Rock name	Au(g/t)		Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)
		Drillhole	Depth (m)	Length (m)		FA	SGM							
71	A15024		81.0 ~ 82.0	1.0	Mt-Ga-Px skarn	3.1	3	0.4	300	7	300	-	-	1.2
72	A15025a				Mt-Ga-Px skarn	0.7		0.2	90	12	40	400	-	7
73	A15025		82.0 ~ 82.4	0.4	Mt-Ga-Px skarn	1.6	0.7	0.5	400	3	300	-	<30	1.2
74	A15026a				Mt-Ga-Px skarn	1.0	0.7	0.2	200	9	120	-	-	30
75	A15026		82.4 ~ 82.7	0.3	Qz-Px skarn	1.0	0.7	<0.1	15	4	30	150	-	15
76	A15027		82.7 ~ 84.0	1.3	lamprophyre		0.09	<0.1	90	9	70	-	-	5
77	A15028		84.0 ~ 85.0	1.0	lamprophyre		0.07	<0.1	90	12	120	-	-	3
78	A15029		85.0 ~ 86.5	1.5	lamprophyre		0.04	-	70	9	90	-	-	7
79	A15030		86.5 ~ 87.5	1.0	skarnized gabbro with Qz veinlets	1.6	0.7	0.15	120	5	150	-	-	3
80	A15031		87.5 ~ 88.5	1.0	skarnized gabbro with Qz veinlets	1.5	0.9	<0.1	90	200	200	3000	-	2
81	A15032		88.5 ~ 89.0	0.5	skarnized gabbro with Qz veinlets	1.3	1.2	<0.1	50	7	200	-	-	2
82	A15033		89.0 ~ 90.0	1.0	Px skarn with Qz(-Asp-Cp) vein	2.6	1.5	0.12	30	7	120	-	-	3
83	A15034		90.0 ~ 91.0	1.0	Px skarn with Qz(-Asp-Cp) vein	1.8	2	0.15	70	4	150	400	-	4
84	A15035		91.0 ~ 92.0	1.0	Px skarn with Qz(-Asp-Cp) vein	3.1	1.5	0.12	30	5	150	300	-	3
85	A15036		92.0 ~ 92.6	0.6	skarnized lamprophyre	3.4	4	0.12	200	30	400	2000	-	12
86	A15037		92.6 ~ 93.6	1.0	skarnized gnodiortite with Qz veinlets	1.5	1.5	0.15	90	20	120	4000	-	120
87	A15038	MJKA-15	93.6 ~ 94.2	0.6	Px skarn	3.2	1.5	0.15	40	9	120	120	-	5
88	A15039		94.2 ~ 94.9	0.7	altered skarn with Qz-Asp-Cp veinlets	2.4	3	0.12	120	4	Tr	2000	<30	9
89	A15040		94.9 ~ 95.6	0.7	Px-Ga skarn with Qz veinlets	7.5	~10	0.9	150	7	90	900	-	9
90	A15041		95.6 ~ 96.6	1.0	(skarnized) granodiortite & Px skarn with Qz veinlets	3.4	4	3	700	40	120	700	-	9
91	A15042		96.6 ~ 97.6	1.0	(skarnized) granodiortite & Px skarn with Qz veinlets	4.5	7	12	7000	9	200	-	70	5
92	A15043		97.6 ~ 98.6	1.0	Qz-Asp-Po skarn	3.3	5	<0.1	90	4	200	300	-	7
93	A15044		98.6 ~ 99.6	1.0	Qz-Asp-Po skarn	2.1	2	0.3	70	5	200	200	40	5
94	A15045		99.6 ~ 100.6	1.0	Px skarn (Lamprophyre?)	1.4	0.9	<0.1	90	4	200	-	-	5
95	A15046		100.6 ~ 101.2	0.6	Px skarn (Lamprophyre?)	1.7	1.2	0.12	300	4	150	-	-	5
96	A15047		101.2 ~ 102.0	0.8	skarnized granodiortite	1.0	0.5	0.15	90	5	150	-	-	5
97	A15048		102.0 ~ 103.0	1.0	skarnized granodiortite	1.2	0.9	0.15	150	9	120	-	-	5
98	A15049		103.0 ~ 104.0	1.0	skarnized granodiortite	<0.5	0.15	0.15	150	9	120	-	-	4
99	A15050		104.0 ~ 105.0	1.0	skarnized granodiortite with Ca vein	0.5	0.2	0.2	120	5	150	-	-	3
100	A15051		105.0 ~ 106.0	1.0	skarnized granodiortite		0.09	<0.1	90	5	120	-	-	3
101	A15052		106.0 ~ 107.0	1.0	skarnized granodiortite	0.5	0.3	0.12	50	5	120	-	-	9
102	A15053		107.0 ~ 108.0	1.0	skarnized granodiortite with Lm	0.9	0.5	<0.1	40	5	120	-	-	5
103	A15054		108.0 ~ 109.0	1.0	skarnized granodiortite	1.6	1.5	0.15	30	7	120	-	-	3
104	A15055		109.0 ~ 110.0	1.0	skarnized gnodiortite	0.6	0.3	0.15	70	12	90	-	-	3
105	A15056		110.0 ~ 111.0	1.0	skarnized gnodiortite	0.8	0.4	<0.1	120	20	90	-	-	9

Appendix 7 Assay Result of the Drillcore Samples

Serial no.	Sample no.	Locality		Rock name	Au(g/t) FA	SGM	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)
		Drillhole	Depth (m)										
106	A15057		111.0 ~ 112.0	1.0	granodiorited porphyry with Qz veinlets	0.5	0.4	0.12	50	12	150	1500	4
107	A15058		112.0 ~ 113.0	1.0	granodiorited porphyry with Qz veinlets	1.8	1.2	0.3	50	30	30	200	40
108	A15059		113.0 ~ 114.0	1.0	granodiorited porphyry with Qz veinlets	<0.5	0.15	0.12	50	15	120	-	7
109	A15060		114.0 ~ 115.0	1.0	granodiorited porphyry with Qz veinlets		0.07	0.12	70	30	90	-	12
110	A15061		115.0 ~ 116.0	1.0	granodiorited porphyry with Qz veinlets		0.07	<0.1	70	20	50	-	12
111	A15062		116.0 ~ 117.0	1.0	granodiorited porphyry with Qz veinlets	<0.5	0.12	0.12	30	15	120	-	5
112	A15063		117.0 ~ 118.0	1.0	granodiorited porphyry with Qz veinlets	0.5	0.4	0.12	90	30	40	-	12
113	A15064		118.0 ~ 119.0	1.0	granodiorited porphyry with Qz veinlets	0.7	0.4	0.12	40	15	120	-	7
114	A15065		119.0 ~ 120.0	1.0	granodiorited porphyry with Qz veinlets		0.09	0.15	70	30	150	-	7
115	A15066		120.0 ~ 121.0	1.0	granodiorited porphyry with Qz veinlets		0.05	0.12	50	15	120	-	7
116	A15067		121.0 ~ 122.0	1.0	granodiorited porphyry with Qz veinlets	0.6	0.3	<0.1	20	30	40	-	9
117	A15068		122.0 ~ 123.0	1.0	granodiorited porphyry with Qz veinlets	<0.5	0.3	<0.1	90	12	90	150	3
118	A15069	MJKA-15	20.9 ~ 21.35	0.5	marble		0.02	-	30	4	-	-	1.2
119	A15070		21.7 ~ 22.7	1.0	skarnized lamprophyre		0.12	<0.3	200	12	120	-	7
120	A15071		23.4 ~ 23.8	0.4	marble with Ca veinlets		0.012	<0.3	50	4	-	150	150
121	A15072		49.7 ~ 50.0	0.3	marble		0.05	<0.3	120	15	70	-	3
122	A15073		50.2 ~ 51.2	1.0	marble with Lm		0.012	-	12	3	-	-	1.2
123	A15074		66.7 ~ 67.8	1.1	skarnized marble		0.05	0.5	300	4	30	-	<30
124	A15075		69.8 ~ 71.0	1.2	marble with Lm,Cu		0.6	0.4	<0.3	120	3	-	30
125	A15076		123.0 ~ 124.0	1.0	granodiorite with Asp-Qz-(Mo)-(Cp) veinlets	0.6	0.5	<0.3	50	15	40	150	9
126	A15077		145.4 ~ 146.4	1.0	Bt-Qz-Hb lamprophyre	0.6	0.15	0.3	50	12	50	120	12
127	A15078		146.4 ~ 147.4	1.0	Bt-Qz-Hb lamprophyre & gradiorite	0.7	0.4	0.3	70	15	70	120	30
128	A15079		147.4 ~ 148.4	1.0	granodiorite	0.8	0.9	<0.3	50	20	50	-	4
129	A15080		148.4 ~ 149.4	1.0	lamprophyre		0.02	-	30	20	40	-	4
130	A15081		149.4 ~ 150.0	0.6	granodiorite		0.07	<0.3	70	20	40	-	7
131	A16001		16.8 ~ 17.3	0.5	skarnized marble		-	<0.1	12	7	-	-	2
132	A16002		23.8 ~ 24.3	0.5	Op-Asp vein in marble		0.03	0.9	400	7	40	-	15
133	A16003		27.2 ~ 27.9	0.7	skarnized lamprophyre		0.012	0.3	400	40	70	-	5
134	A16004		29.6 ~ 30.1	0.5	skarnized lamprophyre	0.5	0.15	0.9	500	3	120	-	-
135	A16005	MJKA-16	32.3 ~ 33.3	1.0	skarnized marble		0.04	0.12	<10	3	-	500	-
136	A16006		33.3 ~ 34.3	1.0	skarnized marble		-	-	12	3	-	-	5
137	A16007		35.9 ~ 36.9	1.0	skarnized lamprophyre	0.5	0.12	0.5	300	<3	150	-	1.5
138	A16008		36.9 ~ 37.3	0.4	skarnized lamprophyre		0.05	0.3	150	<3	120	-	2
139	A16009		39.8 ~ 40.6	0.8	skarnized lamprophyre and marble		-	0.15	50	<3	120	-	1.2
140	A16010		44.6 ~ 45.4	0.8	skarnized lamprophyre and marble		0.02	0.12	70	<3	30	-	2

Appendix 7 Assay Result of the Dorillcore Samples

Serial no.	Sample no.	Locality		Rock name	Au(g/t)		Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)
		Drillhole	Depth (m)		Length (m)	FA							
141	A16011		48.0 ~ 48.4	0.4		0.07	0.15	150	<3	90	-	<30	1.2
142	A16012		48.4 ~ 49.0	0.6		0.03	0.12	120	<3	200	-	-	1.2
143	A16013		49.0 ~ 50.0	1.0		<0.5	0.2	500	5	150	-	-	1.5
144	A16014		50.0 ~ 51.0	1.0			0.015	0.12	90	4	150	-	7
145	A16015		51.0 ~ 52.0	1.0			0.012	<0.1	50	5	150	-	9
146	A16016		52.0 ~ 53.0	1.0			0.012	0.15	70	5	120	-	9
147	A16017		53.0 ~ 54.0	1.0			0.04	0.9	500	5	200	-	5
148	A16018		102.7 ~ 103.0	0.3		<0.5	0.5	-	<10	-	-	-	1.2
149	A16019		104.8 ~ 105.2	0.4		0.6	0.15	<0.1	50	4	150	-	1.2
150	A16020		105.2 ~ 106.0	0.8		1.5	0.4	<0.1	30	<3	150	-	1.5
151	A16021		106.0 ~ 106.8	0.8		1.2	0.3	<0.1	90	-	150	-	-
152	A16022		106.8 ~ 107.4	0.6		0.7	0.12	0.12	90	12	120	-	2
153	A16023		107.4 ~ 108.4	1.0			0.05	0.15	70	4	90	-	12
154	A16024		108.4 ~ 109.4	1.0		0.5	0.15	0.5	300	3	120	-	5
155	A16025		109.4 ~ 110.2	0.8		0.7	0.2	0.5	700	5	90	-	30
156	A16026		110.2 ~ 111.3	1.1		0.9	0.3	0.2	400	5	150	-	30
157	A16027		111.3 ~ 111.6	0.3		1.6	1.2	1.5	1200	4	300	120	500
158	A16028	MJKA-16	111.6 ~ 112.0	0.4		0.6	0.15	-	20	4	40	-	12
159	A16029		112.0 ~ 113.0	1.0		0.7	0.4	0.12	120	4	90	-	30
160	A16030		113.0 ~ 113.9	0.9			0.05	-	15	4	40	-	30
161	A16031		113.9 ~ 114.3	0.4			0.09	<0.1	15	3	30	-	20
162	A16032		114.3 ~ 115.0	0.7			0.04	<0.1	12	<3	-	-	12
163	A16033		115.0 ~ 116.0	1.0			0.05	0.15	30	3	30	150	20
164	A16034		116.0 ~ 117.0	1.0		0.5	0.12	-	30	<3	300	-	20
165	A16035		117.0 ~ 118.0	1.0		1.0	0.3	<0.1	30	3	30	-	15
166	A16036		118.0 ~ 118.6	0.6		0.9	0.3	<0.1	30	7	-	-	15
167	A16037		118.6 ~ 119.0	0.4			0.09	<0.1	30	5	30	-	15
168	A16038		119.0 ~ 120.0	1.0			0.03	<0.1	12	5	40	-	20
169	A16039		120.0 ~ 121.0	1.0		0.6	0.3	-	<10	5	50	-	15
170	A16040		121.0 ~ 122.0	1.0			0.05	<0.1	12	12	30	-	15
171	A16041		122.0 ~ 123.0	1.0		0.8	0.3	0.12	30	12	40	-	15
172	A16042		123.0 ~ 124.0	1.0		0.8	0.5	0.2	70	15	40	1200	30
173	A16043		124.0 ~ 125.0	1.0		0.9	0.7	0.12	15	7	40	-	12
174	A16044		125.0 ~ 126.0	1.0		2.2	3	0.4	30	15	30	1200	9
175	A16045		126.0 ~ 127.0	1.0		<0.5	0.15	<0.1	30	15	50	1200	15

Appendix 7 Assay Result of the Dorillcore Samples

Serial no.	Sample no.	Locality		Rock name	Au(g/t)		Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)
		Drillhole	Depth (m)		Length (m)	FA							
176	A16046		127.0 ~ 128.0	1.0	weak silicified granodiorite, Asp-Qz veinlets	1.5	<0.1	30	15	40	900	-	15
177	A16047		128.0 ~ 129.0	1.0	weak silicified granodiorite, Asp-Qz veinlets	<0.5	<0.1	30	12	50	700	-	12
178	A16048		129.0 ~ 130.0	1.0	weak silicified granodiorite, Asp-Qz veinlets	0.5	<0.1	20	12	30	500	-	4
179	A16049		130.0 ~ 131.0	1.0	weak silicified granodiorite, Asp-Qz veinlets	0.8	<0.1	40	20	40	900	-	12
180	A16050		131.0 ~ 132.0	1.0	weak silicified granodiorite, Asp-Qz veinlets		<0.3	40	15	90	120	-	12
181	A16051		132.0 ~ 133.0	1.0	weak silicified granodiorite, Asp-Qz veinlets		<0.3	150	15	70	300	-	30
182	A16052		133.0 ~ 134.0	1.0	weak silicified granodiorite, Asp-Qz veinlets		<0.3	30	20	90	-	-	9
183	A16053		9.0 ~ 10.0	1.0	skarnized marble		-	20	3	-	-	-	-
184	A16054		10.0 ~ 11.0	1.0	skarnized marble		-	15	3	-	-	-	5
185	A16055		11.0 ~ 12.0	1.0	skarnized marble		-	20	5	-	-	-	1.2
186	A16056		20.0 ~ 21.0	1.0	marble with Cp vein		0.012	-	120	4	-	-	2
187	A16057		21.0 ~ 22.0	1.0	marble		0.012	-	20	3	-	-	1.2
188	A16058		22.0 ~ 22.8	0.8	marble		0.012	-	20	<3	40	-	2
189	A16059		22.8 ~ 23.8	1.0	marble with Asp vein		0.012	<0.3	40	12	40	9000	1.2
190	A16060		24.3 ~ 25.3	1.0	Cp-(Asp-Ga) vein		0.02	-	40	4	-	900	3
191	A16061		27.9 ~ 28.9	1.0	marble		0.012	<0.3	150	4	30	-	1.2
192	A16062		28.9 ~ 29.6	0.7	marble with Lm		-	-	30	5	-	-	7
193	A16063		30.1 ~ 31.1	1.0	marble with Asp vein		0.012	-	20	5	-	-	2
194	A16064	MJKA-16	31.1 ~ 32.3	1.2	marble		-	<0.3	150	5	40	4000	1.5
195	A16065		103.0 ~ 103.8	0.8	marble		-	-	12	3	-	-	1.5
196	A16066		103.8 ~ 104.8	1.0	marble		0.012	<0.3	20	5	30	-	1.2
197	A16067		134.0 ~ 135.0	1.0	granodiorite with Asp-Qz vein	<0.5	0.2	<0.3	90	20	40	2000	12
198	A16068		135.0 ~ 136.0	1.0	granodiorite with Asp-Qz vein	0.6	0.2	<0.3	40	12	40	200	9
199	A16069		136.0 ~ 137.0	1.0	granodiorite with Asp-Qz vein	0.6	0.3	<0.3	70	20	30	900	20
200	A16070		137.0 ~ 138.0	1.0	granodiorite with Qz veinlets	0.5	0.3	-	40	15	40	120	7
201	A16071		138.0 ~ 139.0	1.0	granodiorite with Asp	0.5	0.4	<0.3	70	15	40	900	12
202	A16072		139.0 ~ 140.0	1.0	granodiorite	1.4	0.7	<0.3	90	15	30	400	30
203	A16073		140.0 ~ 141.0	1.0	granodiorite with Qz vein	0.5	0.2	<0.3	40	15	40	200	12
204	A16074		141.0 ~ 142.0	1.0	granodiorite with Asp-Qz vein	0.5	0.2	<0.3	40	20	40	700	15
205	A16075		142.0 ~ 143.0	1.0	granodiorite		0.12	<0.3	50	20	40	200	12
206	A16076		143.0 ~ 144.0	1.0	granodiorite	0.7	0.4	<0.3	50	15	40	1200	40
207	A16077		144.0 ~ 145.0	1.0	granodiorite	4.5	4	2	150	20	30	1200	70
208	A16078		145.0 ~ 146.0	1.0	granodiorite with Qz-Asp	1.1	1.5	-	150	15	30	400	15
209	A16079		146.0 ~ 147.0	1.0	granodiorite with Qz	6.8	10	<0.3	120	15	40	1500	15
210	A16080		147.0 ~ 148.0	1.0	granodiorite	1.0	0.4	<0.3	120	12	50	700	12

Appendix 7 Assay Result of the Dorillcore Samples

Serial no.	Sample no.	Locality		Rock name	Au(g/t)		Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)	
		Drillhole	Depth (m)		Length (m)	FA								SGM
211	A16081		148.0 ~ 149.0	1.0	granodiorite with Qz vein	0.6	0.2	<0.3	50	12	30	1500	-	15
212	A16082		149.0 ~ 150.0	1.0	sheared argillized granodiorite		0.12	-	50	12	120	500	-	9
213	A16083		150.0 ~ 151.0	1.0	sheared argillized granodiorite	<0.5	0.3	-	70	5	-	300	-	9
214	A16084		151.0 ~ 152.0	1.0	granodiorite with Ca	1.1	0.9	-	50	5	-	700	-	30
215	A16085		152.0 ~ 153.0	1.0	granodiorite with Asp-Ca-Qz vein	0.5	0.4	<0.3	70	15	40	3000	-	9
216	A16086		159.0 ~ 160.0		granodiorite with Asp-Qz vein		0.12	<0.3	70	12	40	200	-	15
217	A16087		160.0 ~ 161.0	1.0	granodiorite with Asp-Qz vein	<0.5	0.2	<0.3	90	15	50	150	-	12
218	A16088		161.0 ~ 162.0	1.0	granodiorite with Qz veinlets	0.9	0.4	<0.3	90	15	30	300	-	30
219	A16089		162.0 ~ 163.0	1.0	granodiorite with Asp-Qz vein		0.12	<0.3	120	15	30	150	<30	9
220	A16090		166.0 ~ 167.0	1.0	granodiorite with Asp-Qz vein		0.09	-	90	20	40	-	-	12
221	A16091	MJKA-16	167.0 ~ 168.0	1.0	granodiorite with Asp-Qz vein & Ca vein	0.5	0.3	<0.3	90	20	-	1500	-	12
222	A16092		170.4 ~ 171.4	1.0	granodiorite with Asp-Qz vein	<0.5	0.3	-	90	12	-	120	-	12
223	A16093		175.0 ~ 176.0	1.0	granodiorite with Qz vein		0.02	-	90	9	30	-	-	9
224	A16094		188.6 ~ 189.6	1.0	granodiorite with Asp-Qz vein	<0.5	0.2	<0.3	30	15	40	400	-	12
225	A16095		189.6 ~ 190.6	1.0	granodiorite with Asp-Qz vein		0.012	-	50	12	40	-	-	9
226	A16096		198.0 ~ 199.0	1.0	granodiorite with Asp-Py?-Qz vein		0.03	-	70	15	30	5000	-	15
227	A16097		201.0 ~ 202.0	1.0	gmaodiorite with Py		0.03	-	90	12	-	-	-	15
228	A16098		202.0 ~ 203.0	1.0	granodiorite with Asp-Qz vein		0.12	-	70	15	40	500	-	12
229	A16099		203.0 ~ 204.0	1.0	granodiorite with Asp-Qz vein		0.012	-	70	15	40	-	-	7
230	A16100		204.0 ~ 205.0	1.0	granodiorite with Asp-Py-Qz vein		0.05	<0.3	70	12	30	-	-	9
231	A16101		205.0 ~ 206.0	1.0	granodiorite with Asp-Qz vein	<0.5	0.3	-	50	20	30	500	-	7
232	A17001		8.65 ~ 9.3	0.7	lamprophyre with Cp	<0.5	0.09	0.2	200	7	70	-	-	40
233	A17002		23.5 ~ 23.6	0.1	Ga skarn vein	0.9	0.7	2	1200	<3	150	-	-	-
234	A17003		34.0 ~ 34.7	0.7	skarnized porphric lamprophyre	0.5	0.5	2	1500	<3	200	-	-	3
235	A17004		44.3 ~ 45.2	0.9	skarnized porphric lamprophyre	0.8	0.7	2	2000	<3	150	-	<30	1.2
236	A17005		45.9 ~ 46.3	0.4	Ga skarnized rock	0.6	0.12	0.7	500	<3	-	-	-	2
237	A17006		66.4 ~ 66.8	0.4	Px-Ca skarn with Py-Mt vein	0.6	0.3	<0.1	40	3	200	200	-	2
238	A17007	MJKA-17	66.8 ~ 67.8	1.0	Ga skarn with Qz-Px-Mt	9.9	>10	0.15	90	<3	120	-	-	1.2
239	A17008		67.8 ~ 68.7	0.9	Ga skarn with Qz-Px-Mt	6.6	>10	0.15	90	<3	150	-	-	-
240	A17009		68.7 ~ 69.4	0.7	Px skarn with Qz & Px-Ga skarn	6.7	~10	0.15	150	4	400	-	-	-
241	A17010		69.4 ~ 70.4	1.0	Ga-Px-Fld skarn	0.7	0.07	-	30	5	120	-	-	3
242	A17011		70.4 ~ 71.4	1.0	Ga-Px-Fld skarn	<0.5	0.4	0.2	20	7	200	-	-	4
243	A17012		71.4 ~ 72.4	1.0	Ga-Px-Fld skarn	<0.5	0.04	-	30	3	300	-	-	2
244	A17013		72.4 ~ 73.4	1.0	Ga-Px-Fld skarn		0.07	<0.1	30	9	200	-	-	5
245	A17014		73.4 ~ 74.4	1.0	Ga-Px-Fld skarn	0.6	0.07	-	20	3	150	-	-	3

Appendix 7 Assay Result of the Dorillcore Samples

Serial no.	Sample no.	Locality		Rock name	Au(g/t)		Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)		
		Drillhole	Depth (m)		Length (m)	FA								SGM	
246	A17015		74.4 ~ 74.8	0.4	Ga-Px-Fld skarn	0.5	0.07	-	70	<3	500	-	3		
247	A17016		74.8 ~ 75.2	0.4	Ga-Px-Fld skarn	0.5	0.07	<0.1	15	<3	120	-	2		
248	A17017		75.2 ~ 76.0	0.8	Ga-Px-Fld skarn	<0.5		0.12	50	5	150	-	3		
249	A17018		76.0 ~ 77.0	1.0	Csg skarn with Ca-Qz vein	0.5	0.02	<0.1	70	9	120	-	3		
250	A17019		77.0 ~ 78.0	1.0	granodiorite porphyry	1.0	0.07	<0.1	70	20	70	300	7		
251	A17020		78.0 ~ 79.0	1.0	granodiorite porphyry	<0.5	0.12	<0.1	40	30	90	300	12		
252	A17021		79.0 ~ 80.0	1.0	granodiorite porphyry with Qz veinlets	<0.5	0.15	0.2	120	15	120	1200	7		
253	A17022		80.0 ~ 81.0	1.0	granodiorite porphyry with Qz veinlets	<0.5	0.15	0.12	70	30	200	900	7		
254	A17023		81.0 ~ 82.0	1.0	granodiorite porphyry with Qz veinlets	0.6	0.4	0.15	90	20	120	1500	7		
255	A17024		82.0 ~ 83.0	1.0	granodiorite porphyry with Asp-Qz-Prh vein	<0.5		0.12	50	30	50	150	5		
256	A17025		83.0 ~ 84.0	1.0	granodiorite porphyry with Qz veinlets	0.7	0.3	0.2	90	12	40	400	7		
257	A17026		84.0 ~ 85.1	1.1	granodiorite porphyry with Qz veinlets	<0.5	0.7	0.2	200	9	120	-	30		
258	A17027		85.1 ~ 86.0	0.9	granodiorite porphyry	<0.5	0.15	<0.1	70	15	50	400	7		
259	A17028		86.0 ~ 87.0	1.0	granodiorite porphyry	0.5	0.2	-	15	20	30	-	9		
260	A17029		87.0 ~ 88.0	1.0	granodiorite porphyry	0.7	0.5	0.12	70	15	30	700	9		
261	A17030		100.2 ~ 101.2	1.0	granodiorite porphyry with Qz-Asp vein	0.7	0.3	<0.1	15	12	30	5000	15		
262	A17031		101.2 ~ 102.2	1.0	granodiorite porphyry	0.7	0.5	<0.1	70	15	50	3000	12		
263	A17032	MJKA-17	102.2 ~ 103.2	1.0	granodiorite porphyry with Asp-(Py or Cp)	1.1	1.2	<0.1	50	15	50	4000	9		
264	A17033		131.1 ~ 131.3	0.2	granodiorite porphyry with Asp-(Py or Cp)	2.8	4	20	150	900	400	27300	30		
265	A17034		45.2 ~ 45.9	0.7	marble			<0.3	70	-	300	70	-		
266	A17035		62.4 ~ 63.4	1.0	marble with Cp			-	15	<3	-	-	1.2		
267	A17036		63.4 ~ 64.4	1.0	skarnized marble			-	30	<3	-	-	-		
268	A17037		64.4 ~ 65.4	1.0	marble			<0.3	50	4	-	-	-		
269	A17038		65.4 ~ 66.4	1.0	marble skarn veinlets			0.015	30	<3	-	-	-		
270	A17039		88.0 ~ 89.0	1.0	granoriorite porphyry	0.5	0.3	-	15	5	-	150	-		
271	A17040		89.0 ~ 90.0	1.0	granoriorite porphyry			0.09	<0.3	12	9	30	300	1.2	
272	A17041		90.0 ~ 91.0	1.0	granoriorite porphyry	<0.5	0.4	-	12	4	-	-	3		
273	A17042		99.2 ~ 100.2	1.0	granoriorite porphyry with Qz-Asp vein	0.6	0.4	<0.3	40	9	-	200	2		
274	A17043		103.2 ~ 104.2	1.0	granodiorite porphyry	0.5	1.2	-	20	7	-	500	2		
275	A17044		106.0 ~ 107.0	1.0	granodiorite porphyry & Qz-Asp (Px or Cp) vein	<0.5	0.4	<0.3	50	20	30	500	4		
276	A17045		107.0 ~ 108.0	1.0	granodiorite porphyry & Qz-Asp (Px or Cp) vein	<0.5	0.4	-	150	9	-	300	<0.3		
277	A17046		108.0 ~ 109.0	1.0	granodiorite porphyry with Asp			0.09	-	30	5	30	120	2	
278	A17047		114.0 ~ 115.0	1.0	granodiorite porphyry			0.09	<0.3	70	9	40	-	7	
279	A17048		115.0 ~ 116.0	1.0	granosiorite porphyry with Asp-Cp-Qz veinlets	<0.5	0.2	<0.3	70	12	30	150	-	5	
280	A17049		116.0 ~ 117.0	1.0	Granodiorite porphyry			0.05	<0.3	30	5	30	150	-	5

Appendix 7 Assay Result of the Drillcore Samples

Serial no.	Sample no.	Locality		Rock name	Au(g/t)	FA SGM	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)
		Depth (m)	Length (m)										
316	A18013	19.4 ~ 20.4	1.0	granodiorite with Asp-Qz vein & Asp vein	1.2	0.7	<0.3	70	30	50	900	-	5
317	A18014	20.4 ~ 21.4	1.0	granodiorite with Qz vein & Asp-Qz vein	0.6	0.5	<0.3	120	30	30	1200	-	30
318	A18015	21.4 ~ 22.4	1.0	granodiorite with Asp-Qz vein		0.15	<0.3	70	30	30	900	-	5
319	A18016	32.9 ~ 33.3	0.4	gabbro-altered with Cal vein		0.15	<0.3	70	30	50	900	-	5
320	A18017	80.0 ~ 80.7	0.7	sheared gabbro		0.2	<0.3	90	7	50	-	-	15
321	A18018	80.7 ~ 81.3	0.6	Qz veinlets		0.15	-	90	<3	150	-	30	15
322	A18019	81.3 ~ 82.2	0.9	skarn vein		0.15	-	70	<3	90	120	<30	9
323	A18020	82.2 ~ 82.8	0.6	Qz vein & skarn vein		0.04	-	90	3	90	-	-	30
324	A18021	82.8 ~ 83.8	1.0	Qz veinlets		0.012	-	70	4	90	-	-	50
325	A18022	83.8 ~ 84.8	1.0	Qz veinlets	<0.5	0.4	<0.3	90	4	120	2000	30	15
326	A18023	95.0 ~ 95.5	0.5	silicified Qz vein zone		0.3	-	90	<3	120	8100	-	20
327	A18024	97.8 ~ 98.8	1.0	skarnized-silicified gabbro & Py-Asp-Qz vein	0.5	0.09	-	30	<3	40	900	50	15
328	A18025	98.8 ~ 99.4	0.6	Qz-Px skarn & granodiorite porphyry	<0.5	0.15	<0.3	50	90	40	400	-	16
329	A18026	108.0 ~ 109.0	1.0	skarnized gabbro	<0.5	0.3	<0.3	150	15	120	-	-	90
330	A18027	109.0 ~ 110.0	1.0	skarnized gabbro & Qz-Px skarn		0.09	-	30	<3	40	400	50	15
331	A18028	110.0 ~ 111.0	1.0	Qz-Px skarn	<0.5	0.3	<0.3	150	15	120	-	-	90
332	A18029	111.1 ~ 111.9	0.8	Px skarn		0.15	<0.3	150	4	150	-	-	40
333	A18030	111.9 ~ 112.8	0.9	skarnized granodiorite	<0.5	0.4	0.5	150	12	400	-	-	15
334	A18031	112.8 ~ 113.4	0.6	Px-Qz skarn & granodiorite		0.05	<0.3	120	9	150	-	-	20
335	A18032	113.4 ~ 114.4	1.0	Qz-Px-silicified skarn		0.3	<0.3	120	20	150	300	-	20
336	A18033	114.4 ~ 115.4	1.0	skarn		0.2	<0.3	150	12	300	120	-	15
337	A18034	115.4 ~ 116.4	1.0	skarnized granodiorite		0.04	0.3	200	7	150	-	-	30
338	A18035	116.4 ~ 116.8	0.4	Px-Qz skarn & granodiorite		0.09	0.4	400	7	90	120	-	90
339	A18036	117.6 ~ 117.6	0.8	Px-Ga skarn	<0.5	0.4	0.3	200	7	300	4000	-	30
340	A18037	117.6 ~ 118.0	0.4	Px skarn	3.3	7	9	3000	4	1500	-	50	2
341	A18038	118.0 ~ 118.5	0.5	Sid skarn with Ca veinlets & Py	3.7	7	<0.3	500	<3	300	-	<30	1.2
342	A18039	119.1 ~ #####	0.2	Py zone	3.2	7	<0.3	500	<3	300	200	<30	1.2
343	A18040	123.2 ~ 123.3	0.1	Ga vein	2.0	3	<0.3	300	5	400	9000	50	1.2
344	A18041	118.5 ~ 119.1	0.6	Py zone	6.5	>10	20	500	50	300	5000	300	1.2
345	A18042	##### ~ 120.0	0.8	marble	1.3	1.2	15	2000	5	2000	-	40	-
346	A18043	120.0 ~ 121.0	1.0	marble		0.15	<0.3	90	20	50	5000	200	3
347	A18044	121.0 ~ 122.0	1.0	marble		0.2	<0.3	300	50	150	500	300	3
348	A18045	122.0 ~ 123.2	1.2	marble with Qz		0.015	<0.3	300	7	30	-	30	4
349	A18046	123.3 ~ 124.3	1.0	skarnized marble		0.012	<0.3	50	5	30	-	<30	5
350	A18047	124.3 ~ 125.0	0.7	skarnized marble		0.4	1.2	900	15	-	3000	<30	3

Appendix 7 Assay Result of the Drillcore Samples

Serial no.	Sample no.	Locality			Rock name	Au(g/t) FA SGM	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)
		Drillhole	Depth (m)	Length (m)									
281	A17050		117.0 ~ 118.0	1.0	granodiorite porphyry	<0.5	0.3	<0.3	300	30	50	-	5
282	A17051		118.0 ~ 119.0	1.0	granodiorite porphyry	<0.5	0.2	<0.3	20	7	30	-	3
283	A17052		119.0 ~ 120.0	1.0	granodiorite porphyry		0.09	<0.3	30	7	40	500	5
284	A17053		120.0 ~ 121.0	1.0	granodiorite porphyry with Asp-Cp-Qz veinlets		0.03	-	50	9	-	-	3
285	A17054		121.0 ~ 122.0	1.0	granodiorite porphyry with Asp-Qz veinlets	<0.5	0.4	<0.3	70	12	50	200	12
286	A17055		128.0 ~ 129.0	1.0	granodiorite porphyry with Po-Mt?-Qz	<0.5	0.3	<0.3	120	20	30	200	5
287	A17056		129.0 ~ 130.0	1.0	granodiorite porphyry		0.15	<0.3	50	12	30	200	5
288	A17057		130.0 ~ 131.1	1.1	granodiorite porphyry		0.07	<0.3	30	15	30	500	4
289	A17058		131.3 ~ 132.0	0.7	granodiorite porphyry		0.09	<0.3	70	15	70	3000	4
290	A17059		132.0 ~ 133.0	1.0	granodiorite porphyry with Qz-Pht Asp vein & Qz-Asp-Cp vein		0.012	-	20	12	70	200	5
291	A17060		140.0 ~ 141.0	1.0	granodiorite porphyry with Qz-Px-Cp vein		0.05	-	70	9	30	-	3
292	A17061		144.0 ~ 145.0	1.0	granodiorite porphyry with Py-Qz vein	<0.5	0.5	-	70	9	30	200	5
293	A17062		145.0 ~ 146.0	1.0	granodiorite porphyry		0.02	-	30	12	30	150	9
294	A17063		146.0 ~ 147.0	1.0	granodiorite porphyry		-	-	50	15	40	120	5
295	A17064		147.0 ~ 148.0	1.0	granodiorite porphyry with Cp-Py-Asp		0.02	-	120	15	30	150	3
296	A17065		148.0 ~ 149.0	1.0	granodiorite porphyry		0.07	-	90	15	30	120	5
297	A17066		149.0 ~ 150.0	1.0	granodiorite porphyry		0.012	<0.3	70	15	50	-	5
298	A17067		150.0 ~ 151.0	1.0	granodiorite porphyry		0.012	<0.3	50	15	40	150	2
299	A17068		151.0 ~ 152.0	1.0	granodiorite porphyry		0.03	<0.3	30	7	30	-	5
300	A17069		152.0 ~ 153.0	1.0	granodiorite porphyry with Ca vein & Py vein		0.02	-	50	5	-	200	3
301	A17070		153.0 ~ 154.0	1.0	granodiorite porphyry with Qz vein	0.6	0.4	<0.3	90	15	50	200	3
302	A17071		154.0 ~ 155.0	1.0	granodiorite porphyry with Qz vein		0.012	-	70	12	30	-	3
303	A17072		155.0 ~ 156.0	1.0	granodiorite porphyry with Qz-Py		0.012	-	30	12	70	-	9
304	A18001		8.0 ~ 9.0	1.0	granodiorite (porphyry) with Qz vein	0.5	1.5	-	400	30	40	-	12
305	A18002		9.0 ~ 10.0	1.0	granodiorite (porphyry)		0.012	<0.3	70	30	40	-	20
306	A18003		10.0 ~ 10.8	0.8	granodiorite (porphyry) with Asp-Qz vein		0.15	<0.3	50	30	70	500	3
307	A18004		10.8 ~ 11.8	1.0	sheared argillized rock	<0.5	0.4	-	50	20	50	300	20
308	A18005		11.8 ~ 12.8	1.0	Silicified granodiorite with Asp	0.7	1.2	<0.3	70	50	40	12300	40
309	A18006	MJKA-18	12.8 ~ 13.8	1.0	granodiorite (porphyry) with Lm-Qz veinlets	0.6	0.4	<0.3	50	30	60	120	5
310	A18007		13.8 ~ 14.8	1.0	granodiorite (porphyry) with Lm veinlets	<0.5	0.5	<0.3	90	30	50	400	20
311	A18008		14.8 ~ 15.5	0.7	granodiorite (porphyry) with Asp-Qz-silicified		0.07	<0.3	70	20	50	300	15
312	A18009		15.5 ~ 16.4	0.9	granodiorite (porphyry) with Lm		0.07	<0.3	90	15	40	3000	15
313	A18010		16.4 ~ 17.4	1.0	Silicified granodiorite	<0.5	0.3	0.4	200	20	30	400	15
314	A18011		17.4 ~ 18.4	1.0	granodiorite with Mo-Asp-Qz vein		0.12	<0.3	120	30	40	300	12
315	A18012		18.4 ~ 19.4	1.0	granodiorite Asp-Qz vein		0.12	<0.3	70	30	40	150	5

Appendix 7 Assay Result of the Dorillcore Samples

Serial no.	Sample no.	Locality			Rock name	Au(g/t)		Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)
		Drillhole	Depth (m)	Length (m)		FA	SGM							
351	A18048		7.0 ~ 8.0	1.0	granodiorite (porphyry) with Asp-Qz vein	<0.5	0.2	<0.3	50	9	70	300	-	2
352	A18049		24.0 ~ 25.0	1.0	Qz-silicified vein & Asp vein		0.04	<0.3	70	9	120	-	-	12
353	A18050		25.0 ~ 26.0	1.0	granodiorite with Qz-silicified vein & Asp vein	<0.5	0.3	<0.3	50	7	40	120	-	5
354	A18051		26.0 ~ 27.0	1.0	granodiorite with Asp-Qz vein	0.5	0.2	<0.3	90	15	-	-	-	12
355	A18052		27.0 ~ 28.0	1.0	granodiorite with Mo		0.12	<0.3	70	20	30	-	-	5
356	A18053		28.0 ~ 29.0	1.0	granodiorite-gabbro		0.15	<0.3	90	20	40	400	-	12
357	A18054		29.0 ~ 30.0	1.0	marble		0.07	<0.3	70	12	30	200	-	1.5
358	A18055		32.0 ~ 32.9	0.9	Qz-Ca-Asp-silicified zone & Cal-(Qz) vein	0.5	0.3	-	30	5	90	500	-	2
359	A18056		38.0 ~ 39.0	1.0	granodiorite with Asp-Qz	<0.5	0.4	<0.3	30	3	30	-	-	2
360	A18057		69.5 ~ 70.5	1.0	granodiorite & Qz-Asp vein	1.3	1.2	<0.3	40	12	30	4000	-	7
361	A18058		76.0 ~ 77.0	1.0	granodiorite with Asp vein & Qz veinlets	<0.5	0.2	<0.3	20	12	50	120	-	7
362	A18059		84.8 ~ 85.8	1.0	skarn vein & Asp-Qz vein	0.5	0.2	<0.3	120	7	120	500	-	15
363	A18060		85.8 ~ 86.6	0.8	skarn veinlets		0.15	-	15	3	70	-	-	5
364	A18061		86.6 ~ 87.3	0.7	skarnized gabbro with Asp-Qz vein	0.5	0.2	<0.3	90	9	120	500	-	12
365	A18062		87.3 ~ 88.3	1.0	skarnized gabbro with Asp-Qz vein		0.12	<0.3	120	20	90	150	-	9
366	A18063		88.3 ~ 89.3	1.0	skarnized gabbro with Asp-Qz vein & granodiorite vein		0.15	<0.3	70	15	90	-	-	12
367	A18064		89.3 ~ 90.3	1.0	skarnized gabbro with Asp-Qz vein & silicified or granodiorite vein		0.12	<0.3	15	3	50	120	-	3
368	A18065	MJKA-18	90.3 ~ 91.3	1.0	skarnized gabbro	0.7	0.4	<0.3	150	30	90	700	-	9
369	A18066		91.3 ~ 92.3	1.0	skarnized gabbro & skarn vein		0.07	<0.3	50	3	70	-	-	3
370	A18067		92.3 ~ 93.3	1.0	skarnized gabbro	<0.5	0.4	<0.3	30	<3	70	-	-	3
371	A18068		93.3 ~ 94.3	1.0	skarnized gabbro with Qz-Px vein & granodiorite porphyry	0.6	0.3	<0.3	50	5	50	-	-	5
372	A18069		94.3 ~ 95.0	0.7	silicified gabbro with Asp-Qz vein		0.02	-	30	4	50	-	-	3
373	A18070		95.5 ~ 96.5	1.0	skarnized gabbro	0.6	0.4	<0.3	50	15	40	-	-	4
374	A18071		96.5 ~ 97.8	1.3	skarnized gabbro with Qz vein		0.03	<0.3	50	12	90	-	-	7
375	A18072		99.4 ~ 100.4	1.0	granodiorite porphyry	1.1	0.5	<0.3	30	7	90	-	-	4
376	A18073		100.4 ~ 101.4	1.0	granodiorite porphyry	0.6	0.4	<0.3	70	15	30	-	2030	4
377	A18074		101.4 ~ 102.4	1.0	skarnized gabbro		0.05	-	50	4	50	-	-	3
378	A18075		102.4 ~ 103.4	1.0	skarnized gabbro		0.12	<0.3	50	4	50	-	-	5
379	A18076		103.4 ~ 104.4	1.0	skarnized gabbro		0.04	<0.3	70	5	40	-	-	4
380	A18077		104.4 ~ 105.4	1.0	skarnized gabbro & granodiorite vein		0.04	<0.3	150	12	90	-	-	9
381	A18078		105.4 ~ 106.4	1.0	skarnized gabbro		0.07	<0.3	120	5	70	120	-	12
382	A18079		106.4 ~ 107.4	1.0	skarnized gabbro		0.03	<0.3	400	30	50	-	-	9
383	A18080		107.4 ~ 108.0	0.6	skarnized gabbro with Qz-Ca veinlets		0.15	<0.3	60	5	70	-	-	7
384	A18081		125.0 ~ 126.0	1.0	skarnized marble		0.012	-	60	7	-	-	-	2
385	A18082		126.0 ~ 127.0	1.0	skarnized marble		-	-	12	3	-	-	-	-

Appendix 7 Assay Result of the Dorillcore Samples

Serial no.	Sample no.	Locality			Rock name	Au(g/t)		Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Sb (ppm)	Mo (ppm)
		Drillhole	Depth (m)	Length (m)		FA	SGM							
386	A18083		127.0 ~ 128.0	1.0	skarnized marble				20	<3				1.2
387	A18084	MJKA-18	128.0 ~ 129.0	1.0	Ga vein				20	<3				1.2
388	A18085		129.0 ~ 130.4	1.4	marble				<10					-