





A-2-16 : PLAN AND PROFILE
 STA.8+400 - STA.9+600



SCALE : 1 : 2000


A-2-17 : PLAN AND PROFILE
 STA.9+600 - STA.10+200




GRADE																																
PROPOSED HEIGHT	800.01	801.39	802.77	804.15	805.43	806.37	806.97	807.47	807.97	808.47	808.97	809.47	809.97	810.47	810.97	811.47	811.97	812.62	813.77	815.42	817.22	819.00	820.44	821.40	822.02	822.65	823.51	824.62	825.86	827.10	828.34	
GROUND HEIGHT	798.31	799.39	800.71	802.63	804.12	804.67	805.96	804.50	807.81	814.82	809.84	808.01	814.59	810.37	812.19	812.11	810.35	810.34	810.57	819.84	816.44	819.82	823.68	816.37	820.26	818.96	827.96	830.37	830.17	827.96	827.11	
STATION	+600	+620	+640	+660	+680	+700	+720	+740	+760	+780	+800	+820	+840	+860	+880	+900	+920	+940	+960	+980	STA.10	+920	+940	+960	+980	+100	+120	+140	+160	+180	+200	
CURVE ELEMENT	R=30.00		L=31.44		R=30.00		L=28.69		R=15.00		R=15.00		R=40.00		R=30.00		R=20.00		L=34.26		R=60.00		R=15.00		R=15.00		R=30.00		L=59.14		R=40.00	
SUPER ELEVATION	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	

Left
Right


A-2-18 : PLAN AND PROFILE
 STA.10+200 - STA.11+400



GRADE																																
PROPOSED HEIGHT	865.58	866.18	866.79	867.38	868.59	869.77	870.95	872.12	873.08	873.76	874.23	874.69	875.15	875.61	876.07	876.53	876.99	877.45	877.91	878.38	878.87	879.16	880.43	882.10	883.80	885.50	887.20	888.81	890.21	891.41	892.57	893.73
GROUND HEIGHT	861.75	859.98	859.03	874.12	870.47	870.95	870.61	871.01	868.32	877.26	877.03	877.46	876.33	878.42	878.05	877.83	876.93	878.27	881.88	880.53	879.34	881.33	882.42	885.83	888.22	889.22	889.53	890.23	892.63	890.94	894.24	
STATION	+800	+820	+840	+860	+880	+900	+920	+940	+960	+980	STATION	+020	+040	+060	+080	+100	+120	+140	+160	+180	+200	+220	+240	+260	+280	+300	+320	+340	+360	+380	+400	
CURVE ELEMENT	R=15.00		R=15.00		R=40.00			R=30.00		L=97.44				R=70.00		R=22.00		R=22.00		L=70.66			R=200.00		L=43.70		R=30.00					
SUPER ELEVATION	6.00%		6.00%		1.00%		0.00%																									






GRADE																																
PROPOSED HEIGHT	868.34	869.38	870.82	872.06	873.30	874.54	875.78	877.02	878.23	879.13	879.26	840.11	840.87	841.63	842.62	844.03	845.79	847.59	849.39	851.19	852.99	854.79	856.59	858.35	860.19	861.95	863.79	865.59	867.39	869.19	864.95	865.38
GROUND HEIGHT	827.11	827.12	830.03	831.82	832.54	834.03	835.78	838.12	838.07	838.59	842.93	843.58	842.11	847.84	841.83	842.78	846.17	850.38	850.61	852.43	856.04	855.43	860.59	861.71	860.25	858.15	863.06	862.52	861.06	860.92	861.75	
STATION	+200	+220	+240	+260	+280	+300	+320	+340	+360	+380	+400	+420	+440	+460	+480	+500	+520	+540	+560	+580	+600	+620	+640	+660	+680	+700	+720	+740	+760	+780	+800	
CURVE ELEMENT	R=40.00		L=35.09			R=80.00		R=30.00		L=18.91		R=20.00		L=43.97		R=60.00		R=30.00		L=20.44		R=50.00		L=35.28		R=30.00		R=20.00		R=30.00		R=15.00
SUPER ELEVATION	4.00%																						4.00%		6.00%		6.00%					




SCALE : 1 : 2000

A-2-20 : PLAN AND PROFILE
 STA.11+400 - STA.12+000




GRADE	+5.80% 171.00m		899.41		+7.40% 92.00m		906.22		+3.40% 70.00m		908.60		+6.00% 260.00m		924.20		+0.80% 99.00m															
PROPOSED HEIGHT	894.24	894.69	896.05	897.21	898.38	899.64	901.04	902.52	904.00	905.39	906.47	907.24	907.93	908.76	909.81	911.00	912.20	913.40	914.60	915.80	917.00	918.20	919.40	920.60	921.80	922.96	923.81	924.32	924.32	924.68	924.93	
GROUND HEIGHT	894.24	895.59	897.50	900.46	898.54	902.68	905.32	902.24	903.89	907.56	905.22	908.35	910.05	915.38	912.35	908.60	913.99	914.87	917.35	917.18	921.11	917.71	921.35	922.62	920.21	924.49	921.76	923.89	927.90	924.57	926.16	
STATION	+400	+420	+440	+460	+480	+500	+520	+540	+560	+580	+600	+620	+640	+660	+680	+700	+720	+740	+760	+780	+800	+820	+840	+860	+880	+900	+920	+940	+960	+980	STA.12	
CURVE ELEMENT	R=50.00		L=23.85		R=30.00		L=32.30		R=15.00		R=15.00		R=30.00		L=22.95		L=22.96		R=30.00		R=30.00		L=32.61		R=55.00		L=18.51		R=30.00			
SUPER ELEVATION	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		Left	Right

A-2-21 : PLAN AND PROFILE
 STA.12+000 - STA.13+200




GRADE	+1.60% 387.00m															+7.00% 315.00m															+3.00% 77.00m															+6.50% 106.00m														
PROPOSED HEIGHT	947.35	947.87	948.19	948.51	948.83	949.17	949.77	950.68	951.89	953.29	954.89	956.09	957.49	958.89	960.29	961.69	963.09	964.49	965.89	967.29	968.69	970.04	971.18	972.09	972.77	973.43	974.29	975.35	976.60	977.90	979.25																													
GROUND HEIGHT	943.05	943.00	948.16	945.78	945.96	946.52	946.89	949.52	955.74	957.33	955.07	953.36	954.09	952.97	950.85	942.86	957.98	962.16	963.57	967.78	968.35	971.10	969.59	965.04	970.60	981.03	981.53	980.22	980.27	979.25	979.92																													
STATION	+600	+620	+640	+660	+680	+700	+720	+740	+760	+780	+800	+820	+840	+860	+880	+900	+920	+940	+960	+980	STA.13	+020	+040	+060	+080	+100	+120	+140	+160	+180	+200																													
CURVE ELEMENT	L=34.65			R=30.00			R=15.00			R=15.00			R=50.00			L=24.15			R=80.00			L=73.92			R=20.00			L=34.29			R=45.00			R=15.00			R=15.00			R=35.00			R=80.00																	
SUPER ELEVATION	Left															Right																																												




GRADE	+7.00% 39.00m															+5.73% 321.00m															+1.60% 387.00m														
PROPOSED HEIGHT	924.93	925.46	926.27	927.34	928.49	929.64	930.78	931.93	933.07	934.22	935.37	936.51	937.66	938.80	939.95	941.09	941.96	942.77	943.43	943.96	944.35	944.67	944.99	945.31	945.63	945.95	946.27	946.59	946.91	947.23	947.55														
GROUND HEIGHT	926.16	925.07	924.95	926.75	928.89	926.31	927.08	925.67	926.62	922.90	933.99	935.92	939.97	941.83	940.29	941.40	940.86	938.66	939.19	943.95	948.38	947.53	944.96	943.71	942.63	943.92	946.75	939.41	928.03	941.17	943.05														
STATION	STA.12	+020	+040	+060	+080	+100	+120	+140	+160	+180	+200	+220	+240	+260	+280	+300	+320	+340	+360	+380	+400	+420	+440	+460	+480	+500	+520	+540	+560	+580	+600														
CURVE ELEMENT	R=30.00			R=50.00			L=25.07			R=20.00			L=26.45			R=60.00			R=80.00			R=15.00			R=80.00			R=60.00			R=20.00			L=34.65											
SUPER ELEVATION	Left															Right																													

A-2-22 : PLAN AND PROFILE
 STA.13+200 - STA.14+400




GRADE																															
PROPOSED HEIGHT	1020.38	1021.64	1022.90	1024.16	1025.42	1026.68	1027.96	1028.95	1029.96	1030.90	1031.84	1032.78	1033.72	1034.63	1035.43	1036.12	1036.72	1037.32	1038.08	1039.06	1040.27	1041.55	1042.83	1044.11	1045.39	1046.67	1047.95	1049.23	1050.51	1051.79	1053.07
GROUND HEIGHT	1015.18	1019.76	1019.06	1023.05	1023.14	1031.86	1031.13	1031.38	1027.13	1029.80	1036.91	1035.60	1031.87	1032.64	1034.45	1034.55	1033.93	1041.87	1043.23	1040.96	1041.29	1045.73	1044.73	1045.99	1053.97	1050.30	1052.36	1049.96	1052.89	1051.84	1054.43
STATION	+800	+820	+840	+860	+880	+900	+920	+940	+960	+980	+1000	+1020	+1040	+1060	+1080	+1100	+1120	+1140	+1160	+1180	+1200	+1220	+1240	+1260	+1280	+1300	+1320	+1340	+1360	+1380	+1400
CURVE ELEMENT																															
SUPER ELEVATION																															




GRADE																																
PROPOSED HEIGHT	979.20	980.77	982.47	984.34	986.33	988.33	990.29	992.14	993.88	995.50	997.04	998.58	1000.12	1001.53	1002.70	1003.64	1004.35	1004.96	1005.71	1006.66	1007.78	1009.04	1010.30	1011.56	1012.82	1014.08	1015.34	1016.60	1017.86	1019.12	1020.38	
GROUND HEIGHT	979.92	985.06	981.73	982.82	981.94	978.77	986.39	986.47	983.46	992.34	981.74	986.36	1001.78	1000.29	1001.53	999.78	1003.90	1005.98	1006.27	1011.19	1014.04	1013.15	1008.08	1009.04	1012.46	1010.30	1013.82	1012.46	1018.53	1017.86	1016.75	1015.18
STATION	+200	+220	+240	+260	+280	+300	+320	+340	+360	+380	+400	+420	+440	+460	+480	+500	+520	+540	+560	+580	+600	+620	+640	+660	+680	+700	+720	+740	+760	+780	+800	
CURVE ELEMENT																																
SUPER ELEVATION																																

A-2-23 : PLAN AND PROFILE
 STA.12+000 - STA.14+400




SCALE : 1 : 2000

A-2-24 : PLAN AND PROFILE
 STA.14+400 - STA.15+600




GRADE	+4.00% 75.00m		1092.22		+7.00% 219.00m		107.53		+3.50% 102.00m		111.12		+8.60% 189.00m		1127.37		+4.00% 70.00m														
PROPOSED HEIGHT	1090.86	1091.70	1092.75	1094.04	1095.44	1096.84	1098.24	1099.64	1101.04	1102.44	1103.84	1105.24	1106.52	1107.59	1108.47	1109.19	1109.90	1110.79	1111.94	1113.34	1114.99	1116.71	1118.43	1120.15	1121.87	1123.59	1125.30	1126.77	1127.93	1128.81	1129.64
GROUND HEIGHT	1082.98	1092.51	1102.38	1093.80	1093.97	1095.75	1095.14	1099.05	1099.26	1102.13	1104.00	1104.59	1104.17	1105.53	1103.92	1105.82	1112.33	1119.97	1116.85	1115.16	1114.67	1116.76	1116.84	1117.76	1121.61	1119.16	1121.38	1122.27	1124.20	1125.23	1126.13
STATION	STA.15	+020	+040	+060	+080	+100	+120	+140	+160	+180	+200	+220	+240	+260	+280	+300	+320	+340	+360	+380	+400	+420	+440	+460	+480	+500	+520	+540	+560	+580	+600
CURVE ELEMENT	R=15.00		R=30.00		R=50.00		R=100.00		L=24.56		R=40.00		L=18.18		R=50.00		R=80.00		L=104.93		R=40.00		L=25.53		R=15.00		R=15.00				
SUPER ELEVATION	6.0%		5.0%		4.0%		3.0%		2.0%		1.0%		0.0%		1.0%		2.0%		3.0%		4.0%		5.0%		6.0%		6.0%		6.0%		



GRADE	+6.40% 313.00m		1058.13		+4.00% 70.00m		1060.93		+6.90% 410.00m		1089.22		+4.00% 75.00m																			
PROPOSED HEIGHT	1053.07	1054.35	1055.63	1056.89	1058.00	1058.95	1059.77	1060.68	1061.78	1063.07	1064.45	1065.83	1067.21	1068.59	1069.97	1071.35	1072.73	1074.11	1075.49	1076.87	1078.25	1079.63	1081.01	1082.39	1083.77	1085.15	1086.53	1087.90	1089.09	1090.06	1090.86	
GROUND HEIGHT	1054.43	1054.70	1055.19	1055.78	1055.77	1054.55	1063.12	1071.12	1064.25	1065.33	1061.90	1065.83	1067.83	1067.21	1068.59	1069.97	1072.63	1073.47	1078.96	1074.68	1073.43	1077.43	1078.30	1077.82	1079.85	1081.34	1081.95	1084.08	1083.12	1085.04	1085.52	1082.98
STATION	+400	+420	+440	+460	+480	+500	+520	+540	+560	+580	+600	+620	+640	+660	+680	+700	+720	+740	+760	+780	+800	+820	+840	+860	+880	+900	+920	+940	+960	+980	STA.15	
CURVE ELEMENT	R=40.00		R=30.00		L=40.62		R=15.00		R=15.00		R=100.00		L=32.72		R=30.00		L=27.30		R=100.00		R=45.00		R=70.00		L=18.22		R=40.00		R=15.00		R=15.00	
SUPER ELEVATION	4.0%		3.0%		2.0%		1.0%		0.0%		1.0%		2.0%		3.0%		4.0%		5.0%		6.0%		7.0%		8.0%		9.0%		10.0%		11.0%	



A-2-25 : PLAN AND PROFILE
 STA.14+400 - STA.15+600



SCALE : 1 : 2000




N 3016600
 E 395000

A-2-27 : PLAN AND PROFILE
 STA.16+200 -- STA.16+800




GRADE																																		
PROPOSED HEIGHT	1169.47	1171.83	1172.59	1174.15	1175.71	1177.27	1178.81	1180.31	1181.77	1183.19	1184.59	1185.99	1187.39	1188.79	1190.19	1191.59	1192.99	1194.39	1195.79	1197.19	1198.59	1199.96	1201.29	1202.56	1203.79	1204.99	1206.19	1207.39	1208.59	1209.79	1210.99			
GROUND HEIGHT	1165.17	1171.87	1175.70	1176.85	1177.78	1176.70	1178.51	1183.62	1183.01	1182.36	1183.58	1187.66	1187.92	1188.91	1191.29	1196.14	1194.27	1192.25	1194.39	1193.92	1192.84	1193.22	1197.58	1199.52	1202.19	1202.50	1206.11	1211.05	1211.71	1217.32	1208.21			
STATION	+200	+220	+240	+260	+280	+300	+320	+340	+360	+380	+400	+420	+440	+460	+480	+500	+520	+540	+560	+580	+600	+620	+640	+660	+680	+700	+720	+740	+760	+780	+800			
CURVE ELEMENT	R=30.00		L=28.56		R=120.00						L=31.50		R=120.00						L=21.37		R=300.00		L=50.95		R=25.00		L=23.70		R=30.00					
SUPER ELEVATION	4.0%																-0.0%																Left	Right

A-2-28 : PLAN AND PROFILE
 STA.16+800 - STA.17+400




GRADE																																
PROPOSED HEIGHT	1210.99	1212.19	1213.39	1214.34	1214.68	1214.40	1213.51	1212.25	1210.99	1209.73	1208.46	1207.27	1206.10	1204.97	1203.87	1202.77	1201.67	1200.57	1199.40	1198.09	1196.63	1195.05	1193.45	1191.85	1190.25	1188.65	1187.40	1186.85	1185.95	1184.40	1187.85	1189.40
GROUND HEIGHT	1208.21	1212.21	1213.82	1215.60	1217.64	1215.08	1213.50	1213.40	1213.44	1209.87	1210.47	1208.81	1207.28	1204.76	1200.16	1202.58	1201.80	1202.85	1196.79	1195.39	1196.69	1197.23	1192.90	1191.10	1190.64	1188.82	1186.78	1187.83	1184.40	1187.45	1187.30	1189.40
STATION	+800	+820	+840	+850	+880	+900	+920	+940	+960	+980	STA17	+020	+040	+060	+080	+100	+120	+140	+160	+180	+200	+220	+240	+260	+280	+300	+320	+340	+360	+380	+400	
CURVE ELEMENT	R=30.00		L=32.33		R=80.00		L=30.18		R=80.00			R=40.00		R=50.00			L=18.03		R=35.00		L=98.56		R=60.00		L=31.24		R=50.00					
SUPER ELEVATION	Left																	Right														

A-2-29 : PLAN AND PROFILE
 STA.17+400 - STA.18+600




GRADE	+4.50% 377.00m															+7.90% 753.00m																										
PROPOSED HEIGHT	1228.50	1229.40	1230.30	1231.20	1232.10	1233.00	1233.90	1234.80	1235.70	1236.60	1237.54	1238.48	1241.02	1242.41	1243.91	1245.49	1247.07	1248.65	1250.23	1251.81	1253.39	1254.97	1256.55	1258.13	1259.71	1261.29	1262.87	1264.45	1266.03	1267.61												
GROUND HEIGHT	1225.82	1226.39	1226.18	1228.48	1231.75	1233.60	1234.28	1236.77	1233.87	1228.75	1232.69	1236.58	1232.13	1246.66	1246.59	1246.98	1247.45	1246.33	1249.24	1249.02	1251.86	1253.98	1255.05	1255.25	1253.91	1259.81	1258.79	1260.21	1263.55	1263.29	1266.06											
STATION	STA.18	+020	+040	+060	+080	+100	+120	+140	+160	+180	+200	+220	+240	+260	+280	+300	+320	+340	+360	+380	+400	+420	+440	+460	+480	+500	+520	+540	+560	+580	+600											
CURVE ELEMENT	L=89.75		R=40.00		L=22.61		R=80.00		R=30.00		R=30.00		R=30.00		R=30.00		L=39.23		R=30.00		L=48.94		R=60.00		L=26.61		R=40.00		L=19.25		R=60.00											
SUPER ELEVATION	4.00%																	6.00%		6.00%		6.00%		1.00%		0.00%																
	Left																	Right																								



GRADE	+9.50% 200.00m															+7.10% 216.00m															+3.50% 101.00m															+4.50% 377.00m														
PROPOSED HEIGHT	1189.40	1191.30	1193.20	1195.10	1197.00	1198.90	1200.80	1202.59	1204.25	1205.78	1207.20	1208.62	1210.04	1211.46	1212.88	1214.30	1215.72	1217.14	1218.43	1219.43	1220.17	1220.87	1221.57	1222.30	1223.11	1224.00	1224.90	1225.80	1226.70	1227.60	1228.50																													
GROUND HEIGHT	1187.30	1190.18	1192.58	1195.97	1200.94	1198.12	1198.36	1200.67	1202.91	1202.62	1206.29	1206.27	1206.29	1211.65	1212.06	1216.92	1213.87	1218.04	1218.27	1218.43	1215.48	1215.27	1220.17	1218.94	1220.87	1221.57	1224.07	1228.67	1229.05	1228.33	1227.39	1225.52	1224.65	1223.82																										
STATION	+400	+420	+440	+460	+480	+500	+520	+540	+560	+580	+600	+620	+640	+660	+680	+700	+720	+740	+760	+780	+800	+820	+840	+860	+880	+900	+920	+940	+960	+980	STA.18																													
CURVE ELEMENT	R=60.00		L=31.41		R=55.00		R=200.00		L=19.72		R=80.00		L=46.22		R=20.00		R=30.00		R=30.00		L=21.86		R=50.00		R=15.00		R=15.00		L=24.86		L=69.75																													
SUPER ELEVATION	4.00%																	6.00%		6.00%		6.00%		1.00%		3.00%		0.00%																																
	Left																	Right																																										

A-2-30 : PLAN AND PROFILE
STA.17+400 - STA.18+600



SCALE : 1 : 2000

A-2-31 : PLAN AND PROFILE
 STA.18+600 - STA.19+200



N 3017500
E 396500

N 3017600
E 396600




N 3017700
E 396800

N 3017400
E 396500

N 3017600
E 396700


N 3017400
E 396700

N 3017500
E 396900




GRADE																																									
PROPOSED HEIGHT	1267.61	1269.19	1270.77	1272.35	1273.93	1275.51	1277.09	1278.67	1280.25	1281.83	1283.41	1284.99	1286.57	1288.15	1289.73	1291.31	1292.89	1294.47	1296.05	1297.63	1299.21	1299.79	1299.37	1298.95	1298.53	1298.11	1297.69	1297.27	1296.85	1296.43	1296.01	1295.59	1295.17	1294.75	1294.33	1293.91	1293.49	1293.07	1292.65	1292.23	1291.81
GROUND HEIGHT	1266.06	1268.61	1272.74	1268.42	1270.80	1274.19	1275.01	1276.88	1280.19	1279.36	1281.97	1284.87	1284.26	1286.57	1291.25	1288.15	1291.31	1292.46	1294.47	1296.06	1296.62	1297.23	1297.55	1297.64	1297.26	1297.71	1294.93	1294.41	1294.41	1294.41	1294.51	1294.95	1294.17	1294.44	1293.23	1290.72	1294.01	1292.26	1291.81		
STATION	+600	+620	+640	+660	+680	+700	+720	+740	+760	+780	+800	+820	+840	+860	+880	+900	+920	+940	+960	+980	STA.19	+020	+040	+060	+080	+100	+120	+140	+160	+180	+200										
CURVE ELEMENT	R=60.00		L=48.62		R=30.00		L=21.28		R=70.00			R=30.00		R=30.00		R=30.00		R=30.00		R=30.00		R=30.00		L=18.57		R=30.00		R=30.00		L=41.63		R=85.00									
SUPER ELEVATION																																									

A- 2-32 : PLAN AND PROFILE
 STA.19+200 - STA.20+400



GRADE																															
PROPOSED HEIGHT	1319.99	1321.07	1321.91	1322.71	1323.52	1324.39	1325.02	1327.71	1329.41	1331.11	1332.81	1334.51	1337.60	1339.91	1339.61	1341.31	1344.71	1346.41	1348.11	1349.81	1351.51	1353.21	1354.91	1356.61	1358.31	1360.01	1361.71	1363.32	1364.28	1364.50	
GROUND HEIGHT	1319.72	1318.10	1318.86	1319.35	1321.57	1323.28	1325.14	1328.94	1328.72	1326.97	1332.37	1332.36	1337.60	1336.99	1336.11	1342.44	1343.90	1348.29	1344.56	1353.76	1348.98	1351.65	1353.84	1356.84	1358.98	1359.55	1360.72	1363.11	1362.46	1367.36	
STATION	+800	+820	+840	+860	+880	+900	+920	+940	+960	+980	STA.20	+020	+040	+060	+080	+100	+120	+140	+160	+180	+200	+220	+240	+260	+280	+300	+320	+340	+360	+380	+400
CURVE ELEMENT	R=150.00		R=30.00		R=20.00		L=53.01		R=50.00		R=30.00		L=27.15		R=30.00		R=30.00		R=20.00		R=20.00		R=40.00		R=30.00		R=45.00		R=30.00		
SUPER ELEVATION	4.00%																														



GRADE																																				
PROPOSED HEIGHT	1291.81	1291.41	1291.01	1290.61	1290.21	1289.81	1289.41	1289.01	1288.61	1288.20	1287.81	1288.64	1289.70	1291.41	1293.21	1295.01	1296.81	1298.61	1300.41	1302.21	1304.01	1305.79	1307.60	1307.91	1308.72	1309.82	1311.32	1313.11	1314.91	1316.71	1318.47	1319.93				
GROUND HEIGHT	1292.91	1290.00	1289.20	1291.01	1288.14	1290.26	1289.81	1289.19	1286.72	1286.35	1288.17	1288.30	1285.15	1288.64	1289.07	1288.67	1293.26	1292.33	1295.65	1296.81	1295.26	1298.64	1298.43	1302.21	1301.98	1303.23	1303.21	1302.79	1305.86	1309.45	1311.08	1312.78	1313.93	1317.16	1317.82	1319.72
STATION	+200	+220	+240	+260	+280	+300	+320	+340	+360	+380	+400	+420	+440	+460	+480	+500	+520	+540	+560	+580	+600	+620	+640	+660	+680	+700	+720	+740	+760	+780	+800					
CURVE ELEMENT	R=85.00		R=70.00		R=80.00		L=38.79		R=60.00		L=30.68		R=30.00		L=18.18		L=90.76		R=40.00		R=20.00		R=15.00		R=15.00		R=30.00		L=23.20		R=40.00		L=32.49		R=150.00	
SUPER ELEVATION	4.00%																																			