Annex A

## NEDA Board Resolution No. 5 (series of 1998)

# APPROVING THE IRR ONTHE DELINEATION OF RESPONSIBILITIES IN THE DEVELOPMENT AND IMPLENTATION OF WATER SUPPLY PROJECTS

On motion duly seconded,

BE IT RESOLVED, as it is hereby resolved, to approve as it is hereby approved, the Implementing Rules and Regulations (IRR) on the Delineation of Responsibilities in the Development and Implementation of Water Supply Projects.

UNANIMOUSLY APPROVED, 17 March 1998.

#### NEDA Board Resolution No. 4 (series of 1994)

# APPROVING THE RECOMMENDATION OF THE INFRASTRUCTURE COMMITTEE (INFRACOM) ON THE REFORMS IN THE WATER SUPPLY SECTOR

On motion duly seconded,

BE ITS RESOLVED, as it is hereby resolved, to approve and confirm, as the same is hereby approved and confirmed the following recommendations of the INFRACOM:

- a. Registration with the National Water Resources board (NWRB) of all drilling and the extraction of water therefrom, irrespective of the use of extracted water and ownership of the land where the well is to be drilled. Amendment to Article 6 of the Water Code (PD No. 1067) shall be initiate by NWRB to this effect. Subsequently, NWRB shall formulate rules and regulations for the effective enforcement of this requirements within sixty (60) days after approval of the proposed amendment.
- b. Strengthening of the NWRB staff in order to effectively cope with the planning, monitoring and implementation activities of the water resources sector. NWRB shall submit an action plan to this effect to INFRACOM for review and endorsement to the President of the NEDA Board.
- c. Reorientation of the Local Water Utilities Administration (LWUA) to its original corporate mission as a "specialized lending institution" financing only viable water supply projects with tariff levels formulated towards full cost recovery. LWUA shall therefore upgrade its banking and finance expertise and immediately complete its financial restructuring. Further, it should radically improve its collection efficiency as well as its database and accounting systems.
- d. Privatization of all existing Water Districts (WDs) should be vigorously pursued whenever feasible and large commercially viable water services areas like Metro Manila, Cebu, Zamboanga, Davao should be formed or converted into SEC-style private water corporations, independent of LWUA and other government funding institutions by subject to regulation by NWRB.

- e. Procurement needs of WDs should bed provided based on a competitive basis and not centrally imposed.
- f. LWUA shall submit an action plan to INFRACOM to effect the recommended reforms for review and endorsement.
- g. With respect to the delineation of responsibilities in the sector, NEDA Board Resolution No. 5 (series of 1998) is proposed to be amended to allow local government units (LGUs) to implement all levels of water supply projects consistent with government's decentralization and devolution process, mandating LWUA to implement only financially viable projects and further defining the roles of the agencies in the sector. The proposed amendment is as follows:

"Level I (point source system), Level II (communal faucet) and Level III (house connections?) water supply projects may be implemented by the concerned LGUs within their jurisdiction. LWUA shall implement only financially viable Level III water supply projects in areas outside the MWSS jurisdiction. DILG's participation will consist of general administration and institution building, such as assistance to the LGUs in the formation of Rural and/or Barangay Waterworks and Sanitation Associations (RWSAs/BWSAs) as well as in the identification of water supply systems. MWSS will be responsible for Level II water systems in Metro Manila and adjacent areas. DPWH, together with DILG and DOH, will provide technical assistance (within a period of about 2 years) to LGUs in the planning, implementation and operation and maintenance of water supply facilities".

UNANIMOUSLY APPROVED, 15 March 1994.

•

#### NEDA Board Resolution No. 6 (series of 1996)

# APPROVING THE RECOMMENDATIONS OF THE INFRASTRUCTURE COMMITTEE (INFRACOM) ON THE EXECUTING AGENCY ARRANGEMENT FOR THE DEVOLVED INFRASTRUCTURE ACTIVITIES/FACILITIES

On motion duly seconded,

BE IT RESOLVED as it is hereby resolved, to approve and confirm as the same is hereby approved and confirmed, the following recommendations of INFRACOM on national government (NG) assistance to Local Government Units (LGUs) in the implementation of devolved infrastructure activities/facilities under the Local Government Code in support of national priority programs in order to ensure efficiency, effectivity and more focused implementation consistent with the Government's decentralization and devolution objectives:

- a. DILG, which has administrative supervision over LGUs, shall be the lead national government agency (NGA) to oversee/administer NG assistance to LGUs in the implementation of devolved infrastructure programs/projects with the collaboration/participation of other concerned agencies. The identification and formulation of infrastructure programs/projects devolved to LGUs proposed for NG assistance shall therefore be coordinated with DILG to rationalize their development;
- b. The implementation of identified devolved infrastructure programs/projects shall be undertaken by the LGUs with DILG providing assistance in institution, capacity and capability building of the LGUs and with DPWH and other technical agencies providing and transferring technical expertise to the LGUs as necessary. The levels of capacities and capabilities of LGUs shall be determined by the DILG in coordination and collaboration with DPWH and other concerned agencies to determine, among others, the extent of support and assistance that these national agencies should provide in order to effect the successful implementation of devolved NG-assisted infrastructure programs/projects:
- DILG, as the lead agency, shall include in its annual budget the financial requirements necessary
  for the implementation of the identified and approved devolved infrastructure programs/projects.

This shall be without prejudice to any future funds arrangement that the national government may adopt with regard to NG assistance to LGUs for devolved projects particularly funds source from foreign loans and grants;

- d. For on-going and already committed devolved infrastructure programs/projects with NG assistance, the same shall be implemented with the previously identified NGA as lead in order not to disrupt is prosecution. However, there shall be phasing in at DILG and LGUs in the implementation arrangements for these devolved infrastructure projects in accordance with the provisions of this Resolution for purposes of policy and operational consistency and thus, effect a smooth transition;
- e. To efficiency and effectively implement the provisions of this Resolution, the INFRACOM shall formulate and periodically review the guidelines, rules and regulations that will already define the specific roles of the various concerned agencies in the implementation of NG assistance to LGUs for devolved infrastructure activities/utilities as well as the appropriate implementing mechanisms. In addition, INFRACOM shall likewise formulate the criteria and program for phasing out NG assistance to LGUs for devolved infrastructure activities/facilities;
- f. To carry out its tasks, the INFRACOM may request for financial and technical assistance form participating government agencies as well as from multilateral and bilateral sources; and
- g. The provisions of this Resolution shall apply to all NG assistance for devolved infrastructure activities/utilities unless otherwise explicitly provided for under the existing and future laws, such as the General Appropriations Act (GAA).

UNANIMOUSLY APPROVED, 12 March 1996.

#### Annex D

#### MATRIX OF FINANCING AND MANAGEMENT OPTIONS

#### OPTION

#### DESCRIPTION

LGU-Financed and Managed

The LGU finances the investment from its income and other resources available to it (e.g., URA, locally-generated taxes, grants) or borrows from a financial institution. It then establishes a profit center within the LGU office with a separate cost accounting system. Under this arrangement, the LGU directly manages the operations of the system. The LGU assumes the commercial risk.

Service Contract

The LGU finances the investment and directly operates and manages the system. It enters into contract with a private party to undertake billing and collection and/or repair and maintenance activities for a fee. The LGU maintains a profit center within the LGU office and assumes the commercial risk.

Management Contract

The LGU finances the investment and enters into contract with a private party to manage the system. The private party collects the water tariffs set by the LGU, operates and manages the system and in turn, is paid a management fee by the LGU. The LGU maintains a profit center within the LGU office and assumes the commercial risk.

Lease Contract

The LGU finances the capital expenditures and leases the facility to the private sector. The private sector assumes the commercial risks and the responsibility for operation and maintenance. To recover its costs, the private party is allowed to collect user fees as well as any other charges on behalf of the LGU.

**Concession Contract** 

The LGU enters into contract with a private party to

undertake the investment. The private party assumes the assets of the LGU and undertakes to expand the services according to the terms and conditions of the contract. The private party is allowed to operate the system and to collect user fees to recover its costs and earn a reasonable return on its investment. After the contract expires, the system reverts to the LGU or may be contracted out again by the LGU.

Creation of a Local Water District

The LGU may create a local water district. The local water district finances the investment from a loan from the Local Water Utilities Administration (LWUA) and operates and manages the system. The local water district is then supervised by LWUA.

LGU Company

The LGU may form a water company to handle the provision of the service. The water company shall be duly registered with the Securities and Exchange Commission (SEC) and shall have share holdings which can be sold to the private sector in the future. The LGU appoints the board members to be selected from the private sector who would then manage the company along commercial principles.

Build-Operate-Transfer or any of its variants (per RA 6970 as amended)

Under the BOT scheme, the private sector finances the investment, operates it for a certain period of time after which the asset is transferred to the LGU. The private party is allowed to collect user fees to recover its costs and earn a reasonable rate of return on its investment. The LGU and the BOT proponent negotiate on the risk sharing.

Joint Venture Agreement

Under a joint venture agreement, the LGU and the private party share in the risks of the project and operate the system through a shared management and organizational structure.

#### NEDA BOARD RESOLUTION No. 5 (s. 1994)

# APPROVING THE RECOMMENDATION OF THE INFRASTRUCTURE COMMITTEE (INFRACOM) ON THE NATIONAL POLICY, STRATEGY AND ACTION PLAN FOR URBAN SEWERAGE (LIQUID WASTE) AND SANITATION

On motion duly seconded,

BE IT RESOLVED, as it hereby resolved to approve as the same is hereby approved and confirmed the following recommendations of the INFRACOM:

#### A. NATIONAL POLICY

- 1. Provision of improved sewerage/sanitation services in urban areas shall be considered a high priority.
- On-site sanitation facilities for all urban households / establishments readily adaptable to further sewerage systems shall be required.
- All new subdivisions/housing developments shall provide simplified or conventional sewerage system/sanitation facilities.
- Conventional or low-cost sewerage for central business districts and for potentially highincome residential areas where economically and financially viable shall be provided.
- 5. Treatment of industrial as well as collected city/municipality wastewater to established standards set forth by the DENR prior to disposal into the drainage system shall be required.
- 6. Provision of services shall be based on consumer demand and willingness to pay.

#### B. NATIONAL STRATEGY

 A sanitation/sewerage program and a Central Sanitation/Sewerage program Support Office (CPSO) to coordinate subsector activities at the national level and to assist LGUs to plan and manage sanitation/sewerage programs at the community level shall be established. External sources of assistance shall be explored provided as may be appropriate to enable
Municipal Development Fund (MDF) facility or other financing sources to extend loans to
LGUs for sanitation and sewerage projects.

3. LGUs shall primarily be the implementors of the sanitation/sewerage programs with the national government providing assistance to develop their capacities in the following areas: community participation, sub-sector planning, program management, regulation of development, selection of technologies, financial management, construction supervision, O&M, monitoring and reporting.

#### C. ACTION PLAN

3

1. A CPSO shall be created and housed at LWUA with the LWUA Board exercising over-all jurisdiction over its operations. An Inter-departmental Advisory Committee (IAC) composed of representatives from DPWH, DOH, DILG, DOF, DBM, LWUA, DENR, MWSS and NEDA shall likewise be created and act as the coordination body in the implementation and monitoring of urban sewerage and sanitation programs particularly the five (5) pilot areas (Davao City, Calamba, Dagupan City, Roxas City and Cotabato City). The representatives to the IAC shall preferably be Asst. Sec. or Dir. level. The Chairman of the IAC and the Dir. of the CPSO shall be appointed by the LWUA Board.

2. LWUA shall fully staff the CPSO from within its existing manpower as soon as possible. An international institutional development consultant shall be engaged to assist the CPSO to design and implement the activities. The CPSO shall exist for a period of about 3 to 5 years or until after its functions have been fully devolved to the LGUs.

UNANIMOUSLY APPROVED, 15 March 1994.

Certified true copy:

FORTUNATO R. ABRENILLA Acting Board Secretary and Director, Legal Staff

(

#### 7. WATER SOURCE DEVELOPMENT

#### 7.1 General

Table 7.1.1 Water Sources Information

Provinc	ial Water Supply, Sewerage And Sanita	tion Sector Pla	n (PW4SP)		Page: 1 of 13
	: Water Source - General Informatio			Date:	
Data Co	ollection Level: Provincial	Province N	o.: <b>0</b> 848	Filename: Water S	Source xls
Region	Number: VIII	Province N	ame: Northern Sa	mar	Form Number: P.4.1
	Type of Water Source		Shallow Well	Deep Well	Spring
	Total number of water sources	Number	4,698	156	195
Imple- mentor	Government Agency	Number	727	148	195
Imple- mentor	Private	Number	3,971	: 8	
	Level I	Number	4,696	154	154
Level	Level II	Number			40
p.v.g	Level III	Number	2	2	!
	Water District	Number	1	2	<u> </u>
	MEO/CEO	Number	: 		_
_	RWSA	Number	:		
Ownership	BWSA	Number			2
דים די	Institution	Number			
రే	Commercial Establishment	Number			
	Industrial/Agricultural Undertaking	Number	<u> </u>		
	Public (Domestic)	Number	726	146	192
	Private (Domestic)	Number	3,971	8	:
	Submersible/Turbine	Number			
Abstraction	Centrifugal	Number			
strac	Handpump	Number			
Αþ	Bucket & Rope	Number			
	Free Flowing	Number			
	Drinking	Number			
<sub>U</sub>	Washing/Bathing	Number			
Usage	Gardening/Irrigation	Number			
	Big-Scale Irrigation	Number	<u> </u>		
·	Production	Number			
	No Quality Problem	Number	<u> </u>		
>.	High Iron/Mag. Content	Number			
uajii	High Chloride Content	Number			
er Quality	Turbidity/Colored/Smell	Number			
Wate	Polluted/Contaminated	Number			
>	Chlorinated	Number			
	Treated	Number			
	Seasonal Production	Number			
Production	Average Capacity < 240 m³/day	Number		2	17
duc	Average Capacity >= 240 m <sup>3</sup> /day	Number	4,698	154	178
Pro	Number of Household < 5	Number			
	Number of Household >= 5	Number			1

Table 7.1.1 Water Sources Information

onte	ent: Water Source - General In	formation				Date:		
ata	Collection Level: Provincial		Province No.	.: 0848	<u>, 144 - 144 - 1</u>	Filename: W	ater Source.	xls
egic	on Number: VIII		Province Na	me: Northern	n Samar	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Allen		. '	Bin		3 2 5
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
:	Total number of water sources	Number	334	2	5	163	2	12
mentor	Government Agency Private	Number	17	2	5	70	2	12
Ě	Private	Number	317			93		
_	Level 1	Number	334	2	5	163	2	12
[Sve]	Level II	Number						
	Level III	Number						
	Water District	Number				<u> </u>	·	
	MEO CEO	Number						
	RWSA	Number						
didi.	BWSA	Number					<u> </u>	
Ownership	Institution	Number	ļ					
Ó	Commercial Establishment	Number	<u> </u>					
	Industrial/Agricultural Undertaking	Number	<u> </u>					
	Public (Domestic)	Number	17	· 2	5	70	2	12
	Private (Doniestic)	Number	317			93		
:	Submersible/Turbine	Number						
ē	Centufugal	Number						:
Absmetion	Handpump	Number						
ş	Bucket & Rope	Number						
	Free Flowing	Number						
	Drinking	Number						
	Washing Bathing	Number		:				
Usage	Gardening/Isrigation	Number						
	Big-Scale Inigation	Number						
	Production	Number						
	No Quality Problem	Number	- : : :					<b>[</b>
	High Iron/Manganese Content	Number						- 1:
ality	High Chloride Content	Number		1				
Water Quality	Turbidity/Colored Smell	Number						
Wate	Polluted Contaminated	Number						
	Chlorinated	Number						
	Treated	Number			<u> </u>			
:	Seasonal Production	Number	•		1	1	1	T
	Average Capacity < 240 ns /day	Number	-		1	<u> </u>		
	Average Capacity < 240 m³/day  Average Capacity >= 240 m³/day	Number	334	2	5	163	2	12
ļ	Number of Household < 5	Number	<del></del> -	1	1	<del>-  </del>		1
	Number of Household >= 5	Number	,				<b>1</b>	1

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage And	1 Sanitati	on Sector Pla	n (PW4SP)			Page: 3 of 1	3
Conto	ent: Water Source - General Info	rmation				Date:	· · · · · · · · · · · · · · · · · · ·	
Data	Collection Level: Provincial		Province No	.: 0848		Filename: W	ater Source.	xls
Regio	on Number: VIII		Province Na	me: Norther	n Samar	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Bobon	1		Capel		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Fotal number of water sources	Number	607			29	4	9
- 3te-	Government Agency Private	Number	: 53			22	4	9
E E	Private	Number	554			7		
_	Level 1	Number	607			29	4	6
Level	Level	Number						3
	Level III	Number			· :			
	Water District	Number						
,	MEOICEO	Number	:					
	RWSA	Number				<u> </u>		
çif.	BWSA	Number						
Омпетship	Institution	Number						
Ó	Commercial Establishment	Number						
. 1	Industrial/Agricultural Undertaking	Number			1			
	Public (Domestic)	Number	53			22	4	9
	Private (Domestic)	Nuniber	554		· .	7	· · · · · · · · · · · · · · · · · · ·	
	Submersible/Turbine	Number				<b></b>		
tion:	Centrifugal	Number		· 	: · · · · · · · · · · · · · · · · · · ·	<u> </u>		<u> </u>
Abstraction	Handoump	Number	:			ļ <u>.</u>		<u> </u>
₹ .	Bucket & Rope	Number			·	<u> </u>	·	·
	Free Flowing	Number						
	Drinking	Number						
25	Washing Bathing	Number				<u> </u>		
Usage	Gardening/Irrigation	Number		: '				·
	Big-Scale Imgation	Number	ļ				<u> </u>	: 
	Production	Number						
	No Quality Problem	Number				<b>_</b>	·	
	High Iron/Manganese Content	Number						
Water Quality	High Chloride Content	Number						· · · · · · · · · · · · · · · · · · ·
ği Oʻtig	Turbidity/Colored/Smell	Number	ļ	<b> </b>		<u> </u>		
Wa	Polluted Contaminated	Number	·					
	Chlorinated	Number		:		<u>.</u>		
	Treated	Number	<b> </b>	ļ <u>.</u>	<u> </u>	<del> </del>		
	Seasonal Production	Number	<u> </u>			ļ		
tion	Average Capacity < 240 m²/day	Number						3
Production	Average Capacity >= 240 m <sup>3</sup> /day	Number	607			29	4	6
á.	Number of Household < 5	Number	<b> </b>			<b></b>		
	Number of Household >= 5	Number	<u> </u>	<u></u>	<u> </u>	<u> </u>		

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage And	Sanitatio	on Sector Plan	ı (PW4SP)			Page: 4 of 1	3
	ent: Water Source - General Info					Date:		
Data	Collection Level: Provincial		Province No.	.: 0848		Filename: W	ater Source.	xls
Regio	on Number: VIII		Province Na	me: Norther	n Samar	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Catarman			Catubig		
*	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
: :	Fotal number of water sources	Number	2,323	21	ı	5		26
<u>မှ</u> ည	Government Agency	Number	192	16	ı	5		26
Imple- mentor	Private	Number	- 2,131	5				
	Level I	Number	2,322	19	ı	5		24
Level	Level ()	Number						2
	Level III	Number		2				
	Water District	Number	1	2				
	MEO/CEO	Number						
	RWSA	Number						
dig	8WSA	Number				<u> </u>	<u>                                       </u>	2
Ownership	Institution	Nuniber				<u> </u>	<b>.</b>	
Ó	Commercial Establishment	Number				<u> </u>		
	Industrial/Agricultural Undertaking	Number				<u> </u>		
	Public (Domestic)	Number	191	14	1	5	<u>.</u>	24
	Private (Domestic)	Number	2,131	5				<u> </u>
	Submersible/Turbine	Number						<b>.</b>
ģ	Centrifugal	Number					1.	
Abstraction	Handpump	Number	1111	1.	1	<u> </u>		
₹	Bucket & Rope	Number				<u> </u>		
	Free Flowing	Number			ļ		<u> </u>	
	Drinking	Number		<u> </u>		: .	1	
	Washing Bathing	Number		1 - 1				<u> </u>
Sag.	Gardening/Irrigation	Number		:	<u> </u>	ļ		ļ
	Big-Scale Irrigation	Number		<u> </u>	<u> </u>	<b>_</b>	<u> </u>	ļ
	Production	Number		<u> </u>	<u> </u>	1		
	No Quality Problem	Number	1	<b>!</b>		ļ	<u> </u>	
	High Iron/Manganese Content	. Number		<b></b>	<b>_</b>		- <del> </del>	
Water Quality	High Chloride Content	Number		<u> </u>		1		
( b	Turbidity/Colored/Smell	Number	:	1	<b></b>	<del></del>	ļ	<del> </del>
*	Polluted Contaminated	Number		<b>_</b>				<u> </u>
	Chlorinated	Number	·	<u> </u>	<b>_</b>		<b></b>	<del> </del>
	Treated	Number	<del></del>	<del> </del>		<u> </u>		1
	Seasonal Production	Number	1	1	<b> </b>			<u> </u>
	Average Capacity < 240 m <sup>2</sup> /day	Number		2	ļ			<b>_</b>
1	Average Capacity < 240 m³/day  Average Capacity > × 240 m³/day	Number	2,323	19	11	5	<u> </u>	26
,	Number of Household < 5	Number	-   					ļ
	Number of Household >= 5	Numbe	<u></u>	<u>.l</u>	<u> </u>	<u> </u>	<u></u>	<u> </u>

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage An	l Sanitati	on Sector Plai	n (PW4SP)			Page: 5 of 1	3
Conte	ent: Water Source - General Infe	rmation				Date:		
Data	Collection Level: Provincial		Province No	.: 0848		Filename: W	ater Source.	xls
Regio	on Number: VIII		Province Na	me: Norther	n Samar	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Gamay			Laoang	:	
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	146	4	. 9	81	38	4
Imple- mentor	Government Agency	Number	39	4	9	39	38	4
נודין יאנה :	Private	Number	107			42		
	Level 1 ,	Number	146	4	9	81	38	4
[evel	Level	Number						
	Level III	Number						
	Water District	Nunioer				T		
	MEO/CEO	Number						
	RWSA	Number						
qiq	BWSA	Number	:			1		
Ownership	Institution	Number	Ī					
ő	Commercial Establishment	Number			- 1			
	Industrial/Agricultural Undertaking	Number						
11	Public (Domestic)	Number	39	4	9	39	38	4
·	Private (Domestic)	Number	107		:	42		
	Submersible/Turbine	Number						
ě	Centrifugal	Number						
Abstraction	Handpunip	Number						
₹	Bucket & Rope	Number			:			
	Free Flowing	Number						
	Drinking	Number						
	Washing Bathing	Number			: -			
Usage	Gardening Irrigation	Number		1.				
	Big-Scale Irrigation	Number				:		
	Production	Number	1.		,			
	No Quality Problem	Number						
	High from Manganese Content	Number	.:				1, 11, 1	
ξ	High Chloride Content	Number						
Water Quality	Turbidity/Colored/Smell	Number						
Wate	Polluted Contaminated	Number				1		
	Chlorinated	Number						
	Treated	Number	1					
	Seasonal Production	Number						
a	Average Capacity < 240 m³/day	Number						
Production	Average Capacity >= 240 m³/day	Number	146	4	9	81	38	4
Ę	Number of Household < 5	Number			<u> </u>	1		
	Number of Household >= 5	Number	1	1		1		

Table 7.1.1 Water Sources Information

	ncial Water Supply, Sewerage And			1(((445))		TD	Page: 6 of 1.	· · · · · · · · · · · · · · · · · · ·
	ent: Water Source - General Info	MODERNE EX	Province No.	. 0040		Date:		
	Collection Level: Provincial					Filename: W		
legio	on Number: VIII	· · · · · · · · · · · · · · · · · · ·	Province Na	me: Norther	n Samar	<del></del>	rm Number:	P.4. I
	Name of Municipalities	Character				Eas Navas		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	35	3	7	3	2	14
impic- mentor	Government Agency Private	Number	29	3	7	3	2	14
ĘĚ	Private	Number	6				1;	
	Level I	Number	35	3	5	3	2	11
Level	Level II	Number			2			3
	Level lit	Number						
:	Water District	Number						
	MEO/CEO	Number						
	RWS.4	Number						
Ġ.	BWSA	Number						
Ownership	Institution	Number						
ð	Commercial Establishment	Number			٠.			
	Industrial/Agricultural Undertaking	Number						1.5
	Public (Domestic)	Number	29	3	7	3	2	14
	Private (Domestic)	Number	6			1.0		
<u> </u>	Submersible/Turbine	Number						
	Centrifugal	Number	:					
Abstraction	Handpump	Number	:	<u> </u>			,	
Abs	Bucket & Rope	Number						-
:	Free Flowing	Number	<u> </u>	l				
	Drinking	Number				<del>                                     </del>		
	Washing Bathing	Number			<b> </b>			
Usage	Gardening/Imigation	Number	1		1			
ا ا	Big-Scale Imigation	Number		<del> </del>	1		t	
	Production	Number			<del> </del>		<del>                                     </del>	
	No Quality Problem	Number	1		<del>                                     </del>			
	High Iron Manganese Content	Number			<del> </del>			
Š	High Chloride Content	Number				-	+	
Water Quality	Turbidity/Colored/Smell	Number				<del></del>	<del> </del>	<del> </del>
/ater	Polluted Contaminated	Number	<del>-</del>	1	<del> </del>	1	1	·
*	Chlorinated	Number	· I · · · · · · · · ·	1	†	<del></del>	<del>                                     </del>	
	Treated	Number		1	†	-	<del> </del>	1
	Seasonal Production	Number		<del>                                     </del>	<del> </del> -	<del>- </del> -	<del></del>	<u> </u>
		Number	<del>-1</del>	<del> </del>	1	+	<del>                                     </del>	<del> </del>
100	Average Capacity < 240 m³/day  Average Capacity >= 240 m³/day	+		3	7	3	2	13
7	ō <b></b>	Number	<del>-  </del>	+	+ '	-3		<del>                                     </del>
li `	regimer of thousehold 19	Numbe		<del> </del>	<del>                                     </del>	-		<del> </del>
IL	Number of Household >= 5	Numbe	<u> </u>	<u> </u>	1	<u></u> .	<u></u>	<u> </u>

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage And	Sanitati	on Sector Plan	ı (PW4SP)	141		Page: 7 of 1	3
	ent: Water Source - General Info		·—-			Date:		
Data	Collection Level: Provincial		Province No.	: 0848		Filename: W	ater Source.	ds
Regio	on Number: VIII	1	Province Na	me: Northern	n Samar	Fo	rm Number:	P.4.1
	Name of Municipalities	Сћатасјег	Lavezares			Lope De Vega		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	111	12	27		l	14 -
k-	Government Agency	Number	36	12	27		1	14
Imple- mentor	Private .	Number	75					
	Levell	Number	111	12	24	<u> </u>	<u> </u>	10
Level	Level II	Number			3			4
	Level III	Number				<u> </u>		
	Water District	Number						
	MEO/CEO	Number				<u> </u>		·
	RWSA	Number				<u> </u>		
ē	BWSA	Number				<u> </u>		
Ownership	Institution	Number	ļ				<u> </u>	
ó	Commercial Establishment	Number				<u></u>		
	Industrial/Agricultural Undertaking	Number						
	Public (Domestic)	Number	36	12	27	<u> </u>	1	14
L	Private (Domestic)	Number	75			<u> </u>		
	Submersible/Turbine	Number						
uo:	Centrifugal	Number				<u> </u>		
Abstraction	Handpump	Number						
₹	Bucket & Rope	Number					<u> </u>	
	Free Flowing	Number		<b></b>		<u> </u>		
	Drinking	Number	<u> </u>				<u> </u>	
	Washing/Bathing	Number						
oges∩	Gardening/Irrigation	Number		ļ	ļ			
	Big-Scale Imigation	Number	<u> </u>	<u> </u>	· · · · · · · · · · · · · · · · · · ·	<b>_</b>		·
<b> </b>	Production	Number		<b> </b>			<b> </b>	L
	No Quality Problem	Number		<b>_</b>		<u> </u>	-	
	High Iron/Manganese Content	Number	<b>_</b>	<u> </u>			· · · ·	ļ
Water Quality	High Chloride Content	Number	<del> </del>	<b></b> _	<u> </u>		<del> </del> -	
Ō iei	Furbidity/Colored/Smell	Number		ļ. ·	· · · · ·			
ă≱	Politited Contaminated	Number		ļ		<del></del>	<del>-</del>	
H	Chlorinated	Number		1	<u> </u>			ļ <u>.</u>
<u> </u>	Treated	Number	- <del> </del>	<u> </u>	<u> </u>	+	<del> </del>	
	Seasonal Production	Number	· · · · · · · · · · · · · · · · · · ·	ļ	<del> </del>	<b>_</b>		<u> </u>
	Average Capacity < 240 m <sup>3</sup> /day	Number		<b></b>	: 1			<b> </b>
	Average Capacity < 240 m <sup>3</sup> /day	Number		12	26		11_	14
Ġ	Number of Bousehold	Number	- <del></del>	<u> </u>	<del> </del> -		1	
	Number of Household >= 5	Number	1	<u> </u>	<u> </u>		<u> </u>	<u>L</u>

Table 7.1.1 Water Sources Information

	ncial Water Supply, Sewerage And ent: Water Source - General Info		:			Date:	Page: 8 of 1	
	Collection Level: Provincial	7113851014	Province No.	· 0848		Filename: W	ater Source.	xls
	on Number: VIII		Province Na		Samar		rm Number:	
	Name of Municipalities	Character	Mapanas	iic. Hollich	00.1131	Mondragoa		• • • • • • • • • • • • • • • • • • • •
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Fotal number of water sources	Number	33	2		44	17	3
		Number	17	2		26	17	3
lmple- riventor	Government Agency Private	Number	16			18		
	Level I	Number	33	2		44	17	3
Levei	Level II	Number				<del>                                     </del>		
צ	Level III	Number		<del></del>		<del>                                     </del>		
	Water District	Number				<del> </del>		
	MEO'CEO	Number		<del></del>				
	RWSA	Number	1			<del> </del>		: .
۵	BWSA	Number	<del>                                     </del>			1		-
Ownership	Institution	Number	1					
8	Commercial Establishment	Number	<del> </del>					:
٠.	Industrial/Agricultura) Undertaking	Number	<del> </del>		· .			
	Public (Domestic)	Number	17	2		26	17	3
	Private (Domestic)	Number	16			18		
	Submers/ble/Turbine	Number	1					
٤	Centrifugal	Number				<del>                                     </del>		
Abstraction	Handpump	Number	1		· · · · · · · · · · · · · · · · · · ·			
Abs	Bucket & Rope	Number			:			
	Free Flowing	Number						
:	Drinking	Number	<del>                                     </del>					
	Washing-Bathing	Number						
) SesO	Gardening/Imigation	Number	1.					
٦	Big-Scale Irrigation	Number				1		
	Production	Number						
	No Quality Problem	Number						
	High Iron/Manganese Content	Number						
žili.	High Chloride Content	Number						
Water Quality	Turbidity/Colored/Smell	Number		:				
₩ətc	Polluted Contaminated	Number					1	
	Chlorinated	Number						
	Treated	Number						
<b> </b>	Seasonal Production	Number						
	Average Capacity < 240 m <sup>3</sup> /day	Number						
	Average Capacity < 240 m³/day  Average Capacity >= 240 m³/day  Capacity >= 240 m³/day	Number	33	2		44	17	3
4	Number of Household < 5	Number		1				L
	Number of Household >= 5	Number	- 1			T		

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage An	d Sanitati	on Sector Plan	(PW4SP)			Page: 9 of 1	3
Conte	ent: Water Source - General Inc	ormation	······································			Date:		
Data (	Collection Level: Provincial		Province No	.: 0848		Filename: W	ater Source.	xls
Regio	on Number: VIII		Province Na	me: Northern	n Samar	Fo	orm Number:	P.4.1
Ĭ	Name of Municipalities	Character	Palopag			Pambujan		
Ì	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
Ì	Total number of water sources	Number	100	1	8	65	12	9
ۇ پ	Government Agency	Number	43	ı	8	14	11	9
impte. mentor	Government Agency Private	Number	57			51	1	
	Level I	Number	100	i	8	65	12	5
Level	Level (!	Number						4
	Level III	Number						
	Water District	Number					<u> </u>	
	MEO/CEO	Number						
	RWSA :	Number						<b></b> _
4	BWSA	Number						
Ownership	Institution	Number						
Ó	Commercial Establishment	Number						
	Industrial/Agricultural Undertaking	Number					11	
	Public (Domestic)	Number	43	1	8	14	11	9
	Private (Domestic)	Number	57			51		
	Submersible/Turbine	Number		·		<u> </u>		
Ę	Centrifugal	Number	ļ				ļ	. ,
Арѕтастюя	Handpunip	Number			1 1	ļ. <u>.</u>		
₹	Bucket & Rope	Number				ļ <u>-</u>		·
	Free Flowing	Number				<u> </u>		
	Drinking	Number	<u> </u>		:	ļ	<u> </u>	
g.	Washing Bathing	Number						
Usage	Gardening/Irrigation	Number	<u> </u>	ļ		<u> </u>		
	Big-Scale Imigation	Number		:				
	Production	Number	ļ ·	1.1.2			<u> </u>	
	No Quality Problem	Number	ļ			1		
	High Iron/Manganese Content	Number	<u></u>				_	
Water Quality	High Chloride Content	Number	<del></del>	· .	. ':	<u> </u>		
rer Q	Turbidity/Colored/Smell	Number			ļ	ļ		·
≱	Polluted Contonvinated	Number	-					ļ
	Chlorinated	Number	<del></del>	·	ļ	· I · · · · · ·	<u> </u>	
<u> </u>	Treated	Number			<u> </u>	_ <del>  </del>	<b> </b>	
	Seasonal Production	Number	<del></del>	ļ	ļ			<u> </u>
<b>[</b> §	Average Capacity < 240 m <sup>3</sup> /day	Number	<del> </del>	<u> </u>	<u> </u>			
roduction	Average Capacity >= 240 m <sup>3</sup> /day	Number	100	1 1	8	65	12	9
هٔ ا	Number of Household < 5	Number	<b> </b>	ļ			<b></b>	<b></b>
	Number of Household >= 5	Number	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u>.L_</u>	<u> </u>

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage And	Sanitatio	on Sector Plai	n (PW4SP)			Page: 10 of	13
Conte	nt: Water Source - General Info	rmation	,			Date:		
Data	Collection Level: Provincial		Province No	: 0848		Filename: W	ater Source.	xls
Regio	n Number: VIII	:	Province Na	me: Northeri	n Samar	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Resario			San Antonio		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number		1	3	35	12	4
Imple- mentor	Government Agency Private	Number	1	1	3	20	12	4
ΕĚ	Private	Number	10			15		
	Level1	Number	11	1	3	35	12	3
Level	Levelil	Number						1
	Level III	Number						
	Water District	Number				<u> </u>		
	MEO'CEO	Number				<u> </u>		
	RWSA	Number	<b></b>			<u> </u>		
dik	BWSA	Number	<u> </u>					
Ownership	Institution	Number		<u></u>				
Ò	Commercial Establishment	Number	ļ					
	Industrial/Agricultural Undertaking	Number						
	Public (Domestic)	Number	1 1	i	3	20	12	4
	Private (Domestic)	Number	i0			15		
	Submersible/Turtine	Number						
Abstraction	Centrifugal	Number	1 .			<u> </u>		
	Handpump	Number	<u> </u>			<u> </u>	ļ	
₹	Bucket & Rope	Number						
	Free Flowing	Number				· · · · · · · · · · · · · · · · · · ·	ļ	
	Drinking	Number					1	-
ی	Washing/Bathing	Number						
Usage	Gardening/Irrigation	Number			<u> </u>			
	Big-Scale Irrigation	Number	<u> </u>					
<u> </u>	Preduction	Number		<u> </u>			<u> </u>	
	No Quality Problem	Number	<b></b>				·	<u> </u>
	High fron Manganese Content	Number		1.411			<del>                                     </del>	
Water Quality	High Chloride Content	Number		* .			· .	
ð b	Turbidity/Colored/Smell	Number	<u> </u>		ļ	1.2		
¥	Polluted Contaminated	Number		<u> </u>	1	1 1 1	1	
'	Chlorinated	Number	<u> </u>	ļ	ļ	<u> </u>	<u> </u>	<u> </u>
<u> </u>	Treated	Number			<b> </b>	<u> </u>	<b></b>	
	Seasonal Production	Number			<b>]</b>		1	ļ
g	Average Capacity < 240 m²/day	Number			<u> </u>	<b>_</b>		1
Production	Average Capacity >= 240 m³/day	Number	11	1	3	35	12	3
ة ا	Number of Household < 5	Number			<u> </u>	ļ	<u> </u>	
	Number of Household >= 5	Number						·

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage And	l Sanitati	on Sector Plan	n (PW4SP)			Page: 11 of	13
Conte	nt: Water Source - General Info	rmation	:			Date:		
Data (	Collection Level: Provincial		Province No	: 0848		Filename: W	ater Source.	xls
Regio	n Number: VIII	1	Province Na	me: Norther	n Samar	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	San Isidro			San Jose		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	22	5	11	170		2
ပွဲ ၌	Government Agency	Number	12	3	11	45		2
lmple- mentor	Private	Number	10	2		125		
	t evel I	Number	22	5	4	170		
Level	Level II	Number			6	1		2
	Level III	Number			1			
	Water District	Number			1 1			
	MEO CEO	Number				1		:
	RWSA	Number	:					
۽	BWSA	Number					1	: "
Ownership	Institution	Number						:
Ó	Commercial Establishment	Number						
	Industrial/Agricultural Undertaking	Number	. :					
	Public (Domestic)	Number	12	3	10	45		2
:	Private (Domestic)	Number.	- 10	2		125		
	Submersible/Turbine	Number		* .				
tion	Centrifugal	Number	: '					
Abstraction	Handpump	Number						
₹	Bucket & Rope	Number						
	Free Flowing	Number	:		-1			
	Drinking	Number						
ی ا	Washing Bathing	Number						:
Usage	Gardening/Irrigation	Number					<u> </u>	·
	Big-Scale Irrigation	Number						
	Production	Number			2.5			
	No Quality Problem	Number				<u> </u>		
	High Iron/Manganese Content	Number					1 .1	
Water Quality	High Chloride Content	Number		<del></del>				
٠ ا	Turbidity/Colored/Smell	Number		1 . 1		1 1 1		
, s	Polluted Contaminated	Number					<b></b>	
	Chlorinated	Number	<u> </u>	:	· .	<u> </u>		·
	Treated	Number	ļ		ļ	<del>                                     </del>	<u> </u>	
	Seasonal Production	Number						
tion tion	Average Capacity < 240 m <sup>3</sup> /day	Number			3	<u> </u>		2
Production	Average Capacity >= 240 m²/day	Number	22	5	8	170	<b> </b>	· ·
Ĭ *	Number of Household < 5	Number					<b>]</b> ,	
	Number of Household >= 5	Number				<u> </u>	<u> </u>	

**Fable 7.1.1 Water Sources Information** 

	ncial Water Supply, Sewerage An			(PW45P)	· · · · · · · · · · · · · · · · · · ·		Page: 12 of	13
	nt: Water Source - General Inf	ormation			** * * * * *	Date:		·····
	Collection Level: Provincial		Province No.			Filename: W		
egic	n Number: VIII		Province Na	ne: Northeri	n Samar		ım Number:	: P.4.1
1	Name of Municipatities	Character	San Roque			San Vicente		
J	Type of Water Source	Number	Shattow Wett	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	327	. 6	3	14	4	1
mentor	Government Agency Private	Number	20	6	3	6	4	1
Ě	Private	Number	307			8		
_	Leveli	Number	326	6	1	14	4	
Level	Level II	Number			2			<u> </u>
	Level (i)	Number	l			<b> </b>		ļ
	Water District	Number				<u> </u>		·
	MEO/CEO	Number			:	ļ		
	RWSA	Number	<b></b>		·			ļ
di di	BWSA	Number						
Ownership	Institution	Number						
Ó	Commercial Establishment	Number	<u> </u>					
	Industrial/Agricultural Undertaking	Number						
. 1	Public (Domestic)	Number	20	6	3	6	4	1
	Private (Domestic)	Number	307			8		
	Submersible/Turbine	Number		ļ				
ng)	Centrifugal	Number			<del></del>		<b> </b>	<u> </u>
Abstraction	Handpunip	Number	<u> </u>			·		:
₹	Bucket & Rope	Number					<u> </u>	
	Free Flowing	Number						ļ
	Drinking	Number						1
<u>.</u>	Washing Bathing	Number	·	<u> </u>				
Usayc	Gardening/Irrigation	Number	<u> </u>					
	Big-Scale Irrigation	Number					<u> </u>	<u> </u>
	Production	Number		<u> </u>		•	ļ	
	No Quality Problem	Number	<u> </u>				ļ	.*
	High Iron Manganese Content	Number			1		.	
uatity	High Chloride Content	Number	_		<u> </u>		<b></b>	<b>_</b>
Water Quality	Turbidity/Colored/Smell	Number		1	<b></b>	<u></u>	1	ļ
Wa	Polluted Contaminated	Number	1 .	1	ļ. · ·		<u> </u>	<b>_</b>
	Chlorinated	Number	·	<u> </u>	<u> </u>		1	<b> </b>
	Treated	Number	-	1			<u> </u>	1
	Seasonal Production	Numbe		ļ <u>.</u>	<u> </u>		· ·	ļ
	Average Capacity < 240 m <sup>3</sup> /day	Numbe	<u> </u>	<u> </u>	2		<b></b>	ļ
Omdiiotion	Average Capacity >= 240 m <sup>3</sup> /day	Numbe	327	6	1	14	4	12
هٔ ا	Number of Household < 5	Numbe		ļ	<b> </b>		<u> </u>	ļ
	Number of Household >= 5	Numbe	r I	1	<u></u>			l

# Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage An	d Sanitati	on Sector Plac	n (PW4SP)	·····		Page: 13 of	13
Conte	ent: Water Source - General Inf	ormation				Date:		
Data	Collection Level: Provincial		Province No	.: 0848		Filename: V	ater Source	xls
Regio	on Number: VIII		Province Na	me: Northern	n Samar	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Silvino Lobos			Victoria		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	: 4		8	36	7	15
inple- nentor	Government Agency Private	Number			8	18	7	- 15
יניי	Private	Number	4			18		
-	Level I	Number	4		6	36	7	9
Level	Level [1	Number			2	·		6
	Level III	Number						
	Water District	Number			1		·	
	MEO/CEO	Number			,			
	RWSA	Number	<u> </u>					
آ <del>د</del>	BWSA	Number						
Ownership	Institution	Number						
ð	Commercial Establishment	Number						11
	IndustriaVAgricultural Undertaking	Number						
	Public (Domestic)	Number			8	18	7	- 15
	Private (Domestic)	Number	4			18		
	Submersible/Turbine	Number						
<u>.</u>	Centrifugal	Number					,	
Abstraction	Handpump	Number	1					
Ŷ,	Bucket & Rope	Number						
	Free Flowing	Number				i i		
	Drinking	Number						
,	Washing Bailing	Number						
Usage	Gardening/Irragation	Number						1 6
	Big-Scale Irrigation	Number						1
L	Production	Number				. :		
	No Quality Problem	Number						
	High Iron/Manganese Content	Number				1		
ality	High Chloride Content	Number	1 , 1 1		. 11			
Water Quality	Turbidity/Colored/Smell	Number	1 : .					
Wate	Polluted Contaminated	Number						
	Chlorinated	Number				:		
	Treated	Number						
<u> </u>	Seasonal Production	Number						
l a	Average Capacity < 240 m <sup>2</sup> /day	Number			2		I	. 2
Production	Average Capacity >= 240 m <sup>3</sup> /day	Number	4		6	36	7	13
<u>۽</u> آ	Number of Household < 5	Number			<u> </u>			
	Number of Household >= 5	Number	<del></del>	1	i	T	1	1

Table 7.1.2 Major References

Table /.1.4 Istajor resterences				
Report/Information	Agency/Author	Contents	Reference Data/Description	Output
1. Topographic Map (1:250,000)	NAMRIA	J1_* :	major nver basins & road	Location Map (Base Map of the Province)
		contour, river, road, etc.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Commence Against Man
2. Rapid Assessment of Water	NWRB	groundwater availability, well	well depth, static water level, sneed to canacity etc.	Giodilluwatel Avallacinty state
Supply Sources		myentory		Tadissidies Mall Location Man
3. Individual Well Information	NWRB	location & well inventory	location with well depths & water individual well locally in the	וויסויים וויסיים אי פוו האכבורוניו
Database			levels	
4. Groundwater Resources	NWRB	groundwater potential	high yielding and water quality	Croundwater Availability Map
Investigation		4.44	problem areas	
5. Geological Map of the	BMGS	lithologic distribution and	aquifers distribution	Groundwater Availability Map
Philippines		structures		
6. Philippine Water Resources	NWRB	location map & runoff records	location map & runoff records rumoff record & statistical data	River Flow Duration Curve &
Summary Data				Probability of Surface Water
7 Road Network Map of the	PPDC	major road & municipality	municipal boundaries	Distribution Map of Urban &
Drovord		boundaries		Rural Areas
8 Feasibility Study Reports of	LWUA	well field information	groundwater potential & quality	Groundwater Availability Map
the Water Districts				
O Water District Applyeis Result Water Districts	Water Districts	water quality results	water sources quality	Groundwater Availability Map &
y, water Quanty extensions were				Groundwater Quality
TO Water Out to the Brisis Result PHO PSPT	LdSd OHd	water quality results	water sources quality	Groundwater Availability Map &
10. Water Quarry minery and account	C ( ) C ( )			Water Sources Quality
11. Assessment of the Mineral	DENR	location, activity of the mining	ocation, activity of the mining location & activity of the mining	River Network Map
Production		sites	sites	
12. General Information of	DEO, PSPT	groundwater availability	low yielding and water quality	Groundwater Availability Map
Groundwater			problem area	
13. Well Inventory	DEO, PSPT	location and well information	well depth, static water level,	Existing Well Inventory
	-		specific capacity, etc.	
14. Spring Inventory	DEO, PSPT	location and spring information	location and spring information discharge, distance & elevation	Water Sources Information
15 Primping Test Data	DEO	pumping test results	well capacity	Groundwater Availability Map
10.1 Unityling a vor armin				

#### 7.3 Groundwater Sources

# 7.3.1 Classification of Groundwater Availability

Table 7.3.1 Well Inventory by Municipality

Municipality	Barangay	Utilization	Туре	Depth (m)	SWL (mbgs)	Spe. Cap (lpsm)
Gamay	Anito	Level-1	SW	6.0	3.0	
	Burabod (Pob.)	Level-I	SW	6.0	3.0	
	Cadac-an (Calingnan)	Level-I	SW	6.0	3.0	_
	Cagamutan del Norte	Level-I	SW	6.0	3.0	-
	Cagamutan del Sur	Level-I	sw	6.0	3.0	-
÷	Central	Level-I	SW	12.0	3.0	-
•	Dao	Level-1	SW	6.0	3.0	•
	Gamay Occidental I (Pob.)	Level-l	SW	6.0	3.0	-
	Gamay Oriental I (Pob.)	Level-1	sw	12.0	3.0	
	Libertad (Pob.)	Level-I	SW	12.0	3.0	-
	Occidental II (Pob.)	Level-I	SW	6.0	3.0	
	Oriental II (Pob.)	Level-i	\$W	12.0	3.0	
•	San Antonio	Level-I	sw	6.0	3.0	
Mapanaas	Burgos	Level-i	sw	6.0	3.0	
	Del Norte (Pob.)	Level-1	SW	12.0	3.0	
•	Del Sur (Pob.)	Level-l	SW	6.0	3.0	
	E. Laodenio	Level-I	SW	6.0	3.0	
	Magtaon	Level-I	SW	6.0	3.0	
	Manaybanay	Level-I	SW	6.0	3.0	
	Santa Potenciana (Pob.)	Level-I	SW	6.0	3.0	
Mondragon	Bagasbas	Level-I	SW	6.0	3.0	
-	Bugko	Level-I	SW	6.0	3.0	
	Cablangan	Level-I	sw	6.0	3.0	
	Cagmanaba	Level-!	\$W	12.0	3.0	
	Cahicsan	Level-i	SW	12.0	3.0	
	Chitongco (Pob.)	Level-l	SW	6.0	3.0	·
	De Maria	Level-l	SW	12.0	3.0	<del></del>
	Dona Lucia	Level-f	SW	6.0	3.0	
	Eco (Pob.)	Level-I	SW	12.0	3.0	
•	Flormina	Level-I	sw	6.0	3.0	<del></del>
	Hinabangan	Level-i	sw	12.0	3.0	
	Imelda	Level-i	SW	6.0	3.0	
	La Trinidad	Level-I	sw	6.0	3.0	
	Makiwalo	Level-l	SW	12.0	: 3.0	
	Mirador	Level-1	sw	6.0	3.0	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Nenita	Level-1	sw	12.0	3.0	
	Rolas	Level-I	sw	12.0	3.0	<del></del>
	San Agustin	Level-I	SW	6.0	3.0	
	San Antonio	Level-I	sw	6.0	3.0	
•	San Isidro	Level-I	sw	6.0	3.0	
	San Jose	Level-I	sw	6.0	3.0	<del> </del>
	San Juan	Level-I	SW	12.0	3.0	-
	Santa Catalina	Level-I	SW	6.0	3.0	
	Talolora	Level-I	SW	6.0	3.0	
	Asum (Pob.)	Level-I	SW	·		
aiahak		<del>                                     </del>		19.0	3.0	
	Bangon Benigno S. Aquino, Jr.	Level-I	SW	19.0	6.0	<u>-</u>

Table 7.3.1 Well Inventory by Municipality

Municipality	Barangay	Utilization	Туре	Depth (m)	SWL Spe. Cap (mbgs) (lpsm)
'alapag	Binay	Level-I	SW	19.0	3.0 -
	Cabariwan	Level-I	SW	19.0	6.0 -
	Cabatuan	Level-I	SW	19.0	6.0 -
	Campedico	Level-I	SW	19.0	6.0 -
	Jangtud	Level-I	SW	19.0	6.0 -
	Laniwan (Pob.)	Level-I	SW	19.0	3.0 -
•	Mabaras	Level-1	SW	19.0	3.0;•
	Magsaysay	Level-I	SW	19.0	3.0;-
	Manajao	Level-I	SW	19.0	3.0 -
. 1	Mapno	Level-I	\$W	19.0	3.0
	Monbon	Level-I	SW	19.0	3.0 -
	Napo	Level-1	SW	19.0	3.0 -
•	.Natawo	Level·1	SW	19.0	3.0 -
	Paysud	Level-I	SW	19.0	3.0 -
4	Sangay	Level-I	SW	19.0	3.0
	Sinalaran	Level-l	SW	19.0	3.0 -
	Sumoroy	Level-I	SW	19.0	3.0 -
	Talolora	Level-1	- \$W	19.0	3.0 -
	Tambangan (Pob.)	Level-l	SW	19.0	3.0 -
	Tinampo (Pob.)	Level-I	SW	19.0	3.0 -
	Buenavista	Level-I	DW	22.0	3.0 -
•	Buenavista	Level-1	SW	12.0	3.0 -
	Buenavista	Level-I	SW	12.0	3.0 -
*,	Poblacion	Level-1	SW	18.0	3.0 -
	Salhag	Level-I	SW	18.0	3.0 -
Silvino Lubos	Poblacion I	Level-I	DW	30.0	3.0 -
	Poblacion II	Level-I	DW	35.0	3.0 -

## 7.3.3 Groundwater Quality

Table 7.3.2 Groundwater Quality

	Bacterio.	rlo.		Physica	Physical Analysis	s		Che	Chemical Analysis	nalysis		Major	Major Cations		Ì	Major Anions	nions		Trace Ele.	E.E.
No. Municipality Type	Type Coli. Bact.	Bact.	ı N	NTU TCU	TCU Odor TDS	<b>-</b>	ည္သ	Ŧ.	TH	Alka. Acid.	N <sub>3</sub>	<b></b>	පි	Mg	003	CO3 HCO3 CI		SO 2	<u>Б</u>	Ę
	Cnt.	Cnt.	၁	•		mg/l mmpc	- Junpc		me/l m	mg/1 mg/1		ற்கு ' பதி ' பதி பதி	mg/l	mg/l	ിശ്ന വിശ്വ	:Ngm:	mg/l	mg/3	ருத் பித்தி	l/Sm
Dailinning National Seandard for							:	6.5						.*						
Drinking Water -1994-	0	0		\$	чпорј. 500>	>005	,	2	300>			<b>5</b> 000		•		:	2002	250>	1> 0.5>	\$. \$
								8.5												
1 Laoang SP	0	٥		7				7.5											0.0	8
2 Capul SP	2	0		3 0									-1				-		0.0	0.0
3 Capul SP	0	0		0															0.0	0:0
4 Capul SP	10	0		0				7.3	:	-							-		0.3	0.0
5 San Antonio SP	10	0		0				7.3								i			0.0	3
6 Gamay SP	0	10		1 0				7.0			.							-	0.0	8
7 Gamay SP	10	8		0															0.0	0.0
						. /11			-	TATION IN THE PROPERTY OF THE										

Source; Water quality results were collected from respective Water Districts or analyzed by PSPT on site in the field survey using procured instruments. Notes; Sampling point is located at handpump (L-I) or submersible pump (L-I/III).

Quality
Water
Surface
7.5.1
able

T GOAL AND A TOTAL		``												2	CTNU/		STATE OF
	Currence Work	Cartage Water Information					À.	Parameter	h					3	ドンシン W-184	3	33117
	Canal P. Main	Samiling	وم	F C	DOXY. BOD	SS	SQT	MBAS	50	7.	P C	Coli.	S C	Ę.	ď	ξ	Water
Major	Š.		· · ·	-			Lam.	- Va	l/gm	- Value	mp/ MP	MPN tuni	வறி கலி	DTN	mg/l	m <sub>k</sub> /	Pollutants
Surface Water	r Systems	1		65.8.5		l ?	200	E	Ę			50 2	250 1	\$	Δ	0.50	in upstream
DENR Wa	tter Quality Criteri	DENR Water Quality Criteria for Fresh Water Class A			70 5	S	1,000	0.2	-	10	0.1	2 000	250				
Gamay	Cadean	Gamay					-		,	•		•					
Current Curren	Gamay	Cambig				•		•									
1	(	Mananas		2.0				,	•	•		2			·		
		Gomay					٠	•	•								
0.4.4.0		Tas Navas	112	7.5		•	•	•			•	8		25	-	7.0	
Stonia		Cambio					•	•		•					`		
		Lacano				١.		•	-	•				_			
Damphan		Silvino Lobos	116	7.3		  -		•	•		•	30	•	33	9.0	ä	
rationital		Deministra		-				•	,		•		٠				
		rannou)an		-									٠				
_		San Koque		-									-				
		Pambujan								ا.				$\Big $		T	
Bucko		Mondragon			•	•		•	•	•	,		•				
		Tope de Vens						•	,			-	•				
Catarman		Copy as year		-	'					,			-				
		Catalinan		-					١.	,							
nogogi		Caranthan		-				,									
		ровоп		- -			-	-									
Mawo	Mawo-B	Вороп															
		Victoria			•						$\cdot$						
		San Isidoro			,		•	•	•	ا،			•				
	Mawo-A	San Isidoro			•		•	٠,									
		Victoris		· '		•	-	•									
	Duetscan	Rosano					٠	•	•	•	,		•				
	Duglasan	Vistoria		-:					•	1							
		v ICIOUS.			Total	A . C . A	1100	200000	- d vacether	1							

Water quality results were collected from respective Water Districts or analyzed by PSPT on site in the field survey using procured instruments.

If several streams are present in an area, the stream nearest from populated area was selected. Sampling, point is located at upstream boundary of each river in respective municipalities. Notes

If these is no upstream, sampling point was selected near populated area. Remarks:


Class AA - Public Water Supply Class-1. ; Intended for waters having watersheds which are uninhabited and otherwise protected and which require only approved disinfection in order to meet the PNSDW. Class A - Public Water Supply Class-fit. ; Sources of water supply that will require complete treatment (coagulation, sedimentation, filtration & disinfection) in order to meet the PNSDW.

**(**)

()

## 7.6 Future Development Potential of Water Sources

)



( (

