3. PROVINCIAL PROFILE

3.3 Socio-economic Conditions

3.3.2 Basic Infrastructure

Table 3.3.1 Number of Elementary School, High School and Other Served Facilities

ontent: Socio	Content: Sakio-economic - Services		37.76						Date: 17 Jan. 2000	200	
Sata Collection	Data Collection Level: Provincial	Prov. Number: 0645	0645 54						Filename: Socio.xls	o.xls	
Region Number: VI	1A v	Prov. Name:	Prov. Name: Negros Occidental	[E]					Form No.: P.1.5	2	
oidq 5						Services (,	Services (As of 1998)				
ergo boD	Name of City or Municipality	ធ	Elementary School	ļφ		High School		Version V			Bank
egg.		Public	Private	Total	Public	Private	Total	Schools	Universities	Hospitals	Financi
Number	Character	Number	Number	Number	Number	Number	Number	Number	Number	Number	Amn's
064502	Bago City	36	2	38	7	-	8		-	2	4
064503	Binalbagan	31	2	33	S	m	8	2	3		Ľ
064504	Cadiz City	50	3	53	01	2	12	2	2	7	=
064505	Calatrava	4		4	s		5				
064506	Candoni	15		15	m	_	4				
064507	Causyan	61		62	01	m	13			-	
064508	Enrique B. Magalona	23	1	24	4	_	S				
064509	Escalante	27	1	28	2	-	8		_	2	
064510	Himamaylan	42	2	44	8	6					
064511	Hinigaran	29	3	32	4	2	9	-		-	L
064512	Hinoba-an (Asia)	22		22	4	2	9			-	
064513	Tlog	24	1	25	٥	4	10				
064514	Isabela	28	\$	33	4	1	Š			۳	
064515	Kabankalan City	67	9	92	21	9	23		4	3	02
064516	La Carlota City	22	3	25	4	1	5		2	72	4
064517	La Castellana	30	1	31	3	-	4				
064518	Manapia	13		14	2	1	3				
064519	Moises Padilla	19	1	20	3	1	7				
064520	Mureia	24	3	27	4	7	9	1	-		L
064521	Pontevedra	20	2	22	3	-	4				
064522	Pulupandan	6	1	7	-	-	2				
064523	Sagay City	80	4	54		4	15		-	7.	L
064532	Salvador Benedicto	13		13	_		1				L
064524	San Carlos City	57	4	61	S	4	6	1	3	E.	28
064525	San Enrique	6	1	10	_		2				
.064526	Silay City	25	2	27	7	-	8		~	2	L
064527	Sipalay	62	3	32	12	2	41		-	-	
064528	Talisay City	20	2	22	ĸ	7	7	-	2		
064529	Toboso	21		21	ধ		٧.				
064530	Valladolid	×	1	Ġ	۳,	۳.	9			-	
		-			,	·		,			ľ

3.5 Health Status

3.5.1 Morbidity, Mortality and Infant Mortality

Table 3.5.1 Morbidity, Mortality and Infant Mortality

		and Sanitation Sector Plan (PW4SP)		Prov. Nun					Page Lof			
Content Health - Morbl		Mortality	Prov Name Ne		ntal			·	Date 171			
Data Collection Level Pa	ovincial		Municipal Numb Municipal Name							Health vis aber, P 3 1		
Region Number VI			(Withholpan Marine					nual Incide		iloci. F 3 I		
Cause Group Diseases	Discuse No.	N (C (C)	Water Related	 			<u>^</u>			г .		
of	ŠŽ	Name of Diseases (Group)	Diseases		Morbidity			Mortality		L	fant Mortal	ity
	_		<u> </u>	Male	Female	Total	Male	Female	Total	Male	Female	Fotal
Infective	A 01	2-4 Typhoid Parathyphoid	X	509	458	967	н	- 6	17			L
and	A 02	5-7: Dysentery	X			ļi	7	2	9	 		
Parasitic	A 03	8-10 Intestinal Parasites	X	16,851	16,490	33,341	54	40	- 91	21	10	31
(001-136)	A 04 A 05	11-13 Diantes 14-16 Tuberculosis		2,935	2,267	3,253	515	230	745	 	10	-71
	A 06	17-19 Conjunctivities	<u>x</u>	2,730	2,201	3,633	217	2.20	14.2			·
	A 07	20-22: Whooping Cough	 ' '' 	18	10	28			·			
·	A 08	23-25 Throat Ear Nose	 				_	<u> </u>	1	· .	j	
	A 09	26-23: Tetanus		6	. 6	12	7	1	3	i — —		
	A 10	29-31: Septicemia		55	49	104	18	11	-9	18	- 11	29
	A 11	32-34 Cholera	X						<u> </u>		L	
	A 12	35-37. Varicella, Chickenpox	_ 	1.342	1.333	2,730						<u> </u>
	A 13	38-40: Measles	 	264	232	496	9 -	<u> </u>	<u>-</u> 1		<u> </u>	├ ─┴─-
	A 14	41-43: Dengue Fever	$\frac{1}{X}$	544 152	517 96	1,061	19	8	27			
	A 15	44 46 Viral Hepatitis 47-49 Malaria	X	175	- 7 0	-43	 	<u> </u>	1 1	<u> </u>	 '- 	
	A 17	50-52: Schistosomiasis		 	 		 		1	l	 	h
	A 18	53-55' Filariusis	X	i ·	1	† <i>'</i>	†— 	l	t	<u> </u>	,	l
	A 19	56-58/ Venerial Diseases	T	2	3	5	l	I		I	L	<u> </u>
	A 20	59-51/ Other Bacter/ Viral Dis										1
Neoplasms	B 01	62-64' Malignant Neoplasms		40	34	74	204	186	390			
(140-239)	B 02	65-67: Leukemia		ļ	<u> </u>	<u> </u>	<u> </u>		L			
Endocrine, Nutritional	C 01	63-70 Diabetes Mellitus			<u> </u>	<u> </u>	27	22	49	<u> </u>		<u> </u>
& Metabollic	C.02	71-73 Nutritional Deficiencies	 	 -	 -	 -	59	55	114	3	2	- 5
(250-279)	CO3	74-76' Endocrine Disorder	+	 		 	ł	-		 		
Blood & Blood Forming Organs (280- 289)		77-79: Anemias	,				19	19	38	יו	4	5
Mental Disorder (290-319)	E OI	Epilepsy Seizure					5	1	6			
Nen ous System & Sense Organs	F.01	80-82: Meningitis		2		2	12	7	19	3	2	5
(320-389)	F.02	83-85/ Nen ous System	<u> </u>			<u> </u>						
Circulatory	G 01	96-83 Heart Diseases	<u> </u>	413	452	865	251	257	503	6	. 2	8
Systems (390-459)	G 02	89-91/ Vascular Diseases	<u> </u>	3.456	1,579	8,035	274	195	159	<u> </u>	<u> </u>	
	H 01	92-94: Bronchitis		9,924	11,075	20,999	19	10	29			
Respirators	H 03	95-97 Pneumonia 98-100 Influenza		10,731	10,010	21,029	451	397	843	63	13	111
Systems (460-519)	11 04	101-103. Obstructive Pulmonary		9,242	10,010	19,252	105	65	16		 	
(190-314)	H 05	104-106/ ARI				 	103	- 03	''	 	<u> </u>	
Digestive	101	107-109 Appendicitis			1	<u> </u>	2	-	3	†	l	
System	1 02	110-112/ Gastroent Colitis	x				3	2	- 5			
(520-579)	103	113-115/ Chronic Liver Disease					85	20	105			
	104	116-118/ Other Diges. Diseases					97	33	130			
Genito-Urinary	101	119-121/Kidney Nephritis		!	 	 .	114	74	188	<u> </u>	 	11_
System (580-629) Complication of Pregnancy & the	J 02 K 01	122-124 Urinary Infections 125-127 Prematurity	<u> </u>	 -						6		10
Puerperium (530-676)	İ			1	<u> </u>		L		L	L		L
Skin & Subcuraneous	LOI	128-130 Skin Discuses	Х	3	1	4			1	L	L	L
Tissue (680-709)	L 02	131-133/ Scabies	X	1,605	1,958	3,573				<u> </u>	ļ	ļ
Musculuoskeletal & Connective Tissue (710- 739)	M 01	134-136' Anhrop , Rheumatism					•	١,	5			
Congenital Anomalies (740-759)	N.01	137-139 Congenital Anomalies					2	4	6	24	15	39
	P Of	140-142/ Birth Trauma		T	1	1.	1	1	1	6	3	9
Certain Causes of Preparal	P 02	143-145/ Birth Injuries & Difficult Labor										
Morbitity & Mortality (760-779)	P.03 P.04	145-143 Resp Fetus Newborn 159-151 Other Prenatal Causes		-			i.		1	16	17	33 14
Symptoms & Bidefined Condition (780-799)		152-154 Sendity 155-157 Ill-Defined Condition	<u> </u>	 	 	<u> </u>	18	28	45		<u> </u>	<u> </u>
Accidents, Poisoning	Q 02 R 01	138-160-Burns			 		2	5	7	<u> </u>		
& Violence	R 02	161-163 Suffee Foreign Body		ļ			 _	l	L	 	ļ	! —
(\$60-979)	R 03	164-166 Other Accidents		73	55	128	309	122	431	<u> </u>		L

Source PHO - Negros Occidental, 1999

3.6 Environmental Conditions

3.6.3 Solid Waste Disposal

Table 3.6.1 Municipal Solid Waste Collection and Disposal by Municipality

			CHICAGA ENVIRONMENT CAMPANDA - SONO PLANC CONCENDA AND DISPOSA	200				Date: 17 Jan. 2000	2
Oata Collec	Data Collection Level: Provincial			Prov. Number: 0645	545			Filename: Sanitation.xls	ion.xls
Region Number: VI	nber: Vi			Prov. Name: Negros Occidental	ros Occidental			Form Number: P.6.6	5.6
			W	With Municipal Service	vice			Without Service	
pog		Numl	Number of Collection Trucks	Trucks	Disp	Disposal	mN N	Number of Heusehold by Manner of Disposal	, i l
oirlqs12,09D	Name of City or Municipality	Open Dump Trucks	Closed Type Trucks	Total Units	Number of Households Served by Open Dump Site	Number of Household Served by Sanitary Landfill	Dumping (Land and Water) and Buming	Burying	Composting
Number	Character	Number	Number	Number	Number	Number	Number	Number	Number
064502	Bago City	\$	4	٥	1,894		3.750	8,499	12,453
064503	Binalbagan	2		2	1,930		6,404	812	1.502
064504	Cadiz City	5	2	7	10,622		14,688		
064505	Calatrava		2	2	759		1.556	900'5	7.075
064506	Candoni				935				788
064507	Cauayan			1	200		0.870	7.800	938
064508	Enrique B. Magalona				1.036		2,178		6,717
064509	Escalante	1	-	2	1,507		14,511	303	303
064510	Himamaylan	2		2	4,800		6,632)	2,536	1,521
064511	Hinigaran			1	2,178		6,567	3,421	1,424
	Hinoba-an (Asia)			1	288		2,919		2,207
	llog						2,384	666'5	
	Isabela	,		-	1,843		1,371	3,485	2,974
064515	Kabankalan City		2	2	3.550		13,704	8.062	1,407
064516	La Carlota City	2	-	3	5,914		267	1.124	3,317
	La Castellana	3		3	3,229		6.837	1.697	528
- 1	Manapla				1,447		6,407	206	•
	Moises Padilla			-	767		5,414		
ı	Murcia	2		2	1,300		156'6	-	
064521	Pontevedra		-	_	1,006		155.0	1.183	
064522	Pulupandan				086'1			3,041	100
064523	Sagay City	r.ı	٤.	5	9.950		16,237	672	198
064532	Salvador Benedicto						628"1	955	1,263
064524	San Carlos City	3		î	8,149		7,886	4.550	833
064525	San Enrique			-			2,935	650	530
	Silay City	7	1	\$	17,000		3,019	044.1	2,889
	Sipalay				226		268'5	6.827	12
064528	Talisay City	7		4	5,662		028'#	3,009	888
064529	Toboso	٠,		2	000		7,165	53	100
	Valladolid	_		1	2.209		3,220	526	
					17400				

- 4. EXISTING FACILITIES AND SERVICE COVERAGE
- 4.1 Water Supply
- 4.1.2 Type of Facilities and Definition of Service Level Standard

NEDA Board Resolution No. 12 (s. 1995)

APPROVING THE COMMON DEFINITION OF TERMS RELATIVE TO WATER SUPPLY, SEWERAGE AND SANITATION

DEFINITION OF TERMS

Water Supply

Levels of Service

Three levels of water service shall be provided to urban and rural communities depending upon technical and financial considerations, the needs of the WDs and RWSAs, and their willingness and ability to share in the costs and the responsibility of constructing and maintaining the water systems, These are:

- Level I (point source) a protected well or a developed spring with an outlet but without a distribution system, generally adaptable for rural areas where the houses are thinly scattered. A Level I facility normally serves an average of 15 households.
- 2. Level II (communal faucet system or standposts) a system composed of a source, a reservoir, a piped distribution network, and communal faucets. Usually one faucet serves 4 to 6 households. Generally suitable for rural and urban fringe areas where houses are clustered densely to justify a simple piped system.
- Level III (waterworks system or individual house connections) -- a system with a source, a reservoir, a piped distribution network and household taps. It is generally suited for densely populated urban areas.

Urban – the revised definition of urban population included the criteria on the economic and social functions of barrios, poblaciones and central districts resulting to the new definition which states:

 In their entirely, all municipal jurisdictions which, whether designated as chartered cities, provincial capital or not, have a population density of at least 1,000 persons per square kilometers. 6

- Poblaciones or central districts of municipalities and cities which have a population density of at least 500 persons per square kilometer.
- 3. Poblaciones or central districts (not included in nos. 1 and 2) regardless of population size which have the following:
 - a. Street pattern, i.e., network of streets in either at parallel or right angle orientation;
 - At least six establishments (commercial, manufacturing, recreational and/or personal services); and
 - c. At least three of the following:
 - a town hall, church or chapel with religious services at least once a month;
 - ii) a public plaza, park or cemetery;
 - iii) a market place or building on at least once a week and
 - a public building like school, hospital, puericulture and health center or library.
- 4. Barrios having at least 1,000 inhabitants which meet the conditions setforth in no. 3 above, and in which the occupation of the inhabitants is predominantly non-farming/fishing.

Rural – all areas not falling under the urban classification (National Statistics Office).

Rural Waterworks and Sanitation Association (RWSAs) — non-stock, non-profit organizations envisioned to operate and mange Level II water supply facilities.

Barangay Waterworks and Sanitation Association (BWSA) – non-stock, non-profit organizations envisioned to operate and manage Level I water supply facilities.

Water Supply – for purpose of the plan, refers to the supply of the water for domestic, municipal, industrial/commercial uses.

Water Supply Coverage – refers to the number of people in a given community of geographical area who have access to safe water. The extent to which the population of a geographical area is covered (expressed in terms of the number of people served compared to the total population of that community or area).

Adequate Served – refers to those with the following rate or consumption:

Level II at least 20 liters/capita/day
Level III at least 60 liters/capita/day
Level III at least 100 liters/capita/day

Service Coverage – the no. of people a facility can serve.

Level I Water Supply Systems

- 1. Deepwell are characterized by aquifers or water bearing formations generally located at a depth of more than 20 (mbgs.). Construction of deepwells with depths greater than 20 meters are recommended in these areas.
- 2. Shallow Well are areas suitable for construction of well with depths not more than 20 meters and are recommended for rural water supply development, particularly levels I and II services. Static water level in these areas are generally within 6 meters below ground surface.
- 3. Developed Springs developed to capture the natural flow of an aquifer, pollution generally originates close to the point of capture. It is projected by: 1) excluding shallow seepage waters through encircling the spring with a watertight chamber penetrating a safe-distance into the aquifer and; 2) diverting surface run-off away from the immediate vicinity.
- 4. Protected Dug Wells WASAMS defines protected dug wells as those which are adequately protected (guarded) against surface or outside contamination through the use of lining or covering, with a rim sufficiently raised above the ground level, and may be equipped with a pump (any type).

Salt Intrusion - encroachment of salt water upon fresh water.

Potable Water – water that is satisfactory for drinking, culinary and domestic purposes and meets the requirements of the health authority having jurisdiction. (Plumbing Code).

Population Underserved – population inadequately served.

Population Unserved - population without access to water supply facility.

Population Served – no. of population adequately served of connections x no. of persons served per connection.

Rainwater Cisterns/Collectors/Catchers - reservoirs, tanks or vessels for the storage of rainwater.

Reliable Water Supply - efficiency in the delivery of water supply in terms of quantity and quality.

Safe Drinking Water – water must be free of disease-producing bacteria (pathogens). In addition, the water should not possess undesirable tastes, odors, colors, turbidity or chemicals.

Service Area - geographic jurisdiction of water utilities.

Non-revenue Water - unbilled water.

Appropriate Technologies – suited to local conditions and resources.

Infiltration Galleries – horizontal wells which collect water over the entire length.

Accounted-for-water – billed water.

Access to Water Supply Facilities - access to water supply is categorized as follows:

Level I - the farthest user is not more than 250 meters from the point source.

Level II - the farthest house is not more than 25 meters from the communal faucet

Level III - the house have service connection from the system.

Private Water System -- privately-owned water supply system.

Public Water System – system owned by the government.

DEFINITION OF TERMS

Sewerage and Sanitation

Sanitation – the development and practical application of sanitary measures for the sake of cleanliness and protecting health.

Sanitary Toilet -- is an approved type of facility used for receiving and disposing human waste (feces and urine).

APPROVED TYPES

- 1. Flush -- type of toilet facility with a mechanical device used to wash the waste into the receiving sewer or septic tank by the use of flushing water and with traps to provide a "water seal".
- 2. Poor Flush type of toilet facility without a mechanical device and in hand-flush with "water seal" connected to receiving sewer, septic tank or leaching pit.
- 3. Ventilated Improved Pit refers to an on-site toilet facility without using any amount of water comprising a vent pipe with a fly screen used to trap flies in a pit and, also allows evacuation of foul air into the atmosphere. This minimizes foul odor with the latrine superstructure and traps flies that could not spread diseases through fecal contamination.
- 4. Sanitary Pit Privy type of toilet facility without using any amount of water, with a pit of at least 1-2 meters depth, a hole of one square meter, provided with a floor covering a riser, seat with cover which are all fly-and rodent proof and a building for privacy including the Antipolo type.

Unsanitary Toilet – a type of facility used for receiving and disposing human waste which does not fall under the category of approved types of toilet facilities.

the first of the second second second

UNAPPROVED/UNSANITARY TYPES

- Open Pit Privy- a pit of at least the same dimension as the sanitary pit privy, provided with pit flooring, with or without riser and seat and without cover to protect from flies and rodents.
- Overhang a structure provided with flooring and with an opening built above the body of water or above the ground without pit under it, used for defecation of the disposal of human waste. It can be a part of the house or a separate structure outside the house.

LEVELS OF TOILET USE

- 1. Communal a toilet facility shared by two or more households.
- Public -- toilet facility located at public places like markets, bus stations, etc. intended for public use.
- 3. School a toilet facility located in a school.
- 4. Household -- a toilet facility being used by an individual household.

Sewerage - facilities that collect human waste and sullage from residences and establishments usually piped and conveyed in structures (sewers, pump stations) for eventual central treatment and safe disposal. Piped sewerage includes a collection system (street laterals), a conveyance system (trunk sewers and pump stations), and a treatment plant/disposal system.

Human Waste - solid (feces) and liquid (urine) wastes from human.

Sullage - liquid wastes resulting from washing, bathing and laundry.

Drainage System - facilities that deal with rainwater.

Unsanitary Drainage System – facilities without treatment that deal with rainwater and also receive septic tank overflow and sullage. Includes open canals.

Without Toilet – households without any toilet but using body of water like rivers, lakes, etc. open field including coastal areas, and other mean to dispose human waste.

Access - availability of toilet facility within the household premises that can be used anytime.

On Site – the human waste is deposited and treated where the toilet facility is located.

Off Site – the human waste is transported for treatment.

4.2 Sanitation and Sewerage

)

Table 4.2.1 Number of Household Toilets, by Type

4.2.3 Sanitation Facilities and Service Coverage

Total Number of Households Without Toilets 1960 Rum Filename: Sanitation.xls Urban Form Number: P.6. Date: 19 Jan. 22.2.3.4.2 2.1.2.3.4.2 2.1.2.3 3.1.2.3 2.2.3.3 2.2.3.3 2.2.3.3 3.1.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 3.3.3 E8888 Number Number of Households Using Total Page: 1 Unsanitary Toilets 1,199 1,279 1,727 2 P Rum Urban Rural Total Urban Number of Households Using Sanitary Toilets Sanitary Pit Latrine (VIP) Prov. Name: Negros Occidental 240 Prov. Number: 0645 4,649 2,577 2,517 1,022 2,619 2,333 8ura Pour Flush Provincial Water Supply, Sewerage and Sanitation Sector Plan (PW4SP Urban 25 155 2,548 18 4 % 3 Rural Content: Environment Sanitation - Household Toilet Data Collection Level: Provincial Flush ,582 S 5 8 2388 8 8 4 5 E Crban Cauayan Enrique B. Magalona Escalante Name of City or Sagay City Salvador Benedicto San Carlos City Municipality Hinigaran Hinoba-an (Asia) Manapla Moises Padilla La Carlota City La Castellana Himamaylan Pontevedra Pulupandan Sipalay Talisay Cit Valladolid Calatrava Region Number: VI Candon Code Geographic

4 - 7

PSPT, Negros Occidental, 1999

Source

Table 4.2.2 Number of School Toilets by Public and Private Classification

	Water Supply, Sewerage			(PW4SP)		Page: 1 of 2	
	nvironment Sanitation -					Date: 19 Jan	
	ction Level: Provincial	Prov. Number				Filename: Sa	
Region Nu	mber: VI	Prov. Name:	Negros Occi	dental		Form Numbe	er: P.6.2
Geographic Code	Name of City or Municipality	Nt	ımber of Sch	ool	Nι	imber of Stud	ent
ပိ	. ,	Public	Private	Total	Public	Private	Total
Number	Character	Number	Number	Number	Number	Number	Number
064502	Bago City	43	3	46	32,768	800	33,568
064503	Binalbagan	36	5	41	13,743	2,383	16,126
064504	Cadiz City	61	5	66	30,176	1,796	31,972
064505	Calatrava	49	0	49	16,888	0	16,888
064506	Candoni	18	1	19	5,344	244	5,588
064507	Cauayan	71	4	75	20,387	1,450	21,837
064508	Enrique B. Magalona	27	2	29	12,481	691	13,172
064509	Escalante	34	2	36 .	19,209	596	19,805
064510	Himamaylan	50	5	55	21,392	1,609	23,001
	Hinigaran	33	6	39	16,694	2,282	18,976
	Hinoba-an (Asia)	26	2	28	11,666	971	12,637
064513	llog	30	5	35	10,249	2,044	12,293
	Isabela	32	6	38	11,729	737	12,466
064515	Kabankalan City	84	15	99	33,994	3,682	37,676
1 I	La Carlota City	26	4	30	15,075	655	15,730
	La Castellana	33	2	35	15,170	657	15,827
064518	Manapla	15	2	17	9,889	331	10,220
064519	Moises Padilla	22	2	24	7,058	771	7,829
064520	Murcia	28	5	33	13,542	1,045	14,587
064521	Pontevedra	23	3	26	10,354	421	10,775
064522	Pulupandan	7	2	9	4,956	477	5,433
064523	Sagay City	61	8	69	27,980	725	28,705
064532	Salvador Benedicto	14	0	14	3,707	0	3,707
064524	San Carlos City	62	8	70	24,352	3,151	27,503
064525	San Enrique	10	2	12	4,237	431	4,668
064526	Silay City	32	3	35	22,627	749	23,376
064527	Sipalay	41	5	46	15,405	1,693	17,098
064528	Talisay City	25	4	29	15,535		16,158
064529	Toboso	25	1	26	10,158		10,530
064530	Valladolid	11	3	14	6,241	744	6985
064531	Victorias City	22	6	28	19,695	2098	21793

Source: PSPT, Negros Occidental, 1999

Table 4.2.2 Number of School Toilets by Public and Private Classification (cont'd)

_							4	l
ontent: E	ontent: Environment Sanitation - School Toilets	ilets				Date: 19 Jan. 2000	an. 2000	١
ata Colle	Data Collection Level: Provincial		Prov. Number: 0645	ber: 0645		Filename:	Filename: Sanitation.xls	S.
cgion Nu	Region Number: VI		Prov. Nam	e: Negros	Occidental	Prov. Name: Negros Occidental Form Number: P.6.3	ber: P.6.3	
apc de.			Z	Number of School Toilets	chool Toile	ets		
130:	Name of City or Municipality		Sanitary			Unsanitary		Total Unit
ъЭ bid		Public	Private	Total	Public	Private	Total	
Number	Character	Number	Number	Number	Number	Number	Number	Number
064502	Bago City	340	68	429	=		=	044
064503	Binalbagan	208	61	269	_			270
064504	Cadiz City	190	12	202				
064505	Calatrava	661		199	91		16	
064506	Candoni	26	2	28				
064507	Cauayan	157	S	162				
064508	Enrique B. Magalona	28	4	62				
064509	Escalante	861	10	208	48		48	
064510	Himamaylan	257	01	267	9		9	
064511	Hinigaran	353	25	378	8		8	
064512	Hinoba-an (Asia)	112	12	124	34		37	
064513	llog	99	4	7.0				
064514	Isabela	256	6	592				
064515	Kabankalan City	171	81	252				
064516	La Carlota City	861	47	245				
064517	La Castellana	440	8	448	-			
064518	Manapla	113	2	120		7	2	122
064519	Moises Padilla	129	5	134	12		12	
064520	Murcia	84	12	96				
064521	Pontevedra	19	12	31				
064522	Pulupandan	120	9	126				
064523	Sagay City	26	34	131	9		9	137
064532	Salvador Benedicto				28		28	28
064524	San Carlos City	146	32	178	01		01	
064525	San Enrique	[4	4	45				
064526	Silay City	101	283	384				Γ.
064527	Sipalay	42.	8	162				
064528	Talisay City	156	10	991	41	7	43	209
064529	Toboso	98	Υ'n	۱6				او
064530	Valladolid	2	9	18				18
06453	Victorias City	0.	25	553				['

Table 4.2.3 Number of Public Toilets by Type of Facility

	Water Supply, Sewerage						Page: 1 of 3	
	nvironment Sanitation -	Public Toile	ets(Public Ma	arket)			Date: 19 Ja	
Data Colle	ction Level: Provincial		Prov. Numb	er: 0645	· · · · · · · · · · · · · · · · · · ·		Filename: S	anitation.xls
Region Nu	mber: VI		Prov. Name	Negros Occ	idental		Form Numb	
Jic i		T		1	Public Marke	s	***************************************	
Geographic Code	Name of City or		1	· · · · · ·		of Toilets	··	
ograp! Code	Municipality	Number	San	itary	T	nitary	T.	otal
ပိ	, ,		Male	Female	Male	Female		
Number	Character	Number	Number	Number	Number	Number	Male	Female
	Bago City	1 6	6	6	Number	Number	Number	Number 6
	Binalbagan	1 - š	2	2			2	2
t	Cadiz City	6	15	15			15	<u>2</u>
	Calatrava	<u> </u>	3	3	3	3	6	
064506	Candoni	i	l	<u> </u>			1	1
064507	Cauayan	3	7	—— ; —	<u>-</u>		3	8
064508	Enrique B. Magalona	 	<u> </u>	i	<u>-</u>	:	1	- 8
064509	Escalante	2	1 	3		· 	3	3
064510	Himamaylan	3	3	3			3	3
064511	Hinigaran	<u> </u>	1		· 	·	1	
	Hinoba-an (Asia)	2	l		<u>i</u>	·- 1		
	llog	3	3	3			3	3
064514	Isabela	1	1	1		·	-	-
064515	Kabankalan City	14	7	7	7	7	14	14
064516	La Carlota City	4	5	5			5	- 14
064517	La Castellana	6	3	3			3	$-\frac{3}{3}$
064518	Manapia	2	1	1	ī	1	2	2
064519	Moises Padilla	1	i	i	·	-	1	1
064520	Murcia	2	2	2	·	· · · · · · · · · · · · · · · · · · ·	2	
064521	Pontevedra	1	1	·				
	Pulupandan	4	2	2			2	2
	Sagay City	10	6	6	5	5	<u> </u>	11
	Salvador Benedicto	1	İ —————				 	-
	San Carlos City	9	9			-	9	
	San Enrique	1	1	1			-	
	Silay City	2	11	17			11	i
	Sipalay	3	4	4			4	
064528	Talisay City	1	2	ı			2	·
	Toboso	2	1	1			- -	
	Valladolid	4	T T			·		
064531	Victorias City	4		2		~	-	- · · · · · · · · · · · · · · · · · · ·
Source: PS	PT, Negros Occidental, I	999					'=	

Table 4.2.3 Number of Public Toilets by Type of Facility (cont'd)

	Water Supply, Sewerage a						Page: 2 of 3	
Content: E	nvironment Sanitation -	Public Toile	ts(Jeepney/B	us Terminal)		Date: 19 Jan	ı. 2000
Data Colle	ction Level: Provincial		Prov. Numbe	er: 0645			Filename: S:	anitation.xls
Region Nu	mber: VI		Prov. Name:	Negros Occi	dental		Form Numb	er: P.6.4.2
.º				Јеер	ncy/Bus Terr	ninal		
Geographic	Name of City or		[· · · · · · · · · · · · · · · · · · ·	<u>_</u>		of Toilets		
ograp! Code	Municipality	Number	San	itary		nitary	To	otal
ర్తి			Male	Female	Male	Female	Male	Female
Number	Character	Number	Number	Number	Number	Number	Number	Number
064502	Bago City	4	1	ı			1	I
064503	Binalbagan	1	1	2			1	2
064504	Cadiz City	3	4	4			4	-4
064505	Calatrava							
064506	Candoni	ī	1	1			1	1
064507	Cauayan							
064508	Enrique B. Magalona					····		
064509	Escalante							
064510	Himamaylan							
064511	Hinigaran	İ						
064512	Hinoba-an (Asia)	1					1	
064513	Ilog	1				·	<u> </u>	
064514	Isabela	1	1	1			1	1
064515	Kabankalan City	4	6	6			6	6
064516	La Carlota City	4	4	4			4	4
064517	La Castellana	2	2	. 2			2	2
064518	Manapla							
064519	Moises Padilla						*	
064520	Murcia	1			• •			
064521	Pontevedra	· ·				· · · · · · · · · · · · · · · · · · ·		
064522	Pulupandan		P.C					
064523	Sagay City	1	1	ı			1	1
064532	Salvador Benedicto					 -		
064524	San Carlos City	3	3	3			3	3
	San Enrique							
	Silay City	1	1	1			1	1
064527	Sipatay	2	2	2			2	2
064528	Talisay City							
064529	Toboso	***************************************						
064530	Valladolid						. –	
064531	Victorias City	3 .	2	2			2	2

Source: PSPT, Negros Occidental, 1999

Table 4.2.3 Number of Public Toilets by Type of Facility (cont'd)

Provincial	Water Supply, Sewerage a	ınd Sanitatior	Sector Plan	(PW4SP)			Page: 3 of 3	
	nvironment Sanitation -						Date: 19 Jan	n. 2000
Data Colle	ction Level: Provincial		Prov. Numb	er: 0645			Filename: S	
Region Nu	mber: VI		Prov. Name:	Negros Occ	idental		Form Numb	
ပ္				Pa	arks/Playgrou	ınd		
dg:	Name of City or			-,		of Toilets		
Geographic Code	Municipality	Number	San	itary	Unsa	nitary	To	otal
ပိ			Male	Female	Male	Female	Male	Female
Number	Character	Number	Number	Number	Number	Number	Number	Number
064502	Bago City	11	11	11			11	11
	Binalbagan	1	1	1			i	1
	Cadiz City	3	3	3	i		3	3
064505	Calatrava	5	8	8			8	8
064506	Candoni	1	l	1			i	1
064507	Cauayan	1	2	1			2	1
064508	Enrique B. Magalona	1						
064509	Escalante	3	1	ī	-		ı	ı
064510	Himamaylan	6	3	3			3	3
	Hinigaran	1	1	1			1	ı
064512	Hinoba-an (Asia)							
064513	llog	1						
B	Isabela	1	3	3		L	3	3
	Kabankalan City	1	1	ı			1	1
	La Carlota City	t	1	l			1	1
li — — — — —	La Castellana	1	3	2			3	2
I	Manapla	1	2	2			2	2
	Moises Padilla	3	3	3			3	3
064520	Murcia	4	1	1				I
11	Pontevedra	2	2	2			2	2
]}	Pulupandan	4	2	· 2			2	2
	Sagay City	5	5	5			5	5
	Salvador Benedicto							
	San Carlos City	5	14	16			14	16
	San Enrique	!	<u> </u>	1			1	1
	Silay City	1	2	2			2	2
	Sipalay	11	!	1			1	
(Talisay City	1	1	1			1	1
}	Toboso	2	1	<u> </u>			1	1
	Valladolid	2	3	3			3	3
	Victorias City	3	14	2			14	2

Source: PSPT, Negros Occidental, 1999

- 5. EXISTING SECTOR ARRANGEMENT AND INSTITUTIONAL CAPACITY
- 5.2 Sector Reforms

)

A. IMPLEMENTING RULES AND REGULATION

IMPLEMENTING RULES AND REGULATIONS OF NEDA BOARD RESOLUTION NO. (SERIES OF 1994), CLAUSE (G)

PREFACE

The following Implementing Rules and Regulations (IRR) of Clause (g) of NEDA Board Resolution No. 4 (series of 1994) was prepared with assistance from the World Bank, upon request of the Philippine Government, through the Department of the Interior and Local Government (DILG). It is an update of the earlier draft prepared in August 1995 and incorporates the developments that have occurred in the sector since that time. The intention is to provide a comprehensive and consistent set of IRR that reflects evolving policies in the sector to address basic service deficits. In particular, it attempts to translate the global sectoral principles of managing water as an economic good and managing services at the most appropriate level, into rules and regulations that can be understood and implemented by the local government units. This IRR reflects the following policies currently being developed by the Government:

- a. Encouraging LWUA lending rates to local water districts to be aligned to market rates;
- b. Providing national government grants for source development of Level I systems in support of a national objective of poverty alleviation;
- c. Developing a national sector plan that will provide the basis for provinces and cities/municipalities to plan and implement water and sanitation investments based on what communities want and are willing to pay for;
- d. Instituting a framework for economic regulation of the water supply and sanitation sector and defining the role of the LGU in this framework; and
- e. Instituting a system of public performance audit of public and private water utilities, so that consumers feedback on service coverage and reliability is available at the national and local levels of Government.

A major development was the creation of the Presidential Task Force on Water Resources Development and Management in October 1996, which has the objective of streamlining the regulatory environment of the sector, that is, linking resource regulation with the economic regulation aspects. A proposed bill prepared by the Task Force has been filed with Congress in July 1997 for the creation of a Water Resources Authority of the Philippines (WRAP) to undertake these regulatory functions, among others. Once this is approved by Congress and passed into law, the IRR may have to be revised to reflect the major institutional changes, particularly with regard to the roles of national government agencies in the sector.

ê

RULE 1

PURPOSE AND OBJECTIVES

Article 1. Title. These rules shall be known as the Implementing Rules and Regulations of clause (g) of NEDA Board Resolution No. 4, (series of 1994).

Article 2. Purpose. The purpose of these rules and regulations is to implement clause (g) of NEDA Board Resolution No. 4, (series of 1994), and is in support of NEDA Board Resolution No. 6, (series of 1996) which defines the executing agency arrangement for devolved infrastructure activities/facilities, including water supply, where national government assistance is provided. Clause (g) of NEDA Board Resolution No. 4 (series of 1994) states that:

"Level I (point source system), Level II (command faucet) and Level III (house connections) water supply projects may be implemented by the concerned LGUs within their jurisdiction. LWUA shall implement only financially viable Level III water supply projects in areas outside the MWSS jurisdiction. DILG's participation will consist of general administration and institution building, such as assistance to LGUs in the formation of Rural and/or Barangay Waterworks and Sanitation Associations (RWSAs/BWSAs) as well as in the identification of water supply systems. MWSS will be responsible for Level III water systems in Metro Manila and adjacent areas. DPWII, together with DILG and DOII, will provide technical assistance (within a period of about two years) to LGUs in the planning, implementation, and operation and maintenance of water supply facilities."

Annex C presents NEDA Board Resolution No. 6, (series of 1996).

Article 3. Objectives. The objectives of the Implementing Rules and Regulations are as follows:

To definite the role of local government units (LGUs) in the provision of water supply services
and the assistance to be made available to them by national government agencies concerned;

- b. To provide guidance to the LGUs in the development and implementation of viable and sustainable water supply projects, to the extent feasible, supporting the principles espoused by the sector of managing water as an economic good, promoting a demand-oriented approach in the provision of services and management to be made at the most appropriate level, and greater private sector participation in service delivery; and
- c. To identify institutional strengthening needs of LGUs to further develop their capacity to adequately perform their agreed functions in the sector.

RULE 2

SCOPE

Article 4. Scope. These Implementing Rules and Regulations shall apply to water supply projects to be implemented and managed by LGUs where national government assistance is provided.

RULE 3

DEFINITION OF TERMS

Article 5. Definition of Terms. For purpose of these Implementing Rules and Regulations, the following terms shall be construed to mean as follows:

a. Levels of Service. Based on NEDA Board Resolution No. 12 (series of 1995), approving the common definition of terms relative to water supply, sewerage and on-site sanitation, levels of service are defined as follows:

Level I (point source) – a protected well or a developed spring with an outlet but without a distribution system; generally adaptable for rural areas where the houses are thinly scattered. A Level I facility normally serves an average of 15 households.

Level II (communal faucet system or standposts)—a system composed of a source, a reservoir, a piped distribution network, and communal faucets. Usually, one faucet serves four to six households. It is generally suited for rural and urban fringe areas where houses are clustered densely to justify a simple piped system.

Level III (waterworks system or individual house connections) – a system with a source, a reservoir, a piped distribution network and household taps. It is generally suited for densely populated urban areas.

b. A financially viable water supply system refers to a system wherein its revenues can cover for all costs related to capital and operation and maintenance, including providing for reasonable reserves for future expansion. For those systems managed by water districts, a financially viable system is one that is able to generate revenues directly from user payments sufficient to cover all costs¹. For LGU-managed systems, capital and operations and maintenance costs shall be recovered through a combination of user fees, general municipal taxes and other incomes available to the LGUs.

RULE 4 ROLE OF LOCAL GOVERNMENT UNITS

Article 6. General. The Local Government Code of 1991 mandates the decentralization and devolution of authority to LGUs in providing for certain basic services, which include safe potable water. At the local level, the LGUs are responsible for providing reliable water supply to their constituents, whether these are in the form of Levels I, II or III systems, depending on the expressed demand by the community for these services. LGUs may both directly provide and finance these services, or involve the private sector to participate in both provision and financing through concession, management or service contracts.

Article 7. Financing and Cost Recovery. In financing water supply investments, the LGUs may tap their Internal Revenue Allotment and/or locally generated revenues, or leverage these resources to borrow from government and private financial institutions. The amount that an LGU can borrow, including the required equity, is dependent on its current and expected revenue performance, as well as the amount of user charges and equity contributions from the community. The amount of equity contributions from the community shall be a local decision of the LGUs concerned.

For any national government grant that may be provided for the development of Level I systems, the LGU and beneficiaries concerned shall be required to provide any remaining amount as equity to the

The Department of Finance is considering aligning the LWUA lending rates to local water districts toward market rates to allow for a more efficient use of scarce resources, as well as to provide for consistent policy on lending to LGUs by government financial institutions.

investment. No subsidies from the national government shall be provided for Levels II and III systems.²

In providing for Level III service, the LGUs may opt to form a water district or an LGU company, provide a franchise to a private party or participate in a joint venture with a private party. Except in areas with water districts, LGUs shall maintain overall responsibility for ensuring consumer satisfaction through the exercise of institutional and/or contractual regulatory powers over local water utilities³, in collaboration with other national regulatory agencies, and by instituting a system of public performance audit.

Cost recovery through user payments shall be encouraged for both capital and operation and maintenance costs. However, at the minimum, user payments shall be required to cover the operation and maintenance costs in all services levels. For LGU- owned, operated and/or guaranteed systems, any shortfall in revenues required for loan repayment shall be financed by the LGU from its Internal Revenue Allotment and/or locally-generated revenues, following a process of negotiation between the LGU and the beneficiaries concerned on the level of user payments.

For systems managed by local water districts, full cost recovery, through user charges, is required by LWUA.

In areas where there are existing local water districts, LGUs may finance rehabilitation works and/or expansion of the existing waterworks system on the following conditions:

- a. The local water district concerned is not in LWUA's current program of assistance, that is, it is not included in any loan of LWUA with a financing institution, and
- b. Endorsement by the local water district concerned should have been secured.

In the event that the local water district is servicing a loan from LWUA, the local water district shall seek clearance from LWUA prior to entering into an agreement with the LGU concerned on any program of system expansion.

This policy has been approved by the Investment Coordination Committee of the NEDA Board.

As per Presidential Decree No. 198 (Provincial Water Utilities Act), LWUA regulates the technical standards and the tariffs of local water districts, based on its requirement to issue a certificate of conformance on every loan disbursed to the latter. Source regulation is done by the National Water Resources Board. At the moment, there is no recourse by the LGU in case of non-performance by the local water district. This is an issue that needs to be addressed by Government.

Article 8. Management of Systems. LGUs shall adopt commercial principles in the operation and management of water utilities in order to provide cost-effective and reliable services to consumers, whether management of the system is a direct responsibility of the LGU or is contracted out by the LGU to the private sector. An LGU may also consider amalgamating or consolidating its system with that of its neighboring LGUs in order to benefit from economies of scale that could expand water supply services to consumers at the lowest possible cost.

6

6

For the operation and management of Level I and II systems, the LGUs shall initiate the formation of Barangay and Rural Waterworks and Sanitation Associations (BWSAs/RWSAs), respectively, through a participatory approach involving consultation with all stakeholders (Article 20) and assist in their registration with the appropriate authorities (Article 21). Upon request, LGUs may accredit duly registered RWSAs/BWSAs in order to enable them to avail of financial assistance from local governments. LGUs shall have overall supervision of RWSAs and BWSAs.

Article 9. Project Planning and Development. Provinces and cities/municipalities shall be required to prepare, and update on an annual basis, provincial and city/municipal sector plans that are consistent with a national sector plan⁴. These sector plans shall be integrated into the local investment programs. Water supply projects shall be identified from the local investment program. A financing program of foreign and nationally/locally-generated resources, including private sector resources, shall support the local investment program.

Article 10. Approval and Award of Contracts. The LGUs shall be required to conduct public bidding, in accordance with the provisions of Law, including Presidential Decree No. 1594, as amended, Executive Order No.164, Executive Order No.302 and other applicable laws, and shall have the final authority to approve and award contracts for water supply and sanitation projects within their jurisdictions.

Article 11. Application for Water Rights. LGUs or the concerned water utility shall apply for water rights from the National Water Resources Board prior to implementing a project that would require extraction of water.

Article 12. Public Performance Audit. The LGUs shall establish a system of public performance audit for public and private water utilities focusing on critical performance indicators. Upon request

ADB is assisting the preparation of a National Sector Plan for Water Supply, Sewerage and Sanitation for 1999-2004

of the LGUs, DILG may provide technical assistance for this purpose, in coordination with appropriate national government agencies.⁵

RULE 5

ROLES OF NATIONAL GOVERNMENT AGENCIES

Article 13. Department of the Interior and Local Government (DILG). The DILG shall have the following responsibilities in the sector:

- a. Raise awareness of LGUs on opportunities relating to the sector, within the framework of relevant government policies, such as financing schemes and available assistance from local and foreign financing institutions, technological breakthroughs, management and institutional arrangements, etc.;
- Facilitate transactions between LGUs and communities and lending institutions by preparing water supply investment packages, assisting in the financial, economic and institutional and environmental data collection and analysis, etc., in coordination with appropriate national government agencies;
- c. Build capacity of LGUs and BWSAs/RWSAs in the general areas of planning, implementation, management, monitoring and evaluation, and regulation, upon agreement with the LGUs, and as required by financing institutions, in coordination with national government agencies such as DPWH in the case of the engineering aspects;
- d. Develop and maintain a national data management system of LGU-managed water systems to include data on extent of service coverage, cost recovery, collection efficiency, size of water systems, nature of water resources, among others, in coordination with appropriate national government agencies;
- e. Establish a system for monitoring strategic performance of LGUs in relation to the sector, including compliance with technical standards established by LWUA and DPWH;

Agranda de la companya de la Company

f. Upon agreement with the LGU, provide technical assistance in the establishment of a system of public performance audit, in collaboration with appropriate national government agencies;

This system shall be pilot-tested in Metro Manila by the MWSS with World Bank financing.

- g. Coordinate sector activities of LGUs vis-a-vis other national government agencies involved in the sector:
- h. Register RWSAs/BWSAs and maintain a record of all documents and issue regular bulletins;
- i. Monitor the implementation of this IRR, including the formulation of monitoring and evaluation parameters and reporting requirements; and
- j. Act as the coordinator for projects funded by the National Government per NEDA Board Resolution No. 6 (series of 1996).

Article 14. Local Water Utilities Administration (LWUA). The LWUA shall have the following responsibilities in the sector:

- a. Act as a specialized lending institution for local water districts;
- b. Provide technical assistance to local water districts in the areas of operation, maintenance, personnel training and fiscal practices;
- c. Upon agreement with the LGU, provide technical and financial assistance in the conduct of engineering studies;
- d. Approve tariffs of local water districts;
- e. Establish and update, as and when necessary, the technical standards for local water utilities, including LGU-managed systems;
- f. Monitor and evaluate the performance of local water districts; and
- g. Register RWSAs and furnish all registration documents to DILG.

Article 15. Department of Public Works and Highways (DPWH). The DPWH shall have the following responsibilities in the sector:

 Set and/or update, as and when necessary, technical standards for engineering surveys, design, construction and operation and maintenance of Level I systems;

- b. Upon agreement with the LGUs, assist in the conduct of engineering surveys and in the preparation of plans, specifications and programs of work, through its District Offices;
- c. Upon agreement with the LGUs, assist in construction management, through its District Offices; and
- d. Conduct technical researches in coordination with the LGUs.

1

Article 16. Department of Health (DOH). The DOH shall have the following responsibilities in the sector:

- a. Set and/or update, as and when necessary, standards on water quality testing, treatment and surveillance, and sanitary practices;
- b. Provide technical assistance to the LGUs in the conduct of periodic water quality control and surveillance-related activities; and
- c. Monitor and evaluate, on a regular basis, health and hygiene education programs implemented by local health offices, particularly in areas where waterworks systems are expected to be constructed.

Article 17. National Water Resources Board (NWRB). The NWRB shall have the following responsibilities in the sector:

- a. Regulate the use of water resources through the issuance of water rights;
- b. Regulate tariffs of privately-run water systems; and
- c. Establish and manage a user-friendly water resources data management system.

Article 18. Metropolitan Waterworks and Sewerage System (MWSS). The MWSS shall be responsible for water systems in Metro Manila and its adjacent areas.

RULE 6

RURAL/BARANGAY WATERWORKS AND SANITATION ASSOCIATIONS

Article 19. General Provision. A Rural/Barangay Waterworks and Sanitation Association shall be formed to manage public water systems and sanitation facilities: RWSAs for Level II systems and BWSAs for Level I systems. RWSAs/BWSAs shall initiate/assist in site identification, planning, implementation and evaluation of water supply projects as well as guide the construction and/or maintenance of household and community latrines (toilets).

Article 20. Organization of RWSAs/BWSAs. RWSAs and BWSAs shall be organized upon initiation of the LGU. A participatory approach shall be adopted in the formation of RWSAs/BWSAs with the LGU concerned taking the lead and non-government organizations (NGOs) providing technical assistance, as necessary. Prior to the formation of RWSAs/BWSAs, dialogues shall be conducted with and among all stakeholders such as women's groups, civic and religious organizations, health practitioners, NGOs and other people's organizations.

Article 21. Registration Requirements. RWSAs/BWSAs shall register with DILG. BWSAs shall be encouraged to associate with other BWSAs or with RWSAs prior to registration. DILG shall keep a record of all registration documents.

Article 22. Powers. Every duly registered RWSAs/BWSA shall be autonomous and shall have the power and capacity to:

- Award and enter into a contract(s) with private contractors for the delivery of necessary services
 or the supply of materials, in the course of managing a public water and sanitation facility, subject
 to existing laws, rules and regulations;
- b. Oversee the implementation of projects undertaken by private contractors;
- e. Own and mange the operation of the water facility in a sustainable manner, including providing
 for adequate reserves for maintenance and repair, setting appropriate levels of user fees, and
 implementing billing and collection schemes;
- d. Handle the activities required of any lawful business transaction entered into by the Association;
- e. Enter into agreement with other RWSAs/BWSAs for any merger or consolidation as may be proven advantageous to their operations;

- Convene meetings of water users for the purpose of information dissemination, consultation, public hearing on water rates and other activities deemed important;
- Initiate improvements in operations found to be advantageous and favorable to the communities concerned;
- h. Decide on matters found to be advantageous and favorable to the communities concerned; and
- i. Prepare an annual report on its operations.

Article 23. Capability Building of RWSAs/BWSAs. RWSAs and BWSAs may request assistance for capability building form LGUs and/or DILG, DPWH and other concerned agencies, through the LGUs.

RULE 7

PROJECT DEVELOPMENT AND IMPLEMENTATION

Article 24. Sector Planning. Planning and development of water supply investment shall be made within the framework of national policies, and shall implement specific targets in the provincial and city/municipal sector plans. These plans shall define the strategies, policies and approaches in sector development at different levels of government. A National Sector Plan for Water Supply, Sewerage and Sanitation shall be prepared, and updated, on a regular basis, by the National Economic and Development Authority (NEDA), in coordination with the concerned oversight water agencies, and shall provide the national policy framework. At the provincial level, the LGUs, through their respective Provincial Planning and Development Offices, shall prepare, and update, on an annual basis, the Provincial Water Supply, Sewerage and Sanitation Sector Plans. At the city/municipal level, a similar sector plan shall be prepared and updated, on an annual basis, by the LGUs, through their City/Municipal Planning and Development Offices. The respective Local Councils shall approve the provincial and city/municipal sector plans.

Article 25. Project Identification. On the basis of the provincial and city/municipal sector plans, water supply investments shall be identified and developed into a local investment program that includes an appropriate financing plan. The Local Council concerned shall approve the local investment program. The proposed investments shall then be developed according to a demand-driven approach that would allow beneficiaries to select from among cost-effective technical options

and from among financing options. The LGUs may avail of technical assistance from the DILG in the preparation of these project packages (Rule 5).

(

Water supply investment shall be developed tot he principles of managing water services at the most appropriate level and providing services based on what local consumers want and are willing to pay for. This means that LGU systems shall be constructed on the basis of choosing among technical options that are affordable through the financial resources made available by users, communities and LGUs. The process of determining demand for a particular service delivery shall be concluded through a negotiated agreement between the LGU, water utility and the users, on how the costs will be shared at the town, barangay and household levels.

Article 26. Technical Aspects. Technically feasible options shall be developed, particularly for a Level III service level. These options may include varying levels of operation (in terms of operating hours), which may have substantial implications on capital and operating and maintenance costs. In addition, the operation and management (O&M) cost of a technical option is strongly influenced by the management mode chosen by an LGU, economies of scale factors and the size of the service area. Thus, for any Level III service, at least two technical options shall be explored; those of an inter-LGU service delivery organization involving amalgamation of service areas and of singled LGU management systems. The former option shall be explored and developed further only upon agreement with the LGU concerned.

In the conduct of the engineering work (i.e., feasibility studies and detailed design), the LGUs may tap the services of the private sector, using their internal resources or may request the DILG, DPWII and/or LWUA for financial and/or technical assistance.

Article 27. Financing and Management Options. A range of options is available to the LGUs on financing and management of Level III systems. They include, but are not limited to, the following options:

Option 1: The LGU may finance the system from its internal resources or may borrow from a financial institution. It may then create a profit center within the LGU office with a separate cost accounting system. Under this arrangement, the LGU may directly manage the system or may enter into a management contract with a private party or a service contract with a private party to handle billing and collection and/or repair and maintenance. In these types of management arrangements, the LGU retains the responsibility for providing the service and assumes the commercial risks. Institutions such as neighboring water districts, cooperatives and other private institutions may be tapped by the LGU for these types of contracts.

Option 2: The LGU may enter into a lease contract with private party to operate and manage the system. Under this arrangement, the LGU finances the capital expenditures from its internal resources or from borrowings. The LGU then leases the facility to a private party, which assumes the commercial risks and the responsibility for operation and maintenance. The private party is allowed to recover the costs from user fees, and may also collect, on behalf of the LGU, any other charges contributing to the repayment of a loan which the LGU may have taken on behalf of the users.

Option 3: The LGU may enter into concession contract with a private party. Under this arrangement, the private party assumes the operations and management of the assets of the LGU, and undertakes to expand and finance the services according to the terms and conditions of the contract. The private party is then allowed to operate the system, and recover its costs and earn a reasonable return on its investment from user fees. The private party also assumes the commercial risk. After the concession contract expires, the system reverts to the LGU, or may be contracted out again by the LGU.

Option 4: The LGU may create a local water district, in accordance with Presidential Decree No. 198, as amended.

Option 5: The LGU may form a water company to handle the provision of the service.

The LGU appoints the Board of Directors to be tapped from the private sector who would manage the company along commercial principles.

Options 6: The LGU may enter into contract with a private party under the Build-Operate-Transfer scheme or any of its variants, per Republic Act No. 6970, as amended, for the whole water system or a component of it (i.e., source development or distribution).

Option 7: The LGU may enter into a **joint venture agreement** with a private party in providing the service. Under this arrangement, both parties share in the risks of the project, as well as operate the water supply system through a shared management and organization structure.

In the contracts of LGUs with private parties, performance standards shall be stipulated including remedies for non-performance that are consistent with national regulatory laws.

The DILG, in its role of raising awareness of LGUs on opportunities in the sector, shall be responsible for informing the LGUs of these schemes, and in facilitating the implementation of the preferred option. Annex D provides a matrix of these various schemes.

(2)

RULE 8 COORDINATION AND COLLABORATION MECHANISMS

Article 28. Inter-LGU Collaboration. Provinces, cities, municipalities and barangays may assist, coordinate and collaborate with each other, as far as practicable, in the effort of improving the delivery of services to the Filipino people. The DILG shall take the lead in coordinating among the LGUs.

Article 29. Coordination between Local and National Governments. LGUs may avail of the technical, financial and institutional expertise of national agencies like LWUA, DPWH, DILG, NWRB, DOH and DENR. DILG, as appropriate, shall coordinate with other national agencies on behalf of the LGUs.

RULE 9

TRANSITION ARRANGEMENTS

Article 30. Ongoing Projects. The DPWH, DOH and DILG shall continue to implement ongoing foreign-assisted Level I projects until the completion of such projects.

Article 31. Pipeline Projects. Projects in the pipeline shall conform to the provisions of this IRR to the extent possible.

RULE 10

MISCELLANEOUS PROVISIONS

Article 32. Applicability Clause. The application of this IRR shall be without prejudice to existing and future laws, rules, regulations, and/or international agreements entered into by the Philippine Government.

Article 33. Effectivity of the IRR. These Implementing Rules and Regulations shall take effect upon its approval by the NEDA Board, on recommendation by the Infrastructure Committee. It shall then be published in at least two national newspapers of general circulation.

NEDA Board Resolution No. 5 (series of 1998)

APPROVING THE IRR ON THE DELINEATION OF RESPONSIBILITIES IN THE DEVELOPMENT AND IMPLEMENTATION OF WATER SUPPLY PROJECTS

On motion duly seconded,

BE IT RESOLVED, as it is hereby resolved, to approve as it is hereby approved, the Implementing Rules and Regulations (IRR) on the Delineation of Responsibilities in the Development and Implementation of Water Supply Projects.

UNANIMOUSLY APPROVED, 17 March 1998.

NEDA Board Resolution No. 4 (series of 1994)

APPROVING THE RECOMMENDATION OF THE INFRASTRUCTURE COMMITTEE (INFRACOM) ON THE REFORMS IN THE WATER SUPPLY SECTOR

On motion duly seconded,

BE ITS RESOLVED, as it is hereby resolved, to approve and confirm, as the same is hereby approved and confirmed the following recommendations of the INFRACOM:

- a. Registration with the National Water Resources board (NWRB) of all drilling and the extraction of water therefrom, irrespective of the use of extracted water and ownership of the land where the well is to be drilled. Amendment to Article 6 of the Water Code (PD No. 1067) shall be initiated by NWRB to this effect. Subsequently, NWRB shall formulate rules and regulations for the effective enforcement of this requirement within sixty (60) days after approval of the proposed amendment.
- b. Strengthening of the NWRB staff in order to effectively cope with the planning, monitoring and implementation activities of the water resources sector. NWRB shall submit an action plan to this effect to INFRACOM for review and endorsement to the President of the NEDA Board.
- c. Reorientation of the Local Water Utilities Administration (LWUA) to its original corporate mission as a "specialized lending institution" financing only viable water supply projects with tariff levels formulated towards full cost recovery. LWUA shall therefore upgrade its banking and finance expertise and immediately complete its financial restructuring. Further, it should radically improve its collection efficiency as well as its database and accounting systems.
- d. Privatization of all existing Water Districts (WDs) should be vigorously pursued whenever feasible and large commercially viable water services areas like Metro Manila, Cebu, Zamboanga, Davao should be formed or converted into SEC-style private water corporations, independent of LWUA and other government funding institutions but subject to regulation by NWRB.

- e. Procurement needs of WDs should be provided based on a competitive basis and not centrally imposed.
- LWUA shall submit an action plan to INFRACOM to effect the recommended reforms for review and endorsement.
- g. With respect to the delineation of responsibilities in the sector, NEDA Board Resolution No. 5 (series of 1998) is proposed to be amended to allow local government units (LGUs) to implement all levels of water supply projects consistent with government's decentralization and devolution process, mandating LWUA to implement only financially viable projects and further defining the roles of the agencies in the sector. The proposed amendment is as follows:

"Level I (point source system), Level II (communal faucet) and Level III (house connections) water supply projects may be implemented by the concerned LGUs within their jurisdiction. LWUA shall implement only financially viable Level III water supply projects in areas outside the MWSS jurisdiction. DILG's participation will consist of general administration and institution building, such as assistance to the LGUs in the formation of Rural and/or Barangay Waterworks and Sanitation Associations (RWSAs/BWSAs) as well as in the identification of water supply systems. MWSS will be responsible for Level III water systems in Metro Manila and adjacent areas. DPWH, together with DILG and DOH, will provide technical assistance (within a period of about 2 years) to LGUs in the planning, implementation and operation and maintenance of water supply facilities".

UNANIMOUSLY APPROVED, 15 March 1994.

The American Control of the Control

 $\mathcal{T}_{i,j}(x) = (x,y) + (x,y) + (y,y)

)

NEDA Board Resolution No. 6 (series of 1996)

APPROVING THE RECOMMENDATIONS OF THE INFRASTRUCTURE COMMITTEE (INFRACOM) ON THE EXECUTING AGENCY ARRANGEMENT FOR THE DEVOLVED INFRASTRUCTURE ACTIVITIES/FACILITIES

On motion duly seconded,

BE IT RESOLVED as it is hereby resolved, to approve and confirm as the same is hereby approved and confirmed, the following recommendations of INFRACOM on national government (NG) assistance to Local Government Units (LGUs) in the implementation of devolved infrastructure activities/facilities under the Local Government Code in support of national priority programs in order to ensure efficiency, effectivity and more focused implementation consistent with the Government's decentralization and devolution objectives:

- a. DILG, which has administrative supervision over LGUs, shall be the lead national government agency (NGA) to oversee/administer NG assistance to LGUs in the implementation of devolved infrastructure programs/projects with the collaboration/participation of other concerned agencies. The identification and formulation of infrastructure programs/projects devolved to LGUs proposed for NG assistance shall therefore be coordinated with DILG to rationalize their development;
- b. The implementation of identified devolved infrastructure programs/projects shall be undertaken by the LGUs with DILG providing assistance in institution, capacity and capability building of the LGUs and with DPWH and other technical agencies providing and transferring technical expertise to the LGUs as necessary. The levels of capacities and capabilities of LGUs shall be determined by the DILG in coordination and collaboration with DPWH and other concerned agencies to determine, among others, the extent of support and assistance that these national agencies should provide in order to effect the successful implementation of devolved NG-assisted infrastructure programs/projects;
- e. DILG, as the lead agency, shall include in its annual budget the financial requirements necessary for the implementation of the identified and approved devolved infrastructure programs/projects.

This shall be without prejudice to any future funds arrangement that the national government may adopt with regard to NG assistance to LGUs for devolved projects particularly funds source from foreign loans and grants;

- d. For on-going and already committed devolved infrastructure programs/projects with NG assistance, the same shall be implemented with the previously identified NGA as lead in order not to disrupt is prosecution. However, there shall be phasing in at DILG and LGUs in the implementation arrangements for these devolved infrastructure projects in accordance with the provisions of this Resolution for purposes of policy and operational consistency and thus, effect a smooth transition;
- e. To efficiently and effectively implement the provisions of this Resolution, the INFRACOM shall formulate and periodically review the guidelines, rules and regulations that will clearly define the specific roles of the various concerned agencies in the implementation of NG assistance to LGUs for devolved infrastructure activities/utilities as well as the appropriate implementing mechanisms. In addition, INFRACOM shall likewise formulate the criteria and program for phasing out NG assistance to LGUs for devolved infrastructure activities/facilities;
- f. To carry out its tasks, the INFRACOM may request for financial and technical assistance from participating government agencies as well as from multilateral and bilateral sources; and
- g. The provisions of this Resolution shall apply to all NG assistance for devolved infrastructure activities/utilities unless otherwise explicitly provided for under the existing and future laws, such as the General Appropriations Act (GAA).

UNANIMOUSLY APPROVED, 12 March 1996.

Annex D

MATRIX OF FINANCING AND MANAGEMENT OPTIONS

OPTION

DESCRIPTION

LGU-Financed and Managed

The LGU finances the investment from its income and other resources available to it (e.g., URA, locally-generated taxes, grants) or borrows from a financial institution. It then establishes a profit center within the LGU office with a separate cost accounting system. Under this arrangement, the LGU directly manages the operations of the system. The LGU assumes the commercial risk.

Service Contract

The LGU finances the investment and directly operates and manages the system. It enters into contract with a private party to undertake billing and collection and/or repair and maintenance activities for a fee. The LGU maintains a profit center within the LGU office and assumes the commercial risk.

Management Contract

The LGU finances the investment and enters into contract with a private party to manage the system. The private party collects the water tariffs set by the LGU, operates and manages the system and in turn, is paid a management fee by the LGU. The LGU maintains a profit center within the LGU office and assumes the commercial risk.

Lease Contract

The LGU finances the capital expenditures and leases the facility to the private sector. The private sector assumes the commercial risks and the responsibility for operation and maintenance. To recover its costs, the private party is allowed to collect user fees as well as any other charges on behalf of the LGU.

Concession Contract

The LGU enters into contract with a private party to

undertake the investment. The private party assumes the assets of the LGU and undertakes to expand the services according to the terms and conditions of the contract. The private party is allowed to operate the system and to collect user fees to recover its costs and carn a reasonable return on its investment. After the contract expires, the system reverts to the LGU or may be contracted out again by the LGU.

Creation of a Local Water District

The LGU may create a local water district. The local water district finances the investment from a loan from the Local Water Utilities Administration (LWUA) and operates and manages the system. The local water district is then supervised by LWUA.

LGU Company

)

The LGU may form a water company to handle the provision of the service. The water company shall be duly registered with the Securities and Exchange Commission (SEC) and shall have share holdings which can be sold to the private sector in the future. The LGU appoints the board members to be selected from the private sector who would then manage the company along commercial principles.

Build-Operate-Transfer or any of its variants (per RA 6970 as amended)


Under the BOT scheme, the private sector finances the investment, operates it for a certain period of time after which the asset is transferred to the LGU. The private party is allowed to collect user fees to recover its costs and earn a reasonable rate of return on its investment. The LGU and the BOT proponent negotiate on the risk sharing.

Joint Venture Agreement

A SA PART OF SAFE

Under a joint venture agreement, the LGU and the private party share in the risks of the project and operate the system through a shared management and organizational structure.

NEDA BOARD RESOLUTION No. 5 (s. 1994)



On motion duly seconded,

BE IT RESOLVED, as it hereby resolved to approve as the same is hereby approved and confirmed the following recommendations of the INFRACOM:

A. NATIONAL POLICY

- 1. Provision of improved sewerage/sanitation services in urban areas shall be considered a high priority.
- On-site sanitation facilities for all urban households / establishments readily adaptable to further sewerage systems shall be required.
- All new subdivisions/housing developments shall provide simplified or conventional sewerage system/sanitation facilities.
- Conventional or low-cost sewerage for central business districts and for potentially highincome residential areas where economically and financially viable shall be provided.
- 5. Treatment of industrial as well as collected city/municipality wastewater to established standards set forth by the DENR prior to disposal into the drainage system shall be required.
- 6. Provision of services shall be based on consumer demand and willingness to pay.

B. NATIONAL STRATEGY

 A sanitation/sewerage program and a Central Sanitation/Sewerage program Support Office (CPSO) to coordinate subsector activities at the national level and to assist LGUs to plan and manage sanitation/sewerage programs at the community level shall be established. 2. External sources of assistance shall be explored provided as may be appropriate to enable Municipal Development Fund (MDF) facility or other financing sources to extend loans to LGUs for sanitation and sewerage projects.

3. LGUs shall primarily be the implementors of the sanitation/sewerage programs with the national government providing assistance to develop their capacities in the following areas: community participation, sub-sector planning, program management, regulation of development, selection of technologies, financial management, construction supervision, O&M, monitoring and reporting.

C. ACTION PLAN

1. A CPSO shall be created and housed at LWUA with the LWUA Board exercising over-all jurisdiction over its operations. An Inter-departmental Advisory Committee (IAC) composed of representatives from DPWH, DOH, DILG, DOF, DBM, LWUA, DENR, MWSS and NEDA shall likewise be created and act as the coordination body in the implementation and monitoring of urban sewcrage and sanitation programs particularly the five (5) pilot areas (Davao City, Calamba, Dagupan City, Roxas City and Cotabato City). The representatives to the IAC shall preferably be Asst. Sec. or Dir. level. The Chairman of the IAC and the Dir. of the CPSO shall be appointed by the LWUA Board.

2. LWUA shall fully staff the CPSO from within its existing manpower as soon as possible. An international institutional development consultant shall be engaged to assist the CPSO to design and implement the activities. The CPSO shall exist for a period of about 3 to 5 years or until after its functions have been fully devolved to the LGUs.

UNANIMOUSLY APPROVED, 15 March 1994.

Certified true copy:

FORTUNATO R. ABRENILLA Acting Board Secretary and Director, Legal Staff

7. WATER SOURCE DEVELOPMENT

7.1 General

Table 7.1.1 Water Sources Information

	ial Water Supply, Sewerage And Sanita		n (PW4SP)	Date:	Page: 1 of 17
	1: Water Source - General Informatio		0646		Saura alla
	ollection Level: Provincial	Province N		Filename: Water S	Form Number: P.4.1
Region	Number: VI	Province N	ame: Negros Occio		
	Type of Water Source	- 1,	Shallow Well	Deep Well	Spring 999
	Total number of water sources	Number	11,457	7,830	
Imple- mentor	Government Agency	Number	6,794	4,273	999
ΕĔ	Private	Number	4,663	3,557	
' 0	Level I	Number	11,457	7,753	774
Level	Level II	Number	· _ 	32	198
	Level III	Number		45	27
	Water District	Number		32	14
	MEO/CEO	Number		_	
	RWSA	Number			
qiq	BWSA	Number		16	71
Ownership	Institution	Number		2	
	Commercial Establishment	Number			
	Industrial/Agricultural Undertaking	Number		4	2
	Public (Domestic)	Number	7,996	4,249	891
	Private (Domestic)	Number	3,461	3,527	21
	Submersible/Turbine	Number			
6	Centrifugal	Number			
Abstraction	Handpump	Number			
Abst	Bucket & Rope	Number			
	Free Flowing	Number			
	Drinking	Number			
	Washing/Bathing	Number			
Usage	Gardening/Irrigation	Number			
j	Big-Scale Irrigation	Number			
	Production	Number			
	No Quality Problem	Number			
	High Iron/Mag. Content	Number			
. <u>X</u>	High Chloride Content	Number			
Water Quality	Turbidity/Colored/Smell	Number			
ater	Polluted/Contaminated	Number			
≩	Chlorinated	Number			
	Treated	Number			
	Seasonal Production	Number			
Ē	Average Capacity < 240 m ³ /day	Number	 	35	33
ctio	Average Capacity >= 240 m ³ /day	Number	11,457	7,795	966
Production	Number of Household < 5	Number	11,10.7	-,,,,,	
<u>م</u>	Number of Household >= 5	Number	 		

Table 7.1.1 Water Sources Information

6

Provi	ncial Water Supply, Sewerage And	l Sanitati	on Sector Pla	n (PW4SP)			Page: 2 of	17	
Conto	nt: Water Source - General Info	rmation				Date:	• • • • • • • • • • • • • • • • • • • 	 	
Data (Collection Level: Provincial		Province No	.: 0645		Filename: W	/ater Source	xls	
Regio	n Number:VI		Province Na	Province Name: Negros Occidental Form Number: P.4.1					
	Name of Municipalities	Character	Bago City			Binalbagan			
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring	
	Total number of water sources	Number	1,011	268	33	218	498	2	
ic to	Government Agency	Number	528	140	33	100	31	2	
Imple- mentor	Private	Number	483	128		118	467		
, ,	Level I	Number	1,011	266	18	218	496	2	
Level	Level II	Number			14	1			
ır	Level III	Number		2	1	-	2		
	Water District	Number		2	1		2		
	MEO:CEO	Number							
	RWSA	Number							
ig.	BWSA	Number							
Ownership	Institution	Number			· · · · · ·			~~~	
Ó	Conumercial Establishment	Number					,		
	Industrial/Agricultural Undertaking	Number			1				
	Public (Domestic)	Number	528	138	32	100	29	2	
	Private (Domestic)	Number	483	128		118	467		
	Submersible/furbine	Number							
ri oi	Centrifugal	Number			-				
Abstraction	Напдрипэр	Number							
₹	Bucket & Rope	Number							
	Free Flowing	Number							
	Drinking	Number				_		•	
۱. ا	Washing/Bathing	Number							
Usage	Gardening/Irrigation	Number		-					
	Big-Scale Irrigation	Number							
	Production	Number					1 * -		
	No Quality Problem	Number	<u> </u>						
	High Iron/Manganese Content	Number		٠.					
ality	High Chloride Content	Number							
Water Quality	Turbidity/Colored/Smell	Number							
Wai	Polluted Contaminated	Number	<u> </u>						
	Chlorinated	Number		1					
<u> </u>	Treated	Number	<u> </u>						
	Seasonal Production	Number	<u> </u>						
not	Average Capacity < 240 m³/day	Number							
Production	Average Capacity >= 240 m³/day	Number	1,011	268	33	218	498	2	
۵	Number of Household < 5	Number		. N					
	Number of Household >= 5	Number			<i>ti</i> .	14.0			

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage And	d Sanitati	on Sector Plai	n (PW4SP)			Page: 3 of	17	
4	ent: Water Source - General Infe					Date:	1		
Data	Collection Level: Provincial		Province No.	.: 0645		Filename: W	/ater Source.	xls	
Regio	on Number:VI		Province Nat	me: Negros	Occidental		orm Number: P.4.1		
	Name of Municipalities	Character	Cadiz City			Calatrava			
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring	
	Total number of water sources	Number	78	1,272	4	42	128	139	
ည်း ၌	Government Agency	Number	67	788	4	42	106	139	
dun men	Government Agency Private	Number	11	484			22		
	Level1	Number	78	1,266	1	42	127	126	
Level	Level II	Number		2	2		1	- 11	
	Level III	Number		4	1			2	
	Water District	Number		2	1				
	MEO.CEO	Number							
	RWSA	Number							
Ę.	BWSA	Number		2				····	
Ownership	Institution	Number							
Ó	Commercial Establishment	Number							
	Industrial/Agricultural Undertaking	Number							
	Public (Domestic)	Number	67	784	3	42	128	139	
	Private (Domestic)	Number	11	484					
	Submersible/Turbine	Number							
uo.	Centrifugal	Number							
Abstraction	Handpump	Number							
Ş	Bucket & Rope	Number							
	Free Flowing	Number							
	Drinking	Number							
	Washing/Bathing	Number							
Usage	Gardening/Irrigation	Number							
	Big-Scale Irrigation	Number							
	Production	Number							
	No Quality Problem	Number		·					
	High Iron Manganese Content	Number							
ality	High Chloride Content	Number							
Water Quality	Turbidity Colored Smell	Number							
Wat	Polluted Contaminated	Number							
	Chlorinated	Number							
	Treated	Number							
	Seasonal Production	Number							
tion	Average Capacity < 240 m³/đay	Number		3	-1 .			2	
Production	Average Capacity >= 240 m³/day	Number	78	1,269	3	42	128	137	
	Number of Household < 5	Number	 ,				<u> </u>		
	Number of Household >= 5	Number	<u> </u>						

Table 7.1.1 Water Sources Information

Provi	incial Water Supply, Sewerage An	d Sanitati	on Sector Plar	ı (PW4SP)			Page: 4 of	17
Cont	ent: Water Source - General Inf	ormation				Date:	<u> </u>	
Data	Collection Level: Provincial		Province No.	: 0645		Filename: W	/ater Source.	xls
Regio	on Number:VI		Province Na	ne: Negros (Occidental	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Candoni			Cauayan		· · · · · · · · · · · · · · · · · · ·
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	66	19	18	66	18	31
Imple- mentor	Government Agency	Number	34	15	18	34	14	31
lm oth	Private	Number	32	4		32	4	
	Level 1	Number	66	17	11	66	17	11
Level	Level II	Number		2	7		1	19
	Level III	Number						1
	Water District	Number					<u> </u>	
	MEO.CEO	Number						
	RWSA	Number						
dig	BWSA	Number			6		1	3
Ownership	Institution	Number						
Ó	Commercial Establishment	Number						
	Industrial/Agricultural Undertaking	Number						
	Public (Domestic)	Number	66	19	12	66	17	28
	Private (Domestic)	Number						
	Submersible/Turbine	Number						
no.	Centrifugal	Number						
Abstraction	Handpump	Number						
ر ۲	Bucket & Rope	Number						
	Free Flowing	Number						
	Drinking	Number						
	Washing Bathing	Number		~				
Usage	Gardening/Irrigation	Number						
	Big-Scale Irrigation	Number						
L	Production	Number						
	No Quality Problem	Number						
	High Iron/Manganese Content	Number						
uality	High Chloride Content	Number						
Water Quality	Turbidity/Colored Smell	Number		l				
Wat	Polluted Contaminated	Number						
	Chlorinated	Number						
	Treated	Number				,		
	Seasonal Production	Number			.*			
ion	Average Capacity < 240 m³/đay	Number						7
Production	Average Capacity >= 240 m³/day	Number	66	19	18	66	18	24
Æ	Number of Household < 5	Number						
	Number of Household >= 5	Number						

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage And	l Sanitatio	on Sector Plan	ı (PW4SP)			Page: 5 of 1	7
Conte	nt: Water Source - General Info	rmation				Date:		
)ata (Collection Level: Provincial		Province No	.: 0645	·	Filename: W	ater Source.	cls
Regio	n Number:VI		Province Na	me: Negros (Occidental	Fo	orm Number: P.4.1	
1	Name of Municipalities	Character	Enrique B. Maga	ilona		Escalante		
Ī	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
Ī	Total number of water sources	Number	337	29	2	251	311	59
i g	Government Agency	Number	281	19	2	251	311	59
imple- mentor	Private	Number	56	10				
	Levell	Number	337	27	2	251	309	49
[cvel	Level II	Number					1	7
	Level III	Number		2			1	3
	Water District	Number						2
	MEO CEO	Number						
i	RWSA	Number						
<u>.</u>	BWSA	Number					ŀ	6
Ownership	Institution	Number						
ð	Constructed Establishment	Number.						
	Industrial/Agricultural Undertaking	Number						
	Public (Domestic)	Number	281	19	2	251	310	50
	Private (Doniestic)	Number	56	10				!
	Submersible/Turbine	Number						
- uo	Centrifugal	Number						
Abstraction	Handpump	Number						
Ϋ́	Bucket & Rope	Number						
	Free Flowing	Number						
	Drinking	Number						
	Washing/Bathing	Number						
Usage	Gardening/Imigation	Number						
	Big-Scale Irrigation	Number						
	Production	Number						
	No Quality Problem	Number					_	
	High Iron/Manganese Content	Number						
Alia	High Chloride Content	Number					<u> </u>	
Water Quality	Turbidity/Colored/Smell	Number					<u> </u>	
Wate	Polluted Contaminated	Number				<u> </u>		
	Chlorinated	Number			ļ <u>.</u>			ļ
	Treated	Number						
	Seasonal Production	Number						
g	Average Capacity < 240 m ³ /day	Number		2				3
Production	Average Capacity >= 240 m³/day	Number	337	27	2	251	311	56
£	Number of Household < 5	Number						
	Number of Household >= 5	Number						

Table 7.1.1 Water Sources Information

	ncial Water Supply, Sewerage A			(1 11 431)		Date:	Page: 6 of 1	·
	Collection Level: Provincial		Province No.	· 0645		Filename: W	later Source	
	on Number:VI	· · ·	Province Na		Decidental		rm Number:	
rgit	Name of Municipalities	Character	Himamaylan	ne. regios v	Occidental	Hinigaran	in runioer.	1.7.1
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	27	44	5	1,383	322	
		Number	12	43	5	524	154	1
mentor	Government Agency Private	Number	15	1		859	168	
	Level	Number	27	34	4	1,383	319	1
Level	Level II	Number		6	1	1 .,,,,,,		
ដ	Level III	Number	ļ	4		ļ	2	
	Water District	Number		4		1	2	
								······
	MEOCEO	Number				- 		
	RWSA	Number	1	2	1	- 	<u>-</u> -	
dida	BWSA	Number				-		
Ownership	Institution	Number				<u> </u>		
Ŭ	Commercial Establishment	Number			·			-
	Industrial/Agricultural Undertaking	Number	12	37	4	1,383	151	
	Public (Domestic)	Number	15) 	4	1,363	168	
	Private (Domestic)	Number	13	· '		1	100	
	Submersible/Turbine	Number						
tion	Centrifugal	Number				- 	ļ	
Abstraction	Handpump	Number						
<	Bucket & Rope	Number						· · · · · · · · · · · · · · · · · · ·
	Free Flowing	Number		ļ		<u> </u>	<u> </u>	
	Drinking	Number		ļ		- -	ļ	
હ	Washing Bathing	Number		ļ			<u> </u>	
Usage	Gardening/Irrigation	Number				ļ	ļ <u>.</u>	·÷
	Big-Scale Irrigation	Number	<u> </u>			_		•
	Production	Number						
	No Quality Problem	Number				<u> </u>		
	High Iron Manganese Content	Number		<u> </u>			<u> </u>	
ality	High Chloride Content	Number						
Water Quality	Turbidity/Colored/Smell	Number						<u> </u>
Wat	Polluted Contaminated	Number						
	Chlorinated	Number			<u> </u>			
	Treated	Number						
	Seasonal Production	Number	r					
g	Average Capacity < 240 m³/day	Number		4			2	
Production	Average Capacity >= 240 m³/day	Number	27	40	5	1,383	320	l
F.	Number of Household < 5	Number	r			- [:	
	Number of Household >= 5	Numbe	r [1		*		

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage A	nd Sanitatio	on Sector Plar	r (PW4SP)			Page: 7 of	7
Conto	nt: Water Source - General In	formation				Date:		
Data (Collection Level: Provincial		Province No.	: 0645		Filename: W	ater Source.	xls
Regio	on Number:VI		Province Na	me: Negros (Occidental	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Hinoba-an (Asia)		Hog		
	Type of Water Source	Number	Shatlow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	437	1	23	387	110	6
ė į	Government Agency	Number	238	1	23	192	64	6
Imple- mentor	Private	Number	199			195	46	
	Level I	Number	437	1	17	387	108	4
Level	Level II	Number			6		2	
_	Level III	Number				<u></u>		2
	Water District	Number					<u> </u>	2
	меосео	Number						
	RWSA	Number						
έ	BWSA	Number						
Ownership	Institution	Number					2	
ó	Commercial Establishment	Number			, _			
	Industrial/Agricultural Undertaking	Number						
	Public (Domestic)	Number	238	1	17	192	62	4
	Private (Domestic)	Number	199		6	195	46	
	Submersible/Turbine	Number						
6	Centrifugal	Number						
Abstraction	Handpump	Number			<u> </u>			
Λbs	Bucket & Rope	Number				<u></u>	<u> </u>	
	Free Flowing	Number						<u> </u>
	Drinking ·	Number						
	Washing/Bathing	Namber						
Usage	Gardening Irrigation	Number						
	Big-Scale Irrigation	Number					<u> </u>	<u> </u>
	Production	Number					<u></u>	<u> </u>
	No Quality Problem	Number			·			<u> </u>
	High Iron/Manganese Content	Number						
dity	High Chloride Content	Number	٠					
Water Quality	Turbidity/Colored/Smell	Number						
Wate	Polluted Contaminated	Number				·		ļ
1	Chlorinated	Number						
	Treated	Number					<u></u>	ļ
	Seasonal Production	Number					<u>.</u>	
· 6	Average Capacity < 240 m³/day	Number	_L					<u> </u>
Production	Average Capacity >= 240 m ³ /day	Number	437	. 1	23	387	110	6
£	Number of Household < 5	Number	r			·		<u> </u>
	Number of Household >= 5	Number	,					<u> </u>

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage An	d Sanitati	on Sector Plai	n (PW4SP)			Page: 8 of	7
Conte	ent: Water Source - General Info	ormation				Date:		
Data	Collection Level: Provincial		Province No	.: 0645		Filename: W	ater Source.:	cls
Regio	on Number:VI		Province Na	me: Negros (Occidental	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Isabela			Kabankalan City	<i>i</i>	
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	814	8	37	576	97	166
Imple- mentor	Government Agency	Number	365	7	37	214	43	166
Imple- mentor	Private	Number	449	1		362	54	
1 1	Level I	Number	814	6	23	576	93	149
Level	Level II	Number		2	14		1	16
	Level III	Number					3	1
	Water District	Number					3	1
	MEO/CEO	Number						
	RWSA	Number						
ءِ.	BWSA	Number		2	9		1	11
Ownership	Institution	Number						
ં	Conunercial Establishment	Number						
	IndustriaVAgricultural Undertaking	Number				1		
	Public (Domestic)	Number	365	5	14	214	39	154
	Private (Domestic)	Number	449	1	14	362	54	
	Submersible/Turbine	Number				 		
á	Centrifugal	Number						
Abstraction	Handpump	Number						
A So	Bucket & Rope	Number	·			1	1	
	Free Flowing	Number						
	Drinking	Number						
	Washing/Bathing	Number						-
Usage	Gardening/Irrigation	Number						
	Big-Scale Irrigation	Number		1				
	Production	Number		1				
	No Quality Problem	Number						
	High Iron/Manganese Content	Number						
rit.	High Chloride Content	Number						
Water Quality	Turbidity/Colored Smell	Number						
Wate	Polluted Contaminated	Number			1			
	Chlorinated	Number			,			
	Treated	Number			ŀ			
	Seasonal Production	Number						
l ac	Average Capacity < 240 m³/day	Number			1		. 3	2
Production	Average Capacity >= 240 m³/day	Number	814	- 8	36	576	94	. 164
F.	Number of Household < 5	Number		<u> </u>				· · · · · · -
	Number of Household >= 5	Number		1				

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage An	d Sanitati	on Sector Pla	n (PW4SP)			Page: 9 of	17	
Conte	ent: Water Source - General Inf	ormation				Date:			
Data	Collection Level: Provincial		Province No	.: 0645		Filename: V	Vater Source	.xls	
Regio	on Number:VI		Province Na	me: Negros	Occidental	Fo	Form Number: P.4.1		
	Name of Municipalities	Character	La Carlota City			La Castellana			
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring	
	Total number of water sources	Number	272	122	21	460	68	41	
Imple- mentor	Government Agency	Number	174	34	21	452	62	41	
Imp	Government Agency Private	Number	98	88		8	6		
1 1	Level I	Number	272	120	17	460	68	32	
ار کردوا	Level II	Number		1	2		~	8	
	Level III	Number		1	2			1	
	Water District	Number		l	2			1	
	MEO/CEO	Number				1			
	RWSA	Number							
<u>4</u> .	BWSA	Number		1	2			7	
Ownership	Institution	Number					,		
Ó	Commercial Establishment	Number							
	Industrial/Agricultural Undertaking	Number	-						
	Public (Domestic)	Number	174	32	17	452	62	33	
	Private (Domestic)	Number	98	88		8	6		
	Submersible/Turbine	Number							
ē	Centrifugal	Number							
Abstraction	Handpump	Number					1		
Ϋ́	Bucket & Rope	Number							
	Free Flowing	Number							
	Drinking	Number							
	Washing/Bathing	Number							
Usage	Gardening/Irrigation	Number							
	Big-Scale Imigation	Number							
	Production	Number							
	No Quality Problem	Number							
	High Iron/Manganese Content	Number							
rile Vi	High Chloride Content	Number			· · · · · · · · · · · · · · · · · · ·			,	
Water Quality	Turbidity/Colored/Smell	Number							
Wat	Polluted Contaminated	Number	: 					:	
	Chlorinated	Number	,						
	Treated	Number							
	Seasonal Production	Number			-				
uo	Average Capacity < 240 m³/day	Number			. :			J	
Production	Average Capacity >= 240 m³/day	Number	272	122	21	460	68	40	
Ĕ	Number of Household < 5	Number	;						
	Number of Household >= 5	Number						,	

Table 7.1.1 Water Sources Information

rovi	ncial Water Supply, Sewerage An	d Sanitati	on Sector Plar	ı (PW4SP)			Page: 10 of	17
Conte	ent: Water Source - General Inf	ormation				Date:		
)ata	Collection Level: Provincial		Province No.	.: 0645		Filename: W	ater Source.:	cls
Regio	on Number:VI		Province Nat	me: Negros	Occidental	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Manapla			Moises Padilla		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	225	123		48	280	10
lo.	Government Agency	Number	211	111		24	133	10
ווון וויינו	Government Agency Private	Number	14	12		24	147	
	Level I	Number	225	118		48	280	
Level	Level II	Number		4				9
I	Level III	Number		1				i
	Water District	Number		1				1
	MEO CEO	Number						
	RWSA	Number						
· <u>e</u>	BWSA	Number			·		! 	5
Ownership	Institution	Number						
ð	Conumercial Establishment	Number	1					
	Industrial/Agricultural Undertaking	Number					 	
	Public (Domestic)	Number	211	110		24	133	4
	Private (Domestic)	Number	14	12		24	147	_
	Submersible/Turbine	Number						
uc	Centrifugal	Number	- · · · ·					
Abstraction	Handpump	Number						
Abs	Bucket & Rope	Number	<u> </u>	,				
	Free Flowing	Number			<u> </u>			
	Drinking	Number	1					
	Washing Bathing	Number			<u> </u>			:
Usage	Gardening Trrigation	Number	1					
ر	Big-Scale Irrigation	Number						:
	Production	Number	-			1		
	No Quality Problem	Number						
	High Iron/Manganese Content	Number						٠.
<u>2</u>	High Chloride Content	Number						
Water Quality	Turbidity/Colored Smell	Number						1.
Wate	Polluted Contaminated	Number						
•	Chlorinated	Number	1					:
	Treated	Number						
	Seasonal Production	Number	:				1	
rio S	Average Capacity < 240 m³/day	Number		2				1
Production	Average Capacity >= 240 m³/day	Number	225	121		48	280	. 9
£	Number of Household < 5	Number			1			
İ	Number of Household >= 5	Number	1	1				- 1

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage Ar	nd Sanitati	on Sector Plai	n (PW4SP)			Page: 11 of	17
Conte	ent: Water Source - General Inf	formation				Date:		
Data	Collection Level: Provincial		Province No	.: 0645		Filename: W	ater Source.	xis
Regio	on Number:VI		Province Na	me: Negros (Occidental	Form Number: P.4.1		
	Name of Municipalities	Character	Murcia			Pontevedra		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	63	367	40	415	255	23
Imple- mentor	Government Agency	Number	61	121	40	200	144	23
lm! mei	Government Agency Private	Number	2	246		215	111	
	Level 1	Number	63	365	28	415	255	19
Level	Level II	Number			11			3
	I evel III	Number		2	1			1
	Water District	Number		2	1			• 1
	MEO'CEO	Number						
	RWSA	Number						
dic	BWSA	Number			5			3
Ownership	Institution	Number						
Ò	Commercial Establishment	Number				<u> </u>		
	Industrial/Agricultural Undertaking	Number						
	Public (Domestic)	Number	61	119	34	200	144	19
	Private (Dómestic)	Number	2	246		215	111	
	Submersible/Turbine	Number						
	Centrifugal	Number						
Abstraction	Handpump	Number						
Ϋ́	Bucket & Rope	Number						
	Free Flowing	Number						
	Drinking	Number	•			<u> </u>		
	Washing Bathing	Number						
Usage	Gardening/Irrigation	Number						
	Big-Scale Irrigation	Number				<u> </u>		
	Production	Number						
	No Quality Problem	Number	:					
	High from Manganese Content	Number						
y la	High Chloride Content	Number					<u></u>	
Water Quality	Turbidity/Colored/Smell	Number						
≱	Polluted Contaminated	Number					<u> </u>	· .
	Chlorinated	Number			·			
	Treated	Number			ļ		<u> </u>	
	Seasonal Production	Number	:					
ē	Average Capacity < 240 m³/day	Number			<u></u>		<u> </u>	
Production	Average Capacity >= 240 m ³ /day	Number	63	367	40	415	255	23
P.	Number of Household < 5	Number						
	Number of Household >= 5	Number					<u> </u>	1

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage And	l Sanitati	on Sector Plan	n (PW4SP)			Page: 12 of	17	
Conte	nt: Water Source - General Info	rmation				Date:			
Data (Collection Level: Provincial	·	Province No.	.: 0645		Filename: V	Water Source.xls		
Regio	n Number:VI		Province Nat	me: Negros (Occidental	Fo	orm Number:	P.4.1	
	Name of Municipalities	Character	Palupandan		-	Sagay City			
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring	
	Total number of water sources	Number	431	196		268	101	16	
Imple- mentor	Government Agency	Number	197	128		212	89	16	
i e	Government Agency Private	Number	234	68		56	12		
	Level I	Number	431	196		268	90	11	
[eve]	Level II	Number					1	2	
	Level III	Number					10	3	
	Water District	Number					5	1	
	мео⁄сео	Number							
	RWSA	Number							
ġ.	BWSA	Number					1		
Ownership	Institution	Number							
Ó	Commercial Establishment	Number							
	Industrial/Agricultural Undertaking	Number					4	2	
	Public (Domestic)	Number	197	128		212	79	13	
	Private (Domestic)	Number	234	68		56	12		
	Submersible/Turbine	Number							
uo	Centrifugal	Number							
Abstraction	Handpump	Number							
ΑÞ	Bucket & Rope	Number							
	Free Flowing	Number							
	Drinking	Number							
	Washing/Bathing	Number							
Usage	Gardening/Irrigation	Number							
	Big-Scale Irrigation	Number			1				
	Production	Number							
	No Quality Problem	Number							
	High Iron/Manganese Content	Number							
ality	High Chloride Content	Number							
Water Quality	Turbidity Colored Smell	Number							
₩ay	Polluted Contaminated	Number							
	Chlorinated	Number							
	Treated	Number							
	Seasonal Production	Number							
u o	Average Capacity < 240 m³/day	Number					10	3	
Production	Average Capacity >= 240 m ³ /day	Number	. 431	196		268	91	13	
F.	Number of Household < 5	Number							
l	Number of Household >= 5	Number	1						

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage And	Sanitatio	on Sector Plan	(PW4SP)			Page: 13 of	17
—	nt: Water Source - General Info					Date:	A	
Data (Collection Level: Provincial	·	Province No.	: 0645		Filename: W	ater Source.:	cls
Regio	n Number:VI		Province Na	me: Negros (Occidental	Fo	orm Number:	P.4.1
	Name of Municipalities	Character	Salvador Benedi	cto		San Carlos City		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number			75	37	123	75
ខ្	Government Agency	Number			75	37	66	75
Imple- mentor	Government Agency Private	Number					57	
	Level I	Number			67	37	119	30
Level	Level II	Number			8		1	43
	Level III	Number					3	2
	Water District	Number						
	MEO:CEÓ	Number						
	RWSA	Number			. ,		1	
	BWSA	Number			4			
Ownership	Institution	Number						
ő	Commercial Establishment	Number					· · · · · · · · · · · · · · · · · · ·	
	Industrial/Agricultural Undertaking	Number				 		
	Public (Domestic)	Number			71	37	66	75
	Private (Domestic)	Number					57	
	Submersible/Turbine	Number						
ء ا	Centrifugal	Number						
Abstraction	Handpump	Number	ļ		.,			
Absu	Bucket & Rope	Number	<u> </u>			-		
	Free Flowing	Number						
 	Drinking	Number				1		
	Washing/Bathing	Number	<u> </u>				\ <u></u>	
Usage	Gardening/Irrigation	Number						
š	Big-Scale Irrigation	Number					-	
	Production	Number				<u>† </u>	†	
	No Quality Problem	Number						
	High Iron Manganese Content	Number				 		
ځ	High Chloride Content	Number						
Water Quality	Turbidity/Colored/Smell	Number	· · · · · · · · · · · · · · · · · · ·					
Vater	Polluted Contaminated	Number			<u>.</u>	 		
^	Chlorinated	Number		 				
	Treated	Number	ļ			-		
	Seasonal Production	Number	1				 	
:_	Average Capacity < 240 m³/day	Number			5	- 	3	5
Production	Average Capacity >= 240 m³/day	Number	1		70	37	120	70
Prodg	Number of Household < 5	Number	 		 	1		
	Number of Household >= 5	Number	1			1	 	

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage An	d Sanitati	on Sector Plai	ı (PW4SP)			Page: 14 of	17
Conte	nt: Water Source - General Inf	ormation				Date:		
Data (Collection Level: Provincial		Province No	.: 0645		Filename: W	ater Source.	xls
Regio	n Number:VI		Province Nat	me: Negros	Occidental	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	San Enrique			Silay City		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	796	13		686	374	27
Imple- mentor	Government Agency	Number	517	13		563	146	27
נוון וסנוו	Private	Number	279			123	228	
	Level I	Number	796	11		686	372	27
Level	Level II	Number		2			2	,
	Level III	Number				1		
	Water District	Number					, ,	
	MEO CEO	Number						
	RWSA	Number						
ē.	BWSA	Number		2				
Ownership	Institution	Number						
Ò	Commercial Establishment	Number		·				
	Industrial/Agricultural Undertaking	Number						
	Public (Domestic)	Number	796	11		563	146	27
	Private (Domestic)	Number				123	228	:
	Submersible/Turbine	Number						
ioi	Centrifugal	Number		·				
Abstraction	Handpurnp	Number					·	
री	Bucket & Rope	Number						
	Free Flowing	Number						
	Drinking	Number						
	Washing/Bathing	Number						
Usage	Gardening/Irrigation	Number						
1 1	Big-Scale Irrigation	Number						
	Production	Number						
	No Quality Problem	Number						
	High Iron Manganese Content	Number				:		
ality	High Chloride Content	Number						
Water Quality	Turbidity Colored Smell	Number						
Wat	Polluted Contaminated	Number						•
	Chlorinated	Number			3			
	Treated	Number						
	Seasonal Production	Number						
ΞĒ	Average Capacity < 240 m³/day	Number						j. 1
Production	Average Capacity >= 240 m ³ /day	Number	796	13		686	374	27
ئة	Number of Household < 5	Number						
	Number of Household >= 5	Number						

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage An	d Sanitati	on Sector Plan	n (PW4SP)			Page: 15 of	17
Conto	ent: Water Source - General Inf	ormation				Date:		
Data	Collection Level: Provincial		Province No	.: 0645		Filename: W	ater Source.	xls
Regio	on Number:VI		Province Na	me: Negros (Occidental	Fe	rm Number:	P.4.1
	Name of Municipalities	Character	Sipalay			Talisay City		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	760	931	56	281	694	3
lc- tor	Government Agency	Number	352	792	56	227	392	3
Imple- mentor	Government Agency Private	Number	408	139		54	302	
	Level I	Number	760	931	50	281	691	
Level	Level II	Number			4			3
1	Level [[]	Number			2		3	
	Water District	Number					3	
	MEO CEO	Number						
	RWSA	Number						
ď	DWSA	Number		1	2		ļ	
Ownership	Institution	Number						
ð	Commercial Establishment	Number				<u> </u>		
	Industrial/Agricultural Undertaking	Number				<u> </u>		
	Public (Domestic)	Number	352	791	54	227	389	3
	Private (Domestic)	Number	408	139		54	302	
	Submersible/Turbine	Number						
e e	Centrifugal	Number						
Abstraction	Handpump	Number						
Αδ	Bucket & Rope	Number				<i></i>		
	Free Flowing	Number						
	Drinking	Number						
	Washing Bathing	Number				1		
Usage	Gardening/Irrigation	Number						
]	Big-Scale Irrigation	Number	1					
	Production	Number				1		
	No Quality Problem	Number						
	High Iron/Manganese Content	Number						
jity.	High Chloride Content	Number						
Water Quality	Turbidity Colored Smell	Number						
Wate	Polluted Contaminated	Number	1					
	Chlorinated	Number			·			
	Treated	Number					<u></u>	
	Seasonal Production	Number						
E	Average Capacity < 240 m³/day	Number	1		2		3	
Production	Average Capacity >= 240 m³/day	Number	760	931	54	281	691	3
Ę	Number of Household < 5	Number				-	1	
	Number of Household >= 5	Number		 	-	-		<u> </u>

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage An	d Sanitati	on Sector Plai	n (PW4SP)			Page: 16 of	232333 17
Conte	ent: Water Source - General Info	ormation				Date:		
Data	Collection Level: Provincial		Province No.	.: 0645		Filename: W	ater Source.:	xls
Regio	on Number:VI		Province Na	me: Negros (Occidental	Fo	rm Number.	P.4.1
	Name of Municipalities	Character	Toboso			Valladolid		
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	104	75	85	728	836	
Imple- mentor	Government Agency Private	Number	48	54	85	488	150	
E E	Private	Number	56	21		240	686	
	Level I	Number	104	74	74	728	833	
Level	Level II	Number		1	8		1	
1	Level III	Number			3		2	
	Water District	Number					2	• '
	MEO/CEO	Number						
	RWSA	Number						
d.	BWSA	Number		1	7			
Ownership	Institution	Number						
ð	Commercial Establishment	Number						
	Industrial/Agricultural Undertaking	Number						
	Public (Domestic)	Number	48	53	78	488	148	
	Private (Domestic)	Number	56	21		240	686	
	Submersible/Turbine	Number						
	Centrifugal	Number						-
Abstraction	Handpump	Number						
Ϋ́	Bucket & Rope	Number						
	Free Flowing	Number						
	Drinking	Number						
	Washing/Bathing	Number						
Usage	Gardening/Irrigation	Number						
_	Big-Scale Irrigation	Number						
	Production	Number						
	No Quality Problem	Number						
	High from Manganese Content	Number						
ality	High Chloride Content	Number						
Water Quality	Turbidity/Colored/Smell	Number						
Wate	Polluted Contaminated	Number						
	Chlorinated	Number			· · · · · · · · · · · · · · · · · · ·			
	Treated	Number						
	Seasonal Production	Number			,			
8	Average Capacity < 240 m ³ /day	Number	1	·			3	
Production	Average Capacity >= 240 m³/day	Number	104	75	85	728	833	
£	Number of Household < 5	Number	T			T		.
	Number of Household >= 5	Number	1					

Table 7.1.1 Water Sources Information

Provi	ncial Water Supply, Sewerage An	d Sanitati	on Sector Plar	ı (PW4SP)			Page: 17 of	17
Conte	ent: Water Source - General Inf	ormation				Date:		
Data	Collection Level: Provincial		Province No.	: 0645		Filename: W	ater Source.	xls
Regio	on Number:VI		Province Na	me: Negros (Occidental	Fo	rm Number:	P.4.1
	Name of Municipalities	Character	Victorias City					
	Type of Water Source	Number	Shallow Well	Deep Well	Spring	Shallow Well	Deep Well	Spring
	Total number of water sources	Number	190	147	1			
ပုံ b	Government Agency	Number	149	102	l			
imple- mentor	Private	Number	41	45				
	Level I	Number	190	144	1			
[eve]	Level II	Number						
	Level III	Number		3				
	Water District	Number		3				
	MEO:CEO	Number						
	RWSA	Number						
Ġ.	BWSA	Number						
Ownership	Institution	Number						
ó	Commercial Establishment	Number						
	Industrial/Agricultural Undertaking	Number						
	Public (Domestic)	Number	149	99	1			
	Private (Domestic)	Number	41	45				
	Submersible/Turbine	Number						
ě	Centrilogal	Number						
Abstraction	Напфитр	Number						
ΑŞ	Bucket & Rope	Number						
	Free Flowing	Number						
	Drinking	Number						
	Washing/Bathing	Number						
Usage	Gardening/Irrigation	Number						
	Big-Scale Imigation	Number		· ·			<u> </u>	
	Production	Number						
:	No Quality Problem	Number						
,	High Iron/Manganese Content	Number						
Àile alic	High Chloride Content	Number						
Water Quality	Turbidity/Colored/Smell	Number				ļ		
λ. V.at	Polluted Contaminated	Number					<u> </u>	
	Chlorinated	Number				· .		
	Treated	Number				_	<u> </u>	
	Seasonal Production	Number					<u> </u>	
5	Average Capacity < 240 m³/day	Number					<u> </u>	
Production	Average Capacity >= 240 m ³ /day	Number	190	147	1:	1	<u> </u>	
Ě	Number of Household < 5	Number		<u> </u>	* *	1		
•	Number of Household >= 5	Number			<u> </u>	1		<u> </u>

Table 7.1.2 Major References

Report/Information	Agency/Author	Contents	Reference Data/Description	Output
1. Topographic Map (1:250,000)	NAMRIA	political boundary, topographic major river basins & road	major river basins & road	Mag
		contour, river, road, etc.		Province)
2. Rapid Assessment of Water	NWRB	groundwater availability, well	well depth, static water level,	Groundwater Availability Map
Supply Sources		inventory	specific capacity, etc.	
3. Individual Well Information	NWRB	location & well inventory	location with well depths & water	Individual Well Location Map
Database			levels	
4. Groundwater Resources	NWRB	groundwater potential	high yielding and water quality	Groundwater Availability Map
Investigation			problem areas	
5. Geological Map of the	BMGS	lithologic distribution and	aquifers distribution	Groundwater Availability Map
Philippines		structures		
Water Resources	NWRB	location map & runoff records	location map & runoff records runoff record & statistical data	River Flow Duration Curve &
Summary Data				Probability of Surface Water
7. Road Network Map of the	PPDC	major road & municipality	municipal boundaries	Distribution Map of Urban &
Province	,	boundaries		Rural Areas
8. Feasibility Study Reports of	LWUA	well field information	groundwater potential & quality	Groundwater Availability Map
ine water Districts				
9. Water Quality Analysis Result Water Districts		water quality results	water sources quality	Groundwater Availability Map &
10 Works Onelia: Andrew Descrip-	Taba Otta	100 to 10		
10. water Quanty Analysis Result FritO, FSF1	rrio, rsri	water quality results	water sources quality	Groundwater Availability Map & Water Sources Quality
11. Assessment of the Mineral	DENR	location, activity of the mining	location, activity of the mining location & activity of the mining	River Network Map
Production		sites	sites	
12. General Information of	DEO, PSPT	groundwater availability	low yielding and water quality	Groundwater Availability Map
Groundwater			problem area	
13. Well Inventory	DEO, PSPT	location and well information	well depth, static water level,	Existing Well Inventory
			specific capacity, etc.	
14. Spring Inventory	DEO, PSPT	location and spring information	location and spring information discharge, distance & elevation	Water Sources Information
15. Pumping Test Data	DEO	pumping test results	well capacity	Groundwater Availability Map