




THE STUDY ON
 INTEGRATED URBAN DRAINAGE IMPROVEMENT
 FOR MELAKA AND SUNGAI PETANI IN MALAYSIA
 JAPAN INTERNATIONAL COOPERATION AGENCY


Fig.3-24(1/2)
 General Layout of Proposed Detention
 Facilities in Sg. Air Mendidih Basin
 (Sg. Petani)



GENERAL CROSS-SECTION OF SEK MEM SAINS ON-SITE D.P.




GENERAL CROSS-SECTION OF IKM ON-SITE D.P.



GENERAL CROSS-SECTION OF FIXED WEIR FOR CHANNEL STORAGE

THE STUDY ON
 INTEGRATED URBAN DRAINAGE IMPROVEMENT
 FOR MELAKA AND SUNGAI PETANI IN MALAYSIA
 JAPAN INTERNATIONAL COOPERATION AGENCY


Fig.3-24(2/2)
 General Layout of Proposed Detention
 Facilities in Sg. Air Mendidih Basin
 (Sg. Petani)




THE STUDY ON
 INTEGRATED URBAN DRAINAGE IMPROVEMENT
 FOR MELAKA AND SUNGAI PETANI IN MALAYSIA
 JAPAN INTERNATIONAL COOPERATION AGENCY

Fig.3-25
 General Layout of Proposed Detention
 Facilities in Line-G Basin (Sg. Petani)

TG.MINYAK (1)
(Non-community Pond/Dry Condition)




Surface Area : 24,850m²
Max Depth : 3.34m
Effective Depth : 2.74m
Storage Capa. : 63,600m³



GENERAL CROSS-SECTION OF TG. MINYAK (1) D.P.
UNIT : m



THE STUDY ON
INTEGRATED URBAN DRAINAGE IMPROVEMENT
FOR MELAKA AND SUNGAI PETANI IN MALAYSIA
JAPAN INTERNATIONAL COOPERATION AGENCY

Fig.3-26(1/5)
General Layout of Proposed Detention
Facilities in Sg. Ayer Salak Basin
(Melaka)




THE STUDY ON
INTEGRATED URBAN DRAINAGE IMPROVEMENT
FOR MELAKA AND SUNGAI PETANI IN MALAYSIA
JAPAN INTERNATIONAL COOPERATION AGENCY

Fig.3-26(2/5)
General Layout of Proposed Detention
Facilities in Sg. Ayer Salak Basin
(Melaka)




GENERAL CROSS-SECTION OF Tg. MINYAK (2) D.P.
(FIXED WEIR SECTION, Unit: m)



GENERAL CROSS-SECTION OF Tg. MINYAK (2) D.P.
(EMBANKMENT SECTION, Unit: m)


THE STUDY ON
INTEGRATED URBAN DRAINAGE IMPROVEMENT
FOR MELAKA AND SUNGAI PETANI IN MALAYSIA
JAPAN INTERNATIONAL COOPERATION AGENCY

Fig.3-26(3/5)
General Layout of Proposed Detention
Facilities in Sg. Ayer Salak Basin
(Melaka)




THE STUDY ON
 INTEGRATED URBAN DRAINAGE IMPROVEMENT
 FOR MELAKA AND SUNGAI PETANI IN MALAYSIA
 JAPAN INTERNATIONAL COOPERATION AGENCY

Fig.3-26(4/5)
 General Layout of Proposed Detention
 Facilities in Sg. Ayer Salak Basin
 (Melaka)




Surface Area : 114,000m²
 Max Depth : 1.3m
 Effective Depth : 0.7m
 Storage Capa. : 54,200m³

MIDDLE AB11 D.P.
 (Community Pond/Dry Condition)



GENERAL CROSS-SECTION OF MIDDLE AB11 D.P.
 (FIXED WEIR SECTION, Unit: m)



GENERAL CROSS-SECTION OF MIDDLE AB11 D.P.
 (CONCRETE WALL SECTION, Unit: m)

THE STUDY ON
 INTEGRATED URBAN DRAINAGE IMPROVEMENT
 FOR MELAKA AND SUNGAI PETANI IN MALAYSIA
 JAPAN INTERNATIONAL COOPERATION AGENCY

Fig.3-26(5/5)
 General Layout of Proposed Detention
 Facilities in Sg. Ayer Salak Basin
 (Melaka)