

Table 4.1.2 (13/20) CALCULATION SHEET FOR COMMON WORK BY USING EQUIPMENT

ID No.	Working Name	Calculation Quantity	Remarks	Unit Cost			Cost			Remarks	
Major Item	ID No.	Description	Unit	Quantity	PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-7	Backhoe; 0.6 m3	hourly	1.88	125542.9	2040	90965.08	236020.7	3835.2	171014.3	
Others		Miscellaneous	L.S.					79	65	86	
Total for			100 m3					236,100	3,900	171,100	
Unit Cost for			1 m3					2361	39	1711	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$

 $1 \text{ hour} = 3600$

 $E = \text{work efficiency} = 0.75$

 $q = 0.59$

 $f = 1$

 $C_m = 30$

 $Q = 53.1$

 Hence, Driving Time = $100 / 53.1 = 1.88$

ID No.	Working Name	Calculation Quantity	Remarks	Unit Cost			Cost			Remarks	
Major Item	ID No.	Description	Unit	Quantity	PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-7	Backhoe; 0.6 m3	hourly	2.35	125542.9	2040	90965.08	295025.8	4794	213767.9	
Others		Miscellaneous	L.S.					74	6	32	
Total for			100 m3					295,100	4,800	213,800	
Unit Cost for			1 m3					2951	48	2138	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$

 $1 \text{ hour} = 3600$

 $E = \text{work efficiency} = 0.6$

 $q = 0.59$

 $f = 1$

 $C_m = 30$

 $Q = 42.48$

 Hence, Driving Time = $100 / 42.48 = 2.35$

ID No.	Working Name	Calculation Quantity	Remarks	Unit Cost			Cost			Remarks	
Major Item	ID No.	Description	Unit	Quantity	PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-7	Backhoe; 0.6 m3	hourly	3.14	125542.9	2040	90965.08	394204.7	6405.6	285630.3	
Others		Miscellaneous	L.S.					95	94	70	
Total for			100 m3					394,300	6,500	285,700	
Unit Cost for			1 m3					3943	65	2857	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$

 $1 \text{ hour} = 3600$

 $E = \text{work efficiency} = 0.45$

 $q = 0.59$

 $f = 1$

 $C_m = 30$

 $Q = 31.86$

 Hence, Driving Time = $100 / 31.86 = 3.14$

ID No.	Working Name	Calculation Quantity	Remarks	Unit Cost			Cost			Remarks	
Major Item	ID No.	Description	Unit	Quantity	PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-7	Backhoe; 0.6 m3	hourly	1.88	125542.9	2040	90965.08	236020.7	3835.2	171014.3	
Others		Miscellaneous	L.S.					79	65	86	
Total for			100 m3					236,100	3,900	171,100	
Unit Cost for			1 m3					2361	39	1711	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$

 $1 \text{ hour} = 3600$

 $E = \text{work efficiency} = 0.75$

 $q = 0.59$

 $f = 1$

 $C_m = 30$

 $Q = 53.1$

 Hence, Driving Time = $100 / 53.1 = 1.88$

ID No.	Working Name	Calculation Quantity	Remarks	Unit Cost			Cost			Remarks	
Major Item	ID No.	Description	Unit	Quantity	PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-7	Backhoe; 0.6 m3	hourly	2.17	125542.9	2040	90965.08	272428.1	4426.8	197394.2	
Others		Miscellaneous	L.S.					72	73	6	
Total for			100 m3					272,500	4,500	197,400	
Unit Cost for			1 m3					2725	45	1974	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$

 $1 \text{ hour} = 3600$

 $E = \text{work efficiency} = 0.65$

 $q = 0.59$

 $f = 1$

 $C_m = 30$

 $Q = 46.02$

 Hence, Driving Time = $100 / 46.02 = 2.17$

Table 4.1.2 (14/20) CALCULATION SHEET FOR COMMON WORK BY USING EQUIPMENT

ID No.	Working Name	Calculation Quantity	Remarks	Unit Cost			Cost			Remarks	
Major Item	ID No.	Description	Unit	Quantity	PF/C	IF/C	L/C	PF/C	IF/C	L/C	
CW-1-51	Excavation F	100 m ³			Loosed Soil (Condition:bad(less than water level))						
Equipment	A-2-1-7	Backhoe: 0.6 m ³	hourly	2.82	125542.9	2040	90965.08	354031	5752.8	256521.5	
Others		Miscellaneous	L.S.					69	47	78	
Total for	100 m ³							354,100	5,800	256,600	
Unit Cost for	1 m ³							3541	58	2566	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$

 $1 \text{ hour} = 3600$

 $E = \text{work efficiency} = 0.5$

 $q = 0.59$

 $f = 1$

 $C_m = 30$

 $Q = 35.4$

 Hence, Driving Time = $100 / 35.4 = 2.82$

ID No.	Working Name	Calculation Quantity	Remarks	Unit Cost			Cost			Remarks	
Major Item	ID No.	Description	Unit	Quantity	PF/C	IF/C	L/C	PF/C	IF/C	L/C	
CW-1-52	Excavation G	100 m ³			Loosed Soil (Condition:good, Material:Rock or Cobble)						
Equipment	A-2-1-7	Backhoe: 0.6 m ³	hourly	2.17	125542.9	2040	90965.08	272428.1	4426.8	197394.2	
Others		Miscellaneous	L.S.					72	73	6	
Total for	100 m ³							272,500	4,500	197,400	
Unit Cost for	1 m ³							2725	45	1974	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$

 $1 \text{ hour} = 3600$

 $E = \text{work efficiency} = 0.65$

 $q = 0.59$

 $f = 1$

 $C_m = 30$

 $Q = 46.02$

 Hence, Driving Time = $100 / 46.02 = 2.17$

ID No.	Working Name	Calculation Quantity	Remarks	Unit Cost			Cost			Remarks	
Major Item	ID No.	Description	Unit	Quantity	PF/C	IF/C	L/C	PF/C	IF/C	L/C	
CW-1-53	Excavation H	100 m ³			Loosed Soil (Condition:common, Material:Rock or Cobble)						
Equipment	A-2-1-7	Backhoe: 0.6 m ³	hourly	2.82	125542.9	2040	90965.08	354031	5752.8	256521.5	
Others		Miscellaneous	L.S.					69	47	78	
Total for	100 m ³							354,100	5,800	256,600	
Unit Cost for	1 m ³							3541	58	2566	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$

 $1 \text{ hour} = 3600$

 $E = \text{work efficiency} = 0.5$

 $q = 0.59$

 $f = 1$

 $C_m = 30$

 $Q = 35.4$

 Hence, Driving Time = $100 / 35.4 = 2.82$

ID No.	Working Name	Calculation Quantity	Remarks	Unit Cost			Cost			Remarks	
Major Item	ID No.	Description	Unit	Quantity	PF/C	IF/C	L/C	PF/C	IF/C	L/C	
CW-1-54	Excavation I	100 m ³			Loosed Soil (Condition:bad(less than water level), Material:Rock or Cobble)						
Equipment	A-2-1-7	Backhoe: 0.6 m ³	hourly	4.04	125542.9	2040	90965.08	507193.3	8241.6	367498.9	
Others		Miscellaneous	L.S.					7	58	1	
Total for	100 m ³							507,200	8,300	367,500	
Unit Cost for	1 m ³							5072	83	3675	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$

 $1 \text{ hour} = 3600$

 $E = \text{work efficiency} = 0.35$

 $q = 0.59$

 $f = 1$

 $C_m = 30$

 $Q = 24.78$

 Hence, Driving Time = $100 / 24.78 = 4.04$

Table 4.1.2 (15/20) CALCULATION SHEET FOR COMMON WORK BY USING EQUIPMENT

ID No. Working Name
 CW-1-55 Spreading and Compaction-A
 Construction Place Road Bed
 Equipment of Spreading Bulldozer 15t
 Equipment of Compaction Tire Roller 8-20t
 Working Condition Site is good condition for working

Calculation Quantity Remarks
 190 m³
 1. Road Body, 2. Road Bed, 3. River Embankment
 1. Total Spreading Volume <10,000m³, 2. Volume >10,000 3. Impossible to use the Bulldozer
 1. Selection of Tire Roller, 2. Soil Material : Sand, Total Compaction Volume <10,000m³
 3. Soil Material : Sand, Total Compaction Volume >10,000m³, 4. Low Trafficability
 1. Working Site is enough space and there is no obstructive structure
 2. Between 1. and 2. (Middle situation)
 3. Working Space is limited and there are lots of obstructive structures.

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-19	Bulldozer, 15 ton	hourly	0.64	178,227	2,380	161,158	114,065	1,459	103,141	
	A-2-1-68	Tire Roller, 8-20 ton	hourly	0.93	81,684	864	82,451	75,966	804	76,680	
Labour	L-2-23	Common Labour	day	0.40	0	0	35100	0	0	14,040	
Total for				190 m ³				190,031	2,263	193,861	
Unit Cost for				1 m ³				1,900	23	1,939	

Production Rate
 Working Quantity for Compaction (m³/hour) : Q1
 Calculation by Volume

$$Q1 = \frac{V \times W \times D \times E}{N} \text{ (m}^3\text{/hour)}$$
 Working Time for Compaction (m³/hour) : Q1
 Where, V : Compaction Speed (m³/hour) 3500 from Table XXX-C
 W : Effective Compaction Width (m) 1.8 from Table XXX-C
 D : Every Thickness of Compaction (m) 0.2 from Table XXX-B
 N : Number of Compaction Times 7 from Table XXX-B
 E : Coefficient for Working 0.6 from Table XXX-D
 Hence, Q1 = 108 (m³/h)

Working Quantity for Compaction (m²/hour) : A
 Calculation by Area

$$A1 = \frac{V \times W \times E}{N} \text{ (m}^2\text{/hour)}$$
 Where, V : Compaction Speed (m³/hour)
 W : Effective Compaction Width (m)
 D : Every Thickness of Compaction (m)
 N : Number of Compaction Times
 E : Coefficient for Working

Working Quantity for Spreading (m³/hour) : Q2
 Case of Bulldozer 15t

$$Q2 = 10 \times E \times (13 \times D + 9) \text{ (m}^3\text{/hour)}$$
 Case of Bulldozer 21t

$$Q2 = 10 \times E \times (18 \times D + 13) \text{ (m}^3\text{/hour)}$$
 Where, Equipment for Spreading: Bulldozer 15t
 D : Every Thickness of Compaction (m) 0.2
 E : Coefficient for Working 0.8
 Hence, Q2 = 155.2 (m³/hour)

Where, D : Every Thickness of Compaction (m)
 E : Coefficient for Working

Working Quantity Coporated for Spreading and Compaction by Bulldozer : Qmix

$$Q_{mix} = \frac{Q1 \times Q2}{(Q1 + Q2)} \text{ (m}^3\text{/hour)}$$
 Working Quantity Coporated for Spreading and Compaction by Bulldozer : Qmix
 Qmix = impossible to mix
 Labor Rate : Common Labor 0.4

ID No. Working Name
 CW-1-56 Spreading and Compaction for Gravel Pavement

Calculation Quantity Remarks
 20 m³ Width is less than 4m

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-88	Vibrating Roller, 0.4-1.1 ton (Hand Guide)	hourly	6.00	17,057	144	15,791	102,343	864	88,743	
Labour	L-2-1	Foreman	day	0.60	0	0	48500	0	0	29,280	
	L-2-23	Common Labour	day	6.90	0	0	35100	0	0	210,600	
Total for				20 m ³				102,343	864	328,623	
Unit Cost for				1 m ³				5,117	42	16,431	

*1 : Thickness of 1 Layer; 10 cm
 *2 : Conversion of Unit 100 m² x 10 cm = 10 m³
 *3 : Labor of each 1 Layer; Foreman 0.3 person/100m² = person/ 10 m³
 Common Labor 3 person/100m² = person/ 10 m³
 *4 : Thickness of Gravel Pavement 20 cm
 *5 : Labor for Working; Foreman 0.3 person/100m² x 2 times = 0.6
 Common Labor 3 person/100m² x 2 times = 6
 *6 : Vibrating Roller for Working; 3 hours/100m²
 Hence, 6 hours
 *7 : Production Rates are mainly quoted from Japanese Standard

Table 4.1.2 (16/20) CALCULATION SHEET FOR COMMON WORK BY USING EQUIPMENT

ID No.	Working Name		Calculation Quantity		Remarks						
CW-1-57	Reinforced Concrete Work Type D by Pump		10 m ³		by Boom, Standard Concreting Volume=75m ³						
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-36-1	Concrete Pump Truck; 90-110 m ³ /hr	Time	0.15	45418.33	340	28935.44	6812.749	51	4340.31525	
	A-2-1-36-2	Concrete Pump Truck; 90-110 m ³ /hr	hourly	0.7	272510	2040	173612.6	190757	1428	121528.827	
Labour	L-2-1	Foreman	day	0.11	0	0	48800	0	0	5,368	
	L-2-17	Concrete Worker	day	0.36	0	0	39000	0	0	14040	
	L-2-23	Common Labour	day	0.47	0	0	35100	0	0	16497	
Material	M-C-13	Ready Mixed Concrete; 175kg/cm ² , 40mm (D)	m ³	10.2	0	39000	156000	0	397800	1591200	
Others	CW-1-45	Curing Work Miscellaneous	m ³ L.S.	10 1	110	0	350	1100 4,030	0 8,021	3500 35,226	Reinforced Concrete Apprx.2% of mentioned above
Total for		10 m ³						202,700	407,300	1,791,700	
Unit Cost for		1 m ³						20270	40730	179170	

Concrete : 10 x (1 + 0.02) = 10.2m³

ID No.	Working Name		Calculation Quantity		Remarks						
CW-1-60	Concrete Work for Type-C by Shoot Hopper		10 m ³		by Manpower						
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.8	0	0	48800	0	0	39,040	
	L-2-17	Concrete Worker	day	1.6	0	0	39000	0	0	62400	
	L-2-23	Common Labour	day	3.5	0	0	35100	0	0	122850	
Material	M-C-11	Ready Mixed Concrete; 225kg/cm ² , 25mm (C1&2)	m ³	10.7	0	40000	160000	0	428000	1712000	
Others	CW-1-45	Curing Work Miscellaneous	m ³ L.S.	10 1	110	0	350	1100 100	0 8,600	3500 38,810	Reinforced Concrete Apprx.2% of mentioned above
Total for		10 m ³						1,200	436,600	1,978,600	
Unit Cost for		1 m ³						120	43660	197860	

Concrete : 10 x (1 + 0.07) = 10.7m³

ID No.	Working Name		Calculation Quantity		Remarks						
CW-1-61	Concrete Work for Type-C3 by Shoot Hopper		10 m ³		by Manpower						
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.8	0	0	48800	0	0	39,040	
	L-2-17	Concrete Worker	day	1.6	0	0	39000	0	0	62400	
	L-2-23	Common Labour	day	3.5	0	0	35100	0	0	122850	
Material	M-C-12	Ready Mixed Concrete; 225kg/cm ² , 15mm (C3)	m ³	10.7	0	40000	160000	0	428000	1712000	
Others	CW-1-45	Curing Work Miscellaneous	m ³ L.S.	10 1	110	0	350	1100 100	0 8,600	3500 38,810	Reinforced Concrete Apprx.2% of mentioned above
Total for		10 m ³						1,200	436,600	1,978,600	
Unit Cost for		1 m ³						120	43660	197860	

Concrete : 10 x (1 + 0.07) = 10.7m³

Table 4.1.2 (17/20) CALCULATION SHEET FOR COMMON WORK BY USING EQUIPMENT

ID No.		Working Name		Calculation Quantity		Remarks					
CW-1-62		Reinforced Concrete Work Type B by Pump		10 m ³		by Boom, Standard Concreting Volume=75m ³					
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-36-1	Concrete Pump Truck; 90-110 m ³ /hr	Time	0.15	45418.33	340	28935.44	6,813	51	4,340	
	A-2-1-36-2	Concrete Pump Truck; 90-110 m ³ /hr	hourly	0.7	272510	2040	173612.6	190,757	1,428	121,529	
Labour	L-2-1	Foreman	day	0.11	0	0	48800	0	0	5,368	
	L-2-17	Concrete Worker	day	0.36	0	0	39000	0	0	14,040	
	L-2-23	Common Labour	day	0.47	0	0	35100	0	0	16,497	
Material	M-C-10	Ready Mixed Concrete; 250kg/cm ² , 25mm (B)	m ³	10.2	0	42000	168000	0	428,400	1,713,600	
Others	CW-1-45	Curing Work	m ³	10	110	0	350	1,100	0	3,500	Reinforced Concrete
		Miscellaneous	L.S.	1				4,030	8,621	37,626	Apprx.2% of mentioned above
Total for		10 m ³						202,700	438,500	1,916,500	
Unit Cost for		1 m ³						20,270	43,850	191,650	

Concrete : 10 x (1 + 0.02) = 10.2m³

ID No.		Working Name		Calculation Quantity		Remarks					
CW-1-63		Light Concrete (Concrete 1:3:5)		10 m ³							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	3	0	0	48800	0	0	146,400	
	L-2-28	Chief of Concrete Worker	day	0.5	0	0	58600	0	0	29,300	
	L-2-17	Concrete Worker	day	5	0	0	39000	0	0	195,000	
	L-2-23	Common Labour	day	60	0	0	35100	0	0	2,106,000	
Material	M-C-1	Portland Cement	kg	2319	0	100	400	0	231,900	927,600	
	M-B-2	Coarse Aggregate	m ³	9.3	0	2600	49400	0	24,180	459,420	
	M-B-14	Sand for Concrete	m ³	5.6	0	2050	38950	0	11,480	218,120	
Total for		10 m ³						0	267,560	4,081,840	
Unit Cost for		1 m ³						0	26,756	408,184	

Table 4.1.2 (18/20) CALCULATION SHEET FOR COMMON WORK BY USING EQUIPMENT

ID No. Working Name
 CW-1-58 Spreading and Compaction for Earth Filling
 Construction Place River Embankment
 Equipment of Spreading Bulldozer 15t
 Equipment of Compaction Bulldozer 15t
 Working Condition Site is common condition for working

Calculation Quantity Remarks
 100 m³
 1. Road Body, 2. Road Bed, 3. River Embankment
 1. Total Spreading Volume <10,000m³, 2. Volume >10,000 3. Impossible to use the Bulldozer
 1. Selection of Tire Roller, 2. Soil Material : Sand, Total Compaction Volume <10,000m³
 3. Soil Material : Sand, Total Compaction Volume >10,000m³, 4. Low Trafficability
 1. Working Site is enough space and there is no obstructive structure
 2. Between 1. and 2. (Middle situation)
 3. Working Space is limited and there are lots of obstructive structures.

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	I/C	PF/C	IF/C	I/C	
Equipment	A-2-1-19	Bulldozer, 15 ton	hourly	1.59	178,227	2,280	161,158	283,380	3,625	256,242	
	A-2-1-68	Tire Roller, 8-20 ton	hourly	0.00	81,681	864	82,451	0	0	0	
Labour	L-2-23	Common Labour	day	0.20	0	0	35100	0	0	7,020	
Total for				100 m ³				283,380	3,625	263,262	
Unit Cost for				1 m ³				2,834	36	2,633	

Production Rate

Working Quantity for Compaction (m³/hour) : Q1

Calculation by Volume

$$Q1 = \frac{V \times W \times D \times E}{N} \text{ (m}^3\text{/hour)}$$

Working Quantity for Compaction (m²/hour) : A

Calculation by Area

$$A1 = \frac{V \times W \times E}{N} \text{ (m}^2\text{/hour)}$$

Where,

V : Compaction Speed (m/hour)
 W : Effective Compaction Width (m)
 D : Every Thickness of Compaction (m)
 N : Number of Compaction Times
 E : Coefficient for Working

Working Time for Compaction (m³/hour) : Q1

Where,

V : Compaction Speed (m/hour) 3500 from Table XXX-C
 W : Effective Compaction Width (m) 0.8 from Table XXX-C
 D : Every Thickness of Compaction (m) 0.3 from Table XXX-B
 N : Number of Compaction Times 3 Consideration from Working
 E : Coefficient for Working 0.6 from Table XXX-D

Hence, Q1 = 168 (m³/hour)

Working Quantity for Spreading (m³/hour) : Q2

Case of Bulldozer 15t

$$Q2 = 10 \times E \times (13 \times D + 9) \text{ (m}^3\text{/hour)}$$

Case of Bulldozer 21t

$$Q2 = 10 \times E \times (18 \times D + 13) \text{ (m}^3\text{/hour)}$$

Where,

D : Every Thickness of Compaction (m)
 E : Coefficient for Working

Working Quantity for Spreading (m³/hour) : Q

Where, Equipment for Spreading :

Bulldozer 15t
 D : Every Thickness of Compaction (m) 0.3
 E : Coefficient for Working 0.6

Hence, Q2 = 100.8 (m³/hour)

Working Quantity Corporated for Spreading and Compaction by Bulldozer : Qmix

$$Qmix = \frac{Q1 \times Q2}{(Q1 + Q2)} \text{ (m}^3\text{/hour)}$$

Working Quantity Corporated for Spreading and Compaction by Bulldozer : Qmix

$$Qmix = 63 \text{ (m}^3\text{/hour)}$$

Labor Rate : Common Labor 0.2

Table 4.1.2 (19/20) CALCULATION SHEET FOR COMMON WORK BY USING EQUIPMENT

ID No. Working Name
 CW-1-59 Spreading and Compaction-D
 Construction Place Road Body
 Equipment of Spreading Bulldozer 15t
 Equipment of Compaction Tire Roller 8-20t
 Working Condition Site is good condition for working

Calculation Quantity Remarks
 100 m³
 1. Road Body, 2. Road Bed, 3. River Embankment
 1. Total Spreading Volume <10,000m³, 2. Volume >10,000 3. Impossible to use the Bulldozer
 1. Selection of Tire Roller, 2. Soil Material : Sand, Total Compaction Volume <10,000m³
 3. Soil Material : Sand, Total Compaction Volume >10,000m³, 4. Low Trafficability
 1. Working Site is enough space and there is no obstructive structure
 2. Between 1. and 2. (Middle situation)
 3. Working Space is limited and there are lots of obstructive structures.

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-19	Bulldozer; 15 ton	hourly	0.64	178,227	2,280	161,158	111,837	1,469	103,839	
	A-2-1-68	Tire Roller; 8-20 ton	hourly	0.44	81,684	861	82,451	36,016	381	36,354	
Labour	L-2-23	Common Labour	day	0.20	0	0	35100	0	0	7,020	
Material				0	0	0	0	0	0	0	
Others		Miscellaneous	L.S.					47	50	87	
Total for		100 m ³						150,900	1,900	147,300	
Unit Cost for		1 m ³						1,509	19	1,473	

Production Rate
 Working Quantity for Compaction (m³/hour) : Q1
 Calculation by Volume

$$Q1 = \frac{V \times W \times D \times E}{N} \quad (\text{m}^3/\text{hour})$$
 Working Quantity for Compaction (m²/hour) : A
 Calculation by Area

$$A1 = \frac{V \times W \times E}{N} \quad (\text{m}^2/\text{hour})$$
 Where,
 V : Compaction Speed (m/hour)
 W : Effective Compaction Width (m)
 D : Every Thickness of Compaction (m)
 N : Number of Compaction Times
 E : Coefficient for Working

Working Time for Compaction (m³/hour) : Q1
 Where,
 V : Compaction Speed (m/hour) 3500 from Table XXX-C
 W : Effective Compaction Width (m) 1.8 from Table XXX-C
 D : Every Thickness of Compaction (m) 0.3 from Table XXX-B
 N : Number of Compaction Times 2 from Table XXX-B
 E : Coefficient for Working 0.6 from Table XXX-D
 Hence, $Q1 = 276.8 \text{ (m}^3/\text{hour)}$

Working Quantity for Spreading (m³/hour) : Q2
 Case of Bulldozer 15t

$$Q2 = 10 \times E \times (13 \times D + 9) \quad (\text{m}^3/\text{hour})$$
 Case of Bulldozer 21t

$$Q2 = 10 \times E \times (18 \times D + 13) \quad (\text{m}^3/\text{hour})$$
 Where,
 D : Every Thickness of Compaction (m)
 E : Coefficient for Working

Working Quantity for Spreading (m³/hour) : Q
 Where, Equipment for Spreading : Bulldozer 15t
 D : Every Thickness of Compaction (m) 0.3
 E : Coefficient for Working 0.8
 Hence, $Q2 = 155.2 \text{ (m}^3/\text{hour)}$

Working Quantity Corporated for Spreading and Compaction by Bulldozer : Qmix

$$Q_{mix} = \frac{Q1 \times Q2}{(Q1 + Q2)} \quad (\text{m}^3/\text{hour})$$

Working Quantity Corporated for Spreading and Compaction by Bulldozer : Qmix
 $Q_{mix} = \text{Impossible to mix}$
 Labor Rate : Common Labor 0.2

Table 4.1.2 (20/20) CALCULATION SHEET FOR COMMON WORK BY USING EQUIPMENT

ID No.		Working Name		Calculation Quantity		Remarks					
CW-1-64		Excavation by Backhoe 0.35m ³		100 m ³		Loosed Soil (Condition:common)					
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-3	Backhoe; 0.35 m ³	hourly	3.77	71293.71	1200	51823.69	268,777	4,524	195,375	
Others											
Total for		100 m ³						268,777	4,524	195,375	
Unit Cost for		1 m ³						2,688	45	1,954	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$
 $1 \text{ hour} = 3600$
 $q = 0.34$
 $f = 1$
 $E = \text{work efficiency} = 0.65$
 $C_m = 30$

$Q = 26.52$
Hence, Driving Time = $100 / 26.52 = 3.77$

ID No.		Working Name		Calculation Quantity		Remarks					
CW-1-65		Spreading by Swamp Bulldozer		100 m ³		Swamp Bulldozer 16t (Loosed and Bad Condition)					
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-67	Swamp Bulldozer; 16 ton	hourly	2.4	180013.5	2280	162682.7	428,432	5,426	387,185	
Labour	L-2-23	Common Labour	day	0.5	0	0	35100	0	0	17,550	
Total for		100 m ³						428,432	5,426	404,735	
Unit Cost for		1 m ³						4,284	54	4,047	

$Q = 1 \text{ hour} \times q \times f \times E / C_m \text{ (m}^3/\text{hr)}$
 $1 \text{ hour} = 60$
 $q = 1.97$
 $f = 1$
 $E = \text{work efficiency} = 0.6$
 $C_m = 0.03 \times 30 \text{ m} + 0.79 = 1.69$

$Q = 41.9645$
Hence, Driving Time = $100 / 41.9645 = 2.38$

Table 4.1.3 WORKING COEFFICIENT FOR EARTH WORK

Table 4.1.3 - A SELECTION OF EQUIPMENT FOR SPREADING AND COMPACTION

Working	Place	Contents	Equipment	Description
Compaction	Road Body or River Embankment	Selection of Tire Roller	Tire Roller	8-20t
		Material : Sand, Total Volume <10,000m ³	Bull Dozer	15t
		Material : Sand, Total Volume >10,000m ³	Bull Dozer	21t
		Impossible to use Bulldozer	Swamp Bull Dozer	16t
	Road Bed	Standard	Tire Roller	8-20t
		Material : Sand, Total Volume <10,000m ³	Bull Dozer	15t
Material : Sand, Total Volume >10,000m ³		Bull Dozer	21t	
Spreading	All	Total Volume <10,000m ³	Bull Dozer	15t
		Total Volume >10,000m ³	Bull Dozer	21t
		Impossible to use Bulldozer	Swamp Bull Dozer	16t

Table 4.1.3 - B THICKNESS OF EMBANKMENT AND COMPACTED NUMBER

Place	Thickness (m)	Equipment	Description	Number of Compaction
Road Body or River Embankment	0.3	Tire Roller	8-20t	5
		Bulldozer	15t	5
		Bulldozer	21t	4
Road Bed	0.2	Tire Roller	8-20t	7
		Bulldozer	15t	7
		Bulldozer	21t	6

Table 4.1.3 - C STANDARD COMPACTION SPEED AND WIDTH OF EQUIPMENT

Equipment	Description	Speed (m/s)	Width (m)	Application
Bulldozer	15t	3500	0.8	Road Body, Road Bed and Embankment
	21t		0.9	
Tire Roller	8-20		1.8	

Table 4.1.3 - D EFFICIENCY OF WORKING FOR COMPACTION

Description	Road Body, Embankment and Road Bed		
	Good	Common	Bad
Bulldozer	0.8	0.6	0.4
Tire Roller	0.6	0.4	0.2

Table 4.1.3 - E EFFICIENCY OF WORKING FOR SPREADING

Field Condition	Good	Common	Bad
Coefficient	0.8	0.6	0.4

Table 4.1.3 - F LABOR RATE FOR SUPPORTING
(man day/100m²)

Working Item	Place	Common Labor
Spreading	Embankment	0.2
	Road Body	
	Road Bed	0.4

Table 4.1.4 (1/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-1		Temporary Fence of Corrugated Iron Sheet, 2m high		1 m						SK SNI T-01-1991-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.04	0	0	48800	0	0	1,952	
	L-2-26	Chief of Carpenter	day	0.02	0	0	58600	0	0	1,172	
	L-2-12	Carpenter	day	0.4	0	0	39000	0	0	15,600	
	L-2-23	Common Labour	day	0.4	0	0	35100	0	0	14,040	
Material											
	M-D-2	Log Pile, Dia. 10cm	m	5	0	0	5000	0	0	25,000	
	M-C-1	Portland Cement	kg	18.6	0	100	400	0	1,860	7,440	
	M-B-5	Cobble Stone	m3	0.06	0	1850	35150	0	111	2,109	
	M-E-48	Nails for Wood	kg	0.06	0	2400	5600	0	144	336	
	M-K-43	Red Lead	kg	0.45	0	2700	6300	0	1,215	2,835	
				1.2	0	0	0	0	0	0	
Others											
		Miscellaneous	L.S.					0	70	16	
Total for				1 m				0	3,400	70,500	
Unit Cost for				1 m				0	3,400	70,500	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-2		Making of Wood Temporary Fence		1 m2						SK SNI T-01-1991	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.01	0	0	48800	0	0	488	
	L-2-26	Chief of Carpenter	day	0.03	0	0	58600	0	0	1,758	
	L-2-12	Carpenter	day	0.3	0	0	39000	0	0	11,700	
	L-2-23	Common Labour	day	0.1	0	0	35100	0	0	3,510	
Material											
	M-D-18	Plank Wood third class(Borneo)	m3	0.25	0	0	1250000	0	0	312,500	
	M-E-48	Nails for Wood	kg	0.25	0	2400	5600	0	600	1,400	
	M-K-43	Red Lead	kg	0.4	0	2700	6300	0	1,080	2,520	
	M-K-44	Door Hinge (125 mm)	pcs	3	0	1200	2800	0	3,600	8,400	
	M-K-45	Aluminium Door Key	pcs	1	0	15000	35000	0	15,000	35,000	
Others											
		Miscellaneous	L.S.					0	20	24	
Total for				1 m2				0	20,300	377,300	
Unit Cost for				1 m2				0	20,300	377,300	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-3		Clearing Area		1 m2							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.005	0	0	48800	0	0	244	
	L-2-26	Chief of Carpenter	day	0.05	0	0	58600	0	0	2,930	
	L-2-12	Carpenter	day	0.05	0	0	39000	0	0	1,950	
	L-2-23	Common Labour	day	0.05	0	0	35100	0	0	1,755	
Others											
		Miscellaneous	L.S.					0	0	21	
Total for				1 m2				0	0	6,900	
Unit Cost for				1 m2				0	0	6,900	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-4		Bowplank Installation		1 m							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.005	0	0	48800	0	0	244	
	L-2-26	Chief of Carpenter	day	0.05	0	0	58600	0	0	2,930	
	L-2-12	Carpenter	day	0.05	0	0	39000	0	0	1,950	
	L-2-23	Common Labour	day	0.05	0	0	35100	0	0	1,755	
Material											
	M-D-18	Plank Wood third class(Borneo)	m3	0.004	0	0	1250000	0	0	5,000	
	M-E-48	Nails for Wood	kg	0.02	0	2400	5600	0	48	112	
Others											
		Miscellaneous	L.S.					0	52	9	
Total for				1 m				0	100	12,000	
Unit Cost for				1 m				0	100	12,000	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (2/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-5		Cutting Common Earth, 1m depth		1 m3							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.04	0	0	48800	0	0	1,952	
	L-2-23	Common Labour	day	0.4	0	0	35100	0	0	14,040	
Others			Miscellaneous	L.S.				0	0	8	
Total for				1 m3				0	0	16,000	
Unit Cost for				1 m3				0	0	16,000	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-6		Cutting Solid Earth, 1m depth		1 m3							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.062	0	0	48800	0	0	3,026	
	L-2-23	Common Labour	day	0.623	0	0	35100	0	0	21,938	
Others			Miscellaneous	L.S.				0	0	37	
Total for				1 m3				0	0	25,000	
Unit Cost for				1 m3				0	0	25,000	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-7		Cutting Muddy Earth, 1m depth		1 m3							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.083	0	0	48800	0	0	4,050	
	L-2-23	Common Labour	day	0.0933	0	0	35100	0	0	3,275	
Others			Miscellaneous	L.S.				0	0	75	
Total for				1 m3				0	0	7,400	
Unit Cost for				1 m3				0	0	7,400	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-8		Removing Earth for 150m distance		1 m3							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.05	0	0	48800	0	0	2,440	
	L-2-23	Common Labour	day	0.0516	0	0	35100	0	0	1,811	
Others			Miscellaneous	L.S.				0	0	49	
Total for				1 m3				0	0	4,300	
Unit Cost for				1 m3				0	0	4,300	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-9		Backfilling Earth		1 m3							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.019	0	0	48800	0	0	927	
	L-2-23	Common Labour	day	0.192	0	0	35100	0	0	6,739	
Others			Miscellaneous	L.S.				0	0	34	
Total for				1 m3				0	0	7,700	
Unit Cost for				1 m3				0	0	7,700	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-10		Flattening and Compaction Earth		1 m3							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.05	0	0	48800	0	0	2,440	
	L-2-23	Common Labour	day	0.5	0	0	35100	0	0	17,550	
Others			Miscellaneous	L.S.				0	0	10	
Total for				1 m3				0	0	20,000	
Unit Cost for				1 m3				0	0	20,000	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (3/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity			Cost			Remarks		
CW-2-11	Filling Solid Earth for Road Body/berm		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.01	0	0	48800	0	0	488	
	L-2-23	Common Labour	day	0.03	0	0	35100	0	0	1,053	
Material	M-B-13	Solid Soil	m3	1.2	0	600	11400	0	720	13,680	
Others		Miscellaneous	L.S.					0	80	79	
Total for				1 m3				0	800	15,300	
Unit Cost for				1 m3				0	800	15,300	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity			Cost			Remarks		
CW-2-12	Filling Sand		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.06	0	0	48800	0	0	2,928	
	L-2-27	Chief of Mason	day	0.3	0	0	58600	0	0	17,580	
	L-2-11	Mason		0.3	0	0	39000	0	0	11,700	
	L-2-23	Common Labour		0.6	0	0	35100	0	0	21,060	
Material	M-B-4	Sand for Filling and Base Course	m3	1.3	0	1350	25650	0	1,755	33,345	
Others		Miscellaneous	L.S.					0	45	87	
Total for				1 m3				0	1,800	86,700	
Unit Cost for				1 m3				0	1,800	86,700	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (4/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-13	Masonry/Riprap Protection, 20cm thickness		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.078	0	0	48800	0	0	3,806	
	L-2-27	Chief of Mason	day	0.039	0	0	58600	0	0	2,285	
	L-2-11	Mason	day	0.39	0	0	39000	0	0	15,210	
	L-2-23	Common Labour	day	0.6	0	0	35100	0	0	21,060	
Material											
	M-B-10	Crushed Stone for Riprap	m3	1.2	0	2350	44650	0	2,820	53,580	
Others											
		Miscellaneous	L.S.					0	80	58	
Total for 1 m3											
Unit Cost for 1 m3											

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-14	Masonry of Crushed Stone/Riverstone with Iceement : 2 sand		1 m3							SK SNI T-02-1991	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.078	0	0	48800	0	0	3,806	
	L-2-27	Chief of Mason	day	0.039	0	0	58600	0	0	2,285	
	L-2-11	Mason	day	0.39	0	0	39000	0	0	15,210	
	L-2-23	Common Labour	day	0.6	0	0	35100	0	0	21,060	
Material											
	M-B-11	Crushed Stone for Masonry	m3	1.2	0	1100	20900	0	1,320	25,080	
	M-C-1	Portland Cement	kg	266.25	0	100	400	0	26,625	106,500	
	M-B-3	Sand for Mortar (Masonry)	m3	0.34	0	2250	42750	0	765	14,535	
Others											
		Miscellaneous	L.S.					0	90	23	
Total for 1 m3											
Unit Cost for 1 m3											

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-15	Masonry of Crushed Stone, Iceement : 3sand		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.15	0	0	48800	0	0	7,320	
	L-2-27	Chief of Mason	day	0.06	0	0	58600	0	0	3,516	
	L-2-11	Mason	day	0.6	0	0	39000	0	0	23,400	
	L-2-23	Common Labour	day	1.5	0	0	35100	0	0	52,650	
Material											
	M-B-11	Crushed Stone for Masonry	m3	1.2	0	1100	20900	0	1,320	25,080	
	M-C-1	Portland Cement	kg	202.5	0	100	400	0	20,250	81,000	
	M-B-3	Sand for Mortar (Masonry)	m3	0.34	0	2250	42750	0	765	14,535	
Others											
		Miscellaneous	L.S.					0	65	99	
Total for 1 m3											
Unit Cost for 1 m3											

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-16	Masonry of Crushed Stone, Iceement : 5sand		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.15	0	0	48800	0	0	7,320	
	L-2-27	Chief of Mason	day	0.06	0	0	58600	0	0	3,516	
	L-2-11	Mason	day	0.6	0	0	39000	0	0	23,400	
	L-2-23	Common Labour	day	1.5	0	0	35100	0	0	52,650	
Material											
	M-B-11	Crushed Stone for Masonry	m3	1.2	0	1100	20900	0	1,320	25,080	
	M-C-1	Portland Cement	kg	117.5	0	100	400	0	11,750	47,000	
	M-B-3	Sand for Mortar (Masonry)	m3	0.45	0	2250	42750	0	1,013	19,238	
Others											
		Miscellaneous	L.S.					0	18	97	
Total for 1 m3											
Unit Cost for 1 m3											

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (5/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity			1			m3			Remarks
CW-2-17	Masonry of Crushed Stone, Icement : 3lime : 10sand											
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour												
	L-2-1	Foreman	day	0.15	0	0	48800	0	0	7,320		
	L-2-27	Chief of Mason	day	0.06	0	0	58600	0	0	3,516		
	L-2-11	Mason	day	0.6	0	0	39000	0	0	23,400		
	L-2-23	Common Labour	day	1.5	0	0	35100	0	0	52,650		
Material												
	M-B-11	Crushed Stone for Masonry	m3	1.2	0	1100	20900	0	1,320	25,080		
	M-C-1	Portland Cement	kg	61.5	0	100	400	0	6,150	24,600		
	M-C-58	Lime	m3	0.12	0	11500	103500	0	1,380	12,420		
	M-B-3	Sand for Mortar (Masonry)	m3	0.41	0	2250	42750	0	923	17,528		
Others												
	Miscellaneous		L.S.					0	28	87		
Total for			1 m3					0	9,800	166,600		
Unit Cost for			1 m3					0	9,800	166,600		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity			1			m2			Remarks
CW-2-18	Masonry of Brick Stone/Brickwork, Icement : 2sand, 1Brick thickness											SK SNI T-03-1991
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour												
	L-2-1	Foreman	day	0.096	0	0	48800	0	0	4,685		
	L-2-27	Chief of Mason	day	0.032	0	0	58600	0	0	1,875		
	L-2-11	Mason	day	0.32	0	0	39000	0	0	12,480		
	L-2-23	Common Labour	day	0.96	0	0	35100	0	0	33,696		
Material												
	M-L-17	Brick; 26 x 12.4 x 5.2 cm	pcs	160	0	0	200	0	0	32,000		
	M-C-1	Portland Cement	kg	66.5	0	100	400	0	6,650	26,600		
	M-B-3	Sand for Mortar (Masonry)	m3	0.95	0	2250	42750	0	2,138	40,613		
Others												
	Miscellaneous		L.S.					0	13	52		
Total for			1 m2					0	8,800	152,000		
Unit Cost for			1 m2					0	8,800	152,000		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity			1			m2			Remarks
CW-2-19	Masonry of Brick Stone/Brickwork, Icement : 4sand, 1Brick thickness											
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour												
	L-2-1	Foreman	day	0.096	0	0	48800	0	0	4,685		
	L-2-27	Chief of Mason	day	0.032	0	0	58600	0	0	1,875		
	L-2-11	Mason	day	0.32	0	0	39000	0	0	12,480		
	L-2-23	Common Labour	day	0.96	0	0	35100	0	0	33,696		
Material												
	M-L-17	Brick; 26 x 12.4 x 5.2 cm	pcs	160	0	0	200	0	0	32,000		
	M-C-1	Portland Cement	kg	40.65	0	100	400	0	4,065	16,260		
	M-B-3	Sand for Mortar (Masonry)	m3	0.104	0	2250	42750	0	234	4,446		
Others												
	Miscellaneous		L.S.					0	1	58		
Total for			1 m2					0	4,300	105,500		
Unit Cost for			1 m2					0	4,300	105,500		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity			1			m2			Remarks
CW-2-20	Masonry of Brick Stone/Brickwork, Icement : 3lime : 10sand, 1Brick thickness											
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour												
	L-2-1	Foreman	day	0.096	0	0	48800	0	0	4,685		
	L-2-27	Chief of Mason	day	0.032	0	0	58600	0	0	1,875		
	L-2-11	Mason	day	0.32	0	0	39000	0	0	12,480		
	L-2-23	Common Labour	day	0.96	0	0	35100	0	0	33,696		
Material												
	M-L-17	Brick; 26 x 12.4 x 5.2 cm	pcs	160	0	0	200	0	0	32,000		
	M-C-1	Portland Cement	kg	1.45	0	100	400	0	145	580		
	M-C-58	Lime	m3	0.029	0	11500	103500	0	334	3,002		
	M-B-3	Sand for Mortar (Masonry)	m3	0.095	0	2250	42750	0	214	4,061		
Others												
	Miscellaneous		L.S.					0	8	21		
Total for			1 m2					0	700	92,400		
Unit Cost for			1 m2					0	700	92,400		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (6/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name			Calculation Quantity						Remarks
CW-2-21		Masonry of Brick Stone/Brickwork, 1cement : 2sand, 1/2Brick thickness			1 m2						
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					F/C	I/F/C	L/C	F/C	I/F/C	L/C	
Labour											
	L-2-1	Foreman	day	0.048	0	0	48800	0	0	2,342	
	L-2-27	Chief of Mason	day	0.016	0	0	58600	0	0	938	
	L-2-11	Mason	day	0.16	0	0	39000	0	0	6,240	
	L-2-23	Common Labour	day	0.48	0	0	35100	0	0	16,848	
Material											
	M-L-17	Brick; 26 x 12.4 x 5.2 cm	pcs	80	0	0	200	0	0	16,000	
	M-C-1	Portland Cement	kg	32.5	0	100	400	0	3,250	13,000	
	M-B-3	Sand for Mortar (Masonry)	m3	0.042	0	2250	42750	0	95	1,796	
Others											
		Miscellaneous	L.S.					0	56	37	
Total for		1 m2						0 3,400 57,200			
Unit Cost for		1 m2						0 3,400 57,200			

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name			Calculation Quantity						Remarks
CW-2-22		Masonry of Brick Stone/Brickwork, 1cement : 4sand, 1/2brick thickness			1 m2						
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.048	0	0	48800	0	0	2,342	
	L-2-27	Chief of Mason	day	0.016	0	0	58600	0	0	938	
	L-2-11	Mason	day	0.16	0	0	39000	0	0	6,240	
	L-2-23	Common Labour	day	0.48	0	0	35100	0	0	16,848	
Material											
	M-L-17	Brick; 26 x 12.4 x 5.2 cm	pcs	80	0	0	200	0	0	16,000	
	M-C-1	Portland Cement	kg	20	0	100	400	0	2,000	8,000	
	M-B-3	Sand for Mortar (Masonry)	m3	0.031	0	2250	42750	0	115	2,180	
Others											
		Miscellaneous	L.S.					0	85	52	
Total for		1 m2						0 2,200 52,600			
Unit Cost for		1 m2						0 2,200 52,600			

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name			Calculation Quantity						Remarks
CW-2-23		Masonry of Brick Stone/Brickwork, 1cement : 3lime : 10sand, 1/2brick thickness			1 m2						
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.048	0	0	48800	0	0	2,342	
	L-2-27	Chief of Mason	day	0.016	0	0	58600	0	0	938	
	L-2-11	Mason	day	0.16	0	0	39000	0	0	6,240	
	L-2-23	Common Labour	day	0.48	0	0	35100	0	0	16,848	
Material											
	M-L-17	Brick; 26 x 12.4 x 5.2 cm	pcs	80	0	0	200	0	0	16,000	
	M-C-1	Portland Cement	kg	7.25	0	100	400	0	725	2,900	
	M-C-58	Lime	m3	0.046	0	11500	103500	0	529	4,761	
	M-B-3	Sand for Mortar (Masonry)	m3	0.014	0	2250	42750	0	32	599	
Others											
		Miscellaneous	L.S.					0	15	73	
Total for		1 m2						0 1,300 50,700			
Unit Cost for		1 m2						0 1,300 50,700			

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name			Calculation Quantity						Remarks
CW-2-24		Wall Masonry of Concrete Block, 1cement : 3sand			1 m2						
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.048	0	0	48800	0	0	2,342	
	L-2-27	Chief of Mason	day	0.016	0	0	58600	0	0	938	
	L-2-11	Mason	day	0.16	0	0	39000	0	0	6,240	
	L-2-23	Common Labour	day	0.48	0	0	35100	0	0	16,848	
Material											
	M-C-43	Concrete Hollow Block : 40 x 20 x 20	pcs	13	0	270	630	0	3,510	8,190	
	M-C-1	Portland Cement	kg	6.5	0	100	400	0	650	2,600	
	M-B-3	Sand for Mortar (Masonry)	m3	0.022	0	2250	42750	0	50	941	
	M-E-1	Reinforcing Bar, Round U-30	kg	0.6	0	2500	2500	0	1,500	1,500	
Others											
		Miscellaneous	L.S.					0	91	2	
Total for		1 m2						0 5,800 39,600			
Unit Cost for		1 m2						0 5,800 39,600			

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (7/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity									Remarks
CW-2-25	Tile Floor Work of 20cm x 20cm, 1lime : 3sand		1 m2									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour												
	L-2-1	Foreman	day	0.012	0	0	48800	0	0	586		
	L-2-27	Chief of Mason	day	0.008	0	0	58600	0	0	469		
	L-2-11	Mason	day	0.08	0	0	39000	0	0	3,120		
	L-2-23	Common Labour	day	0.24	0	0	35100	0	0	8,424		
Material												
	M-K-4	Color Floor Tile 20x20	m2	1	0	1300	11700	0	1,300	11,700		
	M-C-58	Lime	m3	0.003	0	11500	103500	0	35	311		
	M-B-3	Sand for Mortar (Masonry)	m3	0.028	0	2250	42750	0	63	1,197		
Others												
		Miscellaneous	L.S.					0	3	94		
Total for			1 m2					0	1,400	25,900		
Unit Cost for			1 m2					0	1,400	25,900		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity									Remarks
CW-2-26	Tile Floor Work of 20cm x 20cm, 1cement : 1/2lime : 5sand		1 m2									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour												
	L-2-1	Foreman	day	0.012	0	0	48800	0	0	586		
	L-2-27	Chief of Mason	day	0.008	0	0	58600	0	0	469		
	L-2-11	Mason	day	0.08	0	0	39000	0	0	3,120		
	L-2-23	Common Labour	day	0.24	0	0	35100	0	0	8,424		
Material												
	M-K-4	#REF!	#REF!	1	0	1300	11700	0	1,300	11,700		
	M-C-1	#REF!	#REF!	7.72	0	100	400	0	772	3,088		
	M-C-58	#REF!	#REF!	0.003	0	11500	103500	0	35	311		
	M-B-3	#REF!	#REF!	0.029	0	2250	42750	0	65	1,240		
Others												
		Miscellaneous	L.S.					0	28	63		
Total for			1 m2					0	2,200	29,000		
Unit Cost for			1 m2					0	2,200	29,000		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity									Remarks
CW-2-27	Plint Tile Work, 15cm x 20cm or 10cm x 20cm 1cement : 2sand		1 m									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour												
	L-2-1	Foreman	day	0.012	0	0	48800	0	0	586		
	L-2-27	Chief of Mason	day	0.008	0	0	58600	0	0	469		
	L-2-11	Mason	day	0.08	0	0	39000	0	0	3,120		
	L-2-23	Common Labour	day	0.24	0	0	35100	0	0	8,424		
Material												
	M-K-5	Color Floor Tile 15x20	m2	5	0	1250	11250	0	6,250	56,250		
	M-C-1	Portland Cement	kg	10	0	100	400	0	1,000	4,000		
	M-B-3	Sand for Mortar (Masonry)	m3	0.017	0	2250	42750	0	38	727		
Others												
		Miscellaneous	L.S.					0	12	25		
Total for			1 m					0	7,300	73,600		
Unit Cost for			1 m					0	7,300	73,600		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity									Remarks
CW-2-28	PVC pipe Installation with Dia.0.75", 1m length		1 piece									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour												
	L-2-27	Chief of Mason	day	0.02	0	0	58600	0	0	1,172		
	L-2-11	Mason	day	0.175	0	0	39000	0	0	6,825		
	L-2-1	Foreman	day	0.3	0	0	48800	0	0	14,640		
	L-2-23	Common Labour	day	0.3	0	0	35100	0	0	10,530		
Material												
	M-G-2	PVC Pipe, Dia. 19.05mm(3/4")	bar	0.167	0	4350	10150	0		1,695		
Others												
		Miscellaneous	L.S.					0	0	1,838	Small Tool 5% of Direct Cost	
Total for			1 piece					0	0	36,700		
Unit Cost for			1 piece					0	0	36,700		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (8/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-29	PVC pipe Installation with Dia.1", 1m length		1 piece								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-27	Chief of Mason	day	0.02	0	0	58600	0	0	1,172	
	L-2-11	Mason	day	0.15	0	0	39000	0	0	5,850	
	L-2-23	Common Labour	day	0.85	0	0	35100	0	0	29,835	
	L-2-1	Foreman	day	0.25	0	0	48800	0	0	12,200	
Material	M-G-3	PVC Pipe, Dia. 25.4mm(1")	bar	0.167	0	6000	14000	0	0	2,338	
Others		Miscellaneous	L.S.					0	0	2,603	Small Tool 5% of Direct Cost
Total for								0	0	54,000	
Unit Cost for								0	0	54,000	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-30	Cutting Earth for Installation of PVC, ACP and GIP		1 m2								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour			day		0	0	0	0	0	0	
			day		0	0	0	0	0	0	
			day		0	0	0	0	0	0	
			day		0	0	0	0	0	0	
Material				0.312	0	0	0	0	0	0	
				0.32	0	0	0	0	0	0	
Others		Miscellaneous	L.S.					0	0	0	
Total for								0	0	0	
Unit Cost for								0	0	0	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-31	Filling Sand for Installation of PVC, ACP and GIP		1 m2								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour			day		0	0	0	0	0	0	
			day		0	0	0	0	0	0	
			day		0	0	0	0	0	0	
			day		0	0	0	0	0	0	
Material				0.07	0	0	0	0	0	0	
				0.08	0	0	0	0	0	0	
Others		Miscellaneous	L.S.					0	0	0	
Total for								0	0	0	
Unit Cost for								0	0	0	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (9/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity						Remarks		
CW-2-32	Concrete Work with Icement : 3/2sand : 5/2lime		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.3	0	0	48800	0	0	14,640	
	L-2-28	Chief of Concrete Worker	day	0.1	0	0	58600	0	0	5,860	
	L-2-17	Concrete Worker	day	1	0	0	39000	0	0	39,000	
	L-2-23	Common Labour	day	6	0	0	35100	0	0	210,600	
Material											
	M-C-1	Portland Cement	kg	443.2	0	100	400	0	44,320	177,280	
	M-B-2	Coarse Aggregate	m3	0.82	0	2600	49400	0	2,132	40,508	
	M-B-14	Sand for Concrete	m3	0.49	0	2050	38950	0	1,005	19,086	
Others											
	Miscellaneous		L.S.					0	43	27	
Total for			1 m3					0	47,500	507,000	
Unit Cost for			1 m3					0	47,500	507,000	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity						Remarks		
CW-2-33	Concrete Work with Icement : 2sand : 4gravel		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.3	0	0	48800	0	0	14,640	
	L-2-28	Chief of Concrete Worker	day	0.1	0	0	58600	0	0	5,860	
	L-2-17	Concrete Worker	day	1	0	0	39000	0	0	39,000	
	L-2-23	Common Labour	day	6	0	0	35100	0	0	210,600	
Material											
	M-C-1	Portland Cement	kg	324.8	0	100	400	0	32,480	129,920	
	M-B-2	Coarse Aggregate	m3	0.96	0	2600	49400	0	2,496	47,424	
	M-B-14	Sand for Concrete	m3	0.49	0	2050	38950	0	1,005	19,086	
Others											
	Miscellaneous		L.S.					0	20	71	
Total for			1 m3					0	36,000	466,600	
Unit Cost for			1 m3					0	36,000	466,600	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity						Remarks		
CW-2-34	Concrete Work with Icement : 2sand : 3gravel		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.3	0	0	48800	0	0	14,640	
	L-2-28	Chief of Concrete Worker	day	0.1	0	0	58600	0	0	5,860	
	L-2-17	Concrete Worker	day	1	0	0	39000	0	0	39,000	
	L-2-23	Common Labour	day	6	0	0	35100	0	0	210,600	
Material											
	M-C-1	Portland Cement	kg	340	0	100	400	0	34,000	136,000	
	M-B-2	Coarse Aggregate	m3	0.82	0	2600	49400	0	2,132	40,508	
	M-B-14	Sand for Concrete	m3	0.54	0	2050	38950	0	1,107	21,033	
Others											
	Miscellaneous		L.S.					0	61	59	
Total for			1 m3					0	37,300	467,700	
Unit Cost for			1 m3					0	37,300	467,700	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity						Remarks		
CW-2-35	Concrete Work with Icement : 3sand : 6gravel		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.3	0	0	48800	0	0	14,640	
	L-2-28	Chief of Concrete Worker	day	0.05	0	0	58600	0	0	2,930	
	L-2-17	Concrete Worker	day	0.5	0	0	39000	0	0	19,500	
	L-2-23	Common Labour	day	6	0	0	35100	0	0	210,600	
Material											
	M-C-1	Portland Cement	kg	230.4	0	100	400	0	23,040	92,160	
	M-B-2	Coarse Aggregate	m3	1	0	2600	49400	0	2,600	49,400	
	M-B-14	Sand for Concrete	m3	0.5	0	2050	38950	0	1,025	19,475	
Others											
	Miscellaneous		L.S.					0	35	95	
Total for			1 m3					0	26,700	408,800	
Unit Cost for			1 m3					0	26,700	408,800	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (10/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-36	Reinforcing-Bar Work		100 kg								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-29	Chief of Steel Worker	day	3	0	0	58600	0	0	175,800	
	L-2-16	Steel Worker	day	9	0	0	39000	0	0	351,000	
	L-2-23	Common Labour	day	9	0	0	35100	0	0	315,900	
Material	M-E-2	Reinforcing Bar, Deformed U-	kg	125	0	3000	3000	0	375,000	375,000	
	M-E-64	Steel Wire	kg	2	0	2400	5600	0	4,800	11,200	
				0.5	0	0	0	0	0	0	
Others		Revision to 100kg Miscellaneous	L.S.					0	-45,576	-147,468	100/125x10%
								0	76	68	
Total for				100 kg				0	334,300	1,081,500	
Unit Cost for				1 kg				0	3,343	10,815	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-37	Steel-net with Dia.4-15"		1 m2								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour			day		0	0	0	0	0	0	
			day		0	0	0	0	0	0	
			day		0	0	0	0	0	0	
Material	M-E-65	Steel Net	kg	1.4	0	510	1190	0	714	1,666	
				4	0	0	0	0	0	0	
Others		Miscellaneous	L.S.					0	86	34	
Total for				1 m2				0	800	1,700	
Unit Cost for				1 m2				0	800	1,700	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-38	Form Work for 1m3 of Concrete		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.1	0	0	48800	0	0	4,880	
	L-2-26	Chief of Carpenter	day	0.5	0	0	58600	0	0	29,300	
	L-2-18	Form Worker	day	5	0	0	39000	0	0	195,000	
	L-2-23	Common Labour	day	2	0	0	35100	0	0	70,200	
Material	M-D-18	Plank Wood third class(Borneo	m3	0.4	0	0	1250000	0	0	500,000	
	M-E-48	Nails for Wood	kg	4	0	2400	5600	0	9,600	22,400	
Others		Miscellaneous	L.S.					0	0	20	
Total for				1 m3				0	9,600	821,800	
Unit Cost for				1 m3				0	9,600	821,800	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-39	Form Work for Drainage Channel		1 m2								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour			day		0	0	0	0	0	0	
Material					0	0	0	0	0	0	
Others		Material from CW-2-38	L.S.	0.1	0	2400	1255600	0	240	125,560	
		Labor from CW-2-38	L.S.	0.1	0	0	181500	0	0	18,150	
		Miscellaneous	L.S.					0	60	90	
Total for				1 m2				0	300	143,800	
Unit Cost for				1 m2				0	300	143,800	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (11/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name		Calculation Quantity							Remarks
CW-2-40		Breaking-up the Concrete Form		1 m ²							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour			day		0	0	0	0	0	0	
Material					0	0	0	0	0	0	
Others		Labor from CW-2-38	L.S.	0.02	0	0	181500	0	0	3,630	
		Miscellaneous	L.S.					0	0	70	
Total for		1 m ²						0	0	3,700	
Unit Cost for		1 m ²						0	0	3,700	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity							Remarks
CW-2-41		Reinforced Concrete with Icemen : 3/2sand : 5/2gravel/aggregate		1 m ³							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour			day		0	0	0	0	0	0	
Material					0	0	0	0	0	0	
Others		Concrete Work with Icemen :									
		CW-2-32 3/2sand : 5/2lime	m ³	1	0	47500	507000	0	47,500	507,000	
		CW-2-36 Reinforcing-Bar Work	kg	110	0	3343	10815	0	367,730	1,189,650	
		Form Work for 1m ³ of									
		CW-2-38 Concrete	m ³	1	0	9600	821800	0	9,600	821,800	
		Miscellaneous	L.S.					0	70	50	
Total for		1 m ³						0	424,900	2,518,500	
Unit Cost for		1 m ³						0	424,900	2,518,500	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity							Remarks
CW-2-42		Reinforced Concrete with Icemen : 2sand : 4gravel/aggregate		1 m ³							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour			day		0	0	0	0	0	0	
Material					0	0	0	0	0	0	
Others		Concrete Work with Icemen :									
		CW-2-33 2sand : 4gravel	m ³	1	0	36000	466600	0	36,000	466,600	
		CW-2-36 Reinforcing-Bar Work	kg	125	0	3343	10815	0	417,875	1,351,875	
		Form Work for 1m ³ of									
		CW-2-38 Concrete	m ³	1	0	9600	821800	0	9,600	821,800	
		Miscellaneous	L.S.					0	25	25	
Total for		1 m ³						0	463,500	2,640,300	
Unit Cost for		1 m ³						0	463,500	2,640,300	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity							Remarks
CW-2-43		Reinforced Concrete with Icemen : 2sand : 3gravel/aggregate		1 m ³							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour			day		0	0	0	0	0	0	
Material					0	0	0	0	0	0	
Others		Concrete Work with Icemen :									
		CW-2-34 2sand : 3gravel	m ³	1	0	37300	467700	0	37,300	467,700	
		CW-2-36 Reinforcing-Bar Work	kg	110	0	3343	10815	0	367,730	1,189,650	
		Form Work for 1m ³ of									
		CW-2-38 Concrete	m ³	1	0	9600	821800	0	9,600	821,800	
		Miscellaneous	L.S.					0	70	50	
Total for		1 m ³						0	414,700	2,479,200	
Unit Cost for		1 m ³						0	414,700	2,479,200	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (12/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name		Calculation Quantity			Remarks				
CW-2-44		Plastering 15mm thickness with Icement : 2sand		1 m2			SK-SNI T-03-1991-03				
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.008	0	0	48800	0	0	390	
	L-2-31	Chief of Plasterer	day	0.004	0	0	58600	0	0	234	
	L-2-21	Plasterer	day	0.04	0	0	39000	0	0	1,560	
	L-2-23	Common Labour	day	0.08	0	0	35100	0	0	2,808	
Material	M-C-1	Portland Cement	kg	10.65	0	100	400	0	1,065	4,260	
	M-B-3	Sand for Mortar (Masonry)	m3	0.017	0	2250	42750	0	38	727	
Others		Miscellaneous	L.S.					0	97	20	
Total for			1 m2					0	1,200	10,000	
Unit Cost for			1 m2					0	1,200	10,000	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity			Remarks				
CW-2-45		Plastering 15mm thickness with Icement : 3sand		1 m2			SK-SNI T-03-1991-03				
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.008	0	0	48800	0	0	390	
	L-2-31	Chief of Plasterer	day	0.004	0	0	58600	0	0	234	
	L-2-21	Plasterer	day	0.04	0	0	39000	0	0	1,560	
	L-2-23	Common Labour	day	0.08	0	0	35100	0	0	2,808	
Material	M-C-1	Portland Cement	kg	8.1	0	100	400	0	810	3,240	
	M-B-3	Sand for Mortar (Masonry)	m3	0.019	0	2250	42750	0	43	812	
Others		Miscellaneous	L.S.					0	47	55	
Total for			1 m2					0	900	9,100	
Unit Cost for			1 m2					0	900	9,100	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity			Remarks				
CW-2-46		Plastering 15mm thickness with Icement : 4sand		1 m2			SK-SNI T-03-1991-03				
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.008	0	0	48800	0	0	390	
	L-2-31	Chief of Plasterer	day	0.004	0	0	58600	0	0	234	
	L-2-21	Plasterer	day	0.04	0	0	39000	0	0	1,560	
	L-2-23	Common Labour	day	0.08	0	0	35100	0	0	2,808	
Material	M-C-1	Portland Cement	kg	6.8	0	100	400	0	680	2,720	
	M-B-3	Sand for Mortar (Masonry)	m3	0.02	0	2250	42750	0	45	855	
Others		Miscellaneous	L.S.					0	75	32	
Total for			1 m2					0	800	8,600	
Unit Cost for			1 m2					0	800	8,600	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity			Remarks				
CW-2-47		Plastering 15mm thickness with Icement : 6sand		1 m2			SK-SNI T-03-1991-03				
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.008	0	0	48800	0	0	390	
	L-2-31	Chief of Plasterer	day	0.004	0	0	58600	0	0	234	
	L-2-21	Plasterer	day	0.04	0	0	39000	0	0	1,560	
	L-2-23	Common Labour	day	0.08	0	0	35100	0	0	2,808	
Material	M-C-1	Portland Cement	kg	4.6	0	100	400	0	460	1,840	
	M-B-3	Sand for Mortar (Masonry)	m3	0.023	0	2250	42750	0	52	983	
Others		Miscellaneous	L.S.					0	88	84	
Total for			1 m2					0	600	7,900	
Unit Cost for			1 m2					0	600	7,900	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (13/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-48	Plastering 15mm thickness with Icement : 3lime : 10sand		1			m2				SK-SNI T-03-1991-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.008	0	0	48800	0	0	390	
	L-2-31	Chief of Plasterer	day	0.004	0	0	58600	0	0	234	
	L-2-21	Plasterer	day	0.04	0	0	39000	0	0	1,560	
	L-2-23	Common Labour	day	0.08	0	0	35100	0	0	2,808	
Material	M-C-1	Portland Cement	kg	2.3	0	100	400	0	230	920	
	M-C-38	Lime	m3	0.006	0	11500	103500	0	69	621	
	M-B-3	Sand for Mortar (Masonry)	m3	0.014	0	2250	42750	0	32	599	
Others	Miscellaneous		L.S.					0	70	68	
Total for			1 m2					0	400	7,200	
Unit Cost for			1 m2					0	400	7,200	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-49	Plastering 20mm thickness with Icement : 2sand		1			m2				SK-SNI T-03-1991-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.012	0	0	48800	0	0	586	
	L-2-31	Chief of Plasterer	day	0.002	0	0	58600	0	0	117	
	L-2-21	Plasterer	day	0.02	0	0	39000	0	0	780	
	L-2-23	Common Labour	day	0.12	0	0	35100	0	0	4,212	
Material	M-C-1	Portland Cement	kg	17.85	0	100	400	0	1,785	7,140	
	M-B-3	Sand for Mortar (Masonry)	m3	0.023	0	2250	42750	0	52	983	
Others	Miscellaneous		L.S.					0	63	82	
Total for			1 m2					0	1,900	13,900	
Unit Cost for			1 m2					0	1,900	13,900	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-50	Plastering 20mm thickness with Icement : 3sand		1			m2				SK-SNI T-03-1991-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.012	0	0	48800	0	0	586	
	L-2-31	Chief of Plasterer	day	0.002	0	0	58600	0	0	117	
	L-2-21	Plasterer	day	0.02	0	0	39000	0	0	780	
	L-2-23	Common Labour	day	0.12	0	0	35100	0	0	4,212	
Material	M-C-1	Portland Cement	kg	13.5	0	100	400	0	1,350	5,400	
	M-B-3	Sand for Mortar (Masonry)	m3	0.026	0	2250	42750	0	59	1,112	
Others	Miscellaneous		L.S.					0	92	94	
Total for			1 m2					0	1,500	12,300	
Unit Cost for			1 m2					0	1,500	12,300	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-51	Plastering 28mm thickness with Icement : 4sand per		1			m2				SK-SNI T-03-1991-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					F/C	F/C	L/C	F/C	F/C	L/C	
Labour	L-2-1	Foreman	day	0.012	0	0	48800	0	0	586	
	L-2-31	Chief of Plasterer	day	0.002	0	0	58600	0	0	117	
	L-2-21	Plasterer	day	0.02	0	0	39000	0	0	780	
	L-2-23	Common Labour	day	0.12	0	0	35100	0	0	4,212	
Material	M-C-1	Portland Cement	kg	10.85	0	100	400	0	1,085	4,340	
	M-B-3	Sand for Mortar (Masonry)	m3	0.028	0	2250	42750	0	63	1,197	
Others	Miscellaneous		L.S.					0	52	68	
Total for			1 m2					0	1,200	11,300	
Unit Cost for			1 m2					0	1,200	11,300	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (14/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name		Calculation Quantity							Remarks
CW-2-52		Plastering 28mm thickness with Icemen : 6sand		1			n2				SK-SNI T-03-1991-03
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.012	0	0	48800	0	0	586	
	L-2-31	Chief of Plasterer	day	0.002	0	0	58600	0	0	117	
	L-2-21	Plasterer	day	0.02	0	0	39000	0	0	780	
	L-2-23	Common Labour	day	0.12	0	0	35100	0	0	4,212	
Material	M-C-1	Portland Cement	kg	7.8	0	100	400	0	780	3,120	
	M-B-3	Sand for Mortar (Masonry)	m3	0.03	0	2250	42750	0	68	1,283	
Others		Miscellaneous	L.S.					0	53	3	
Total for		1 m2						0	900	10,100	
Unit Cost for		1 m2						0	900	10,100	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity							Remarks
CW-2-53		Seam Work at Brick Masonry with Icemen : 3sand per 1m		1			m2				SK-SNI T-03-1991-03
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.019	0	0	48800	0	0	927	
	L-2-31	Chief of Plasterer	day	0.012	0	0	58600	0	0	703	
	L-2-21	Plasterer	day	0.12	0	0	39000	0	0	4,680	
	L-2-23	Common Labour	day	0.36	0	0	35100	0	0	12,636	
Material	M-C-1	Portland Cement	kg	4.88	0	100	400	0	488	1,952	
	M-B-3	Sand for Mortar (Masonry)	m3	0.011	0	2250	42750	0	25	470	
Others		Miscellaneous	L.S.					0	87	31	
Total for		1 m2						0	600	21,400	
Unit Cost for		1 m2						0	600	21,400	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (15/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-54		Roof Truss/Trestle with Max Span of 8m		1 m3						SK-SNI T-11-1993-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.3	0	0	48800	0	0	14,640	
	L-2-26	Chief of Carpenter	day	1.9	0	0	58600	0	0	111,340	
	L-2-12	Carpenter	day	19	0	0	39000	0	0	741,000	
	L-2-23	Common Labour	day	6	0	0	35100	0	0	210,600	
Material											
	M-D-14	Plank Wood first class(Teak/Ulin)	m3	1.1	0	0	7500000	0	0	8,250,000	
	M-E-48	Nails for Wood	kg	3	0	2400	5600	0	7,200	16,800	
	M-E-4	Structural Steel(Purchasing), SS41	kg	15	5225	0	275	78,375	0	4,125	
Others											
		Miscellaneous	L.S.					25	0	95	
Total for		1 m3						78,400	7,200	9,348,600	
Unit Cost for		1 m3						78,400	7,200	9,348,600	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-55		Roof Truss/Trestle with Max Span of 6m		1 m3						SK-SNI T-11-1993-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.3	0	0	48800	0	0	14,640	
	L-2-26	Chief of Carpenter	day	1.9	0	0	58600	0	0	111,340	
	L-2-12	Carpenter	day	19	0	0	39000	0	0	741,000	
	L-2-23	Common Labour	day	6	0	0	35100	0	0	210,600	
Material											
	M-D-16	Plank Wood second class(Campoh)	m3	1.1	0	0	1900000	0	0	2,090,000	
	M-E-48	Nails for Wood	kg	3	0	2400	5600	0	7,200	16,800	
	M-E-4	Structural Steel(Purchasing), SS41	kg	15	5225	0	275	78,375	0	4,125	
Others											
		Miscellaneous	L.S.					25	0	95	
Total for		1 m3						78,400	7,200	3,188,600	
Unit Cost for		1 m3						78,400	7,200	3,188,600	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-56		Roof Truss/Trestle with Max Span of 6-9m		1 m3						SK-SNI T-11-1993-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.4	0	0	48800	0	0	19,520	
	L-2-26	Chief of Carpenter	day	2.5	0	0	58600	0	0	146,500	
	L-2-12	Carpenter	day	24	0	0	39000	0	0	936,000	
	L-2-23	Common Labour	day	8	0	0	35100	0	0	280,800	
Material											
	M-D-14	Plank Wood first class(Teak/Ulin)	m3	1.1	0	0	7500000	0	0	8,250,000	
	M-E-48	Nails for Wood	kg	3	0	2400	5600	0	7,200	16,800	
	M-E-4	Structural Steel(Purchasing), SS41	kg	15	5225	0	275	78,375	0	4,125	
Others											
		Miscellaneous	L.S.					25	0	55	
Total for		1 m3						78,400	7,200	9,653,800	
Unit Cost for		1 m3						78,400	7,200	9,653,800	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-57		Roof Truss/Trestle with Max Span of 6-9m		1 m3						SK-SNI T-11-1993-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.34	0	0	48800	0	0	16,592	
	L-2-26	Chief of Carpenter	day	2	0	0	58600	0	0	117,200	
	L-2-12	Carpenter	day	20	0	0	39000	0	0	780,000	
	L-2-23	Common Labour	day	6.7	0	0	35100	0	0	235,170	
Material											
	M-D-16	Plank Wood second class(Campoh)	m3	1.1	0	0	1900000	0	0	2,090,000	
	M-E-48	Nails for Wood	kg	3	0	2400	5600	0	7,200	16,800	
	M-E-4	Structural Steel(Purchasing), SS41	kg	15	5225	0	275	78,375	0	4,125	
Others											
		Miscellaneous	L.S.					25	0	13	
Total for		1 m3						78,400	7,200	3,259,900	
Unit Cost for		1 m3						78,400	7,200	3,259,900	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (16/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-58		Teak Wood Purlin Installation		1 m3						SK-SNI T-11-1993-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					F/C	I/F/C	L/C	F/C	I/F/C	L/C	
Labour	L-2-1	Foreman	day	0.12	0	0	48800	0	0	5,856	
	L-2-26	Chief of Carpenter	day	0.7	0	0	58600	0	0	41,020	
	L-2-12	Carpenter	day	7	0	0	39000	0	0	273,000	
	L-2-23	Common Labour	day	2.4	0	0	35100	0	0	84,240	
Material	M-D-14	Plank Wood first class(Teak/Ulin)	m3	1.1	0	0	7500000	0	0	8,250,000	
	M-E-48	Nails for Wood	kg	2.2	0	2400	5600	0	5,280	12,320	
Others		Miscellaneous	L.S.					0	20	64	
Total for				1 m3				0	5,300	8,666,500	
Unit Cost for				1 m3				0	5,300	8,666,500	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-59		Kampur Wood Purlin Installation		1 m3						SK-SNI T-11-1993-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.097	0	0	48800	0	0	4,734	
	L-2-26	Chief of Carpenter	day	0.58	0	0	58600	0	0	33,988	
	L-2-12	Carpenter	day	5.8	0	0	39000	0	0	226,200	
	L-2-23	Common Labour	day	1.94	0	0	35100	0	0	68,094	
Material	M-D-16	#REF!	#REF!	1.1	0	0	1900000	0	0	2,090,000	
	M-E-48	#REF!	#REF!	2.2	0	2400	5600	0	5,280	12,320	
Others		Miscellaneous	L.S.					0	20	64	
Total for				1 m3				0	5,300	2,435,400	
Unit Cost for				1 m3				0	5,300	2,435,400	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-60		Roof Truss for Iron Roof		1 m2							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.0075	0	0	48800	0	0	366	
	L-2-26	Chief of Carpenter	day	0.01	0	0	58600	0	0	586	
	L-2-12	Carpenter	day	0.1	0	0	39000	0	0	3,900	
	L-2-23	Common Labour	day	0.15	0	0	35100	0	0	5,265	
Material	M-D-14	Plank Wood first class(Teak/Ulin)	m3	0.011	0	0	7500000	0	0	82,500	
	M-E-48	Nails for Wood	kg	0.1	0	2400	5600	0	240	560	
Others		Miscellaneous	L.S.					0	60	23	
Total for				1 m2				0	300	93,200	
Unit Cost for				1 m2				0	300	93,200	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-61		Roof Frame 5/7 & Roof Iath 2/8		1 m2						SK-SNI T-11-1993-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.005	0	0	48800	0	0	244	
	L-2-26	Chief of Carpenter	day	0.01	0	0	58600	0	0	586	
	L-2-12	Carpenter	day	0.1	0	0	39000	0	0	3,900	
	L-2-23	Common Labour	day	0.1	0	0	35100	0	0	3,510	
Material	M-D-16	Plank Wood second class(Camphot)	m3	0.015	0	0	1900000	0	0	28,500	
	M-E-48	Nails for Wood	kg	0.15	0	2400	5600	0	360	840	
Others		Miscellaneous	L.S.					0	40	20	
Total for				1 m2				0	400	37,600	
Unit Cost for				1 m2				0	400	37,600	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (17/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-62		Roof Frame 3/7 & Roof-lath 3/4		1 m ²						SK-SNIT-11-1993-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.005	0	0	48800	0	0	244	
	L-2-26	Chief of Carpenter	day	0.01	0	0	58600	0	0	586	
	L-2-12	Carpenter	day	0.1	0	0	39000	0	0	3,900	
	L-2-23	Common Labour	day	0.1	0	0	35100	0	0	3,510	
Material	M-D-16	Plank Wood second class(Campoh)	m ³	0.024	0	0	1900000	0	0	45,600	
	M-E-48	Nails for Wood	kg	0.25	0	2400	5600	0	600	1,400	
Others		Miscellaneous	L.S.					0	0	60	
Total for				1 m ²				0	600	55,300	
Unit Cost for				1 m ²				0	600	55,300	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-63		Roof Frame 3/7 & Roof-lath 3/4, Concrete Tile Roof		1 m ²						SK-SNIT-11-1993-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.005	0	0	48800	0	0	244	
	L-2-26	Chief of Carpenter	day	0.01	0	0	58600	0	0	586	
	L-2-12	Carpenter	day	0.1	0	0	39000	0	0	3,900	
	L-2-23	Common Labour	day	0.1	0	0	35100	0	0	3,510	
Material	M-D-16	Plank Wood second class(Campoh)	m ³	0.017	0	0	1900000	0	0	32,300	
	M-E-48	Nails for Wood	kg	0.15	0	2400	5600	0	360	840	
Others		Miscellaneous	L.S.					0	40	20	
Total for				1 m ²				0	400	41,400	
Unit Cost for				1 m ²				0	400	41,400	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-64		Ridge and Hip Covering with Icemen : Isand :5lime		1 m							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.02	0	0	48800	0	0	976	
	L-2-26	Chief of Carpenter	day	0.02	0	0	58600	0	0	1,172	
	L-2-12	Carpenter	day	0.2	0	0	39000	0	0	7,800	
	L-2-23	Common Labour	day	0.4	0	0	35100	0	0	14,040	
Material	M-K-36	Ridge for Roof	pieces	5	0	120	280	0	600	1,400	
	M-C-1	Portland Cement	kg	9.2	0	100	400	0	920	3,680	
	M-C-58	Lime	m ³	0.0278	0	11500	103500	0	320	2,877	
	M-B-3	Sand for Mortar (Masonry)	m ³	0.139	0	2250	42750	0	313	5,942	
Others		Miscellaneous	L.S.					0	48	12	
Total for				1 m				0	2,200	37,900	
Unit Cost for				1 m				0	2,200	37,900	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-65		Door/Window Work of Teak Wood		1 m ³						SK-SNIT-11-1993-03	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.46	0	0	48800	0	0	22,448	
	L-2-26	Chief of Carpenter	day	3.1	0	0	58600	0	0	181,660	
	L-2-12	Carpenter	day	31	0	0	39000	0	0	1,209,000	
	L-2-23	Common Labour	day	9.3	0	0	35100	0	0	326,430	
Material	M-D-14	Plank Wood first class(Teak/Ulin)	m ³	1.1	0	0	7500000	0	0	8,250,000	
	M-E-48	Nails for Wood	kg	3	0	2400	5600	0	7,200	16,800	
	M-E-51	Anchor	pcs	56	0	2100	4900	0	117,600	274,400	
Others		Miscellaneous	L.S.					0	0	62	
Total for				1 m ³				0	124,800	10,280,800	
Unit Cost for				1 m ³				0	124,800	10,280,800	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (18/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name		Calculation Quantity							Remarks
CW-2-66		Door/Window Work of Camphol Wood		1 m3							SK-SNI T-11-1993-03
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.36	0	0	48800	0	0	17,568	
	L-2-23	Common Labour	day	7.2	0	0	35100	0	0	252,720	
Material	M-D-16	Plank Wood second class(Canphol)	m3	1.1	0	0	1900000	0	0	2,090,000	
	M-E-48	Nails for Wood	kg	3	0	2400	5600	0	7,200	16,800	
	M-E-51	Anchor	pcs	56	0	2100	4900	0	117,600	274,400	
Others		Miscellaneous	L.S.					0	0	12	
Total for				1 m3				0	124,800	2,651,500	
Unit Cost for				1 m3				0	124,800	2,651,500	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity							Remarks
CW-2-67		Door/Window Work (Covered by Three Plywood and Aluminium)		1 m2							SK-SNI T-11-1993-03
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.018	0	0	48800	0	0	878	
	L-2-26	Chief of Carpenter	day	0.1	0	0	58600	0	0	5,860	
	L-2-12	Carpenter	day	7.5	0	0	39000	0	0	292,500	
	L-2-23	Common Labour	day	0.35	0	0	35100	0	0	12,285	
Material	M-D-14	Plank Wood first class(Teak/Ulin)	m3	0.39	0	0	7500000	0	0	2,925,000	
	M-E-48	Nails for Wood	kg	0.1	0	2400	5600	0	240	560	
Others		Miscellaneous	L.S.					0	60	17	
Total for				1 m2				0	300	3,237,100	
Unit Cost for				1 m2				0	300	3,237,100	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity							Remarks
CW-2-68		Venitian Blind Door/Window Work of Teak Wood		1 m2							SK-SNI T-11-1993-03
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.068	0	0	48800	0	0	3,318	
	L-2-26	Chief of Carpenter	day	0.4	0	0	58600	0	0	23,440	
	L-2-12	Carpenter	day	3	0	0	39000	0	0	156,000	
	L-2-23	Common Labour	day	1.35	0	0	35100	0	0	47,385	
Material	M-D-14	Plank Wood first class(Teak/Ulin)	m3	0.042	0	0	7500000	0	0	315,000	
	M-K-37	Glue for Wood	kg	0.2	0	2250	5250	0	450	1,050	
Others		Miscellaneous	L.S.					0	50	7	
Total for				1 m2				0	500	546,200	
Unit Cost for				1 m2				0	500	546,200	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity							Remarks
CW-2-69		Venitian Blind Door/Window Work of Teak Wood		1 m2							SK-SNI T-11-1993-03
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.05	0	0	48800	0	0	2,440	
	L-2-26	Chief of Carpenter	day	0.3	0	0	58600	0	0	17,580	
	L-2-12	Carpenter	day	3	0	0	39000	0	0	117,000	
	L-2-23	Common Labour	day	1	0	0	35100	0	0	35,100	
Material	M-D-16	Plank Wood second class(Canphol)	m3	0.042	0	0	1900000	0	0	79,800	
	M-K-37	Glue for Wood	kg	0.2	0	2250	5250	0	450	1,050	
Others		Miscellaneous	L.S.					0	50	30	
Total for				1 m2				0	500	253,000	
Unit Cost for				1 m2				0	500	253,000	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (19/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name			Calculation Quantity						Remarks
CW-2-70		Door/Window Work of Plywood with Teak Wood as the Frame			1 m ²						SK-SNI T-11-1993-03
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.03	0	0	48800	0	0	1,464	
	L-2-26	Chief of Carpenter	day	0.2	0	0	58600	0	0	11,720	
	L-2-12	Carpenter	day	2	0	0	39000	0	0	78,000	
	L-2-23	Common Labour	day	0.6	0	0	35100	0	0	21,060	
Material											
	M-D-14	Plank Wood first class(Teak/Ulin)	m ³	0.04	0	0	7500000	0	0	300,000	
	M-K-37	Glue for Wood	kg	0.3	0	2250	5250	0	675	1,575	
	M-E-48	Nails for Wood	kg	0.03	0	2400	5600	0	72	168	
	M-D-5	Plywood, 90x210 t=3mm	sheet	1	0	3400	30600	0	3,400	30,600	
Others											
		Miscellaneous	L.S.					0	53	13	
Total for		1 m ²						0 4,200			444,600
Unit Cost for		1 m ²						0 4,200			444,600

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name			Calculation Quantity						Remarks
CW-2-71		Door/Window Work of Plywood with Camphol Wood as the Frame			1 m ²						SK-SNI T-11-1993-03
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.024	0	0	48800	0	0	1,171	
	L-2-26	Chief of Carpenter	day	0.16	0	0	58600	0	0	9,376	
	L-2-12	Carpenter	day	1.6	0	0	39000	0	0	62,400	
	L-2-23	Common Labour	day	0.48	0	0	35100	0	0	16,848	
Material											
	M-D-16	Plank Wood second class(Camphol)	m ³	0.04	0	0	1900000	0	0	76,000	
	M-K-37	Glue for Wood	kg	0.3	0	2250	5250	0	675	1,575	
	M-E-48	Nails for Wood	kg	0.03	0	2400	5600	0	72	168	
	M-D-5	Plywood, 90x210 t=3mm	sheet	1	0	3400	30600	0	3,400	30,600	
Others											
		Miscellaneous	L.S.					0	53	62	
Total for		1 m ²						0 4,200			198,200
Unit Cost for		1 m ²						0 4,200			198,200

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name			Calculation Quantity						Remarks
CW-2-72		Glass Door/Window Work of Plywood with Teak Wood as the Frame			1 m ²						SK-SNI T-11-1993-03
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.05	0	0	48800	0	0	2,440	
	L-2-26	Chief of Carpenter	day	0.27	0	0	58600	0	0	15,822	
	L-2-12	Carpenter	day	2.7	0	0	39000	0	0	105,300	
	L-2-23	Common Labour	day	1	0	0	35100	0	0	35,100	
Material											
	M-D-14	Plank Wood first class(Teak/Ulin)	m ³	0.3	0	0	7500000	0	0	2,250,000	
	M-K-38	Glass of 3mm thick	m ²	0.75	0	8700	20300	0	6,525	15,225	
	M-E-48	Nails for Wood	kg	0.05	0	2400	5600	0	120	280	
Others											
		Miscellaneous	L.S.					0	55	33	
Total for		1 m ²						0 6,700			2,424,200
Unit Cost for		1 m ²						0 6,700			2,424,200

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name			Calculation Quantity						Remarks
CW-2-73		Clamp Door/Window Work, with Camphol Wood Framework			1 m ²						SK-SNI T-11-1993-03
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour											
	L-2-1	Foreman	day	0.018	0	0	48800	0	0	878	
	L-2-26	Chief of Carpenter	day	0.1	0	0	58600	0	0	5,860	
	L-2-12	Carpenter	day	1	0	0	39000	0	0	39,000	
	L-2-23	Common Labour	day	0.35	0	0	35100	0	0	12,285	
Material											
	M-D-16	Plank Wood second class(Camphol)	m ³	0.038	0	0	1900000	0	0	72,200	
	M-E-48	Nails for Wood	kg	0.1	0	2400	5600	0	240	560	
Others											
		Miscellaneous	L.S.					0	60	17	
Total for		1 m ²						0 300			130,800
Unit Cost for		1 m ²						0 300			130,800

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (20/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-74	Panel Door/Window Work, with Teak Wood Framework		1 m ²								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.005	0	0	48800	0	0	244	
	L-2-26	Chief of Carpenter	day	0.2	0	0	58600	0	0	11,720	
	L-2-12	Carpenter	day	2	0	0	39000	0	0	78,000	
	L-2-23	Common Labour	day	1	0	0	35100	0	0	35,100	
Material	M-D-14	Plank Wood first class(Teak/Ulin)	m ³	0.044	0	0	7500000	0	0	330,000	
	M-E-48	Nails for Wood	kg	0.1	0	2400	5600	0	240	560	
Others		Miscellaneous	L.S.					0	60	76	
Total for			1 m ²					0	300	455,700	
Unit Cost for			1 m ²					0	300	455,700	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-75	Panel Door/Window Work, with Camphol Wood Framework		1 m ²								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.005	0	0	48800	0	0	244	
	L-2-26	Chief of Carpenter	day	0.2	0	0	58600	0	0	11,720	
	L-2-12	Carpenter	day	2	0	0	39000	0	0	78,000	
	L-2-23	Common Labour	day	1	0	0	35100	0	0	35,100	
Material	M-D-16	Plank Wood second class(Camphol)	m ³	0.044	0	0	1900000	0	0	83,600	
	M-K-37	Glue for Wood	kg	0.1	0	2250	5250	0	225	525	
Others		Miscellaneous	L.S.					0	75	11	
Total for			1 m ²					0	300	309,200	
Unit Cost for			1 m ²					0	300	309,200	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-76	Ceiling Frame, Grid of 50cm x 100cm, with Camphol wood		1 m ²								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.11	0	0	48800	0	0	5,368	
	L-2-26	Chief of Carpenter	day	0.035	0	0	58600	0	0	2,051	
	L-2-12	Carpenter	day	0.35	0	0	39000	0	0	13,650	
	L-2-23	Common Labour	day	0.21	0	0	35100	0	0	7,371	
Material	M-D-16	Plank Wood second class(Camphol)	m ³	0.027	0	0	1900000	0	0	51,300	
	M-E-48	Nails for Wood	kg	0.18	0	2400	5600	0	432	1,008	
Others		Miscellaneous	L.S.					0	68	52	
Total for			1 m ²					0	500	80,800	
Unit Cost for			1 m ²					0	500	80,800	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-77	Ceiling Frame, Grid of 30cm x 60cm, with Camphol wood		1 m ²								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.018	0	0	48800	0	0	878	
	L-2-26	Chief of Carpenter	day	0.05	0	0	58600	0	0	2,930	
	L-2-12	Carpenter	day	0.5	0	0	39000	0	0	19,500	
	L-2-23	Common Labour	day	0.35	0	0	35100	0	0	12,285	
Material	M-D-16	Plank Wood second class(Camphol)	m ³	0.034	0	0	1900000	0	0	64,600	
	M-E-48	Nails for Wood	kg	0.23	0	2400	5600	0	552	1,288	
Others		Miscellaneous	L.S.					0	48	19	
Total for			1 m ²					0	600	101,500	
Unit Cost for			1 m ²					0	600	101,500	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (21/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-78	Ceiling Frame, Grid of 30cm x 30cm, with Camphol wood per		1 m ²								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.022	0	0	48800	0	0	1,074	
	L-2-26	Chief of Carpenter	day	0.06	0	0	58600	0	0	3,516	
	L-2-12	Carpenter	day	0.6	0	0	39000	0	0	23,400	
	L-2-23	Common Labour	day	0.43	0	0	35100	0	0	15,093	
Material	M-D-16	Plank Wood second class(Camphol)	m ³	0.038	0	0	1900000	0	0	72,200	
	M-E-48	Nails for Wood	kg	0.28	0	2400	5600	0	672	1,568	
Others		Miscellaneous	L.S.					0	28	49	
Total for			1 m ²					0	700	116,900	
Unit Cost for			1 m ²					0	700	116,900	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-79	Plank Wood Work of 3cm x 20cm, with Teak wood		1 m								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.005	0	0	48800	0	0	244	
	L-2-26	Chief of Carpenter	day	0.02	0	0	58600	0	0	1,172	
	L-2-12	Carpenter	day	0.2	0	0	39000	0	0	7,800	
	L-2-23	Common Labour	day	0.1	0	0	35100	0	0	3,510	
Material	M-D-14	Plank Wood first class(Teak/Ulin)	m ³	0.007	0	0	7500000	0	0	52,500	
	M-E-48	Nails for Wood	kg	0.05	0	2400	5600	0	120	280	
Others		Miscellaneous	L.S.					0	80	94	
Total for			1 m					0	200	65,600	
Unit Cost for			1 m					0	200	65,600	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-80	Plank Wood Work of 3cm x 30cm, with Teak wood		1 m								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.007	0	0	48800	0	0	342	
	L-2-26	Chief of Carpenter	day	0.029	0	0	58600	0	0	1,699	
	L-2-12	Carpenter	day	0.285	0	0	39000	0	0	11,115	
	L-2-23	Common Labour	day	0.143	0	0	35100	0	0	5,019	
Material	M-D-14	Plank Wood first class(Teak/Ulin)	m ³	0.01	0	0	7500000	0	0	75,000	
	M-E-48	Nails for Wood	kg	0.05	0	2400	5600	0	120	280	
Others		Miscellaneous	L.S.					0	80	45	
Total for			1 m					0	200	93,500	
Unit Cost for			1 m					0	200	93,500	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-81	Partition Wall Work of Teak wood, with Frame of Camphol Wood		1 m ²								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.01	0	0	48800	0	0	488	
	L-2-26	Chief of Carpenter	day	0.06	0	0	58600	0	0	3,516	
	L-2-12	Carpenter	day	0.6	0	0	39000	0	0	23,400	
	L-2-23	Common Labour	day	0.2	0	0	35100	0	0	7,020	
Material	M-D-16	Plank Wood second class(Camphol)	m ³	0.019	0	0	1900000	0	0	36,100	
	M-K-37	Glue for Wood	kg	0.3	0	2250	5250	0	675	1,575	
	M-E-48	Nails for Wood	kg	0.1	0	2400	5600	0	240	560	
	M-D-5	Plywood, 90x210 t=3mm	sheet	1	0	3400	30600	0	3,400	30,600	
Others		Miscellaneous	L.S.					0	85	41	
Total for			1 m ²					0	4,400	103,300	
Unit Cost for			1 m ²					0	4,400	103,300	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (22/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-82		Installation of Metal Sheet Ridge Gutter		l			m				
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.175	0	0	48800	0	0	8,540	
	L-2-29	Chief of Steel Worker	day	0.6	0	0	58600	0	0	35,160	
	L-2-16	Steel Worker	day	6	0	0	39000	0	0	234,000	
	L-2-23	Common Labour	day	3.5	0	0	35100	0	0	122,850	
Material	M-E-66	Iron Sheet BJLS 3.0	sheet	3.5	0	20300	8700	0	71,050	30,450	
	M-E-50	Stopper Nail	pcs	350	0	3	7	0	1,050	2,450	
Others		Miscellaneous	L.S.					0	0	50	
Total for				1 m				0	72,100	433,500	
Unit Cost for				1 m				0	72,100	433,500	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-83		Installation of Bag Gutter		l			m				
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.25	0	0	48800	0	0	12,200	
	L-2-29	Chief of Steel Worker	day	0.8	0	0	58600	0	0	46,880	
	L-2-16	Steel Worker	day	8	0	0	39000	0	0	312,000	
	L-2-23	Common Labour	day	5	0	0	35100	0	0	175,500	
Material	M-E-66	#REF!	#REF!	5.5	0	20300	8700	0	111,650	47,850	
	M-E-50	#REF!	#REF!	500	0	3	7	0	1,500	3,500	
Others		Miscellaneous	L.S.					0	50	70	
Total for				1 m				0	113,200	598,000	
Unit Cost for				1 m				0	113,200	598,000	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.		Working Name		Calculation Quantity						Remarks	
CW-2-84		Corrugated Iron Roof BJLS 0.30		l			m ²				
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.005	0	0	48800	0	0	244	
	L-2-29	Chief of Steel Worker	day	0.02	0	0	58600	0	0	1,172	
	L-2-16	Steel Worker	day	0.2	0	0	39000	0	0	7,800	
	L-2-23	Common Labour	day	0.15	0	0	35100	0	0	5,265	
Material	M-E-67	Corrugated Iron Sheet	sheet	0.75	0	28700	12300	0	21,525	9,225	
	M-E-53	Screw Nail	pcs	4	0	150	350	0	600	1,400	
Others		Miscellaneous	L.S.					0	75	94	
Total for				1 m ²				0	22,200	25,200	
Unit Cost for				1 m ²				0	22,200	25,200	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (23/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity								Remarks	
CW-2-85	Eaves Gutter Installation		1								m ²	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour	L-2-1	Foreman	day	0.15	0	0	48800	0	0	7,320		
	L-2-29	Chief of Steel Worker	day	0.5	0	0	58600	0	0	29,300		
	L-2-16	Steel Worker	day	5	0	0	39000	0	0	195,000		
	L-2-23	Common Labour	day	3	0	0	35100	0	0	105,300		
Material	M-E-66	Iron Sheet BJLS 3.0	sheet	3	0	20300	8700	0	60,900	26,100		
	M-E-50	Stopper Nail	pcs	300	0	3	7	0	900	2,100		
Others		Miscellaneous	L.S.					0	0	80		
Total for	1 m ²							0	61,800	365,200		
Unit Cost for	1 m ²							0	61,800	365,200		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity								Remarks	
CW-2-86	Installation of Drainage Gutter		10								m ²	
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour	L-2-1	Foreman	day	0.11	0	0	48800	0	0	5,368		
	L-2-29	Chief of Steel Worker	day	0.375	0	0	58600	0	0	21,975		
	L-2-16	Steel Worker	day	3.75	0	0	39000	0	0	146,250		
	L-2-23	Common Labour	day	2.25	0	0	35100	0	0	78,975		
Material	M-E-66	Iron Sheet BJLS 3.0	sheet	2.5	0	20300	8700	0	50,750	21,750		
	M-E-50	Stopper Nail	pcs	225	0	3	7	0	675	1,575		
Others		Miscellaneous	L.S.					0	75	7		
Total for	10 m ²							0	51,500	275,900		
Unit Cost for	1 m ²							0	5,150	27,590		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (24/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity			Remarks					
CW-2-87	Puttying, Foundation Paint		10	m2		(1 1/2 k2 + k30 + k28/m2)					
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.025	0	0	48800	0	0	1,220	
	L-2-30	Chief of Painter	day	0.075	0	0	58600	0	0	4395	
	L-2-20	Painter	day	0.75	0	0	39000	0	0	29250	
	L-2-23	Common Labour	day	0.5	0	0	35100	0	0	17550	
Material	M-K-35	Antirust Primer paint	kg	2.25	0	3150	7350	0	7,088	16,538	
	M-K-34	Glaziers Putty for Wood	kg	0.8	0	3300	7700	0	2640	6160	
	M-K-39	Paint Oil	ltr	0.5	0	1200	2800	0	600	1400	
	M-K-42	Sand Paper	sheet	2	0	750	1750	0	1500	3500	
Others	Miscellaneous		L.S.					0	73	88	
Total for			10 m2					0	11,900	80,100	
Unit Cost for			1 m2					0	1190	8010	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity			Remarks					
CW-2-88	Two Times Shiny Painting		10	m2							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.025	0	0	48800	0	0	1,220	
	L-2-30	Chief of Painter	day	0.07	0	0	58600	0	0	4102	
	L-2-20	Painter	day	0.7	0	0	39000	0	0	27300	
	L-2-23	Common Labour	day	0.5	0	0	35100	0	0	17550	
Material	M-K-40	Paint for Iron	kg	2.8	0	5700	13300	0	15,960	37,240	
	M-K-39	Paint Oil	ltr	0.5	0	1200	2800	0	600	1400	
	M-K-42	Sand Paper	sheet	1	0	750	1750	0	750	1750	
Others	Miscellaneous		L.S.					0	90	38	
Total for			10 m2					0	17,400	90,600	
Unit Cost for			1 m2					0	1740	9060	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity			Remarks					
CW-2-89	Polishing and 2times Shiny Painting		1	m2		(k28+k30/m2)					
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour			day		0	0	0	0	0	0	
Material					0	0	0	0	0	0	
Others	CW-2-87	Puttying, Foundation Paint	m2	1	0	1190	8010	0	1,190	8,010	
	CW-2-88	Two Times Shiny Painting	m2	1	0	1740	9060	0	1,740	9,060	
	CW-2-88	Two Times Shiny Painting	m2	0.5	0	1740	9060	0	870	4,530	
Others	Miscellaneous		L.S.					0	0	0	
Total for			1 m2					0	3,800	21,600	
Unit Cost for			1 m2					0	3800	21600	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity			Remarks					
CW-2-90	Simple Polishing Work per 1m2		1	m2							
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-20	Painter	day	0.5	0	0	39000	0	0	19500	
Material	M-K-41	Polish	kg	0.0166	0	5040	11760	0	84	195	
	M-A-8	Metanole	ltr	0.07	0	700	2800	0	49	196	
	M-B-15	Pumicestone	kg	0.05	0	875	16625	0	43.75	831.25	
Others	Miscellaneous		L.S.					0	24	78	
Total for			1 m2					0	200	20,800	
Unit Cost for			1 m2					0	200	20800	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (25/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name	Calculation Quantity									Remarks
CW-2-91	Good Polishing Work2x15	1 m2									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour			day		0	0	0	0	0	0	
Material					0	0	0	0	0	0	
Others	CW-2-90	Simple Polishing Work per	m2	2	0	200	20800	0	400	41,600	
		Miscellaneous	L.S.					0	0	0	
Total for		1 m2						0	400	41,600	
Unit Cost for		1 m2						0	400	41600	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name	Calculation Quantity									Remarks
CW-2-92	Wall Painting Work	1 m2									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.0125	0	0	48800	0	0	610	
	L-2-30	Chief of Painter	day	0.015	0	0	58600	0	0	879	
	L-2-20	Painter	day	0.15	0	0	39000	0	0	5850	
	L-2-23	Common Labour	day	0.25	0	0	35100	0	0	8775	
Material	M-K-30	Wall Paint	kg	0.25	0	3750	8750	0	938	2,188	
	M-K-32	Putty for Masonry Wall	kg	0.07	0	2250	5250	0	157.5	367.5	
	M-K-42	Sand Paper	sheet	0.05	0	750	1750	0	37.5	87.5	
Others		Miscellaneous	L.S.					0	68	44	
Total for		1 m2						0	1,200	18,800	
Unit Cost for		1 m2						0	1200	18800	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name	Calculation Quantity									Remarks
CW-2-93	Wall Painting Work per 10m2	10 m2									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.075	0	0	48800	0	0	3,660	
	L-2-30	Chief of Painter	day	0.2	0	0	58600	0	0	11720	
	L-2-20	Painter	day	2	0	0	39000	0	0	78000	
	L-2-23	Common Labour	day	1.5	0	0	35100	0	0	52650	
Material	M-K-30	Wall Paint	kg	2.5	0	3750	8750	0	9,375	21,875	
	M-K-32	Putty for Masonry Wall	kg	1.5	0	2250	5250	0	3375	7875	
	M-K-42	Sand Paper	sheet	2	0	750	1750	0	1500	3500	
Others		Miscellaneous	L.S.					0	50	20	
Total for		10 m2						0	14,300	179,300	
Unit Cost for		1 m2						0	1430	17930	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name	Calculation Quantity									Remarks
CW-2-94	Wood Painting Work	10 m2									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.1	0	0	48800	0	0	4,880	
	L-2-30	Chief of Painter	day	0.034	0	0	58600	0	0	1992.4	
	L-2-20	Painter	day	3.4	0	0	39000	0	0	132600	
	L-2-23	Common Labour	day	2	0	0	35100	0	0	70200	
Material	M-K-43	Red Lead	kg	1.25	0	2700	6300	0	3,375	7,875	
	M-K-34	Glaziers Putty for Wood	kg	0.8	0	3300	7700	0	2640	6160	
	M-K-33	Paint for Wood	kg	4.25	0	7650	17850	0	32512.5	75862.5	
	M-K-39	Paint Oil	ltr	0.75	0	1200	2800	0	900	2100	
	M-K-42	Sand Paper	sheet	2	0	750	1750	0	1500	3500	
Others		Miscellaneous	L.S.					0	73	30	
Total for		10 m2						0	41,000	305,200	
Unit Cost for		1 m2						0	4100	30520	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (26/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-95	Cost of Rolling		7,500 m ²								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-68	Tire Roller, 8-20 ton	hourly	137.5	81684.16	864	82451.15	11,231,572	118,800	#####	
Labour	L-2-2	Operator	day	25	0	0	46900	0	0	1,172,500	
	L-2-3	Assistant Operator	day	25	0	0	31200	0	0	780,000	
	L-2-7	Driver	day	30	0	0	35100	0	0	1,053,000	
	L-2-23	Common Labour	day	150	0	0	35100	0	0	5,265,000	
Material					0	0	0	0	0	0	
Others		Miscellaneous	L.S.					28	0	67	
Total for	7500 m ²							11,231,600	118,800	#####	
Unit Cost for	1 m ²							1,498	16	2,614	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-96	Road Foundation (Base Layer) 15cm thickness		1 m ²								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.019	0	0	48800	0	0	927	
	L-2-23	Common Labour	day	0.375	0	0	35100	0	0	13,163	
Material	M-B-6	River Gravel(Stone)	m ³	0.2	0	2250	42750	0	450	8,550	
	M-B-4	Sand for Filling and Base Course	m ³	0.05	0	1350	25650	0	68	1,283	
Others	CW-2-95	Cost of Rolling	m ²	1	1,498	16	2,614	1,498	16	2,614	
		Miscellaneous	L.S.					2	67	63	
Total for	1 m ²							1,500	600	26,600	
Unit Cost for	1 m ²							1,500	600	26,600	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-97	Subcourse Layer (Support Layer) 8cm thickness		100 m ²								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.38	0	0	48800	0	0	18,544	
	L-2-23	Common Labour	day	7.5	0	0	35100	0	0	263,250	
Material	M-B-10	Crushed Stone for Riprap	m ³	19	0	2350	44650	0	44,650	848,350	
	M-B-4	Sand for Filling and Base Course	m ³	2	0	1350	23650	0	2,700	51,300	
Others	CW-2-95	Cost of Rolling	m ²	200	1,498	16	2,614	299,509	3,168	522,869	
		Miscellaneous	L.S.					91	82	87	
Total for	100 m ²							299,600	50,600	1,704,400	
Unit Cost for	1 m ²							2,996	506	17,044	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (27/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-98	Rolling Cost for Month		1 month								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-2	Operator	day	30	0	0	46900	0	0	1,407,000	
	L-2-3	Assistant Operator	day	30	0	0	31200	0	0	936,000	
	L-2-7	Driver	day	30	0	0	35100	0	0	1,053,000	
	L-2-23	Common Labour	day	150	0	0	35100	0	0	5,265,000	
Material	M-A-9	SAE 20	ltr	10	0	500	2000	0	5,000	20,000	
	M-A-2	Light Oil (Diesel Oil)	ltr	625	0	120	480	0	75,000	300,000	
	M-A-10	SAE 40	ltr	50	0	600	2400	0	30,000	120,000	
	M-A-11	SAE 140	ltr	10	0	800	3200	0	8,000	32,000	
	M-A-12	SAE 90	ltr	10	0	660	2640	0	6,600	26,400	
	M-A-7	Grease	kg	0.25	0	600	2400	0	150	600	
	M-A-1	Gasoline	ltr	30	0	200	800	0	6,000	24,000	
Others		Miscellaneous	L.S.					0	50	0	
Total for	1 month							0	130,800	9,184,000	
Unit Cost for	1 month							0	130,800	9,184,000	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-99	Asphalt Covering with Hot Asphalt		1 m2								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-2	Operator	day	0.5	0	0	46900	0	0	23,450	
	L-2-22	Asphalt Woker	day	0.5	0	0	35100	0	0	17,550	
	L-2-23	Common Labour	day	10	0	0	35100	0	0	351,000	
Material	M-C-4	Asphalt	kg	0.25	0	450	1050	0	113	263	
	M-B-12	Crushed Stone for Pavement	m3	1.2	0	3250	61750	0	3,900	74,100	
	M-D-25	Wood for Fire	m3	0.25	0	0	9000	0	0	2,250	
Others	CW-2-96	Road Foundation (Base Layer) 15cm thickness	m2	4	1,500	600	26,600	6,000	2,400	106,400	
		Ma&La&Eq of CW-2-97	L.S.	0.01	0	47,350	1,181,444	0	474	11,814	
		Miscellaneous	L.S.					0	14	73	
Total for	1 m2							6,000	6,900	586,900	
Unit Cost for	1 m2							6,000	6,900	586,900	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-100	Sand Beneath Road Base Layer		1 m3								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.01	0	0	48800	0	0	488	
	L-2-23	Common Labour	day	0.375	0	0	35100	0	0	13,163	
Material	M-B-4	Sand for Filling and Base Course	m3	1.2	0	1350	25650	0	1,620	30,780	
Others		Miscellaneous	L.S.					0	80	70	
Total for	1 m3							0	1,700	44,500	
Unit Cost for	1 m3							0	1,700	44,500	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (28/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity									Remarks
CW-2-101	Crushed Stone Layer, Size of 5/7		1 m2									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour	L-2-1	Foreman	day	0.019	0	0	48800	0	0	927		
	L-2-23	Common Labour	day	0.375	0	0	35100	0	0	13,163		
Material	M-B-12	Crushed Stone for Pavement an	m3	0.02	0	3250	61750	0	65	1,235		
	M-B-4	Sand for Filling and Base Cour	m3	0.07	0	1350	25650	0	93	1,796		
Others	CW-2-95	Cost of Rolling	m2	1	1,498	16	2,614	1,498	16	2,614		
		Miscellaneous	L.S.					2	25	65		
Total for			1 m2				1,500	200	19,800			
Unit Cost for			1 m2				1,500	200	19,800			

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity									Remarks
CW-2-102	Foundation Layer		100 m2									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour	L-2-1	Foreman	day	0.375	0	0	48800	0	0	18,300		
	L-2-23	Common Labour	day	7.5	0	0	35100	0	0	263,250		
Material	M-C-4	#REF!	#REF!	8	0	450	1050	0	3,600	8,400		
	M-B-12	#REF!	#REF!	2	0	3250	61750	0	6,500	123,500		
Others	CW-2-95	Cost of Rolling	m2	1	1,498	16	2,614	1,498	16	2,614		
		Miscellaneous	L.S.					2	84	36		
Total for			100 m2				1,500	10,200	416,100			
Unit Cost for			1 m2				15	102	4,161			

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity									Remarks
CW-2-103	Surface Layer with 6mm thickness		1 m2									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour	L-2-1	Foreman	day	0.02	0	0	48800	0	0	976		
	L-2-23	Common Labour	day	0.2	0	0	35100	0	0	7,020		
Material	M-C-4	Asphalt	kg	6	0	450	1050	0	2,700	6,300		
	M-B-12	Crushed Stone for Pavement an	m3	0.03	0	3250	61750	0	98	1,853		
	M-B-6	River Gravel(Stone)	m3	0.02	0	2250	42750	0	45	855		
	M-B-3	Sand for Mortar (Masonry)	m3	0.01	0	2250	42750	0	23	428		
	M-D-25	Wood for Fire	m3	0.04	0	0	9000	0	0	360		
Others	CW-2-95	Cost of Rolling	m2	1	1,498	16	2,614	1,498	16	2,614		
		Miscellaneous	L.S.					2	19	95		
Total for			1 m2				1,500	2,900	20,500			
Unit Cost for			1 m2				1,500	2,900	20,500			

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (29/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity									Remarks
CW-2-104	Asphlt Work		100 m ²									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour	L-2-1	Foreman	day	0.5	0	0	48800	0	0	24,400		
	L-2-23	Common Labour	day	10	0	0	35100	0	0	351,000		
Material	M-C-4	Asphalt	kg	80	0	450	1050	0	36,000	84,000		
	M-D-25	Wood for Fire	m ³	0.53	0	0	9000	0	0	4,770		
	M-B-14	Sand for Concrete	m ³	0.05	0	2050	38950	0	103	1,948		
Others	Miscellaneous		L.S.					0	98	83		
Total for				100 m ²				0	36,200	466,200		
Unit Cost for				1 m ²				0	362	4,662		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity									Remarks
CW-2-105	Reinforced Concrete with 1:2:3 Duiker Slab Type A/B (with Re-bar-110kg/m ³)		1 m ³									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour	L-2-1	Foreman	day	0.3	0	0	48800	0	0	14,640		
	L-2-28	Chief of Concrete Worker	day	0.1	0	0	58600	0	0	5,860		
	L-2-17	Concrete Worker	day	1	0	0	39000	0	0	39,000		
	L-2-23	Common Labour	day	6	0	0	35100	0	0	210,600		
Material	M-C-54	Concrete Pavement Border	m ³	1	0	82500	192500	0	82,500	192,500		
	M-E-2	Reinforcing Bar, Deformed U-3	kg	1	0	3000	3000	0	3,000	3,000		
	M-D-10	Form Timber	m ³	0.4	0	0	850000	0	0	340,000		
Others	Miscellaneous		L.S.					0	0	0		
Total for				1 m ³				0	85,500	805,600		
Unit Cost for				1 m ³				0	85,500	805,600		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity									Remarks
CW-2-106	Masonry of Kanstin Casted Concrete		1 m ³									
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
Labour	L-2-1	Foreman	day	0.3	0	0	48800	0	0	14,640		
	L-2-28	Chief of Concrete Worker	day	0.1	0	0	58600	0	0	5,860		
	L-2-17	Concrete Worker	day	1	0	0	39000	0	0	39,000		
	L-2-23	Common Labour	day	6	0	0	35100	0	0	210,600		
Material	M-B-12	Crushed Stone for Pavement and Concrete	m ³	0.82	0	3250	61750	0	2,665	50,635		
	M-B-14	Sand for Concrete	m ³	0.54	0	2050	38950	0	1,107	21,033		
	M-C-1	Portland Cement	kg	272.4	0	100	400	0	27,240	108,960		
Others	Miscellaneous		L.S.					0	88	72		
Total for				1 m ³				0	31,100	450,800		
Unit Cost for				1 m ³				0	31,100	450,800		

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (30/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity								Remarks
CW-2-107	Masonry of Kanstin Concrete Pavement Border with ratio of 1:2:3		1 m								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-23	Common Labour	day	1	0	0	35100	0	0	35,100	
Material					0	0	0	0	0	0	
Others		Concrete Work with Icement :									
	CW-2-34	2sand : 3gravel	m3	0.02	0		37300	0	0	746	
	CW-2-6	Cutting Solid Earth, 1m depth	m3	0.02	0		0	0	0	0	
	CW-2-12	Filling Sand	m3	0.005	0		1800	0	0	9	
	CW-2-38	Form Work for 1m3 of Concrete	m3	0.0033	0		9600	0	0	32	
		Miscellaneous	L.S.					0	0	13	
Total for	1 m							0	0	35,900	
Unit Cost for	1 m							0	0	35,900	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity								Remarks
CW-2-108	Masonry of Kanstin Brick with ratio of 1:2		1 m								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-23	Common Labour	day	1	0	0	35100	0	0	35,100	
Material					0	0	0	0	0	0	
Others		Form Work for 1m3 of Concrete	m3	0.027	0	28,800	2,465,400	0	778	66,566	3 times
	CW-2-6	Cutting Solid Earth, 1m depth	m3	0.03	0		25,000	0	0	750	
	CW-2-12	Filling Sand	m3	0.0075	0	1,800	86,700	0	14	650	
	CW-2-44	Plastering 15mm thickness with Icement : 2sand	m2	0.1	0	1,200	10,000	0	120	1,000	
		Miscellaneous	L.S.					0	89	34	
Total for	1 m							0	1,000	104,100	
Unit Cost for	1 m							0	1,000	104,100	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity								Remarks
CW-2-109	Masonry of Kanstin Brick with ratio of 1:4		1 m								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-24	Light Labour	day	1	0	0	29300	0	0	29,300	
Material					0	0	0	0	0	0	
Others		Masonry of Brick Stone/Brickwork, Icement :									
	CW-2-19	4sand, 1Brick thickness	m2	0.027	0	12,900	316,500	0	348	8,546	3 times
	CW-2-6	Cutting Solid Earth, 1m depth	m3	0.04	0		25,000	0	0	1,000	
	CW-2-12	Filling Sand	m3	0.0075	0	1,800	86,700	0	14	650	
	CW-2-44	Plastering 15mm thickness with Icement : 2sand	m2	0.1	0	1,200	10,000	0	120	1,000	
		Miscellaneous	L.S.					0	18	4	
Total for	1 m							0	500	40,500	
Unit Cost for	1 m							0	500	40,500	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.4 (31/31) CALCULATION SHEET FOR COMMONWORK BY MANPOWER

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-110	Masonry of U-shapes Casfed Concrete U-20		1 m								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment					0	0	0	0	0	0	
Labour	L-2-24	Light Labour	day	1	0	0	29300	0	0	29,300	
Material	M-C-55	U-20 Shpape Concrete Block	m	1	0	1500	3500	0	1,500	3,500	
Others		Masonry of Brick Stone/Brickwork, Iccement : 4sand, 1Brick thickness	m2	0.006	0	12,900	316,500	0	77	1,899	3 times
		Miscellaneous	L.S.					0	23	1	
Total for	1 m							0	1,600	34,700	
Unit Cost for	1 m							0	1,600	34,700	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-111	Masonry of U-shapes Casfed Concrete U-30		1 m								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-24	Light Labour	day	1	0	0	29300	0	0	29,300	
Material	M-C-56	U-30 Shpape Concrete Block	m	1	0	2250	5250	0	2,250	5,250	
Others		Masonry of Brick Stone/Brickwork, Iccement : 4sand, 1Brick thickness	m2	0.006	0	12,900	316,500	0	77	1,899	3 times
		Miscellaneous	L.S.					0	73	51	
Total for	1 m							0	2,400	36,500	
Unit Cost for	1 m							0	2,400	36,500	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

ID No.	Working Name		Calculation Quantity							Remarks	
CW-2-112	Masonry of Paving Block		1 m2								
Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Labour	L-2-1	Foreman	day	0.02	0	0	48800	0	0	976	
	L-2-27	Chief of Mason	day	0.02	0	0	58600	0	0	1,172	
	L-2-11	Mason	day	0.2	0	0	39000	0	0	7,800	
	L-2-23	Common Labour	day	0.4	0	0	35100	0	0	14,040	
Material	M-C-57	Paving Block	piece	50	0	105	245	0	5,250	12,250	
	M-B-3	Sand for Mortar (Masonry)	m3	0.2	0	2250	42750	0	450	8,550	
Others		Miscellaneous	L.S.					0	0	12	
Total for	1 m2							0	5,700	44,800	
Unit Cost for	1 m2							0	5,700	44,800	

Source : Production Rate is quoted from Daftar Analisa Perhitungan Unit Price, April-May 1999/2000, Market Price, Semarang and Sekitarnya

Table 4.1.5 (1/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation	Quantity	Remarks
CW-3-1	Pile Work of Maintenance Bridge of Sinongan Bridge-A		10 piece	Length is 4m tall
	Kind of Pile	Concrete Pile	2	1. Steel Pile, 2. Concrete Pile
	Driving Direction	Plumb Pile	1	1. Plumb, 2. Inclined, 3. Plumb with Soundproofed
	Diameter	500 mm		
	Thickness of Material	90 mm		
	Length of Driving	4 meter		
	Length of Pile	4 meter		
	Number of welding place	0 times		
	Using Machine	Crawler Diesel Hammer		
	Weight of Pile Hammer	2.5 t		
	Additional	without Pincers		1. Without Pincers, 2. With Pincers
	Working Condition	there are obstacles		(f1) : 1. Obstacle Structure for construction are situated, 2. Nothing
		Working space is enough		(f2) : 1. Working space is limited, 2. Working space is enough
	(total number of driving piles is less than 30)			(f3) : Construction scale, number of piles is : 1. less than 30, 2. 30-70, 3. more than 70

Major Item	ID No.	Description	Unit	Quantity	Unit Cost		Cost		Remarks	
					PF/C	IF/C	PF/C	L/C		
Equipment	A-2-2-15	Generator, 100 kVA	daily	0.88	215,064	10,800	215,064	189,256	9,504	189,256
	A-2-1-73	Truck Crane, 22 ton, Oil Pressure	hourly	3.21	154,913	1,032	154,913	497,269	3,313	497,269
	A-2-1-42	Crawler Diesel Hammer, 2.5 ton	hourly	5.35	486,849.58	1680	486,849.58	2,604,645	8,988	2,604,645
	A-2-2-58	Shotcrete Machine Wet Type : 0.8-1.2	hourly	0.00	68498.334	0	68498.334	0	0	0
Labour	L-2-1	Foreman	day	0.88	0	0	48800	0	0	42,944
	L-2-13	Rigger	day	1.75	0	0	39000	0	0	68,250
	L-2-2	Operator	day	0.88	0	0	46900	0	0	41,272
	L-2-6	Welder	day	0.00	0	0	39000	0	0	0
Material	M-C-27	Prestressed Concrete Pile Dia. 500 mm A	m	40	171000	0	9000	6,840,000	0	360,000
Others		Miscellaneous	L.S.					101,329	295	38,063
Total for					10 piece			10,232,500	22,100	3,841,700
Unit Cost for					1 piece			1,023,250	2,210	384,170
Unit Cost for					1 m			255,813	553	96,043

Condition of Soil Mechanics

Depth (m)	N-value
1	19
2	13
3	17
4	50
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
Average	25

Driving Time /piece (minutes) Tb

$T_b = \frac{K \times \alpha \times L^{\beta}}{\eta}$
 Where, K : Pile Coefficient = 1.6 from Table 4.1.6-A
 α : Soil Coefficient = 1.15 from Table 4.1.6-B
 β : Hammer Coefficient = 1.03 from Table 4.1.6-C
 L : Length of Driving = 4
 η : Hammer Efficiency = 4
 Hence, $T_b = 7.7$ minutes

Welding Time /piece (minutes) Tw

$T_w = \sum \eta_{wi}$
 Where, η_{wi} : Welding Time per 1 place = 19 from Table 4.1.6-D&E
 Hence, $T_w = 0$ minutes

Preparation Time /piece (minutes) Tp

$T_p = 18$ minutes from Table 4.1.6-F

Coefficient for Working F

$F = f_0 + f_1 + f_2 + f_3$
 Where, f_0 : Base Coefficient = 0.9 from Table 4.1.6-G
 f_1 : Obstacle Condition by Structure = -0.05
 f_2 : Condition by Space for Construction = 0
 f_3 : Condition of Scale by Number of Piling = -0.05
 Hence, $F = 0.8$

Hence, $T_c = 32.1$ minutes/piece

Production Rate

Working Time for Piling/piece (minutes) : Tc

$T_c = \frac{T_b + T_w + T_p}{F}$

Where,

T_b : Driving Time /piece (minutes)
 T_w : Welding Time /piece (minutes)
 T_p : Preparation Time /piece (minutes)
 F : Coefficient for Working

Miscellaneous Percentage (MP)

$MP = 1\%$ from Table 4.1.6-H

$T = \frac{730}{120} = 6.1$ (hour/day)

$*10 \text{ piece} \times \frac{T_c}{T \times 60} \times \text{Composition of Manpower}$

$*210 \text{ piece} \times \frac{T_c}{60}$

$*3 \text{ Equipment Working Time / Piling Working Time} =$

	Foreman	Rigger	Common	Welder
	0.88	1.75	0.88	0.88
Diesel Hammer	5.35 hour			
	*3 10piece x $\frac{T_c}{T \times 60}$			
	60%			

$\text{Generator and Welder Machine} = 0.88$

Table 4.1.5 (2/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-2	Pile Work of Maintenance Bridge of Simongan Bridge-B	10 piece	Length is 5m tall
	Kind of Pile	Concrete Pile	1. Steel Pile, 2. Concrete Pile
	Driving Direction	Plumb Pile	1. Plumb, 2. Inclined, 3. Plumb with Soundproofed
	Diameter	500 mm	
	Thickness of Material	90 mm	1
	Length of Driving	5 meter	
	Length of Pile	5 meter	
	Number of welding place	0 times	
	Using Machine	Crawler Diesel Hammer	
	Weight of Pile Hammer	2.5 t	3
	Additional Working Condition	without Pincers	1. Without Pincers, 2. With Pincers
		there are obstacles	(f1): 1. Obstacle Structure for construction are situated, 2. Nothing
		Working space is enough	(f2): 1. Working space is limited, 2. Working space is enough
	(total number of driving piles is less than 30)		(f3): Construction scale, number of piles is ; 1 less than 30, 2.30-70, 3 more than 70

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-2-15	Generator, 100 kVA	daily	0.97	215,064	10,800	215,064	208,612	10,476	208,612	
	A-2-1-73	Truck Crane, 22 ton, Oil Pressure	hourly	3.56	154,913	1,032	154,913	551,179	3,672	551,179	
	A-2-1-42	Crawler Diesel Hammer, 2.5 ton	hourly	5.93	486849.58	1620	486849.58	2,887,018	9,962	2,887,018	
	A-2-2-58	Shotcrete Machine Wet Type : 0.8-1.2	hourly	0.00	68498.334	0	68498.334	0	0	0	
Labour	L-2-1	Foreman	day	0.97	0	0	48800	0	0	47,336	
	L-2-13	Rigger	day	1.95	0	0	39050	0	0	76,050	
	L-2-2	Operator	day	0.97	0	0	46900	0	0	45,493	
	L-2-6	Welder	day	0.00	0	0	39000	0	0	0	
Material	M-C-27	Prestressed Concrete Pile Dia. 500 mm A	m	50	171000	0	9000	8,550,000	0	450,000	
Others		Miscellaneous	L.S.					121,991	290	42,712	
Total for		10 piece						12,318,800	24,400	4,308,400	
Unit Cost for		1 piece						1,231,880	2,440	430,840	
Unit Cost for		1 m						246,376	488	86,168	

Condition of Soil Mechanics

Depth (m)	N-value	Driving Time /piece (minutes) Tb	Where,	Tb =	$K \times \alpha \times L^{\beta}$	
1	19			K:	Pile Coefficient =	1.6 from Table 4.1.6-A
2	14			α :	Soil Coefficient =	1.25 from Table 4.1.6-B
3	17			β :	Hammer Coefficient =	1.03 from Table 4.1.6-C
4	30			L:	Length of Driving =	5
5	30				Hence, Tb =	10.5 minutes
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
Average	30					

Welding Time /piece (minutes) Tw

Where,	Tw =	$\frac{Etwi}{1}$	
	twi:	Welding Time per 1 place =	19 from Table 4.1.6-D&E
	Hence, Tw =	0 minutes	

Preparation Time /piece (minutes) Tp

	Tp =	18 minutes	from Table 4.1.6-F
--	------	------------	--------------------

Coefficient for Working F

Where,	F =	$\frac{f0 + f1 + f2 + f3}{10}$	
	f0:	Base Coefficient =	0.9 from Table 4.1.6-G
	f1:	Obstacle Condition by Structure =	-0.05
	f2:	Condition by Space for Construction =	0
	f3:	Condition of Scale by Number of Piling =	-0.05
	Hence, F =	0.8	
	Hence, Tc =	35.6 minutes/piece	

Production Rate

Working Time for Piling/piece (minutes) : Tc

$$Tc = \frac{Tb + Tw + Tp}{F}$$

Where,

- Tb : Driving Time /piece (minutes)
- Tw : Welding Time /piece (minutes)
- Tp : Preparation Time /piece (minutes)
- F : Coefficient for Working

Miscellaneous Percentage (MP)

$$MP = \frac{730}{120} = 6.1 \text{ (hour/day)}$$

*10/piece x $\frac{Tc}{T \times 60}$ x Composition of Manpower

Foreman	Rigger	Common	Welder
0.97	1.95	0.97	0.97

*210/piece x $\frac{Tc}{60}$ = Diesel Hammer 5.93 hour *3 10/piece x $\frac{Tc}{T \times 60}$ = Generator and Welder Machine 0.97

*3 Equipment Working Time / Piling Working Time = 60%

Table 4.1.5 (3/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-3	Pile Work of Simongan Weir-A	10 piece	Length is 13m till
Kind of Pile	Concrete Pile	3	1. Steel Pile, 2. Concrete Pile
Driving Direction	Plumb Pile	1	1. Plumb, 2. Inclined, 3. Plumb with Soundproofed
Diameter	600 mm		
Thickness of Material	100 mm		
Length of Driving	11.5 meter		
Length of Pile	13 meter		
Number of welding place	0 times		
Using Machine	Crawler Diesel Hammer		
Weight of Pile Hammer	3.5 t		
Additional	without Pile		1. Without Pile, 2. With Pile
Working Condition	there are obstacles		(f1) : 1. Obstacle Structure for construction are situated 2. Nothing
	Working space is enough		(f2) : 1. Working space is limited, 2. Working space is enough
(total number of driving piles is more than 70)			(f3) : Construction scale, number of piles is : 1. less than 30, 2. 30-70, 3. more than 70

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-2-15	Generator, 100 kVA	daily	1.29	215,064	10,800	215,064	277,433	13,932	277,433	
	A-2-1-73	Truck Crane; 22 ton, Oil Pressure	hourly	4.72	154,913	1,032	154,913	731,497	4,873	731,497	
	A-2-1-43	Crawler Diesel Hammer; 3.5 ton	hourly	7.87	584659.09	1800	584659.09	4,601,267	14,166	4,601,267	
	A-2-2-58	Shotcrete Machine Wet Type : 0.8-1.2	hourly	0.00	68498.334	0	68498.334	0	0	0	
Labour	L-2-1	Foreman	day	1.29	0	0	48800	0	0	62,952	
	L-2-13	Rigger	day	2.58	0	0	39000	0	0	100,620	
	L-2-2	Operator	day	1.29	0	0	46900	0	0	60,501	
	L-2-6	Welder	day	0.00	0	0	39000	0	0	0	
Material	M-C-30	Prestressed Concrete Pile Dia. 600 mm A	m	130	209000	0	11000	27,170,000	0	1,430,000	
Others		Miscellaneous	L.S.					327,804	429	72,731	
Total for					10 piece			33,108,000	33,400	7,337,000	
Unit Cost for					1 piece			3,310,800	3,340	733,700	
Unit Cost for					1 m			254,677	257	56,438	

Condition of Soil Mechanics

Depth (m)	N-value
1	24
2	21
3	6
4	10
5	12
6	20
7	23
8	30
9	40
10	50
11	50
12	50
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
Average	28.1666667

Driving Time /piece (minutes) T_b

Where, $T_b = \frac{K \times \alpha \times L^{\beta}}{L}$

$K =$ Pile Coefficient = 1.6 from Table 4.1.6-A
 $\alpha =$ Soil Coefficient = 1.13 from Table 4.1.6-B
 $\beta =$ Hammer Coefficient = 1.06 from Table 4.1.6-C
 $L =$ Length of Driving = 11.5

Hence, $T_b = 24.5$ minutes

Welding Time /piece (minutes) T_w

Where, $T_w = \frac{E_{tw}}{w_i}$

$E_{tw} =$ Welding Time per 1 place = 22 from Table 4.1.6-D&E
 $w_i =$

Hence, $T_w = 0$ minutes

Preparation Time /piece (minutes) T_p

$T_p = 18$ minutes from Table 4.1.6-F

Coefficient for Working F

Where, $F = \frac{10 + f_1 + f_2 + f_3}{10}$

$f_1 =$ Base Coefficient = 0.9 from Table 4.1.6-G
 $f_2 =$ Obstacle Condition by Structure = -0.05
 $f_3 =$ Condition by Space for Construction = 0
 $f_4 =$ Condition of Scale by Number of Piling = 0.05

Hence, $F = 0.9$

Hence, $T_c = 47.2$ minutes/piece

Production Rate

Working Time for Piling/piece (minutes) : T_c

Where, $T_c = \frac{T_b + T_w + T_p}{F}$

T_b : Driving Time /piece (minutes)
 T_w : Welding Time /piece (minutes)
 T_p : Preparation Time /piece (minutes)
 F : Coefficient for Working

Miscellaneous Percentage (MP)

$MP = 1\%$ from Table 4.1.6-H

$T = \frac{730}{120} = 6.1$ (hour/day)

*110piece x $\frac{T_c}{T \times 60}$ x Composition of Manpower

*210piece x $\frac{T_c}{60}$

*3 Equipment Working Time / Piling Working Time = $\frac{7.87 \text{ hour}}{60} \%$

Foreman 1.29 Rigger 2.58 Common Welder 1.29

Diesel Hammer 7.87 hour *3 10piece x $\frac{T_c}{T \times 60}$ Generator and Welder Machine 1.29

Table 4.1.5 (4/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-4	Pile Work of Simongan Weir-B	10 piece	Length is 13m tall
Kind of Pile	Concrete Pile	2	1. Steel Pile, 2. Concrete Pile
Driving Direction	Plumb Pile	1	1. Plumb, 2. Inclined, 3. Plumb with Soundproofed
Diameter	450 mm		
Thickness of Material	30 mm		
Length of Driving	11.5 meter		
Length of Pile	13 meter		
Number of welding place	0 times		
Using Machine	Crawler Diesel Hammer		
Weight of Pile Hammer	3.5 t		
Additional	without Pincers	1	1. Without Pincers, 2. With Pincers
Working Condition	there are obstacles	1	(f1) : 1. Obstacle Structure for construction are situated 2. Nothing
	Working space is enough	2	(f2) : 1. Working space is limited, 2. Working space is enough
(total number of driving piles is more than 70)		3	(f3) : Construction scale, number of piles is : 1. less than 30, 2. 30-70, 3. more than 70

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-2-15	Generator, 100 kVA	daily	1.13	215,064	10,800	215,064	243,022	12,204	243,022	
	A-2-1-73	Truck Crane, 22 ton, Oil Pressure	hourly	4.13	154,913	1,032	154,913	639,479	4,260	639,479	
	A-2-1-43	Crawler Diesel Hammer, 3.5 ton	hourly	6.88	581659.09	1800	581659.09	4,022,455	12,384	4,022,455	
	A-2-2-58	Shotcrete Machine Wet Type : 0.8-1.2	hourly	0.00	68498.334	0	68498.334	0	0	0	
Labour	L-2-1	Foreman	day	1.13	0	0	48800	0	0	55,144	
	L-2-13	Rigger	day	2.26	0	0	39000	0	0	88,140	
	L-2-2	Operator	day	1.13	0	0	46900	0	0	52,997	
	L-2-6	Welder	day	0.00	0	0	39000	0	0	0	
Material	M-C-24	Prestressed Concrete Pile Dia. 450 mm A	m	130	147250	0	7750	19,142,500	0	1,007,500	
Others		Miscellaneous	L.S.					240,544	352	61,163	
Total for		10 piece						24,288,000	29,200	6,169,900	
Unit Cost for		1 piece						2,428,800	2,920	616,990	
Unit Cost for		1 m						186,831	225	47,461	

Condition of Soil Mechanics

Depth (m)	N-value
1	24
2	21
3	6
4	10
5	12
6	20
7	25
8	30
9	40
10	50
11	50
12	50
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
Average	28.1666667

Driving Time /piece (minutes) Tb

Where, $T_b = \frac{K \times \alpha \times L^{\beta}}{L}$

Where, K : Pile Coefficient = 1.6 from Table 4.1.6-A
 α : Soil Coefficient = 1.15 from Table 4.1.6-B
 β : Hammer Coefficient = 0.96 from Table 4.1.6-C
 L : Length of Driving = 11.5

Hence, $T_b = 19.2$ minutes

Welding Time /piece (minutes) Tw

Where, $T_w = \frac{E_{twi}}{L}$

Where, t_{wi} : Welding Time per 1 place = 18 from Table 4.1.6-D&E

Hence, $T_w = 0$ minutes

Preparation Time /piece (minutes) Tp

$T_p = 18$ minutes from Table 4.1.6-F

Coefficient for Working F

Where, $F = \frac{f_0 + f_1 + f_2 + f_3}{f_0 + f_1 + f_2 + f_3}$

Where, f_0 : Base Coefficient = 0.9 from Table 4.1.6-G
 f_1 : Obstacle Condition by Structure = -0.05
 f_2 : Condition by Space for Construction = 0
 f_3 : Condition of Scale by Number of Piling = 0.05

Hence, $F = 0.9$
 Hence, $T_c = 41.3$ minutes/piece

Production Rate

Working Time for Piling/piece (minutes) : Tc

$T_c = \frac{T_b + T_w + T_p}{F}$

Where, T_b : Driving Time /piece (minutes)
 T_w : Welding Time /piece (minutes)
 T_p : Preparation Time /piece (minutes)
 F : Coefficient for Working

*110piece x $\frac{T_c}{T \times 60}$ x Composition of Manpower

*210piece x $\frac{T_c}{60}$

*3 Equipment Working Time / Piling Working Time = 60%

Miscellaneous Percentage (MP)

$MP = 1\%$ from Table 4.1.6-H

$T = \frac{730}{120} = 6.1$ (hour/day)

Foreman Rigger Common Welder
 1.13 2.26 1.13

Diesel Hammer 6.88 hour *3 10piece x $\frac{T_c}{T \times 60}$ Generator and Welder Machine 1.13

Table 4.1.5 (5/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-5	Pile Work of Railway Bridge-A (Abut Semarang Side)	22 piece	Length is 17m tall
Kind of Pile	Concrete Pile	2	1. Steel Pile, 2. Concrete Pile
Driving Direction	Plumb Pile	1	1. Plumb, 2. Inclined, 3. Plumb with Soundproofed
Diameter	450 mm		
Thickness of Material	75 mm		1
Length of Driving	15.95 meter		
Length of Pile	17 meter		
Number of welding place	1 times		
Using Machine	Crawler Diesel Hammer		
Weight of Pile Hammer	2.5 t	3	
Additional	without Pincers	1	1. Without Pincers, 2. With Pincers
Working Condition	there are obstacles	1	(f1): 1. Obstacle Structure for construction are situated 2. Nothing
	Working space is limited	1	(f2): 1. Working space is limited, 2. Working space is enough
(total number of driving piles is more than 70)		3	(f3): Construction scale, number of piles is: 1 less than 30, 2 30-70, 3 more than 70

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-2-15	Generator, 100 kVA	daily	4.35	215,064	10,800	215,064	935,529	46,980	935,529	
	A-2-1-73	Truck Crane, 22 ton, Oil Pressure	hourly	15.93	154,913	1,032	154,913	2,467,736	16,440	2,467,736	
	A-2-1-42	Crawler Diesel Hammer, 2.5 ton	hourly	26.55	486,850	1,680	486,850	12,925,836	44,604	12,925,836	
	A-2-2-58	Shotcrete Machine Wet Type : 0.8-1.2	hourly	4.35	68,498	0	68,498	297,968	0	297,968	
Labour	L-2-1	Foreman	day	4.35	0	0	48800	0	0	212,280	
	L-2-13	Rigger	day	8.70	0	0	39000	0	0	339,300	
	L-2-2	Operator	day	4.35	0	0	46900	0	0	204,015	
	L-2-6	Welder	day	4.35	0	0	39000	0	0	169,650	
Others	Miscellaneous	L.S.					665,091	4,376	702,146		
Total for	22 piece						17,292,200	112,400	18,254,500		
Unit Cost for	1 piece						786,009	5,109	829,750		
Unit Cost for	1 m						46,236	301	48,809		

Condition of Soil Mechanics

Depth (m)	N-value
1	10
2	10
3	10
4	10
5	10
6	10
7	10
8	10
9	10
10	10
11	10
12	10
13	10
14	10
15	30
16	50
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
Average	15

Driving Time /piece (minutes) Tb

$$T_b = \frac{K \times \alpha \times L^{\beta}}{C} \times L$$

Where, K = 1.6 from Table 4.1.6-A
 α = 1 from Table 4.1.6-B
 β = 1 from Table 4.1.6-C
 C = Hammer Coefficient = 15.95
 L = Length of Driving = 15.95

Hence, $T_b = 25.5$ minutes

Welding Time /piece (minutes) Tw

$$T_w = \frac{E_{tw}}{C_{tw}}$$

Where, E_{tw} = Welding Time per 1 place = 18 from Table 4.1.6-D&E
 C_{tw} = 18 minutes

Hence, $T_w = 18$ minutes

Preparation Time /piece (minutes) Tp

$$T_p = 18 \text{ minutes from Table 4.1.6-F}$$

Coefficient for Working F

$$F = \frac{f_1 + f_2 + f_3}{10}$$

Where, f_1 = Base Coefficient = 0.9 from Table 4.1.6-G
 f_2 = Obstacle Condition by Structure = -0.05
 f_3 = Condition by Space for Construction = -0.05
 Condition of Scale by Number of Piling = 0.05

Hence, $F = 0.85$
 Hence, $T_c = 72.4$ minutes/piece

Miscellaneous Percentage (MP)

$$MP = 3\% \text{ from Table 4.1.6-H}$$

Production Rate

Working Time for Piling/piece (minutes): Tc

$$T_c = \frac{T_b + T_w + T_p}{F}$$

Where, T_b : Driving Time /piece (minutes)
 T_w : Welding Time /piece (minutes)
 T_p : Preparation Time /piece (minutes)
 F : Coefficient for Working

$$T = \frac{730}{120} = 6.1 \text{ (hour/day)}$$

*122piece x $\frac{T_c}{T \times 60}$ x Composition of Manpower

Foreman Rigger Common Welder
 4.35 8.70 4.35 4.35

*222piece x $\frac{T_c}{60}$

Diesel Hammer 26.55 hour *3 222piece x $\frac{T_c}{T \times 60}$

Generator and Welder Machine 4.35

*3 Equipment Working Time / Piling Working Time =

60%

Table 4.1.5 (6/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-6	Pile Work of Railway Bridge-B (Center Pier Semarang Site)	24 piece	Length is 13m tall
	Kind of Pile	Concrete Pile	1. Steel Pile, 2. Concrete Pile
	Driving Direction	Phumb Pile	1. Phumb, 2. Inclined, 3. Phumb with Soundproofed
	Diameter	450 mm	
	Thickness of Material	75 mm	1
	Length of Driving	11.76 meter	
	Length of Pile	13 meter	
	Number of welding place	0 times	
	Using Machine	Crawler Diesel Hammer	
	Weight of Pile Hammer	2.5 t	3
	Additional	without Pincers	1. Without Pincers, 2. With Pincers
	Working Condition	there are obstacles	(f1) : 1. Obstacle Structure for construction are situated 2. Nothing
		Working space is limited	(f2) : 1. Working space is limited, 2. Working space is enough
	(total number of driving piles is more than 70)		(f3) : Construction scale, number of piles is : 1. less than 30, 2. 30-70, 3. more than 70

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-2-15	Generator, 100 KVA	daily	2.84	215,064	10,800	215,064	610,782	30,672	610,782	
	A-2-1-73	Truck Crane, 22 ton, Oil Pressure	hourly	10.39	154,913	1,032	154,913	1,609,851	10,725	1,609,851	
	A-2-1-42	Crawler Diesel Hammer, 2.5 ton	hourly	17.32	486,850	1,680	486,850	8,432,235	29,098	8,432,235	
	A-2-2-38	Shotcrete Machine Wet Type - 0.8-1.2	hourly	0.00	68,498	0	68,498	0	0	0	
Labour	L-2-1	Foreman	day	2.84	0	0	48800	0	0	138,592	
	L-2-13	Rigger	day	5.68	0	0	39000	0	0	221,520	
	L-2-2	Operator	day	2.84	0	0	46900	0	0	133,196	
	L-2-6	Welder	day	0.00	0	0	39000	0	0	0	
Others		Miscellaneous	L.S.				106,533	706	111,525		
Total for					24 piece			10,759,400	71,200	11,257,700	
Unit Cost for					1 piece			448,308	2,967	469,071	
Unit Cost for					1 m			34,485	228	36,082	

Condition of Soil Mechanics		Driving Time /piece (minutes) Tb	
Depth (m)	N-value	Tb =	$K \times \alpha \times L^2$
1	10	Where,	K : Pile Coefficient = 1.6 from Table 4.1.6-A
2	10		α : Soil Coefficient = 1 from Table 4.1.6-B
3	10		β : Hammer Coefficient = 1 from Table 4.1.6-C
4	10		L : Length of Driving = 11.76
5	10	Hence,	Tb = 18.8 minutes
6	10		
7	10		
8	10		
9	10		
10	10		
11	50		
12	50		
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
Average	16.6666667		

Production Rate		Miscellaneous Percentage (MP)	
Working Time for Piling/piece (minutes) : Tc		MP = 1%	
$Tc = \frac{Tb + Tw + Tp}{F}$		from Table 4.1.6-H	
Where,	Tb : Driving Time /piece (minutes)	T =	$\frac{730}{120} = 6.1$ (hour/day)
	Tw : Welding Time /piece (minutes)		
	Tp : Preparation Time /piece (minutes)		
	F : Coefficient for Working		
*124piece x $\frac{Tc}{T \times 60}$	x Composition of Manpower	Foreman	Rigger
		2.84	5.68
*224piece x $\frac{Tc}{60}$		Common	Welder
		2.84	2.84
*3 Equipment Working Time / Piling Working Time =		Diesel Hammer	Generator and Welder Machine
		17.32 hour	2.84
		60%	

Table 4.1.5 (7/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-7	Pile Work of Railway Bridge-C (Center Pier Cirebon Side)	24 piece	Length is 14m tall
	Kind of Pile	Concrete Pile	1. Steel Pile, 2. Concrete Pile
	Driving Direction	Plumb Pile	1. Plumb, 2. Inclined, 3. Plumb with Soundproofed
	Diameter	450 mm	
	Thickness of Material	75 mm	1
	Length of Driving	13.05 meter	
	Length of Pile	14 meter	
	Number of welding place	1 times	
	Using Machine	Crawler Diesel Hammer	
	Weight of Pile Hammer	2.3 t	3
	Additional Working Condition	without Pincers	1. Without Pincers, 2. With Pincers
		there are obstacles	(f1) : 1. Obstacle Structure for construction are situated, 2. Nothing
		Working space is limited	(f2) : 1. Working space is limited, 2. Working space is enough
	(total number of driving piles is more than 70)		(f3) : Construction scale, number of piles is : 1. less than 30, 2. 30-70, 3. more than 70

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-2-15	Generator, 100 kVA	daily	4.39	215,064	10,800	215,064	944,131	47,412	944,131	
	A-2-1-73	Truck Crane, 22 ton, Oil Pressure	hourly	16.06	154,913	1,032	154,913	2,487,275	16,570	2,487,275	
	A-2-1-42	Crawler Diesel Hammer, 2.5 ton	hourly	26.76	486,850	1,680	486,850	13,028,095	44,957	13,028,095	
	A-2-2-38	Shotcrete Machine Wet Type : 0.8-1.2	hourly	4.39	68,498	0	68,498	300,708	0	300,708	
Labour	L-2-1	Foreman	day	4.39	0	0	48800	0	0	214,232	
	L-2-13	Rigger	day	8.77	0	0	39000	0	0	342,030	
	L-2-2	Operator	day	4.39	0	0	46900	0	0	205,891	
	L-2-6	Welder	day	4.39	0	0	39000	0	0	171,210	
Others		Miscellaneous	L.S.					670,491	4,361	707,828	
Total for		24 piece						17,430,700	113,300	18,401,400	
Unit Cost for		1 piece						726,279	4,721	766,723	
Unit Cost for		1 m						51,877	337	54,766	

Condition of Soil Mechanics

Depth (m)	N-value
1	10
2	10
3	10
4	10
5	10
6	10
7	10
8	10
9	10
10	10
11	10
12	50
13	50
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	

Average = 16.13381615

Driving Time /piece (minutes) Tb

Where, $T_b = \frac{K \times \alpha \times L^2}{P}$

K : Pile Coefficient = 1.6 from Table 4.1.6-A

α : Soil Coefficient = 1 from Table 4.1.6-B

P : Hammer Coefficient = 1 from Table 4.1.6-C

L : Length of Driving = 13.05

Hence, $T_b = 20.9$ minutes

Welding Time /piece (minutes) Tw

Where, $T_w = \frac{E_{twi}}{P}$

E_{twi} : Welding Time per 1 piece = 18 from Table 4.1.6-D&E

Hence, $T_w = 18$ minutes

Preparation Time /piece (minutes) Tp

$T_p = 18$ minutes from Table 4.1.6-F

Coefficient for Working F

Where, $F = f_0 + f_1 + f_2 + f_3$

f_0 : Base Coefficient = 0.9 from Table 4.1.6-G

f_1 : Obstacle Condition by Structure = -0.05

f_2 : Condition by Space for Construction = -0.05

f_3 : Condition of Scale by Number of Piling = 0.05

Hence, $F = 0.85$

Hence, $T_c = 66.9$ minutes/piece

Production Rate

Working Time for Piling/piece (minutes) : $T_c = \frac{T_b + T_w + T_p}{F}$

Where, T_b : Driving Time /piece (minutes)

T_w : Welding Time /piece (minutes)

T_p : Preparation Time /piece (minutes)

F : Coefficient for Working

Miscellaneous Percentage (MP)

$MP = 4\%$ from Table 4.1.6-H

$T = \frac{730}{120} = 6.1$ (hour/day)

Composition of Manpower

Foreman	Rigger	Common	Welder
4.39	8.77	4.39	4.39

*124piece x $\frac{T_c}{T \times 60}$ x Composition of Manpower

*224piece x $\frac{T_c}{60}$

*3 Equipment Working Time / Piling Working Time = $\frac{60}{60} = 1$

Diesel Hammer 26.76 hour

*3 24piece x $\frac{T_c}{T \times 60}$

Generator and Welder Machine 4.39

Table 4.1.5 (8/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-8	Pile Work of Railway Bridge-D (Abut Cirebon Side)	20 piece	Length is 17m tall
	Kind of Pile	Concrete Pile	1. Steel Pile, 2. Concrete Pile
	Driving Direction	Plumb Pile	1. Plumb, 2. Inclined, 3. Plumb with Soundproofed
	Diameter	350 mm	
	Thickness of Material	75 mm	
	Length of Driving	15.85 meter	
	Length of Pile	17 meter	
	Number of welding place	1 times	
	Using Machine	Crawler Diesel Hammer	
	Weight of Pile Hammer	2.5 t	3
	Additional Working Condition	without Pincers	1. Without Pincers, 2. With Pincers
		there are obstacles	(f1) : 1. Obstacle Structure for construction are situated 2. Nothing
		Working space is limited	(f2) : 1. Working space is limited, 2. Working space is enough
	(total number of driving piles is more than 70)		(f3) : Construction scale, number of piles is : 1. less than 30, 2. 30-70, 3. more than 70

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PE/C	IF/C	L/C	PE/C	IF/C	L/C	
Equipment											
	A-2-2-15	Generator, 100 kVA	daily	3.95	215,064	10,800	215,064	849,503	42,660	849,503	
	A-2-1-73	Truck Crane, 22 ton, Oil Pressure	hourly	14.44	154,913	1,032	154,913	2,237,246	14,903	2,237,246	
	A-2-1-42	Crawler Diesel Hammer, 2.5 ton	hourly	24.07	486,850	1,680	486,850	11,718,469	40,438	11,718,469	
	A-2-2-58	Shotcrete Machine Wet Type : 0.8-1.2	hourly	3.95	68,498	0	68,498	270,368	0	270,368	
Labour											
	L-2-1	Foreman	day	3.95	0	0	48800	0	0	192,760	
	L-2-13	Rigger	day	7.89	0	0	39000	0	0	307,710	
	L-2-2	Operator	day	3.95	0	0	46900	0	0	185,255	
	L-2-6	Welder	day	3.95	0	0	39000	0	0	154,050	
Others											
		Miscellaneous	L.S.					603,113	3,998	636,638	
Total for				20 piece				15,678,900	103,000	16,552,200	
Unit Cost for				1 piece				783,945	5,100	827,610	
Unit Cost for				1 m				46,114	300	48,683	

Condition of Soil Mechanics

Depth (m)	N-value
1	10
2	10
3	10
4	10
5	10
6	50
7	10
8	10
9	10
10	10
11	10
12	10
13	10
14	10
15	50
16	50
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
Average	17.5

Driving Time /piece (minutes) Tb

Where, $T_b = \frac{K \times \alpha \times L^2}{\rho}$

K : Pile Coefficient = 1.6 from Table 4.1.6-A

α : Soil Coefficient = 1 from Table 4.1.6-B

ρ : Hammer Coefficient = 1 from Table 4.1.6-C

L : Length of Driving = 15.85

Hence, $T_b = 25.4$ minutes

Welding Time /piece (minutes) Tw

Where, $T_w = \frac{E \times t_w}{1}$

t_w : Welding Time per 1 place = 18 from Table 4.1.6-D&E

Hence, $T_w = 18$ minutes

Preparation Time /piece (minutes) Tp

$T_p = 18$ minutes from Table 4.1.6-F

Coefficient for Working F

Where, $F = f_0 + f_1 + f_2 + f_3$

f0 : Base Coefficient = 0.9 from Table 4.1.6-G

f1 : Obstacle Condition by Structure = -0.05

f2 : Condition by Space for Construction = -0.05

f3 : Condition of Scale by Number of Piling = 0.05

Hence, $F = 0.85$

Hence, $T_c = 72.2$ minutes/piece

Production Rate

Working Time for Piling/piece (minutes) : Tc

Where, $T_c = \frac{T_b + T_w + T_p}{F}$

Tb : Driving Time /piece (minutes)

Tw : Welding Time /piece (minutes)

Tp : Preparation Time /piece (minutes)

F : Coefficient for Working

Miscellaneous Percentage (MP)

MP = 3% from Table 4.1.6-H

$T = \frac{730}{120} = 6.1$ (hour/day)

*120piece x $\frac{T_c}{T \times 60}$ x Composition of Manpower

*220piece x $\frac{T_c}{60}$

*3 Equipment Working Time / Piling Working Time = 60%

Foreman	Rigger	Common	Welder
3.95	7.89	3.95	3.95
Diesel Hammer			
24.07 hour			
	*3 20piece x	$\frac{T_c}{T \times 60}$	Generator and Welder Machine
			3.95

Table 4.1.5 (9/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-9	Driving In of Steel Sheet Pile (Type-II)	10 piece	L=10m long
	Kind of Pile	1	1. Steel Sheet Pile, 2. Concrete Sheet Pile
	Driving Direction	1	1. Driving In, 2. Pulling Out
	Type of Sheet Pile	1	1. Steel Sheet Type-II, 2. Type-III, 3. Type-IV, 4. Concrete Sheet Pile
	Soil Condition	2	1. Mainly Silt or Clay, 2. Mainly Sand or Gravel
	Using Machine	Vibrating Hammer 40kw	10003 1-4 22 11-13, 21-23 2005
	Width	300 mm	201 101-103, 201-203
	Thickness of Material	200 mm	1 20056015
	Length of Driving	10 meter	2005
	Length of Sheet Pile	11 meter	44233266
	Crawler Crane	37t	
	Truck Crane	22t	
	Generator	125kVA	
	Working Condition	there are obstacles	
		Working space is limited	
	(total number of driving piles is more than 300 with Truck Crane		
	Other		
		(f1) : 1. Obstacle Structure for construction are situated 2. Nothing	
		(f2) : 1. Working space is limited, 2. Working space is enough	
		(f3) : Construction scale, number of piles is ; 1. less than 100, 2. 100-300, 3 more than 300	
		1. With Truck Crane 2. No Truck Crane	

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-86	Vibrating Hammer, 40 kW	hourly	2.21	105,466	0	64,516	232,904	0	142,473	
	A-2-1-40	Crawler Crane, 37 ton	hourly	2.21	255,763	984	229,959	564,809	2,173	507,826	
	A-2-2-16	Generator, 125 kVA	daily	0.32	271,912	15,120	209,096	87,025	4,839	66,921	
	A-2-1-73	Truck Crane, 22 ton, Oil Pressure	hourly	1.33	154,913	1,032	131,788	205,259	1,367	174,619	
Labour	L-2-1	Foreman	day	0.32	0	0	48800	0	0	15,616	
	L-2-13	Rigger	day	0.64	0	0	39000	0	0	24,960	
	L-2-23	Common Labour	day	0.32	0	0	35100	0	0	11,232	
Total for	10 piece						1,089,997	8,380	943,654		
Unit Cost for	1 piece						109,000	838	94,365		
Unit Cost for	1 m						9,909	76	8,579		

Condition of Soil Mechanics

Depth (m)	N-value
1	10
2	10
3	10
4	10
5	10
6	10
7	10
8	10
9	10
10	10
11	10
12	10
13	10
14	10
15	10
Max	10

Driving or Pulling Time /piece (minutes) Tc

Where, α : Coefficient for Driving or Pulling 4.04 from Table 4.1.7-D
 γ : Coefficient for Driving or Pulling 0.02 from Table 4.1.7-D
 l : Length of Driving or Pulling (m) 10
 N_{max} : Maximum N-value of Soil 10
 K : Coefficient for Material and Equipment 0.93 from Table 4.1.7-D

Coefficient for Working F

$F = f_0 + f_1 + f_2 + f_3$
 Where, f_0 : Base Coefficient = 1
 f_1 : Obstacle Condition by Structure = 0.05 from Table 4.1.7-E
 f_2 : Condition by Space for Construction = 0.05
 f_3 : Condition of Scale by Number of Piling = 0.05

F : Coefficient for Working 0.95

Production Rate

Working Time for Driving or Pulling /piece (minutes) : Tc

$$T_c = \frac{F}{(0.75 + \gamma \times N_{max}) \times l + \alpha \times l \times K}$$

Where,

α, γ : Coefficient for Driving or Pulling
 l : Length of Driving or Pulling (m)
 N_{max} : Maximum N-value of Soil
 K : Coefficient for Material and Equipment
 F : Coefficient for Working

Hence, $T_c = 13.25$ minutes/piece

Material	Foreman	Rigger	Common
Steel Sheet Pile	1	2	1

ID	Quantity	Composition of Manpower
*1 10piece x	$\frac{T_c}{T \times 60}$	
*2 10piece x	$\frac{T_c}{60}$	
*3 10piece x	$\frac{T_c}{T \times 60}$	
*4 10piece x	$\frac{T_c}{T \times 60}$	

Foreman	Rigger	Common
0.32	0.64	0.32
Vibrating Hammer 40kw And Crawler Crane		
2.21 hour		
Generator		
0.32		
Truck Crane		
1.33		

*5 Truck Crane Working Time / Piling Working Time =

60%

*6 Average Daily Working Time of Generator, Labor

$T = \frac{690}{100} = 6.9$ (hour/day)

Table 4.1.5 (10/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No. CW-3-10	Working Name	Pulling Out of Steel Sheet Pile (Type-II)	Calculation Quantity	Remarks
	Kind of Pile	Steel Sheet Pile	10 piece	L=10m long
	Driving Direction	Pulling Out	1	1. Steel Sheet Pile, 2. Concrete Sheet Pile
	Type of Sheet Pile	Steel Sheet Pile Type-II	2	1. Driving In, 2. Pulling Out
	Soil Condition	Mainly Sand or Gravel	1	1. Steel Sheet Type-II, 2. Type-III, 3. Type-IV, 4. Concrete Sheet Pile
	Using Machine	Vibrating Hammer 30kw	20003	1. Mainly Silt or Clay, 2. Mainly Sand or Gravel
	Width	500 mm	22	11-13,21-23
	Thickness of Material	200 mm	201	101-103, 201-203
	Length of Driving	10 meter		20103015
	Length of Sheet Pile	11 meter		1005
Crawler Crane	37t			
Truck Crane	22t			
Generator	100kVA			
Working Condition	there are obstacles	1	(f1) : 1. Obstacle Structure for construction are situated 2. Nothing	
	Working space is limited	1	(f2) : 1. Working space is limited, 2. Working space is enough	
(total number of driving pils is more than 300)	Other	3	(f3) : Construction scale, number of pils is ; 1. less than 100, 2.100-300, 3 more than 300	
		1	1. With Truck Crane 2. No Truck Crane	

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PP/C	IF/C	L/C	PP/C	IF-C	L/C	
Equipment	A-2-1-85	Vibrating Hammer, 30 kW	hourly	2.09	86,428	0	52,870	180,778	0	110,586	
	A-2-1-40	Crawler Crane; 37 ton	hourly	2.09	255,763	984	229,959	534,970	2,058	480,997	
	A-2-2-15	Generator, 100 kVA	daily	0.30	215,064	10,800	160,745	65,195	3,274	48,728	
	A-2-1-73	Truck Crane; 22 ton, Oil Pressure	hourly	1.26	154,913	1,032	131,788	194,415	1,295	165,393	
Labour	L-2-1	Foreman	day	0.30	0	0	48800	0	0	14,793	
	L-2-13	Rigger	day	0.61	0	0	39000	0	0	23,645	
	L-2-23	Common Labour	day	0.30	0	0	35100	0	0	10,610	
Material			0	0	0	0	0	0	0		
Others		Miscellaneous	L.S.					42	73	17	
Total for		10 piece						925,400	6,700	854,800	
Unit Cost for		1 piece						97,540	670	85,480	
Unit Cost for		1 m						9,754	67	8,548	

Condition of Soil Mechanics

Depth (m)	N-value
1	10
2	10
3	10
4	10
5	10
6	10
7	10
8	10
9	10
10	10
11	
12	
13	
14	
15	
Max	10

Driving or Pulling Time /piece (minutes) Tc

Where, α : Coefficient for Driving or Pulling 3.24 from Table 4.1.7-D
 γ : Coefficient for Driving or Pulling 0 from Table 4.1.7-D
 l : Length of Driving or Pulling (m) 10
 N_{max} : Maximum N-value of Soil 10
 K : Coefficient for Material and Equipment 1.11 from Table 4.1.7-D

Coefficient for Working F

$F = \alpha_0 + \alpha_1 + \alpha_2 + \alpha_3$
 Where, α_0 : Base Coefficient = 1
 α_1 : Obstacle Condition by Structure = -0.05 from Table 4.1.7-E
 α_2 : Condition by Space for Construction = -0.05
 α_3 : Condition of Scale by Number of Piling = 0.05

F : Coefficient for Working

0.95

Hence, $T_c = 12.55$ minutes/piece

Production Rate

Working Time for Driving or Pulling /piece (minutes) : Tc

$$T_c = \frac{F}{(0.75 + \gamma \times N_{max}) \times l + \alpha} \times K$$

Where,

α : Coefficient for Driving or Pulling
 l : Length of Driving or Pulling (m)
 N_{max} : Maximum N-value of Soil
 K : Coefficient for Material and Equipment
 F : Coefficient for Working

Material	Foreman	Rigger	Common
Steel Sheet Pile	1	2	1

*1 10piece x $\frac{T_c}{T \times 60}$ x Composition of Manpower

Foreman Rigger Common
0.30 0.61 0.30

*2 10piece x $\frac{T_c}{60}$

Vibrating Hammer 30kw And Crawler Crane

*3 10piece x $\frac{T_c}{T \times 60}$

2.09 hour

*4 10piece x $\frac{T_c}{T \times 60}$

Generator

0.30

Truck Crane

1.26

*5 Truck Crase Working Time / Piling Working Time =

60%

*6 Average Daily Working Time of Generator, Labor

$T = \frac{690}{100} = 6.9$ (hour/day)

Table 4.1.5 (11/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-11	Driving In of Concrete Sheet Pile (#22)	10 piece	L=10m long
	Kind of Pile	Concrete Sheet Pile	1. Steel Sheet Pile, 2. Concrete Sheet Pile
	Driving Direction	Driving In	1. Driving In, 2. Pulling Out
	Type of Sheet Pile	Concrete Sheet Pile	1. Steel Sheet Type-II, 2. Type-III, 3. Type-IV, 4. Concrete Sheet Pile
	Soil Condition	Mainly Sand or Gravel	1. Mainly Silt or Clay, 2. Mainly Sand or Gravel
	Using Machine	Vibrating Hammer 60kw	30003 1-4 22 11-13,21-23 3005
	Width	500mm	201 101-103, 201-203
	Thickness of Material	220mm	360636060
	Length of Driving	10 meter	24040
	Length of Sheet Pile	11 meter	132673266
	Crawler Crane	40t	
	Truck Crane	22t	
	Generator	200kVA	
	Working Condition	there are obstacles	1 (f1) : 1. Obstacle Structure for construction are situated 2. Nothing
		Working space is limited	1 (f2) : 1. Working space is limited, 2. Working space is enough
	(total number of driving piles is more than 300)		3 (f3) : Construction scale, number of piles is : 1. less than 100, 2. 100-300, 3 more than 300
	Other	with Truck Crane	1.1. With Truck Crane 2. No Truck Crane

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment	A-2-1-87	Vibrating Hammer, 60 kW	hourly	2.63	150,191	0	91,875	395,253	0	241,785	
	A-2-1-41	Crawler Crane, 40 ton	hourly	2.63	279,714	1,080	251,509	736,113	2,842	661,888	
	A-2-2-19	Generator, 200 kVA	daily	0.38	415,060	23,760	321,895	158,304	9,062	122,771	
	A-2-1-73	Truck Crane, 22 ton, Oil Pressure	hourly	1.58	154,913	1,032	131,788	244,607	1,630	208,093	
Labour	L-2-1	Foreman	day	0.38	0	0	48800	0	0	18,612	
	L-2-13	Rigger	day	0.76	0	0	39000	0	0	29,749	
	L-2-23	Common Labour	day	0.38	0	0	35100	0	0	13,387	
Material			0	0	0	0	0	0	0		
Others		Miscellaneous	L.S.				24	66	16		
Total for		10 piece					1,534,300	13,600	1,296,300		
Unit Cost for		1 piece					153,430	1,360	129,630		
Unit Cost for		1 m					15,343	136	12,963		

Condition of Soil Mechanics

Depth (m)	N-value
1	10
2	10
3	10
4	10
5	10
6	10
7	10
8	10
9	10
10	10
11	
12	
13	
14	
15	
Max	10

Driving or Pulling Time / piece (minutes) Tc

Where, α : Coefficient for Driving or Pulling 3 from Table 4.1.7-D
 γ : Coefficient for Driving or Pulling 0.02 from Table 4.1.7-D
 l : Length of Driving or Pulling (m) 10
 N_{max} : Maximum N-value of Soil 10
 K : Coefficient for Material and Equipment 1.2 from Table 4.1.7-D

Coefficient for Working F
 $F = f0 + f1 + f2 + f3$
 Where, $f0$: Base Coefficient = 1
 $f1$: Obstacle Condition by Structure = -0.05 from Table 4.1.7-E
 $f2$: Condition by Space for Construction = -0.05
 $f3$: Condition of Scale by Number of Piling = 0.05
 F : Coefficient for Working 0.95

Production Rate

Working Time for Driving or Pulling / piece (minutes) : Tc

$$Tc = \frac{(0.75 + \gamma \times N_{max}) \times (1 + \alpha) \times K}{F}$$

Where, α, γ : Coefficient for Driving or Pulling
 l : Length of Driving or Pulling (m)
 N_{max} : Maximum N-value of Soil
 K : Coefficient for Material and Equipment
 F : Coefficient for Working

Hence, $Tc = 15.79$ minutes/piece

Material	Foreman	Rigger	Common
Concrete Sheet Pile	1	2	1

*1 10 piece x $\frac{Tc}{T \times 60}$ x Composition of Manpower
 *2 10 piece x $\frac{Tc}{60}$
 *3 10 piece x $\frac{Tc}{T \times 60}$
 *4 10 piece x $\frac{Tc}{T \times 60}$

Foreman Rigger Common
 0.38 0.76 0.38
 Vibrating Hammer 60kw And Crawler Crane
 2.63 hour
 Generator
 0.38
 Truck Crane
 1.58

*5 Truck Crane Working Time / Piling Working Time =

60%

*6 Average Daily Working Time of Generator, Labor

$$T = \frac{600}{100} = 6.9 \text{ (hour/day)}$$

Table 4.1.5 (12/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-12	Driving In of Log Pile	10 piece	L=2m long
	Kind of Pile	3	1. Steel Sheet Pile, 2. Concrete Sheet Pile, 3. Log Pile
	Driving Direction	1	1. Driving In, 2. Pulling Out
	Type of Sheet Pile	0	1. Steel Sheet Type-II, 2. Type-III, 3. Type-IV, 4. Concrete Sheet Pile
	Soil Condition	2	1. Mainly Silt or Clay, 2. Mainly Sand or Gravel
	Using Machine	30003	1-4 21 11-13, 21-23 1005
	Width	150	mm 201 101-103, 201=203
	Thickness of Material	150	mm 1
	Length of Driving	2	meter 0
	Length of Sheet Pile	2	meter 126642663
	Backhoe	0.6m3	
	Generator	100KVA	
	Working Condition	1	(f1): 1. Obstacle Structure for construction are situated 2. Nothing
	(total number of driving piles is more than 300)	1	(f2): 1. Working space is limited, 2. Working space is enough
	Other	3	(f3): Construction scale, number of piles is; 1 less than 100, 2. 100-300, 3 more than 300
		2	1. With Truck Crane 2. No Truck Crane

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	PF/C	IF/C	L/C	
Equipment											
	A-2-1-85	Vibrating Hammer, 30 kW	hourly	1.01	86,428	0	52,870	86,860	0	53,134	
	A-2-1-7	Backhoe, 0.6 m3	hourly	1.01	125,543	2,040	90,963	126,171	2,050	91,420	
	A-2-2-15	Generator, 100 kVA	daily	0.15	215,064	10,800	160,745	31,325	1,573	23,413	
Labour											
	L-2-1	Foreman	day	0.15	0	0	48800	0	0	7,108	
	L-2-13	Rigger	day	0.00	0	0	39000	0	0	0	
	L-2-23	Common Labour	day	0.29	0	0	35100	0	0	10,225	
Total for	10 piece						244,353	3,623	185,299		
Unit Cost for	1 piece						24,436	362	18,530		

Condition of Soil Mechanics

Depth (m)	N-value
1	7
2	7
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
Max	7

Driving or Pulling Time /piece (minutes) Tc

Where, α : Coefficient for Driving or Pulling 3.38 from Table 4.1.7-D
 γ : Coefficient for Driving or Pulling 0.02 from Table 4.1.7-D
 l : Length of Driving or Pulling (m) 2
 N_{max} : Maximum N-value of Soil 7
 K : Coefficient for Material and Equipment 1.11 from Table 4.1.7-D

Coefficient for Working F

$F = f_0 + f_1 + f_2 + f_3$
 Where, f_0 : Base Coefficient = 1
 f_1 : Obstacle Condition by Structure = -0.05 from Table 4.1.7-E
 f_2 : Condition by Space for Construction = -0.05
 f_3 : Condition of Scale by Number of Piling = 0.05
 F : Coefficient for Working 0.95

Hence, $T_c = 6.03$ minutes/piece

Production Rate

Working Time for Driving or Pulling /piece (minutes): T_c
 $T_c = \frac{[(0.75 + \gamma \times N_{max}) \times l + \alpha] \times K}{F}$

Where, α, γ : Coefficient for Driving or Pulling
 l : Length of Driving or Pulling (m)
 N_{max} : Maximum N-value of Soil
 K : Coefficient for Material and Equipment
 F : Coefficient for Working

Material	Foreman	Rigger	Common
Concrete Sheet Pile	1	0	2

*1 10piece x $\frac{T_c}{T \times 60}$ x Composition of Manpower
 *2 10piece x $\frac{T_c}{60}$
 *3 10piece x $\frac{T_c}{T \times 60}$
 *4 10piece x $\frac{T_c}{T \times 60}$

Foreman Rigger Common
 0.15 0.00 0.29
 Vibrating Hammer 30kw And Crawler Crane
 1.01 hour
 Generator
 0.15
 Truck Crane
 0.60

*5 Truck Crane Working Time / Piling Working Time = 60%

*6 Average Daily Working Time of Generator, Labor $T = \frac{690}{100} = 6.9$ (hour/day)

Table 4.1.5 (13/23) CALCULATION SHEET FOR FOUNDATION WORKS

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks	
					PF/C	IF/C	L/C	PF/C	IF/C	L/C		
ID No. CW-3-13 Working Name: Pile Work of Concrete Pile for Groyn Calculation Quantity: 10 piece Remarks: Length is 7m long Kind of Pile: Concrete Pile Driving Direction: Phamb Pile Diameter: 200 mm Thickness of Material: 200 mm Length of Driving: 5 meter Length of Pile: 7 meter Number of welding place: 0 times Using Machine: Crawler Diesel Hammer Weight of Pile Hammer: 2.5 t Additional: without Pinners Working Condition: there is no obstacle Working space is enough (total number of driving piles is more than 70)												
Equipment	A-2-2-15	Generator, 100 kVA	daily	0.70	215,064	10,800	215,064	150,545	7,560	150,545		
	A-2-1-71	Truck Crane, 11(10) ton, Oil Pressure	hourly	2.56	99,322	1,020	99,322	254,463	2,613	254,463		
	A-2-1-42	Crawler Diesel Hammer, 2.5 ton	hourly	4.27	486849.58	1680	486849.58	2078847.712	7173.6	2078847.712		
	A-2-2-58	Shotcrete Machine Wet Type : 0.8-1.2	hourly	0.00	68498.334	0	68498.334	0	0	0		
Labour	L-2-1	Foreman	day	0.70	0	0	48800	0	0	34,160		
	L-2-13	Rigger	day	1.40	0	0	39000	0	0	54600		
	L-2-2	Operator	day	0.70	0	0	46900	0	0	32830		
	L-2-6	Welder	day	0.00	0	0	39000	0	0	0		
Material				0	0	0	0	0	0	0		
Others		Miscellaneous	L.S.					24,845	253	26,055		
Total for								10 piece		2,508,700	17,600	2,631,500
Unit Cost for								1 piece		250,870	1,760	263,150
								1 m		35,839	251	37,593

Condition of Soil Mechanics

Depth (m)	N-value
1	15
2	15
3	15
4	15
5	15
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
Average	15

Driving Time /piece (minutes) Tb

$T_b = K \times \alpha \times L^{\beta}$
 Where, K : Pile Coefficient = 1.6 from Table 4.1.6-A
 α : Soil Coefficient = 1 from Table 4.1.6-B
 β : Hammer Coefficient = 0.85 from Table 4.1.6-C
 L : Length of Driving = 5
 Hence, $T_b = 6.3$ minutes

Welding Time /piece (minutes) Tw

$T_w = \frac{E \times W}{I}$
 Where, E : Welding Time per 1 place = 0 from Table 4.1.6-D&E
 Hence, $T_w = 0$ minutes

Preparation Time /piece (minutes) Tp

$T_p = 18$ minutes from Table 4.1.6-F

Coefficient for Working F

$F = f_0 + f_1 + f_2 + f_3$
 Where, f_0 : Base Coefficient = 0.9 from Table 4.1.6-G
 f_1 : Obstacle Condition by Structure = 0
 f_2 : Condition by Space for Construction = 0
 f_3 : Condition of Scale by Number of Piling = 0.05
 Hence, $F = 0.95$
 Hence, $T_e = 25.6$ minutes/piece

Production Rate

Working Time for Piling/piece (minutes) : Tc

$T_c = \frac{T_b + T_w + T_p}{F}$
 Where, T_b : Driving Time /piece (minutes)
 T_w : Welding Time /piece (minutes)
 T_p : Preparation Time /piece (minutes)
 F : Coefficient for Working

Miscellaneous Percentage (MP)

$MP = 1\%$ from Table 4.1.6-H
 $T = \frac{730}{120} = 6.1$ (hour/day)

*110piece x $\frac{T_c}{T \times 60}$ x Composition of Manpower

*210piece x $\frac{T_c}{60}$

*3 Equipment Working Time / Piling Working Time =

Foreman	Rigger	Common	Welder
0.70	1.40	0.70	0.70
Diesel Hammer	4.27 hour	*3 10piece x	$\frac{T_c}{T \times 60}$
	60		

Generator and Welder Machine 0.70

Table 4.1.5 (14/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-14	Pile Work of Simongan Weir-C	10 piece	Length is 13m tall
	Kind of Pile	Concrete Pile	1. Steel Pile, 2. Concrete Pile
	Driving Direction	Plumb Pile	1. Plumb, 2. Inclined, 3. Plumb with Soundproofed
	Diameter	400mm	
	Thickness of Material	75mm	1
	Length of Driving	11.5meter	
	Length of Pile	13meter	
	Number of welding place	0	times
	Using Machine	Crawler Diesel Hammer	
	Weight of Pile Hammer	2.5t	3
	Additional Working Condition	without Pincers	1. Without Pincers, 2. With Pincers
		there are obstacles	(f1) : 1. Obstacle Structure for construction are situated 2. Nothing
		Working space is enough	(f2) : 1. Working space is limited, 2. Working space is enough
	(total number of driving piles is more than 70)		(f3) : Construction scale, number of piles is : 1.less than 30, 2.30-70, 3 more than 70

Major Item	ID No.	Description	Unit	Quantity	PF/C	IF/C	L/C	PF/C	IF/C	L/C	Remarks
Equipment	A-2-2-15	Generator; 100 kVA	daily	1.14	215,064	10,800	215,064	245,173	12,312	245,173	
	A-2-1-73	Truck Crane; 22 ton, Oil Pressure	hourly	4.19	154,913	1,032	154,913	618,774	4,322	618,774	
	A-2-1-42	Crawler Diesel Hammer; 2.5 ton	hourly	6.98	486849.58	1680	486849.58	3,398,210	11,726	3,398,210	
	A-2-2-58	Shotcrete Machine Wet Type : 0.8-1.2	hourly	0.00	68498.334	0	68498.334	0	0	0	
Labour	L-2-1	Foreman	day	1.14	0	0	48800	0	0	55,632	
	L-2-13	Rigger	day	2.29	0	0	39000	0	0	89,310	
	L-2-2	Operator	day	1.14	0	0	46900	0	0	53,466	
	L-2-6	Welder	day	0.00	0	0	39000	0	0	0	
Material	M-C-21	Prestressed Concrete Pile Dia. 400 mm A	m	130	142500	0	7500	18,525,000	0	975,000	
Others		Miscellaneous	L.S.					228,243	340	54,735	
Total for		10 piece						23,045,400	28,700	5,520,300	
Unit Cost for		1 piece						2,304,540	2,870	552,030	
Unit Cost for		1 m						177,272	221	42,464	

Condition of Soil Mechanics

Depth (m)	N-value
1	24
2	21
3	6
4	10
5	12
6	20
7	25
8	30
9	40
10	50
11	50
12	50
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	

Average = 28.16666667

Driving Time /piece (minutes) Tb

Where, $T_b = K \times \alpha \times L^{\beta}$

K: Pile Coefficient = 1.6 from Table 4.1.6-A
 α : Soil Coefficient = 1.15 from Table 4.1.6-B
 β : Hammer Coefficient = 0.97 from Table 4.1.6-C
L: Length of Driving = 11.5

Hence, $T_b = 19.7$ minutes

Welding Time /piece (minutes) Tw

Where, $T_w = \sum tw_i$

twi: Welding Time per 1 place = 17 from Table 4.1.6-D&E

Hence, $T_w = 0$ minutes

Preparation Time /piece (minutes) Tp

Where, $T_p = 18$ minutes from Table 4.1.6-F

Coefficient for Working F

Where, $F = f_0 + f_1 + f_2 + f_3$

f0: Base Coefficient = 0.9 from Table 4.1.6-G
f1: Obstacle Condition by Structure = -0.05
f2: Condition by Space for Construction = 0
f3: Condition of Scale by Number of Piling = 0.05

Hence, $F = 0.9$
Hence, $T_c = 41.9$ minutes/piece

Production Rate Working Time for Piling/piece (minutes) : Tc

Where, $T_c = \frac{T_b + T_w + T_p}{F}$

Miscellaneous Percentage (MP)

Where, $MP = 6.1\%$ from Table 4.1.6-H

$T = \frac{730}{120} = 6.1$ (hour/day)

*110piece x $\frac{T_c}{T \times 60}$ x Composition of Manpower

Foreman	Rigger	Common	Welder
1.14	2.29	1.14	1.14

*210piece x $\frac{T_c}{60}$

*3 Equipment Working Time / Piling Working Time = 60%

Generator and Welder Machine 1.14

Table 4.1.5 (15/23) CALCULATION SHEET FOR FOUNDATION WORKS

ID No.	Working Name	Calculation Quantity	Remarks
CW-3-15	Pile Work of Simangan Weir-D	10 piece	Length is 13m tall
	Kind of Pile	2	1. Steel Pile, 2. Concrete Pile
	Driving Direction	1	1. Plumb, 2. Inclined, 3. Plumb with Soundproofed
	Diameter	350	mm
	Thickness of Material	63	mm
	Length of Driving	11.5	meter
	Length of Pile	13	meter
	Number of welding place	0	times
	Using Machine	Crawler Diesel Hammer	
	Weight of Pile Hammer	2.5	t
	Additional	1	1. Without Pincers, 2. With Pincers
	Working Condition	1	(f1) : 1. Obstacle Structure for construction are situated 2. Nothing there are obstacles
		2	(f2) : 1. Working space is limited, 2. Working space is enough
		3	(f3) : Construction scale, number of piles is : 1. less than 30, 2. 30-70, 3 more than 70

(total number of driving piles is more than 70)

Major Item	ID No.	Description	Unit	Quantity	Unit Cost			Cost			Remarks
					PF/C	IF/C	L/C	IF/C	L/C		
Equipment	A-2-2-15	Generator, 100 kVA	daily	1.09	215,064	10,800	215,064	234,420	11,772	234,420	
	A-2-1-73	Truck Crane, 22 ton, Oil Pressure	hourly	3.98	154,913	1,032	154,913	616,242	4,105	616,242	
	A-2-1-42	Crawler Diesel Hammer, 2.5 ton	hourly	6.63	486849.38	1680	486849.38	3,227,813	11,138	3,227,813	
	A-2-2-58	Shotcrete Machine Wet Type : 0.8-1.2	hourly	0.00	68498.334	0	68498.334	0	0	0	
Labour	L-2-1	Foreman	day	1.09	0	0	48800	0	0	53,192	
	L-2-13	Rigger	day	2.17	0	0	39000	0	0	84,630	
	L-2-2	Operator	day	1.09	0	0	46900	0	0	51,121	
	L-2-6	Welder	day	0.00	0	0	39000	0	0	0	
Material	M-C-18	Prestressed Concrete Pile Dia. 350 mm A	m	130	114000	0	6000	14,820,000	0	780,000	
Others		Miscellaneous	L.S.					189,026	284	50,483	
Total for		10 piece						19,087,500	27,300	5,097,900	
Unit Cost for		1 piece						1,908,750	2,730	509,790	
Unit Cost for		1 m						146,827	210	39,215	

Condition of Soil Mechanics

Depth (m)	N-value
1	23
2	21
3	6
4	10
5	13
6	20
7	25
8	30
9	40
10	50
11	50
12	50
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
Average	28.1666667

Driving Time /piece (minutes) Tb

$$T_b = K \times \alpha \times L^{\beta}$$

Where, K: Pile Coefficient = 1.6 from Table 4.1.6-A
 α : Soil Coefficient = 1.15 from Table 4.1.6-B
 β : Hammer Coefficient = 0.93 from Table 4.1.6-C
L: Length of Driving = 11.5

Hence, $T_b = 17.8$ minutes

Welding Time /piece (minutes) Tw

$$T_w = \frac{E_{tw}}{t_{wi}}$$

Where, t_{wi} : Welding Time per 1 place = 15 from Table 4.1.6-D&E

Hence, $T_w = 0$ minutes

Preparation Time /piece (minutes) Tp

$$T_p = 18 \text{ minutes}$$

from Table 4.1.6-F

Coefficient for Working F

$$F = f_0 + f_1 + f_2 + f_3$$

Where, f_0 : Base Coefficient = 0.9 from Table 4.1.6-G
 f_1 : Obstacle Condition by Structure = -0.05
 f_2 : Condition by Space for Construction = 0
 f_3 : Condition of Scale by Number of Piling = 0.05

Hence, $F = 0.9$
Hence, $T_c = 39.8$ minutes/piece

Production Rate

Working Time for Piling/piece (minutes) : Tc

$$T_c = \frac{T_b + T_w + T_p}{F}$$

Where, T_b : Driving Time /piece (minutes)
 T_w : Welding Time /piece (minutes)
 T_p : Preparation Time /piece (minutes)
F: Coefficient for Working

Miscellaneous Percentage (MP)

$$MP = 1\%$$

from Table 4.1.6-H

$$T = \frac{730}{120} = 6.1 \text{ (hour/day)}$$

Foreman Rigger Common Welder
1.09 2.17 1.09 1.09

Diesel Hammer 6.63 hour *3 10piece x Tc
60%

Generator and Welder Machine 1.09

*110piece x $\frac{T_c}{T \times 60}$ x Composition of Manpower
*210piece x $\frac{T_c}{60}$
*3 Equipment Working Time / Piling Working Time =