



B. EXHIBITION LIST

C. TAKE OFF SHEETS FOR QUANTITY SURVEY



الاول



Jeinab

Table-1. List of Exhibition Materials for Salt Museum

Theme & Sub-theme		Exhibition Subject (Bold: Major Items)	Media	Amount	Exhibition Type	Jordanian Responsibility	Obtained from	Remarks
G19.	Balqa' Region Show room	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	information
		Explanation of the theme	text & drawing	1	panel	software supply	Salt municipality	
		Photographs of Balqa' region	Photo	2	panel	collection	Salt municipality	Photo
		Model for the region of Balqa'	model	1	stage/open	software supply	Salt municipality	information
		Material concerning with Balqa' region	original	10	case	collection	Salt municipality	
F1	Geography of Salt	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	information
		sign of sub-theme	text	6	banner	software supply	Salt municipality	
		Geography & nature of Salt	text & drawing	1	panel	software supply	Salt municipality, Royal Geographic Center	
		Model of city of Salt	model	1	open	software supply	Royal Geographic Center	
		Material concerning with Salt	original	5	case	collection	Salt municipality	information
F4	Architecture & Master Builders	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	information
		Significant houses & areas	text & drawing	2	panel	software supply	Salt municipality	information
		Architecture of Abu Jaber	text & drawing	1	panel	software supply	Salt municipality	information
		Sectional model of Abu Jaber	model	1	open	software supply	Salt municipality	
		model of significant historic urban areas	model	3	case	software supply	Salt municipality	information
		Historic photograph related to stone builders	photo	1	panel	software supply	Salt municipality	information, photo
		A tribute to a "Salti" Master builder (Abd al Rahman Al Aqrouq)	model	1	panel	software supply	Salt municipality	information
F10	Reception/Golden Age Hall	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	information
		History of Golden Age	text & drawing	2	panel	software supply	Salt municipality	information
		Photo of Golden Age	photo	3	panel	collection	Salt municipality	Photo
		Chair used in Congress	original		case	collection	Salt municipality	
		Historical document of Golden Age	original		case	collection	Salt municipality	
		Cultural & social material of Golden Age	original		case	collection	Salt municipality	

Theme & Sub-theme		Exhibition Subject (Bold: Major Items)	Media	Amount	Exhibition Type	Jordanian Responsibility	Obtained from	Remarks
F12	Educational History	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	information
		History of education in Salt	text & drawing	2	panel	software supply	Salt municipality	text,information
		Historic photographs of schools	photo	4	panel	software supply	Salt municipality	photo
		Wooden-window of Salt high school	replica	1	open	software supply	Salt municipality	information
		Black & white collage of view of Salt from Salt high school	photo	1	panel	software supply	Salt municipality	photo,information
		Blackboard	original	1	open	collection	Salt municipality	
		Student desk	original	2	open	collection	Salt municipality	
		Teacher's table	original	1	open	collection	Salt municipality	
		Raised wooden platform	reconstruction	1	open	software supply	Salt municipality	information
		Tile-paved area,pattern from the school	reconstruction	1	open	software supply	Salt municipality	information
		Historic curriculum books	original	4	case	collection	Salt municipality	
F13	Archaeology	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Explanation of the theme	text,drawing, photo	2	panel	software supply	Salt municipality	photo,text,information
		Metal interpretive signs	text	5	panel	software supply	Salt municipality	text
		Lithics	original	30	open	collection	Salt DOA	
		Pottery	original	20	open	collection	Salt DOA	
		Animal bones	original	30	open	collection	Salt DOA	
		Stone blocks	original	10	open	collection	Salt DOA	
		Mosaic floor	original	1	open	collection	Salt DOA	
		Tools for excavation	original	5	open	collection	Salt DOA	
		Early Salti houses on caves with arches	reconstruction	1	open	software supply	Salt DOA	original size/information
		Peasant "Fallahi" houses with arch	reconstruction	1	open	software supply	Salt DOA	original size/information
		"Kawayer"	reconstruction	1	open	collection	Salt DOA	original size/information
		Folklore object	original	10	open	collection	Salt DOA	
F14	Historic documents & photographs	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Explanation of the theme	text,drawing, photo	1	panel	software supply	Salt municipality	photo,text,information
		Historic photographs with historic frames	original	12	open	collection	Salt municipality	photo + photo frame

Theme & Sub-theme		Exhibition Subject (Bold: Major Items)	Media	Amount	Exhibition Type	Jordanian Responsibility	Obtained from	Remarks
		Historical documents	original	15	case	collection	Salt municipality, Salt DOA	
F19	Municipality History	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		History of Salt Municipality	text, drawing, photo	2	panel	software supply	Salt municipality	photo, text, information
		Historic Photographs	photo	2	panel	software supply	Salt municipality	photo
		Map of Balqa' region	map/model	1	open	software supply	Salt municipality, Royal Geographic Center	
		Significant region in Balqa'	text, photo	10	open	software supply	Salt municipality	
		Municipality trophies	original	4	case	collection	Salt municipality	
		Toy models reflecting services offered by Muni	original	5	case	collection	Salt municipality	
F20	Medical History	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Medical history	text, drawing, photo	3	panel	software supply	Salt municipality	photo, text, information
		Herbs & traditional remedies & recipes	text, drawing, photo	1	panel	software supply	Salt municipality	photo, text, information
		Sacs made of "Kheish" cloth	original	4	open	collection	Salt municipality	
		Traditional medical tools	original		case	collection	Salt municipality	
		Medical tools from archaeological site	original		case	collection	Salt DOA	
		Herbs	original		case	collection	Salt municipality	
S3	Religious & Wedding Festivals	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Wedding	text, drawing	1	panel	software supply	Salt municipality	photo, text, information
		Black & white historic photograph for "Taleeleh"	photo	1	panel	software supply	Salt municipality	historical photo, information
		Sound of wedding & festivals	sound(tape)	1	tape recorder	software supply	Salt municipality	tape
		Scene of wedding & festivals	photo	1	panel	software supply	Salt municipality	photo
		Al Aid' prayer in Salt	photo	1	panel	software supply	Salt municipality	photo
		Friday prayer in Salt small mosque	photo	1	panel	software supply	Salt municipality	photo
		Human figures in a 'sugoud' position	human figure	2	open	software supply	Salt municipality	adult & child/
		Costume of figure	original	2	open	collection	Salt municipality	adult & child/
		Black & white photo of Historic panorama view of Salt	Photo	1	panel	software supply	Salt municipality	historical photo, information
		Authentic bride box	original	1	open	collection	Salt DOA	
		Model of scene of wedding(Sukkar house)	model	1	open	software supply	Salt municipality	information

Theme & Sub-theme		Exhibition Subject (Bold: Major Items)	Media	Amount	Exhibition Type	Jordanian Responsibility	Obtained from	Remarks
		Metal figures symbolizing 'Al Zaffah Al Taleeleh ' & other wedding events	metal figure	10	open	software supply	Salt municipality	information
S4	Traditional Clothing & Weaving	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Explanation of the theme	text,drawing, photo	1	panel	software supply	Salt municipality	photo,text,information
		Traditional cabinet of clothes	original	2	open	collection	Salt municipality	
		Traditional clothes	original	10	cabinet	collection	Salt municipality	visitor can wear these clothes
		Wooden frames carrying traditional carpets	original	3	open	collection	Salt municipality	
		Traditional carpets	original	3	open	collection	Salt municipality	
		Framed embroidery	original	2	open	collection	Salt municipality	
		Traditional embroidery	original	10	case	collection	Salt municipality	
S5	King Abudullah room	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Explanation of the theme	text,drawing, photo	1	panel	software supply	Salt municipality	photo,text,information
		Photo of King Abudullah	Photo	1	panel	collection	Salt municipality	
S6	Silver,Pottery & Glass	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Explanation of the theme	text,drawing	2	panel	software supply	Salt municipality	text,information
		Photo of Silver & metals	photo	3	panel	software supply	Salt municipality	photo
		Metal & silver	original	10	case	collection	Salt municipality	
		Glass & silver	original	10	case	collection	Salt municipality	
		Photo of pottery	photo	4	panel	software supply	Salt municipality	photo
		Historic pottery	original	6	stage/open	collection	Salt DOA	
S7	Musical Instrument & Games	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Explanation of the theme	text,drawing	2	panel	software supply	Salt municipality	text,information
		Panoramic view of traditional cafes	photo	1	panel	software supply	Salt municipality	photo
		Table for traditional games	original	1	open	collection	Salt municipality	
		Table for traditional game "Sigeh"	original	1	open	collection	Salt municipality	
		Antique table with antique Gramophone	original	1	open	collection	Salt municipality	
		Black & white photo of panoramic view of Salt	Photo	1	panel	software supply	Salt municipality	photo
		Traditional musical instruments	original	5	open	collection	Salt municipality	

Theme & Sub-theme		Exhibition Subject (Bold: Major Items)	Media	Amount	Exhibition Type	Jordanian Responsibility	Obtained from	Remarks
		Old music record & tape	original	10	open	collection	Salt municipality	
		Old magazines	original	10	open	collection	Salt municipality	
S12+S13	Children's Museum	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Explanation of the theme	text,drawing	2	panel	software supply	Salt municipality	text,information
		Sign for 'Salt Bazaar'	text	1	panel	software supply	Salt municipality	
		Plastic carts	original	10	open	software supply	Salt municipality	
		Vegetable for vegetable shop	original	10	open	collection	Salt municipality	
		Replica of vegetable	replica	10	open	software supply	Salt municipality	
		Games & toys	original	10	open	collection	Salt municipality	
		Grains & herbs	original	30	open	collection	Salt municipality	
		Black & white photo of panoramic view of Salt	photo	1	panel	software supply	Salt municipality	
		Black & white photo of panoramic view of Hammam street	photo	1	panel	software supply	Salt municipality	
		Children's Cashier	original	1	open	collection	Salt municipality	
		Hakawati podium	original	1	open	collection	Salt municipality	
		Children's telescope	original	1	open	collection	Salt municipality	
		Salt children in school	photo	3	panel	software supply	Salt municipality	photo
		Hakawati Iwaz set	original	1	open	collection	Salt municipality	
		Peasant house	model	1	open	software supply	Salt municipality	
Old books	original	20	open	collection	Salt municipality			
S19	The "Madafa"	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Historic photograph	photo	5	panel	collection	Salt municipality	
		Metal weapons	original	4	case & frame	collection	Salt municipality	
S20	Dining Room	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Traditional recipes & food	text,drawing	1	panel	software supply	Salt municipality	text,information
		Traditional Salti cuisine	replica	4	case	software supply	Salt municipality	information
		Table mat	original	4	case	collection	Salt municipality	
		Silver dining object	original	10	case	collection	Salt municipality	

Theme & Sub-theme		Exhibition Subject (Bold: Major Items)	Media	Amount	Exhibition Type	Jordanian Responsibility	Obtained from	Remarks
		Historic photograph	original	1	panel	collection	Salt municipality	
S21	Bedroom	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Explanation of the theme	text,drawing	1	panel	software supply	Salt municipality	text,information
		Historic photograph	photo	1	panel	collection	Salt municipality	
		Historic Mirror	original	1	case	collection	Salt municipality	
		Historic iron bed	original	1	case	collection	Salt municipality	
		Historic trunk	original	1	case	collection	Salt municipality	
		Historic cupboard	original	1	case	collection	Salt municipality	
S22	Portrait of Significant Houses	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Domestic culture & architecture	text,drawing	3	panel	software supply	Salt municipality	
		Historic photograph	photo	3	panel	collection	Salt municipality	
		Sukkar & Khatib area	model	1	stage/open	software supply	Salt municipality	information
		Computer database	CD-ROM	1	TV/Computer	software supply	Salt municipality	
S23	Mooneh Exhibits	Sign of the exhibition room	text	1	panel	software supply	Salt municipality	
		Food storage	text,drawing, photo	1	panel	software supply	Salt municipality	photo,text,information
		"Mansaf" cooking pot	original	1	open	collection	Salt municipality	
		"Namliah" food store cabinet	original	1	open	collection	Salt municipality	
		"Kawayer"	original	2	open	collection	Salt municipality	
		Tools for storage of food	original	5	case	collection	Salt municipality	

Sadaa Lookout

1

Excavation

لوف

7.50
 2.80
 0.45

 1.50
 1.0
 0.45

 5.70
 2.80
 0.40

 2.80
 1.50
 0.20

 4.30
 2.80
 0.32

 1.80
 1.0
 0.20

 10.20
 0.75
 0.20

 1.80
 1.50
 0.60

 4.90
 2.0
 1.50
 1.0

7.30
 1.50
 0.40

 4.5
 1.75

 0.45

33.39

535

Wey

Excavation for
foundation
Baid

2.30
0.80
1.10
1.30
0.80
1.0
0.85
0.8
1.0

4.30
0.8
1.0
1.50
0.80
1.0

13.0

9

16.10
0.30
0.13

0.627

Exc. G.B

stair

8

13.627

Excavation for foundation

Type c

290
3.20
1.10

22.70
2.60
1.10

Type B

148.64

Back fill

Type c

2/ 28.10
0.110
0.150

28.10
1.60
0.40

28.10
1.10
0.44

2/ 22.70
0.110
0.30

22.70
1.00
0.80

22.70
0.70
0.50

Type B

54.71

57.55

230

25.5, 100

4

Backfill

Sec A-A

2	16.25
	0.10
	<u>0.25</u>

2	16.25	0.812
	0.30	
	<u>0.5</u>	
		4.875

5.687

ظم لونه
Back fill

7.35
1.75
0.21

7.50
2.80
0.20

2.50
1.0
0.20

8.50
3.30
0.30

1/2 / 4.0
2.0
0.25

16.81

21.9

صفحة اخرى

صفحة اخرى
Base Cours

1.40
1.10

2.50

1.10

2.9

0.85

1.80

1.35

2.0

1.35

11.635

0.15

1.74

e

صفحة اخرى
20/01/2005

Under stands

1.65

1.0

0.15

1.25

1.25

0.15

1.65

1.20

0.15

3.30

1.30

0.15

2.30

1.65

0.15

1.99

e

اسبلی ایلے

P.C / Blinding

البت

8.30
0.80
0.10

1.30
0.80
0.10

0.88
0.90
0.10

Sec A-A
Between 10cm
A & C

Sec B-B

4.520 10cm
0.80
0.10

4.30
0.80
0.10

1.50
0.80
0.10

Between D & E

1.80
0.80
0.10

1.30

2.008

1.78

1.195

G.B1

7.50
0.30
0.05

5cm thick

1.10
0.30
0.05

g

2/0.90
0.30
0.05

4.30
0.30
0.05

1.30
0.30
0.05

0.241

g

مادة الجرس

Retaining Walls

Type A
Blinding

8.90

2.60
0.10

1.10

2.60
0.10

3.70

2.60
0.10

2.40

2.60
0.10

3.70

2.60
0.10

9.30

2.60
0.10

Ddt

2.60

2.60

0.10

7.02

Type B

9.60

2.00

0.10

3.10

2.00

0.10

1.10

2.00

0.10

3.20

2.00

0.10

3.10

2.00

0.10

2.80

2.00

0.10

4.58

11.60

سبب ابل

R.c / fonctioniz.

جبل

Sec A-A

8.10

0.60

0.25

1.20

0.60

0.25

0.90

0.60

0.25

4.10

0.60

0.25

1.5

0.60

0.25

2.37

4.30

0.60

0.25

1.60

0.60

0.25

0.915

3.285

6.131

7.50

0.20

0.30

1.10

0.20

0.30

0.90

0.80

0.30

4.30

0.20

0.30

1.40

0.20

0.30

0.966

g

28.151

Retaining Walls - type c

R.C / Footing

8.90

2.50

0.50

1.10

2.50

0.50

2.60

2.50

0.50

3.40

2.50

0.50

3.90

2.50

0.50

8.30

2.50

0.50

11.30 35.6

2.50

2.40

0.40

5.30 46

Type C

Type B

9.60

1.80

0.30

3.10

1.80

0.30

1.10

1.80

0.30

3.20

1.80

0.30

3.10

1.80

0.30

10.854

= 45.854

[Signature]

asbl

Retains walls

Re/walls

Type C

8.90
0.3
3.60

1.15
0.36
3.60

2.60
0.30
3.60

3.45
0.30
3.60

12.00
0.30
3.60

31.977

2.152

Type B

9.60
0.25
2.70

3.10
0.25
2.70

1.10
0.25
2.70

3.20
0.25
2.70

3.10
0.25
2.70

2.80
0.25
2.20

14.401

46.177

g

cost value

R.C / walls
see

See A-A

R.C / column

7.70
 0.20
 0.84

 1.40
 0.20
 0.84

 1.05
 0.20
 0.84

 4.20
 0.20
 0.84

 1.60
 0.20
 0.84

 2.67

5 / 0.20
 0.20

 3.25 0.62

 2 / 0.20
 0.20

 3.25

 4 / 0.20
 0.20

 2.605 0.676

 1.326

6.20
 0.20
 0.84

 0.20
 0.84

 0.20

ce slab

RS

4.75
 1.90
0.15
 2.70
 1.80
0.15

Solid slab
 at level 815.35

2.00

Solid Slab
 at level 818.385

2.40
 1.80
0.15

0.6486
 2.6484

9

128

Drop Beams

2/ 7.65
 0.20
0.35
 2/ 1.85
 0.20
0.15

4/ 2.20
 0.20
0.25

4/ 2.45
 0.20
0.15

1.916

9

B-beams

30.20
 0.10
0.15
 0.90

 9

actel, ede

R.c/Volts

pan il e
12.1

2/ 2.30
0.20
0.20

1/2/ 1.25
3.14
0.15

0.77



Jadaa lookouq

29/2/2000

R.c / wall
Male

المساحة: 1.50

8.80

0.80

0.10

1.80

0.80

0.10

12.25

0.80

0.10

9.50

0.50

0.10

1.70

9.5

0.10

2.150

0.10

1.0

2.638

Rc walls
 -⁵alc
 -⁶alc

1.90
 0.30
3.50

1.45
 0.30
3.50

1.50
 0.30
3.50

2.40
 0.25
3.50

1.45
 0.30
3.50

2.50
 0.30
3.50

1.0
 0.40
3.50

Ddt
 1.0
 0.30
2.0

Ddt
 1.40
 0.25
2.0

Ddt
 2.50
 1.50
0.80

Ddt
 1.25
 1.25
3.10
 0.30

7.9
 0.20
1.30

11.40
 0.20
3.30

0.50
 0.20
3.30

6.25
 2.10
0.25

Ddt
 1.40
 0.20
1.60

Ddt
 1.20
 0.20
1.60

14.78

Jadea Lookouts

29/8/2000

R.c/walk
pds

1.25
3.50
0.25
4.70

3.50
0.25
1.45

3.50
0.25

~~Dct~~
2.50
1.50
0.30

~~Dct~~

1/2
1.25
1.25
3.14
0.20

2/
1.80
3.25
0.20

2/
1.60
0.20
3.25

~~Dct~~

2/
1.20
1.50
0.20

~~Dct~~

1/
1.20
2.0
0.20 7.64

2.638
14.78
7.64
25.058

موتو، کیرے

اسٹیرس
R.C / Stairs

2.63
1.25
0.10

11 / 0.30
0.16
1.25

1.65
1.0
0.10

0.80
1.20
0.10

1.65
1.0
0.10

2.5
1.70
0.10

6 / 1.20
0.30
0.10

6 / 1.10
0.30
0.10

3 / 1.70
0.30
0.10

2.51

5.20
1.40
0.15

1.20
1.20
0.15

1.308

3.818

معماری

<u>11.635</u>	تیرکوب R.C/slab on Grade <u>10cm</u>	13.126	تیرکوب 2.12 W Stairs
			پله‌ها و کف Internal Plaster
		2/ 3.80	
		<u>3.40</u>	
		2/ 1.45	
		<u>3.40</u>	
		DET	
		1/ 2.50	
		<u>1.75</u>	
		DET	
		1.35	
		1.35	
		<u>3.14</u>	
			26.41
			15 30

اساتذہ
Base Course

1.50
1.50

2.20
1.50

2.60
1.70

2.80
1.45

14.03

Stone cladding
حجر تليص

3.50
2.55
<hr/>
8.30
2.55
<hr/>
0.75
1.78
<hr/>
1.80
1.78
<hr/>
1.80
1.35
<hr/>
10.20
4.84
<hr/>
1.40
4.85
<hr/>
1.50
4.0
<hr/>
1.50
3.50
<hr/>
1.50
2.50
<hr/>
6.50
1.25
<hr/>
1.15
1.25
<hr/>
0.5
4.25
<hr/>
2.90
0.75
<hr/>

30.09

6.969

71.048

(1)

(2)

(3)

3 من الياض

3.0
0.75
<hr/>
1.50
1.0
<hr/>
0.60
1.0
<hr/>
1.00
1.50
<hr/>
1.50
1.50
<hr/>
1.50
7.35
<hr/>
4.10
2.30
<hr/>
3.0
2.0
<hr/>
7.35
0.60
<hr/>
8.50
3.25
<hr/>
3.0
2.0
<hr/>
4.80
0.50
<hr/>
1.75
0.50
<hr/>

17.11

7.35

(4)

56.74

190.117

5 من الياض

جدار
Stone cladding

7.90
4.60
<u>2.25</u>
2.0
<u>1.50</u>
6.75
<u>1.35</u>
6.75
<u>2.50</u>
2/ 2.70
<u>1.70</u>
2/ 2.70
Ddt
2/ 2.50
<u>1.25</u>
Ddt
1.25
2 1/2 / 1.25
<u>3.14</u>
Ddt
7/ 1.40
<u>2.10</u>
Ddt
6/ 1.40
<u>1.00</u>
Ddt
0.60
6 1/2 / 0.60
<u>3.14</u>

Ddt
2/ 1.0
<u>1.50</u>
53.87
5.50
<u>3.30</u>
2/ 2.0
<u>3.30</u>
31.35
4/ 4.25
<u>3.57</u>
2.45
<u>3.315</u>
1/2 / 2.0
<u>1.30</u>
2.40
<u>1.0</u>
1.50
<u>1.0</u>
0.60
<u>1.0</u>
2.60
<u>6.75</u>
2/ 2.60
<u>3.06</u>
4/ 1.60
<u>3.06</u>
Ddt
2.50
<u>1.53</u>
Ddt
1/2 / 1.25
<u>1.35</u>
3.14
75.86

البيان

حزب
Store cladding

2/ Dct
1.70
1.60

2/2/ Dct
1.20
2.20

4/ 0.40
2.20

2/ 0.40
1.50

2/ 3.10
3.40

2/ 1.30
3.40

Dct
2.5
1.55

1/2/ Dct
1.25
1.25
3.14

Dct
1.10
2.0

11.231

362.428

lookout: Aljazeera

29/2/2000

1.70
1.25
~~1.10~~
1.10
1.40
1.20
1.27
1.10
0.40
0.3
1.20
0.20
—

6.467

26 by
Stone tile
Type A

Lookouts : ALjadaa

29/2/2000

Copms

30cm

12.20

3.0

8.50

7.30

3.0

2.70

1.50

3.0

1.80

1.90

1.40

8.60

4630

8.60

From 20-30cm

6.20

1.40

2/8.60

2/2.40

2/1.60

3.50

2030

40cm

نجد، جبل

شبه 1.50

Hand Rail

7.50
6.90
 3.0
2.75
 3.40
7.80

31.35

3 / 1.4
 2 / 1.0
 1 / 1.20

• 0.50

6 / 1.10
6 / 1.10
 11 / 1.35

28.05

6 / 1.40
 9 / 1.30
1.60

21.70

Stair 2.10
0.30
 0.7

0.17 | 0.30

Stone Tile Type C

سجادة
511.85 - سجاد

4.50
1.10

3.0
1.10

4.0
1.25

4.35
3.95

1.80
0.80

3.76
3.40

44.45

1.30

1.40

3.80

2.80

9.50

3.70

43.81

2.90

2.40

1.15

0.50

7.535

5.45

1.40

5.10

0.30

1.60

1.60

1.0

6.40

12.12

107.915

External Paint

7.50

4.90

4.25

4.90

1.60

2.40

1.50

2.0

0.60

2.0

66.105

3.50

0.40

9.0

0.60

5.0

71.105

as 1/12

21/12

Stone - Tow face

cup of

3.40

2	1.20
/	3.30
2	2.50
/	3.15
	Ddt
2	2.50
/	1.50
	Ddt
2 1/2	1.25
/	1.25
	3.14
2 1/2	2.50
/	3.00
4	1.60
/	3.00
	Ddt
2	1.00
/	2.00
	Ddt
2	1.00
/	1.50
6	0.15
/	1.75
2	5.40
/	3.00
2	1.80
/	3.00
	Ddt
3/2	1.40
/	1.00
	Ddt
2	1.00
/	1.50

86.83

	Ddt
6 1/2	1.40
/	1.00
	(5.89)
2	2.40
/	3.15
	Ddt
2	1.40
/	2.15
	9.10
1	3

9034

Jadao Lookout

27/3/2000

Excavation for leveling
 حفرية لرفع

8.50		810.50	7.30	للوذ
1.30		809.98	1.50	
<u>0.87</u>	9.62	0.2	0.88	812.40
		809.76	4.50	811.93
		811.90	1.75	811.52
		811.68	0.88	16.57
8.0				
6.0				
<u>0.37</u>	17.76			64.68
8.0		811.96		
3.40		811.58		
<u>0.32</u>	9.73			
7.50				
3.60				
<u>0.40</u>	10.80			
		<u>47.91</u>		

Jadaa lookout

29/3/2000

حساب

Back fill

8.50

1.60

0.42

3.6

1.10

0.49

3.20

2.20

0.10

4.10

3.70

0.48

4.0

1.10

0.50

7.50

2.0

0.30

22.36

≈ 224

811.90

Jadaa Lookout

29/3/2000

Plant Soil
تربة النباتات

7.50
4.50
0.30

10.13

Jadda Lookout

Back fill for foundation

103.45
(12.49)
(10.35)
(27.49)

53.12

1
5.69
53.12

59.91
2

Jadaw Lookout

29/3/2000

Base Course

فيسر

2.13W

3.50
1.25
0.15

2.50
1.65
0.15

1.28

1.28

نور، = 6LW
CIX 0.6WCS

84.70
0.15

3.1

12.71

7.90
0.50
0.15

1.19

سكاس

س

2.0
1.35
0.15
1.80
1.35
0.15

7.40
1.35
0.15

2.28

16.18

Local Tile

20x20x3 cm
Type H

8.50		①
2.90	24.65	
3.25		②
3.00		
$\frac{1}{2}$ 1.10		
0.30	9.90	
3.45		③
3.05	10.53	
1.70		④
0.60		
3.70		
2.60	10.64	⑤
1.90		
0.90		
1.95		
1.60		
5.15		
1.50		
2.70		
1.10	15.53	
1.15		⑥
0.50		
3.60		
3.20		
1.50	12.10	
0.90	1.35	
	84.70	

1.60	
1.60	2.56
5.50	
1.40	
1.00	
0.40	8.10

⑦

⑧

10.66

296.

9

Jadaa Lookout

28/3/2000

Pic/Trench
Foundation

30.30

11.50

0.10

6.50

2.0

0.10

6.50

2.0

0.10

9.80

2.0

0.10

4.20

2.0

0.10

10.35

1.30

1.78

10.35

13.43 m³

Jadaa lookout

28/3/2000

R.C/ Foundation

3030

1.50

0.30

6.50

1.80

0.30

8.50

1.80

0.30

9.80

1.80

0.30

4.20

1.80

0.30

27.49

2.32

3.285

27.49

33.095

9

Jadaa Lookout

28/3/2000

R.C/wall
Under G.F
Level

30.30

0.30

0.70

6.50

0.30

0.70

8.50

0.30

0.70

9.80

0.30

0.70

4.20

0.30

0.70

12.49

15.0

0.10

0.70

11.05

15.10

0.30

1.90

8.55

22.09

2.67

22.09

34.75

5.37

9

Jadaa Lookout

28/3/2000

R.c/Walls
up G.F.L

291.00
01.0
1.0

21.30
01.0
0.26

9.80
0.20
4.80

15.50
01.0
1.0

12.42

14.78

7.64

12.42

34.84

J

Jadaa Lookout

28/3/2000

Marble for
stairs

1.40
0.30

1.80
1.10
1.50
1.20
 $\frac{1}{2}$ / 1.20
1.10

4.88

Jadau lookouts

no. 1
Plaster / water
Tank
- 100 lbs
- 100 lbs

Insulation
for water tank
slip J's

2 / 1.60
0.80

2 / 1.50
0.80

4.95

1.60
1.50

2.40

1.50
1.50

2.40

4.96

2.40

7.16

2.40

no. 1

Jodaa look out

29/3/200

div
 16' 0" dia
 R.C/slab

2.0
 2.20
 0.20
 ———
 0.88

R.C/upper
 slab

2.0
 2.20
 0.15
 ———
 0.66

walls
 — 1.20

2/ 2.0
 0.40
 0.20
 ———

2/ 1.80
 0.80
 0.20
 ———

1.22

Jadaa Lookout

28/3/2000

Built in Bench

2.95

2.55

~~2~~ / 1.70

1.50

1.85

1.70

12.25



Jadaa Lookout

$$11 \overline{) 1.25}$$

13.75

$$\begin{array}{r} 1.60 \\ \hline \end{array}$$

$$\begin{array}{r} 1.190 \\ \hline \end{array}$$

$$\begin{array}{r} 2.25 \\ \hline \end{array}$$

$$9 \overline{) 1.65}$$

20.60

$$6 \overline{) 1.40}$$

8.40

Marble for stairs

$$0.18 \overline{) 0.3}$$

$$0.209 \overline{) 0.30}$$

$$0.20 \overline{) 0.3}$$

hand Rail	
4.10	المسارح
4.70	
2.50	
3.15	
2.85	
3.45	
8.10	
28.85	

Jadaa Lookout

28/3/2000

17.20

1.0

3.42


58.63

- 'S1 & R
Demolition
on R. Walls

Stone cladding

2/0.66		2/9.10	
3.10		1.04	
2/0.40		2/2.60	
3.10		1.04	
2/0.20		2/3.80	
3.10		1.04	
1.40			32.04
3.10		2/1.30	
5.40		2.50	
3.10		2/2.50	
Ddt		2.50	
2/2.50		2/2.50	
1.35		2/2.50	
Ddt		1.25	
2/1.40		2/2.10	
1.85		3.10	
Ddt		2/1.30	
6/1.40		2/3.10	
1.10		2/1.30	
Ddt		3.10	
6/2/0.80		2/0.20	
0.80		2.00	42.97
3.14		1.60	
Ddt		0.50	
2/1.10		2/1.35	
1.00		0.50	2.15
4/0.40			
1.10			
6/0.40			
1.36			
2/0.40			
1.85			
2/0.40			
1.36	6.76		

83.92



11.90
 1.05
 0.40
 0.50
 11.90
 0.50
 0.35
 0.50
 4.90
 2.50
 4.40
 0.50
 4.90
 0.50
 8.60
 1.25
 5.10
 0.30
 3.00
 2.30
 5.50
 2.80
 3.00
 1.35
 0.30
 0.18

5.50
 0.90
 6.20
 0.50
 0.60
 0.50
 0.30
 0.50
 2.50
 2.30
 3.00
 1.35
 0.30
 0.18
 0.30
 6.12
 3.58
 6.62
 0.30
 3.82
 1.65
 4.41
 2.40
 3.31
 1.40
 2.21

External Paint

7.50

3.80

2.70

3.75

1.65

1.30

40.78

13.20

4.0

52.80

93.58



Ric/Stain in
Soil

3.55

1.30

0.10

1.30

0.30

0.18

2.50

1.65

0.10

3.50

0.30

0.20

1.58

1/2/

1/2/

Jadaa Lookout

28/3/2000

3.3

3.55

1.30

0.15

2.50

1.65

0.15

1.32

3

Jadaa Lookout

Coping
30 cm
w/ up.
P.

12.80
4.50
4.0
1.80
8.50
10
4.50
3.90
2.80
7.40

60.20

2/ 2.40
 2/ 1.60
7.90
 3/ 1.80
1.50
 2/ 0.20

23.20

E. w/ up
40 cm

Stone cladding

Gulf SP

420		1
7.32		
<hr/>		
	29.28	
266		2
5.32		
<hr/>		
	14.151	
1.95		3
5.32		
<hr/>		
	10.734	
4.17		4
3.32		
<hr/>		
2.0		
0.60		
<hr/>		
Dolt		
2.20		
2.20	10.20	
<hr/>		
4/ 0.56		5
1.27		
<hr/>		
2/ 1.90		
7.30	11.564	
<hr/>		
4.55		6
3.32		
<hr/>		
Dolt		
1.0		
2.0		
<hr/>		
7.0	13.106	
3.5		7
<hr/>		
	24.5	

2/ 1.85			u - line 1-20
2.55			Type B
<hr/>			
3.50			
2.55			
<hr/>			
3.50			
3.55			
<hr/>			
3.30			
5.92			
<hr/>			
3.30			
4.92			
<hr/>			
0.30			
2.55			
<hr/>			
0.30			
5.92	69.098		
<hr/>			
2/ 5.80			TA
1.25			
<hr/>			
2/ 0.45			
4.25	15.50		
<hr/>			
2/ 3.91			
4.08			
<hr/>			
Dolt			
2/ 2.51			
1.64			
<hr/>			
Dolt			
2/ 2.51			
1.50			
<hr/>			
0.55			
2/ 1.64			
<hr/>			
2/ 0.55			
4.05			
<hr/>			
	27.421		
<hr/>			
	255.556		

Logout Almadrasat

Stom dadding
Gilt

29/2/2000

31.0

1.26

39.06

Stone Cladding
 حجاره تزيين

5.0
 4.75

 7.80
 3.06

Dok
 2/ 1.91
 1.27

Dok
 2 1/2 / 1.91
 1.15

4.0
 3.06

 1.80
 3.50

58.37

6.0
 0.51

 3.0
 2.61

2/ 3.40
 1.61

7.0
 0.51

 2.50
 0.81
 2.70
 1.51

5.70
 2.65

 46.615

6.0
 0.51

 2.40
 2.0

 3.50
 1.25

12.235

117.187



Look out: Almadrasah

Coping
 صر عتاق
 نفقة الاقارب

Area

1/2 ✓
 0.50
 1.80
 3.70
 0.80
 —

8.81 ✓

9

36.0
 0.60
 —

الجدار المستقيم

60 cm

5.0
 0.60
 —

24.60

9

10.50
 0.60
 —

6.90

المساحة
 60 cm Curved

✓

lookout: Almooharatz

2.0
4.20
3.80
3.30
2/2.0

17.0

Coping
cut./rbs
FW. 0.05
30 cm

2.60

1.005
40 cm

30 cm Curved
FW. ugs

6.30
5.10
6.10

17.30

Lookout Almadrasak

1	4.56	
	<u>0.75</u>	
2	3.02	
	<u>0.50</u>	6.64

ice
Stone for
Ceiling

طولة الجدران

R.c / walls
للجرف

8.60
0.20
0.81

$$2.30 + 4.70 + 1.60 = 8.6$$

10.55
0.20
0.81

$$3.85 + 1.8 + 4.90 =$$

8.20
0.20
0.81

$$4.30 + 0.50 + 0.30 + 3.10$$

4.73

4.90
0.20
1.80


زيادة فرق منسوب
سلك

1.80
0.20
1.80

2.412

80
0.70
0.70

1.12



7.962

6.70
0.20
0.81

1.05

منسوب
باليد، المنسوب
و

R.c / R.walks

Type B

سول

3.30
0.25
1.70

~~3.30~~
~~0.25~~
1.70

3.50
0.25
2.70

~~3.50~~
~~0.25~~
2.70

3.765 ✓

الدرنة

3.10
0.25
1.70

5.90
0.75
2.70

6.50
0.25
2.70

8.37

سول

Summary

6.842
12.600
19.442

ملاحظات

Excavation
for leveling

8.0
2.9
<u>0.75</u>
3.0
3.50
<u>3.18</u>
4.50
2.50
<u>1.65</u>
1.50
2.0
<u>1.88</u>
$\frac{1}{2}$ 10.0
3.50
<u>0.26</u>
8.50
2.50
<u>1.0</u>
4.0
3.0
<u>1.0</u>
11.0
2.0
<u>0.455</u>
$\frac{1}{2}$ 4.0
3.0
<u>0.40</u>
6.0
1.80
<u>0.30</u>

6.0
1.30
<u>0.15</u>
129.612
5.0
3.40
0.40
<u>4.10</u>
2.0
0.45
<u>3.50</u>
3.30
<u>0.15</u>
10.33
<u>139.942</u>

عند المسح



مطابق المخطط

Excavation for foundation

Sec A-A

26.85

0.80

0.85

18.836

65.30

0.50

0.30

9.795

2 / 1.50

1.50

1.0

4.50

33.131

للبناء

صفحة القوس
للبناء

Excavation for GB1

Build 1

1.80

0.30

0.13

2.80

0.25

0.13

1.60

0.25

0.13

Build 2

2.40

0.30

0.13

2.50

0.25

0.13

2.80

0.25

0.13

0.479

3.0

0.30

0.13

0.117

0.596

[Signature]

... and 1/2

4.80

2.0

1.0

5.30

2.0

1.0

12.0

2.0

1.0

44.20

Excavation
Type B

Summary

33.31

44.20

77.53

5 85

9

$\frac{1}{2}$

10.0
1.85
<u>0.20</u>
5.0
0.60
<u>0.20</u>
2.10
3.10
<u>0.32</u>
3.20
2.80
<u>0.78</u>
3.20
3.20
<u>3.14</u>
0.38
6.0
2.0
<u>0.38</u>
5.0
1.80
<u>0.38</u>
8.5
2.35
<u>0.65</u>

Backfill

1	Backfill
0	
2	
3	
4	X
5	X
6	X
7	

$\frac{1}{2}$

4.5
3.50
<u>0.20</u>
7.0
1.50
<u>0.6</u>
7.50
3.50
<u>0.20</u>

7/18/11

Backfill for foundation

77.33

Exc.

~~2.148~~

~~Exc.~~

Ddt

Blinding

2.148

~~Ddt~~

Blinding

0.229

Ddt

R.C / Footing
R.W

4.30

Ddt

Footing / R.C

11.34

Ddt

1:2 / R.C

3.96

Ddt

34.05

0.20

0.50

~~Ddt~~

21.0

0.30

0.60

Ddt

48

48
~~39.87~~

بانی لعل 0.15

بانی لعل 1.00

5

مقالة المبنى

Base Course

1.55
1.85
-0.15
1.75
0.70
-0.15
2.10
1.60
0.15
2.9
2.30
0.15
2.50
2.0
0.15

2.86

Q

for Rooms

Room 1

Room 2

7.323
48.11
0.15
7.21
4.0
0.15
0.60
17.135
0.15
2.57
14.255
0.15
2.13
11.84
0.15
1.776
16.375
0.15
2.456
39.90
0.15
5.985
22.727

Stairs 2.12W

0.21

$2.441 \div 0.02$

$= \text{rooms} = 7.323$

ع.ك. كس

- ① Under External
- Tile

③

②



④

⑤

⑥

⑦

Q



مادة المصير
Blinding SCM
for Ext. Stairs

8
Blinding
S.OC
للوف

3.30
1.60
0.05
2.105
1.35
0.05
1.30
0.96
0.05

0.464

4.60
4.00
0.05
3.50
1.30
0.05

1.947

2.441

س.ن

J

19.06
0.05

0.95

48.11
0.05

2.405

17.135
0.05

0.856

4.10
0.05

0.20

14.25
0.05

0.712

11.84
0.05

0.592

16.375
0.05

0.818

39.96
0.05

1.995

7.578

- ①
- ②
- ③
- ④
- ⑤
- ⑥
- ⑦

لصاف
المصير
بشك

R.C / Foundation

26.40
6.60
6.25

3.96

Sec A-A
1.90 + 5.30 + 1.40
+ 0.5 + 3.5 + 0.5
+ 3.0 + 4.30 + 2.20
+ 4.30 = 26.4

9

R.c / R.wall

R/C / R/W Fostering

4.60
6.80
0.30
<hr/>
5.10
1.80
0.20
<hr/>
11.30
1.80
0.30
<hr/>

11.34

Summary

3.96
11.34
<hr/>
15.30

J

محل اعداد

R.C / G. Beams

$$\begin{aligned}
 &25 + 2.20 + 1.80 \\
 &+ 5.80 + 2.30 \\
 &=
 \end{aligned}$$

14.10
 0.20
 0.35

0.987

3.0
 0.20
 6.35

0.21

1.197

2

امبيالو

R.C / Ext. Stair

14

G.B. 211

1 1/2 /

1.60
 0.30
 0.18
 7.60
 3.20
 0.10

ST1

8.50
 0.20
 0.42

0.714

1.0

3.0
 0.20
 0.42

0.52

1/4 /

2.05
 0.45
 0.18

ST2

1.234

1.35
 2.05
 0.10

0.60

ST3

1/2 /

1.30
 0.30
 0.18

2 /

1.30
 0.96
 0.10

0.53

2.151

7.10
 3.70
 0.10

3.20
 1.45
 0.10

5/8 /

7.10
 0.60
 0.40

1/2 /

3.20
 0.50
 0.4

8.119

10.249

11.483

مقالة المبر

R.C / S.O.G

كس، ليلاط

2.35
2.05

1.75
2.20

3.3
2.50

2.60
2.15

Build 1
 $2.20 + 8.5$
2

48.50
17.15
4.0
1.425
10.85
16.40
40

- Ⓒ
- Ⓓ
- Ⓔ
- Ⓕ
- Ⓖ
- Ⓗ
- Ⓙ

22.507

151.155

كس، ليلاط

48.82

4-11-12

R.c / solid slab

15cm

RI

1.85

1.55

2.86

1.75

0.75

1.50

2.05

4.38

7.24

20cm

R2

2.90

2.25

6.52

2.50

2.0

5.0

11.52

R.c / column

R.c / Drop Beam

10 / 0.20
0.20
2.10

0.84

2 / 0.55
0.55
1.64

0.992

1.832

R.c / Beams

9.60
0.20
0.20

16.20
0.20
0.20

1.032

3.10
0.20
0.20

3.35
0.25
0.20

1.75
0.20
0.05

1.75
0.05
0.20

6.20
0.20
0.20

4.90
0.20
0.20

3.50
0.20
0.20

1.50
0.20
0.20

0.965

Julii

$$2.7 + 15.85 = 18.55$$

$$+ 7.0 + 6.60 + 3.75$$

$$+ 2.80$$

48.5

16.80

65.30

9

amlatex

19

1.80
 0.75

 2.10
 1.50

 4.50

دوار به
 چين
 Ceramic tile
 floors

2.70
 2.60

 1.80
 2.60

 1.30
 2.60

 2.90
 2.60

دوار به
 چين
 Ceramic
 tile/wall

22.62

q

Area of Kosik

4.60
 3.10

 1.80
 0.80

 0.80
 4.50
 0.30

 14.68

14.68

Area of toilet

9.5

14.08

Area of...

Flashing

8.90

 15.60

15.60

q

WdA Internal Plaza

Ceiling

KIOSK

3.20

2.55

4.60

2.5

1.20

2.55

4.60

2.55

1.10

2.55

Doll

2.55

0.75

1.20

1.20

3.18

39.36

4.5

14.10

16.60

PC

دولار

9

9

1/2

2/	26.40 0.45	23.76	Insulation for foundation	Sec A-A	2/	14.10 0.33	9.306	Insulation for G.B
2/	2.20 0.71		For Walls Room 1					Insulation for R.W Footings
2/	4.65 0.71					26.40 2.10		
2/	1.65 0.71					55.44		
2/	4.30 0.71					21.50 0.40		Walls
2/	10.50 0.71					21.50 2.70		
2/	10.30 0.71					66.65		
2/	2.80 0.71	23.288						Summary
2/	3.9 0.71		Room 2			Footings & Walls		205.168
	4.80 2.50							
	4.80 0.71							
	1.80 2.50							
	1.80 0.71	26.724						

Stone tile Under

بلاط حجرية
احد الدرر

بلاط حجرية

3.0	
3.0	
<u>3.14</u>	28.26
3.50	
<u>2.10</u>	7.35
2.60	
<u>1.0</u>	2.6
4.50	
<u>1.40</u>	6.30
3.0	
<u>1.20</u>	3.60

- ①
- ②
- ③
- ④
- ⑤

48.11

7 / 9.50
0.40

بلاط اسفلت

3 / 7.80
0.40

16.96

4.70
2.50
1.10
0.40

اسفلت اسفلت

1.90
1.50

Dolt
0.5
0.5
3.14

3.70
3.50

14.255

11.01

⑤

2.0
2.0

4.0

$\frac{1}{2}$ / 4.50
3.30

$\frac{1}{2}$ / 5.20
1.75

$\frac{1}{2}$ / 1.0
0.40

$\frac{1}{2}$ / 4.0
2.30

$\frac{1}{2}$ / 2.80
1.0

$\frac{1}{2}$ / 2.25
2.0

Dolt

2.0

2.0

Dolt

4.30

0.30

2.50

0.80

17.135

بلاط اسفلت
المنصة الخشبية

②

ملاحظات

المساحة

المساحة

5.10
3.20

4.70 + 1.70
2

1/ 16.80
2/ 4.10
3.50
2.5

39.9 m²

0.50
0.50

6

5.0
2.40
2.50
1.750

16.375

مطابق الحساب

مطابق الحساب		حساب	مطابق الحساب	حساب
8.60		0.20	8.80	
9.30		0.80	9.80	
6.70			7.00	
7.30	31.90		8.00	
			7.80	
			41.40	
			5 / 0.60	3.00
			2 / 4 / 1.30	10.40
			4 / 1.20	4.80
			11 / 1.50	17.60
			4 / 2.05	8.20

~~0.572~~
~~5.72~~
14.28
0.15

2.14

3000
Base Course

11 /

11

25
1560
Seeds

1 /

Full
Tree Steel Core

3 /

4.5

1 /

Singl

0 /

دستگاه

دسته
موتور

P.C/wall

4.10
2.35

9.40
0.20

1.58

مقدار

Stone - Two Faces

حجر ورس

عق

2 / 0.90
3.0

0.10
3.0

2 / 0.50
0.75

6.45

2 / 1.80
0.50

1.80

حجر صف صاف

انسان بن عدد
الرقوع

مقالة المبريد

one face store

مخبر فوسه

Current

مخبر فوسه

1.55

2.55

3.60

2.55

Ddlt

2.15

0.75

Ddlt

1.2

1.2

3.14

9.259

1.80

0.25

3.80

0.25

1.140

0.50

0.75

0.20

0.75

0.525

1.90

3.0

Ddlt

1.0

2.0

3.7

14.824

المالك

لصو بين المالك

بين المالك

المحاسب

2.20

2.35

2.20

2.35

Ddlt

1.20

1.0

9.14

5.0

0.25

1.25

3.50

3.0

10.50

4.6

3.0

13.80

Ddlt

0.80

1.0

(0.8)

33.89

بين المالك

المحاسب

المالك ?

مقاله

جر تاییس
Stone cladding

2	/	3.40
		<u>2.0</u>
5 1/2	/	0.60
4		<u>0.40</u>
		—
		2.7
		<u>2.0</u>
2	/	3.20
		<u>1.0</u>
		8.40
		<u>0.75</u>

32.30



مطلة الخرصة

Stone cladding
حجر تلمسي

الارتفاع



2.10
1.20

1.60
1.80

3.45
1.20

0.60
0.80

0.60
0.40

1.52

1
2

الارتفاع

7 / 0.20
3.0

3 / 0.20
3.0

6.0

3.60
0.70

2.90
0.4

2.60
0.40

1.50
0.20

3.30

3.30

الكلية

261

2001

1.70
0.20

1.30
0.20

2.65
0.40

0.30
0.20

1.72

7.0
3.0

21.0

1.60
1.72

الكلية
الارتفاع

43.54

Excursion
for

$\times 888.915$
 $\frac{1.071}{888.22}$
 ~~887.844~~

13.0
 3.05
 1.07

43.816

(2)

889.63 889.80
 $\frac{889.40$

6.30
 1.70
 1.01

10.817

~~886.25~~
 887.84

(3)

887.74
 887.89

19.0
 2.55
 0.15

7.26

(4)

887.14
 887.0
 887.14

8.90
 1.15
 0.27

3.25
 1.50
 0.10

0.487

5.0
 2.0
 0.34
 5.0
 2.30
 0.34

7.31



4.80
 1.80
 0.50

2.00
 2.25
 0.15

11.407

81.097

~ a ~

Lookouts, Kamal Alshaer

28/2/2000

Excavation

3 / 8.20
1.20
9.75
2.20
1.20
9.75

16.33

16.80
2.00
1.00

33.60

1.60
0.55
0.27

1.60
0.55
0.27



2.50
0.55
0.27

2.50
0.55
0.27

2.57

R-wall type A

Type B



138

4 / 1.80
0.55
0.26

2 / 1.80
0.55
1.34

5.73

2.0
1.0
1.0

3.0

14 / 0.70
0.70
0.50

3.43

9.50
2.0
2.0

7.0
2.0
0.90

51.20

50.60

Type B

114.86

etc.

Lockouts Alshaeer

ref/200

		Back Bill
13.0		(F) 887.14
<u>0.50</u>		<u>886.55</u>
	6.50	
21.0		
2.50		
0.40		
<u> </u>	102.097	
		<u>108.397</u>
		5 140

Backfill

For R.Walls

Type A

2/ 8.0
 0.10
 0.25

 8.0
 0.40
 1.0

 8.0
 0.40
 0.50

 2.20
 2/ 0.10
 0.25

 2.20
 0.40
 1.0

 2.20
 0.40
 0.50

 6.63

Type B

2/ 16.80
 0.10
 0.30

 16.80
 0.60
 0.5

 17.0
 1.0
 2.5

 17.80
 1.0
 0.90

 35.568

1.60
 0.30
 0.50

 2.50
 0.30
 0.20

 1.80
 2/ 0.330
 1.0

1.188

H
 J

43.386

527

Lookouts Al Shder

Base Course

قوسية الجب

21,000

26/2/2000

I
J

4 / 1.92
0.99
0.15
2.50

9 / 1.920
0.15

10 / 0.60
0.15
0.15

3 / 0.90
1.26
0.15

2 / 3.60
1.26
0.15
1.50

1.26
0.15

3 / 2.04
1.26
0.15
4.56

1 / 1.75
0.15

5.20
1.65
0.15

2.20
1.65
0.15

8.005

1 / 1.60
1.10
0.15

1 / 2.50
1.10
0.15

2 / 1.80
1.30
0.15

1.378

قوسية الجب
الاولى

9.443

= 1 -

stair 1

Lookouts: ALSHAER

28/2/2000

R.C / 10 cm
R.wall type A

3 /
8.20
1.20
0.10
2.20
1.20
0.10

1.775

Type B

16.20
2.0
0.10

3.36

5.90
1.20
0.10

0.708

5.844

Lookouts : ALShaer

28/2/2001

P.C / Blinding scm

قوة الرفع ٥٠
قوة كالتقوية

٥٠

٤.٢٥

$$8.065 + 0.15 =$$

540

5410

٥٠

٥٠

160
110

2.50
1.10

2 / 1.80
1.30

17.20

$$\underline{71.20 \text{ m}^2}$$

٥٠

R-5 / Footing

Type A

8.10
1.0
0.25

3 / 2.0
1.0
0.25

3.925

Type B

15.50
1.80
0.20

8.37

1.60
1.10
0.20

2.40
1.10
0.20

2 / 1.80
1.30
0.20

1.86

5.90
1.0
0.25

4.75

في اثناء البناء
توقف العمل
وقتاً

15.186

16

Lookout - A Lchaer

R.C/Walls
 2 up no. 10
 P. 4, 6, 8, 10

1 / 7.60
 0.20
3.50

Type A

3 / 1.41
 0.20
2.265

3 / 0.70
 0.20
0.25

7.341

Type B

4.50

0.21

0.60

6.0

0.20

0.20

2.0

0.21

0.30

5.90

0.30

0.30

2.094

17 / 1.90
 0.40
0.25

0.807

10.242

Lookouts Alshaeer

R.c/stairs
 ر.ك/صاير
 في ر.ك

54.0
 0.10

5.40

13/ 1.20
 0.30
 0.20

46/ 1.30
 0.30
 0.20

12/ 1.10
 0.30
 0.20

5/ 2.30
 0.30
 0.20

3/ 0.90
 0.30
 0.20

2/ 3.69
 0.30
 0.20

3/3/ 2.08
 0.30
 0.20

3/ 1.32
 0.30
 0.20

3/ 7.30
 0.50
 0.33

9.07

14.47
 146

6

0.60
 0.30
 0.16

0.17

14.64
 15


Lookout - AL sharev

28/2/2000

R.c/walls Under S.O.G

جدار تحت الأرض
 out = 20 IS

Type A



8.10
 0.40
0.66

3/
 2.0
 0.40
0.66

8.10
 0.30
0.30

3/
 2.0
 0.30
0.51

5.855

16.80
 0.40
0.50

3.36

4.50
 0.25
2.55


4.60
 1.30
0.25

7.70
 0.25
1.50

5.90
 0.25
0.66

8.22

Type B



2.60
 0.20
0.60

3.42
 0.20
0.60

2/
 4.11
 0.20
1.0

2.20
 0.60
1.30

2.55
 0.30
0.80

4.622

22.057



جدار

Lookouts: Al Shateel

Plant Soil
شربة
ل فوا

2.50
0.90
0.70

0.50
0.50

0.30

7

1.95

Lookout : Kamal Alshaer

Stone cladding
حجر الجدران

12.60

3.75

2.60

3.75

3.80

2.48

0.30

13 1/2

0.196

66.80

7.90

2

3.50

11.40

3

3.0

63.70

0.70

213

0.25

0.40

7

3.00

9.45

131

12

139.95

Look out: Alshaeer

		Plaster		
2/	7.50	Low Type P	2/	4.01
	0.60	Retaining Walls		0.20
	<u>2.0</u>			
	1.20		7/	5.0
	<u>2.0</u>			0.20
	0.50		1/	2.00
	<u>4.0</u>			0.20
	1.50		4/	0.20
	<u>4.00</u>			0.50
	0.50			3.50
	<u>6.0</u>			0.20
	1.20			6.0
	<u>6.0</u>			0.20
	0.50			
	<u>0.20</u>			
	1.20			
	<u>16.90</u>			
	0.20			
	<u>6.0</u>			
	0.30			
	<u>47.83</u>			
2/	1.4			
	<u>0.50</u>			
4/	0.50			
	<u>0.5</u>			
2/	1.48			
	<u>0.20</u>			
4/	0.176			
	<u>0.20</u>			
4/	1.20			
	<u>0.50</u>			

11.586

59.416

→ 65

Lookouts! Alshager

Coping

جوز سرائر

علویا / صبح

دائری لم فل 100

50cm

22.20

228

عرض 100

30cm

1/7.60

3/11.41

11.83

4.0

15.83

Lookout s. Kamal AL-Shaw

26/2/2000

Store tile

بلاط صينون

13.0		1
<u>2.15</u>		
1.60		
<u>1.15</u>		
1.65		
0.20	30.12	
<u>5.20</u>		2
0.90		
<u>4.30</u>		
1.50		
<u>11.13</u>		
		<u>41.25</u>
30.70		
<u>1.05</u>	32.23	
		73.48
		X

Loolouts / Kamal ALShan

			Stone risers				200m Curree
			ارتفاع الحجر 19.60cm				ارتفاع مستوي
13/1.65	21.45		stair 1	2/2.70			
				3/2.35			
			ارتفاع	2/3/3.70			
4/2/1.50				2/2.50	39.65		
4/3/1.20							
2/3/0.95							
3/1.0	35.10						ارتفاع
				3/2.80	8.40		مستوي
			ارتفاع				
3/3/2.10	18.90		مستوي	3/4.5	13.50		
3/1.50	4.80						
2/2.0	4.0		ارتفاع				

Lookouts : ALshaeer

Store for Stairs

4/2 / 1.41
0.30

4/3 / 1.10
0.30

5 / 2.50
0.30

3 / 0.90
0.30

4/3 / 3.62
0.30

3/3 / 2.14
0.30

3 / 1.60
0.30

2 / 2.10
0.30

26.838

مخراوات
 ناس
 سلاطون
 س

changed -


Lookowski Alstager

حجر مرمر
stone

2.20
1.80
—
3.96

2/ 1.50
0.5
—

1.50

tile
by

e

1/ 3.50
2.50

2.66

2.30

2/ 4.50

1.70

2.40

1.60

4.30

2.40

2.00

1.60

9.00

1.30

5.50

1.60

5.00

2.00

9.20

4.30

4.80

5.00

5.50

3.50

197.43

Paabets

100

100

lookout - Al Shaer

Insulation under tile

26/2/2000

Insulation

for walls عزل حوائط

Type B

Type A

54.0
54.0
1.60
1.10
2.50
1.10
2/ 1.80
1.35
9.37

عزل تحت البلاط
63.37

15.80
1.20
15.80
1.20
15.80
2.70
2/ 5.90
1.20
5.90
1.0
100.64
2/ 12.70
1.05
12.70
0.50
33.02
2/ 1.85
1.55
1/ 1.06
1.05
1/ 2.14
1.05
9.095

100.64
Type A
33.02
166
142.755

lookout: A Lshaer

3 / 2.15

4 / 2.40

5 / 1.75

24.80

~~cancel~~

✓ 6.15

6.90

3.40

28.90

Pengula
capital

lookouts: ALQalaa

1/5/2000

P.C/Blindings scm
فرضان كان 5م

3.10	
2.50	
0.05	
<hr/>	
2.40	
1.70	
0.05	
<hr/>	0.599

للغرف 12/14

2.7	
1.90	
0.05	
<hr/>	0.2566

الكل

51.22	
0.05	
<hr/>	2.561

الخط 1

21/22

6.30	
2.20	
0.05	
<hr/>	
5.0	
1.50	
0.05	
<hr/>	

3.50	
1.20	
0.05	
<hr/>	1.296

Base Course
 طبقة الأساس
 ٢١٥

مساحة	51.22 0.15		تحت البلاط المعبون
		2.663	
	3.10		طبقة الحمايات
	2.55 0.15		
	2.40		
	1.76 0.15	2.94	
	2.70		للرمل
	1.96 0.15	0.769	
	6.30		<u>الصلب الإضافي</u>
	2.20 0.15		
	5.10		
	1.50 0.15		
	3.80		
	1.20 0.15	4.428	
		3.886	
		15.28	
		15.82	

9

3.30

1.70

6.30

3.55

4.20

3.80

3.10

1.60

Ddt

4.50

0.50

46.645


Pubbels

Area

Stone cladding

حجر تلي

الاولى شيفون (1)
2-6,5



4.65
2.25

2.50
1.80

1.30
1.75

2.50
1.25

2.50
1.50

6.60
2.50

1.40
3.0

4.60
3.10

2.10
2.30


7.10
2.0

31.4
0.51

59.07

10.03

10.039



من الراجل

1.80
1.05

1.40
1.55

1.60
2.25

3.70
2.50

2.30
1.75

1.20
1.60

2.20
0.50

13.75
0.50

10.60
0.50

33.172

112.311

(e)

Qaba Lookout

29/2/2000

store clothing
 قور بلبس

3.70
3.57
2.50
1.08
3.20
3.57
Ddk
2.0
1.25
Ddk
1.0
1.0
3.14
30.763
2.60
7.85
3.60
6.10
1.50
5.70
0.90
5.20
2.60
4.25
Ddk
0.50
1.0
Ddk
1.40
1.0

الكل
 جاني
 فلو

الحاجات

مكس

Ddk
0.50
0.50
3.14
Ddk
1.10
2.0
Ddk
1.80
0.50
3.10
2.55
Ddk
0.80
2.0
11.70
4.10
2.70
0.50
Ddk
1.20
0.70
1.20
1.75
1.20
1.10
0.90
1.0
8.10
1.0

داخلي

63.79

47.97

12.81

155.333

lookout Alqada

طوبى - حلف لغز

Block 10 cm
2 1/2

2 / 1.65
2.81

2 / 2.60
2.81

DK

1.0

2.20

21.585

21

2 / 2.70
2.81

2 / 1.90
2.81

DK

2.0

2.20

21.452

DK

1.90

2.81

DK

1.65

2.81

21.6

543