

1) Present condition of an existing Temascal in Pachum area

Improved points of Temascal

(a) Efficiency for heating a dome

[Present] Direct heating a dome with open fire.

[Proposed] Fire should burn in an iron box or small stove.

(b) Chimney

[Present] No chimney: Smoke fills up a dome during burning firewood. That why people cannot get inside during burning. They can take a bath only after extinguishing the fire. It not allow to take a bath continuously.

[Proposed] Installation of chimney. It allows person to enter a dome and take a bath during heating a dome simultaneously.

(c) Air ventilation


[Present] In some type of Temascal fire burns inside the Temascal and an entrance should be opened during heating in order to supply oxgen. Thus the hot air escape through the entrance with smoke to outside. It makes the low heating efficiency. [Proposed] The combustion box should face outside of the dome and the entrance should be closed during the burning firewood.


(d) Other trials

[Chimney for heating] The chimney bends and runs in the room in order to increase efficiency of heating the dome as much as possible.

[Conbination with improved stove] The chimney of improve stove should be connected to the chimney of Temascal, if the location of improved stove allows it. This helps to heat Temascal with smoke from the stove during cooking.

Made with adobe (sun-dried bricks)





THE MASTER PLAN STUDY ON SUSTAINABLE RURAL DEVELOPMENT FOR THE REDUCTION OF POVERTY IN THE CENTRAL HIGHLAND REGION OF THE REPUBLIC OF GUATEMALA


Japan International Cooperation Agency (JICA)

Figure 8.5.4 (1)


Points to be improved in Temascal (1/2)

3) Proposed Temascal (Type-2)

Use concrete block for Temascal and install an combustion box and chimney in it



4) Proposed Temascal (Selection of conbustion box)




Advantage	Materials can be obtained easily and economically Easy repairing	- Easy installation - High efficiency of heating
Disadvantag	e – Construction will take about 2days approx.	Purchase of the combustion box is not easy (should be made in city by a special order)
	- Low efficiency of heating	- High cost - Repairing is not easy

THE MASTER PLAN STUDY ON SUSTAINABLE RURAL DEVELOPMENT FOR THE REDUCTION OF POVERTY IN THE CENTRAL HIGHLAND REGION OF THE REPUBLIC OF GUATEMALA


Japan International Cooperation Agency (JICA)

Figure 8.5.4 (1)

Points to be improved in Temascal (2/2)




1) Unventilated Clamp Storage




2) Ventilated Clamp Storage

openings at the top of the heap



triangular air duct made of laths


3) Hole Storage in the Ground





THE MASTER PLAN STUDY ON SUSTAINABLE RURAL DEVELOPMENT FOR THE REDUCTION OF POVERTY IN THE CENTRAL HIGHLAND REGION OF THE REPUBLIC OF GUATEMALA

Japan International Cooperation Agency (JICA)

Figure 8.6.2(1)
Conceptual Diagram of Storage in Celler










THE MASTER PLAN STUDY ON SUSTAINABLE RURAL DEVELOPMENT FOR THE REDUCTION OF POVERTY IN THE CENTRAL HIGHLAND REGION OF THE REPUBLIC OF GUATEMALA


Japan International Cooperation Agency (JICA)


Figure 8.6.3 (2)
Proposed Cropping Pattern for
Irrigated Area Under Vinyl House in
Palestina de los Altos












- ① Waterproof Raincoat/ Delantal Impermeable
- ② Mask / Pnuelo humedo



3 Rubber Boots / Botas de hule




4 Rubber Gloves/ Guantes de hule

THE MASTER PLAN STUDY ON SUSTAINABLE RURAL DEVELOPMENT FOR THE REDUCTION OF POVERTY IN THE CENTRAL HIGHLAND REGION OF THE REPUBLIC OF GUATEMALA

Japan International Cooperation Agency (JICA)

Figure 8.6.6(2)

Alternative Protection Sets



Simple Toilet made with cement Letrina (Cemento)

THE MASTER PLAN STUDY ON SUSTAINABLE RURAL DEVELOPMENT FOR THE REDUCTION OF POVERTY IN THE CENTRAL HIGHLAND REGION OF THE REPUBLIC OF GUATEMALA

Figure 8.6.6(3)
Simple Toilets

Japan International Cooperation Agency (JICA)

