

- MOLLUSCA
- ANNELIDA
- ARTHROPODA
- ECHINODERMATA
- Others

species count





Figure 3.4.6(2) Result of the Survey on Benthos (Rainy Season)

July 31 - August 10, 2000

- CNIDARIA
- MOLLUSCA
- ANNELIDA
- ARTHROPODA
- CHAETOGNATHA
- CHORDATA
- Others

individuals/m³





Figure 3.4.7 Result of the Survey on Zooplankton Biomass by Individual Counts (Rainy Season)

July 31 - August 10, 2000




Figure 3.4.8 Result of the Survey on Benthos Biomass by Wet Weight (Rainy Season)

July 31 - August 10, 2000





Figure 3.4.9 Distribution of Benthos and Salinity (Rainy Season)




Figure 3.4.10(1) Distribution of Chlorophyll-a (Spring Tide, Dry Season)

Spring Tide : December 9 - 14, 2000




Figure 3.4.10(2) Distribution of Chlorophyll-a (Neap Tide, Dry Season)

Neap Tide : December 4 - 8, 2000




Figure 3.4.11 Distribution of Coliforms (Dry Season)

Neap Tide : December 4 - 8, 2000




Figure 3.4.12(1) Result of the Survey on Chlorophyll-a (Neap Tide, Dry Season)

Neap Tide : December 4 - 8, 2000