<u>PART II</u>

Data on Current Situation of Medical Equipment

Table of Contents

	ON CURRENT STATUS OF MEDICAL EQUIPMENT OBTAINED	
	I THE FACILITY SURVEY CONDUCTED BY THE JICA STUDY TE	
	eneral Description of Facilities and Equipment of Principal Health Fa	cilities C-II-1
1.2 D	ata of Survey on Health Services Available,	
М	ledical Equipment, Supplies and Staffing	
		the first section
	** * *********************************	
	List of Table	
Table 1-1	Situation of the Principal Facilities in Tikamgarh District	CILI
Table 1-2	Situation of the Principal Facilities in Damoh District	۱-۱۱-۵ د ۱۱ ۲
Table 1-2	Situation of the Principal Facilities in Sagar District	
Table 1-3	Situation of the Principal Facilities in Chhatarpur District	۱۱-۵-۱۱-۵ ۱۸ ۱۱ ۲
Table 1-4	Situation of the Principal Facilities in Panna District	
Table 1-6	Reproductive Health Service &	0-11-4
Table 1-0	Children Health Services Available:DAMOH	C 11 5
Table 1-7	Reproductive Health Service &	0-11-0
Table 1-7	Children Health Services Available:TIKAMGARH	CHE
Table 1-8	Reproductive Health Service &	
I abic 1-0	Children Health Services Available: CHHATARPUR	C 11.7
Table 1-9	Other Services Available: DAMOH	
Table 1-10	Other Services Available:DAMOH Other Services Available:TIKAMGARH	
Table 1-11		روبان ^ی ن ۱۱۵ امال
Table 1-11		
Table 1-12		
Table 1-14		C-II-12
Table 1-15		C-II-14
Table 1-16	Equipment Comparison Chart / CHC,B-PHC	C-II-17
Table 1-17		
Table 1-18		C-II-20
Table 1-19	Staffing Comparison Chart / S-PHC	C-II-21
Table 1-20		C-II-22
Table 1-21	Drug Kit Equipment Kit Standard Set	
	Contraceptives, Vaccines Supply:DAMOH	C-II-23
Table 1-22	2 Drug Kit, Equipment Kit, Standard Set,	
	Contraceptives, Vaccines Supply:TIKAMGARH	C-II-25
Table 1-23	B Drug Kit. Equipment Kit. Standard Set.	
	Contraceptives, Vaccines Supply:CHHATARPUR	C-II-27

1 DATA ON CURRENT STATUS OF MEDICAL EQUIPMENT OBTAINED FROM THE FACILITY SURVEY CONDUCTED BY THE JICA STUDY TEAM

1.1 General Description of Facilities and Equipment of Principal Health Facilities

Table 1-1 Situation of the Principal Facilities in Tikamgarh District

Facility	Condition
District	It has been operated since 1955, covering the Tikamgarh district of 800,000 of its population.
Hospital	All RCH, Children Services are conducted except blood transfusion. 2 X-rays 100MA and
	60mA are operated. Others, dental (the unit is in the 1950s), ENT, ophthalmic, laboratory,
	emergency (one ambulance). The minimum O.T. equipment is superannuated. No
	anesthetist; empty blood bank refrigerator. The I.C.U. room has barely a monitor and a bed,
	which is not operating. The ophthalmology department has a slit lamp, an ophthalmoscope,
	and an ophthalmologic operating microscope of India's made. The 10KVA generator is
<u> </u>	working.
CHC	Palera CHC is 65km northeast from Tikamgarh, or 15km to Chhatarpur district boundary.
	Started since 1963, it is a CHC covering 160,000 people. 8 beds will be added. EOC,
	Caesarian Delivery, blood transfusion of the RCH Services are not conducted. 35 per month of
	Normal delivery; others, minor surgery, ENT, Ophthalmic, X-ray, Laboratory, Pharmacy. The number of diagnoses in 2000 is 10,000.
	Neither anesthetic machine nor monitor for Minor Surgery can be found. All of them
	superannuated. Facility management is far from complete; vaccine carriers are thrown in a room.
SHC	Mathoal SHC is Unable to get prior information at CMHO, we found it was ruined after we reached the site.

Table 1-2 Situation of the Principal Facilities in Damoh District

Facility	Condition
District	As only one public hospital in the district, it covers a population of 600,000. The operation of
Hospital	the hospital had been started in 1954. It has departments of Gyne/Obstetrics, paediatric,
4.	surgery, dental, ophthalmic, X-ray, laboratory, ECG examination, emergency, and pharmacy.
	With 175 beds including 50 beds for RKS, the hospital provided services to 43,724 outpatients
100	(160/day) and 13,107 inpatients (46/day) last year.
	It covers all reproductive and child health care. There are 8~9 of normal deliveries and one
	caesarean section per day on average.
	The staffs are sufficient in terms of the number indicated in the staffing norm.
	Medical apparatus are insufficient.
	The hospital uses tap water. It has irregular power cuts: the voltage when we visited at AM
	9:50 was AC195V with constant fluctuation of ±10 %. (Nominal voltage :240V, the lower
and the second	bound within a ±10 % permissible point :216V, which makes impossible to disregard the
	influence to the apparatus for the lowering and the fluctuation of the voltage).
	It is not a suitable environment for a hospital with the old building, superannuated equipments,
	insufficient sweeper's work, patients' manners and the lack of hygiene mind of the doctors.
CHC	Hatta CHC is located around 37 km away from Damoh District Hospital, covering 185,000 of the
	district's population.
	The CHC possesses 2 ambulances and one jeep, and telephone service is available. It has 30
The state of the s	beds. It also has the department of X-ray, Dental, Emergency and Pharmacy.
	On average, there is one normal delivery per day at CHC. Caesarean section is not
	conducted. EOC and diagnosis and treatment of RTIs/STIs are not provided.
	They received Drug Kits and Equipment Kit from 1997 to 1999. Contraceptives are provided
	every month and vaccine provided every week.
	A "Store-in-charge" person takes register and manages the stocks.
	They take 3 films per day with the X-ray 60mA of Siemens, which had been used since 1981.
	Lack of medical equipment is the serious problem of the CHC.
S-PHC	Bansakala S-PHC is 30km away from the Damoh District Hospital without any hence of the
	facility; being the 2-storied-building (in local facility alone). It has a hand pomp well at the front.
	At sight it looks like a PHC, but does not have an X-ray or an O.T. equipment and there are no
	Normal Deliveries. Almost all rooms are vacant, without the function being accomplished as a
	S-PHC. We arrived at half past 12 but as it was closed, we called a staff living near. Electric
	voltage was AC205V at 12:40. It has a small pond near behind the facility.
SHC	Bakayan SHC is located 30km north from Damoh city. It is an Ayurvedic Dispensary of 2
	rooms rented from the Gram Panchayat Office. It has started since 1965. The staffs are 3,
	Ayurvedic Doctor, MPW and ANM. The average Normal Delivery conducted is 12 per month,
	and the diagnosis and treatment number of 2000 is 1,646. The village has electric service but
	not in the hospital.

Table 1-3 Situation of the Principal Facilities in Sagar District

Facility	Condition
District	The district hospital has a department and an ophthalmic department, whereas the other
Hospital	departments are separated, all scattered in the city. It is 100 years since the maternity and
	children department was established. A typical old building, with many one-storied-wards, has
	already superannuated. As it was built along a slope, it is difficult to move within the hospital or
	to access to the hospital. We have omit the details of the hospital as it had been mentioned in
	the preliminary study report. The water level of the underground water is getting lower in the
	Sagar district, which is making a serious water problem in the whole district. They draw water
	from a city pond and deliver water to each place with a tank lorry. However, the water is so dirty
	as buffaloes got in and laundries have used.
	The new district hospital, which had been separated from the obstetrics and gynaecology 28
	years before, consists of the management department, X-ray department (each one Siemens
	300mA, 160mA), a laboratory, blood bank, O.T., ICU, Dental, wards and the pharmacy of the Red
	Cross Society.
CHC	Deori CHC is It is located 65 km west the main trunk road from Sagar. It covers 153,000 people.
	3 doctors consult every day, with staffs of 30, including a compounder. 20 normal deliveries per
	month, 860 minor surgeries, 100~125 X-rays per month and other Labo. EXT etc. No dental.
	The reliable sight of the coordinated work of the 3 gentle doctors is now getting trust from the
<u> </u>	patients. A good model of CHC. 30 beds available.
SHC	Barcoti SHC is 40kms westward from Sagar city. Opened in 1998, it covers 10,000 people of
	the village. The building has a type of S-PHC, but does not have any OT part. The staffs are 7
	with MO, compounder, LHV, a dresser, a ward boy, a waterman and a sweeper. They have no
	more than a sterilizer instrument or a sterilizer can for equipments. No normal delivery is
	conducted. The monthly contraceptive distributions consist of family planning and twice a week,
	vaccine doses. No power at 15:00 because of irregular power cut.

Table 1-4 Situation of the Principal Facilities in Chhatarpur District

Facility	Condition
District	A hospital of 2-storied building faced in front of the shopping street with traffic restriction. The
Hospital	2nd floor is mainly for wards, including Red Cross office, burn ward, general ward, and VIP ward.
	An ophthalmic ward by the World Bank has been completed in August 2000. There are also
	surgical, paediatric, maternity, private female ward, and isolation ward in the 148 beds.
	No one takes care even if floor-cleaning-sewage from the 2nd floor pours into the courtyard.
	There being 240V at 11:50, the electricity was immediately cut off. The only ambulance is one
	that the Red Cross Society possesses.
	The hospital covers the 1,100,000 people of the Chhatarpur District, numbering 121,290
	outpatients and 17,870 inpatients. It has been operated since 1940. In the right side of the main
	entrance there used to be a part of the post office, and now getting rough, worsening the hospital
	uncleanness. It is said that actually this area is completely out of the hospital management due
	to be under control of the post office.
S-PHC	Maharajpur S-PHC is 20km from the heart of the Chhatarpur District. The roads to the north is
	fairly good, however, the condition of eastward bypath from the trunk line road is very bad. It took
	us 40 minutes by car. The S-PHC has been operated since 1950, covering the population of
	23,000. The staffs are a doctor, 2 ANMs, a LHV, 5 supervisors, a ward boy and others 4; making
	13 in total.
•	What we have to make mention of is the S-PHC female doctor doing her best to improve the
	conditions of the facility. They enclose the facility with block walls to shut out animals. They
	pull water with an electric pomp from a well in the front yard into the facility, and furnigate
	constantly. They take medical statistics, but it is quite pitiful to know that the sheets they are
	using are the backsides of some ads. They do not have any copy machine, so unluckily we
-	could not get a copy of them. In the delivery room, no apparatus was found except from a
	delivery table. A new part of the building is under construction
SHC	Munderi SHC is located 60km northeast from Chhatarpur city, it took as more than 3 hours for the
	terrible road condition. Operated since 1973, it covers 8,000. The staffs are 8 with a doctor, a
	compounder, NMA, ANM, LHV, MPW, a sweeper and a ward boy. They conduct 6 normal
	deliveries per month. The patients of 2000 were 2,758. The only equipments are the Kit G and
	I. No electricity.

Table 1-5 Situation of the Principal Facilities in Panna District

Facility	Condition
District	The 1962-founded hospital covers 800,000 with 132 beds. The outpatients were 57,250 and the
Hospital	inpatients 9,424 in 2000. 250 normal deliveries, 26 major operations, 25 minors and 250 X-ray
	per month have been conducted. Other departments as dental, ENT, laboratory, emergency are
	functioning. It is comparatively clean because they shut out animals with fences. The X-ray
	100mA of GE has been used since 1980.
	A District Training Centre by UNFPA is under construction in front of the hospital.
B-PHC	Devendra Nagar B-PHC is located 20km east from Panna. With a 40-year construction, it
	covers 150,000 people of the region. With telephones, 6 beds; 2 in the corridor. Having an
	X-ray of GE, they do not have a technician who may handle it. The patients numbered 6,000 in
	2,000. A patient bitten by a snake was being examined. There are a lot of flies because of the
	market in front of the facility. And, medical wastes such as injections and absorbent cottons
	were thrown away in the front yard. They have 1 jeep. They were doing some training for Male
	Health Worker in the facility.
SHC	Banheri SHC is 55 km north from Panna. The access road conditions were terrible. Staffs of
	2, MPW and ANM. 25 normal deliveries per month. It has been operated since 1970. It
	covers the Banheri Village of 7,000 people. They pull in water with an electric pump into the
	facility from a well in the site. It is a rare example for an SHC. The voltage showed 145V at
	18:05. It was kept, including the toilet, comparatively clean. Water availability may be the big
	factor.

1.2 Data of Suevey on Health Services Available, Medical Equipment, Supplies and Staffing

Table 1-6 Reproductive Health Se	vice	s & C	hildr	en H	ealt	h Se	rvic	es A	vaile	able:	DA	MOH	1		0	: Ava	ilable		×	: Not	Avai	lable
Services:	βp.	CHC]	3-PH(С			S-PHO	2							SI	I C		:			
	District Hosp.	Hatta	Hindoria	Patharia	Tendukhera	Bansakala	Kumhari	Madiyado	Ranch	Abhana	Kanti	Pali	Sarra	Tejgarh	Banvar	Bhajia	Abhana	Singrampur	Nohta	Bhata	Вапѕа	Bakayan
Reproductive health						L																
1 Emergency Obstetric Care (EOC)	Ö	×	×	×	×	×	×	×	×	0	×	×	×	×	×	×	×	×	×	×	×	×
2 Caesarian section (non-emergency)	O.	×	×	×	×	×	×	×	×	×	×	×	×	×	ж	×	×	×	ж	×	×	×
3 Surgical family planning (sterilization, IUD,etc.)	0			0	0	0	0	0		0	×	×	0	0	×	: x	×	×	×	×	×	×
4 Side effects of family planning	O	0	*	0	0	*	O	骨件	N.	TO I	×	×	0	0	×	×	×	×	×	×	×	×
5 Symptomatic diagnosis & treatment for RTIs/STIs	O	0	×	Ο,	0	×	×	×	0	×	× .	×	×	×	×	×	×	×	×	×	×	×
6 Laboratory diagnosis for RTIs/STIs	O:	×			\circ	×					×	×	×	×	×	×	×	×	×	×	×	×
7 Medical Termination of Pregnancy (MTP)	0	0	×		О	O		9	×		×	×	×	×	×	×	×	· ×	×	×	×	×
8 Treatment for abortion spontaneous or induced	О	0		O	0		Ó		0	k	×	×	×	×	×	×	×	×	×	×	х	×
9 Blood smears for malaria	0	0	0	0	0	0	O	Ö	0	事情	0	O	0	0	×	O	×	0	0	0.	×	×
10 Antenatal care	O	0	0	0	0	0	10	0	0	10-1	0	0	×	¥	×	O	*	0	0	0		×
11 Postnatal care	<u></u> O.	0	0	0	0	×	0	Q	0	X.	О	O	×	×	×	×		O	O	×	×	×
Non-surgical family planning (condom,pill,etc.)	О	0	O	0	0	o	0	Ö	0	Ö.	0	O	Ο	О	Ó	О	O	O	О	O	O	O
13 Counseling on family planning	0	0	× .	0	٥		0	郭建	O.	I O	O	k	0	0	0	0	0	О	0	0	0	Ö
14 Normal delivery	:0:	0	Ø	0	0		K)	Ol		O	0	0	0	O	О	0	0	0	0	0	0	0
15 24 hours delivery	O:	0	\circ	0			0	0	0		Ö	0	0	×	×	*	¥		0	¥	Я	О
16 Blood transfusion	:O:	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
17 Pregnancy Test	Ö.	×	×	×	×	×	×	×	×	×	×	×	×	×	×	ж	×	×	×	×	×	×
Children health																						
18 Acute Respiratory Infections (ARIs)	Ö	0	×	0	×	×	×	×	0	×	×	×	×	×	×	×	×	×	×	×	×	×
19 Diarrhea	Ö	0	× .			X.			Ó	0	×	×	0	O	×	×	0	×	×	×	×	×
20 High risk newborn	0	0	×	0	0	×	×	×	×	×	×	×	×	х	×	×	0	×	×	×	×	×
21 Growth monitoring	Ö	0	×	×	0	×	×	×	0	0	×	×	0	0	0	×	0	ж	×	×	×	0
22 Immunization	\odot	0		0	0	X	Ō	0	O	O	О	0	0	O	0	*	0	х	×	O	0:	0

The services to be provided by RCH Services Norms / Data Source : Ministry of Health & Family Welfare (1999) Bullettn on Rural Health Statistics in India.

Table 1-7 Reproductive Health Services & Children Health Services Available: TIKAMGARH

Ser	vices :			СНС		B- PH			S-P	НС						٠.	····		SI	НC						
		District	Palera	Niwari	Baldevgarh	Badagaon	Hata	Simra	Orcha	Deogada	Mohangarh	Aston	Simra Khurd	Landwari	Dewarda	Тћопа	Simra	Gailwara	Orcha	Karguan	Satguan	Chandera	Darguan	Kundeshwar	Khiriya	Aston
Re	productive health																									
	Emergency Obstetric Care (EOC)	0	×	×	×		×	×	×	×	×	×	×	х	×	×	×	×	×	×	×	×	0	×	×	×
2	Caesarian section (non-emergency)	0	×	×	х	×	×	×	×	×	×	х.	×	×	х	×	×	×	×	×	×	×	×	×	×	×
3	Surgical family planning (sterilization, IUD,etc.)	O	0	0	.0	O	O			\mathbf{O}^{\dagger}		×	0	0	0	0	×	0	×	×	×	0	0	×	×	×
4	Side effects of family planning	O	0	0	0	0			李丰	O.	N.	¥	0	0	0	0	×	0	×	×	×	0	0	×	×	×
5	Symptomatic diagnosis & treatment for RTIs/STIs	Ö	0	0	0	Φ	×	×	×	×	× .	×	×	×	×	. ×	· ×	×	×	×	×	×	×	×	×	×
6	Laboratory diagnosis for RTIs/STIs	0	0	0	×			繫縮				4	×	×	×	×	×	×	×	×	×	×	×	×	×	×
7	Medical Termination of Pregnancy (MTP)	O	0	×	×		×			-O-	×		×	×	×	×	×	×	×	×	×	×	×	×	×	×
8	Treatment for abortion spontaneous or induced	О	0	×	×		×	O.	X	Ö.			×	×	×	×	×	×	×	.×	×	×	×	×	×	×
9	Blood smears for malaria	0	0	0	0	0		Ď		O.	0	O.	0	Q	0	O	0	О	0	O	0	0	0	0	0	0
10	Antenatal care	0:	0	0	0		O	14	ro!	O	Ō	0	0	0	0	O	0	Ō	Ο	O	O	O	0	Ф	O	0
11	Postnatal care	0	0	0	0		O	10	O	O	Ö	Φ	0	0	O.	0	0	О	O	0	0	O	0	Ō	O.	О
12	Non-surgical family planning (condom,pill,etc.)	Ō	0	.0	0	0	O,	0	O	9	0	0	Ο	О	О	О	0	0	0	О	О	О	0	О	0	0
	Counseling on family planning	0	0	0	0	0	O	0	O	0	O	0	0	0	O.	O	\circ	Q	0	0	O	О	0	Ö		0
	Normal delivery	Ö:	0	0	.0		O	Θ	Ø		0	0		Ó	O	O	\circ	0	O	O		0	Ö	О		O
	24 hours delivery	Ō	0	0	의	0	O	0	Ø	(C)	0	0	0	0	0	0	0	0	×	0		0	0	0	0	0
	Blood transfusion	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	ж	×	×	×	×	×	×	×	×
	Pregnancy Test	0	×	×	. ×	_×_	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
1	ildren health						L																			L1
	Acute Respiratory Infections (ARIs)	0:	0	0	0	0	0	×	×	×	×	×	×	×	×	×	ж	×	×	×	×	0	×	×	×	×
<u> </u>	Diamhea	0		0	Ö			**		O:	3	X		0		Ō	×			100	×	O		х		. *
	High risk newborn	0	×	Ю	0	<u> </u>	0	×	×	<u> </u>	×	×	Q	×	×	0	×	×	×	×	×	0	0	×	*	*
	Growth monitoring	O	Q	Ю	0		×	×	×	×	×	×	O.	0	×	0	×	×	×	×	×	Q	<u>Q</u>	×	×	×
22	Immunization	0	0	0	0	0	O	0	0	0	Φ	0	Ο.	0	Ο.	O	O	O	0	О	×	0	0	Ω	O	O

The services to be provided by RCH Services Norms / Data Source : Ministry of Health & Family Welfare (1999) Bullettn on Rural Health Statistics in India.

Table 1-8 Reproductive Health Services & Children Health Services Available: CHHATARPUR

				. 1	СНН	ATAI	RPUR								-	P	ANN										S		.R				
	sp.	СНС	B- PH	. ;	S-PHO	5			SHC			Sp.	СНС	B- PH		S-PHO	2			SHC			sp.	СНС	B- PH		S-PH	C ,			SHC		
Services:	District Hosp.	Badamalhara	Laudi	Maharajpur	Khadeha	Ramtoria	Munderi	Gadeha	Weeron	Basari	Ramtoria	District Hosp.	Amanganj	Devendra Nagar	Simaria	Dharampura	Saleha	Paderi	Banheri	Murach	Majhgawan	Bagwar	District Hosp.	Devri	Rahatgarh	Rajwans	Maharajpur	Barodiya Kalan	Talchiri	Pararai	Barkoti	Chulla	Kalan
Reproductive health		Ι																									}						_
1 Emergency Obstetric Care (EOC)	0	×	×	×	×	×	×	×	×	×	×	0	×	0	×	×	×	×	×	×	×	×	0	×	×	×	×	×	×	×	×	×	×
2 Caesarian section (non-emergency)	0	×	×	×	×	×	×	×	×	×	×	0	×	×	×	×	×	×	×	×	×	×	0	×	×	×	×	×	×	×	×	×	×
3 Surgical family planning (sterilization, IUD,ctc.)	0.	0	0	0	0	×	0	0	×	0	×	0	×	Ö	×	0	Ö	0	0	×	×	×	0	0	×	×	×	×	0	×	×	×	×
4 Side effects of family planning	0	0	10	Ö	0	×	0	0	×	0	×	0	×	0	×	0	\circ	Ō	0	×	×	×		0	×	×	0	×	0	×	×	×	×
5 Symptomatic diagnosis & treatment for RTIs/STIs	0	0	0	0	×	×	0	×	×	0	×	0	0	0	×	×	0	×	×	×	×	×	0	0	0	×	×	×	×	×	×	×	×
6 Laboratory diagnosis for RTIs/STIs	.0	×	×	×	×	×	0	×	×	0	×	0	0	0	××	×	×	×	×	×	×	×	0	0	×	×	×	Χ.	×	×	×	×	×
7 Medical Termination of Pregnancy (MTP)	0	×	0	0.	×	×	×	×	· ×	×	×	0	×	×	×	×	×	×	×	×	×	×	0	0	×	×	×	×	×	×	×	×	×
8 Treatment for abortion spontaneous or induced	0	×	0	0	×	×	×	×	ж	×	×	0	×	×	×	×	:5 P	×	×	×	×	×	0	0	×	×	×	×	×	×	×	×	×
9 Blood smears for malaria	O	0	0	0	0	O	0	0	0	.0	0	0	ि	0	0	0	O		0	0	0	0	0	0		0	×	0	0	×	×	х	0
10 Antenatal care	0	0		0	0	0	0	0	0	0	0	0	0	0	O		0	0	0	0	0	0	0	$\overline{\circ}$	0	O	×	0	×	×	×	×	ਰ
11 Postnatal care	0	0		0	.0	0	0	0	0	.0.	0	0	0	0	0	0	0	0	0	0	0.	0	0	0	0	0	. ×	0	×	×	×	×	0
Non-surgical family planning (condom,pill,etc.)	0	0	0	0	0	0.	0	0	0	0	0	O	0	0	0	0	0	0	0	O.	0	0.	0	0	0	Ö	Ó	O	0	0	0	0	0
13 Counseling on family planning	0	Ö	0	0	0.	0	0	0.	0	0	0	0	0	0	Ö.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14 Normal delivery	0	0	0	0	0	0	0	0	0	0				0	0	0	0	0	0	0	0	0	Ō	0	0	0	×	P ()	0	0	×	0	0
15 24 hours delivery	0	\circ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	×	O	0	×	×	0	0
16 Blood transfusion	0	×	×	×	×	_×	×	×	×	×	_ ×	×	×	×	×	×	×	×	×	×	×	×	0	×	×	×	×	×	×	×	×	×	×
17 Pregnancy Test	0	×	×	×	×	×	×	х	×	×	×	×	×	×	×	×	×	×	×	×	×	×	0	×	×	×	×	×	×	×	×	×	×
Children health													<u> </u>														[<u> </u>					
18 Acute Respiratory Infections (ARIs)	Q	0	Q	0	×	_×		×	0	0	_ × _	0	_×_	0	0	×	0	×	×	×	×	×	0	0	0	×	×	×	×	×	×	×	×
19 Diarrhea	0	0	0	0	0		0	으	0	0	×	0	×	0		0	0	0	0	×	×	. ×	0	0	0	×	×	×	0	×	×	×	×
20 High risk newborn	0	0	0	0	0	<u> </u>	0	0	×	×	×	0	×	O	×	0	0	0	0	×	×	×	0	0	×	×	×	×	×	×	×	×	<u>×</u>
21 Growth monitoring	Ō	0	×	0	0	×	0	0	×	0	×	0	×	0	×	0	0	9	0				0	0	×	×	×	×	0	×	×	×	×
22 Immunization	0	0	0	0	×	0	0	0	0	Ο.	0	0	×	0	×	0	0	0	0	0	0		0	0	0	0	×	0	0	\circ	×	0	0

The services to be provided by RCH Services Norms / Data Source : Ministry of Health & Family Welfare (1999) Bullettn on Rural Health Statistics in India.

Table 1-9 Other Services A	valiable. DA	CHC	ī.	B-PHC		il		S-PHC			г—						anaoic ac	×: N	OL AVA	iaoic	-, 1	10 D
Services:	District	Hatta	Hindoria	Patharia 4	Tendukhera	Bansakala	Kumhari	Madiyado 4	Ranch	Abhana	Kanti	Pali	Sarra	Tejgarh	Banvar	Bhajia	Abhana	Singrampur	Nohta	Bhata	Bansa	
ther Services								T														1
* Gyne / Obstetrics Normal Deliv	December 2000	ug.	×	×	×	×	×	×	×			80 ×	×	×	×	×	×	×	×	Ý	×	
* Pediatric		80	×	×	×		×	×	×	×	×	×	o.	₩ ⊘ ₩	×	*	×	×	×	×	×	-
23 General ward	× ×	Ö		×	808		×	×	×	· ×	×	×	×	*	×	×	×	×	×	×	×	1-
24 Surgery	80	Ö	<u>×</u>	×	×	× ×	×	×	×	×	×	×	×	×	×	<u> </u>	×	× ×	*	×	×	+
25 Isolation	- Tä	× ×	 	×	×	- <u>-</u> -	×	×	×	×	<u>×</u>	×	× -	×	×	×	×	×	*	×	×	+
26 Internal		× ×	 -	×	×		*	×	×	×	×	×	×	x	×	×	*	× ×	*	×	×	+-
27 Dental			 -	×	×	×	×	×	× ×	×	×	×	×	×	×	×	×	×	×	×	×	╁╌
		× ×	 		×		<u> </u>	×	- ×	×		×	×	×	×	×	×	- <u>~</u>	×	×	×	+-
) <u>-</u> -	- <u>*</u>		- <u>-</u> -	×	 		×		×			×	×	×	 	×	×	×	┾
29 Ophthalmic	×		- -	×		╟╼╤╾	×	 	- <u>*</u>	×	×	×	<u>~</u>		×	×	×	- -	×	×	÷	÷
30 Rehabilitation / Physiotherapy		11	} 			/ / -	<u> </u>	 	ļ	×	÷	 						}				t
31 Radiology	0.0	0	<u> </u>	.O.	⊗ O⊗		<u> </u>	×	×		<u> </u>	×	×	×	×	×	×	*	×	×	×	+-
Functional Examination (Ultrasour EEG, Endoscope etc.)	d, ECG, C ECG	ECG.	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	× ·	×	
33 Laboratory	×	×	*	×	×	×	×	×	× .	×	×	×	×	×	×	×	×	×	×	*	×	Т
34 I.C.U. (Intensive Care Unit)	×	×	×	× .	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	Т
35 Emergency (Ambulance)		808	×	×	×.	×	×	×	×	×	×	×	ж	×	×	×	×	×	×	×	ж	
36 Blood Bank	×	×	×	×	,×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	1
37 C.S.S.D.(Sterilization)		×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	1
38 Pharmacy	- 0	808	***	×	×	000	×		×	×	×	×	×	×	×	×	×	×	×	×	o	1-
39 Maintenance Work Shop	× ×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	*	×	×	×	×	×	╄
40 Administration		× ×		×	×	×	×	×	×	×.	×	ж	×	×	×	×	. ×	- ×	×	×	×	╁
41 Laundry		×	÷	×	×	×	×	×	×	× .	×		×	×	×	×	×	· *	×	×	×	╄
12 Kitchen	- ×	×	 	×	×	×		×	×	×	×	`	×	<u>*</u>	×	×	×		×	×	×	╁
			!	×	×	×	×	×	×	\vdash	×	×		×	×	х	×		×		 	╁
13 Morgue	, ж	×	×	·		× ×		<u> </u>		×			×					×		×	×	_
14 Mobil System	*	×	× ×	. ×	×	<u> </u>	×	×	*	×	×	×	ж.	×	×	×	×	×	×	. *	*	╀
15 Referral System: To			1,500		300	300	20		2,000	225	50	180	93	379	400	200		50	30	200		-1
in 1999 From		<u> </u>	2,000	125		<u> </u>	-	-		1,120	0	0	0	0	0	0	<u> </u>	0	0	0		↓_
16 No. of Beds	175	30	6		- 6	12	6	6	0	0	×	×	×	×	×	×	×	×	×	×	×	+
17 Average length of stay (days)	3 - 5	. 2	2		2-3	<u> </u>	2hs	2											-	-		<u> </u>
18 Bed occupancy rate (%)		90	90		85			10	-	-	-		-				-		-	_	-	_
19 No. of Patient Out-patient	43,724	l		12,000		6,500	4,000		15,697	2,096	220	500	1,225	3,295	1,215	300	1,901	1,000	600	500		1
in 2000 In-patient	13,107			-	-	0	0		0	0	0	0	0	0	0	0	0	0	0	C	0	1
O Population coverage	0.6M	.185M	25,000	.146M	.127M	20,000	-	33,000	75,000	30,000	5,000	3,000	5,000	6,500	6,000	3,750	5,000	4,500	6,000	3,739	5,000	10
No. of Toilets	3	2	1	×	2	4	3	×	×	1	×	×	×	×	×	×	×	×	×	×	×	
2 Water supply	0	H.P	H.P	×	H.P	H.P	H.P	×	×	B.W	H.P	H.P	H.P	H.P	B.W	H.P	B.W	B.W	B.W	H.P	H.P	I
3 Electric supply: No									0									0				1
Yes: Norma								i														
Irregula		0	0	0	0	0	0			0	0	0	_	0	ᇹ	0	0		0	ᇹ	0	
Voltage	195v	P.C.	P.C.	185v	P.C	205v	150v	P.C.		120v	P.C.	P.C.	155v	P.C.	P.C.	P.C.	P.C.	×	P.C.	P.C.	P.C.	1-

H.P: Hand Pump B.W: Bore Well

P.C.: Power Cut at Measuring Time

M: Million

Table 1-10 Otner	Services Available	: TIKA	MGARI	-						•									O: Av	ailable	× N	ot Avai	lable
		a a	СНС	-	B- PHC				S-PHC							-		SI	HC				
Service	District	Patera	Niwari	Baldevgarh	Badagaon	Hata	Simra	Orcha	Deogada	Mohangarh	Aston	Simra Khurd	Landwari	Dewarda	Thoma	Simra	Gailwara	Orcha	Karguan	Satguan	Chandera	Darguan	Kundeshwar
Other Services		۵.	2	‴	-	=	ο .	. •	μ.	2	₹.	S		. 12		ς.	0.	٥	~	S.		۵ ا	36
	rmal Delivery		1000		0.	0	0	0				0	0	0	***	***							×0
C	rma) Delivery Esarian delivery	⊗ K	1 3	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
+ Pediatric	0.0		W 0 W	0		×	*	ж	×	×	×	×	×	×	×	×	×	×	×	×	(O)	×	×
23 General ward			0	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	*	×
24 Surgery	0		0	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
25 Isolation	×	×	×	×	×	×	×	×	×	× .	×	×	×	×	×	×	×	×	×	*	×	×	×
26 Internal	00	× ×		×	×	×	×	×	×	×	ж.	×	×	×	×	×	×	×	*	×	×	*	×
27 Dental	0	×	1000	×	×	× .	×	×	× .	*	×	×	×	×	и	×	×	×	×	×	×	*	×
28 ENT(Ear NoscThroat)	0	0		×	×	×	*	×	×	×	×	×	×	×	×	×	×	×	×	×	ж	×	×
29 Ophthalmic	00	0	O	×	×	×	ж	×	ж.	×	×	×	×	×	×	×	×	×	×	×	×	×	×
30 Rehabilitation / Physiot	erapy ×	×	×	×	×	×	×	×	ж	×	×	×	×	×	×	×	×	×	×	×	×	*	×
31 Radiology	(C)	8 8.Q8	O	×	(C)	×	×	×	×	×	×	×	×	×	×	×	¥	×	×	×	×	×	×
32 (Ultrasound, ECG, EEC	EGG	×	O ECC	×	×	×	×	ж.	*	×	. х	×	*	ж	×.	×	ж -	×	×	×	×	×	×
J3 Laboratory			0	×		×	×	×	×	×	×	\ <u>*</u>	- - {	×	× 1	×	×	×	×	×	×	×	×
34 I.C.U. (Intensive Care U		×	×	×	×	×	*	×	×	×	Я	×	×	×	×	×	×	×	×	×	×	*	×
35 Emergency (Ambulance			×	×	×	×	× ×	×	×	×	×	×	×	×	×	×	*	×	×	×	×	×	×
36 Blood Bank			×	×	×	× -	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	— <u>-</u>
37 C.S.S.D.(Sterifization)	ж		0	×	×	<u> </u>	×		×	×	×	×	×	×	×	×	×	×	У	×	×	×	×
38 Pharmacy		al Š		×	×	× ×	× ×	×	×	<u> </u>		×	-	- ×	×	×	×	×	×	×	-	×	×
39 Maintenance Work Sho		M (201)	×	*	×	×	×	×	× ×	×	× ×	×	×	×	×	×	×		×	×	×	×	×
40 Administration	80			0	- TO	<u>, , , , , , , , , , , , , , , , , , , </u>	*	*	<u> </u>	×	×	×	×	×	*	×	×	×	×	×	-	×	×
41 Laundry	Č	SI ×	×	×	×	- X	× -	×	×	×		×	,	<u> </u>		×	×	×	×	×	×	*	×
42 Kitchen	O.			×	×		×	×	× ×	×	- -	- -	×	<u>×</u>	-	×	×	×	×	×	×	×	×
43 Morgue	×	[∞]		×	×		×		×	×		<u> </u>	i			- `	×	×	×	×	×	<u>×</u>	×
	·····		0	1	i 	1		×	× ×			├	l	×	×				1		 		_ <u>*</u>
44 Mobil System	×	×	0	*	×	×	× 200	× 50	<u> </u>	×	×	×	×	×	×	×	×	×	×	×	× 470	*	
45 Referral System: To		13.			331	i	200	50		200	1,300	130	·—-	285	270	50	375		1	(i——i	8	1
in 1999 Fr 46 No. of Beds		1,300		ļ.:	<u> </u>	- -		<u> </u>	-	<u> </u>		0	0	······································	0	0	0	0	·	의	0	- (
	13				16		×	8	- 8	×	7	×	× .	×	×	×	× .	×	×	×	×		*
47 Average length of stay		90 25			 	1.5	× ×	110		× ×	×	×	×	×	*	×	*	×	×	*	×	× ×	×
48 Bed occupancy rate (%								1.1			× 12.600	×	×		×	×		×	×	× 1000	×	919	
49 No. of Patient Or					5,890		5,000	8,287	18,000	10,000	13,600	_			2,794	3,000			·	1,000		919	1,5
in 2000 In	11,31				45	0	0	0	Ų	J	0	<u> </u>	l Vi	0	0	0	0	0		1 2000	0	- 000	
50 Population coverage	0.8	M 0.16M	0.138M),189M	0.12M	5,000	30,000	20,000	25,000	50,000	23,000	5,500	5,500	6,000	5,500	9,000	7,000		3,113		8/181	3,000	9,9
51 No. of Toilets			5	2	1 2	i	1	2	4	. ×	2	1	I	1	!		2		<u> </u>	2	, ·	2	
52 Water supply		B.W	H.P.	B.W	*	B.W	H.P	H.P	×	×	×	H.P	H.P	<u>*</u>	H.P	×	H.P	H.P	H.P	H.P	H.P	<u>*</u>	Н.
53 Electric supply: No Ye	s: Normal	-						- -					<u></u>									0	
	Irregular 🔘	0	0	0	0	0	$\overline{}$	0	0	0	0	0	0	0	0	0	×	0	0	×	0	×	Ö
Ve	tage P.C.	P.C.	180v	180v	180v	P.C.	P.C.	P.C.	P.C.	P.C.	P.C.	P.C.	P.C.	P.C.	P.C.	P.C.	×	P.C.	P.C.	×	P.C.	×	P.(

Table 1-11 Other Services Available: CHHATARPUR

Or Available x: Not Available: No Data

Table 1-11 Other Services Av	alla	bie:	CH	ПАІ								· · ·														U				t Ava	ilable	:: 140	Da
!						ATAR	PUR					<u> </u>		,	,,		ANNA	\					ļ,			,,		AGAF	ξ				
	٠.	CHC	B-PHC	<u> </u>	S-PHO	Ç :	ļ	,	SHC			ان	СНС	B-PHC	<u> </u>	S-PHO	<u> </u>			SHC			ان	СНС	B-PHC	II	S-PHO	<u> </u>	 	,	SHC		_
Services:	District Hosp.	Badamalhara	Laudi	Maharajpur	Khadeha	Ramtoria	Munderi	Gadeha	Weeron	Basari	Ramtoria	District Hosp	Amanganj	Devendra Nagar	Simaria	Dharampura	Saleha	Paderi	Banberi	Murach	Majhgawan	Bagwar	District Hosp.	Devri	Rahatgarh	Rajwans	Maharajpur	Barodiya Kalan	Talchiri	Pararai	Barkoti	Chulla	Khatora
ther Services	<u></u>			<u> </u>				1	ļ						1	ļ		<u> </u>						Ш		<u> </u>	<u> </u>						L
* Gyne / Obstetrics Normal Delivery Caesarian delivery	00	×	©	٠ ن	×	×	Q.	×	×	0 ×	_ <u>_</u>	Ö	201 *	Ç.	Ç.	×	×	×	×	×	×	×	0.0	×	×	×	×	×		9.	* *	(Q)	ļ.,
* Pediatric) Dio		O	0	×	×	0	×	×	O.	<u> </u>	0	×		<u> </u>	0	0		<u> </u>	×	<u> </u>	_ <u>*</u>	Θ.	LQ.	×	×	×	×	×	×	×	×	ļ.,
23 General ward	ட	<u> </u>		×	×	×	×	×	×	× .	_ <u>`</u>	0		×	<u> *</u>	×	*	×	×	×	×	×	0	O.	×	<u>*</u>	*	×	*	×	<u> </u>	×	;
24 Surgery			×	O	×	×	×	×	×	×	_*_{	O	Ľ		<u> </u>	×	0	×	×	×	×	<u>*</u>	2	0	<u>*</u> _	×	*	×	×	*	×	×	١.,
25 Isolation	0	<u>*</u>	× ×	_×	×	×	<u>*</u>	×	×	×		0	. ×	×	Н.	×	*		×	×	×	*	0	S	×	×	×	×	×	×	×	×	,
26 Internal	×		*	×	Х	×	×	×	×	×	<u> </u>	O.	× ×	×	×	×	×	×	×	×	<u>*</u>	*	<u></u>	×	×	×	×	×	×	×	× ×	×	2
27 Dental	0		*	×	×	× ×	×	×	* *	×	~	ଠାର	×	* *	×	×	×	× ×	×	×	× ×	× ×	0	×	×	×	×	×	×	×.	<u> </u>	×	-
28 ENT(Ear NoseThroat)	0	×	* *	× ×	×	×	×	×	×	×	-	Ö	×		<u>*</u>	× ·	×	├ `	×	×	× ×	×	0	×	×	* *	×	×	×	×	×	×	-
29 Ophthalmic	×	<u>*</u>	×	×	У	×	×	×	×	*	х.	×	×	300 Sec.	×	×	×	×	Î	×	×	×	****	×	×	×.	+÷	×	×	×	*	×	-
30 Rehabilitation / Physiotherapy	Ó	0.			×	×	×	×	×	×	×	8	Ó	: O	-	×	×	×	×	×	×	×	Ö	0		0	×	×	×	×	×	×	
31 Radiology Tunctional Examination 32 (Ultrasound, ECG, EEG,	*	K K	×	<u>~</u>	×	×	· ×	×	×	×	×	0	×	*	<u> </u>	ж	×	×	×	×	×	×	Ö	×	*	×	×	×	×	×	×	×	
Sadorcopa etc.)		 -	*********	 	-			<u> </u>	ļ		—-	ecc		222402	! -	000000			000000				ECG		}	<u> </u>	ļ	<u> </u>	 -				Ļ
33 Laboratory	0	··×	@O	×	×	×	×	ж	*	(O)	×	0	×	(O)	×		0		*O*	×	×	×	C	0	×	*	×	×	×	×	*	×	1
34 I.C.U. (Intensive Care Unit)	×	<u>*</u>	×	×	×	×	×	×	×	×	×	0	×	×	×	×	×	×	*	×	×	×	0	×	×	×	×	×	×	×	×	×	L
35 Emergency (Ambulance)	0	×	×	×	×	×	×	×	×	×	×	0	×	*	×	ж	×	×	×	×	×	×	0	: *	×	×	×	×	×	×	. *	×	L
36 Blood Bank	<u> </u>	×	×	×	×	×	×	и	×	×	×	×	×	*	<u></u>	×	×	×	· ×	×	×	×	C.	×	*	×	×	×	×	×	×	×	Ļ
37 C.S.S.D.(Sterilization)	×	<u>×</u>	⊗ O⊗	O.	×	×	×	×	×	*	×	0	×	Q.	<u> </u>	×	Q.		000	×	×	×	0	×	×	×	×	×	*	×	×	×	1
38 Pharmacy	0	×	800×	::O::	×	×	800	×	×	80x	. ж	0	χ.	<u> </u>	<u>*</u>	×	0	×	×	×	×	×	800	×	×	×	×	×	×	*	×_	×	Ļ
39 Maintenance Work Shop	×	,	×	×	×	×	×	×	×	. × .	_×	×	×	×	<u> </u>	×	*	×	*	×	×	×	×	×	×	<u>×</u>	×	×	×	×	×	×	_
40 Administration	O.	<u> </u>	× ·	×	×	×	× .	×	×	×	×	Ø	(3)	×		×	×	×	×	×	×	<u>*</u>		×	×	×	×	×	×	×	×	×	_
41 Laundry	0		×	×	×	×	×	. ×	×	_ ×	×	×	×	×	Ľ	×	×	×	×	×	×	<u>*</u>	0.	×	×	<u>×</u>	<u>*</u>	×	×	×	×_	×	L
42 Kitchen		×	×	×	×		×.	×	×	×	×	9	×	×	<u> </u> ×	×	*	×	×	. ×	_*	×	0	0	×	_×	×	×	×	×	*	. ×	L
43 Morgue	\odot	×	×	×	×	× 1	<u> </u> *	*	×	×	<u>×</u>		×	×	<u> *</u>	×	*	×	*	×	_ <u>*</u> _	<u>~</u>	0	<u>*</u>	· ×		×	×	×	×	×	×	Ļ
44 Mobil System	×	Ľ.	. *	<u> </u>	×	×	×	×	×	*	<u>*</u>	×	×	×	×	×	×	×	×	×	×	×		×	*	×	×	×	×	×	×	×	1
45 Referral System: To	<u> </u>		385	_55		150				270	150	189	200	450	50	####	440	37	315		200	30	-	240	500						.	150	ı —
in 1999 From	####		-	175	+	0	Ť	0		0	9	8,050	####				-	O	0		0	약		154	365	∤		_				0	4-
46 No. of Beds	148	8	10	6	-	3	_ <u>*</u> _	×	×	×	×	132	20	- 6	6		6	×_	×		×	×	326	ightarrow	- 6	₩—	2	4	×	×	×	×	L
47 Average length of stay (days)	-4	1	2	2	3	<u>*</u>	×	× .	×	1-2hs			3		2		_ ×	×	×	×	×	_*		5-19	7		×		×	×	*	. *	-
8 Bed occupancy rate (%)	150	100	80				<u>*</u>	×	×	*	×	۰	80	66			×	×	×	×	×	×		74.8			*	×	<u>×</u>	*	×	*	L.
9 No. of Patient Out	#### ####		9,521			####	N###	####	####	####	####						####	####	####	####	####	****			17,067					<u> </u>	إت	<u> </u>	1
in 2000 In		100	476	529		0	0	0	0	0	0	####		1,670			0	0	U	U	0	- 0	####	(241		0	11	-			•	١.
O Population coverage	LIM	17M	.155M	####	-	####	####	####		####		_		0.15M	####	####	####	####			####	_	1.6M	53M	.147M	####		####	4444	####	####	####	-
9 No. of toilets	26	7	4	2	*	×	2	2	×	2	×	12	(4)	5	<u>*</u>	4	6		2	×	!	<u> </u>		8	<u> </u>	 1	×	×	×	×	<u> </u>	×	L
Water supply	T,W	ж	H.P W	B.W		×	H.P	н.Р	H.P	н.р	H.P	T.W	×	H.P	B.W	н.р	H.P	B.W	B.W	×	T.W	×	0	B.W	×	H.P	B.W	×	H.P	H.P	×	H.P	H
l Electric supply: No]]						0]]	<u> </u>						0	1]						[]		[T	0	
Yes: Normal																																	Œ.
Irregular	0	0	.0	0	0	0	×	0	0	0	0	0	0	0	0	0	0	0		×	0	$\overline{}$	0	0	0	0	0	0	0	0	0	×	3
Voltage	240v	P.C.	P.C.	P.C.		P.C.	×	P.C.	P.C.	P.C.		220v	P.C.	210v	P.C.	P.C.	P.C.	P.C.	145v	×	P.C.	P.C.	P.C.	P.C.	P.C.	P.C.	180v	P.C.	P.C.	P.C.	P.C.	ж	,

T.W: Tap Water

H.P: Hand Pum B.W: Bore Well P.C.: Power Cut at Measuring Time M: Million

Table 1-12 Equipment List: DAMOH

Table 1-12 Equipment List; D	T	CHC		B-PHC	. 7	Γ		S-PHC			1					S	HC					
	ಶ್ರ	-		<u> </u>			<u> </u>											5				
Equipment Name:	District		<u>ਵ</u>	ria	Fendukhera	akala	hari	opek	ے	1 2	yado		}	∫ €	ä		2	ampi	64	_	es .	yan
	-	Hatta	Hindoria	Patharia	Tend	Bansakala	Kumhari	Madiyado	Ranch	Abhana	Madiyado	Pali	Sarra	Tejgarh	Вапуаг	Bhajia	Abhana	Singrampur	Nohta	Bhata	Bansa	Bakayan
Cold Chain/Blood Bank	7																					
1. Walk-in freezer	к		×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	*	×	×	×	×
2. Deep freezer	×	×	200		3		×			1	×	×	×		×	×	×	×	×	×	*	×
3. Ice-lined refrigerator		100	33	318	×	×	×	*		1	×	*	×	× .	ж	×	×	×	×	×	×	×
4. Refrigerator	8		188		×	×	×	1			×	×	×	×	×	×	×		×	×	×	×
5. Cold Box	-	8	35	8	6	ж	×			1	×	×		7.00		×	×	×	¥	×		*
Patient Transportation	T					<u> </u>					-											
6. Ambulance	18.28	1	×	×	×	×	×	×	. ×	×	×	×	×	×	×	×	×	×	*	×	×	×
7. Jeep			×			×	×	×	×	×	×	×	×	×	×	ж	×	×	*	×	×	×
8. Car	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		×	×	×	×	×
9. Motor Byke		<u> </u>		×		×		× ×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
Communication System	TEL	I O	. ×	*	×	×	×	×	*	×	×	×	***	: ×	× .	×	×	×	×	×	×	×
Basic Equipment	**********	1	ļ	-			 				 		 	 			 					
10. X-ray Machine	2					×	×	 -	×	×	× ×	×	×	×	×	×		<u>,</u>	×		×	×
11. ECG Machine	8.2	i		×		×	×	×	ж	×	×	×	×	×	×	×	×	×	×	×	×	×
12. Ultrasonic Scanner	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		×	×	×	×
13. Autoclave			288		 	×	×	×	×	×	×	- <u>*</u>	×	×	×	×	× -	×	×		*	· ·
14. Weighing machine	-		-	-		-						- 	8888		-			×	×	- ×	i	×
15. Microscope	. 2	×	 -	 		<u> </u>	- 			-	<u> </u>		×	×		-	×	- <u>~</u>	~ ×	×	×	×
16. Sterilizer Instrument	-	*	 -	-	 -					-	-	<u> </u>		×				×	×	×	×	×
17. Sphygmomanometer	 	<u> </u>	 -	 	-		-	<u> </u>				-				-		- <u>~</u>	×	× -	×	×
Operation Theater		1	} ───	 	 		}				- 		300000000000000000000000000000000000000	3000 7 000			20000000000		<u> </u>			
1. Anaesthesia Apparatus	8.4	×	×	×	- ×	- ×	×		×	×	×	×	×	×	ж	×	- ×	×	- ×	×	×	×
2. Oxygen Cylinder	34	8	838	***	2.0	×	×	×	×	×	×	- *	×		 -	×	× .	- - -		×	×	×
3. N2O Gas Cylinder	0.12	×	×	×	×	×	×	×	×	×	×	×	×	*	ж	×	×	× -		× -	×	×
4. Ventilator	*	×	×	×	×	×	×	×	×	×	×		× ×		×	×	- ×	×	×	×	×	×
5. Cardiac Monitor	к	<u> </u>		×	×	×	×	 _	×	×	×	×	×	- ×	× ×	×	×	×	- X	×	×	×
6. Defibrillator	- ×	×	<u> </u>	×	×	- ×	×	×	x	×	×	~ <u>*</u>	×	× -	×	×	×	×	- ×		*	*
7. Shadowless Lamp	S 288					- ×	×		×	×	- ×	- -		×	× .	×	×	×	×		×	×
8. Emergency Light	×	×	×	×	000	- <u>~</u>	×		×	- x	- -	×	- ×	×	×		×	* *			×	×
9. Operating Table	300			1	2.0	<u> </u>	×		×	×	×	×	×	×	×	×	×	×	×	×	×	×
10. Delivery Table	2		i i	2	*		î						· •		*		la seman a	100000-00000	0000000000			<u></u>
11. Electro-cautery set	2	×	×	× ×	×	<u>≫</u> +∞	×	×	× 1	×	×	× ×	*	×	*	× 1	<u> </u>	******	*	200000000000000000000000000000000000000	* *	×
12. Air Conditioner	3	*	* *	× ×	×	*	———		× ×	×	*						× -	*		×		
	×	×	* *	* *	×	× ×	*	× ×	<u>×</u>	× ×	- <u>*</u>	×	×	×	×	×	×	_*	*	* 	×	. ×
13. Generator	- (222222322		·	×			×				J		×		×	×	×	*	×	×	×	×
14. Steam Sterilizer	- CO 100				2	<u> </u>	200	<u> </u>	×	100	×	×	×		×	×	× .	×	×	*	×	×
15. Suction Apparatus	- 8		×	1		×	×	×	× .	×	×	×	×	×	×	×	×	×	×	<u> ×</u>	×	×

Other Equipment: See Table 5 Equipment Comparison Chart / District Hospital and Table 6 Equipment Comparison Chart / CHC, B-PHC

Table 1-13 Equipment List: TIKAMGARH

Table 1-13 Equipment Cist. II	1		CHC		в-РНС			S-1	PHC									S	HC						
Equipment Name : Cold Chain/Blood Bank	District	Palera	Niwari	Baldevgarh	Badagaon	Hata	Simra	Orcha	Deogada	Mohangarh	Aston	Simra Khurd	Landwari	Dewarda	Thona	Simra	Gailwara	Orcha	Karguan	Satguan	Chandera	Darguan	Kundeshwar	Khiriya	Aston
1. Walk-in freezer	×	×	×	×	×	×	×	×	×	× ×	×		×	×	×	×	×	×	×	×	×	×	×	×	×
2. Deep freezer	×	33.5	1	2	200	×	×		×	I	×	×	×	×	×	×	×	×	×	×		×	× .	×	×
3. Ice-lined refrigerator	2	2		2		×	×		×		×	×	×	×	×	×	×	×	×	×	† ×	×		×	×
4. Refrigerator		×		2		×	×	×	×	× 1	×	×	×	×	×	×	×	×	×	×	† <u>×</u>	×	×	×	×
5. Cold Box	-	× 12	100 mm 120	3	7		×		×	× ×	×	×	×		×	×	×	×	×	×	×	×	×	×	×
Patient Transportation	+	E00014-00000	200000022000		***********	 		20000000000			i			000000000000000000000000000000000000000							 		 		
6. Ambulance		×	×	×	<u> </u>	×	K	×	×	×	×		×	×	×	×	×	×	×	×	×	×	×	×	×
7. Jeep	XXXXXXXXXXX	×		×		×	×	×	×	×	×	<u> </u>	×	×	×	×	×	×	*	*	- ×	×	×	×	×
8. Car	+ *	- -	*	×	*	×			×	, ×	× .	- ×	×	×	×	- ^-	×			×	^	×	×	×	×
9. Motor Byke	- ×	*	*	×	×	×	×	×	*	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
Communication System	O	×	C TEL	×	×	×	×	×	×	×	×	×	×	×	×	×	*	×	×	×	×	*	×	×	*
Basic Equipment	9810,377,770	-																			ţ	<u> </u>			
10. X-ray Machine	188288	****	8 88 88	×	×	×	ж	×	×	×	×	×	×	×	×	×	×	×	×	*	×	×	×	×	×
11. ECG Machine		*		×	×	×	× ×	×	×	×	×	×	×	×	к	×	×	×	×	×	×	ж	×	×	×
12. Ultrasonic Scanner	************************	×	*	×	×	×	×	×	×	× ×	×	*	×	×	×	×	×	×	×	×	×	×	ж	×	×
13. Autoclave	100		3.8	×	200	×	*	28	. 2	*	*	3000		×	×	×	···2··	×	×	×		×	×	×	×
14. Weighing machine	1002	884		:::2:::		300g			2	100	***			***	∞ %2 · · ·		⊗ 2	800000		∞2 ∞	2	3			*
15. Microscope	1000		3 S	2.0	- 200	*	×			×	×	*	×	×	×	×	*	×	×	×	×	×	×	×	*
16. Sterilizer Instrument	35			100	1	×	×	×	×	×	×		× -	×	×	×	. ×	×	×	*	×	×	×	×	×
17. Sphygmonianometer	2		2	×	×	×		2018	800		**			- I	2.0		80 2 00							····	
Operation Theater	10000070000	*******					*******	200000	**********	*****		1	********				200,7777	2000		********		***************************************	337.336577	(2200000000000000000000000000000000000	332,3320
I. Anaesthesia Apparatus	332	<u> </u>	*	×	×	×	ж	ж	×	*	×	 	×	×	×	×	×	×	×	×	×	×	×	×	×
2. Oxygen Cylinder	3	333	× 2			×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
3. N2O Gas Cylinder			×	×	*	×	ж	· ×	×	ж	×	×	×	×	×	×	×	×	×	×	×	×	×	. ×	×
4. Ventilator	1000	×	×	×	×	ĸ	ж	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
5. Cardiac Monitor	100	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
6. Defibrillator	1000	×	×	×	×	×	×	×	×	ж	×	×	×	×	×	×	×	×	*	×	×	×	×	×	×
7. Shadowless Lamp		31	× 2 ×	333		×	×	×	×	ж	×	×	ж	×	×	×	×	×	×	×	×	×	×	ж	×
8. Emergency Light		1	×	×	×	×	×	×	х	×	×	×	×	W.188	×	×	×	×	×	×	×	×	×	×	×
9. Operating Table		22.112111		2	3	×	×	×	×	×		×	×	×	×	×	×	×	×	×	×	×	×	×	×
10. Delivery Table		200	2	1	2		100		1								**			3311333	3048X	.	3400	***	***
11. Electro-cautery set	1000	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	*	×	×	×	×	*	×	*
12. Air Conditioner		×	×	ж	- × (×	ж	×	¥	×	×	×	ж	×	×	×	×	×	×	×	×	*	×	×	×
13. Generator						×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
14. Steam Sterilizer		2	×		200	×		×	3	×	×	×	300		×	×	×	×		×			×	×	×
15. Suction Apparatus	1000	100000000000000000000000000000000000000	1	×		н	×	×	×	×	×	×	×	×	*	×	×	×	×	×	×	×	×	×	×

Other Equipment: See Table 5 Equipment Comparison Chart / District Hospital and Table 6 Equipment Comparison Chart / CHC, B-PHC

Table 1-14 Equipment List: CHHATARPUR

(II					CHH_{2}	ATAR	מווק				- 1					PA	NNN	Δ									SAG	AP					
į li	— ₁	ciid	B-PHC		S-PHO				SHC				CHC	в-РНС	Υ .	S-PHC		^ _		SHC				CHC	в-РНС		S-PHO		T		SHC		_
Equipment Name :	District Hosp.	Badamalhara	Laudi	Maharajpur	Khadeha	Ramtoria	Munderi	Gadeha	Weeron	Basari	Ramtoria	District Hosp.	Amanganj	Devendra Nagar	Simaria	Dharampura	Saleha	Paderi	Banheri	Murach	Majhgawan	Bagwar	District Hosp.	Devri	Rahatgarh	Rajwans	Maharajpur	Barodiya Kalan	Talchiri	Pararai	Barkoti	Chulla	Khatora Kalan
Cold Chain/Blood Bank																																	
1. Walk-in freezer	×	×	×	×	×	×	×	×	×	×	×	×	'.×	Х	×	×	×	×	×	×	×	×	l ×	×	×	×	×	×	×	×	×	×	×
2. Deep freezer	×	1	$\sim 1\%$. 1	×	×	×	×	×	- 1	×	2	: 1 -	្រា	×	§4	. 1	×	×	×	×	×	2	1	2	×	. 1	1	×	. 1:	×	×	×
3. Ice-lined refrigerator	×	31,7	1	1	×	×	×	×	×	1	×	8	12	1	2	1/	1	×	×	×	×	×	1.1	2	2:	×	1	1	×	11	×	×	×
4. Refrigerator	1	-1	×	-1	1	×	×	×	×	×	×	115	1	×	1.	×	1	×	×	×	×	×	2 4	×	1.	×	×	×	×	×	×	×	×
5. Cold Box		1	5	2	×	×	×	×	×	1	×	Γ-	1	2	×	×	3	1	12.	×	×	×	3 4	5	3	×	×	1	1	×	×	×	×
Patient Transportation															$\overline{}$				-			$\neg \dashv$											
6. Ambulance	្ន	×	×	×	×	×	×	×	×	×	×	1	×	·×	×	×	×	×	×	×	×	×	3	×	×	×	×	×	×	×	×	×	×
7. Jeep	×	1	×	×	×	×	×	×	×	×	×	×	ារ	71.	×	×	×	×	×	×	×	×	×	×	1	×	×	×	×	×	×	×	×
8. Car	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
9. Motor Byke	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
Communication System		O TEL	×	×	×	×	×	×	×	×	×	O' TEL	0	×	×	×	×	×	×	×	×	×	O O	O TEL	×	×	×	×	×	×	×	×	×
Basic Equipment				-	 									$\vdash \vdash \vdash$				 		-					 								
		1:::	1	×	×	×	×	×	×	×	×	2	- 1 -	110	×	×	×	×	×	×	×	×	1									1	
11. ECG Machine	. 1	- 1	×	×	×	×	×	×	×	×	×	1	×	×	×	×	×	×	×	×	×	×	1 2	1	1	×	×	×	×	×	×	×	×
12. Ultrasonic Scanner	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	7	i 1	×	×	×	×	×	×	х	×	×
13. Autoclave	2	5	4 .	2	11.4	×	1	×	х	1	×	1	5	4	×	×	1	×	1	ıх	х	_×	l ×	×	×	×	×	×	×	×	×	×	×
14. Weighing machine		5	2	. 2	2	2	1	-3	2	1	1	2_	2	. 3	1	-2	1	2	2.	2.	2	1	10	. 2	1	×	×	1	×	×	×	×	×
15. Microscope	6	7	- 8	1.	×	×	×	×	_1	1_	×	5	3:	1.	×	×	×	×	×	×	×	_×_		1	1	. 5	×	2	1	. 2	×	_×.	2
16. Sterilizer Instrument	2	×	1	5	5	×	1	<u>×</u>	×	×	×	7	×	4 2	×	×	1	×	×	×	×	_×	3 1	2	2	×	×	1	×	×	×	×	_ ×
17. Sphygmomanometer Operation Theater	30	6.:	4	2		1	1	2	1		1	20	. 7	2	1	- 1	2	1	. 1"	1.2	11.	_1	29 65	2	2	× 4	× 1	x	×	×	×	×	×
)	-		×		×	×	×	×	×	×	×	2	2	×	×	×	×	×	×	×	×		2 3	×	×	×	×	×	×	×	· X	×	- <u>^</u>
Oxygen Cylinder	12		3	Î	×	×	×	- <u>^</u> -	×	×	×	20.	×	⊢ `	×	×	÷	×	×	×		×	12 50	5	2	_	1	1	×	×	×	×	×
3. N2O Gas Cylinder	8	6	×	×	×	×	÷	×	×	×	×	4	×	×	÷	×	×	Ĥ	×	×	×	×	1 10	×	×	×	×	×	÷	×	×	×	÷
4. Ventilator	×	×	×	×	×	×	×	×	×	×	Ŷ	×	×	×	Ŷ	×	×	×	×	×	×	×	1 10	×	×	×	×	×	×	×	x	×	^_
5. Cardiac Monitor	$\hat{\dashv}$		\		×	×			×	×	×	 -		×	<u> </u>	×	×	┝	×	×	-			{	ļ —		x	×	×	×	×	×	×
	_	×		×	· · · · ·		×	×	_			×	×		×		—	×			×	×	1	×	×	×							
6. Defibrillator	1	×	×	×	×	×	×	×	×	×	×	×	×	×	<u>×</u>	×	×	×	×	×	×	×	1	×	×	×	×	×	×	×	×	×	×
7. Shadowless Lamp	2	\vdash		×	×	1	×	×	×	×	×	1	2	×	×	×	×	×	×	×	×	×	1 7	2	×	×	×	×	×	×	×	×	×
8. Emergency Light	×	×	×	×	×	×	×	×	×	×	×	5	×	4	×	×	×	×	×	×	×	×	1 1	3	×	×	×	×	×	×	×.	×	×
9. Operating Table	1	1	1	2	1	×	×	×	×	×	×	1	1	4	1	1	1	×	×	×	×	×	2 8	4	1	×	×	×	×	×	_ <u>×</u>	×	×
10. Delivery Table	2	1	2	×	×	1	1	2	1	1	1	1	2	1,11	×_	×	×	1	- 1.	.1	1	1	2	2	1	1	×	1	1	1	×	1	1
11. Electro-cautery set	ᆚ	×	×	×	×	×	×	×	×	×	×		×	×	×	×	×	×_	×	×	×	×	1	×	×	×	×	×	×	×	×	×	×
12. Air Conditioner	×	×	×	×	×	×	×	×	×	×	×	4	×	×	×	×	×	×	×	×	×	×	2	×	×	×	×	×	×	×	×	×	×
13. Generator	2	×	×	×	×	×	×	×	×	×	×	5	×	1	×	×	×	×	×	×	×	×	1: 1:	1	1	×	×	×	×	×	×	×	×
14. Steam Sterilizer	آ نــ	8 -	2	×	×	-1	×	1	×	×	×	1	10	4	×	×	×	1	×	- 1	×	×	12 8	2	- 1	×	×	×	×	×	×	×	×
	13	2	×	1	×	1	×	×	×	Х	×	.6	4	×	1	1	×	×	×	×	×	×	4 20	1 7	- T	×	×	×	×	×	×	×	×

Other Equipment: See Table 5 Equipment Comparison Chart / District Hospital and Table 6 Equipment Comparison Chart / CHC, B-PHC

Table 1-15 Equipment Comparison Chart / District Hospital

Name	Norms	Damoh	Tikam	Chhat	Panna	Sagar
500 mA X-ray System						300 m2
300 IIA X-lay System				1 1		
100mA X-ray System	1			1	,	160 m/
60 mA Mobile X-ray System						<u> </u>
Dental X-ray System		**************************************		<u> </u>	1	ļ
Ultrasonic Scanner, Linear			1			ļ
Ultsn Scanner, Linear Sector, Upgrade					ļ	
E.C.G. Machine (12-lead)						
Cardiac Monitor		···········	,			
Defibrillator			*			ļ
Audio Meter	-					
Phototherapy Unit			· · · · · · · · · · · · · · · · · · ·	<u></u>		
Radiant Heater, 4kW				· · · · · · · · · · · · · · · · · · ·		
Endoscope, Fibre-optic						<u> </u>
Operating Microscope	-					 -
Cryo Surgery, Basic		:		**************************************		
Cryo Surgery, Deluxe	-			<u> </u>		
Short-wave Diathermy			 			
Ventilator, Adult		- · · · ·	1	· · · · · · · ·		1
Anesthetic M/C (Boyles with Flotec)	7	4	i i	1	ļ	1 2
Anaesthetic M/C (Boyles without Flotec)				*		
Pulse Oximeter	-1			<u> </u>		•
Opthalmoscope	-		1			
Slit Lamp with Table			1			
Retinoscope						
Perimeter				1		
Emergency Resuscitation Kit	3					
Sigmoidoscope, Rigid, Adult			1.	1		
Head Light (ENT Surgeon)	1					4
Pulse Air Tonometer	1					
Acute Medical Care System	1					
Dental Unit		ī		1	1	· · · · · · · · · · · · · · · · · · ·
Dental Chair		· · · · · · i	1			2
Aerotor (Turbine & Compressor)	1					
Ultrasonic Dental Scaler						
Dental Lab Items (Bath, Motor, Lathe etc.)	1					
Operating Table, Ordinary	3,	3	1		1	8
Operating Table, Hydraulic	3					2
Autoclave, HP, Horizontal	3				- 17	2
Autoclave, HP, Vertical	2	6	1	1	1	. 8
Shadowless Lamp, OT, Mobile	4		1] 3
OT Light, Ceiling (Shadowless)	_ 3	2	1		1	8
Focusing Lights, OT (Mobile)		:		2		4
Suction Apparatus (High Vacume Mtp)	4				L	2
Suction Apparatus, Electrical	15	- 8	2	13	6	24
Foot Suction Apparatus			<u> </u>			2
Vacuum Extractor	2			70.710m 117		
Sterilizer Instrument	25		5	2	7	20
Diathermy Machine (Electro-surgery)						
Cautery Set, Electric (Gynae)		2	1	1		
Automist (OT Fumigator)	3					
Microscope, Binocular with Lamp	5		2	6	2	J
Chemical Balance Analytical/Optical	J		1	1		
Simple Balance				L		
Photo-electric Colorimeter	2			1		
Flame Photometer	1			L		
Spectrophotometer	Ĩ					

Table 1-15 Equipment Comparison Chart / District Hospital

Name	Norms	Damoh	Tikam	Chhat	Panna	Sagar
Micro Pippette	1			l		
Water Bath	2		1		1	
Hot Air Oven, 2 Levels			1			
Incubator, Laboratory			11	2	1	
Water Still, 4 litres				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	III III III III III III III III III II	
Centrifuge (Electrical)	7		1	2		1
Centrifuge (Haematocrit)	_		ZIEGOODOO OO O	A A A A A A A A A A A A A A A A A A A		
Hot Plate, Laboratory	7					
Rotor/Shader (Laboratory)			1			
Counting Chamber (Haemocytometer)	3			2		
pH Meter					l	
Glucometer (in OPD)	7					
Haemoglobin Meter	3			2		
Microtome	7					
Oven, Wax-embedding				i		
Tissue Processor	T i					
Blood-Gas Analyser	1]		
Timer Stopwatch	_] 2		
Alarm Clock (Timer)	7			1		
Refrigerator, 165 litres	8	8	ı.	[i
Refrigerator, 300 litres	2					
Air Conditioner, with Stabiliser	8	5	i i		4	
Water Cooler, 60/120 litres	_			1		1
2-body Mortuary (Cold Store)						
Generator, 62.5 KVA (Incl. Installation)	1					
Incinerator, 5 kW						~
Hot Water System (Solar Units, 100 litres)	7			l		
Typewriter	- 4					
Photocopier	7					
Roneo M/C	1			[
Intercom (40 Lines)	1					
Fax Machine						
Telephone (External Lines incl. Qtrs.)	12					
Library Facilities				ļ		
Ambulance	2	2	1	1	- 1	3
Pick-up	1					
X-ray Viewing Box (AV.RS. 1, 2 & 4 Films)	10					12
Developing Tanks (X-ray), Various Sizes	3					
Safelight, X-ray Darkroom	3					1
Cassettes, X-ray, Various	$ \frac{32}{32}$			<u> </u>		
Intensifying Screen, Various	32					
Lead Apron	_ 4					
Lead Protection Screen	_ 2					
Chest Stand, X-ray	2					
B.P. Machine	24		Secretary Control	30	20	65
Weighing Scale, Adult	12		1		- 1	
Weighing Scale, Infant	4		1		1	
Infra-red Lamp (Physiotherapy)	6			70.000		AN ANDERS
Oxygen Cylinder	40	34		12	20	32
Nitrous Oxide Cylinder				8	4	11
Regulator & Flowmeter for Medical Gas	16					
Ambu-bag	16					1
Angle-poise Lamp	4					
Hot Plate, Domestic	6					
Emergency Lamp	16				5	
Sewing Machine	2					
Fire Extinguishers (Various Types)	8					
Laryngoscope (Adult & Paediatric)	_ _[

Table 1-15 Equipment Comparison Chart / District Hospital

Name	Norms	Damoh	Tikam	Chhat	Раппа	Sagar
Otoscope	2					7.10
Universal Bone Drill					<u> </u>	
Examination Table	30					·
Labour Table		~~~				
Foot Steps	30		t		************	
Bedside Screen with Curtains	40					
Revolving Stool	40			 		
Saline Stand	50	<u></u>		<u> </u>	ļ	
Wheel Chair			-			
Emergency/Recovery Trolley				ļ		
Stretcher on Trolley	12	· · · · · · · · ·		 	· · · · · · · · · · · · · · · · · · ·	
Oxygen Cylinder Stand/Trolley	16					
Height Measuring Stand	4					
Arm Board (Child & Adult)	60					
Jar, Cheatle Forceps	20					
Patella Hammer	8					
Tongue Depresser	20			<u></u>	<u> </u>	
Oxygen Masks with Regulator	8		<u> </u>	<u> </u>		
Torch Light	12		· ·	<u></u>		
Fowler's Cot	4			<u> </u>		
Iron Cot	250					
Side Rails	10				İ	
Baby Cot	12					
Bedside Locker	250	·				
Dressign Trolley	12					
Mayo's Trolley	4					
Surgical Instrument Cabinet						
Medicine Cabinet	10					
Instrument Trolley						
Linen Trolley						
Kick Bucket	16					
Buket (Galvanised)	20					
Bed Pans & Urinals	20					
Attendent Stool	250					
Traction System (Bohler Braun)	8					
Post Mortem Table	1					
Wash Basin	40				-	
Instrument/Medicine Tray with Cover	24					
Bowls (Various)	100					
Kidney Dishes (Various)	40					
Chair (Doctors, Nurses etc.)	50					
Racks (Various)	48					
Table-steel	40					
Steel Cupboard	36					
Swab Rack (OT)	4					
Fracture Table (POP)	2	~			<u> </u>	
Table (Blood Donor) 6x6x6 - Wooden	4			· · · · · · · · · · · · · · · · · · ·		
Mattress	250					
Pillow	250			<u> </u>		
Wooden Bench	100		-			
Generator (Small)			2	2	5	
Boiler	<u> </u>		-	10		<i></i>
Tonometer				10	ļ	
Steam Sterilizer		1		<u>-</u>	 	
Infant Incubator		1	1	<u> </u>	<u> </u>	
Blood Bank			· · · · ·	<u> </u>	1	¹
: Equipment Norms World Bank Fu			<u> </u>	<u> </u>	L	L

: Equipment Norms World Bank Funded Andhra Preadesh Primary Health System Project, 1998-2003

Table 1-16 Equipment Comparison Chart / CHC, B-PHC

	1	J	DA3	мон		TII	(AMG/	ARH]	СННАТ	ARPUR	PAI	NA .	SA	GAR
Name	Norms	Hatta			Телди				Badam					
		60mA					50mA			60mA				
100 mA X-ray System			1							ı.				
Dental X-ray System		*********	********	*****			of Michigan		***************************************	***********	*******	302000		
E.C.G. Machine (12-lead)														
Anaesthetic M/C (Boyles without flotec)		erere Gro	***************************************				1110,010				2		38555555	
Emergency Resuscitation Kit											1			
Dental Unit														
Dental Chair														
Operating Table, Ordinary	-	2	1		300			2	1		1	4	- Wa	***
Operating Table, Hydraulic														
Autoclave, HP, Vertical			2	3		∞ :5≪	3		3	4	. 3	4	∞2∞	
Autoclave, Electrical with Burners, 2-bin				[
Shadowless Lamp, OT Mobile	2													
OT Lights, Ceiling (Shadowless)	331	200					2			i i	2		***	
Focusing Lights, OT (Mobile)	1					,		,			,			
Suction Apparatus (High vacume MTP)														
Suction Apparatus Electrical	- Total										4		1	
Foot Suction Apparatus														
Vacum Extractor														
Steriliser Instrument						2			3	2	10		200	2
Cautery Set, Electric (Gynae)	7								[
Automist (OT Furnigator)											I			
Microscope, Binocular with Lamp				I		200		2		8	3		2	2
Simple Blance	-			I										
Photo-electric Colorimeter			·											
Water Bath														
Hot Air Oven, 2 Levels														
Centrifuge (Electrical)	· · · · ·													
Counting Chamber (Haemocytometer)														
Glucometer (in OPD)	301			L					L				I	
Haemoglobin Meter	**1	I		L					2					<u> </u>
Timer Stopwatch	W 100	<u> </u>		li					<u> </u>		L			<u></u>
Alarm Clock (Timer)									ļ			<u> </u>	<u> </u>	
Refrigerator	. [[]					ļ		2	100			<u> </u>	 	***
Air Conditioner, with Stabiliser	_			ļ										
Water Cooler, 60/120 Litres							·						l	
2-Body Mortuary (Cold Store)	-					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	- - জনকাত্ত্ত্ত্ত্		J		ļ	(10000000000000000000000000000000000000	<u> </u>	raccom
Generator	-												200	1
Hot Water System (Solar units, 100 ltrs.)								ļ						
Typewriter									l		<u></u>			
Telephone (External lines incl. Qtrs.)	-			 			ļ		Ì		I	 	II	
Ambulance	-	2		L	<u> </u>		L	ļ				 		
X-ray Viewing Box (AV.RS. 1, 2 & 4 films)	- 2			} _		<u> </u>			<u> </u>			<u> </u>	II	· ·
Developing Tanks (X-ray), Various Sizes	-			<u>_</u>		 	<u> </u>	<u> </u>	<u> </u>		ļ			
Safelight, X-ray Darkroom	-	 		<u> </u>		 		 	<u> </u>		ļ	<u> </u>	 	ļ
Cassettes, X-ray, Various	- 8400	 	ļ	 -		 	 			ļ				
Intensifying Screen, Various	- 1	 	<u> </u>	 -			 -]
Lead Apron		 	 _	<u> </u>]]	J]	<u> </u>	 	J	<u> </u>]	<u> </u>
Lead Protection Screen	-	 		 		ļ	I	L[-		
Chest Stand, X-ray	-	 		⁻		200000000	2000/2000			2000000	220000	2002000		200000000
B.P. Machine	6		L	ļ	<u> </u>		2 3		6	4	7	2	1	2
Weighing Scale, Adult	. 2			ļ			333	2		200	2	300		
Weighing Scale, Infant	-				L						 			
Infra-red Lamp (Physiotherapy)	. 2		3000000000		2000	**********	********		000000000	28000000		 		****
Oxygen Cylinder	- 100	6	3	200			2		1					2
Nitrous Oxide Cylinder	- 8			ļ	L			احنا	6				<u> </u>	
Regulator & Flowmeter for Medical Gas				<u> </u>		<u> </u>						L]
Ambu-Bag	A	L		L		L	L		<u> </u>				L	

Table 1-16 Equipment Comparison Chart / CHC, B-PHC

	1		DAI	МОН		TI	KAMOA	ARH	СННАТ	ARPUR	PAI	NNA	SA	GAR
Name	Norms	Hatta	Hindor	Pathari	Tendul				Badam	Laudi	Amang		Deori	Rahatg
Hot Plate, Domestic	100								i –					
Emergency Lamp	1 4													
Fire Extinguishers (Various types)														
Laryngoscope (Adult & Paediatric)														
Examination Table	- 3													
Labour Table		300		**		300	200		3	300	7		2	
Foot Steps					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	- ANNOUNCE	3.00.000	*******		1909000 100000 1	*******	2000000000	1,0000000000000000000000000000000000000	
Bedside Screen with Curtains	- 1000													
Revolving Stool		~~~~			.:									
Saline Stand							i						<u> </u>	
Wheel Chair						1								
Emergency / Recovery Trolley														
Stretcher on Trolley											<u> </u>			
Oxygen Cylinder Stand / Trolley						-			 		}'			
Height Measuring Stand		-											<u> </u>	
Arm Board (Child & Adult)	- 20												<u>-</u>	
Jar, Cheatle Forceps														
Patella Hammer	-1								 		<u> </u>			
Tongue Deparesser	- 6	-											ļ	
Oxygen Masks with Regulator				·									<u> </u>	
Torch Light	-										<u> </u>		<u> </u>	
Iron Cot	- 30													
Side Rails													<u> </u>	
Baby Cot	- -												<u> </u>	
Bedside Locker									 		ļ		<u> </u>	
Dressing Trolley	-								<u> </u>		ļ	<u></u>		
Mayo's Trolley				····			 -						 -	ł
Surgical Instrument Cabinet	-[
Medicine Cabinet		}							 				<u> </u>	
Instrument Trolley		<u> </u>			~-				ļ		-			
Linen Trolley						<u> </u>			- 		<u> </u>			
Kick Bucket						 -			ļ		<u> </u>		<u> </u>	
Bucket (Galvanised)		-				 -			}		 -			
Bed Pans & Urinals				-										
Attendent Stool	- 30												Ī	
Traction System (Bohler Braun)		<u> </u>			{				<u> </u>		<u> </u>		<u> </u>	·
Post Mortem Table		 -												
Wash Basin	10	 				ļ								
Instrument / Medicine Tray with Cover	- 4	<u> </u>							<u> </u>		├		<u> </u>	i
Bowls (Various)					<u> —</u>	ļ			<u> </u>		ļ			
Kidney Dishes (Various)											ļ			
	8					 -			<u> </u>		 			
Chair (Doctors, Nurses etc.)											 -			<u> </u>
Racks (Various)								<u></u>	<u> </u>		 		 	
Table-steel		 					- 						<u> </u>	
Steel Cupboard		 	 -	 			ļ				-	<u> </u>	<u> </u>	· · ·
Swab Rack (OT)	-				 		ļ	<u> </u>	 			 		<u> </u>
Table (Blood Donor) 6 x 6 x 6 - Wooden	— !!!	 	} _	 		 -			 -		<u> </u>		}	<u> </u>
Mattress	30	 				 					 		ļ	<u> </u>
Pillow	30	 			<u> </u>]		 			<u> </u>			
Wooden Bench		 		 		I		<u> </u>	<u> </u>	 				
Laparoscope Equipment Norms: World Bank Fund	<u>_l</u>	1	L	L	<u> </u>	L	l		<u> </u>	2	<u> </u>	_2_	1	L

Equipment Norms: World Bank Funded Andhra Preadesh Primary Health System Project, 1998 - 2003

Table 1-17 Staffing Comparison Chart / District Hospital

					T	1	,
	Professional Category Number of Beds	District Hospital Norms 100-180	youneQ 175	ত্র Tikamgarh	% Chhatarpur	Panna	Sagar 326
			1/3	13/	148	132	
	Specialist Physician Strucon Obstetrician / Gynecologist	Class I Class II	2*	1*	3 4	2	Class I Class II
Medical Staff	Pediatrician Ophthalmologist ENT Orthopedist Radiologist				22	3 I	
	Anësthetist Pathologist Emergency medicine Ceneral Medical Officer (MO)	1 2 12	4	2	21	1	
-	Dentist Head Nurse	4	ĵ	1	1	1	
	Staff Nurse Pharmacist / Compounder Lab Technician / Lab Attendant	24 4 5	23 5 6	15 4 5+3	24 5	1	55
al Staff	Radiographer Operation Theater Technician Theatre Assistant / Dresser Block Extension Educator	2	2	3 2 5		·	Class III
Paramedical	(BEE) Senior Assistant (Grade II) Junor Assistant (Grade III) HA (Female) / LHV	2 6		2 7 2		No Data	Worker 37
	HA (Male) MPW (Female) / ANM MPW (Male)	1	1	10			
_	Opthalmic Assistant Dentist Assistant Accountant			1 1 3	4		Nursing Sister 7
94	Computer / Statistics Record Assistant (non-medical) Office Attendant (non-medical) Telephone Operator	2			- 4 		
& Suport Staf	Typist Electrician Plumber Ward Boy / Ward Girl	<u>1</u>		17	21	ata	Class IV
Administration &	Washer Man Sweeper Servant	74		152	17	No Data	Worker 115
Admir	Nursing Orderly / Lady's Maid Driver (Ambulance) Cleaner / Ambulance Attendant Watchrian	2 1 3		5	4		
	Water Man Cook Other		6	3 22			

^{* :} Internal

: Staff Norms World Bank Founded Andhra Preadesh Primary Health System Project 1998-2003

Table 1-18 Staffing Comparison Chart / CHC, B-PHC

				Dai	noh			Tika	mgarh		Chha	ıtarpur	Pa	ппа	Sa	ıgar
	Professional Category	CHC/ B-PHC Norms	OS Hatta	Hindoría	Patharia	Tendukhera	08 Palera	05 Niwari	Badagaon	Baldevgarh	∞ Badamalhara	Laudi	Amanganj	Devendra Nagar	Devri	Rahatgarh
	Number of Beds	30/6	30	. 6	6	6	30	30		16	8	10	20	6	30	6
	Specialist Physician	Class I Class II														
Staff	Surgeon Obstatrician / Gyaccologist Pediatrician Ophthalmologist ENT	1 3				2	3				3		2		i	2
Medical Staff	Orthopedist Radiologist Anesthetist						_	·	<u> </u>							
	Pathologist Emergency medicine															
	General Medical Officer (MO) Dentist				2									2	2	
	Head Nurse Staft Nurse Pharmacist / Compounder Lab Technician / Lab Attendant Radiographer Operation Theater Technician	4 	1		1	J	3 1 1	1 1 2	1	3 1 2	1 3	1:1	3 2 2 2	2	7 1 2 1	
annedical S	Theatre Assistant / Dresser Block Extension Educator (BEE) Senior Assistant (Grade II)	1				· ·	1	1	1		1		3	1	1	J
Par	Junior Assistant (Grade III) HA (Female) / LHV			1	1		3		3			2	j	2		
	HA (Male) MPW (Female) / ANM MPW (Male)		1	2	2	4	2	7	3	2	2	6	3	3		<u>j</u>
	Opthalmic Assistant Dentist Assistant		1		1		1	1	1	<u>1</u>		i		1	1	1
	Accountant Computer / Statistics Record Assistant (non-medical)			1	1 1		1	1	1	1	1 1 2] _1 _1	1	1	1
	Office Attendant (non-medical) Telephone Operator Typist							2	1	4	1	3			1	
Suport Staff	Electrician Plumber Ward Boy / Ward Girl Washer Man Sweeper	2		<u>j</u>	1		2		3.	2				2	2	
istration &	Servant Nursing Orderly / Lady's Maid Driver (Ambulance)	1			301				_1 			3	1			
Adminis	Cleaner / Ambulance Attendant Watchman Water Man								 						 	
	Cook Peon			- -	_ <u></u> -		2	5					2	1	1 2	4
	Store Keeper Clerk										1					
	Trained DAI Other Data Source: Staff norms World	Trade Para	5	1		5									3	

Data Source: Staff norms World Bank Funded Andhra Preadesh Primary Health Project, 1998-2003

Table 1-19 Staffing Comparison Chart / S-PHC

			<u> </u>			I	Damo	h		T -		Tika	ngarl	h		Ch	hatar	pur	ļ .	Pann	a	Γ.	Sagar	
		Professional Category	S-PHC	Norms	ƙala	ari	ado		a				da	X Mohangarh		ır			,ea	o Dharampura		пs	∾ Maharajpur	Barodiya Kalan
					Bansakala	o Kumhari	o Madiyado	Ranch	Abhana	× Hata	× Simra	∞ Orcha	Deogada	fohar	~ Aston	Íahar	× Ramtoria	Khadeha	Simaria	hara	o Saleha	Rajwans	fahar	arod
		Number of Beds	-	- 6	<u>m</u> 12	<u> </u>	<i>i</i> 2.	0	0	工工	×	<u>Q</u> .	8	≥ V	7	<u>≥</u>	×	3	6	-	6	0	2	4
-		Physician	늗	-	12			-	<u> </u>	Ê	^	 •	<u> </u>	1		-		片쉬	<u> </u>	<u> </u>		<u> ۲</u>		
		Surgeon	 										<u> </u>									1		
		Obstetrician / Gynecologist	-		ĩ	1	ī	1	ī	-		ī	1	1	1	1	1	_	1		1	1	1	
1		Pediatrician				_														1-				
<u>u_</u>	ist	Ophthalmologist																						
Medical staff		ENT																						
<u></u> <u>ē</u>	Š	Orthopedist	_											<u> </u>		l						L		L
fed		Radiologist	_	_1					i					 _	 				I	<u> </u>	l			i—I
~		Anesthetist								ļ				ļ		· 			~=	ļ				
1		Pathologist						<u> </u>		l	 -					<u> </u>			<u> </u>			ļ	 	$\vdash \vdash$
	24.5	Emergency medicine						 -	<u></u> -		 			ļ			_	~	ļ			ļ		il
1		neral Medical Officer (MO)							<u> </u>				ļ	 	 -	-		 		 -		 		
-		ntist ad Nurse	┝		 				-		ļ		 	 		 -	<u> </u>	├─┤		 		 		┝╼═┤
		aff Nurse	-				-	 			 	-		1						 		5		\vdash
		armacist / Compounder		1	ı.	┝		├	 		-		}	,					 		1	1		
1		b Technician / Lab Attendant		****	30.500		 	}				1883 XX		1000	200.000			-00.800		ļ	33. 3 33		- X-5-20	XXXXX
1		diographer	┝			 	 -					<u> </u>			\vdash						<u> </u>			
	Op	eration Theater Technician	\vdash										_				_			 		·		
lis)	Ť'n	eaure Assasiant / Dresser		1	7								1							1				
ai S	Blo	ock Extension Educator										}	-							-				
iĝ		BEE)	_	1																<u> </u>				
Paramedical Staff		nior Assistant (Grade II)	ļ															_						\sqcup
Par		nior Assistant (Grade III)				5000000		22520		1995/99			क्रम्ब	ļ	357050	anne.		2000	1007				20000	
1		(Female) / LHV		1				2				<u> </u>										ļ		
		(Male)				- 	200	333230	2							3333		300,000	5320					
		W (Female) / ANM PW (Male)			2 1	<u>040</u>	89 4 89	5 3	×	1		**** 1	1					i i	1	1				
		thalmic Assistant			-				\vdash			1					 	 -	1	 ' -		 		
1		ntist Assistant	┢									 _	 -							\vdash	ll	-		
十	_	countant	}-	╗							\vdash		-		\vdash					 -				\vdash
		mputer / Statistics	Г	~			_	i			ī		1	_			1			_		_		
		cord Assistant (non-medical)	Г											 								7		
1		fice Attendant (non-medical)	L		1	1	1	1	2	1						3		1	1			l		
	Tel	lephone Operator	L																					
Staff		pist	<u> </u>						<u> </u>					ļ		ļ								<u> </u>
		ectrician	<u> </u> _		ļ									<u> </u>	<u> </u> :					<u> </u>				
Suport	Plu	mber		200	334333	33433	800000		200	Ì			000000			35333	1988-1988		355			ļ	******	
SS	3.3	ard Boy / Ward Gri		***	3							<u> </u>												
S II		asher Man eeper			***		355 W			W.W.	****		1		-	71.	_	*				i		****
iğ.		rvant	***	***	202	30.400	2000	333	20.00	33.00 1	and the	****	222	200	83.85E	30 8 30		33.63	200		22.E		****	
İş		rsing Orderly / Lady's Maid	╟	1			·						í—	\vdash	<u> </u>				Ĭ—					[]
Administration		iver (Ambulance)	-		-					 	_													-
₹		eaner / Ambulance Attendant	Г										I^-		~				<u> </u>	 				
	_	atchman	_																	-				
	Wa	ater Man						1					<u> </u>											[]
	Co	ok																						
	Cle	eak										L					1							
	Peg	on to Source: Staff Norms World				L	L	Ĺ	L		L_	<u>_1</u>	L	<u> </u>		1	810	لـــا	L	<u> </u>	Ш		لـــا	لـــا

Data Source: Staff Norms World Bank Founded Andhra Preadesh Primary Health System Project, 1998-2003

Table 1-20 Staffing Comparison Chart / SHC

					,		Dar	nah											 ,	Tikan	garh							C	hhatar	our				Panna	,	\Box			Sagar	_
	SHC Norms	o Kanti	o Pali	O Banvar	o Bhajia	O Abhana	O Bhata	O Bakayan	o Tejgarh	о Ѕапа	o Nohta	o Singrampur	Bansa	Simra Khurd	Dewarda	Sinua	Gailwara	o Orcha	o Karguan	Satguan	Darguan	o Kundceshwar	o Landwari	Тиопа	O Chandera	o Aston	o Weeron	o Ramtoria	co Munderi	O Gadeha	Basari	Paderi	Banheri	Murach	→ Majhhgawan	Bagwar	o Talchiri	O Pararai	o Barketi	o Chulla
Number of Beds	0	0_	0	0	0	0_	0	0	0	0	0	्र	0	0	0	0	0	-	0 1	0	0	<u> </u>	0 1	0	0	0 1 0	10	1.0	10	0	<u> </u>	╚	0	0		0	<u> </u>	0		0
Physician																	 			<u></u> i		l_		_	_	_ _	-	·l	<u> </u>						ı—İ		<u> </u>			_
Surgeon											-		{											_	_	_ _	_		<u> </u>	<u> </u>					i——	[<u> </u>
Obstetrician / Gynecologist		_						- I			_	l	- 1						ll		l	I		_	_	_ _			<u> </u>	11	[l			i	ii	íl			ľ
Pediatrician						_							}											_	[_		_		<u> </u>		i				<u></u>					
Ophthalmologist													}											_			_		<u> </u>			I				ii				l T
ENT	 	<u> </u>				_			-			r											_ -				_								,				_	!
Orthopedist					1-						-						<u> </u>							_			-11	1		1								_		-
Radiologist						-					~							-		$\overline{}$		-	- -	_ -	— -	_ _	-li								,					1
Anesthetist	—				 	ļ			—	— ·	-		—													_ _	-	1—							,—			-		
Pathologist		 -			 —						-	1		<u> </u>			_					—t	-	- -	<u> </u> -		-[-			-		_		·					
Emergency medicine				<u> </u>	<u> </u>						-	I									—-[·		— <u> </u> -				-11													¦
eneral Medical Officer (MO)		ļ—-	-				li	!					—~			-	_				{				— -		-1	1					-		,\	-	i		-	
entist						<u> </u>					-	·	∥						-								~		ļ				_	-						
) ——						-+							-				-+	\rightarrow	-	-+	-	+	╢	+-		-		⊢⊸					 			
ad Nurse				 —	<u> </u>			i1				-		<u></u>							·	 -					-11		ļ-—						, ·		2			<u> </u>
Iff Nurse		l		 -		<u> </u>	i		-		-	-		1			 -			!	—- ·	—	<u> </u> -	-	— -	- -	-ii	 	1						;—— l		<u> </u>			1
armacist / Compounder				l——	<u> </u>					<u> </u>	-		—									-	-		-	-	-	-					<u> </u>		; ·		—	<u>—</u> [<u> </u>
b Technician / Lab Attendant		l							I-			—I-					_	<u> —</u>	 —					-		<u>}</u>	-11	-	 —	II					:—-I					<u> </u>
diographer				<u> </u>		I				<u> </u>	}-							<u> —</u> l			—— -	—- -	-	—-}-	—∤—	—l—	-i}	-]							[- <u></u> -	i		
eration Theater Technician				<u> </u>	l			i				<u> </u>	—				<u> </u>	_		i					[_ _	-11	-l	<u> </u>	ļ				i	.—!			<u> </u>		
entre Assistant / Dresser				<u> </u>				i	l_		2	2									.		_]			-11	·l	<u> </u>	<u> </u>	_1_				i		<u> </u>		1	1
lock Extension Educator												ľ	.						}	!		ĺ		}	1	- 1	1]	† }						- 1	}		- 1	1
(BEE)	l i	l								_	}.													_	_	_ _	-∥	.	<u> </u>	II]	<u> </u>			!
enior Assistant (Grade II)		I —		<u> </u>		,																	_	i_			_	.i		li	1									l
nior Assistant (Grade III)	_																		<u> </u>				i_				_	.l	<u> </u>								<u> </u>			
A (Female) / LHV			·	 	<u> </u>	ļ	<u> </u>		1							1	<u> </u>			}	2				{		_{!}	1 1	<u> </u>	<u> </u>	1		'		/I	\	<u> </u>		_1_	[
A /A4=la>				-					_		i											1					_#	.ł			i		. 		l		II			
PW (Female) / ANM	800			- T	300	i	800		2			8 i i i i				***				***	**				100 (40)	#			1											
A (Male) PW (Female) / ANM PW (Male) ptholmic Assistant									2			_	333					313			 	_			38 JE			§									200			_
entist Assistant			********		·	1	I				-															_ _	-11	_	1	1		1			,—I					-
countant	· · · · · ·			-	+	 		-			\neg														<u> </u> _	_	7													
mputer / Statistics					-	 —				-					_	_									-	$\neg \vdash \neg$	-11		-				_		;		<u> </u>			
cord Assistant (non-medical)	i——	 -	 	ļ—-														_					<u> </u>	-	- -		-	-ļ	_		-		-							-
ffice Attendant (non-medical)	i		ļ]										-		\neg	 				7	2	[-	—j-	— -	— <u> </u>			1	1	2								_	2
			 		·	<u> </u>			-	—— ·					—	<u> </u>	ļ—	_					-			_ _	-1		ļ	<u> </u>					_			<u> </u>		{=
lephone Operator		i	<u> </u>	ļ				[-	 ŀ				<u> </u>	—	—			[— ·	{-	{-	-	- -	- -	-[-			<u> </u>						[—]			1-
pist	——								<u></u> -		-	—- ·	— <u> </u>		—	—	 			<u> </u>	<u></u> -	—-†-		— -		- -	-													<u> </u>
ectrician		ļ—		I—		<u>{—</u>				—-[·							- 					}-		-		<u>-{-</u>	-	-	 —				-	 -	<u></u> -					ļ—
ımber	-	l							l.			-	<u>—</u> В	<u></u>			<u> </u> —	[—			<u>—</u> į	 }-	I-	—-[-			-	-			<u></u> -l				·					<u> </u>
ard Boy / Ward Girl	<u> </u>	I—	<u> </u>	<u> </u>		 											<u> </u>							_	-	_ _	-	-	1		1				,— <u> </u>	l	—	<u> </u>	_1_	1
asher Man	<u> </u>		l								l						i	[]				l	-	_	_	_	_	.j	<u> </u>						ı——}	l	l	I		
reeper				ļ													<u> </u>		ļļ	1		 !.	[_	_	_ _	_ _	_		1_1	1—	1.									_1
rvant																		l	<u> </u>	[l_		{	_	_ _	_	_	<u> </u>	 							<u> </u>		l	<u> </u>
irsing Orderly / Lady's Maid												[[[_	!_			_			<u> </u>	}									
iver (Ambulance)					1		}												[[[_ _	_ _			[]					ſ		[
aver (Ammulance)					1	_			<u> </u>	-1															_][
		ı—	·		1		_	[_														L											
eaner / Ambulance Attendant		il																_	ı—- <u>t</u>			<u> </u>	 1-				-11													-
eaner / Ambulance Attendant atchman		 —	 	<u> </u>		ļ——		<u> </u>					I						, ;	, ,	- 1	i i	- 1		- 1		ii	ļ	ł	}			. 1	: 1	' i	ţŀ		Į	1	ł
river (Ansburance) leaner / Antburance Attendant latchman later Man pok	_	_	_	_						_	_	_										-			-		-	╁	<u> </u> -					-	·—	-1	-			-
eaner / Ambulance Atlendant nichman nicr Man											-											_		-		_		-						=						

Data Source: Staff Norms World Bank Founded Andhra Preadesh Primary Health System Project, 1998-2003

Table 1-21 Drug Kit, Equipment Kit, Standard Set, Contraceptives, Vaccines Supply: DAMOH

Dis	cription:		СНС		в-Рнс	:			S-PHC								SI	łC					
		District	Hatta	Hindoria	Patharia	Tendukhera	Bansakala	Kumhari	Madiyado	Raneh	Abhana	Madiyado	Pali	Ѕапа	Tejgarh	Banvar	Bhajia	Abhana	Singrampur	Nohta	Bhata	Bansa	Bakayan
	Drug Kit A	-	99.5	993	97.3	00.5	98	×	99	×	00.4	004	00.4	00.3	00.6	99	×	00,4	×		00.4	×	00.6
1	Drug Kit B	_	99.4		97.3	60.5	98	×	99	×	60.4	00.4	00.4	00.3	00.6	×	×	00.4	×	97.7	00.4	×	00.6
SHC	Kit C Sub-Centers Equipmen	-	977	00.5	07	×	×	×	99	×	00.4	×	×	×	00.6	×	×	×	×	×	×	×	×
	Equipment Kits a Midwifery Kit A.N.M.	-	99.8	×	S	00.5	×	×	99	×	×	00:4	ж	98	00.6	×	×	×	99.1	97.7	98.5	×	96,5
	Kit D Primary Health Centers Equipment	-	97.3	97.5	97	×	*	×	×	×	00.4	×	×	×	×	·×	×	×	×	×	×	*	×
PHC	RCH Drugs at Primary Health Center (Essential Obstetric Care Drugs)	ı	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
	RCH Drugs at FRU (Emergency Obstetric Care Drugs) I Critical Drugs II Essential Drugs	-	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	*	×	· ×	×	×
	E Standard Surgical Set-1 (Instruments) FRU	.	97.3	97.5	- ×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
	F CHC Standard Surgical Set-II	-	97.3	97.5	07	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
	Kit G IUD Insertion Kit	-	97.3	97.5	97	00.5	×	×	99	×	86	88.4	0	96	00.6	×	85	86	94	97.7	×	×	×
CHC-FRU	H CHC Equipment for Standard Surgical Set III	-	97.3	97.5	97	×	ж	×	×	×	×	88.4	×	×	×	×	×	×	×	×	×	×	×
분	Kit I Normal Delivery Kit	-	973	97.5	97	00.5	×	×	99	×	×	×	*	х	00.6	×	×	×	×	×	×	×	96.5
-	J Standard Surgical Set-IV	-	973	97.5	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
1	K Standard Surgical Set-V	-	9783	97.5	×	×	×	×	× .	×	×	×	×	×	×	×	×	×	×	×	×	×	×
1	L Standard Surgical Set-VI		97.3	97.5	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
	M Equipment for Anaesthesia	-	97.3	97.5	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
	N Equipment	-	×	97.5	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
	for Neo-Natal Resuscitation O Kit-Side Laboratory		97,3																<u> </u>	 - -	-		$\vdash \vdash \mid$
	Test & Blood Transfusion		97.3	*	×	*	×	×	×	×	×	×	×	×	×	×	*	*	×	×	×	×	×

Table 1-21 Drug Kit, Equipment Kit, Standard Set, Contraceptives, Vaccines Supply: DAMOH

Discription:		снс		в-рнс				S-PHC	:							SF	IC.					
	District	Haita	Hindoria	Patharia	Tendukhera	Bansakala	Kumhari	Madiyado	Raneh	Abhana	Madiyado	Pali	Ѕата	Tejgarh	Banvar	Bhajia	Abhana	Singrampur	Nohta	Bhata	Bansa	Bakayan
P Materials Kit Donor Blood	-	97.3	×	×	×	×	×	×	×	×	×	×	×	×	. ×	×	×	×	×	×	×	×
Consumable for RTI/STI Laboratory Diagnosis for FRU	-	×	×	×	×	×	×	×	*	×	×	×	×	×	×	×	×	×	×	×	×	×
Newborn Care Equipment to be supplied to Health Institutions	-	97.3 8.W M	×	×	×	×	×	×	×	×	×	×	×	00.6	×	×	×	·×	×	×	*	×
Number: Received Date	B.W.M	1.: Bab	y Weig	ghing N	/Iachin	e .												········	·			
Contraceptives 1. Lubricated Nirodh Piece						1000000000000000		000000000	011													

Contraceptives																						
Lubricated Nirodh Piece	-	M	01.1	00.12	00:12	00:12	00.12	M	01.1	M	01.1	01.1	М	⊗M⊗	01.1	01.1	М	M	01.1	00.12	M	01.1
2. Oral Pill Cycles	-	М	01.1	00:12	00.12	00.12	00 12	M	01.1	М	01.1	01.1	M	⊗M⊗	01.1	01.1	M	М	01:1 01:1 01:1	00.12	M	01.1
3. IUDs	-	M	01.1	00:12	00:12	00.12	00.12	M	01.1	M	011	01.1	M	М	01.1	011	M	M	01.1	00.12	M	01:1
4. Tubal Rings		×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
Vaccine Doses																						
1. BCG		W	01:1	01.1	00.12	W	00.12	· W	01.1	W	NV.	®W	W	W	w	W	W	W	M	M	W	W
2. DPT	-	W	01.1	01.1	00.12	W	00.12	W	01.1	W	W	W	W	W	W	W	W	W	M	M	W	W
3. OPV		W	01.1	01.1	00.12	W	00.12	w	01.1	W	W	W	W	W	w	W	W	W	M M M	M	W	W
4. Measles	-	W	01.1	01.1	00,12	W	00:12	W	01.1	W	W	W	W	W	W	77*	W	W	M	M	W	W
5. DT	-	W	01.1	0.4	00.12	W	00.12	W	01/1	W	W	V	W	®W®	. W	W	W	. W	M M M	M	W	W
6. TT	-	W	01.1	01:1	00.12	W	00.12	W	01:1	⊗ W	W.	W	W	₩.	· w	W	₩.	· W	M	. M⊗	w	W

Number: Supplied Date

W: Weekly Supply

M: Monthly Supply

Table 1-22 Drug Kit, Equipment Kit, Standard Set, Contraceptives, Vaccines Supply: TIKAMGARH

Di	scription:			CHC		B- PHC	-		S-F	HC									SI	HC						
		District	Palera	Niwari	Baldevgarh	Badagaon	Hata	Simra	Orcha	Deogada	Mohangarh	Aston	Simra Khurd	Landwari	Dewarda	Thona	Simra	Gailwara	Orcha	Karguan	Satguan	Chandera	Darguan	Kundeshwar	Khiriya	Aston
	Drug Kit A	-		00.1	00.9	-00		00:10	×	00.10	00.11	×	×	00.3	60.4	00:12	00.5	98	00:12	0181		00.4	×	00.2	00.2	00.2
١,	Drug Kit B	-	00	00.1	00.9	000	00	00:10	×	00:10	00 11	×	×	00.3	00.4	00:12	00.5	98	00 12	01.1	010	00.4	×	00.2	00.2	00:2
SHC	Kit C Sub-Centers Equipmen	-	00	×	×	00.3	×	×	×	×	×	×	×	×	×	×	×	98	×	×	×	×	×	×	×	×
	Equipment Kits a Midwifery Kit A.N.M.		90	01:1	×	99		92	×	00.12	95	×	×	×	×	×	82	×	×	×	90	×	×	90	×	90
	Kit D Primary Health Centers Equipment	-	98	×	×	×	×	×	×	×	×	×	×	×	·×	×	×	×	×	×	×	×	×	×	×	×
PHC	RCH Drugs at Primary Health Center (Essential Obstetric Care Drugs)	-	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
	RCH Drugs at FRU (Emergency Obstetric Care Drugs) I Critical Drugs II Essential Drugs	•	×	×	60.91	×	×	×	×	×	×	×	×	×	×	×	×	× .	×	×	×	*	×	×	×	×
	E Standard Surgical Set-1 (Instruments) FRU	•	×	×	×	×	×	×	×	00,12	· ×	×	×	×	×	×	×	×	×	×	×	×	×	×	· ×	×
1	F CHC Standard Surgical Set-II	-	×	×	×	×	×	×	×	×	· ¥	×	×	×	×	×				×	×	×	×	×	*	×
15	Kit G IUD Insertion Kit	-	90	01.1	97	99.9	82	82	93	00.10	9.5	×	93	89	.88	9	82	98	90	86	×	95	96	90	×	×
CHC-FRU	H CHC Equipment for Standard Surgical Set III	-	×	×	×	×	×	×	×	×	×	×	*	×	× .	×	×	×	×	×	90	×	×	*	×	×
一善	Kit I Normal Delivery Kit	-	90	01.12	×	98	×	82	00	00.12	95	×	91	89	90	×	82	98	90	85	%90»	×	× 00 ×	90	×	×
~	J Standard Surgical Set-IV	-	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
1	K Standard Surgical Set-V		×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
1	L Standard Surgical Set-VI		×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
	M Equipment for Anaesthesia		×	×	*	×	×	×	×	×	×	×	_ *	×	×	×	×	×	×	×	×	×	×	×	×	×
	N Equipment for Neo-Natal Resuscitation	-	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
	O Kit-Side Laboratory Test & Blood Transfusion	-	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×

Table 1-22 Drug Kit, Equipment Kit, Standard Set, Contraceptives, Vaccines Supply: TiKAMGARH

Discription :			CHC		B- PHC	l		S-P	HC									SF	HC						
	District	Palera	Niwari	Baldevgarh	Badagaon	Hata	Simra	Orcha	Deogada	Mohangarh	Aston	Simra Khurd	Landwari	Dewarda	Thona	Simra	Gailwara	Orcha	Karguan	Satguan	Chandera	Darguan	Kundeshwar	Khiriya	Aston
P Materials Kit Donor Blood For Transfusion	-	×	×	×	×	×	×	×	×	×	×	×	×	×	×	х.	×	×	×	×	×	×	×	×	×
Consumable for RTI/STI Laboratory Diagnosis for FRU	-	×	×	×	×	×	×	×	×	×	×	×	×	*	×	×	×	×	×	×	×	*	×	× .	×
Newborn Care Equipment to be supplied to Health Institutions	-	×	· ×	×	×	×	×	×	×	× .	×	×	×	×	×	×	×	×	×	×	*	×	×	×	×
Number: Received Date																									
Contraceptives																									
1. Lubricated Nirodh Piece	-	W	M.2	00.12	МЗ	М	1.10	01.1	00.1	01.1	00.10	М	M	01.1	M	01.1	M	00.11	М	01.1	M	1.10	01.1	М	01.3
2. Oral Pill Cycles	-	W	M2	00.12	M3	M	01.1	01.1	00.1	01.1	00.10	М	M	01.1	M	01.1	M	00.11	M	01.1	M	01.1	01.1	M	01.
3. NUDs	-	W	M2	00.12	М3	M	01.1	01.1	00.1	01.1	00.10	М	M	01.1	M	01.1	M	00.11	M	01.1	M	01.1	01.1	М	01.

0.0	ittaceptives		↓		ļ			1		I	i			1							1			L		1
1	Lubricated Nirodh Piece	-	W	M.2	00.12	M3	M	01.1	01.1	00.1	01.1	00.10	М	M	01.1	M	01.1	M	00.11	M	01.1	M	01.1	01.1	M	01.2
2	Oral Pill Cycles	-	W	M2	00.12	М3	M	01.1	01.1	00.1	01.1	00.10	M	M	01.1	M	01.1	M	00.11	M	01.1	М	01.1	01.1	M	01.2
3.	TUDs	-	W	M2	00.12	М3	М	01.1	01.1	00.1	01.1	00.10	M	M	01.1	М	01.1	M	00.11	M	01.1	М	01.1	01.1	M	01.2
4	Tubal Rings	-	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
Va	ccine Doses																									
I	BCG	-	W	M2	01.1	M	W	W	01.1	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W
2	DPT	-	W	M2	01.1	M	W	W	01.1	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W
3.	OPV	-	W	M2	01.1	M	W	W	01.1	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W
4.	Measles	-	W	M2	01.1	M	W	W	01.1	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W
5.	DT	-	W	M2	01.1	М	W	W	01.1	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	Ŵ
6.	TT	- 1	W	M2	01.1	M	W	W	01.1	W	W	W	W	W	w	W	W	W	W	W	W	W	W	W	W	W

B.W.M: Baby Weighing Machine W: Weekly Supply

M: Monthly Supply

M2: Twice per Month Supply

M3: Triple per Month Supply

Table 1-23 Drug Kit, Equipment Kit, Standard Set, Contraceptives, Vaccines Supply:

CHHATARPUR PANNA SAGAR S-PHC SHC сис в-рис S-PHC SHC CHC 8-PHC S-PHC SHC District District District Discription: Oharampura Majhgawan Rahatgarh Maharajpur 4manganj Ramtoria Rajwans Munderi Weeron Gadeha Banheri Chulla Salcha aderí Drug Kit A 00.4 00 Drug Kit B 00.8 00.9 00 004 003 Brug Kit B

Kit C Sub-Centers Equipmen 94 00 97.1 × Equipment Kits a Midwifery Kit 95 00 003 96.1d 00.2 98 01:1 00:9 98 99 80 00.4 96.3 98 90 × . × Kit D Primary Health Centers 96.9 97.1 Ö 97 00.2 × × × Equipment RCH Drugs at Primary Health Center . × × (Essential Obstetric Care Drugs) RCH Drugs at FRU (Emergency Obstetric Care Drugs) 01.1 - No Information -I Critical Drugs II Essential Drugs E Standard Surgical Set-1 96.9 96.3 (Instruments) FRU F CHC Standard Surgical Set-II 96.3 Kit G IUD Insertion Kit 95 93 00 4 **O** 99 80 96.3 91 96 97.12 00.2 95 00 91 × 00.3 Kit G IUD Insertion Kit
H CHC Equipment
of for Standard Surgical Set III
Kit I Normal Delivery Kit 96.9 0 96.3 for Standard Surgical Set III 95 96 J Standard Surgical Set-IV K Standard Surgical Set-V 96.3 × × L Standard Surgical Set-VI 98.9 × × 96.3 M Equipment for Anaesthesia 98.9 × 97.1 × × N Equipment 98.9 96.9 × for Neo-Natal Resuscitacion O Kit-Side Laboratory 98.9 × 96.3 × Test & Blood Transfusion

C-II-27

Table 1-23 Drug Kit, Equipment Kit, Standard Set, Contraceptives, Vaccines Supply:

	Τ			C	HHA	TAI	RPUI	₹								P/	NN.	A									S	AGA	R				
		СНС	в-рнс		S-PH	С			SHC				снс	в-рнс		S-PH	С			SHC				СНС	в-рнс		S-PI	IC			SHC	:	
Discription :	District	Badamalhara	Laudi	Maharajpur	Khadeha	Ramtoria	Munderi	Gadeha	Weeron	Basari	Ramtoria	District	Antanganj	Devendra Nagar	Simaria	Dharampura	Salcha	Paderi	Banheri	Murach	Majhgawan	Bagwar	District	Devri	Rahatgarh	Rajwans	Maharajpur	Barodiya	Talchiri	Pararai	Barkoti	Chulla	Khatora Kalan
P Materials Kit Donor Blood for Transfusion	-	98.9	×	×	×	×	×	×	×	×	×	-	- ж	×	×	×	×	×	. х	×	×	×	96.3	5	×	×		×	×	×	×	×	×
Consumable for RTI/STI Laboratory Diagnosis for FRU	-	×	×	×	×	×	×	. x	×	×	×	-	90.16	00.9	×	×	×	×	×	×	×	×		No Demo	×	×	2 2.	×	*	×	*	×	×
Newborn Care Equipment to be supplied to Health Institutions	-	×	×	×	×	×	×	×	×	×	×	-	×	× .	×	×	×	×	×	×	×	×	96.9	1	×	×] }	×	×	×	×	×	я

Number: Received Date

B.W.M.: Baby Weighing Machine

Contraceptives									Ι								I									\mathbf{J}							
Lubricated Nirodh Piece		01,1	М	M M	М	М	00.8	M	00.1	V	01.1	_	012	M	01.1	М2	01.1	M	M	012	01.1	00.9	00.2	N.	M	N.	M	М	NE.	M	M	M	М
2. Oral Pill Cycles		01.1	M	M	M	M	00.8	M	00.1	М	01.1	-	01 2 01 2	М	01.1	M2	011	M	М	UC.	01:	00,9	00.12	M	М	М	М	М	М	М	М	M.	M.
3. IUDs	_	01.1	⊗ M	M	M	M	00.8	M	00.1	М	0.3	-	01.2	M	01.1	M2	01.1	М	M.	01/2	01.1	90.9	01.2	N.	M	M	M	M	M	М	М	M	M
4. Tubal Rings	-	х	х	x	х	х	х	х	х	х	X	-	x	x	х	х	x	х	х	×	х	х		×	×	×	×	×	×	×	×	×	×
Vaccine Doses		<u> </u>		 					\vdash	\vdash					 	\vdash	-	╂─	┼─	+-	<u> </u>				 	╢	+	-	╟	 	 	├─┤	
1. BCG	-	W	M	M	M	W	w	w	W	w	w	-	M	M	M2	w	М	W	W	W	W	W	01.3	W	M	977	W	W	W	W	W2	W2	W2
2. DPT	-	W	M	М	М	W	W	W	W	W	w	-	M	M	1/12	w	М	w	w	W	W	w	01.3	8	М	W2	W	W	w	W	w2	W2	37/2
3. OPV		W	N.	M	M	w	W	XX	W	W	W	-	M	M	M2	W	М	377	V.	W	W	W	00.12		M	W2	W	W	W.	W	WZ	W2	W2
4. Measles	<u> </u>	W	M	М	М	W	W	₩.	W	W	W	[-	XX.	M	M2	W	М	W	W	w	W	W	01.3	W	М	W2	I W	W	W	W	WZ	W2	W2
5. DT		W	М	M	М	W	W	W	W	W	W	-	M	M	M2	W	М	3,0	V.	W	W		00.12	W	M	W2	W	W	200	W	W2	W2	W2
6. TT		W	⊗M.	M	M	W	W	W	W	W	W	-	M	М	M2	W	M	W	W	. W	W	·W	01.3	W	M	W2	w	W	3V6	W	W2	W2	W2

Number: Supplied Date

W: Weekly Supply M: Monthly Supply

Table of Contents

PART I Survey Results Related to IEC issues in the Survey on Current Situation of Reproductive Health in Sagar Division conducted by ORG-MARG

PART II A Case Study: The Role of IEC on RCH Behavior Change