

**B: RESULTS OF SUB-CENTRE
QUESTIONNAIRE SURVEY
IN TIKAMGARH AND DAMOH DISTRICT**

Table of Contents

1	OBJECTIVES	B-1
2	METHODOLOGY	B-1
2.1	Study Area	B-1
2.2	Collection of Information	B-1
2.3	Target and Achieved Number of Sub-Centres	B-1
3	RESULTS OF THE SURVEY	B-1
A.	Basic Information.....	B-2
B.	Staff and Training.....	B-4
C.	Infrastructure	B-5
D.	Equipment and Supplies	B-7
E-1.	Transport for ANM/F-MPW in February 2001	B-10
E-2.	Transport and Communication for emergency cases.....	B-11
F.	Service provided.....	B-12
F8/9.	Activities of ANM/F-MPW and M-MPW in February 2001	B-13
F8.	Activities of ANM/F-MPW in February 2001	B-14
F9.	Activities of M-MPW in February 2001.....	B-15
G.	Support and Co-ordination.....	B-16

Annex 1. Questionnaire for Sub-centre Survey

1 OBJECTIVES

The major objectives of the study is to obtain the following information to analyse the current situation of quality of care of reproductive and child health (RCH) services provided by ANMs and MPWs working at sub-centres (SCs), and to identify problems and priority issues to improve quality of care of RCH services

- Availability and appropriateness of facilities and equipment
- Availability and appropriateness of basic drugs /contraceptives and medial supplies
- Staff position
- Health workers' training background
- Health service performance of ANMs and MPWs

2 METHODOLOGY

2.1 Study Area

All sub-centres (SCs) in Tikamgarh and Damoh district in Sagar Division, Madhya Pradesh.

2.2 Collection of Information

The pre-tested structured questionnaires were distributed to all sub-centres in Tikamgarh and Damoh District through respective CMHO office.

In the block level meeting, the objectives of the study and how to fill the questionnaire forms were explained to ANMs (Auxiliary Nurse Midwives), MPWs (Multi Purpose Workers) and LHVs (Lady Health Visitors – a supervisor of MPWs). ANMs or female MPWs working at SCs were requested to send the questionnaire back to the office of the JICA study team in Bhopal by mail.

The questionnaires were distributed in May 2001 and collected in May and June 2001.

2.3 Target and Achieved Number of Sub-Centres

The number of the collected questionnaires is shown in the table below. 90.4% of SCs in Tikamgarh district and 85.0% of SCs in Damoh district filled the questionnaire and sent them to the office of the JICA study team.

Tikamgarh District			Damoh District		
Block	Target	Achieved	Block	Target	Achieved
Jatara	34	28	Hattta	22	21
Palera	25	22	Tendukheda	23	24
Baldevgarh	27	26	Jabbera	27	26
Prithvipur	21	21	Hindoriya	27	14
Niwari	25	25	Patharia	23	22
Badagaon	24	19	Patera	18	14
			Batiagarh	20	15
Total	156	141	Total	160	136
		90.4%			85.0%

3 RESULTS OF THE SURVEY

The collected information was processed and SPSS database was developed. The results are shown in tabulation outputs from the next pages.

A. Basic Information

		Unit	Damoh (n)	Tikamgarh (n)	
A-1	Year of establishment of SHC	%	(136)	(141)	
	- before '80		17	36	
	- '81-'85		36	33	
	- '86-'90		26	16	
	- '91-'95		0	3	
	- '96-'01		57	2	
A-2	Under which programme has the SC established?	%	(136)	(141)	
	- CSSM		6.6	9.2	
	- RCH		12.5	5.7	
	- DANIDA		5.1	65.2	
	- MNP		47.1	9.2	
	- PHC		18.4	4.3	
	- FPAI		10.3	5.7	
	- other		0.0	0.7	
A-3	Number of village covered by the SHC (average)	nos.	7.2	5.6	
A-4	Population covered by the SHC (average)	nos.	5,106.9	10,842.7	
A-5	Farthest village		(136)	(139)	
A-6	- Distance	average	km	8.7	6.6
		maximum		25.0	15.0
		minimum		0.0	0.0
		median		8.0	6.0
	- Time to access	average	hours	1.5	1.4
		maximum		4.0	3.4
		minimum		0.0	0.0
		median		1.5	1.3
	- Transportation	foot	%	37.5	54.0
		bicycle		26.5	18.7
		bus		0.0	0.0
		motorcycle		0.0	0.0
		jeep/bus		5.1	2.2
		own vehicle		5.9	5.0
		train		0.0	0.0
		other/ no answer		25.0	20.1
A-5	Farthest habitation		(136)	(139)	
A-6	- Distance	average	km	7.1	5.2
		maximum		25	31.0
		minimum		0.0	0.0
		median		7.0	5.0
	- Time to access	average	hours	1.2	1.1
		maximum		3.0	4.0
		minimum		0.0	0.0
		median		1.0	1.0
	- Transportation	foot	%	31.6	52.5
		bicycle		19.9	20.1
		bus		0.0	0.0
		motorcycle		0.0	0.0
		jeep/bus		2.9	2.9
		own vehicle		2.2	5.0
		train		0.0	0.0
		other/ no answer		43.4	19.4
A-7	Distance to other health facilities				
(1)	Sector PHC		(136)	(141)	
	- Distance	average	km	14.3	10.0
		maximum		90.0	65.0
		minimum		0.0	0.0
		median		10.0	8.0
	- Time to access	average	hours	1.4	1.1
		maximum		9.0	4.0
		minimum		0.0	0.0
		median		1.0	1.0
	- Transportation	foot	%	7.4	23.4
		bicycle		21.3	12.8
		bus		31.6	32.6
		motorcycle		2.9	2.8
		jeep/bus		0.0	0.0
		own vehicle		0.0	0.0
		train		1.5	0.0
		other/ no answer		35.3	28.4

		Unit	Damoh (n)	Tikamgarh (n)
A-7	Distance to other health facilities			
(2)	CHC or Block PHC		(136)	(141)
-	Distance	km		
	average		23.6	26.1
	maximum		90.0	90.0
	minimum		0.0	0.0
	median		21.0	20.0
-	Time to access	hours		
	average		1.8	1.8
	maximum		9.0	6.3
	minimum		0.0	0.0
	median		2.0	1.5
-	Transportation	%		
	foot		3.7	5.0
	bicycle		11.8	5.0
	bus		45.6	66.7
	motorcycle		1.5	2.1
	jeep/bus		0.0	0.0
	own vehicle		0.0	0.0
	train		2.2	0.0
	other/ no answer		35.3	21.3
(3)	District hospital		(136)	(141)
-	Distance	km		
	average		40.1	42.8
	maximum		90.0	98.0
	minimum		0.0	0.0
	median		40.0	45.0
-	Time to access	hours		
	average		2.2	2.7
	maximum		5.5	12.5
	minimum		0.0	0.0
	median		2.0	2.5
-	Transportation	%		
	foot		0.0	4.3
	bicycle		2.9	0.0
	bus		53.7	67.4
	motorcycle		0.0	0.7
	jeep/bus		0.0	0.0
	own vehicle		0.0	0.0
	train		2.2	0.7
	other/ no answer		41.2	27.0

B. STAFF AND TRAINING

		Damoh		Tikamgar		
		Unit (n)		Unit (n)		
B-1	Number of the staff		total	per SHC	total	per SHC
	- ANW/F-MPW sanctioned	nos.	103	1.1	167	1.2
	in position		110	0.9	239	1.7
	- M-MPW sanctioned	nos.	128	1.0	179	1.3
	in position		110	0.9	301	2.1
	Caste group	%	(127) ANW/F-MPW	M-MPW (134)	ANW/F-MPW	M-MPW
	General Caste		57.5	46.8	56.7	48.5
	Scheduled Caste	M(124)	11.8	16.1	17.2	17.9
	Scheduled Tribe		5.5	9.7	4.5	0.7
	Other Backward Caste		25.2	27.4	21.6	31.3
	Other Religious Group		0.0	0.0	0.0	1.5
B-2	Educational background	%	(135) ANW/F-MPW	M-MPW (141)	ANW/F-MPW	M-MPW
B-5	- <3 years		2.2	3.0	44.0	36.2
	- 3-6years		16.3	18.5	7.1	14.9
	- 7-8years		0.7	0.7	1.4	5.7
	- 9-12years		35.6	25.2	12.1	16.3
	- 13-15years		3.0	11.1	12.1	12.8
	- >16years		42.2	41.5	23.4	14.2
B-3	Years of providing services in the community as ANM/F-MPW or M-MPW	%	(135) ANW/F-MPW	M-MPW (141)	ANW/F-MPW	M-MPW
B-6	- <1year		5.9	3.7	6.4	7.1
	- 1-3years		15.6	18.5	7.8	19.9
	- 3-5years		8.9	9.6	5.0	13.5
	- 6-10years		3.7	14.1	7.8	19.9
	- >10years		65.9	54.1	73.0	39.7
B-4	Years of providing services at this SHC	%	(135) ANW/F-MPW	M-MPW (141)	ANW/F-MPW	M-MPW
B-7	- <1year		7.4	4.4	6.4	15.6
	- 1-3years		18.5	21.5	14.9	26.2
	- 3-5years		14.8	12.6	13.5	7.8
	- 6-10years		10.4	15.6	20.6	9.9
	- >10years		48.9	45.9	44.7	40.4
B-5	Training received in the last 3 years	%	(136) ANM/F-MPW	M-MPW (141)	ANM/F-MPW	M-MPW
B-8	- Screening clients for spacing methods		46.3	31.6	52.5	27.7
	- IUD insertion		52.2	0.0	65.2	37.1
	- Ante-natal care		55.9	41.2	73.8	33.3
	- Blood pressure check		48.5	37.5	65.2	37.6
	- Safe delivery		55.9	38.2	76.6	36.2
	- Neonatal care		55.9	41.2	66.7	42.6
	- Immunization programme		60.3	52.2	72.3	48.9
	- Control of diarrhea diseases		51.5	47.1	62.4	48.9
	- ARI		40.4	41.2	56.7	40.4
	- Nutrition		51.5	42.6	63.8	43.3
	- Reproductive health		57.4	53.7	74.5	46.8
	- Community needs assessment		41.9	43.4	53.9	40.4
	- Consulting techniques for RTI/STI/AIDS		45.6	43.4	70.9	47.5
	- Consulting techniques for FP		51.5	46.3	59.6	43.3
	- MTP/abortion		27.9	28.7	34.0	21.3
	- Pap smear examination		25.7	0.0	22.0	0.0
	- Family planning (FP)		42.6	44.1	56.7	39.0
	- Screening of high risk pregnancy		41.9	34.6	60.3	31.9
	- Essential obstetric care (EOC)		41.2	32.4	53.2	28.4
	- First aid for complicated pregnancy		44.1	33.8	57.4	30.5
	- RTI/STI diagnosis and treatment		38.2	34.6	56.7	36.9
	- Interpersonal communication skill		39.0	37.5	45.1	34.8
	- Malaria diagnosis and treatment		48.1	45.6	57.4	44.7
	- TB diagnosis and treatment		36.8	36.8	45.0	37.3
	- Chronic illness diagnosis and treatment		34.6	30.1	35.5	31.2
	Trainings provided by	(nos.)				
	- Government		334	274	992	498
	- NGO		4	3	4	30
	- DANIDA		23	18	227	153
	- WHO		56	34	169	36
	- RCH		42	0	96	0
	- Others		56	39	19	61

C. INFRASTRUCTURE

	Unit	Damoh (n)	Tikamgarh (n)
C-1 Location of the SHC building	%	(136)	(141)
- Centre of village		44.9	36.9
- Edge of village		20.6	40.4
- Outside of village		8.1	14.2
- Other/ no answer		26.5	8.5
C-2 Building owner	%	(136)	(141)
- Own		7.4	43.3
- Donated/rent free		0.0	0.0
- Functioning from panchayat		4.4	1.4
- Other gov.		5.1	5.0
- No building		7.4	18.4
- DANIDA		2.9	8.5
- Rented		72.8	23.4
C-3 Rented fee per month	Rs. average	193.7	198.3
C-4 Paid by	%	(99)	(33)
- State Gov.		2.0	0.0
- District		8.1	9.1
- Panchayat		1.0	0.0
- ANM/MPW		86.9	87.9
- Other		2.0	
C-5 Programme under which SHC was constructed	%	(136)	(141)
- CSSM		4.4	12.8
- RCH		21.3	13.5
- Woman sanitation		41.9	9.9
- DANIDA		2.9	37.6
- Panchayat		1.5	4.3
- Family welfare		3.7	6.4
- Other/ no answer		24.3	15.6
C-6 Maintenance of SHC facilities	%	(136)	(141)
- Regularly		5.1	22
- Occasional		20.6	22.7
- On request		1.5	3.5
- Never		39.7	37.6
- Other/ no answer		33.1	14.2
C-7 Fund for maintenance provided by:	%	(82)	(88)
- State Gov.		7.4	15.9
- Panchayat		28.4	23.9
- Project		6.2	9.1
- Other/ no answer		58.0	51.1
C-8 Annual of budget for maintenance (1999)	Rs. average	n.a.	428.9
C-9 Usage of maintenance fund	%	(82)	(88)
- Yes		2.2	5.7
- No		21.3	53.4
- Other/ no answer		76.5	40.9
C-10 Reasons for "Not used"	%		
- funds sanctioned but not obtained		0.0	8.0
- no perceived need		95.8	25.0
- use for other activities		0.0	2.3
- other		4.2	59.1
C-11 Number of rooms in SHC	nos. average	6.3	4.0
C-12 Availability of basic facilities	%	(136)	(141)
- Continuous water supply		9.6	27.7
- Drinking water		12.5	37.6
- Electricity connection		11.0	21.3
- Electricity supply		9.6	17.0
- Toilet with running water		6.6	23.4
C-13 Availability of other facilities	%	(136)	(141)
- Delivery /Labour room		16.9	61.0
- IUD room		11.0	44.0
- Consultation room		8.1	39.0
- Counseling room (room that has walls which protect client's privacy)		11.0	47.5
C-14 Availability of staff quarter at SHC	%	(136)	(141)
		36.8	59.6

	Unit	Damoh (n)	Tikamgarh (n)
C-15 Residence of ANW/F-MPW	%	(136)	(141)
- in village			
- SHC staff quarter		8.1	14.2
- Same village		64.0	41.8
- outside of village			
- SHC area		8.1	19.1
- PHC area		0.7	4.3
- Outside PHC area		2.2	1.4
- Other		16.9	19.1
C-16 - Reasons for living outside village	%		
- with family		2.6	2.8
- staff quarter at lonely location		5.3	3.5
- no proper facility		5.3	38.3
- no building		0.0	0.7
- other		86.8	30.5
C-17 Satisfaction with physical Infrastructure of SHC facilities	%	(136)	(141)
- Yes		9.6	24.1
- No		63.2	64.5
- Other/ no answer		27.2	11.3
C-18 Reasons for "Not satisfied" (multiple)	nos.		
- location		14	31
- access		7	21
- old and no maintenance		17	39
- water leakage		12	50
- bathroom and toilet		22	51
- construction quality		11	22
- no all weather protection		17	39
- electric fitting		14	39
- drainage		8	18
- water supply		6	12
- other		27	15

D. EQUIPMENT AND SUPPLIES

		Unit	Damoh			Tikamgarh				
		(n)	adequate & working	adequate but not working	absent	adequate & working	adequate but not working	absent		
D-1	Availability of basic equipment for normal delivery in general at SHC	%	(134)	38.1	12.7	49.3	(141)	44.7	18.3	39.0
D-1	Availability of itemized basic equipment for normal delivery at SHC	%	available			available				
Att.										
	- delivery bed			6.0				13.5		
	- dressing carriage trolley			6.0				11.3		
	- stainless tray for instrument with cover			33.6				73.0		
	- adjustable table for instrument			9.7				36.2		
	- plastic sheeting Macintosh			37.3				41.8		
	- cylindrical sterilizing drum			14.2				56.0		
	- artery forceps			47.0				79.4		
	- blunt ended cord cutting scissors			35.1				60.3		
	- latex surgical gloves			48.5				63.8		
	- cord ties			26.9				36.2		
	- gauze absorbent			20.9				41.8		
	- cotton absorbent			27.6				53.9		
	- operation gown			5.2				11.3		
	- surgeon's operation cap			3.7				4.3		
	- surgeon's face mask			4.5				2.1		
	- cloth or towel to dry baby			3.0				6.4		
	- blanket to wrap baby			3.7				5.0		
	- suture needles and material			9.0				9.9		
	- needle holder			11.2				33.3		
D-2	Availability of basic drugs in general at SHC	%	(134)	34.3	47.8	17.9	(141)	43.3	44.7	12.1
D-2	Availability of itemized basic drugs at SHC	%	available			available				
Att.										
	- ORS			31.3				90.8		
	- IFA table (large)			26.1				83.3		
	- IFA table (small)			23.9				83.7		
	- Vitamin A solution			24.6				97.2		
	- cotrimoxazole tablet			21.6				72.3		
	- ampicillin capsule			13.4				12.1		
	- benzathine/procaine injection			1.5				12.8		
	- ceftriaxone injection/ ciprofloxacin capsule			1.5				7.8		
	- methylgometrine maleate tablet			20.1				68.8		
	- paracetamol tablet			21.6				71.6		
	- methylgometrine maleate/ oxytosin injection			18.7				49.6		
	- mebendazole tablet			18.7				64.5		
	- mthyodopa/ propranol/ other antihyoertensive oral drug			2.2				12.0		
	- hydraize injection			4.5				9.2		
	- chloroquine tablet			22.4				86.5		
	- quinine/ chloroquine injection			0.7				24.8		
	- dicyclomine HCl tablet			18.7				58.2		
	- chloramphenicol eye ointment			19.4				71.6		
	- tetracycle eye ointment/ silver nitrate eye drop			13.4				49.3		
	- lidocaine/ other local anesthetics			3.0				14.2		
	- povidone iodine ointment			20.9				67.4		
	- cetrimide powder			21.6				65.2		
	- chlorhexidine/ surgical spirit/ other disinfectants, antiseptics			9.0				31.2		
	- IV solution(Saline/ sodium lactate compound solution)			9.0				24.8		
	- absorbent cotton			15.7				67.4		
	- cotton bandage			15.7				68.6		
	- BCG vaccine			25.4				91.5		
	- tetanus toxoid			29.9				93.6		
	- DPT vaccine			29.1				92.9		
	- measles vaccine			29.1				93.6		
D-3	Availability of contraceptives in general at SHC	%	(134)	88.8	6.0	5.2	(141)	90.8	8.5	0.7
D-3	Availability of itemized contraceptives at SHC	%	available			available				
Att.										
	- condom			90.4				91.5		
	- oral pill			94.9				95.7		
	- IUDs			79.4				85.1		
	- tubal rings			6.6				9.9		
	- injectable			8.1				8.5		

		Damoh			Tikamgarh					
		Unit	(n)		(n)					
		%	adequate & working	adequate but not working	absent	adequate & working	adequate but not working	absent		
D-4	Availability of ANC equipment in general at SHC		(135)	52.6	8.9	38.5	(141)	71.6	24.1	4.3
D-4	Availability of itemized ANC equipment at SHC	%	available			available				
Att.	- stainless kidney-shape basin			57.4				80.9		
	- Instrument and dressing tray with cover			42.6				76.6		
	- dressing jar with cover			34.6				56.7		
	- 1l measure jug			40.4				63.8		
	- 1/2l measure jug			27.2				39.7		
	- 6l deep basin			21.3				39.7		
	- instrument sterilizer			25.7				72.3		
	- forceps sterilizer			19.9				60.3		
	- sphygmomanometer			55.1				75.2		
	- infant weighing scale			71.3				89.4		
	- adult weighing scale			31.6				76.6		
	- spring type dressing forceps			16.9				43.3		
	- urinary catheter			51.5				68.1		
	- clinical oral thermometer			57.4				65.2		
	- clinical rectal thermometer			49.3				56.7		
	- mucus extractor			38.2				41.1		
	- MVA			19.9				22		
	- foetal stethoscope			41.2				70.9		
	- straight surgical scissors			17.6				55.3		
	- surgeon's hand brush			29.4				44.7		
	- haemoglobinometer			28.7				35.5		
	- lancet			8.1				20.6		
	- reagent strip for urine test			21.3				30.5		
	- rack for blood-sedimentation			13.2				17.7		
	- syphilis test kit			3.7				9.9		
	- neonatal resuscitation bag and mask			10.3				28.4		
	- torch			30.1				43.3		
	- torch battery			21.3				14.9		
	- IV kit			16.9				11.3		
	- blank partographs			5.9				7.8		
	- blank antenatal client cards/maternal records			25.7				30.5		
D-5	Availability of IUD kit/equipment in general at SHC	%	(135)	77.0				89.4		
D-5	Availability of itemized IUD kit/equipment at SHC	%	available			available				
Att.	- stainless sterilization tray with cover			29.6				74.5		
	- stainless sponge bowl			25.9				59.6		
	- bivalve vaginal speculum small			42.6				75.2		
	- bivalve vaginal speculum medium			41.2				63.8		
	- double ended vaginal speculum			30.9				46.1		
	- sponge holding forceps			36.0				72.3		
	- uterine tenaculum forceps			30.9				50.4		
	- uterine vulsellum forceps			33.1				55.3		
	- tissue forceps			25.7				56.7		
	- long straight artery forceps			28.7				60.3		
	- uterine sound			37.5				60.3		
	- uterine depressor/ retractor			19.9				44.7		
	- operating scissors			14.7				51.1		
	- surgical gloves			41.2				56.0		
	- Macintosh			32.4				44.7		
D-6	Availability of equipment and supplies for Immunization	%		proper	improper	absent		proper	improper	absent
	- vaccine carries		(81)	54.3	44.4	1.2	(138)	37.7	34.8	27.5
	- day carries		(50)	28.0	34.0	38.0	(96)	45.8	31.3	22.9
	- autoclave		(53)	20.8	34.0	45.3	(93)	45.2	41.9	12.9
	- syringes		(88)	48.9	47.7	3.4	(98)	53.1	41.8	5.1
	- needles		(81)	46.9	48.1	4.9	(98)	52.0	39.8	8.2
	- cotton		(64)	26.6	37.5	35.9	(92)	43.5	42.4	14.1
	- disinfectant		(45)	8.9	24.4	66.7	(84)	26.2	20.2	53.6
D-7	Availability of Dai kit at SHC	%	(136)	39.7	15.4	44.1	(141)	43.3	12.1	44.7

	Unit	Damoh			Tikamgarh					
		(n)	regularly	not regularly	no	regularly	not regularly	no		
D-8 Supply of drugs and equipment kit under RCH Programme	%									
D-9										
- drug kit A received (total)	(135)	75.6	15.6	8.9	(141)	53.9	37.6	8.5		
1996		12.6				20.8				
1997		20.7				32.6				
1998		23.7				35.5				
1999		48.1				57.4				
2000		67.4				66.7				
- drug kit B received (total)	(135)	67.4	15.8	17.0	(141)	50.4	36.9	12.8		
1996		11.1				27.0				
1997		14.8				27.7				
1998		20.7				31.9				
1999		40.7				52.5				
2000		60.0				59.6				
- midwife kit ANM received (total)	(135)	55.6	38.5	5.9	(141)	54.6	44.0	1.4		
1996		9.6				14.2				
1997		16.3				19.9				
1998		11.9				15.6				
1999		14.8				22.7				
2000		19.3				25.5				
- SHC equipment kit received (total)	(136)	19.9	69.9	10.3	(141)	33.3	64.5	2.1		
1996		7.4				11.3				
1997		7.4				9.9				
1998		7.4				7.8				
1999		7.4				12.8				
2000		11.8				16.3				
D-10 Satisfied with provided drugs and equipment kit	%	(135)	43.0		(141)	52.5				
D-11 Reasons for "not satisfied" with equipment and supplies provided	%	(77)			(67)					
- adequacy			63.6			58.2				
- quality			16.9			25.4				
- appropriate			5.2			3.0				
- no supply			14.3			7.5				
- old			0			4.5				
- no equipment			0			1.5				
D-12 Availability of client informational materials	%		yes	yes, but dirty, broken, etc.	no	yes	yes, but dirty, broken, etc.	no		
- warning system of complication in pregnancy	(101)	68.3	6.9	24.8	(131)	66.4	15.3	18.3		
- postpartum/ newborn care	(106)	67.0	9.4	23.6	(134)	63.4	20.1	16.4		
- breast feeding	(102)	68.6	5.9	25.5	(134)	67.2	14.9	17.9		
- family planning	(106)	70.8	5.7	23.6	(134)	64.9	14.9	20.1		
- RTI/ STD	(100)	62.0	5.0	33.0	(129)	57.4	12.4	30.2		
- HIV/ AIDS	(102)	59.8	5.9	34.3	(128)	54.7	13.3	32.0		
- Antenatal nutrition and anemia	(103)	65.0	5.8	29.1	(130)	60.8	17.7	21.5		
- Abortion	(101)	56.4		37.6	(129)	43.4	14.7	41.9		
- Safe motherhood/ delivery	(106)	71.7	5.7	22.6	(130)	66.9	15.4	17.7		
D-13 Availability and usage of educational materials	%		yes	yes but dirty, broken, etc.	no	use (n=141)	yes	yes but dirty, broken, etc.	no	use (n=141)
D-14										
- warning system of complication in pregnancy	(110)	50.0	6.4	43.6	48.1	(133)	56.4	16.5	27.1	65.2
- postpartum/ newborn care	(105)	53.3	4.8	41.9	48.1	(129)	55.8	14.0	30.2	68.8
- breast feeding	(105)	55.2	2.9	41.9	48.9	(132)	58.3	13.6	28.0	71.6
- family planning	(110)	59.1	2.7	38.2	52.6	(133)	61.7	12.8	25.6	73.0
- RTI/ STD	(104)	53.8	1.9	44.2	45.9	(131)	47.3	15.3	37.4	54.6
- HIV/ AIDS	(109)	56.0	2.8	41.3	43.0	(126)	46.0	13.5	40.5	59.6
- Antenatal nutrition and anemia	(109)	55.0	3.7	41.3	48.9	(133)	55.6	16.5	27.8	66.0
- Abortion	(104)	49.0	3.8	47.1	40.0	(123)	33.3	13.0	53.7	46.8
- Safe motherhood/ delivery	(112)	64.3	3.6	32.1	51.1	(133)	58.6	15.8	25.6	74.5

E. COMMUNICATION AND TRANSPORT

E-1. Transport for ANM/ F-MPW activities

		Damoh (n=)	Tikamgarh (n=)
E-1	Transportation facility for SHC health workers	% (136)	(141)
E-2	Kind of transportation	%	(46)
	- bicycle	23.5	54.3
	- motorbike	19.9	37.0
	- other	2.2	8.7
E-3	Provided by	% (135)	(136)
	- government/ CMHO	10.4	9.6
	- Gram Panchayat	8.1	20.6
	- village health communities	1.5	0.0
	- state government	3.7	2.9
	- ANM/ MPW under district arrangement	18.5	11.0
	- ANM/ MPW arranged by herself	57.8	55.9
E-4	Fuel and maintenance costs are paid by;	(135)	(136)
	- government/ CMHO	2.2	4.4
	- Gram Panchayat	8.9	19.9
	- village health communities	0.7	0.0
	- ANM/ MPW	77.8	70.6
	- other	10.4	5.1
E-5	Transportation available is used by;	(135)	(131)
	- ANM/ F-MPW	44.4	58.8
	- M-MPW	31.9	36.0
	- other	23.7	5.1
E-6	(In case of not being used available transportation by ANM/F-MPWA)		
	Transport for ANM/ F-MPW to visit client/ village (multiple)	nos.	
	- Own vehicle	43	23
	- Public transport	7	12
	- Panchayat transport	2	2
	- Other	9	1

E-2. Transport and communication for emergency cases

		Damoh (n)	Tikamgarh (n)	
E-7	Mode of communication to contact ANM/F-MPW by villagers in emergency case	% (135)	(141)	
	- messenger person		80.0	78.7
	- telephone		8.9	7.8
	- police station		0.0	0.7
	- other		11.1	12.8
E-8	Transport in emergency case (multiple)	nos.		
	- public bus		18	19
	- tractor/ zeep		80	115
	- cow		72	83
	- motor bike		13	21
	- bicycle		24	17
	- motor car		1	9
	- ambulance		3	0
	- other		11	3
E-9	Availability of transport in emergency case	nos.		
	- always within 1 hour		87	56
	- always within 3 hours		42	52
	- always within a day		28	19
	- always, but over a day		10	7
	- sometime		26	35
	- Only for limited occasion		14	16
E-10	Transport in emergency case is provided by	nos.		
	- Patient's family/ relatives		99	124
	- Gram Panchayat		25	8
	- SHC/ women's group		7	3
	- Other community group		3	3
	- NGO		1	3
	- CHC/ District hospital		2	0
	- Private (taxi, etc.)		12	15
	- Just wait for public transport		15	15
	- Other		19	11
E-11	Gram Panchayat's fund for transport for obstetric emergency case	%		
	- Know the scheme of fund	(135)	48.1	(141) 37.6
	- Used the fund once or more	(65)	57.8	(53) 34.0
E-12	Reasons for no use			
	- Fund not available		18.5	28.6
	- Long procedure for fund release		18.5	31.4
	- No responsible person for fund release		11.1	14.3
	- Don't know how to apply		7.4	8.6
	- No need		7.4	5.7
	- Other		37.0	11.4
E-13	Make a telephone call to hospital/CHC in emergency case to ask;	% (135)	32.6	(141) 26.3
E-14	- to send ambulance		38.6	24.3
	- to send a doctor		2.3	21.6
	- to tell how to give first aids to a patient over the phone		9.1	18.9
	- to prepare for receiving a patient		29.5	21.6
	- other		20.5	13.5
E-15	Reasons for not making a telephone call			
	- know a doctor isn't available		6.5	5.8
	- know an ambulance isn't available		4.3	17.3
	- know a doctor won't come		7.5	15.4
	- know an ambulance won't come		1.1	2.9
	- know sending a patient to referral facility is faster		12.9	4.8
	- telephone isn't available		35.5	40.4
	- other		32.3	13.5

F. Service provided

		Damoh (n=)		Tikamgarh (n=)		
F-1	Presence of ANM/ F-MPW at SHC in a week	days	5.28	N/A		
F-2	Regular service hours	nos.				
	from am					
	- ~7:00		66		87	
	- 8:00~12:00		60		38	
	to pm					
	- ~2:00		43		69	
	- 3:00~6:00		37		37	
	- 7:00~		49		20	
	- 24hours		6		12	
F-3	Providing emergency services	% (136)	66.2	(140)	83.6	
F-4	24 hours emergency natal care	% (136)	75.0	(135)	89.6	
F-5	Number of clients in February 2001	person	at SHC	home visits	at SHC	home visits
F-6	- antenatal care		14.4	15.4	19.2	21.8
	- high risk pregnancy treatment		4.7	3.2	2.5	2.3
	- high risk pregnancy referred		2.3	1.4	1.3	1.5
	- referred to higher level facility for delivery		1.7	16.0	2.9	2.6
	- postnatal care		12.0	10.1	12.2	10.9
	- newborn baby weighed		12.7	11.6	11.9	10.8
	- low birth weight baby referred		1.8	1.5	1.0	1.4
	- sick newborn baby treatment		1.0	1.9	0.6	1.3
	- sick newborn baby referred		2.9	13.7	0.7	14.5
	- immunization of child		38.0	25.2	25.5	20.1
	- sick child treatment		6.1	3.6	8.4	7.7
	- sick child referred		4.7	10.2	2.1	16.6
	- family planning consulting		21.4	21.0	68.3	51.2
	- IUD		7.8	n.a.	23.5	n.a.
	- RTI/ SDT consulting		5.5	6.5	6.5	14.5
	- RTI/ SDT treatment		1.9	6.3	3.8	4.7
	- RTI/ SDT referred		2.2	2.5	3.0	2.6
	- TB		2.3	2.9	1.2	1.5
	- sick adult (male)		9.2	3.9	8.3	5.5
	- sick adult (female)		3.8	8.4	10.8	11.0
	- other		5.7	7.8	3.4	7.3
F-7	IEC activities in Feb. 2001					
	- group discussion with men		50.5		22.3	
	- group discussion with women		36.5		22.2	
	- men's night gathering		1.7		4.3	
	- women's night gathering		2.8		3.1	
	- folk show		1.4		1.3	
	- other		0.4		0.2	

F8/F9. ACTIVITIES OF ANM/F-MPW AND M-MPW IN FEBRUARY 2001

	total person-day*			
	Damoh		Tikangarh	
Place	ANM/ F-MPW	M-MPW	ANM/ F-MPW	M-MPW
• SC	1,196	3,166	3,589	3,166
• village	344	1,548	1,276	1,548
• other village	557	1,331	1,299	1,331
• sector SC	154	333	318	333
• block PHC/ CHC	140	289	186	303
• district CMHO	13	19	194	19
• outside of district	6	17	20	17
• other	65	83	88	83
Activity				
• antenatal care	196	496	622	496
• postnatal care	100	269	323	269
• delivery	72	138	244	138
• emergency obstetric case	36	112	116	102
• other emergency case	32	66	68	66
• immunization	369	804	783	804
• FP counseling	242	809	656	829
• IUD	62	99	149	99
• RTI/ SDT counseling	66	158	174	160
• treatment of other illness	164	351	324	349
• health education/ expansion	271	1,236	898	856
• desk work	241	854	806	874
• meeting at sector level	146	302	344	358
• meeting at block level	70	158	93	138
• receiving training	23	30	198	30
• providing training to DAIs	21	76	28	76
• cndaining	13	0	46	0

* Person-day means here actually person-half day: One person works in the morning, in the afternoon or at night is considered 1 person-day.

F8. ACTIVITIES OF ANM/F-MPW IN FEBRUARY 2001

(average person-days)

Place	Damoh			Tue			Wed			Thu			Fri			Sat			Sun			total	
	Mon		nt	am		nt	am		nt	am		nt	am		nt	am		nt	am		nt	p/d	p/d
	am	pm		am	pm		am	pm		am	pm		am	pm		am	pm		am	pm			
• SC	31.5	9.5	10.3	18.5	7.5	9.3	23.3	7.5	9.0	26.3	12.5	11.3	13.5	8.0	9.5	18.5	10.8	11.5	27.3	13.3	10.0	298.9	1,196
• village	5.0	4.0	1.8	14.0	6.8	1.3	6.8	3.0	2.0	2.0	2.0	1.3	7.8	4.8	1.0	8.8	5.3	1.3	2.8	2.8	1.5	86.1	344
• other village	7.0	4.8	3.8	17.8	12.3	3.3	12.0	8.5	1.8	11.0	6.8	1.3	15.0	10.3	2.6	9.8	5.5	2.0	2.3	1.5	0.0	139.3	557
• sector SC	3.6	0.8	0.3	1.0	0.0	0.0	4.0	0.8	0.5	7.3	2.8	0.0	3.3	2.8	0.8	4.8	3.5	1.3	0.3	0.3	0.3	38.4	154
• block PHC/ CHC	8.0	5.0	1.0	0.3	0.0	0.8	2.0	1.3	0.8	2.0	1.3	1.0	5.3	1.8	0.8	1.8	0.3	0.8	0.3	0.3	0.0	34.9	140
• district CMHO	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.0	1.0	0.3	0.3	0.3	0.0	0.0	3.2	13
• outside of district	0.3	0.0	0.0	0.0	0.0	0.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.4	6
• other	0.0	0.0	0.8	0.0	0.0	0.8	0.0	0.5	1.3	1.0	0.5	1.0	0.5	0.0	1.0	2.0	0.5	0.0	2.5	2.3	1.5	16.2	65
Activity																							
• antenatal care	8.5	1.3	1.3	0.3	0.3	0.0	5.0	1.0	0.3	7.0	2.3	0.3	5.5	1.8	0.5	2.8	1.0	0.8	4.8	3.8	0.5	49.1	196
• postnatal care	3.5	2.8	0.8	0.8	0.5	0.3	1.0	1.0	0.5	2.3	1.5	0.3	2.5	2.3	0.0	1.0	0.5	0.8	1.0	0.5	1.0	24.9	100
• delivery	2.0	1.0	1.0	1.3	0.5	0.3	1.8	0.3	1.0	1.0	1.8	0.3	1.5	1.3	0.5	0.8	0.5	0.3	0.5	0.0	0.3	18.0	72
• emergency obstetric case	0.5	0.5	1.3	0.3	0.0	0.3	0.3	0.3	0.0	0.0	0.3	0.5	1.3	0.8	0.3	1.0	0.0	0.3	0.5	0.5	0.0	9.0	36
• other emergency case	0.3	0.8	0.0	0.0	0.5	0.0	1.0	1.0	0.8	0.3	0.5	0.3	0.0	0.3	0.5	0.3	0.5	0.3	0.3	0.3	0.0	8.0	32
• immunization	8.8	2.3	2.5	43.5	21.0	2.0	3.0	1.0	0.0	3.3	0.0	0.0	1.0	0.3	0.0	2.0	0.8	0.3	0.5	0.0	0.0	92.3	369
• FP counseling	3.3	4.0	1.3	0.5	1.0	1.5	2.8	2.3	0.8	6.5	4.5	2.5	7.3	4.8	2.3	7.5	3.3	1.0	2.0	1.0	0.3	60.5	242
• IUD	1.3	1.0	0.3	0.3	0.5	0.3	0.8	0.3	0.3	1.3	0.5	0.5	1.0	1.3	0.0	1.0	3.0	0.3	0.8	0.5	0.3	15.6	62
• RTI/ SDT counseling	1.0	1.3	0.3	0.0	1.0	0.0	1.3	0.8	0.8	1.0	3.5	1.5	0.5	0.5	0.3	0.0	0.5	0.0	0.8	0.8	0.5	16.4	66
• treatment of other illness	2.3	1.3	0.0	0.5	0.8	1.0	2.3	3.5	1.0	3.8	2.5	1.5	4.3	3.5	0.3	3.5	2.3	1.3	3.0	1.3	1.0	41.0	164
• health education/ expansion	3.5	1.8	1.3	1.0	1.8	4.8	8.0	3.5	1.3	5.5	2.3	0.5	6.5	4.8	1.8	6.5	3.5	2.0	3.3	2.5	1.5	67.7	271
• desk work	2.0	1.0	2.0	1.3	0.3	0.3	4.0	2.3	2.0	3.8	3.0	2.5	2.3	1.5	3.3	8.3	5.3	4.5	6.0	2.5	2.0	60.2	241
• meeting at sector level	2.0	0.8	0.8	1.0	0.0	0.0	5.8	0.5	0.5	5.0	2.8	0.0	6.0	2.5	0.0	5.3	3.0	0.5	0.5	0.0	0.0	36.5	146
• meeting at block level	4.5	2.8	0.0	0.0	0.0	0.0	2.5	1.8	0.0	1.3	0.5	0.0	2.0	0.3	0.3	1.3	0.0	0.3	0.0	0.0	0.0	17.6	70
• receiving training	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.8	1.0	0.0	0.3	0.8	0.0	0.5	1.0	0.0	0.0	0.0	0.0	5.7	23
• providing training to DAIs	0.3	0.0	0.3	0.0	0.0	0.0	0.8	0.3	0.0	0.3	0.3	0.0	0.3	0.5	0.5	0.5	0.3	0.3	0.0	0.5	0.0	5.2	21
• cmdaining	0.5	0.5	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.0	0.5	0.3	0.0	0.0	0.0	0.0	3.2	13

Place	Tikamgarh			Tue			Wed			Thu			Fri			Sat			Sun			total	
	Mon		nt	am		nt	am		nt	am		nt	am		nt	am		nt	am		nt	p/d	p/d
	am	pm		am	pm		am	pm		am	pm		am	pm		am	pm		am	pm			
• SC	37.0	31.3	51.5	34.3	28.0	51.0	40.3	34.0	46.8	23.0	22.3	50.0	67.5	49.5	54.3	29.8	26.0	53.5	65.3	51.5	50.3	897.2	3,589
• village	19.8	16.5	7.3	27.5	25.0	8.0	18.3	19.3	7.3	27.3	22.0	8.5	15.0	16.0	5.8	23.0	20.0	7.5	10.8	11.3	3.8	319.0	1,276
• other village	28.3	15.5	0.8	39.8	29.0	2.0	37.5	20.3	1.5	42.5	25.8	2.0	9.5	4.3	1.0	32.8	22.0	1.8	7.8	6.0	0.5	324.7	1,299
• sector SC	5.5	5.5	1.0	1.0	1.5	0.8	3.0	2.3	1.0	8.8	6.3	1.0	6.8	5.0	1.0	16.0	9.5	1.0	1.3	1.0	0.3	79.6	318
• block PHC/ CHC	12.3	8.3	0.5	2.0	1.5	0.0	1.0	0.5	1.5	1.5	1.8	1.3	4.3	2.8	0.3	3.0	0.8	0.0	1.5	0.8	0.8	46.5	186
• district CMHO	3.8	3.5	2.5	3.3	3.5	2.0	3.0	3.0	2.3	2.0	2.3	1.5	2.3	2.3	1.8	2.5	2.0	1.5	1.3	1.3	0.8	48.5	194
• outside of district	0.5	0.0	0.8	0.5	0.3	0.3	0.3	0.0	0.0	0.5	0.0	0.0	0.5	0.5	0.3	0.3	0.3	0.0	0.0	0.0	0.0	5.1	20
• other	1.0	1.0	1.3	0.3	1.5	0.5	0.8	0.3	1.3	1.0	0.8	0.5	0.8	0.8	1.3	1.0	0.3	1.5	2.5	1.3	2.3	22.1	88
Activity																							
• antenatal care	9.0	5.8	4.0	2.3	3.0	3.8	13.3	6.3	3.0	13.3	7.5	3.5	36.5	13.8	6.3	8.3	4.5	3.0	3.8	2.5	2.0	155.5	622
• postnatal care	6.8	4.8	1.0	2.0	1.0	1.8	6.5	5.5	1.3	4.8	4.5	1.0	8.3	10.8	1.5	4.0	4.8	2.0	4.0	3.3	1.0	80.7	323
• delivery	5.5	4.0	1.8	1.8	2.3	1.8	5.0	4.0	1.3	5.5	3.5	1.8	1.8	4.3	2.0	3.0	3.3	3.3	2.0	2.0	1.0	61.0	244
• emergency obstetric case	2.8	2.5	1.5	0.8	0.3	1.0	2.5	1.5	0.8	2.3	1.8	0.5	0.5	1.3	0.5	1.5	0.8	1.5	2.0	1.5	1.0	28.9	116
• other emergency case	1.3	1.0	0.8	0.5	0.5	0.3	4.0	1.3	0.5	0.8	0.3	0.8	0.5	0.8	0.8	0.5	0.8	0.3	0.5	0.0	0.8	17.1	68
• immunization	15.3	10.0	0.0	75.8	44.3	4.0	7.5	4.5	2.0	5.8	3.0	0.8	6.0	2.8	0.3	4.8	3.0	0.8	1.8	2.5	0.8	195.8	783
• FP counseling	15.0	9.0	2.0	4.3	3.0	1.8	14.3	11.0	2.3	21.5	17.0	4.0	11.5	8.5	2.3	15.0	9.0	1.5	7.0	3.3	0.8	164.1	656
• IUD	2.8	2.8	2.3	0.3	1.0	0.5	3.8	1.8	1.0	4.5	3.3	1.3	2.8	3.0	0.5	1.5	1.5	0.5	0.5	1.0	0.5	37.2	149
• RTI/ SDT counseling	3.0	2.3	1.0	1.5	1.0	1.0	3.8	3.3	0.5	4.3	3.0	0.5	1.0	1.3	0.5	4.8	2.5	1.8	2.5	2.8	1.0	43.4	174
• treatment of other illness	5.5	5.3	1.3	0.3	2.3	3.3	7.0	6.0	2.8	5.5	4.5	3.3	6.5	5.0	1.5	4.8	5.8	2.3	3.0	3.3	1.8	81.1	324
• health education/ expansion	15.0	14.3	2.5	11.5	9.0	4.0	18.3	15.3	4.3	15.0	11.3	3.3	9.3	10.8	4.0	20.8	16.0	5.8	16.0	13.3	4.8	224.6	898
• desk work	2.5	3.0	15.8	1.8	4.3	16.5	5.3	8.3	15.0	4.5	6.5	15.3	6.3	6.8	17.8	4.8	6.5	16.5	16.0	11.5	16.5	201.5	806
• meeting at sector level	4.5	3.0	0.3	0.8	1.3	0.8	2.8	2.3	0.8	8.5	6.8	0.8	7.0	3.3	0.5	25.8	12.3	1.5	2.0	0.5	0.3	85.9	344
• meeting at block level	3.8	2.5	0.5	0.5	0.5	0.0	0.5	0.5	1.5	1.0	0.8	4.0	3.0	0.5	2.0	0.5	0.0	0.3	0.3	0.0	0.0	23.2	93
• receiving training	3.5	3.3	2.8	3.5	3.5	1.8	3.8	3.0	2.0	2.3	2.3	1.5	2.5	2.3	1.5	2.5	2.3	1.3	1.8	1.5	0.5	49.5	198
• providing training to DAIs	0.0	0.5	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.3	0.3	0.0	0.5	0.3	0.0	1.3	0.5	0.0	1.0	0.8	0.3	6.9	28
• cmdaining	2.5	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.5	0.5	11.4	46

F9. ACTIVITIES OF M-MPW IN FEBRUARY 2001

(average person-days)

Place	Damoh																					total p/d	
	Mon			Tue			Wed			Thu			Fri			Sat			Sun				
	am	pm	nt	am	pm	nt	am	pm	nt	am	pm	nt	am	pm	nt	am	pm	nt	am	pm	nt		
• SC	26.3	20.3	47.0	25.0	22.0	48.5	34.8	27.8	46.0	20.5	21.0	47.0	66.5	48.0	46.0	25.3	23.5	44.3	60.8	48.5	42.5	791.6	3,166
• village	25.8	21.0	8.3	35.8	28.8	8.8	28.8	21.8	8.3	34.0	26.5	7.3	19.5	18.5	8.3	28.0	21.8	9.0	12.0	9.8	4.8	386.9	1,548
• other village	27.8	17.5	1.8	41.5	26.0	3.3	37.8	22.3	1.8	36.5	22.8	1.8	8.0	4.3	0.8	33.3	24.8	1.8	10.5	7.3	1.0	332.7	1,331
• sector SC	9.3	7.0	0.8	1.3	1.5	0.3	2.8	2.3	0.5	9.0	6.8	1.0	7.0	4.5	0.8	15.0	9.0	1.8	1.5	0.8	0.3	83.3	333
• block PHC/ CHC	16.8	14.0	2.0	3.3	3.0	0.5	1.3	1.5	0.5	5.0	4.8	1.8	4.3	3.5	0.8	3.8	2.3	0.0	2.0	1.0	0.0	72.2	289
• district CMHO	0.8	0.0	0.0	1.3	0.5	0.3	0.5	0.5	0.0	0.5	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	19
• outside of district	0.3	0.0	0.3	0.3	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.3	0.0	0.8	4.3	17
• other	0.5	0.5	1.3	0.8	0.5	1.3	1.3	0.8	1.8	1.3	1.0	1.5	0.5	0.0	1.3	0.3	0.0	1.3	1.8	1.0	2.0	20.8	83
Activity																							
• antenatal care	4.0	4.0	2.5	4.0	3.8	3.0	8.5	7.3	2.8	6.0	4.5	4.5	28.0	14.3	4.8	4.3	2.8	3.0	5.5	4.3	2.0	123.9	496
• postnatal care	3.8	3.5	1.0	2.5	2.3	1.5	4.0	4.3	3.5	5.8	4.5	0.3	7.3	9.0	2.0	2.8	3.8	0.5	2.0	2.3	0.5	67.2	269
• delivery	2.8	1.0	0.3	0.8	0.3	0.3	3.0	1.8	0.0	3.0	2.0	0.5	1.8	2.3	1.8	5.5	2.8	1.0	1.3	2.3	0.0	34.6	138
• emergency obstetric case	3.0	2.5	0.5	1.0	3.0	0.8	1.8	1.5	0.3	2.0	1.3	0.3	1.0	0.8	0.3	3.3	2.3	0.5	1.0	0.5	0.3	28.0	112
• other emergency case	1.5	1.0	0.3	1.0	0.5	0.8	3.3	0.8	0.5	0.8	0.8	0.5	1.3	0.5	0.3	0.3	0.3	0.5	0.8	0.3	0.3	16.4	66
• immunization	21.0	12.8	2.8	73.5	42.8	3.8	9.0	6.8	1.3	3.5	3.0	0.5	4.5	3.3	1.5	3.5	3.3	0.3	1.8	1.3	0.8	201.1	804
• FP counseling	15.5	9.8	1.8	3.0	5.3	2.5	19.8	12.0	3.3	29.0	17.5	4.5	16.5	13.5	2.8	17.5	14.0	3.5	5.8	3.3	1.3	202.2	809
• IUD	1.5	1.8	0.8	1.0	0.5	0.3	2.0	1.0	0.8	2.8	2.8	0.8	1.8	2.3	1.0	1.0	1.3	0.3	0.0	0.5	0.5	24.8	99
• RTI/ SDT counseling	1.8	2.0	0.3	2.0	2.0	0.3	3.5	4.8	0.8	2.5	2.3	0.8	1.5	1.0	0.5	3.3	2.5	1.3	3.3	2.3	0.8	39.6	158
• treatment of other illness	5.8	3.0	2.8	0.8	1.5	2.3	7.8	5.3	1.8	6.5	7.0	1.8	8.0	3.0	1.5	4.0	7.3	1.5	7.5	7.5	1.0	87.7	351
• health education/ expansion	15.3	14.5	3.5	9.5	11.5	3.3	21.5	13.3	2.3	14.0	12.3	3.8	10.5	10.0	2.0	18.5	13.3	4.8	11.5	11.0	2.5	308.9	1,236
• desk work	5.5	3.3	17.0	3.0	3.5	16.3	7.3	6.5	15.0	8.3	7.3	13.0	7.8	9.5	14.0	7.5	7.3	14.8	21.0	11.8	13.8	213.5	854
• meeting at sector level	5.3	3.8	1.0	0.5	0.5	0.0	3.0	2.0	0.5	8.0	6.0	1.0	7.5	2.8	1.3	24.8	15.5	2.3	2.5	1.3	0.0	75.6	302
• meeting at block level	6.8	5.0	1.5	1.5	1.3	0.0	1.5	1.3	0.3	3.5	2.3	0.5	3.0	1.8	0.3	2.0	5.8	0.0	0.5	0.3	0.3	39.5	158
• receiving training	1.3	0.5	0.0	1.0	1.0	0.0	1.3	0.0	0.0	0.3	0.0	0.3	0.8	0.5	0.0	0.0	0.3	0.0	0.0	0.0	0.3	7.6	30
• providing training to DAIs	2.0	2.8	0.8	0.8	0.8	0.5	1.3	0.8	0.5	0.3	0.5	0.3	0.5	0.8	0.3	1.3	1.0	0.5	1.5	1.3	0.5	19.1	76

Place	Tikamgarh																					total p/d	
	Mon			Tue			Wed			Thu			Fri			Sat			Sun				
	am	pm	nt	am	pm	nt	am	pm	nt	am	pm	nt	am	pm	nt	am	pm	nt	am	pm	nt		
• SC	26.3	20.3	47.0	25.0	22.0	48.5	34.8	27.8	46.0	20.5	21.0	47.0	66.5	48.0	46.0	25.3	23.5	44.3	60.8	48.5	42.5	791.6	3,166
• village	25.8	21.0	8.3	35.8	28.8	8.8	28.8	21.8	8.3	34.0	26.5	7.3	19.5	18.5	8.3	28.0	21.8	9.0	12.0	9.8	4.8	386.9	1,548
• other village	27.8	17.5	1.8	41.5	26.0	3.3	37.8	22.3	1.8	36.5	22.8	1.8	8.0	4.3	0.8	33.3	24.8	1.8	10.5	7.3	1.0	332.7	1,331
• sector SC	9.3	7.0	0.8	1.3	1.5	0.3	2.8	2.3	0.5	9.0	6.8	1.0	6.5	4.5	0.8	15.0	9.5	1.8	1.5	0.8	0.3	83.3	333
• block PHC/ CHC	21.8	14.0	2.0	3.3	3.0	0.5	1.3	1.5	0.5	5.0	3.3	1.8	4.3	3.5	0.8	3.8	2.3	0.0	2.0	1.0	0.0	75.7	303
• district CMHO	0.8	0.0	0.0	1.3	0.5	0.3	0.5	0.5	0.0	0.5	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	19
• outside of district	0.3	0.0	0.3	0.3	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.0	0.0	0.0	0.3	0.0	0.8	4.3	17
• other	0.5	0.5	1.3	0.8	0.5	1.3	1.3	0.8	1.8	1.3	1.0	1.5	0.5	0.0	1.3	0.3	0.0	1.3	1.8	1.0	2.0	20.8	83
Activity																							
• antenatal care	4.0	4.0	2.5	4.0	3.8	3.0	8.5	7.3	2.8	6.0	4.5	4.5	28.0	14.3	4.8	4.3	2.8	3.0	5.5	4.3	2.0	123.9	496
• postnatal care	3.8	3.5	1.0	2.5	2.3	1.5	4.0	4.3	3.5	5.8	4.5	0.3	7.3	9.0	2.0	2.8	3.8	0.5	2.0	2.3	0.5	67.2	269
• delivery	2.8	1.0	0.3	0.8	0.3	0.3	3.0	1.8	0.0	3.0	2.0	0.5	1.8	2.3	1.8	5.5	2.8	1.0	1.3	2.3	0.0	34.6	138
• emergency obstetric case	3.0	2.5	0.5	1.0	0.5	0.8	1.8	1.5	0.3	2.0	1.3	0.3	1.0	0.8	0.3	3.3	2.3	0.5	1.0	0.5	0.3	25.5	102
• other emergency case	1.5	1.0	0.3	1.0	0.5	0.8	3.3	0.8	0.5	0.8	0.8	0.5	1.3	0.5	0.3	0.3	0.3	0.5	0.8	0.3	0.3	16.4	66
• immunization	21.0	12.8	2.8	73.5	42.8	3.8	9.0	6.8	1.3	3.5	3.0	0.5	4.5	3.3	1.5	3.5	3.3	0.3	1.8	1.3	0.8	201.1	804
• FP counseling	20.5	9.8	1.8	3.0	5.3	2.5	19.8	12.0	3.3	29.0	17.5	4.5	16.5	13.5	2.8	17.5	14.0	3.5	5.8	3.3	1.3	207.2	829
• IUD	1.5	1.8	0.8	1.0	0.5	0.3	2.0	1.0	0.8	2.8	2.8	0.8	1.8	2.3	1.0	1.0	1.3	0.3	0.0	0.5	0.5	24.8	99
• RTI/ SDT counseling	1.8	2.0	0.3	2.0	2.0	0.3	3.5	4.8	0.8	2.5	2.3	0.8	2.0	1.0	0.5	3.3	2.5	1.3	3.3	2.3	0.8	40.1	160
• treatment of other illness	5.8	3.0	2.8	0.8	1.5	2.3	7.8	5.3	1.8	6.5	6.5	1.8	8.0	3.0	1.5	4.0	7.3	1.5	7.5	7.5	1.0	87.2	349
• health education/ expansion	20.3	14.5	3.5	9.5	11.5	3.3	21.5	13.3	2.3	14.0	12.3	3.8	10.5	10.0	2.0	18.5	13.3	4.8	11.5	11.0	2.5	213.9	856
• desk work	5.5	3.3	22.0	3.0	3.5	16.3	7.3	6.5	15.0	8.3	7.3	13.0	7.8	9.5	14.0	7.5	7.3	14.8	21.0	11.8	13.8	218.5	874
• meeting at sector level	5.3	3.8	1.0	0.5	0.5	0.0	3.0	2.0	0.5	8.0	6.0	1.0	7.5	2.8	1.3	24.8	15.5	2.3	2.5	1.3	0.0	89.6	358
• meeting at block level	6.8	5.0	1.5	1.5	1.3	0.0	1.5	1.3	0.3	3.5	2.3	0.5	3.0	1.8	0.3	2.0	5.8	0.0	0.5	0.3	0.3	34.5	138
• receiving training	1.3	0.5	0.0	1.0	1.0	0.0	1.3	0.0	0.0	0.3	0.0	0.3	0.8	0.5	0.0	0.0	0.3	0.0	0.0	0.0	0.3	7.6	30
• providing training to DAIs	2.0	2.8	0.8	0.8	0.8	0.5	1.3	0.8	0.5	0.3	0.5	0.3	0.5	0.8	0.3	1.3	1.0	0.5	1.5	1.3	0.5	19.1	76

G. SUPPORT AND COORDINATION

		Damoh					Tikamgaruh					
G-1	Support from other agencies/ org.	%	50.0					34.0				
G-2	Kind of ag./ org.	%										
	- Panchayat		30.7					30.2				
	- NGO		6.8					7.5				
	- Community group		21.6					15.1				
	- other		40.9					47.2				
G-3	Type of support	%										
	- fund		3.4					3.8				
	- labor		51.1					64.2				
	- other		45.5					50.9				
G-4	Collaboration with other providers	nos.										
G-5	(multiple)		JSR	AWW	Ayd dr.	Prv dr.	other	JSR	AWW	Ayd dr.	Prv dr.	other
	- immunization		25	32	0	1	0	49	50	0	1	1
	- contraceptive distribution		25	28	3	2	0	34	31	0	1	0
	- FP counseling		20	22	5	2	0	30	27	4	2	0
	- iron/ vitamin A distribution		11	7	2	2	0	20	28	2	0	0
	- screening high risk pregnant		2	28	2	1	0	2	3	2	1	1
	- registration of pregnant		5	16	0	2	0	12	27	2	0	1
	- registration of new born		2	17	0	0	0	1	15	1	1	0
	- nutrition guidance for pregnant		2	12	1	0	0	5	21	2	0	0
	- nutrition guidance for child		4	0	1	0	0	3	14	2	1	0
	- patient follow-up		3	0	0	0	0	3	4	4	0	0
	- finding RTI/SDT		0	4	0	0	0	4	3	5	0	0
	- reproductive health education		2	0	1	1	0	1	1	4	2	0
	- gender education		2	2	0	1	0	10	3	2	0	0
	- infectious disease education		7	0	1	1	0	0	2	5	2	0
	- other		0	0	1	0	0	0	0	0	0	0
	total		110	168	17	13	0	174	229	35	11	3

Annex
QUESTIONNAIRE FOR SUB-CENTER SURVEY

**JICA Development Study on Reproductive Health
in the State of Madhya Pradesh, India
in Collaboration
with the Department of Health & Family Welfare, Gov. of Madhya Pradesh**

QUESTIONNAIRE FOR SUB-CENTRE (SC)

(All answers should be given by ANM or Female MPW working at SC)

District:	
Teshil / Taluk / Block:	
Type of community:	1. City 2. Town 3. Village
Urban / rural:	1. Urban 2. Rural
Name of SC:	
Name of Sector PHC:	
Name of Block PHC (CHC):	
Name of ANM or Female-MPW:	
Name of Male-MPW:	
Date:	
Name of Respondent: (ANM or F-MPW of the SC)	
Where are you from? (Place you have lived for the most of your life before you were assigned to this post)	1. The same village where there is the SC 2. One of the villages that the SC covers 3. The same Sector 4. The same Block 5. The same District 6. Outside of District

Name of SC: _____

A. BASIC INFORMATION		
A1	Year of Establishment	()
A2	Under which programme was the SC established?	1. CSSM Programme 2. RCH Programme 3. DANIDA Project 4. Other (specify:)
A3	Number of the villages covered	()
A4	Population covered	()
A5	Distance from other villages that this SC covers? 1. Farthest Village 2. Farthest Habitation	[Name of the village] [Distance in km] 1. () () km 2. () () km
A6	Time taken to access to the above villages 1. Farthest Village 2. Farthest Habitation	[Time taken to access to] [transportation*] 1. ()hrs. () min. by () 2. ()hrs. () min. by () * The way that you usually use. If you usually walk, write walk".
A7	Distance from other facilities 1. Sector PHC 2. CHC (or Block PHC) 3. District Hospital 4. Other facilities (specify: _____)	[in km] [Time taken to access to] [transportation*] () km, ()hrs. () min. by () () km, ()hrs. () min. by () () km, ()hrs. () min. by () () km, ()hrs. () min. by () * The way that villagers usually use.
B. STAFF AND TRAINING		
B1	Number of the staff 1. ANM / F-MPW 2. Male MPW 3. Other (specify:) 4. Other (specify:) 5. Other (specify:)	[Number Sanctioned] [Number in position] [Caste] 1. () () ()*()** 2. () () ()*()** 3. () () ()*()** 4. () () ()*()** 5. () () ()*()** * Caste 1. General Caste 2. SC 3. ST 4. OBC 5. Other Religious Group **Sub-Caste Specify caste name
B2	Educational background of ANM / F-MPW	() years 1. <3 2. 3-6 3. 7-8 4. 9-12 5. 13-15 6. 16 or more
B3	Years of providing services in the community as ANM/F-MPW?	() years 1. <1 year 2. 1-3 3. 3-5 4. 6-10 5. 10 or more
B4	Years of providing services at this SC?	() years 1. <1 year 2. 1-3 3. 3-5 4. 6-10 5. 10 or more
B5	Educational background of Male MPW	() years 1. <3 2. 3-6 3. 7-8 4. 9-12 5. 13-15 6. 16 or more
B6	How many years are Male MPW providing services in the community as a Male MPW?	() years 1. <1 year 2. 1-3 3. 3-5 4. 6-10 5. 10 or more

Name of SC: _____

B7	Years of providing services of Male MPW at this SC?	() years	1. <1 year 2. 1-3 3. 3-5 4. 6-10 5. 10 or more
B8	Has the ANM / F-MPW received training in last 3 years on the following subjects? 1. Screening clients for spacing methods 2. IUD insertion 3. Ante-natal care 4. Checking blood pressure 5. Safe delivery 6. Neonatal care 7. Immunization programme 8. Control of diarrhea diseases 9. Acute respiratory infection 10. Nutrition 11. Reproductive Health 12. Community needs assessment 13. Counseling techniques for RTI/STI/AIDS 14. Counseling techniques for FP 15. Medical termination of pregnancy (MTP) / Abortion 16. Pap smear examination /test 17. Family planning (FP) 18. Screening of high risk pregnancy 19. Essential obstetric care 20. First aid for emergency obstetric care (First aid for complicated pregnancy) 21. RTI/STI diagnosis and treatment 22. Personal communication skill 23. Malaria diagnosis and treatment 24. TB diagnosis and treatment 25. Chronic illness diagnosis and treatment 26. Others ()	If you received training more than once, answer regarding the latest training for (c), (d) and (e) (a)Received (b)How many (c)by which (d)Duration (e)When? times Organization* (days) year/month 1. Yes / 2.No () () () (/) 2. Yes / 2.No () () () (/) 3. Yes / 2.No () () () (/) 4. Yes / 2.No () () () (/) 5. Yes / 2.No () () () (/) 6. Yes / 2.No () () () (/) 7. Yes / 2.No () () () (/) 8. Yes / 2.No () () () (/) 9. Yes / 2.No () () () (/) 10. Yes / 2.No () () () (/) 11. Yes / 2.No () () () (/) 12. Yes / 2.No () () () (/) 13. Yes / 2.No () () () (/) 14. Yes / 2.No () () () (/) 15. Yes / 2.No () () () (/) 16. Yes / 2.No () () () (/) 17. Yes / 2.No () () () (/) 18. Yes / 2.No () () () (/) 19. Yes / 2.No () () () (/) 20. Yes / 2.No () () () (/) 21. Yes / 2.No () () () (/) 22. Yes / 2.No () () () (/) 23. Yes / 2.No () () () (/) 24. Yes / 2.No () () () (/) 25. Yes / 2.No () () () (/) 26. Yes / 2.No () () () (/) * Organization 1. Government 2. NGO 3. DANIDA 4. Others	

Name of SC: _____

B9	Has the Male MPW received training in last 3 years on the following subjects?	If you received training more than once, answer regarding the latest training for (c), (d) and (e)				
		(a)Received	(b)How many times	(c)by which Organization*	(d)Duration (days)	(e)When? year/month
	1. Screening clients for spacing methods	1.Yes / 2.No	()	()	()	(/)
	2. Ante-natal care	1.Yes / 2.No	()	()	()	(/)
	3. Checking blood pressure	1.Yes / 2.No	()	()	()	(/)
	4. Safe delivery	1.Yes / 2.No	()	()	()	(/)
	5. Neonatal care	1.Yes / 2.No	()	()	()	(/)
	6. Immunization programme	1.Yes / 2.No	()	()	()	(/)
	7. Control of diarrhea diseases	1.Yes / 2.No	()	()	()	(/)
	8. Acute respiratory infection	1.Yes / 2.No	()	()	()	(/)
	9. Nutrition	1.Yes / 2.No	()	()	()	(/)
	10. Reproductive Health	1.Yes / 2.No	()	()	()	(/)
	11. Community needs assessment	1.Yes / 2.No	()	()	()	(/)
	12. Counseling techniques for RTI/STI/AIDS	1.Yes / 2.No	()	()	()	(/)
	13. Counseling techniques for FP	1.Yes / 2.No	()	()	()	(/)
	14. Medical termination of pregnancy (MTP) / Abortion	1.Yes / 2.No	()	()	()	(/)
	15. Family planning (FP)	1.Yes / 2.No	()	()	()	(/)
	16. Screening of high risk pregnancy	1.Yes / 2.No	()	()	()	(/)
	17. Essential obstetric care	1.Yes / 2.No	()	()	()	(/)
	18. First aid for emergency obstetric care (First aid for complicated pregnancy)	1.Yes / 2.No	()	()	()	(/)
	19. RTI/STI diagnosis and treatment	1.Yes / 2.No	()	()	()	(/)
	20. Personal communication skill	1.Yes / 2.No	()	()	()	(/)
	21. Malaria diagnosis and treatment	1.Yes / 2.No	()	()	()	(/)
	22. TB diagnosis and treatment	1.Yes / 2.No	()	()	()	(/)
	23. Chronic illness diagnosis and treatment	1.Yes / 2.No	()	()	()	(/)
	24. Others ()	1.Yes / 2.No	()	()	()	(/)
		* Organization 1. Government 2. NGO 3. DANIDA 4. Others				

Name of SC: _____

C. INFRASTRUCTURE		
C1	Location of building?	1. Center of the village 2. Edge of the village 3. Almost outside of the village
C2	Ownership of building?	1. Own (Health & FW Department) → go to C5 2. Rented 3. Donated/Rent Free → go to C5 4. Functioning from Panchayat → go to C5 5. Other Gov. Building → go to C5 6. No building → go to C15 7. Other → go to C5
C3	If rented, what is the rented fee?	() Rupees / Month
C4	If rented, who pays the rented fee?	1. State Gov. Health & FW Department 2. CMHO / District 3. Panchayat 4. ANM / MPW 5. Other
C5	Under which programme was the building constructed?	1. CSSM (Child Survival and Safe Motherhood) Programme 2. RCH Programme 3. Other (specify: _____)
C6	Is the building being maintained regularly?	1. Regularly 2. Occasional 3. Only on request 4. Never done so far → go to C11
C7	Under which funding is the maintenance provided?	1. Regular/ State Gov. Health & FW Department 2. Panchayat 3. Specific funding project (specify: _____) 4. Other (specify: _____)
C8	Amount of fund obtained for maintenance last year	() Rupees in 1999 (budget year)
C9	Was the maintenance done as per the funds obtained?	1. Yes → go to C11 2. No
C10	If No, why was the fund not utilized for maintenance?	1. Funds sanctioned but not obtained 2. No perceived need 3. Funds delivered to other activities 4. Other (specify: _____)
C11	Number of rooms in SC	() rooms
C12	Availability of basic facilities 1. Continuous water supply 2. Drinking water 3. Electricity connection 4. Electricity supply (not only connection but actual supply) 5. Toilet – with running water – without running water	1. Yes 2. No 1. Yes 2. No 1. Yes 2. No 1. Yes 2. No 1. Yes 2. No 1. Yes 2. No
C13	Availability of 1. Delivery or Labour room 2. IUD room 3. Consultation room 4. Counseling room *	1. Yes 2. No 1. Yes 2. No 1. Yes 2. No 1. Yes 2. No
* Room that has walls which protects client's privacy.		
C14	Is the ANM / F-MPW quarter attached with SC building?	1. Yes 2. No
C15	Where does the ANM/ F-MPW live?	1. Quarters → go to C17 2. Same village → go to C17 3. SC area 4. PHC area 5. Outside PHC area
C16	Why does the ANM/ F-MPW stay outside the village?	1. Stay with family outside 2. Quarter at lonely location 3. No proper facility in quarter 4. Other (specify: _____) 5.
C17	Are you satisfied with physical infrastructure facilities?	1. Yes → go to D1 2. No

Name of SC: _____

C18	If "No", what are the reasons? (Multiple answer)	<ol style="list-style-type: none">1. Location of the building is not proper2. Less accessible to people3. Very old and no proper maintenance4. Water leakage5. Bath room or toilet is not proper6. Construction quality is not proper7. Building does not give all weather protection8. Electric fitting is not proper9. Drainage is not proper10. Water supply is not proper11. Other (specify: _____)
-----	-----------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Name of SC: _____

D. EQUIPMENT AND SUPPLIES																																				
D1	<p>Availability of equipment for delivery</p> <p>1. Adequate & Working 2. Adequate & Not working 3. Inadequate 4. Absent</p> <p>→ Please check all equipment on the list in the Attachment A</p>																																			
D2	<p>Supply of Basic Drugs</p> <p>1. Yes, Adequate 2. Yes, Inadequate 3. No</p> <p>→ Please check all drugs on the list in the Attachment B</p>																																			
D3	<p>Supply of Contraceptives</p> <p>1. Yes, Adequate 2. Yes, Inadequate 3. No</p> <p>→ Please check all contraceptives on the list in the Attachment C</p>																																			
D4	<p>Availability of equipment for ANC (Ante-natal care)</p> <p>1. Adequate & Working 2. Adequate & Not working 3. Inadequate 4. Absent</p> <p>→ Please check all equipment on the list in the Attachment D</p>																																			
D5	<p>Availability of IUD Kit (or equipment)</p> <p>1. Yes 2. No</p> <p>→ Please check all equipment on the list in the Attachment E</p>																																			
D6	<table border="1"> <thead> <tr> <th>Equipment and supplies for immunization</th> <th>[Proper]</th> <th>[Improper]</th> <th>[Absent]</th> </tr> </thead> <tbody> <tr> <td>1. Vaccine carriers</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>2. Day carriers</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>3. Autoclave</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>4. Syringes</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>5. Needles</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>6. Cotton</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>7. Disinfectant (Chlorhexidine or surgical spirit or any other)</td> <td>1</td> <td>2</td> <td>3</td> </tr> </tbody> </table>	Equipment and supplies for immunization	[Proper]	[Improper]	[Absent]	1. Vaccine carriers	1	2	3	2. Day carriers	1	2	3	3. Autoclave	1	2	3	4. Syringes	1	2	3	5. Needles	1	2	3	6. Cotton	1	2	3	7. Disinfectant (Chlorhexidine or surgical spirit or any other)	1	2	3			
Equipment and supplies for immunization	[Proper]	[Improper]	[Absent]																																	
1. Vaccine carriers	1	2	3																																	
2. Day carriers	1	2	3																																	
3. Autoclave	1	2	3																																	
4. Syringes	1	2	3																																	
5. Needles	1	2	3																																	
6. Cotton	1	2	3																																	
7. Disinfectant (Chlorhexidine or surgical spirit or any other)	1	2	3																																	
D7	<p>DAI Kit</p> <p>1. Yes, Adequate 2. Yes, Inadequate 3. No</p>																																			
D8	<p>Was the SC provided any Drug Kit and Equipment Kit under the RCH Programme?</p> <table border="1"> <thead> <tr> <th></th> <th>1. Yes (Regularly)</th> <th>2. Yes (Not regularly)</th> <th>3. No</th> </tr> </thead> <tbody> <tr> <td>1. Drug Kit A</td> <td>1. Yes (Regularly)</td> <td>2. Yes (Not regularly)</td> <td>3. No</td> </tr> <tr> <td>2. Drug Kit B</td> <td>1. Yes</td> <td>2. Yes (Not regularly)</td> <td>3. No</td> </tr> <tr> <td>3. Midwifery Kit ANM</td> <td>1. Yes</td> <td></td> <td>2. No</td> </tr> <tr> <td>4. SC Equipment Kit</td> <td>1. Yes</td> <td></td> <td>2. No</td> </tr> </tbody> </table>		1. Yes (Regularly)	2. Yes (Not regularly)	3. No	1. Drug Kit A	1. Yes (Regularly)	2. Yes (Not regularly)	3. No	2. Drug Kit B	1. Yes	2. Yes (Not regularly)	3. No	3. Midwifery Kit ANM	1. Yes		2. No	4. SC Equipment Kit	1. Yes		2. No															
	1. Yes (Regularly)	2. Yes (Not regularly)	3. No																																	
1. Drug Kit A	1. Yes (Regularly)	2. Yes (Not regularly)	3. No																																	
2. Drug Kit B	1. Yes	2. Yes (Not regularly)	3. No																																	
3. Midwifery Kit ANM	1. Yes		2. No																																	
4. SC Equipment Kit	1. Yes		2. No																																	
D9	<p>When did you receive Drug Kit and Equipment Kit?</p> <table border="1"> <thead> <tr> <th></th> <th>Year</th> <th>1996</th> <th>1997</th> <th>1998</th> <th>1999</th> <th>2000</th> </tr> </thead> <tbody> <tr> <td>1. Drug Kit A</td> <td>Month</td> <td>() ()</td> <td>() ()</td> <td>() ()</td> <td>() ()</td> <td>() ()</td> </tr> <tr> <td>2. Drug Kit B</td> <td></td> <td>() ()</td> <td>() ()</td> <td>() ()</td> <td>() ()</td> <td>() ()</td> </tr> <tr> <td>3. Midwifery Kit ANM</td> <td></td> <td>() ()</td> <td>() ()</td> <td>() ()</td> <td>() ()</td> <td>() ()</td> </tr> <tr> <td>4. SC Equipment Kit</td> <td></td> <td>() ()</td> <td>() ()</td> <td>() ()</td> <td>() ()</td> <td>() ()</td> </tr> </tbody> </table>		Year	1996	1997	1998	1999	2000	1. Drug Kit A	Month	() ()	() ()	() ()	() ()	() ()	2. Drug Kit B		() ()	() ()	() ()	() ()	() ()	3. Midwifery Kit ANM		() ()	() ()	() ()	() ()	() ()	4. SC Equipment Kit		() ()	() ()	() ()	() ()	() ()
	Year	1996	1997	1998	1999	2000																														
1. Drug Kit A	Month	() ()	() ()	() ()	() ()	() ()																														
2. Drug Kit B		() ()	() ()	() ()	() ()	() ()																														
3. Midwifery Kit ANM		() ()	() ()	() ()	() ()	() ()																														
4. SC Equipment Kit		() ()	() ()	() ()	() ()	() ()																														
D10	<p>Are you satisfied with the provided equipment and supplies?</p> <p>1. Yes → go to D12 2. No</p>																																			
D11	<p>If "No", what are the reasons?</p> <p>1. Adequacy 2. Quality 3. Appropriateness 4. Other (specify: _____)</p>																																			

Name of SC: _____

D12	<p>Are the following client informational materials (handouts, leaflets and posters, etc.) available for the services?</p> <ol style="list-style-type: none"> 1. Warning sings of complications in pregnancy 2. Postpartum or Newborn care 3. Breast feeding 4. Family planning 5. RTI/STDs 6. HIV/AIDS 7. Antenatal Nutrition and Anaemia 8. Abortion 9. Safe motherhood / safe delivery 	<p>(Availability)</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">1. Yes, satisfactory</td> <td style="width: 33%;">2. Yes, but dirty, broken, etc.</td> <td style="width: 33%;">3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> </table>	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No			
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
D13	<p>Are the following educational materials (Flip charts, pictures/drawings. etc.) available for family life counseling and education?</p> <ol style="list-style-type: none"> 1. Warning sings of complications in pregnancy 2. Postpartum or Newborn care 3. Breast feeding 4. Family planning 5. RTI/STDs 6. HIV/AIDS 7. Antenatal Nutrition and Anaemia 8. Abortion 9. Safe motherhood / safe delivery 	<p>(Availability)</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">1. Yes, satisfactory</td> <td style="width: 33%;">2. Yes, but dirty, broken, etc.</td> <td style="width: 33%;">3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> <tr> <td>1. Yes, satisfactory</td> <td>2. Yes, but dirty, broken, etc.</td> <td>3. No</td> </tr> </table>	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No	1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
1. Yes, satisfactory	2. Yes, but dirty, broken, etc.	3. No																														
D14	<p>Are the following educational materials (Flip charts, pictures/drawings. etc.) in use for family life counseling and education?</p> <ol style="list-style-type: none"> 1. Warning sings of complications in pregnancy 2. Postpartum or Newborn care 3. Breast feeding 4. Family planning 5. RTI/STDs 6. HIV/AIDS 7. Antenatal Nutrition and Anaemia 8. Abortion 9. Safe motherhood / safe delivery 	<p>I use it in counseling and health education.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">1. Yes</td> <td style="width: 50%;">2. No</td> </tr> <tr> <td>1. Yes</td> <td>2. No</td> </tr> <tr> <td>1. Yes</td> <td>2. No</td> </tr> <tr> <td>1. Yes</td> <td>2. No</td> </tr> <tr> <td>1. Yes</td> <td>2. No</td> </tr> <tr> <td>1. Yes</td> <td>2. No</td> </tr> <tr> <td>1. Yes</td> <td>2. No</td> </tr> <tr> <td>1. Yes</td> <td>2. No</td> </tr> <tr> <td>1. Yes</td> <td>2. No</td> </tr> </table>	1. Yes	2. No	1. Yes	2. No	1. Yes	2. No	1. Yes	2. No	1. Yes	2. No	1. Yes	2. No	1. Yes	2. No	1. Yes	2. No	1. Yes	2. No												
1. Yes	2. No																															
1. Yes	2. No																															
1. Yes	2. No																															
1. Yes	2. No																															
1. Yes	2. No																															
1. Yes	2. No																															
1. Yes	2. No																															
1. Yes	2. No																															
1. Yes	2. No																															

Name of SC: _____

E. COMMUNICATION & TRANSPORT		
TRANSPORT FOR ANM/F-MPW'S ACTIVITIES		
E1	Does the SC have any transport for visiting villages?	1. Yes 2. No → go to E3
E2	If "Yes", what is it?	1. Bicycle 2. Motorbike 3. Other (specify: _____)
E3	Who provided it?	1. Government / CMHO 2. Gram Panchayat 3. Village Health Committee 4. State Government 5. ANM/MPW (personal transport, but under the arranged scheme of District) 6. ANM/MPW (personal transport, arranged by yourself/himself)
E4	Who is paying for fuels and maintenance cost?	1. Government / CMHO 2. Gram Panchayat 3. Village Health Committee 4. ANM/MPW 5. Other (specify: _____)
E5	Who is using it?	1. ANM / F-MPW → go to E7 2. Male MPW 3. Others
E6	What transport does ANM / F-MPW use for her visiting clients and other villages? (Multiple answer)	1. Own vehicles (Bicycle, motorbike, etc.) 2. Public transport 3. Panchayat transport 4. By walk 5. Other (specify: _____)
TRANSPORT AND COMMUNICATION FOR EMERGENCY CASES		
E7	When there is an emergency obstetric case in village, how do the villagers contact you?	1. by sending someone 2. by telephone 3. by wireless communication through police station 4. by other (specify: _____)
E8	(In villages that you are covering) What transport is used to refer emergency cases to Community Health Center (CHC) or Hospital, particularly, emergency cases that need emergency obstetric care or neonatal care? (Multiple answer)	1. Public bus 2. Tractor/Zeep 3. Cow carriage 4. Motorbike 5. Bicycle 6. Motor car 7. Ambulance 8. Other (specify: _____)
E9	Is the transport (for referring an emergency case) always available when needed? (If answer for E8 is more than three, please answer regarding the most popular three means of transportation)	(a) () ← Type of transport. Please indicate the number of answer for the previous question E8. 1. Yes, always, within one hour 2. Yes, always, within three hour 3. Yes, always, within a day 4. Yes, but it takes more than one day 5. No, it is available only sometimes 6. No, it is available only for a limited occasion (b) () ← Type of transport. Please indicate the number of answer for the previous question E8. 1. Yes, always, within one hour 2. Yes, always, within three hour 3. Yes, always, within a day 4. Yes, but it takes more than one day 5. No, it is available only sometimes 6. No, it is available only for a limited occasion (c) () ← Type of transport. Please indicate the number of answer for the previous question E8. 1. Yes, always, within one hour 2. Yes, always, within three hour 3. Yes, always, within a day 4. Yes, but it takes more than one day 5. No, it is available only sometimes 6. No, it is available only for a limited occasion

Name of SC: _____

<p>E10</p>	<p>Who provide the transport?</p> <p>(If answer for E8 is more than three, please answer regarding the most popular three means of transportation)</p>	<p>(a) () ← Type of transport. Please indicate the number of answer for the previous question E8.</p> <ol style="list-style-type: none"> 1. Patient's family and relatives 2. Gram Panchayat 3. SHG (Self Help Group) or women's group in village 4. Other community group 5. NGO 6. CHC/District Hospital 7. Private transport (taxi, etc.) 8. Nobody (Patient has to wait for public transport) 9. Other (specify: _____) <p>(b) () ← Type of transport. Please indicate the number of answer for the previous question E8.</p> <ol style="list-style-type: none"> 1. Patient's family and relatives 2. Gram Panchayat 3. SHG (Self Help Group) or women's group in village 4. Other community group 5. NGO 6. CHC/District Hospital 7. Private transport (taxi, etc.) 8. Nobody (Patient has to wait for public transport) 9. Other (specify: _____) <p>(c) () ← Type of transport. Please indicate the number of answer for the previous question E8.</p> <ol style="list-style-type: none"> 1. Patient's family and relatives 2. Gram Panchayat 3. SHG (Self Help Group) or women's group in village 4. Other community group 5. NGO 6. CHC/District Hospital 7. Private transport (taxi, etc.) 8. Nobody (Patient has to wait for public transport) 9. Other (specify: _____)
<p>E11</p>	<p>Do you know that Gram Panchayat has fund to assist the referral of women from indigent families to PHC/CHV for delivery?</p>	<ol style="list-style-type: none"> 1. Yes 2. No → go to E14
<p>E12</p>	<p>Did you utilize the fund before?</p>	<ol style="list-style-type: none"> 1. Yes → go to E14 2. No
<p>E13</p>	<p>What is the reason for not use the fund?</p>	<ol style="list-style-type: none"> 1. The fund was not available at all 2. The fund was available, but it requires long procedure 3. The fund was available, but responsible person was not available 4. I did not know how I could apply 5. No need 6. Other
<p>E14</p>	<p>When you find emergency cases (particularly, emergency cases that need emergency obstetric care or neonatal care), do you telephone CHC, District Hospital and/or private hospital to ask sending a doctor or ambulance, or to have instruction from a doctor?</p>	<ol style="list-style-type: none"> 1. Yes 2. No → go to E15
<p>E14</p>	<p>Why "Yes" ?</p>	<ol style="list-style-type: none"> 1. To ask to send a ambulance / vehicle 2. To ask to send a doctor 3. To ask to tell me how to give first aid to the patient 4. To ask to prepare for receiving the patient 5. Other
<p>E15</p>	<p>Why "No" ?</p>	<ol style="list-style-type: none"> 1. A doctor is not available 2. An ambulance is not available 3. I know a doctor will not come 4. I know an ambulance will not come 5. I know that sending a patient to a referral facility is faster 6. No need of instruction from a doctor 7. Telephone is not available in village 8. Other

Name of SC: _____

F. SERVICES PROVIDED		
F1	How many days in a week is the ANM/ F-MPW present at SC?	() days / week
F2	Regular service hours at SC	() a.m. ~ () p.m.
F3	Emergency services?	1. Yes 2. No → go to F5
F4	Do you provide 24 hours emergency services for natal care (care of delivery)?	1. Yes 2. No
F5	Number of clients during the last one month (February 2001) <i>(To be taken from records)</i>	1. Antenatal care cases () 2. High risk pregnant women treated () 3. High risk pregnant women referred () 4. Pregnant women referred to higher level for delivery () 5. Postnatal care cases () 6. New born babies weighed () 7. Low birth weight babies referred to higher level (CHC/District Hospital) () 8. Sick new born babies (1 week or less after birth) treated () 9. Sick new born babies (1 week or less after birth) referred to higher level (CHC/District Hospital) () 10. Immunization of children () 11. Sick children treated () 12. Sick children referred to higher level (CHC/District Hospital) () 13. Family planning counseling () 14. IUD insertions () 15. RTI/STD counseling () 16. RTI/STD cases treated () 17. RTI/STD cases referred () 18. TB () 19. Sick adults male () 20. Sick adults male female () 21. Other (specify:) ()
F6	Number of clients per month on average (range) in home visits and outreach activities	1. Antenatal care cases () 2. High risk pregnant women treated () 3. High risk pregnant women referred () 4. Pregnant women referred to higher level for delivery () 5. Postnatal care cases () 6. New born babies weighed () 7. Low birth weight babies referred to higher level (CHC/District Hospital) () 8. Sick new born babies (1 week or less after birth) treated () 9. Sick new born babies (1 week or less after birth) referred to higher level (CHC/District Hospital) () 10. Immunization of children () 11. Sick children treated () 12. Sick children referred to higher level (CHC/District Hospital) () 13. Family planning counseling () 14. RTI/STD counseling () 15. RTI/STD cases treated () 16. RTI/STD cases referred () 17. TB () 18. Sick adults male () 19. Sick adults male female () 20. Other (specify:) ()
F7	Number of times of IEC Activities conducted during the last one month (February 2001)	1. Group discussion with men () 2. Group discussion with women () 3. Men's night gathering () 4. Women's night gathering () 5. Folk show () 6. Others (specify:) () 7. Others (specify:) ()

Name of SC: _____

F8. ACTIVITIES OF ANM / FEMALE-MPW

Please indicate what you did and where you did it in FEBRUARY 2001 by filling the table below.

		1st Week		2nd Week		3rd Week		4th Week		5th Week	
		Place*	Activity**	Place*	Activity**	Place*	Activity**	Place*	Activity**	Place*	Activity**
Mon	a.m.	/	/	()	()	()	()	()	()	()	()
	p.m.	/	/	()	()	()	()	()	()	()	()
	night	/	/	()	()	()	()	()	()	()	()
Tue	a.m.	/	/	()	()	()	()	()	()	()	()
	p.m.	/	/	()	()	()	()	()	()	()	()
	night	/	/	()	()	()	()	()	()	()	()
Wed	a.m.	/	/	()	()	()	()	()	()	()	()
	p.m.	/	/	()	()	()	()	()	()	()	()
	night	/	/	()	()	()	()	()	()	()	()
Thu	a.m.	()	()	()	()	()	()	()	()	/	/
	p.m.	()	()	()	()	()	()	()	()	/	/
	night	()	()	()	()	()	()	()	()	/	/
Fri	a.m.	()	()	()	()	()	()	()	()	/	/
	p.m.	()	()	()	()	()	()	()	()	/	/
	night	()	()	()	()	()	()	()	()	/	/
Sat	a.m.	()	()	()	()	()	()	()	()	/	/
	p.m.	()	()	()	()	()	()	()	()	/	/
	night	()	()	()	()	()	()	()	()	/	/
Sun	a.m.	()	()	()	()	()	()	()	()	/	/
	p.m.	()	()	()	()	()	()	()	()	/	/
	night	()	()	()	()	()	()	()	()	/	/

*** [Place]**

1. SC
2. Within the village where there is your SC
3. Other village under your SC
4. Sector PHC
5. Block PHC / CHC
6. District CMHO Office
7. Outside of District
8. Other

**** [Activity]**

1. Antenatal care
2. Postnatal care
3. Attending delivery
4. Attending emergency obstetric case
5. Attending other emergency case
6. Immunization
7. FP counseling
8. IUD insertion
9. RTI/STD counseling
10. Diagnosis and treatment of other illness/wound
11. Health education and awareness meeting/discussion
12. Writing report forms and registries
13. Meeting at Sector level
14. Meeting at Block level
15. Receiving Training
16. Providing training to DAIs

F9. ACTIVITIES OF MALE-MPW

Please indicate what you did and where you did it in FEBRUARY 2001 by filling the table below.

		1st Week		2nd Week		3rd Week		4th Week		5th Week	
		Place*	Activity**	Place*	Activity**	Place*	Activity**	Place*	Activity**	Place*	Activity**
Mon	a.m.	/	/	()	()	()	()	()	()	()	()
	p.m.	/	/	()	()	()	()	()	()	()	()
	night	/	/	()	()	()	()	()	()	()	()
Tue	a.m.	/	/	()	()	()	()	()	()	()	()
	p.m.	/	/	()	()	()	()	()	()	()	()
	night	/	/	()	()	()	()	()	()	()	()
Wed	a.m.	/	/	()	()	()	()	()	()	()	()
	p.m.	/	/	()	()	()	()	()	()	()	()
	night	/	/	()	()	()	()	()	()	()	()
Thu	a.m.	()	()	()	()	()	()	()	()	/	/
	p.m.	()	()	()	()	()	()	()	()	/	/
	night	()	()	()	()	()	()	()	()	/	/
Fri	a.m.	()	()	()	()	()	()	()	()	/	/
	p.m.	()	()	()	()	()	()	()	()	/	/
	night	()	()	()	()	()	()	()	()	/	/
Sat	a.m.	()	()	()	()	()	()	()	()	/	/
	p.m.	()	()	()	()	()	()	()	()	/	/
	night	()	()	()	()	()	()	()	()	/	/
Sun	a.m.	()	()	()	()	()	()	()	()	/	/
	p.m.	()	()	()	()	()	()	()	()	/	/
	night	()	()	()	()	()	()	()	()	/	/

*** [Place]**

1. SC
2. Within the village where there is your SC
3. Other village under your SC
4. Sector PHC
5. Block PHC / CHC
6. District CMHO Office
7. Outside of District
8. Other

**** [Activity]**

1. Antenatal care
2. Postnatal care
3. Attending delivery
4. Attending emergency obstetric case
5. Attending other emergency case
6. Immunization
7. FP counseling
8. IUD insertion
9. RTI/STD counseling
10. Diagnosis and treatment of other illness/wound
11. Health education and awareness meeting/discussion
12. Writing report forms and registries
13. Meeting at Sector level
14. Meeting at Block level
15. Receiving Training
16. Providing training to DAIs

Name of SC: _____

G. SUPPORT AND COORDINATION														
G1	Are you getting any support from other agencies/communities?	1. Yes 2. No												
G2	Which organization provides the support?	1. Panchayat 2. NGO 3. Community group 4. Other (specify: _____)												
G3	Type of support provided	1. Fund (in cash / in kind) 2. Labour 3. Others (specify: _____) 4. Others (specify: _____)												
G4	Do you have any collaboration with other health service providers in your work?	1. Yes 2. No → this is the end of questionnaire.												
G5	With whom? and On what?	<table border="0"> <thead> <tr> <th>With whom?</th> <th>On what? *</th> </tr> </thead> <tbody> <tr> <td>1. JSR (or village health guide):</td> <td>() () () () () ()</td> </tr> <tr> <td>2. AWW :</td> <td>() () () () () ()</td> </tr> <tr> <td>3. Ayurvedic doctor / practitioner:</td> <td>() () () () () ()</td> </tr> <tr> <td>4. Private rural medical doctor:</td> <td>() () () () () ()</td> </tr> <tr> <td>5. Others: (specify: _____)</td> <td>() () () () () ()</td> </tr> </tbody> </table> * On what? (multiple answer) <ol style="list-style-type: none"> 1. Immunization 2. Distribution of contraceptives 3. Family planning counseling 4. Distribution of iron tablets and Vitamin A tablet to pregnant women and children 5. Screening of high risk pregnant women 6. Registration of pregnant women 7. Registration of newborn baby 8. Guidance of nutrition for pregnant women 9. Guidance of nutrition for children 10. Patient follow-up 11. Finding of suspected cases of RTI/STD 12. Awareness and education on reproductive health issues 13. Awareness and education on gender issues 14. Awareness and education on infectious diseases 15. Others (specify: _____) 	With whom?	On what? *	1. JSR (or village health guide):	() () () () () ()	2. AWW :	() () () () () ()	3. Ayurvedic doctor / practitioner:	() () () () () ()	4. Private rural medical doctor:	() () () () () ()	5. Others: (specify: _____)	() () () () () ()
With whom?	On what? *													
1. JSR (or village health guide):	() () () () () ()													
2. AWW :	() () () () () ()													
3. Ayurvedic doctor / practitioner:	() () () () () ()													
4. Private rural medical doctor:	() () () () () ()													
5. Others: (specify: _____)	() () () () () ()													

Thank you very much for your cooperation in answering questions.
Please tick the list of drugs, supplies and equipment in the annex.

Attachment A: Basic Equipment for Normal Delivery

	Item	Do you have...? 1. Yes 2. No	Quantity		Reason for not use 1. Broken 2. Don't know how to use 3. No need 4. Other
			Total	In use	
1	Delivery bed	1.Yes, 2.No			1. 2. 3. 4.
2	Dressing carriage trolley	1.Yes, 2.No			1. 2. 3. 4.
3	Tray for instrument with cover (stainless steel)	1.Yes, 2.No			1. 2. 3. 4.
4	Table for instrument (adjustable type)	1.Yes, 2.No			1. 2. 3. 4.
5	Macintosh (Plastic sheeting)	1.Yes, 2.No			1. 2. 3. 4.
6	Cylindrical sterilizing drum	1.Yes, 2.No			1. 2. 3. 4.
7	Artery forceps	1.Yes, 2.No			1. 2. 3. 4.
8	Cord cutting scissors (blunt-ended)	1.Yes, 2.No			1. 2. 3. 4.
9	Surgical gloves (Latex)	1.Yes, 2.No			1. 2. 3. 4.
10	Cord ties	1.Yes, 2.No			1. 2. 3. 4.
11	Gauze absorbent (non-sterile)	1.Yes, 2.No			1. 2. 3. 4.
12	Cotton wool absorbent (non-sterile)	1.Yes, 2.No			1. 2. 3. 4.
13	Operation gown (cotton)	1.Yes, 2.No			1. 2. 3. 4.
14	Surgeon's operation cap	1.Yes, 2.No			1. 2. 3. 4.
15	Surgeon's face mask	1.Yes, 2.No			1. 2. 3. 4.
16	Operation gown (cotton)	1.Yes, 2.No			1. 2. 3. 4.
17	Surgeon's operation cap	1.Yes, 2.No			1. 2. 3. 4.
18	Surgeon's face mask	1.Yes, 2.No			1. 2. 3. 4.
19	Cloth or towel to dry baby	1.Yes, 2.No			1. 2. 3. 4.
20	Blanket to wrap baby	1.Yes, 2.No			1. 2. 3. 4.
21	Suture needles and suture material	1.Yes, 2.No			1. 2. 3. 4.
22	Needle holder (long)	1.Yes, 2.No			1. 2. 3. 4.

Attachment B: Basic drugs and vaccine

Item	Do you have...? 1. Yes 2. No	Supply is sufficient?	
		1. Yes – No out-of-stock through the year 2. Yes – Once or twice a year, out-of-stock 3. No – Not available sometimes 4. No –Not available very often 5. Never – No supply at all	
1	Oral Rehydration Salt (ORS)	1.Yes, 2.No	1. 2. 3. 4. 5.
2	Ferrous salt+Folic acid (IFA) Tablet -large	1.Yes, 2.No	1. 2. 3. 4. 5.
3	Ferrous salt + Folic acid (IFA) Tablet -small	1.Yes, 2.No	1. 2. 3. 4. 5.
4	Vitamin A solution	1.Yes, 2.No	1. 2. 3. 4. 5.
5	Cotrimoxazole tablet	1.Yes, 2.No	1. 2. 3. 4. 5.
6	Ampicillin capsule	1.Yes, 2.No	1. 2. 3. 4. 5.
7	Benzathine benzylpenicillin injection or Procaine benzylpenicillin injection	1.Yes, 2.No	1. 2. 3. 4. 5.
8	Ceftriaxone injection or Ciprofloxacin capsule	1.Yes, 2.No	1. 2. 3. 4. 5.
9	Methylergometrine maleate tablet (0.125mg)	1.Yes, 2.No	1. 2. 3. 4. 5.
10	Paracetamol tablet (500mg)	1.Yes, 2.No	1. 2. 3. 4. 5.
11	Methylergometrine maleate injection (0.2mg/ml) or Oxytosin injection	1.Yes, 2.No	1. 2. 3. 4. 5.
12	Mebendazole tablet (100mg)	1.Yes, 2.No	1. 2. 3. 4. 5.
13	Mthyodopa or Propranolol or any other antihypertensive oral drug	1.Yes, 2.No	1. 2. 3. 4. 5.
14	Hydralazine injection	1.Yes, 2.No	1. 2. 3. 4. 5.
15	Chloroquine tablet	1.Yes, 2.No	1. 2. 3. 4. 5.
16	Quinne injection or Chloroquine injection	1.Yes, 2.No	1. 2. 3. 4. 5.
17	Dicyclomine HCl tablet (10mg)	1.Yes, 2.No	1. 2. 3. 4. 5.
18	Chloramphenicol eye ointment 1% w/w	1.Yes, 2.No	1. 2. 3. 4. 5.
19	Tetracycline eye ointment or Silver nitrate eye drop	1.Yes, 2.No	1. 2. 3. 4. 5.
20	Lidocaine 2% or other local anaesthetics	1.Yes, 2.No	1. 2. 3. 4. 5.
21	Povidone iodine ointment 5%	1.Yes, 2.No	1. 2. 3. 4. 5.
22	Cetrimide powder	1.Yes, 2.No	1. 2. 3. 4. 5.
23	Chlorhexidine or Surgical spirit or any other Disinfectants/Antiseptics	1.Yes, 2.No	1. 2. 3. 4. 5.
24	IV solution: Saline solution or Sodium lactate compound solution	1.Yes, 2.No	1. 2. 3. 4. 5.
25	Absorbent cotton	1.Yes, 2.No	1. 2. 3. 4. 5.
26	Cotton bandage	1.Yes, 2.No	1. 2. 3. 4. 5.
27	BCG vaccine	1.Yes, 2.No	1. 2. 3. 4. 5.
28	Tetanus toxoid	1.Yes, 2.No	1. 2. 3. 4. 5.
29	DPT vaccine	1.Yes, 2.No	1. 2. 3. 4. 5.
30	Measles vaccine	1.Yes, 2.No	1. 2. 3. 4. 5.

Attachment C: Contraceptive supplies

	Item	Do you have...?	Supply is sufficient?
		1. Yes 2. No	1. Yes – No out-of-stock through the year 2. Yes – Once or twice a year, out-of-stock 3. No – Not available sometimes 4. No –Not available very often 5. Never – No supply at all
1	Condom	1.Yes, 2.No	1. 2. 3. 4. 5.
2	Oral pill	1.Yes, 2.No	1. 2. 3. 4. 5.
3	IUDs	1.Yes, 2.No	1. 2. 3. 4. 5.
4	Tubal rings	1.Yes, 2.No	1. 2. 3. 4. 5.
5	Injectable contraceptives	1.Yes, 2.No	1. 2. 3. 4. 5.

Attachment D: Basic Equipment for Sub-centre and ANM

(Equipment listed in Attachment A & E are excluded from this list)

	Item	Do you have.. ? 1. Yes 2. No	Quantity		Reason for not use 1. Broken 2. Don't know how to use 3. No need 4. Other
			Total	In use	
1	Kidney-shape basin (stainless steel)	1.Yes, 2.No			1. 2. 3. 4.
2	Tray with cover for instrument and dressing	1.Yes, 2.No			1. 2. 3. 4.
3	Jar for dressing with cover (stainless steel)	1.Yes, 2.No			1. 2. 3. 4.
4	Measure jug (1 liter)	1.Yes, 2.No			1. 2. 3. 4.
5	Measure jug (2/1 liter)	1.Yes, 2.No			1. 2. 3. 4.
6	Deep basin (6 liters)	1.Yes, 2.No			1. 2. 3. 4.
7	Instrument sterilizer	1.Yes, 2.No			1. 2. 3. 4.
8	Forceps sterilizer	1.Yes, 2.No			1. 2. 3. 4.
9	Sphygmomanometer (blood pressure machine)	1.Yes, 2.No			1. 2. 3. 4.
10	Infant (baby) weighing scale	1.Yes, 2.No			1. 2. 3. 4.
11	Adult weighing scale	1.Yes, 2.No			1. 2. 3. 4.
12	Spring type dressing forceps (stainless steel)	1.Yes, 2.No			1. 2. 3. 4.
13	Urinary catheter	1.Yes, 2.No			1. 2. 3. 4.
14	Clinical oral thermometer	1.Yes, 2.No			1. 2. 3. 4.
15	Clinical rectal thermometer	1.Yes, 2.No			1. 2. 3. 4.
16	Mucus extractor	1.Yes, 2.No			1. 2. 3. 4.
17	Manual Vacuum Aspirator (MVA)	1.Yes, 2.No			1. 2. 3. 4.
18	Foetal stethoscope	1.Yes, 2.No			1. 2. 3. 4.
19	Surgical scissors (straight)	1.Yes, 2.No			1. 2. 3. 4.
20	Surgeon's hand brush	1.Yes, 2.No			1. 2. 3. 4.
21	Haemoglobinometer (complete set)	1.Yes, 2.No			1. 2. 3. 4.
22	Lancet	1.Yes, 2.No			1. 2. 3. 4.
23	Reagent strip (urine dip stick) for urine test	1.Yes, 2.No			1. 2. 3. 4.
24	Rack for blood-sedimentation	1.Yes, 2.No			1. 2. 3. 4.
25	Syphilis test kits				
26	Bag and mask for neonatal resuscitation	1.Yes, 2.No			1. 2. 3. 4.
27	Torch	1.Yes, 2.No			1. 2. 3. 4.
28	Battery for torch	1.Yes, 2.No			1. 2. 3. 4.
29	IV Kit	1.Yes, 2.No			1. 2. 3. 4.
30	Blank "Partographs"	1.Yes, 2.No			1. 2. 3. 4.
31	Blank antenatal client cards or maternal records (as appropriate)	1.Yes, 2.No			1. 2. 3. 4.

Basic Equipment for Insertion and Removal of IUD

	Item	Do you have. ? 1. Yes 2. No	Quantity		Reason for not use 1. Broken 2. Don't know how to use 3. No need 4. Other
			Total	In use	
1	Sterilization tray with cover (stainless steel)	1.Yes, 2.No			1. 2. 3. 4.
2	Sponge bowl (stainless steel)	1.Yes, 2.No			1. 2. 3. 4.
3	Bivalve vaginal speculum-small	1.Yes, 2.No			1. 2. 3. 4.
4	Bivalve vaginal speculum-medium	1.Yes, 2.No			1. 2. 3. 4.
5	Double ended vaginal speculum	1.Yes, 2.No			1. 2. 3. 4.
6	Sponge holding forceps (straight)	1.Yes, 2.No			1. 2. 3. 4.
7	Uterine tenaculum forceps	1.Yes, 2.No			1. 2. 3. 4.
8	Uterine vulsellum forceps (curved sideways)	1.Yes, 2.No			1. 2. 3. 4.
9	Tissue forceps	1.Yes, 2.No			1. 2. 3. 4.
10	Long straight artery forceps	1.Yes, 2.No			1. 2. 3. 4.
11	Uterine sound (to measure length of uterine)	1.Yes, 2.No			1. 2. 3. 4.
12	Uterine depressor/retractor (stainless steel)	1.Yes, 2.No			1. 2. 3. 4.
13	Operating scissors (straight steel)	1.Yes, 2.No			1. 2. 3. 4.
14	Surgical gloves (Latex)	1.Yes, 2.No			1. 2. 3. 4.
15	Macintosh (Plastic sheeting)	1.Yes, 2.No			1. 2. 3. 4.

JICA