





Ap.12 累積頻度曲線



Diamou Pit Au





Diamou Trench Au





Diamou RC Au





Sirikoro Pit Au





Sirikoro RC Au





Mala Soil





Boutouba Soil





Diamou Pit Factor 5





Diamou Trench Factor 4





Diamou Trench Factor 5





Diamou RC Factor 4





Sirikoro Pit Factor 3





Sirikoro Pit Factor 6





Sirikoro RC Factor 3





Sirikoro RC Factor 6





Mala Factor 4



Boutouba Factor 4



Boutouba Factor 5




Ap.13 粉末 X 線回折試驗結果一覽表

Ap.14 流体包有物試驗結果


Ap.13 Results of X-ray diffraction

		Quartz	Plagioclase	K-feldspar	Albite	Muscovite	Phlogopite	Kaolinite	Smectite	Chlorite	Calcite	pyrite	Hematite
1	MDDH-6 101.7X	○		⊙	⊙								
2	MDDH-7 25.12X	⊙		○			△	△	•?			△	
3	MDDH-7 73.4X	⊙					○			△			•?
4	MDDH-8 173.2X	⊙			○	⊙				○		•	
5	MDDH-8 173.70X	⊙	⊙				⊙			○			
6	MDDH-9 95.10X	⊙		△	△	○		•				△	
7	MDDH-10 82.35X	⊙		△		○				○		•?	
8	MDDH-10 106.12X	⊙		△		○				○			
9	MDDH-11 38.8X			○			⊙			△			•?
10	MDDH-11 80.05X	⊙		△		○	△?			△			
11	MDDH-11 95.1X	⊙		○		○	△?			△			
12	MDDH-11 103.85X	⊙		△	⊙		⊙			△			
13	MDDH-11 115.2X	⊙	⊙				⊙			△			
14	MDDH-12 134.5X	⊙		○			○			⊙	○	△	
15	MDDH-13 133.63X	⊙		△		⊙				○		•	
16	S-189X	⊙		⊙			○	△				•	


⊙ : abundant ○ : common △ : little • : rare




Homorogation temperature(°C)	
Max.	268
Min.	237
Av.	250.3
NaCl (wt%)	
Max.	2.09
Min.	0.66
Av.	1.6



Homorogation temperature(°C)	
Max.	327
Min.	233
Av.	255.5
NaCl (wt%)	
Max.	3.52
Min.	0.48
Av.	1.9












Homorogation temperature(°C)	
Max.	288
Min.	236
Av.	261.9
NaCl (wt%)	
Max.	9.77
Min.	6.56
Av.	8.2



Homorogation temperature(°C)	
Max.	256
Min.	202
Av.	230.9
NaCl (wt%)	
Max.	18.29
Min.	0.89
Av.	5.29

Fluid inclusion homogenized temperature(phase II)



Fluid inclusion homogenized temperature(phase I)

Sample: MDDH-9 94.45F

No.	Mineral	Homorogation temperature(°C)	Size	Position	Phase	Freezing point	NaCl (wt%)
1	Qz	247	3x5	I	S		
2	Qz	254	5x10	I	P	-0.9	1.55
3	Qz	250	5x10	I	P	-1.2	2.09
4	Qz	256	3x5	I	P		
5	Qz	268	5x5	I	P		
6	Qz	237	5x10	I	P	-1	1.73
7	Qz	266	5x10	I	P		
8	Qz	253	5x5	I	P		
9	Qz	248	5x10	I	P	-0.8	1.38
10	Qz	264	3x5	I	S		
11	Qz	245	5x10	I	P	-1.1	1.91
12	Qz	237	5x5	I	P		
13	Qz	244	3x10	I	S		
14	Qz	251	5x5	I	P		
15	Qz	252	3x5	I	P		
16	Qz	244	3x5	I	S		
17	Qz	253	5x10	I	P	-0.4	0.66
18	Qz	262	5x5	I	P		
19	Qz	256	3x5	I	S		
20	Qz	248	5x10	I	P	-0.6	1.02
21	Qz	246	3x5	I	P		
22	Qz	251	5x5	I	P		
23	Qz	244	5x5	I	P		
24	Qz	255	3x5	I	P		
25	Qz	237	5x10	I	S	-1	1.73
26	Qz	241	5x5	I	P		
27	Qz	239	3x5	I	S		
28	Qz	262	3x5	I	S		
29	Qz	253	5x10	I	P	-1.1	1.91
30	Qz	246	5x10	I	P	-0.9	1.55

	Homorogation temperature(°C)
Max.	268
Min.	237
Av.	250.3
	NaCl (wt%)
Max.	2.09
Min.	0.66
Av.	1.6

Sample: MDDH-9 94.58F

No.	Mineral	Homorogation temperature(°C)	Size	Position	Phase	Freezing point	NaCl (wt%)
1	Qz	237	5x10	I	P	-1.2	2.09
2	Qz	250	3x10	I	P		
3	Qz	273	3x5	I	P		
4	Qz	254	5x10	I	P	-2	3.52
5	Qz	246	5x5	I	P		
6	Qz	235	3x10	I	S		
7	Qz	250	3x5	I	S		
8	Qz	251	3x15	I	S		
9	Qz	247	5x5	I	P	-0.5	0.84
10	Qz	255	5x10	I	P	-1.6	2.81
11	Qz	276	5x5	I	P		
12	Qz	327	3x5	I	P		
13	Qz	236	3x5	I	S		
14	Qz	252	5x10	I	P	-1	1.73
15	Qz	248	5x5	I	P		
16	Qz	240	3x10	I	S		
17	Qz	247	3x15	I	S		
18	Qz	264	5x5	I	P		
19	Qz	248	5x10	I	S	-0.9	1.55
20	Qz	266	5x10	I	P	-1.1	1.91
21	Qz	262	5x10	I	P	-0.8	1.38
22	Qz	296	3x5	I	P		
23	Qz	254	3x3	I	P		
24	Qz	249	3x5	I	P		
25	Qz	233	5x5	I	S		
26	Qz	246	5x10	I	P	-0.3	0.48
27	Qz	253	3x3	I	S		
28	Qz	255	3x5	I	S		
29	Qz	255	5x10	I	P	-1.4	2.45
30	Qz	261	5x5	I	P		

	Homorogation temperature(°C)
Max.	327
Min.	233
Av.	255.5
	NaCl (wt%)
Max.	3.52
Min.	0.48
Av.	1.9

Mineral; Qz=quartz Size; wide(μ m) x length(μ m) Position; I=inner or older Phase; P=primary, S=second

Sample: MDDH-8 173.70F

No.	Mineral	Homorogation temperature(°C)	Size	Position	Phase	Freezing point	NaCl (wt%)
1	Qz	278	3x5	I	S		
2	Qz	281	3x5	I	S		
3	Qz	284	5x10	I	P	-4.2	7.45
4	Qz	246	5x10	I	P	-5	8.88
5	Qz	252	3x5	I	S		
6	Qz	236	3x3	I	S		
7	Qz	263	3x5	I	S		
8	Qz	268	3x5	I	S		
9	Qz	246	5x10	I	P	-5.5	9.77
10	Qz	259	5x10	I	P	-4.6	8.17
11	Qz	282	5x5	I	P		
12	Qz	250	5x10	I	P		
13	Qz	250	5x5	I	P		
14	Qz	257	5x5	I	P	-3.7	6.56
15	Qz	264	5x10	I	P		
16	Qz	277	5x10	I	S		
17	Qz	252	3x5	I	S		
18	Qz	255	3x5	I	S		
19	Qz	265	5x5	I	S		
20	Qz	260	5x10	I	P		
21	Qz	247	5x10	I	P	-3.9	6.91
22	Qz	271	5x5	I	P		
23	Qz	266	3x5	I	P		
24	Qz	270	3x5	I	P		
25	Qz	263	5x10	I	S	-4.6	8.17
26	Qz	252	5x5	I	P		
27	Qz	256	5x10	I	S	-5.1	9.06
28	Qz	260	5x5	I	S		
29	Qz	260	5x5	I	P	-4.6	8.17
30	Qz	288	5x5	I	P	-5	8.88

	Homorogation temperature(°C)
Max.	288
Min.	236
Av.	261.9
	NaCl (wt%)
Max.	9.77
Min.	6.56
Av.	8.2

Sample: TOPG-7

No.	Mineral	Homorogation temperature(°C)	Size	Position	Phase	Freezing point	NaCl (wt%)
1	Qz	352	5x10	I	P		
2	Qz	365	5x10	I	P	-10	17.81
3	Qz	344	5x10	I	P		
4	Qz	363	5x5	I	P		
5	Qz	382	10x15	I	P	-13.1	23.35
6	Qz	344	10x20	I	P	-12.6	22.46
7	Qz	366	5x5	I	P		
8	Qz	347	5x5	I	P		
9	Qz	358	5x10	I	P		
10	Qz	375	5x10	I	P		
11	Qz	360	5x5	I	P		
12	Qz	357	10x10	I	P	-9.7	17.28
13	Qz	365	15x20	I	P	-11.5	20.49
14	Qz	286	5x5	I	S		
15	Qz	366	5x10	I	P		
16	Qz	358	10x20	I	P	-12.7	22.64
17	Qz	361	5x5	I	P		
18	Qz	168	5x10	I	S		
19	Qz	374	5x5	I	P		
20	Qz	335	5x10	I	P		
21	Qz	371	5x10	I	P		
22	Qz	360	10x20	I	P	-13.1	23.35
23	Qz	357	5x5	I	P		
24	Qz	359	5x5	I	P		
25	Qz	369	10x10	I	P	-9.6	17.1
26	Qz	345	10x5	I	P		
27	Qz	288	5x10	I	S		
28	Qz	357	10x15	I	P		
29	Qz	372	10x20	I	P	-12	21.39
30	Qz	356	5x10	I	P	-11.4	20.31


	Homorogation temperature(°C)
Max.	256
Min.	202
Av.	230.9
	NaCl (wt%)
Max.	18.29
Min.	0.89
Av.	5.29

Mineral; Qz=quartz Size; wide(μm)×length(μm) Position; I=inner or older Phase; P=primary, S=second

Ap.15 鉍徴地及び試料採取位置図

Ap.16 全岩分析結果

Ap.17 年代測定結果一覧表




Ap.15 Location of rock samples

Ap.16 Results of whole rock analysis

No.	SAMPLE		Location(UTM)		SiO2	Al2O3	Fe2O3	FeO	CaO	MgO	Na2O	K2O	TiO2	MnO	P2O5	Cr2O3	LOI	TOTAL
	No.	Field name	Easting	Northing	%	%	%	%	%	%	%	%	%	%	%	%	%	%
1	GT-1W	M.gd. Hb.diorite	698770	1347992	53.74	13.40	3.53	8.32	8.21	4.86	2.75	1.21	1.42	0.19	0.22	0.03	1.99	99.852
2	GT-7W	Weakly gnissose Bt.Hb.Granodiorite	701208	1348600	56.96	20.51	0.83	4.50	4.13	1.96	5.29	3.32	0.96	0.07	0.39	0.03	1.29	100.2
3	S-2W	F.gd Bt.granite	693800	1333980	71.50	15.82	-0.01	2.00	2.36	0.65	5.42	1.57	0.32	0.03	0.13	0.04	0.71	100.39
4	S-151W	F.gd Bt.granite	693800	1333980	70.36	15.90	-0.01	2.08	2.34	0.64	5.35	1.93	0.32	0.03	0.14	0.02	0.65	99.623
5	S-155W	M.gd. Hb.diorite	694290	1334031	52.36	14.96	2.39	6.55	11.15	7.57	2.14	0.68	0.90	0.15	0.13	0.73	1.38	100.35
6	S-164W	F.gd .gabbro-dolerite	692835	1332569	52.90	15.06	2.42	7.47	10.22	5.85	2.26	0.94	1.09	0.18	0.15	0.11	1.56	100.12
7	S-173W	M.gd. Hb.diorite	696040	1332043	52.17	14.75	1.79	7.03	10.91	7.65	2.09	0.72	0.92	0.15	0.14	0.59	1.63	99.707
8	S-177W	Bt-hb granodiorite	695282	1333930	63.35	16.70	0.12	4.17	2.54	1.64	4.33	5.09	0.73	0.06	0.36	0.09	0.97	100.06
9	S-201W	Bt-hb granodiorite			71.21	15.62	0.02	1.68	2.20	0.64	4.94	2.51	0.30	0.03	0.12	0.03	0.58	99.838
10	MSRC-03 49-50	Granotoid	708693	1331470	56.59	17.42	6.32	5.69	3.60	4.55	3.94	2.90	0.53	0.09	0.19	0.03	3.30	99.6
11	MSRC-17 50-51	Granotoid	708838	1331919	56.02	18.33	7.51	6.75	5.73	3.50	4.01	2.00	0.72	0.10	0.28	0.01	1.27	99.64
12	MSRC-27 50-51	Granotoid	708678	1332110	53.29	19.13	8.23	7.40	7.23	3.55	3.14	1.74	1.19	0.11	0.51	0.01	1.48	99.75
13	MSRC-37 50-51	Granotoid	708517	1332302	53.93	18.29	8.39	7.55	6.27	4.34	3.38	2.03	0.78	0.12	0.28	0.02	1.45	99.41
14	MSRC-45 49-50	Meta sandstone	708203	1332365	67.33	14.82	5.02	4.51	1.54	0.75	4.05	3.54	0.51	0.05	0.13	0.01	1.58	99.51


Ap. 17(1) List of K-Ar Age

Sample no.	⁴⁰ Ar _{rad} , nl/g	%K	% ⁴⁰ Ar _{air}	Age, Ma
MDDH-6 88m	203.04	2.58	2.71	1376±34
MDDH-8 133m	135.58	0.99	5.29	1976±56
MDDH-9 100m	235.33	2.19	2.54	1697±50



Modified from Alfred et al. 1990

Ap.17(2) Correlation of K-Ar Age



W20 W10 0 E10 E20 E30 E40 E50 E60

N40

N30


N20


N10

0




MDDH-11







Gold content in the old pits

Pit No.	Sample	Depth(m)	Width(cm)	Au (ppb)	Pit No.	Sample	Depth(m)	Width(cm)	Au (ppb)		
A1 (T-26)	A1-0	0.5	60	28	A17	A17-4	0.8	60	26		
	A1-1	1.5	60	73		AR-17	1.0	50	52		
	A1-2	2.5	60	39,360		AR-17	2.0	50	13		
	A1-3	3.7	60	128		AR-17	3.0	50	37		
	AR1-01	1.0	60	47		AR-17	4.0	60	17		
	AR1-02	2.0	60	18		S-132	1.0	100	52		
A2 (T-27)	AR1-03	3.0	60	89	A18	S-131	1.0	100	13		
	AR1-04	4.0	60	5,650		A19	A19-1	1.5	70	25	
	A2-1	1.2	70	12		A19-2	0.6	70	23		
	AR-02	1.0	80	72		AR-19	1.0	70	35		
A3 T-30	S-119	1.0	80	77	A20	AR-19	2.0	50	25		
	A3-1	1.1	80	27		A20-1	2.9	60	12		
	AR-03	1.0	70	17		A20-2	2.5	60	13		
A4 (T-29)	AR-03	2.0	60	20	A21	A20-3	1.5	30	28		
	A4-1	1.0	60	28		A21-1	0.7	60	66		
A5 (T32)	AR-04	1.0	50	18	(T45)	A22	A22-1	1.3	30	15	
	A5-1	0.7	60	11		A22-2	0.6	30	21		
	A5-2	2.2	60	<5		AR-22	1.0	60	20		
	A5-3	3.1	60	11		S-116	1.0	80	129		
	AR-05	1.0	-	273		T20	S-107	1.0	100	1,134	
	AR-05	2.0	-	15			S-108	1.0	100	89	
	AR-05	3.0	-	29			S-134	1.0	100	51	
	S-121	1.0	60	13			S-135	1.0	100	268	
S-122	1.0	40	178	S-136	1.0		100	427			
A6 (T-27B)	A6-1	1.0	50	27	A23 (T24)		A23-1	1.2	50	498	
	A6-2	1.6	50	124		AR-23	1.0	70	70		
	A6-3	2.9	50	77		AR-23	2.0	50	19		
	A6-4	3.6	50	34		S-137	20.0	100	18		
	AR-06	1.0	50	28		S-138	50.0	100	14,120		
	AR-06	2.0	50	3,040		S-139	120.0	100	16,880		
	AR-06	3.0	50	42		S-112	SURFACE	60	20		
A7 (T-27D)	AR-06	4.0	50	91	A24 (T23)	S-113	SURFACE	50	11,760		
	S-120	1.0	70	54		A24-1	1.1	20	64		
	A7-1	1.4	30	173		AR-24	1.0	60	33		
	A7-2	1.2	40	959		AR-24	2.0	60	17		
	A7-3	0.9	30	1,845		S-111	SURFACE	100	28		
	A7-4	0.6	50	48		A25	A25-1	2.2	70	1,291	
	AR-07	1.0	-	266			A25-2	1.1	60	33	
A8 (T-27E)	AR-1	3.0	60	104	AR-25		1.0	50	68		
	A8-2	1.0	50	30	AR-25		2.0	50	154		
	A8-3	0.6	40	533	AR-25	3.0	50	351			
	AR-08	1.0	-	17	A26	AR-26	1.0	50	28		
	AR-08	2.0	-	43		AR-26	2.0	60	17		
AR-08	3.0	-	33	AR-26		3.0	80	17			
A9 (T-39)	A9-1	3.5	50	35		AR-26	4.0	90	24		
	A9-2	2.5	40	24		AR-26	5.0	80	104		
	A9-3	1.3	50	25	A27	A27-1	1.3	20	32		
	AR-09	1.0	-	28		AR-27	1.0	50	111		
	AR-09	2.0	-	24		AR-27	2.0	60	36		
A10 (T-41)	AR-09	3.0	-	17	A28	A28-1	2.1	70	878		
	S-125	1.0	100	27		AR-28	1.0	70	17,680		
	A10-1	2.0	80	706		AR-28	2.0	70	3,468		
	A10-2	0.7	10	28		AR-28	3.0	70	147		
	A12 (T-44)	AR-10	1.0	60	22	A29	A29-1	3.1	40	68	
AR-10		2.0	80	24	AR-29		1.0	130	76		
S-124		1.0	100	14	AR-29		2.0	60	20		
A12-1		3.0	80	116	AR-29		3.0	60	22		
T45		A12-2	2.2	80	313	A30	AR-30	1.0	100	260	
		A12-3	1.0	80	20		AR-30	2.0	90	24	
		AR-12	2.0	70	27	A33	A33-1	0.9	50	11	
		AR-12	3.0	80	143		AR-33	1.0	50	105	
	AR-12	4.0	80	174	AR-33		2.0	50	20		
	A13 (T46)	AR-12	1.0	100	20	A34	A34-1	2.5	50	<5	
		S-126	1.0	100	103		A35	A35-1	1.0	70	129
		S-140	1.2	10	1,920		A36	A36-1	1.2	50	21
		S-141	1.2	15	121,400	A36-2		0.6	80	607	
		S-142	1.2	40	964	A37	A37-1	3.3	80	632	
S-143		2.4	10	3,116	A37-2		2.5	80	161		
S-144		2.4	15	3,128	A37-3		1.1	80	471		
A14		S-145	2.4	30	105	A38	A38-1	1.0	60	23	
		S-146	0.5	100	21,480		A39	A39-1	0.2	80	55
	A13-1	1.6	50	6,377	A40		A40-1	0.5	60	942	
	A13-2	0.6	50	136		A41	A41-1	1.0	80	31	
	AR-13	1.0	100	379	AR-41		1.0	50	37		
	AR-13	2.0	100	2,729	AR-41		2.0	60	92		
	S-146	1.0	40	49	AR-41		3.0	60	28		
A15 (T48)	S-147	1.0	120	469	A42	A42-1	2.3	50	18		
	S-128	1.0	120	739		A42-2	1.4	50	144		
A16 (T46B)	A15-1	4.4	80	11	A43	AR-43	1.0	90	23		
	A15-2	3.7	80	23		AR-43	2.0	80	26		
	A15-3	2.2	80	17		AR-43	3.0	80	15		
	A17 (T46B)	A15-4	1.0	80	13	A44	A44-1	0.6	30	15	
		AR-15	1.0	70	17		AR-44	1.0	50	25	
		AR-15	2.0	70	13	A45	A45-1	0.4	40	28	
		AR-15	3.0	70	15		A46	A46-1	1.7	50	16
		AR-15	4.0	76	91	A47	A47-1	2.5	60	76	
		AR-15	5.0	70	410		A47-2	1.3	60	24	
		S-130	1.0	120	19	A48	A48-1	0.3	100	31	
		AR-16	1.0	90	26		A49	A49-1	0.5	60	32
		AR-16	2.0	90	25	A50		A50-1	2.4	70	11
AR-16		3.0	70	16	A50-2		1.2	70	20		







	S-141	1.2	15	121,400		A36-2	0.6	80	607
	S-142	1.2	40	964	A37	A37-1	3.3	80	632
	S-143	2.4	10	3,116		A37-2	2.5	80	161
	S-144	2.4	15	3,128		A37-3	1.1	80	471
	S-145	2.4	30	105	A38	A38-1	1.0	60	23
	S-127	0.5	100	21,480	A39	A39-1	0.2	80	55
A13 (T46)	A13-1	1.6	50	6,377	A40	A40-1	0.5	60	942
	A13-2	0.6	50	136	A41	A41-1	1.0	80	31
	AR-13	1.0	100	379		AR-41	1.0	50	37
	AR-13	2.0	100	2,729		AR-41	2.0	60	92
	S-116	1.0	40	49		AR-41	3.0	60	28
A14	S-117	1.0	120	469	A42	A42-1	2.3	50	18
	S-128	1.0	120	739		A42-2	1.4	50	144
A15 (T48)	A15-1	4.4	80	11	A43	AR-43	1.0	90	23
	A15-2	3.7	80	23		AR-43	2.0	80	26
	A15-3	2.2	80	17		AR-43	3.0	80	15
	A15-4	1.0	80	13	A44	A44-1	0.6	30	15
	AR-15	1.0	70	17		AR-44	1.0	50	25
	AR-15	2.0	70	13	A45	A45-1	0.1	70	28
	AR-15	3.0	70	15	A46	A46-1	1.7	50	16
	AR-15	4.0	70	91	A47	A47-1	2.5	60	76
	AR-15	5.0	70	410		A47-2	1.3	60	24
	S-130	1.0	120	19	A48	A48-1	0.3	100	31
A16 (T46B)	AR-16	1.0	90	26	A49	A49-1	0.5	60	32
	AR-16	2.0	90	25	A50	A50-1	2.4	70	11
	AR-16	3.0	70	16		A50-2	1.2	70	39
	AR-16	4.0	60	20		A50-3	0.7	80	21
	S-129	1.0	80	155	A51	A51-1	0.8	60	11
	AR-16	5.0	60	20	A52	A52-1	2.1	80	14
A17	A17-1	3.4	80	9		A52-2	0.8	70	89
	A17-2	2.7	60	104	A53	AR-53	1.0	80	32
	A17-3	1.9	60	10					

Gold content in trench

Sample no.	Au ppb	Sample no.	Au ppb	Sample no.	Au ppb	Sample no.	Au ppb
TOPA-01	8	TOPB-27	166	TOPE-06	27	TOPF-16	33
TOPA-02	7	TOPB-28	61	TOPE-07	24	TOPF-17	9
TOPA-03	15	TOPB-29	19	TOPE-08	354	TOPF-18	43
TOPA-04	32	TOPC-01	101	TOPE-09	245	TOPF-19	1,852
TOPA-05	26	TOPC-02	24	TOPE-10	135	TOPF-20	120
TOPA-06	45	TOPC-03	18	TOPE-11	24	TOPF-21	34
TOPA-07	10	TOPC-04	22	TOPE-12	26	TOPF-22	391
TOPA-08	4,401	TOPC-05	40	TOPE-13	85	TOPF-23	132
TOPA-09	6	TOPC-06	18	TOPE-14	35	TOPF-24	33
TOPA-10	11	TOPC-07	78	TOPE-15	155	TOPF-25	4,300
TOPB-01	16	TOPC-08	66	TOPE-16	65	TOPF-26	9
TOPB-02	5	TOPC-09	47	TOPE-17	550	TOPF-27	9
TOPB-03	5	TOPC-10	2,900	TOPE-18	32	TOPF-28	11
TOPB-04	5	TOPC-11	2,152	TOPE-19	290	TOPF-29	39
TOPB-05	5	TOPC-12	90	TOPE-20	12	TOPG-01	8
TOPB-06	6	TOPC-13	57	TOPE-21	17	TOPG-02	1,222
TOPB-07	7	TOPC-14	143	TOPE-22	50	TOPG-03	51
TOPB-08	5	TOPC-15	15	TOPE-23	23	TOPG-04	4,376
TOPB-09	20	TOPD-01	119	TOPE-24	317	TOPG-05	325
TOPB-10	22	TOPD-02	26	TOPE-31	8	TOPG-06	22
TOPB-11	38	TOPD-03	80	TOPE-32	47	TOPG-07	5,810
TOPB-12	197	TOPD-04	59	TOPF-01	20	TOPG-08	810
TOPB-13	8	TOPD-05	136	TOPF-02	18	TOPG-09	57
TOPB-14	11	TOPD-06	48	TOPF-03	20	TOPG-10	17
TOPB-15	10	TOPD-07	18	TOPF-04	23	TOPG-11	8
TOPB-16	208	TOPD-08	19	TOPF-05	11	TOPG-12	7
TOPB-17	22	TOPD-09	20	TOPF-06	26	TOPG-13	40
TOPB-18	56	TOPD-10	22	TOPF-07	14	TOPG-14	43
TOPB-19	113	TOPD-11	13	TOPF-08	2,852	TOPG-15	9
TOPB-20	21	TOPD-12	13	TOPF-09	185	TOPG-16	8
TOPB-21	20	TOPD-13	11	TOPF-10	20	TOPG-17	11
TOPB-22	22	TOPE-01	21	TOPF-11	21	TOPG-18	1,056
TOPB-23	21	TOPE-02	86	TOPF-12	296	TOPG-19	11
TOPB-24	21	TOPE-03	20	TOPF-13	81	TOPG-20	71
TOPB-25	73	TOPE-04	31	TOPF-14	1,696		
TOPB-26	22	TOPE-05	20	TOPF-15	660		

Ct.1 トレンチスケッチ図(旧ピット群地区)

JICA