

7. 流量データ(K10、K17、K25A、K37地点)(1995~1999年)

RID Computer Center		LQS/QD
Station	- Ban Lum Sum, Sai Yok, Kanchanaburi, (K.10)	Royal Irrigation Dep
Stream	- Khwae Noi	Thailand
River	- Mae Klong	Hydrology Division
River System	- Mae Klong	Rating Curve HYD.7

Water Year - 1995

Discharge, in Cubic Meter per Second, Water Year April 1, 1995 to March 31, 1996

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	233.1	137.6	263.7	287.1	132.0	1004.5	364.0	208.0	230.4	33.6	162.4	242.1	
2	176.8	103.2	276.3	261.9	158.4	981.1	275.4	178.4	216.9	28.8	144.8	222.3	
3	115.2	183.2	253.8	160.0	179.2	951.2	294.3	192.0	166.4	40.8	124.8	212.8	
4	180.0	274.5	192.0	187.2	176.8	768.0	355.0	181.6	131.2	95.2	105.6	144.0	
5	235.8	312.0	140.0	219.6	188.8	576.0	362.0	171.2	136.0	112.8	80.8	188.0	
6	228.6	297.9	179.2	242.1	142.4	538.6	351.0	116.0	111.2	112.8	111.2	281.7	
7	225.0	239.4	273.6	227.7	109.6	458.0	351.0	116.8	90.4	95.2	132.8	262.8	
8	225.0	150.4	299.7	247.5	140.8	421.0	340.0	211.2	136.0	75.2	147.2	224.1	
9	185.6	169.6	293.4	225.9	182.4	354.0	365.0	219.6	102.4	89.6	142.4	221.4	
10	125.6	216.9	340.0	142.4	176.0	311.0	309.0	216.9	107.2	120.8	140.0	225.9	
11	155.2	242.1	474.8	168.8	174.4	275.4	294.3	211.2	84.0	137.6	148.8	136.0	
12	188.8	222.3	313.0	209.6	155.2	291.6	278.1	234.0	73.6	120.0	110.4	194.4	
13	192.8	224.1	243.9	162.4	92.0	338.0	277.2	189.6	136.8	148.8	149.6	269.1	
14	202.4	144.8	279.0	200.0	68.0	329.0	268.2	190.4	140.0	148.0	203.2	274.5	
15	242.1	176.0	272.7	243.0	144.0	329.0	271.8	222.3	152.0	116.0	201.6	275.4	
16	286.2	192.0	282.6	196.0	159.2	359.0	238.5	229.5	157.6	208.0	199.2	269.1	
17	188.8	248.4	274.5	99.2	156.0	381.0	295.2	198.4	148.0	247.5	208.0	233.1	
18	183.2	274.5	280.8	96.8	162.4	370.0	308.0	167.2	111.2	185.6	135.2	129.6	
19	222.3	274.5	255.6	108.0	152.0	362.0	313.0	172.0	132.0	217.8	84.8	220.5	
20	250.2	250.2	295.2	144.8	160.0	380.0	304.2	134.4	196.0	166.4	109.6	296.1	
21	266.4	240.3	304.2	154.4	114.4	360.0	268.2	166.4	184.8	152.0	180.8	273.6	
22	263.7	157.6	286.2	159.2	108.0	407.0	243.9	237.6	160.8	92.8	205.6	243.9	
23	238.5	196.8	297.0	171.2	184.8	412.0	161.6	250.2	152.0	147.2	218.7	258.3	
24	187.2	241.2	288.0	111.2	217.8	344.0	96.8	231.3	108.8	196.8	216.0	256.5	
25	201.6	244.8	250.2	110.4	223.2	224.1	147.2	180.0	73.6	198.4	217.8	188.8	
26	260.1	249.3	140.8	128.0	216.0	286.2	188.0	188.8	68.8	188.8	172.8	205.6	
27	273.6	271.8	179.2	115.2	244.8	469.3	177.6	123.2	107.2	212.8	213.6	252.9	
28	206.4	236.7	289.8	142.4	197.6	492.4	177.6	180.8	87.2	174.4	278.1	233.1	
29	196.0	132.8	288.9	163.2	189.6	449.0	176.0	267.3	68.8	117.6	246.6	251.1	
30	172.8	174.4	315.0	145.6	315.0	429.0	140.8	281.7	57.6	108.0		221.4	
31		270.0		104.0	566.1		171.2		69.6	179.2		218.7	
Total	6309.0	6749.3	8123.1	5334.8	5586.9	13651.4	8164.1	5868.0	3898.5	4268.5	4792.4	7126.8	79872.8 CMS/DAY
Mean	210.3	217.7	270.8	172.1	180.2	455.0	263.4	195.6	125.8	137.7	165.3	229.9	218.2 CMS
Max	286.2	312.0	474.8	287.1	566.1	1004.5	365.0	281.7	230.4	247.5	278.1	296.1	1004.5 CMS
Min	115.2	103.2	140.0	96.8	68.0	224.1	96.8	116.0	57.6	28.8	80.8	129.6	28.8 CMS
Runoff	545.1	583.1	701.8	460.9	482.7	1179.5	705.4	507.0	336.8	368.8	414.1	615.86	901.010 MCM
Momentary Peak	1074.70 CMS, at 40.99 M (MSL.), at 20.00 hours, on Sep 1, 1995												
Runoff Yield	31.14 Liters/Second/Square KM, Momentary Peak Yield 153.35 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Lum Sum, Sai Yok, Kanchanaburi, (K.10)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-J;
 LQS/C
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HC7 F

Water Year - 1996

Discharge, in Cubic Meter per Second, Water Year April 1, 1996 to March 31, 1997

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	118.8	207.2	310.0	182.0	327.0	397.0	1246.8	292.0	281.0	89.2	251.3	177.5	
2	191.0	132.4	345.0	245.0	401.0	325.0	1243.6	263.0	172.1	62.4	190.1	144.4	
3	293.0	175.7	286.0	276.0	381.0	362.0	1056.4	227.9	143.6	71.5	72.2	133.2	
4	262.1	235.1	281.0	281.0	340.0	465.0	793.6	191.9	213.5	122.0	161.3	158.6	
5	224.3	164.9	245.9	298.0	265.7	525.0	647.8	254.0	282.0	132.4	200.0	166.7	
6	217.1	75.7	259.4	306.0	316.0	525.0	530.5	333.0	177.5	72.2	195.5	167.6	
7	212.6	97.2	283.0	209.9	364.0	517.3	451.0	350.0	203.6	115.6	220.7	188.3	
8	134.0	159.5	306.0	141.2	432.0	457.0	534.9	369.0	282.0	119.6	106.8	188.3	
9	172.1	206.3	307.0	190.1	450.0	439.0	614.1	395.0	238.7	117.2	82.8	149.6	
10	249.5	210.8	171.2	254.0	486.0	437.0	589.9	369.0	204.5	123.6	68.7	106.0	
11	231.5	223.4	116.4	254.0	484.0	462.0	499.7	288.0	214.4	110.8	142.8	176.6	
12	224.3	166.7	213.5	224.3	350.0	434.0	426.0	301.0	228.8	84.4	210.8	177.5	
13	164.9	109.2	280.0	216.2	194.6	427.0	357.0	379.0	230.6	69.4	218.9	164.9	
14	132.4	165.8	317.0	146.0	307.0	426.0	304.0	354.0	222.5	100.4	219.8	179.3	
15	135.6	240.5	280.0	120.4	401.0	487.0	371.0	334.0	182.0	81.3	224.3	200.9	
16	224.3	246.8	252.2	207.2	453.0	516.2	401.0	311.0	108.4	76.4	143.6	208.1	
17	244.1	200.9	132.4	256.7	440.0	497.5	413.0	231.5	139.6	102.8	98.8	148.7	
18	269.3	200.0	229.7	266.6	434.0	536.0	408.0	142.8	155.0	143.6	141.2	213.5	
19	281.0	169.4	281.0	254.0	316.0	588.8	379.0	204.5	131.6	104.4	138.0	193.7	
20	283.0	116.4	299.0	273.0	289.0	633.3	315.0	169.4	143.6	72.2	164.9	200.0	
21	253.1	160.4	292.0	236.9	355.0	616.5	255.8	198.2	143.6	94.8	163.1	202.7	
22	186.5	196.4	321.0	140.4	370.0	570.1	331.0	239.6	96.4	160.4	110.8	206.3	
23	220.7	191.9	310.0	145.2	374.0	479.0	385.0	275.0	62.4	112.4	157.7	249.5	
24	233.3	200.9	202.7	154.1	356.0	468.0	242.3	214.4	54.0	146.0	105.2	114.0	
25	254.9	218.9	263.9	227.9	355.0	450.0	303.0	113.2	79.2	142.8	145.2	191.0	
26	232.4	236.9	335.0	477.0	269.3	438.0	312.0	204.5	79.9	128.4	173.0	183.8	
27	236.0	182.0	326.0	887.6	306.0	459.0	177.5	279.0	75.7	60.3	190.1	173.9	
28	181.1	239.6	323.0	1269.2	412.0	458.0	135.6	335.0	77.8	68.0	180.2	182.9	
29	99.6	234.2	299.0	1009.4	454.0	554.7	202.7	339.0	87.6	112.4		149.6	
30	182.0	236.0	224.3	612.8	466.0	803.3	311.0	321.0	72.2	100.4		188.3	
31		238.7		367.0	466.0		337.0		81.3	179.3		135.6	

Total	6344.5	5839.8	8092.6	10129.1	11614.6	14753.7	14575.2	8278.9	4865.1	3276.6	4477.8	5421.0	97668.9	CMSDAY
Mean	211.5	188.4	269.8	326.7	374.7	491.8	470.2	276.0	156.9	105.7	159.9	174.9	267.6	CMS
Max	293.0	246.8	345.0	1269.2	486.0	803.3	1246.8	395.0	282.0	179.3	251.3	249.5	1269.2	CMS
Min	99.6	75.7	116.4	120.4	194.6	325.0	135.6	113.2	54.0	60.3	68.7	106.0	54.0	CMS
Runoff	548.2	504.6	699.2	875.2	1003.5	1274.7	1259.3	715.3	420.3	283.1	386.9	468.48438	590	MCM
Momentary Peak	1326.90 CMS, at 42.77 M (MSL.), at 21.00 hours, on Oct 1, 1996													
Runoff Yield	38.18 Liters/Second/Square KM, Momentary Peak Yield 189.34 Liters/Second/Square KM													

RID Computer Center
 Station - Ban Lum Sum, Sai Yok, Kanchanaburi, (K.10)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-Ja
 LQS/QI
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1997

Discharge, in Cubic Meter per Second, Water Year April 1, 1997 to March 31, 1998

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	163.3	248.0	147.4	100.2	895.0	601.2	542.5	261.0	143.4	58.4	171.4	230.8	
2	180.4	135.4	80.8	134.6	1061.5	666.0	537.0	165.1	167.8	59.1	117.8	166.9	
3	155.4	154.6	170.5	137.8	1046.5	679.2	489.3	101.0	203.8	73.8	157.9	215.5	
4	169.6	232.6	239.0	125.8	1055.5	668.4	511.0	105.0	187.6	153.0	240.0	266.0	
5	176.8	230.8	254.0	113.0	1171.2	676.8	495.8	132.2	193.9	119.4	249.0	262.0	
6	169.6	155.4	233.5	92.2	1235.2	649.2	445.0	158.8	111.4	145.0	229.9	255.0	
7	131.4	264.0	219.1	66.8	1209.6	652.8	436.0	209.2	61.9	168.7	190.3	266.0	
8	132.2	279.0	150.6	108.2	1133.5	616.8	425.0	203.8	123.4	173.2	101.8	250.0	
9	201.1	312.0	66.8	135.4	1037.5	542.5	438.0	137.8	167.8	188.5	64.0	175.9	
10	211.0	285.0	130.6	107.4	997.0	516.4	406.0	99.4	182.2	210.1	125.0	232.6	
11	209.2	184.9	184.9	94.6	956.6	527.3	381.0	137.8	155.4	194.8	217.3	286.0	
12	211.0	104.2	188.5	117.0	923.0	520.7	346.0	200.2	171.4	189.4	156.2	269.0	
13	145.8	193.0	189.4	80.8	893.6	530.5	418.0	228.1	178.6	186.7	206.5	284.0	
14	94.6	237.1	231.7	69.6	890.8	509.9	448.0	231.7	178.6	197.5	227.2	277.0	
15	113.0	242.0	183.1	139.4	864.2	520.7	406.0	240.0	149.8	204.7	219.1	260.0	
16	141.0	236.2	207.4	158.8	864.2	496.9	401.0	157.9	196.6	197.5	139.4	210.1	
17	235.3	225.4	194.8	204.7	879.6	493.6	362.0	99.4	256.0	178.6	218.2	231.7	
18	171.4	143.4	206.5	188.5	1009.0	430.0	345.0	153.8	236.2	198.4	274.0	295.0	
19	204.7	92.2	200.2	157.9	1066.0	422.0	332.0	199.3	266.0	120.2	261.0	312.0	
20	206.5	84.3	174.1	175.9	1073.5	376.0	334.0	164.2	270.0	169.6	271.0	320.0	
21	171.4	72.4	200.2	133.8	1034.5	396.0	356.0	153.0	257.0	224.5	253.0	326.0	
22	206.5	133.0	127.4	184.0	1000.0	448.0	365.0	161.5	130.6	190.3	216.4	326.0	
23	220.0	146.6	97.8	383.0	965.0	476.2	392.0	106.6	160.6	203.8	182.2	266.0	
24	210.1	148.2	182.2	374.0	862.8	591.3	262.0	77.3	250.0	245.0	229.0	288.0	
25	165.1	231.7	187.6	307.0	639.6	557.7	305.0	147.4	285.0	244.0	254.0	353.0	
26	184.9	178.6	175.0	387.0	595.7	581.5	326.0	164.2	290.0	144.2	256.0	371.0	
27	133.8	141.8	150.6	421.0	583.7	560.9	280.0	157.9	277.0	161.5	235.3	364.0	
28	117.8	141.8	166.9	334.0	583.7	553.3	303.0	176.8	157.0	199.3	231.7	354.0	
29	163.3	150.6	116.2	502.3	566.3	529.4	334.0	194.8	82.2	211.0		336.0	
30	214.6	145.0	95.4	527.3	577.2	466.5	319.0	143.4	124.2	220.0		233.5	
31		160.6		597.8	585.9		302.0		113.0	195.7		281.0	
Total	5210.8	5689.8	5152.2	6659.8	28257.4	16257.7	12042.6	4868.6	5728.4	5425.9	5694.6	8564.0109551.8	CMSDAY
Mean	173.7	183.5	171.7	214.8	911.5	541.9	388.5	162.3	184.8	175.0	203.4	276.3	300.1 CMS
Max	235.3	312.0	254.0	597.8	1235.2	679.2	542.5	261.0	290.0	245.0	274.0	371.0	1235.2 CMS
Min	94.6	72.4	66.8	66.8	566.3	376.0	262.0	77.3	61.9	58.4	64.0	166.9	58.4 CMS
Runoff	450.2	491.6	445.2	575.4	2441.4	1404.7	1040.5	420.7	494.9	468.8	492.0	739.99465.280	MCM
Momentary Peak	1236.80 CMS, at 41.78 M (MSL.), at 11.00 hours, on Aug 6, 1997												
Runoff Yield	42.83 Liters/Second/Square KM, Momentary Peak Yield 176.48 Liters/Second/Square KM												

RIO Computer Center
 Station - Ban Lum Sum, Sai Yok, Kanchanaburi, (K.10)
 Stream - Khvae Noi
 River - Mae Klong
 River System - Mae Klong

30-Ja
 LQS/Q
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1998

Discharge, in Cubic Meter per Second, Water Year April 1, 1998 to March 31, 1999

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	294.0	372.0	152.2	257.0	209.8	149.5	128.8	120.0	84.5	67.7	67.7	78.9	
2	255.0	276.0	224.2	198.1	124.0	142.3	126.4	91.2	76.8	67.0	124.0	80.3	
3	295.0	358.0	265.0	179.2	78.9	120.8	154.0	136.0	74.7	65.6	104.0	141.4	
4	331.0	367.0	217.0	195.4	143.2	105.6	104.0	168.4	86.6	66.3	92.8	125.6	
5	342.0	358.0	210.7	96.0	214.3	131.2	82.4	132.0	69.8	78.9	104.8	130.4	
6	174.7	331.0	238.6	66.3	230.5	96.8	104.8	115.2	71.2	94.4	111.2	121.6	
7	136.0	347.0	200.8	186.4	197.2	75.4	179.2	99.2	55.8	96.8	82.4	118.4	
8	254.0	272.0	87.3	272.0	198.1	108.8	239.5	85.2	67.7	93.6	76.1	103.2	
9	253.0	302.0	129.6	230.5	115.2	128.8	229.6	74.0	71.2	89.6	78.9	112.8	
10	246.0	309.0	227.8	115.2	87.3	141.4	156.7	108.0	73.3	86.6	101.6	139.6	
11	257.0	292.0	254.0	154.0	185.5	145.9	124.0	118.4	66.3	65.6	99.2	136.0	
12	252.0	316.0	264.0	163.9	208.0	124.0	121.6	126.4	68.4	91.2	108.0	150.4	
13	256.0	303.0	270.0	107.2	139.6	130.4	247.0	119.2	69.8	100.0	89.6	131.2	
14	154.9	279.0	253.0	139.6	250.0	118.4	249.0	123.2	59.3	98.4	86.6	103.2	
15	109.6	286.0	211.6	197.2	277.0	208.9	196.3	107.2	60.0	101.6	72.6	102.4	
16	129.6	321.0	248.0	197.2	256.0	193.6	171.1	87.3	55.8	95.2	88.8	128.8	
17	301.0	341.0	300.0	207.1	135.2	213.4	189.1	104.0	56.5	90.4	85.9	128.8	
18	320.0	332.0	296.0	180.1	224.2	199.0	145.0	115.2	52.3	71.9	66.3	145.0	
19	333.0	321.0	311.0	115.2	256.0	151.3	107.2	103.2	55.8	88.0	93.6	154.0	
20	322.0	339.0	317.0	60.0	251.0	141.4	100.8	108.8	56.5	80.3	119.2	131.2	
21	360.0	306.0	232.3	104.8	252.0	142.3	126.4	92.8	50.2	85.2	96.8	124.0	
22	325.0	268.0	128.0	174.7	226.0	170.2	82.4	96.8	53.7	78.2	110.4	83.8	
23	322.0	321.0	232.3	198.1	158.5	198.1	68.4	76.8	60.0	97.6	122.4	116.8	
24	341.0	304.0	293.0	188.2	117.6	226.9	61.4	86.6	57.9	74.7	112.8	108.8	
25	389.0	242.2	268.0	181.9	195.4	217.9	55.8	100.0	66.3	71.9	120.0	106.4	
26	363.0	284.0	266.0	78.9	239.5	221.5	49.5	108.0	65.6	95.2	106.4	114.4	
27	350.0	283.0	230.5	45.3	265.0	178.3	45.3	100.8	62.1	79.6	123.2	114.4	
28	377.0	285.0	152.2	149.5	252.0	118.4	41.8	110.4	52.3	83.8	106.4	91.2	
29	397.3	291.0	63.5	237.7	247.0	162.1	40.4	88.8	47.4	88.0		83.1	
30	412.7	252.0	181.0	264.0	191.8	119.2	38.3	75.4	66.3	92.8		103.2	
31		190.9		259.0	123.2		50.2		67.7	90.4		106.4	
Total	8652.8	9449.1	6724.6	5199.7	6049.0	4581.8	3816.4	3178.5	1981.8	2626.5	2751.7	3615.7	58627.6 CMSDAY
Mean	288.4	304.8	224.2	167.7	195.1	152.7	123.1	106.0	63.9	84.7	98.3	116.6	160.6 CMS
Max	412.7	372.0	317.0	272.0	277.0	226.9	249.0	168.4	86.6	101.6	124.0	154.0	412.7 CMS
Min	109.6	190.9	63.5	45.3	78.9	75.4	38.3	74.0	47.4	65.6	66.3	78.9	38.3 CMS
Runoff	747.6	816.4	581.0	449.3	522.6	395.9	329.7	274.6	171.2	226.9	237.8	312.45	65.420 MCM
Momentary Peak	422.60 CMS, at 35.46 M (MSL.), at 14.00 hours, on Apr 30, 1998												
Runoff Yield	22.92 Liters/Second/Square KM, Momentary Peak Yield 60.30 Liters/Second/Square KM												

RTD Computer Center
 Station - Ban Lum Sum, Sai Yok, Kanchanaburi, (K.10)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-J
 LQS/
 Royal Irrigation O
 Thailand
 Hydrology Division
 Rating Curve HYD.

Water Year - 1999

Discharge, in Cubic Meter per Second, Water Year April 1, 1999 to March 31, 2000

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	107.80	198.50	50.20	110.20	187.70	175.10	222.80	249.80	190.40	103.00	147.00	249.80	
2	108.60	174.20	64.90	104.60	157.40	212.00	221.00	382.00	147.80	104.60	161.40	250.70	
3	110.20	112.60	67.00	96.60	307.40	217.40	197.60	532.40	124.60	103.00	163.80	252.50	
4	90.10	85.90	70.50	67.70	429.20	226.40	240.80	355.00	125.40	136.60	171.50	258.80	
5	78.90	110.20	77.50	58.60	525.20	203.00	328.00	273.20	119.80	128.60	151.80	209.30	
6	95.00	80.30	69.80	76.80	491.60	161.40	284.00	226.40	100.60	180.50	143.00	171.50	
7	86.60	71.90	65.60	97.40	519.20	211.10	274.10	191.30	104.60	154.20	119.00	221.90	
8	118.20	94.30	67.70	90.80	568.40	239.00	291.20	166.20	148.60	106.20	144.60	259.70	
9	116.60	74.00	76.10	85.90	458.00	229.10	258.80	150.20	135.80	97.40	185.00	260.60	
10	93.60	56.50	115.00	90.80	402.80	247.10	184.10	138.20	134.20	80.30	200.30	260.60	
11	94.30	74.70	164.60	69.10	358.00	225.50	147.80	151.00	128.60	127.00	199.40	257.90	
12	115.00	79.60	166.20	55.80	331.00	230.00	205.70	167.00	104.60	122.20	196.70	221.90	
13	103.80	81.70	119.80	60.00	285.80	176.90	208.40	160.60	99.80	104.60	159.00	161.40	
14	106.20	87.30	117.40	78.90	337.00	240.80	262.40	156.60	110.20	120.60	131.00	192.20	
15	115.00	77.50	116.60	102.20	319.10	251.60	282.20	125.40	129.40	124.60	192.20	244.40	
16	117.40	64.20	97.40	103.80	316.40	257.00	244.40	146.20	107.00	103.00	209.30	277.70	
17	111.80	49.50	95.80	98.20	326.00	294.80	240.80	169.70	119.80	90.80	226.40	253.40	
18	96.60	38.30	76.80	83.10	344.00	321.00	335.00	163.80	133.40	112.60	238.10	271.40	
19	88.70	57.20	88.00	81.00	340.00	264.20	403.87	157.40	107.00	135.00	231.80	245.30	
20	104.60	60.00	72.60	119.80	339.00	185.00	317.30	159.00	88.00	128.60	186.80	171.50	
21	90.80	82.40	67.00	95.00	320.00	239.00	280.40	132.60	90.80	128.60	146.20	220.10	
22	93.60	92.20	75.40	98.20	288.50	243.50	242.60	120.60	111.00	134.20	199.40	266.90	
23	101.40	80.30	89.40	113.40	198.50	260.60	205.70	145.40	108.60	116.60	231.80	264.20	
24	84.50	64.20	88.00	91.50	264.20	293.00	138.20	165.40	112.60	95.00	230.00	271.40	
25	87.30	62.80	84.50	91.50	257.90	299.30	103.80	161.40	120.60	113.40	247.10	261.50	
26	72.60	59.30	95.80	97.40	216.50	265.10	183.20	157.40	94.30	148.60	227.30	216.50	
27	88.00	58.60	71.90	231.80	212.90	176.90	304.70	208.40	90.80	138.20	204.80	189.50	
28	88.70	57.20	72.60	348.00	209.30	270.50	281.30	157.40	88.00	131.00	159.80	203.00	
29	101.40	57.20	87.30	248.90	141.40	306.50	288.50	110.20	106.20	131.00	204.80	240.80	
30	149.40	55.10	93.60	251.60	107.00	258.80	359.00	146.20	100.60	127.00		247.10	
31		48.10		228.20	139.80		326.00		103.80	96.60		248.90	

Total	3016.70	2445.80	2665.00	3626.80	9699.20	7181.60	7863.67	5726.40	3586.90	3723.60	5409.30	7322.40	62267.38	CMSDAY
Mean	100.56	78.90	88.83	116.99	312.88	239.39	253.67	190.88	115.71	120.12	186.53	236.21	170.13	CMS
Max	149.40	198.50	166.20	348.00	568.40	321.00	403.87	532.40	190.40	180.50	247.10	277.70	568.40	CMS
Min	72.60	38.30	50.20	55.80	107.00	161.40	103.80	110.20	88.00	80.30	119.00	161.40	38.30	CMS
Runoff	260.64	211.32	230.26	313.36	838.01	620.49	679.42	494.76	309.91	321.72	467.36	632.66	5379.90	MCM
Momentary Peak	629.60 CMS, at 37.33 M (MSL.), at 16.00 hours, on Aug 8, 1999													
Runoff Yield	24.28 Liters/Second/Square KM, Momentary Peak Yield 89.84 Liters/Second/Square KM													

RID Computer Center
 Station - Ban Bo, Suan Phung, Ratchaburi, (K.17)
 Stream - Lam Phachi
 River - Khwae Noi
 River System - Mae Klong

30-Ja
 LQS/Q
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD7R

Water Year - 1995

Discharge, in Cubic Meter per Second, Water Year April 1, 1995 to March 31, 1996.

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.00	0.60	1.50	1.00	2.10	27.40	35.00	23.50	4.20	1.70	1.00	0.30	
2	0.50	1.30	1.30	1.00	3.20	19.60	55.00	18.00	4.10	1.80	0.90	0.40	
3	0.00	1.30	1.30	1.00	3.30	17.00	34.50	15.60	3.90	1.70	0.70	0.10	
4	0.00	1.70	1.20	1.10	2.70	19.90	30.40	15.00	3.80	1.70	0.90	0.10	
5	0.10	1.50	0.80	1.30	2.20	13.00	32.20	13.80	3.60	1.60	0.80	0.20	
6	0.60	0.90	0.00	3.50	1.80	9.00	36.00	12.00	3.50	1.70	0.70	0.30	
7	0.50	1.20	0.00	3.90	1.60	7.70	90.80	10.20	3.40	1.60	0.90	0.40	
8	0.90	1.20	0.60	2.70	1.80	6.70	96.20	8.80	3.30	1.50	0.90	0.00	
9	1.20	6.80	1.40	2.20	2.10	6.10	104.30	8.90	3.20	1.40	0.50	0.00	
10	1.30	3.70	5.50	2.60	2.50	6.40	145.80	8.40	3.20	1.70	0.40	0.10	
11	1.20	2.30	12.40	2.80	3.40	7.50	302.60	8.20	3.10	1.70	0.70	0.20	
12	1.10	1.70	11.20	1.80	4.80	10.60	135.40	8.30	3.00	1.70	0.80	0.00	
13	1.00	1.50	6.30	1.30	4.70	13.20	105.00	8.40	2.90	1.70	0.70	0.00	
14	0.20	1.40	5.50	1.00	3.90	14.60	105.70	8.40	2.80	1.60	0.40	0.00	
15	0.00	1.10	6.50	1.10	3.20	13.00	87.80	8.70	2.80	1.50	0.30	0.30	
16	0.00	1.10	5.90	1.20	1.90	19.30	72.50	9.80	2.60	1.70	0.60	0.30	
17	0.10	1.30	4.80	1.10	2.90	17.00	66.00	8.30	2.60	1.50	0.80	0.30	
18	0.00	1.20	5.20	1.60	2.70	11.80	53.50	7.70	2.60	1.50	0.40	0.30	
19	0.00	1.70	3.80	1.60	2.50	11.00	40.00	7.20	2.50	1.40	0.20	0.00	
20	0.00	1.40	3.90	0.90	4.20	9.00	32.80	6.90	2.50	1.40	0.40	0.00	
21	0.00	1.20	3.30	0.60	5.40	10.60	30.40	6.50	2.40	1.20	0.30	0.00	
22	0.60	1.00	2.80	1.10	4.90	10.00	25.90	6.20	2.30	1.30	0.60	0.00	
23	1.60	0.80	2.60	1.50	4.10	8.60	21.70	5.90	2.30	1.20	0.70	0.00	
24	0.50	0.50	2.30	1.60	6.90	7.90	18.20	5.60	2.10	1.20	0.50	0.00	
25	0.40	0.50	2.10	1.00	6.40	8.60	16.40	5.30	2.10	1.20	0.00	0.00	
26	1.60	0.20	2.10	0.70	5.60	12.40	14.80	5.10	2.00	1.00	0.30	0.00	
27	2.10	0.30	1.80	1.20	6.30	20.20	13.40	4.90	2.00	0.90	0.40	0.20	
28	1.90	0.60	1.40	1.10	6.00	17.40	16.20	4.80	1.90	1.10	0.10	0.10	
29	0.80	1.70	0.80	1.20	5.50	13.60	16.60	4.60	1.80	0.80	0.00	0.40	
30	0.20	1.40	1.00	1.50	9.40	18.40	24.70	4.40	1.80	1.00		0.40	
31		1.70		1.80	28.60		31.00		1.80	0.90		0.00	
Total	18.40	44.80	99.30	48.00	146.60	387.50	1890.80	269.40	86.10	43.90	15.90	4.40	3055.10 CMSDAY
Mean	0.61	1.45	3.31	1.55	4.73	12.92	60.99	8.98	2.78	1.42	0.55	0.14	8.35 CMS
Max	2.10	6.80	12.40	3.90	28.60	27.40	302.60	23.50	4.20	1.80	1.00	0.40	302.60 CMS
Min	0.00	0.20	0.00	0.60	1.60	6.10	13.40	4.40	1.80	0.80	0.00	0.00	0.00 CMS
Runoff	1.59	3.87	8.58	4.15	12.67	33.48	163.37	23.28	7.44	3.79	1.37	0.38	263.961 MCM
Momentary Peak	374.60 CMS, at 6.02 M (A.D.), at 06.00 hours, on Oct 11, 1995												
Runoff Yield	6.16 Liters/Second/Square KM, Momentary Peak Yield 276.46 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Bo, Suan Phung, Ratchaburi, (K.17)
 Stream - Lam Phachi
 River - Khwae Noi
 River System - Mae Klong

30-Ja
 LQS/Q
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HC7 R

Water Year - 1996

Discharge, in Cubic Meter per Second, Water Year April 1, 1996 to March 31, 1997

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.52	2.70	5.10	3.45	75.50	20.00	327.60	86.20	10.50	4.50	2.85	2.33	
2	0.45	2.40	4.20	3.15	57.50	33.70	150.40	74.00	10.35	4.50	2.85	2.25	
3	0.45	2.40	3.90	2.93	45.20	27.75	97.00	121.60	10.35	4.35	2.85	2.33	
4	0.45	2.40	3.75	2.85	36.50	32.65	69.50	117.28	9.75	4.35	2.78	2.33	
5	0.68	2.33	4.20	2.78	30.20	41.20	60.50	77.80	9.45	4.20	2.78	2.25	
6	0.68	2.33	6.90	4.50	25.40	30.20	52.40	55.60	9.15	4.05	2.70	2.25	
7	0.68	1.88	5.10	4.50	21.20	30.20	67.50	56.00	9.60	4.05	2.70	2.18	
8	0.60	1.80	3.90	4.80	19.20	71.50	56.00	45.20	9.15	3.90	2.70	2.18	
9	0.97	1.95	3.90	3.90	17.40	149.60	68.00	38.60	8.40	3.90	2.63	2.10	
10	0.90	1.88	4.20	3.75	15.20	141.60	53.20	30.90	8.10	3.90	2.63	2.10	
11	0.75	2.40	4.05	3.75	14.20	84.40	50.80	25.70	8.10	3.60	2.63	2.10	
12	0.83	2.70	3.75	5.25	16.80	56.00	71.00	24.20	7.80	3.60	2.55	2.18	
13	1.27	5.85	3.60	6.00	13.60	41.60	76.60	19.80	7.50	3.60	2.63	2.25	
14	1.27	9.60	3.60	4.95	11.70	42.40	67.50	63.00	7.20	3.45	2.55	2.33	
15	0.97	4.65	3.45	4.65	10.80	98.20	54.80	62.00	7.20	3.45	2.55	2.25	
16	0.68	3.30	7.50	4.20	10.35	97.60	44.40	39.65	6.90	3.45	2.48	2.18	
17	0.90	2.85	42.80	3.60	11.40	70.50	37.20	31.25	6.60	3.30	2.48	2.10	
18	1.27	3.45	20.00	5.25	10.20	63.50	32.65	26.70	6.45	3.30	2.48	2.10	
19	0.68	8.10	12.80	4.50	9.60	60.00	28.80	25.10	6.15	3.30	2.55	2.03	
20	1.27	11.10	10.20	3.60	10.20	64.50	29.85	21.20	6.15	3.30	2.63	1.95	
21	0.97	15.60	8.40	3.45	12.60	53.20	36.50	18.80	6.00	3.90	2.55	1.95	
22	1.73	28.80	7.35	3.30	11.10	42.80	31.95	17.40	5.70	3.30	2.48	1.88	
23	2.10	17.80	6.30	3.45	9.90	35.45	26.35	16.00	5.55	3.15	2.48	1.80	
24	1.42	11.10	5.55	4.05	10.20	30.55	24.20	15.20	5.40	3.00	2.40	1.95	
25	1.57	8.70	5.10	13.40	15.80	26.00	23.30	14.40	5.40	2.93	2.48	2.10	
26	1.57	7.20	4.95	192.00	35.45	22.70	94.60	13.60	5.25	2.93	2.40	2.10	
27	1.65	6.00	4.80	261.00	35.10	26.00	98.80	12.60	5.10	2.93	2.33	2.03	
28	2.33	5.55	4.65	397.50	24.20	43.60	60.50	11.85	5.10	2.93	2.33	2.10	
29	3.15	5.10	4.20	187.00	19.00	125.92	44.40	11.25	5.10	2.93		2.10	
30	4.80	6.45	3.75	102.16	23.00	327.60	47.20	10.80	5.25	2.93		2.03	
31		7.05		86.20	21.80		91.00		4.80	2.93		2.03	
Total	37.56	195.50	211.95	1335.87	680.30	1990.92	2074.50	1183.68	223.50	109.91	72.45	65.84	8181.98 CMSDAY
Mean	1.25	6.31	7.07	43.09	21.95	66.36	66.92	39.46	7.21	3.55	2.59	2.12	22.42 CMS
Max	4.80	28.80	42.80	397.50	75.50	327.60	327.60	121.60	10.50	4.50	2.85	2.33	397.50 CMS
Min	0.45	1.80	3.45	2.78	9.60	20.00	23.30	10.80	4.80	2.93	2.33	1.80	0.45 CMS
Runoff	3.25	16.89	18.31	115.42	58.78	172.02	179.24	102.27	19.31	9.50	6.26	5.69	706.923 MCM
Momentary Peak	761.80 CMS, at 8.12 M (AD.), at 21.00 hours, on Sep 30, 1996												
Runoff Yield	16.54 Liters/Second/Square KM, Momentary Peak Yield 562.21 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Bo, Suan Phung, Ratchaburi, (K.17)
 Stream - Lam Phachi
 River - Khwae Noi
 River System - Mae Klong

Royal Irrigation D
 Thailand
 Hydrology Division
 Rating Curve HYD.

Water Year - 1997

Discharge, in Cubic Meter per Second, Water Year April 1, 1997 to March 31, 1998

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	2.80	3.10	1.10	1.40	22.90	4.00	18.10	8.50	9.30	3.00	0.90	0.42	
2	3.00	3.00	1.30	1.70	28.95	3.90	14.40	7.75	8.95	3.00	1.11	0.42	
3	2.80	2.90	1.50	1.90	33.00	3.60	12.25	7.25	8.60	3.00	1.11	0.48	
4	2.70	2.90	1.50	1.50	88.70	3.90	31.65	201.20	8.25	2.79	1.11	0.42	
5	2.80	2.90	1.40	1.20	67.20	3.80	49.30	739.60	8.25	2.79	0.90	0.54	
6	3.00	2.60	1.40	0.90	36.15	3.70	133.60	309.00	7.90	2.58	1.11	0.54	
7	3.30	2.40	0.90	0.80	22.90	3.50	67.90	146.00	7.55	2.58	1.11	0.78	
8	2.90	2.30	1.10	0.80	15.45	3.50	51.10	85.35	7.55	2.58	0.90	0.66	
9	4.30	2.20	0.80	0.80	11.00	3.40	40.00	57.35	7.20	2.16	1.11	0.60	
10	3.20	2.20	0.30	0.70	8.25	3.60	32.10	43.90	7.20	2.16	0.90	0.54	
11	2.90	2.20	0.90	0.90	6.25	3.80	26.90	35.40	6.50	1.95	0.84	0.48	
12	2.80	1.10	0.70	0.90	5.20	6.50	25.30	29.90	6.50	1.74	0.84	0.42	
13	2.60	1.40	0.70	1.10	4.60	9.75	30.30	25.70	6.50	1.95	0.84	0.36	
14	2.50	1.50	1.10	1.60	4.30	7.75	25.70	22.85	6.15	2.16	0.84	0.48	
15	2.40	1.70	0.70	1.70	4.00	7.25	24.10	21.20	6.15	2.16	0.78	0.36	
16	2.30	1.70	0.20	1.80	3.80	5.75	51.10	19.55	5.80	2.16	0.78	0.24	
17	2.10	1.20	0.50	2.00	4.30	5.50	33.90	18.55	5.80	1.74	0.72	0.36	
18	2.00	1.50	0.80	2.50	8.50	10.25	28.95	17.65	5.45	1.95	0.72	0.42	
19	1.70	1.80	0.30	3.30	9.00	46.00	25.70	18.10	5.10	1.74	0.66	0.30	
20	1.80	1.90	0.10	2.80	10.25	23.70	21.70	16.30	5.10	1.53	0.66	0.30	
21	2.00	2.30	0.40	2.40	12.00	17.70	17.70	14.95	4.75	1.74	0.54	0.42	
22	2.30	2.60	0.50	2.40	9.75	52.90	15.10	13.60	4.75	1.53	0.60	0.27	
23	2.30	2.70	0.50	7.75	7.25	120.00	13.35	13.15	4.75	1.53	0.60	0.21	
24	2.40	2.70	0.30	7.00	5.50	64.40	12.00	12.70	4.40	1.53	0.54	0.27	
25	6.25	2.40	0.10	5.35	5.20	40.00	14.05	11.80	4.05	1.53	0.54	0.42	
26	5.50	2.30	0.20	5.75	5.05	28.50	12.00	11.35	4.05	1.53	0.48	0.24	
27	4.45	2.30	0.60	9.00	4.90	22.50	10.75	10.90	4.05	1.32	0.48	0.24	
28	3.50	2.30	0.80	7.75	4.75	28.50	15.10	10.45	3.70	1.32	0.48	0.42	
29	3.30	2.20	0.90	6.75	4.45	28.95	13.35	10.00	3.35	1.32		0.36	
30	3.10	2.20	1.10	6.00	4.15	22.90	11.00	9.65	3.00	1.11		0.15	
31		2.10		7.25	4.15		9.75		2.79	1.32		0.21	
Total	89.00	68.60	22.70	97.70	461.85	589.50	888.20	1949.65	183.44	61.50	22.20	12.33	4446.67 CMSDAY
Mean	2.97	2.21	0.76	3.15	14.90	19.65	28.65	64.99	5.92	1.98	0.79	0.40	12.18 CMS
Max	6.25	3.10	1.50	9.00	88.70	120.00	133.60	739.60	9.30	3.00	1.11	0.78	739.60 CMS
Min	1.70	1.10	0.10	0.70	3.80	3.40	9.75	7.25	2.79	1.11	0.48	0.15	0.10 CMS
Runoff	7.69	5.93	1.96	8.44	39.90	50.93	76.74	168.45	15.85	5.31	1.92	1.07	384.192 MCM
Momentary Peak	1129.00 CMS, at 7.08 M (A.D.), at 02.00 hours, on Nov 5, 1997												
Runoff Yield	8.99 Liters/Second/Square KM, Momentary Peak Yield 833.21 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Bo, Suan Phung, Ratchaburi, (K.17)
 Stream - Lam Phachi
 River - Khwae Noi
 River System - Mae Klong

30-Ja
 LQS/Q
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1998

Discharge, in Cubic Meter per Second, Water Year April 1, 1998 to March 31, 1999

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	1.10	0.75	1.10	0.70	7.30	1.50	28.80	9.20	4.25	1.20	0.65	0.30	
2	1.30	0.50	1.30	0.95	3.00	5.20	59.10	8.40	4.00	1.10	0.75	0.60	
3	1.20	0.50	1.10	0.75	1.90	5.55	71.70	12.00	4.00	1.00	0.95	0.35	
4	1.30	0.85	1.00	0.70	1.50	3.00	48.25	9.60	4.50	1.10	0.85	0.25	
5	1.30	0.85	1.10	0.95	1.30	4.50	33.65	8.00	4.00	1.10	0.90	0.60	
6	1.40	0.65	1.30	0.80	1.10	3.00	25.90	7.30	3.75	1.10	0.95	0.65	
7	1.40	0.80	1.20	0.75	0.95	2.00	41.45	6.60	3.50	0.95	0.80	0.85	
8	1.30	0.70	0.90	0.75	0.95	1.80	108.85	6.25	3.25	1.00	0.80	0.75	
9	1.20	0.80	0.75	0.95	0.90	1.80	75.95	5.90	3.00	1.10	0.80	0.45	
10	1.30	1.00	0.90	0.70	0.80	1.70	64.90	5.55	3.00	0.95	0.85	0.50	
11	1.50	0.90	1.00	0.55	0.95	1.40	168.40	4.85	2.75	0.85	0.80	0.45	
12	1.10	0.70	0.80	0.90	1.00	1.50	222.00	4.50	1.70	0.95	0.55	0.30	
13	1.00	1.00	0.95	0.80	0.90	1.50	125.75	4.25	2.25	0.80	0.75	0.40	
14	1.10	1.50	1.00	0.70	0.80	1.70	92.50	4.00	2.00	0.80	0.75	0.30	
15	0.95	1.90	0.85	1.00	0.90	1.80	53.50	3.75	1.90	0.85	0.55	0.20	
16	1.10	1.60	1.10	1.10	0.90	1.60	40.80	3.75	1.90	1.00	0.65	0.10	
17	1.00	1.40	1.20	0.80	0.95	1.50	34.30	4.85	1.90	0.75	0.75	0.45	
18	1.20	1.30	1.00	0.75	0.90	1.60	26.45	4.50	1.90	0.65	0.65	0.60	
19	1.30	1.40	0.85	0.90	1.20	1.80	23.15	4.00	1.90	0.70	0.60	0.25	
20	1.20	1.10	0.80	0.65	1.90	3.00	44.70	3.50	1.90	0.80	0.60	0.05	
21	1.00	1.20	0.85	0.75	3.00	28.80	29.40	3.50	1.90	0.80	0.55	0.00	
22	1.00	1.20	0.75	1.20	3.00	27.60	23.15	3.50	1.90	0.55	0.65	0.35	
23	1.00	1.20	0.75	1.00	2.25	30.00	20.00	5.55	1.80	0.60	0.35	0.30	
24	0.90	1.00	0.90	0.85	1.70	51.25	18.00	6.25	1.70	0.75	0.70	0.15	
25	0.95	0.90	0.85	0.95	1.70	40.80	15.60	5.20	1.70	0.60	0.70	0.35	
26	0.95	0.95	0.55	1.00	2.75	71.70	13.80	4.25	1.60	0.50	0.35	0.45	
27	0.65	0.95	0.40	0.70	2.50	70.85	12.45	4.00	1.60	0.75	0.25	0.20	
28	0.65	0.95	0.75	0.85	3.25	46.75	11.20	6.25	1.60	0.70	0.20	0.30	
29	0.70	1.00	0.55	0.85	2.75	35.60	10.00	6.25	1.50	0.50		0.50	
30	0.80	1.20	0.45	1.20	1.90	26.45	9.20	5.20	1.40	0.70		0.40	
31		1.10		1.50	1.60		10.00		1.10	0.85		0.60	
Total	32.85	31.85	27.00	27.00	56.50	477.25	1562.90	170.70	75.15	26.05	18.70	12.00	2517.95 CMSDAY
Mean	1.10	1.03	0.90	0.87	1.82	15.91	50.42	5.69	2.42	0.84	0.67	0.39	6.90 CMS
Max	1.50	1.90	1.30	1.50	7.30	71.70	222.00	12.00	4.50	1.20	0.95	0.85	222.00 CMS
Min	0.65	0.50	0.40	0.55	0.80	1.40	9.20	3.50	1.10	0.50	0.20	0.00	0.00 CMS
Runoff	2.84	2.75	2.33	2.33	4.88	41.23	135.04	14.75	6.49	2.25	1.62	1.04	217.551 MCM
Momentary Peak	345.00 CMS, at 101.05 M (MSL.), at 20.00 hours, on Oct 11, 1998												
Runoff Yield	5.09 Liters/Second/Square KM, Momentary Peak Yield 254.61 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Bo, Suan Phung, Ratchaburi, (K.17)
 Stream - Lam Phachi
 River - Khwae Noi
 River System - Mae Klong

Royal Irrigation D
 Thailand
 Hydrology Division
 Rating Curve HYD.

Water Year - 1999

Discharge, in Cubic Meter per Second, Water Year April 1, 1999 to March 31, 2000

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.50	24.50	5.20	1.00	1.10	1.80	3.60	88.80	4.80	1.10	0.65	0.65	
2	0.38	31.00	4.80	0.90	1.20	1.60	12.20	109.00	4.60	1.00	0.65	0.70	
3	0.47	19.00	4.20	0.85	5.60	1.40	14.50	107.00	4.40	1.00	0.70	0.70	
4	0.50	17.00	3.60	1.00	24.50	1.20	20.00	138.60	4.00	1.00	0.70	0.70	
5	0.38	11.40	2.80	0.90	19.00	1.10	9.40	127.00	4.40	1.00	0.70	0.75	
6	0.35	8.40	2.00	0.75	17.50	1.20	7.50	96.00	5.20	0.95	0.70	0.70	
7	0.55	6.90	3.00	0.95	20.00	1.30	6.60	69.90	5.00	0.95	0.65	0.60	
8	0.47	11.80	4.00	1.10	13.50	1.30	5.20	52.30	4.20	0.90	0.65	0.60	
9	0.32	19.00	4.80	1.20	7.50	1.20	6.60	42.50	3.40	0.90	0.65	0.55	
10	0.60	6.90	5.40	1.10	5.00	1.20	6.90	36.00	3.00	0.90	0.65	0.50	
11	6.00	6.30	5.20	0.85	2.80	1.10	6.30	30.50	2.60	0.90	0.65	0.50	
12	6.60	11.80	5.00	0.75	1.70	1.00	11.80	28.50	2.20	0.90	0.60	0.50	
13	6.30	13.50	4.20	0.95	1.70	1.00	6.00	29.00	2.00	0.85	0.55	0.55	
14	4.80	15.50	2.80	1.10	1.50	1.00	91.50	30.00	2.20	0.85	0.55	0.50	
15	3.40	17.50	1.80	1.20	1.30	0.95	213.50	26.50	2.00	0.80	0.65	0.47	
16	2.40	25.00	1.60	1.10	1.30	0.90	148.30	26.00	1.90	0.80	0.75	0.50	
17	1.90	18.50	1.40	1.00	1.30	0.95	115.00	22.50	1.80	0.80	0.75	0.47	
18	1.60	24.00	1.40	0.90	1.20	0.95	126.00	19.00	1.60	0.80	0.75	0.44	
19	1.70	17.00	1.30	0.90	1.20	0.95	96.00	16.50	1.60	0.80	0.70	0.38	
20	2.20	25.50	1.30	0.90	1.40	0.95	59.40	14.50	1.50	0.85	0.70	0.44	
21	3.20	27.50	1.30	0.80	2.00	0.85	43.20	12.20	1.50	0.85	0.80	0.55	
22	3.20	17.50	1.20	0.75	1.90	0.90	33.00	11.40	1.70	0.85	0.80	0.55	
23	3.40	15.00	1.10	0.75	1.80	0.95	26.50	10.60	1.50	0.80	0.75	0.50	
24	3.20	12.60	1.10	0.65	2.20	0.95	24.00	9.80	1.30	0.80	0.80	0.65	
25	2.60	11.00	1.10	0.90	4.40	1.30	139.80	11.40	1.30	0.75	0.75	0.60	
26	2.00	9.00	1.10	1.60	3.00	1.90	708.00	14.00	1.20	0.75	0.80	0.65	
27	1.90	7.50	1.10	2.40	2.00	1.60	186.60	9.40	1.10	0.75	0.80	0.65	
28	5.00	6.60	1.10	1.80	1.90	2.20	175.40	7.80	1.10	0.70	0.70	0.65	
29	6.30	6.30	1.20	1.50	2.00	2.80	153.50	6.30	1.10	0.70	0.65	0.65	
30	8.40	6.00	1.10	1.30	2.80	3.80	162.80	5.40	1.10	0.70		0.65	
31		5.40		1.10	2.20		115.00		1.10	0.65		0.55	
Total	80.62	454.90	77.20	32.95	156.50	40.30	2734.10	1208.40	76.40	26.35	20.20	17.85	4925.77 CMSDAY
Mean	2.69	14.67	2.57	1.06	5.05	1.34	88.20	40.28	2.46	0.85	0.70	0.58	13.46 CMS
Max	8.40	31.00	5.40	2.40	24.50	3.80	708.00	138.60	5.20	1.10	0.80	0.75	708.00 CMS
Min	0.32	5.40	1.10	0.65	1.10	0.85	3.60	5.40	1.10	0.65	0.55	0.38	0.32 CMS
Runoff	6.97	39.30	6.67	2.85	13.52	3.48	236.23	104.41	6.60	2.28	1.75	1.54	425.587 MCM
Momentary Peak	1277.00 CMS, at 104.50 M (MSL.), at 06.00 hours, on Oct 4, 1999												
Runoff Yield	9.93 Liters/Second/Square KM, Momentary Peak Yield 942.44 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Kha, A.Suan Phung, Ratchaburi, (K.25A)
 Stream - Huai Tha Khoei
 River - Lam Pha Chi
 River System - Mae Klong

30-Ja.
 LQS/QI
 Royal Irrigation De:
 Thailand
 Hydrology Division
 Rating Curve HC7.0:

Water Year - 1995

Discharge, in Cubic Meter per Second, Water Year April 1, 1995 to March 31, 1996

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.035	0.025	0.040	0.240	0.480	2.910	9.195	8.325	1.170	0.420	0.240	0.170	
2	0.020	0.194	0.040	0.202	0.390	2.535	7.890	6.390	1.080	0.420	0.270	0.186	
3	0.025	0.045	0.045	0.202	0.300	3.390	6.735	5.700	1.035	0.390	0.240	0.202	
4	0.020	0.035	0.106	0.210	0.210	2.535	7.455	5.240	0.945	0.360	0.240	0.186	
5	0.020	0.030	0.058	0.420	0.186	1.935	11.200	4.830	0.900	0.330	0.240	0.186	
6	0.025	0.035	0.050	3.300	0.170	1.575	12.025	4.110	0.900	0.330	0.210	0.178	
7	0.020	0.058	0.045	0.855	0.170	1.350	31.270	3.570	0.855	0.330	0.210	0.170	
8	0.020	0.040	0.040	0.540	0.178	1.170	19.660	3.210	0.810	0.300	0.210	0.170	
9	0.020	1.170	0.050	1.305	0.170	1.260	20.600	3.480	0.810	0.300	0.202	0.162	
10	0.015	0.090	0.330	0.855	0.170	1.530	63.250	3.060	0.780	0.330	0.210	0.170	
11	0.015	0.058	0.194	0.720	1.785	4.290	57.270	3.210	0.750	0.330	0.202	0.170	
12	0.015	0.035	0.090	0.600	1.350	13.890	23.970	3.210	0.720	0.330	0.194	0.330	
13	0.015	0.030	0.900	0.450	0.855	6.160	44.610	3.135	0.690	0.300	0.194	0.194	
14	0.020	0.035	2.010	0.480	0.660	7.195	28.220	2.910	0.690	0.300	0.194	0.178	
15	0.015	0.035	1.860	0.480	0.600	7.600	32.490	3.300	0.690	0.300	0.194	0.170	
16	0.020	0.035	0.900	0.420	1.215	18.485	21.305	2.760	0.660	0.270	0.194	0.162	
17	0.020	0.030	1.170	0.360	0.630	7.310	22.010	2.610	0.660	0.270	0.194	0.162	
18	0.020	0.035	0.660	0.450	0.540	5.585	13.510	2.385	0.630	0.360	0.194	0.154	
19	0.020	0.030	2.535	0.390	2.160	4.560	10.375	2.235	0.630	0.330	0.194	0.162	
20	0.035	0.025	1.305	0.360	0.630	3.750	9.340	2.085	0.600	0.300	0.240	0.162	
21	0.020	0.015	0.855	0.270	2.235	5.470	9.195	2.010	0.600	0.300	0.210	0.170	
22	0.025	0.015	0.720	0.270	1.305	3.660	6.735	1.860	0.570	0.300	0.202	0.210	
23	0.020	0.010	0.630	0.300	2.460	2.985	5.930	1.710	0.540	0.300	0.194	0.186	
24	0.020	0.005	0.540	0.300	2.235	2.685	5.240	1.575	0.510	0.300	0.194	0.170	
25	0.020	0.005	0.810	0.420	1.305	7.600	4.740	1.485	0.510	0.270	0.186	0.154	
26	0.015	0.010	0.480	0.600	2.835	7.890	4.380	1.485	0.480	0.300	0.186	0.154	
27	0.020	0.005	0.360	0.450	2.385	7.310	4.110	1.395	0.450	0.300	0.178	0.146	
28	0.015	0.082	0.330	0.570	1.530	5.010	5.815	1.395	0.420	0.300	0.178	0.186	
29	0.015	0.045	0.270	0.360	1.575	4.290	5.470	1.305	0.450	0.270	0.178	0.240	
30	0.020	0.040	0.240	0.270	3.390	5.125	15.790	1.170	0.450	0.270		0.186	
31		0.045		0.330	3.135		12.685		0.420	0.240		0.178	
Total	0.605	2.347	17.663	16.979	37.239	151.040	532.470	91.145	21.405	9.750	5.972	5.604	892.219 CMSDAY
Mean	0.020	0.076	0.589	0.548	1.201	5.035	17.176	3.038	0.690	0.315	0.206	0.181	2.438 CMS
Max	0.035	1.170	2.535	3.300	3.390	18.485	63.250	8.325	1.170	0.420	0.270	0.330	63.250 CMS
Min	0.015	0.005	0.040	0.202	0.170	1.170	4.110	1.170	0.420	0.240	0.178	0.146	0.005 CMS
Runoff	0.052	0.203	1.526	1.467	3.217	13.050	46.005	7.875	1.849	0.842	0.516	0.484	77.088 MCM
Momentary Peak	97.01 CMS, at 4.00 M (A.D.), at 21.00 hours, on Oct 10, 1995												
Runoff Yield	5.06 Liters/Second/Square KM, Momentary Peak Yield 201.27 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Kha, A.Suan Phung, Ratchaburi, (K.25A)
 Stream - Huai Tha Khoei
 River - Lam Pha Chi
 River System - Mae Klong

30-
 LQS,
 Royal Irrigation I
 Thailand
 Hydrology Division
 Rating Curve HC7

Water Year - 1996

Discharge, in Cubic Meter per Second, Water Year April 1, 1996 to March 31, 1997

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.10	0.35	1.86	0.77	10.40	10.76	73.60	22.68	4.37	0.63	0.09	0.09	
2	0.10	0.22	0.90	0.49	8.15	10.94	39.30	23.52	4.37	0.63	0.09	0.09	
3	0.10	0.08	0.63	0.63	7.09	8.15	28.84	24.36	4.25	0.63	0.09	0.09	
4	0.08	0.08	1.31	0.35	6.18	13.20	22.40	24.92	3.91	0.49	0.09	0.09	
5	0.09	0.08	1.53	0.22	5.66	11.30	20.00	20.00	3.68	0.35	0.09	0.10	
6	0.09	0.63	1.78	1.61	5.29	10.22	16.94	16.50	3.33	0.22	0.09	0.10	
7	0.09	1.04	1.31	0.49	4.71	8.45	28.00	13.64	4.25	0.22	0.09	0.10	
8	0.09	0.08	1.53	0.22	4.71	24.08	29.68	12.82	3.33	0.22	0.09	0.10	
9	0.09	0.35	1.18	0.08	4.13	46.30	25.48	12.63	3.10	0.08	0.09	0.10	
10	0.09	0.49	2.03	0.08	3.79	32.48	20.24	10.40	2.93	0.08	0.09	0.10	
11	0.09	0.08	1.04	0.08	4.13	19.76	19.28	9.05	2.77	0.08	0.09	0.10	
12	0.10	0.08	0.77	0.08	5.06	13.64	27.44	10.04	2.69	0.08	0.09	0.10	
13	0.10	0.35	0.63	0.08	3.44	10.94	24.08	8.00	2.52	0.08	0.09	0.09	
14	0.09	1.04	1.18	1.70	2.93	13.42	21.68	45.95	2.36	0.08	0.09	0.09	
15	0.09	0.08	0.77	1.70	2.77	18.56	18.80	25.76	2.19	0.08	0.09	0.09	
16	0.09	0.90	26.32	0.77	2.61	15.84	15.84	17.16	2.11	0.08	0.09	0.10	
17	0.09	6.96	9.86	0.35	5.40	13.86	13.64	13.64	2.03	0.08	0.09	0.10	
18	0.09	2.19	5.29	2.77	3.33	12.63	12.06	13.01	2.03	0.08	0.09	0.10	
19	2.93	2.03	4.25	1.45	3.91	11.49	10.58	11.68	1.95	0.08	0.09	0.10	
20	0.08	3.33	4.02	0.90	3.22	10.58	15.84	10.22	1.86	0.09	0.09	0.10	
21	0.09	7.48	3.22	0.49	3.44	9.05	11.87	9.20	1.70	0.09	0.09	0.10	
22	0.09	8.15	2.77	0.35	3.68	8.15	12.63	7.35	1.61	0.09	0.09	0.10	
23	0.09	4.94	2.44	0.77	2.69	7.35	10.22	7.48	1.53	0.09	0.09	0.10	
24	0.09	3.44	2.19	0.77	3.33	6.83	8.90	7.09	1.45	0.09	0.09	0.10	
25	0.09	2.69	2.11	4.02	5.53	6.31	9.20	6.70	1.31	0.09	0.09	0.10	
26	0.09	2.19	1.95	19.76	6.83	5.92	53.40	6.05	1.18	0.09	0.09	0.10	
27	0.08	1.95	1.78	34.18	6.57	7.09	39.65	5.79	1.04	0.09	0.09	0.10	
28	0.63	1.78	1.61	54.60	5.29	11.30	26.60	5.29	1.04	0.09	0.09	0.10	
29	1.78	1.95	1.31	29.68	4.71	55.00	20.24	4.94	0.90	0.09		0.10	
30	1.86	1.53	1.04	18.56	4.60	209.40	22.16	4.60	0.90	0.09		0.10	
31		1.61		15.18	5.79		26.04		0.77	0.09		0.10	
Total	9.56	58.15	88.61	193.18	149.37	643.00	724.63	410.47	73.46	5.35	2.52	3.03	2361.33 CMSDAY
Mean	0.32	1.88	2.95	6.23	4.82	21.43	23.38	13.68	2.37	0.17	0.09	0.10	6.47 CMS
Max	2.93	8.15	26.32	54.60	10.40	209.40	73.60	45.95	4.37	0.63	0.09	0.10	209.40 CMS
Min	0.08	0.08	0.63	0.08	2.61	5.92	8.90	4.60	0.77	0.08	0.09	0.09	0.08 CMS
Runoff	0.83	5.02	7.66	16.69	12.91	55.56	62.61	35.47	6.35	0.46	0.22	0.26	204.019 MCM
Momentary Peak	456.40 CMS, at 6.04 M (A.O.), at 12.00 hours, on Sep 30, 1996												
Runoff Yield	25.88 Liters/Second/Square KM, Momentary Peak Yield 1825.60 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Kha, A.Suan Phung, Ratchaburi, (K.25A)
 Stream - Huai Tha Khoei
 River - Lam Pha Chi
 River System - Mae Klong

30-Ja
 LOS/QI
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HY0.7

Water Year - 1997

Discharge, in Cubic Meter per Second, Water Year April 1, 1997 to March 31, 1998

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.11	0.16	0.04	0.04	0.08	0.11	2.80	1.05	2.50	0.60	0.37	0.25	
2	0.11	0.16	0.05	0.03	0.09	0.11	2.30	0.95	2.30	0.60	0.37	0.25	
3	0.11	0.15	0.05	0.03	0.15	0.10	2.00	0.85	2.20	0.60	0.37	0.26	
4	0.15	0.26	0.05	0.04	0.23	0.09	14.51	122.60	2.00	0.60	0.37	0.25	
5	0.15	0.17	0.06	0.05	0.33	0.09	19.80	197.12	1.86	0.60	0.37	0.25	
6	0.15	0.13	0.06	0.05	0.36	0.08	24.75	68.61	1.79	0.56	0.37	0.25	
7	0.15	0.09	0.06	0.06	0.40	0.08	12.50	32.08	1.72	0.56	0.37	0.25	
8	0.23	0.08	0.06	0.06	0.36	0.10	10.88	21.72	1.65	0.52	0.36	0.25	
9	0.16	0.08	0.05	0.03	0.31	0.11	8.78	16.63	1.51	0.52	0.36	0.25	
10	0.17	0.16	0.06	0.04	0.30	0.10	6.67	13.25	1.37	0.52	0.36	0.25	
11	0.17	0.11	0.06	0.02	0.26	0.95	5.75	11.40	1.30	0.52	0.34	0.25	
12	0.15	0.33	0.06	0.02	0.23	0.72	5.00	10.35	1.25	0.52	0.34	0.25	
13	0.15	0.15	0.07	0.02	0.21	1.20	5.30	9.30	1.20	0.48	0.31	0.25	
14	0.10	0.11	0.06	0.05	0.19	0.52	4.20	8.42	1.15	0.48	0.28	0.23	
15	0.10	0.13	0.06	0.06	0.17	0.40	3.60	7.72	1.10	0.48	0.28	0.23	
16	0.10	0.13	0.06	0.05	0.15	0.37	6.05	6.85	1.00	0.44	0.28	0.23	
17	0.15	0.15	0.06	0.08	0.17	0.36	4.70	6.35	1.00	0.44	0.28	0.23	
18	0.08	0.11	0.04	0.05	0.25	0.44	4.60	5.90	0.95	0.44	0.28	0.23	
19	0.08	0.11	0.03	0.05	0.25	4.40	4.10	5.75	0.95	0.40	0.26	0.23	
20	0.08	0.11	0.07	0.05	0.25	2.00	3.80	5.15	0.95	0.40	0.23	0.23	
21	0.08	0.15	0.06	0.05	0.25	1.72	3.30	4.60	0.85	0.39	0.21	0.23	
22	0.08	0.15	0.04	0.06	0.23	15.31	2.90	4.30	0.80	0.39	0.25	0.23	
23	0.08	0.11	0.03	0.06	0.19	9.47	2.30	4.10	0.80	0.39	0.25	0.23	
24	0.08	0.11	0.03	0.06	0.17	6.20	1.93	3.80	0.72	0.39	0.25	0.23	
25	0.08	0.07	0.04	0.06	0.17	4.20	1.86	3.60	0.72	0.39	0.25	0.22	
26	0.56	0.06	0.06	0.06	0.16	3.50	1.65	3.40	0.72	0.37	0.25	0.22	
27	0.23	0.07	0.07	0.07	0.15	2.90	1.44	3.00	0.72	0.37	0.25	0.22	
28	0.21	0.07	0.07	0.07	0.15	8.60	2.80	2.90	0.68	0.37	0.25	0.22	
29	0.19	0.07	0.06	0.07	0.13	4.50	1.58	2.80	0.64	0.37		0.22	
30	0.16	0.05	0.05	0.05	0.13	3.40	1.25	2.60	0.64	0.37		0.22	
31		0.05		0.07	0.11		1.15		0.60	0.37		0.22	
Total	4.40	3.84	1.62	1.56	6.58	72.13	174.25	587.15	37.64	14.45	8.51	7.33	919.46 CMSDAY
Mean	0.15	0.12	0.05	0.05	0.21	2.40	5.62	19.57	1.21	0.47	0.30	0.24	2.52 CMS
Max	0.56	0.33	0.07	0.08	0.40	15.31	24.75	197.12	2.50	0.60	0.37	0.26	197.12 CMS
Min	0.08	0.05	0.03	0.02	0.08	0.08	1.15	0.85	0.60	0.37	0.21	0.22	0.02 CMS
Runoff	0.38	0.33	0.14	0.14	0.57	6.23	15.06	50.73	3.25	1.25	0.74	0.63	79.441 MCM
Momentary Peak	270.00 CMS, at 4.70 M (A.D.), at 06.00 hours, on Nov 5, 1997												
Runoff Yield	10.08 Liters/Second/Square KM, Momentary Peak Yield 1080.00 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Kha, A.Suan Phung, Ratchaburi, (K.25A)
 Stream - Huai Tha Khoei
 River - Lam Pha Chi
 River System - Mae Klong

30-J
 LQS/
 Royal Irrigation D
 Thailand
 Hydrology Division
 Rating Curve HYD.

Water Year - 1998

Discharge, in Cubic Meter per Second, Water Year April 1, 1998 to March 31, 1999

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.20	0.20	0.22	0.20	0.63	1.17	9.44	2.13	1.08	0.52	0.40	0.00	
2	0.20	0.20	0.22	0.22	0.52	3.03	25.40	2.70	1.05	0.52	0.40	0.00	
3	0.20	0.20	0.20	0.22	0.50	1.75	42.04	4.09	1.02	0.52	0.40	0.00	
4	0.20	0.20	0.20	0.22	0.48	1.85	20.91	2.23	1.00	0.55	0.40	0.00	
5	0.20	0.20	0.20	0.20	0.45	1.70	12.76	1.75	1.00	0.55	0.40	0.00	
6	0.20	0.20	0.22	0.20	0.45	1.40	9.88	1.55	0.97	0.50	0.40	0.00	
7	0.20	0.20	0.22	0.20	0.45	1.23	13.28	1.40	0.95	0.52	0.40	0.00	
8	0.20	0.20	0.22	0.20	0.45	1.15	22.39	1.35	0.90	0.50	0.40	0.00	
9	0.20	0.20	0.22	0.22	0.45	1.20	17.94	1.30	0.87	0.48	0.40	0.00	
10	0.22	0.20	0.20	0.22	0.48	1.13	16.70	1.23	0.85	0.42	0.40	0.00	
11	0.22	0.20	0.20	0.20	0.48	1.05	89.33	1.15	0.83	0.42	0.40	0.00	
12	0.20	0.20	0.22	0.20	0.48	1.05	55.35	1.13	0.83	0.42	0.40	0.00	
13	0.20	0.20	0.25	0.20	0.45	1.08	40.50	1.08	0.80	0.42	0.40	0.00	
14	0.20	0.22	0.25	0.20	0.48	1.08	29.76	1.05	0.78	0.42	0.40	0.00	
15	0.20	0.20	0.27	0.27	0.48	1.00	17.94	1.02	0.78	0.42	0.40	0.00	
16	0.20	0.20	0.22	0.25	0.48	0.95	15.54	1.15	0.75	0.42	0.40	0.00	
17	0.20	0.20	0.22	0.37	0.45	0.95	11.98	1.20	0.75	0.42	0.40	0.00	
18	0.20	0.25	0.20	0.30	0.45	0.95	9.22	1.10	0.75	0.45	0.40	0.00	
19	0.20	0.25	0.20	0.27	0.50	2.92	7.80	0.97	0.75	0.42	0.40	0.00	
20	0.20	0.25	0.20	0.25	0.65	3.03	25.02	0.87	0.72	0.40	0.40	0.00	
21	0.20	0.25	0.20	0.22	1.25	17.63	11.20	0.90	0.72	0.42	0.40	0.00	
22	0.22	0.22	0.20	0.35	1.10	8.00	8.60	1.02	0.70	0.42	0.40	0.00	
23	0.20	0.22	0.20	0.45	0.97	14.38	7.20	1.40	0.70	0.40	0.40	0.00	
24	0.20	0.22	0.20	0.35	1.10	21.28	6.13	1.23	0.67	0.40	0.40	0.00	
25	0.20	0.22	0.17	0.33	1.50	14.67	4.96	1.13	0.67	0.40	0.40	0.00	
26	0.20	0.22	0.17	0.30	1.70	44.64	4.38	1.05	0.65	0.40	0.40	0.00	
27	0.20	0.25	0.17	0.30	3.14	23.50	3.69	1.05	0.63	0.40	0.40	0.00	
28	0.20	0.22	0.17	0.27	3.03	15.25	3.14	1.45	0.60	0.40	0.40	0.00	
29	0.20	0.22	0.20	0.25	1.65	13.54	2.81	1.20	0.55	0.42		0.00	
30	0.20	0.22	0.20	0.27	1.40	9.66	2.70	1.13	0.55	0.42		0.00	
31		0.20		0.48	1.23		2.51		0.55	0.42		0.00	
Total	6.06	6.63	6.23	8.18	27.83	212.22	550.50	42.01	24.42	13.79	11.20	-	- CMSDAY
Mean	0.20	0.21	0.21	0.26	0.90	7.07	17.76	1.40	0.79	0.44	0.40	-	- CMS
Max	0.22	0.25	0.27	0.48	3.14	44.64	89.33	4.09	1.08	0.55	0.40	-	89.33 CMS
Min	0.20	0.20	0.17	0.20	0.45	0.95	2.51	0.87	0.55	0.40	0.40	-	- CMS
Runoff	0.52	0.57	0.54	0.71	2.41	18.34	47.56	3.63	2.11	1.19	0.97	-	- MCM
Momentary Peak	119.75 CMS, at 3.31 M (A.D.), at 06.00 hours, on Oct 11, 1998												
Runoff Yield	- Liters/Second/Square KM, Momentary Peak Yield 479.00 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Kha, A.Suan Phung, Ratchaburi, (K.25A)
 Stream - Huai Tha Khoei
 River - Lam Pha Chi
 River System - Mae Klong

30-Ja
 LQS/C
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1999

Discharge, in Cubic Meter per Second, Water Year April 1, 1999 to March 31, 2000

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.09	5.08	2.40	0.50	0.32	0.46	0.42	41.70	3.18	0.98	0.29	0.35	
2	0.09	11.22	2.10	0.50	0.36	0.44	2.50	45.00	3.07	0.98	0.27	0.43	
3	0.09	7.57	1.85	0.48	0.46	0.40	1.21	42.15	2.96	0.91	0.27	0.43	
4	0.09	8.33	1.78	0.46	0.48	0.40	2.10	57.00	2.85	0.91	0.27	0.37	
5	0.09	6.02	1.55	0.46	0.44	0.40	1.48	49.54	2.96	0.84	0.27	0.35	
6	0.09	4.56	1.40	0.44	0.40	0.44	2.70	41.70	3.73	0.77	0.27	0.32	
7	0.09	4.30	1.25	0.42	0.77	0.40	1.40	29.98	3.29	0.70	0.27	0.32	
8	0.09	3.52	1.63	0.50	0.65	0.40	1.16	23.65	2.96	0.70	0.27	0.29	
9	0.09	4.17	1.25	0.50	0.50	0.38	3.39	19.90	2.74	0.70	0.27	0.29	
10	0.09	2.80	1.25	0.46	0.48	0.36	2.40	17.00	2.41	0.70	0.24	0.27	
11	8.90	3.00	1.16	0.44	0.44	0.34	1.63	15.03	2.30	0.67	0.21	0.24	
12	7.00	9.32	1.12	0.44	0.42	0.30	1.33	13.70	2.12	0.64	0.21	0.24	
13	5.60	11.22	1.03	0.44	0.40	0.30	0.98	12.62	2.03	0.64	0.21	0.24	
14	4.30	8.14	0.98	0.44	0.38	0.28	69.30	11.22	2.03	0.61	0.21	0.24	
15	3.00	13.64	0.89	0.44	0.36	0.25	69.30	9.86	1.94	0.58	0.84	0.24	
16	2.00	14.08	0.89	0.42	0.36	0.25	38.95	9.52	1.85	0.55	0.40	0.24	
17	3.00	9.53	0.80	0.40	0.34	0.25	29.65	8.35	1.40	0.55	0.35	0.16	
18	2.00	16.84	0.74	0.40	0.30	0.25	37.00	7.60	1.12	0.55	0.29	0.16	
19	1.33	11.00	0.71	0.44	0.28	0.27	18.08	6.87	0.98	0.55	0.29	0.16	
20	1.21	11.66	0.71	0.40	0.28	0.25	13.64	6.09	0.91	0.67	0.35	0.13	
21	1.12	11.88	0.68	0.40	0.53	0.25	10.79	5.70	1.05	0.58	0.70	0.16	
22	1.07	8.52	0.65	0.38	0.68	0.25	8.71	5.34	2.03	0.52	0.46	0.16	
23	1.03	8.33	0.62	0.36	0.48	0.44	7.57	5.10	1.49	0.43	0.43	0.13	
24	1.03	7.00	0.62	0.36	0.53	0.46	7.00	4.86	1.33	0.40	0.40	0.19	
25	0.98	6.30	0.62	0.38	0.62	0.46	46.64	4.62	1.26	0.37	0.37	0.35	
26	0.98	5.21	0.59	0.40	0.56	0.38	119.74	4.74	1.05	0.35	0.37	0.24	
27	0.89	4.43	0.59	0.40	0.50	2.40	54.25	4.28	1.05	0.35	0.35	0.21	
28	2.60	4.17	0.56	0.36	0.48	0.56	58.10	3.95	1.05	0.35	0.35	0.21	
29	1.40	4.56	0.53	0.36	0.53	0.62	55.35	3.62	1.05	0.32	0.35	0.19	
30	5.21	4.04	0.53	0.36	0.50	0.53	63.92	3.51	1.05	0.32		0.19	
31		2.20		0.36	0.48		47.50		0.98	0.29		0.24	
Total	55.55	232.64	31.48	13.10	14.31	13.17	778.19	514.20	60.22	18.48	9.83	7.74	1748.91 CMSDAY
Mean	1.85	7.50	1.05	0.42	0.46	0.44	25.10	17.14	1.94	0.60	0.34	0.25	4.78 CMS
Max	8.90	16.84	2.40	0.50	0.77	2.40	119.74	57.00	3.73	0.98	0.84	0.43	119.74 CMS
Min	0.09	2.20	0.53	0.36	0.28	0.25	0.42	3.51	0.91	0.29	0.21	0.13	0.09 CMS
Runoff	4.80	20.10	2.72	1.13	1.24	1.14	67.24	44.43	5.20	1.60	0.85	0.67	151.106 MCM
Momentary Peak	163.40 CMS, at 4.06 M (AD.), at 06.00 hours, on Oct 26, 1999												
Runoff Yield	19.11 Liters/Second/Square KM, Momentary Peak Yield 653.60 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Wang Yen, Muang, Kanchanaburi, (K.37)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-J
 LQS/
 Royal Irrigation D
 Thailand
 Hydrology Division
 Rating Curve HC7.1

Water Year - 1995

Discharge, in Cubic Meter per Second, Water Year April 1, 1995 to March 31, 1996

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	248.2	167.3	272.0	302.6	99.2	811.9	544.0	243.1	246.5	62.1	157.8	226.1	
2	207.4	130.8	275.4	272.0	155.1	1071.8	429.3	238.0	215.9	45.9	153.8	212.5	
3	170.0	95.3	280.5	244.8	171.3	1007.4	374.4	217.6	199.5	44.1	128.1	195.0	
4	114.8	227.8	251.6	128.1	174.0	961.4	412.2	217.6	147.0	68.4	117.4	192.0	
5	226.1	289.0	189.0	221.0	183.0	692.0	518.0	209.1	124.0	97.9	90.7	118.7	
6	246.5	324.0	130.8	238.0	178.5	592.0	473.0	187.5	142.9	109.6	71.1	229.5	
7	243.1	261.8	246.5	238.0	129.5	532.0	494.0	117.4	81.9	107.0	128.1	253.3	
8	219.3	239.7	294.1	232.9	103.1	461.6	528.0	193.5	125.4	84.1	126.7	227.8	
9	221.0	122.7	297.5	251.6	180.0	421.7	654.0	239.7	118.7	72.0	137.5	202.5	
10	160.5	219.3	307.8	224.4	175.5	351.0	688.0	239.7	90.7	105.7	133.5	229.5	
11	130.8	246.5	431.2	122.7	174.0	369.0	620.0	231.2	108.3	120.0	137.5	181.5	
12	171.3	229.5	459.7	168.6	183.0	379.9	576.0	239.7	71.1	128.1	141.6	110.9	
13	178.5	234.6	246.5	231.2	128.1	436.9	578.0	243.1	110.9	107.0	79.7	241.4	
14	201.0	224.4	297.5	137.5	79.7	461.6	442.6	167.3	136.2	140.2	174.0	244.8	
15	204.0	221.0	294.1	251.6	83.0	423.6	556.0	217.6	138.9	140.2	183.0	255.0	
16	258.4	163.2	292.4	234.6	171.3	474.9	500.0	231.2	145.6	118.7	177.0	249.9	
17	270.3	224.4	292.4	164.6	153.8	492.0	429.3	219.3	151.1	207.4	204.0	248.2	
18	167.3	263.5	290.7	84.1	163.2	476.8	454.0	189.0	137.5	215.9	165.9	165.9	
19	214.2	285.6	292.4	130.8	165.9	412.2	425.5	167.3	87.4	130.8	107.0	130.8	
20	236.3	260.1	261.8	120.0	157.8	419.8	408.4	170.0	164.6	145.6	75.3	256.7	
21	253.3	251.6	315.0	161.9	156.5	406.5	370.8	122.7	151.1	149.7	122.7	266.9	
22	270.3	243.1	306.0	159.2	96.6	419.8	331.2	215.9	136.2	133.5	180.0	236.3	
23	244.8	128.1	290.7	174.0	164.6	450.2	287.3	231.2	144.3	77.5	190.5	226.1	
24	239.7	241.4	304.3	156.5	207.4	406.5	168.6	238.0	138.9	170.0	196.5	238.0	
25	152.4	241.4	278.8	87.4	256.7	347.4	148.3	214.2	87.4	181.5	196.5	212.5	
26	238.0	249.9	224.4	144.3	222.7	304.3	222.7	165.9	70.2	168.6	195.0	170.0	
27	275.4	260.1	107.0	125.4	265.2	546.0	215.9	189.0	90.7	184.5	138.9	229.5	
28	243.1	268.6	266.9	130.8	270.3	588.0	214.2	105.7	97.9	183.0	239.7	214.2	
29	196.5	231.2	289.0	160.5	171.3	528.0	215.9	231.2	74.2	157.8	241.4	236.3	
30	181.5	114.8	307.8	163.2	248.2	498.0	214.2	265.2	70.2	77.5		209.1	
31		251.6		142.9	433.1		164.6		68.4	156.5		201.0	
Total	6384.0	6912.3	8393.8	5605.2	5501.6	15744.2	12658.4	6157.9	3873.6	3890.8	4390.9	6611.9	86124.6 CMSDAY
Mean	212.8	223.0	279.8	180.8	177.5	524.8	408.3	205.3	125.0	125.5	151.4	213.3	235.3 CMS
Max	275.4	324.0	459.7	302.6	433.1	1071.8	688.0	265.2	246.5	215.9	241.4	266.9	1071.8 CMS
Min	114.8	95.3	107.0	84.1	79.7	304.3	148.3	105.7	68.4	44.1	71.1	110.9	44.1 CMS
Runoff	551.6	597.2	725.2	484.3	475.3	1360.3	1093.7	532.0	334.7	336.2	379.4	571.37441	170 MCM
Momentary Peak	1081.00 CMS, at 8.30 M (A.D.), at 09.00 hours, on Sep 2, 1995												
Runoff Yield	22.19 Liters/Second/Square KM, Momentary Peak Yield 101.95 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Wang Yen, Muang, Kanchanaburi, (K.37)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-J;
 LQS/C
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HC7 F

Water Year - 1996

Discharge, in Cubic Meter per Second, Water Year April 1, 1996 to March 31, 1997

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	234.0	248.0	316.0	204.0	545.0	597.5	2585.2	687.5	407.5	147.5	298.0	252.0	
2	105.5	218.0	366.0	266.0	577.5	497.5	2758.0	645.0	352.0	117.5	286.0	234.0	
3	290.0	137.0	356.0	286.0	552.5	532.5	2306.0	595.0	198.0	105.5	198.0	222.0	
4	302.0	248.0	340.0	316.0	497.5	677.5	1817.0	667.5	260.0	129.5	138.5	208.0	
5	284.0	262.0	304.0	322.0	427.5	762.5	1311.0	607.5	332.0	194.0	242.0	260.0	
6	242.0	137.0	288.0	342.0	334.0	830.0	1069.0	630.0	364.0	176.0	254.0	256.0	
7	270.0	84.5	310.0	320.0	430.0	947.5	925.0	627.5	198.0	102.5	272.0	268.0	
8	170.0	128.0	342.0	198.0	475.0	825.0	847.5	617.5	352.0	198.0	244.0	276.0	
9	132.5	218.0	342.0	164.0	547.5	837.5	1014.0	635.0	352.0	159.5	144.5	260.0	
10	224.0	222.0	340.0	262.0	600.0	820.0	1005.7	615.0	276.0	167.0	138.5	224.0	
11	272.0	238.0	125.0	298.0	605.0	875.0	917.5	522.5	280.0	174.0	128.0	190.0	
12	244.0	244.0	174.0	270.0	557.5	652.5	790.0	412.5	280.0	155.0	246.0	262.0	
13	254.0	158.0	298.0	250.0	340.0	642.5	727.5	522.5	304.0	132.5	276.0	254.0	
14	158.0	123.5	336.0	226.0	252.0	622.5	672.5	527.5	300.0	132.5	252.0	246.0	
15	147.5	262.0	330.0	156.5	440.0	640.0	615.0	595.0	284.0	156.5	296.0	266.0	
16	155.0	288.0	296.0	161.0	510.0	777.5	677.5	565.0	232.0	141.5	246.0	300.0	
17	258.0	280.0	254.0	280.0	545.0	772.5	660.0	482.5	141.5	143.0	186.0	256.0	
18	294.0	184.0	172.0	298.0	510.0	757.5	630.0	332.0	248.0	200.0	164.0	258.0	
19	306.0	260.0	316.0	294.0	497.5	792.5	620.0	294.0	204.0	198.0	214.0	286.0	
20	310.0	168.5	348.0	298.0	302.0	837.5	560.0	322.0	198.0	164.0	218.0	274.0	
21	314.0	162.5	342.0	306.0	407.5	850.0	445.0	310.0	218.0	123.5	236.0	298.0	
22	226.0	240.0	346.0	210.0	455.0	830.0	452.5	292.0	200.0	216.0	220.0	280.0	
23	232.0	266.0	356.0	140.0	452.5	727.5	562.5	382.5	125.0	200.0	180.0	306.0	
24	248.0	254.0	328.0	188.0	450.0	625.0	527.5	377.5	99.5	184.0	218.0	286.0	
25	292.0	258.0	230.0	182.0	425.0	615.0	360.0	274.0	117.5	224.0	176.0	184.0	
26	264.0	290.0	344.0	445.0	430.0	592.5	487.5	210.0	132.5	228.0	228.0	286.0	
27	282.0	258.0	362.0	986.5	362.0	707.5	537.5	338.0	134.0	164.0	270.0	266.0	
28	266.0	226.0	362.0	1529.4	485.0	710.0	450.0	417.5	123.5	110.0	250.0	270.0	
29	158.0	288.0	350.0	1931.0	570.0	865.0	342.0	435.0	129.5	162.5		246.0	
30	132.5	280.0	310.0	1511.7	580.0	1529.4	465.0	420.0	146.0	170.0		266.0	
31		260.0		835.0	605.0		580.0		120.5	159.5		276.0	
Total	7067.0	6891.0	9283.0	13476.1	14767.5	22749.4	27717.9	14359.5	7109.0	5035.5	6219.5	8016.0	142691.4 CHSDAY
Mean	235.6	222.3	309.4	434.7	476.4	758.3	894.1	478.6	229.3	162.4	222.1	258.6	390.9 CMS
Max	314.0	290.0	366.0	1931.0	605.0	1529.4	2758.0	687.5	407.5	228.0	298.0	306.0	2758.0 CMS
Min	105.5	84.5	125.0	140.0	252.0	497.5	342.0	210.0	99.5	102.5	128.0	184.0	84.5 CMS
Runoff	610.6	595.4	802.1	1164.3	1275.9	1965.6	2394.8	1240.7	614.2	435.1	537.4	692.6	12328.540 MCM
Momentary Peak	2812.40 CMS, at 13.12 M (AD.), at 22.00 hours, on Oct 1, 1996												
Runoff Yield	36.87 Liters/Second/Square KM, Momentary Peak Yield 265.25 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Wang Yen, Muang, Kanchanaburi, (K.37)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-J
 LQS/
 Royal Irrigation D
 Thailand
 Hydrology Division
 Rating Curve HYD.

Water Year - 1997

Discharge, in Cubic Meter per Second, Water Year April 1, 1997 to March 31, 1998

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	145.5	258.2	186.0	88.9	806.0	668.0	594.0	324.9	198.0	130.5	236.0	261.8	
2	222.7	263.6	175.5	157.5	1159.2	719.2	621.5	296.0	183.0	86.3	207.7	241.0	
3	201.0	132.0	102.2	171.0	1234.2	786.4	584.0	178.5	239.3	83.8	107.8	178.5	
4	207.7	222.7	249.3	181.5	1247.4	766.8	547.8	126.0	249.3	145.5	239.3	272.6	
5	202.7	301.4	279.8	162.0	1353.0	786.4	634.2	1050.4	232.7	204.3	285.2	287.0	
6	206.0	192.0	272.6	151.5	1494.8	761.2	611.5	1576.4	231.0	121.8	276.2	287.0	
7	206.0	239.3	269.0	121.8	1501.6	738.8	705.3	761.2	112.0	204.3	256.4	288.8	
8	157.5	305.0	249.3	88.9	1433.6	730.4	616.5	514.9	127.5	211.0	195.0	287.0	
9	204.3	314.0	150.0	174.0	1313.4	642.0	574.2	405.0	174.0	211.0	103.6	260.0	
10	236.0	340.1	82.6	165.0	1211.1	576.6	510.3	252.8	221.0	241.0	71.9	199.5	
11	246.0	272.6	226.0	147.0	1146.4	584.0	471.8	239.3	226.0	236.0	199.5	296.0	
12	249.3	187.5	217.7	147.0	1104.8	574.2	425.2	256.4	209.3	219.3	237.7	306.8	
13	242.7	151.5	211.0	151.5	1056.8	599.0	423.1	312.2	221.0	224.3	168.0	299.6	
14	165.0	260.0	237.7	106.4	1040.8	571.8	586.5	312.2	222.7	226.0	246.0	308.6	
15	132.0	265.4	270.8	99.4	1028.0	576.6	503.4	314.0	217.7	234.3	258.2	297.8	
16	144.0	270.0	175.5	195.0	1006.3	555.0	519.5	287.0	193.5	234.3	251.0	279.8	
17	221.0	263.6	234.3	202.7	1012.5	547.8	533.4	214.3	269.0	222.7	160.5	214.3	
18	226.0	227.7	236.0	241.0	1085.6	476.2	435.7	160.5	285.2	216.0	287.0	301.4	
19	229.3	165.0	244.3	201.0	1240.8	458.8	417.0	260.0	285.2	229.3	294.2	312.2	
20	237.7	91.5	206.0	198.0	1277.1	467.4	411.0	251.0	305.0	138.0	294.2	330.6	
21	237.7	124.6	217.7	222.7	1263.9	454.6	395.0	226.0	305.0	246.0	296.0	340.1	
22	211.0	94.1	227.7	178.5	1211.1	533.4	407.0	224.3	263.6	258.2	283.4	347.7	
23	244.3	174.0	110.6	263.6	1188.0	540.6	425.2	219.3	132.0	216.0	241.0	330.6	
24	269.0	190.5	172.5	425.2	1120.8	744.4	403.0	139.5	244.3	269.0	209.3	278.0	
25	214.3	206.0	221.0	328.7	871.2	766.8	297.8	141.0	296.0	281.6	279.8	323.0	
26	211.0	274.4	226.0	342.0	702.6	705.3	377.0	224.3	312.2	260.0	272.6	369.0	
27	206.0	177.0	198.0	448.3	662.8	673.2	379.0	199.5	315.8	133.5	279.8	381.0	
28	162.0	186.0	209.3	383.0	662.8	665.4	334.4	217.7	296.0	232.7	263.6	373.0	
29	157.5	186.0	184.5	429.4	652.4	662.8	411.0	244.3	234.3	224.3		361.0	
30	224.3	195.0	148.5	571.8	639.4	552.6	385.0	241.0	123.2	263.6		338.2	
31		183.0		581.5	655.0		365.0		166.5	236.0		244.3	
Total	6219.5	6721.7	6191.4	7325.8	33383.4	18885.7	14905.3	10169.9	7091.3	6440.6	6500.9	9196.2	133031.7 CMSDAY
Mean	207.3	216.8	206.4	236.3	1076.9	629.5	480.8	339.0	228.8	207.8	232.2	296.7	364.5 CMS
Max	269.0	340.1	279.8	581.5	1501.6	786.4	705.3	1576.4	315.8	281.6	296.0	381.0	1576.4 CMS
Min	132.0	91.5	82.6	88.9	639.4	454.6	297.8	126.0	112.0	83.8	71.9	178.5	71.9 CMS
Runoff	537.4	580.8	534.9	633.0	2884.3	1631.7	1287.8	878.7	612.7	556.5	561.7	794.6	11493.940 MCM
Momentary Peak	1793.20 CMS, at 9.77 M (AD.), at 06.00 hours, on Nov 6, 1997												
Runoff Yield	34.37 Liters/Second/Square KM, Momentary Peak Yield 169.12 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Wang Yen, Muang, Kanchanaburi, (K.37)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-Jan
 LQS/QD
 Royal Irrigation Dep
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1998

Discharge, in Cubic Meter per Second, Water Year April 1, 1998 to March 31, 1999

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	303.4	376.9	202.4	250.6	254.0	142.0	205.6	110.4	96.4	78.4	91.6	97.6	
2	262.5	336.4	155.5	247.2	196.0	146.5	357.3	154.0	113.0	74.8	68.8	74.8	
3	274.6	276.4	255.7	170.5	109.1	163.0	274.6	146.5	103.9	76.0	130.0	89.2	
4	303.4	361.1	250.6	189.6	64.0	125.6	255.7	254.0	102.6	76.0	111.7	122.8	
5	326.9	342.1	210.4	181.6	130.0	127.0	167.5	210.4	107.8	83.2	111.7	115.8	
6	328.8	334.5	233.6	83.2	220.0	140.5	133.0	163.0	91.6	103.9	111.7	117.2	
7	103.9	317.8	243.8	83.2	225.1	96.4	698.5	154.0	76.0	107.8	113.0	113.0	
8	216.8	281.8	178.4	247.2	210.4	62.9	611.0	134.5	78.4	105.2	86.8	105.2	
9	245.5	281.8	73.6	257.4	194.4	133.0	542.9	100.0	77.2	107.8	70.0	96.4	
10	250.6	301.6	205.6	213.6	114.4	137.5	472.1	77.2	85.6	103.9	89.2	122.8	
11	250.6	308.8	247.2	88.0	92.8	140.5	361.1	149.5	90.4	91.6	97.6	133.0	
12	254.0	285.4	264.2	226.8	208.8	154.0	464.1	146.5	78.4	72.4	95.2	139.0	
13	280.0	310.6	265.9	146.5	204.0	130.0	661.8	151.0	79.6	111.7	98.8	142.0	
14	265.9	294.4	278.2	91.6	169.0	143.5	534.5	157.0	78.4	115.8	90.4	131.5	
15	142.0	259.1	254.0	213.6	269.3	131.5	430.4	154.0	73.6	111.7	82.0	107.8	
16	78.4	316.0	189.6	205.6	269.3	208.8	289.0	125.6	73.6	111.7	59.6	98.8	
17	189.6	319.6	280.0	221.7	221.7	216.8	276.4	98.8	66.4	107.8	95.2	130.0	
18	305.2	314.2	294.4	207.2	142.0	212.0	285.4	139.0	73.6	96.4	71.2	140.5	
19	310.6	325.0	292.6	183.2	254.0	207.2	189.6	149.5	64.0	80.8	67.6	149.5	
20	332.6	319.6	316.0	98.8	250.6	158.5	326.9	136.0	64.0	118.6	109.1	149.5	
21	316.0	321.4	289.0	60.7	254.0	230.2	248.9	140.5	55.2	95.2	115.8	133.0	
22	342.1	245.5	210.4	260.8	245.5	188.0	188.0	117.2	54.1	95.2	109.1	117.2	
23	310.6	292.6	287.2	191.2	226.8	252.3	146.5	105.2	71.2	86.8	106.5	89.2	
24	308.8	317.8	289.0	199.2	160.0	247.2	117.2	95.2	61.8	100.0	114.4	125.6	
25	349.7	285.4	274.6	202.4	128.5	330.7	97.6	139.0	65.2	76.0	115.8	117.2	
26	363.0	243.8	265.9	175.2	220.0	303.4	89.2	122.8	85.6	57.4	121.4	115.8	
27	363.0	298.0	254.0	65.2	269.3	326.9	77.2	130.0	79.6	101.3	117.2	115.8	
28	338.3	272.8	225.1	53.0	250.6	265.9	72.4	127.0	59.6	91.6	118.6	114.4	
29	367.0	281.8	128.5	199.2	247.2	188.0	67.6	127.0	53.0	96.4		94.0	
30	388.8	289.0	66.4	247.2	252.3	218.4	61.8	109.1	60.7	98.8		73.6	
31		230.2		269.3	164.5		58.5		72.4	101.3		111.7	
Total	8472.6	9341.4	6981.8	5530.5	6217.6	5528.2	8762.3	4123.9	2392.9	2935.5	2770.0	3583.9	66640.6 CMSDAY
Mean	282.4	301.3	232.7	178.4	200.6	184.3	282.7	137.5	77.2	94.7	98.9	115.6	182.6 CMS
Max	388.8	376.9	316.0	269.3	269.3	330.7	698.5	254.0	113.0	118.6	130.0	149.5	698.5 CMS
Min	78.4	230.2	66.4	53.0	64.0	62.9	58.5	77.2	53.0	57.4	59.6	73.6	53.0 CMS
Runoff	732.0	807.1	603.2	477.8	537.2	477.6	757.1	356.3	206.8	253.6	239.3	309.75	757.750 MCM
Momentary Peak	1096.00 CMS, at 27.90 M (MSL.), at 18.00 hours, on Oct 7, 1998												
Runoff Yield	17.22 Liters/Second/Square KM, Momentary Peak Yield 103.37 Liters/Second/Square KM												

RID Computer Center
 Station - Ban Wang Yan, Muang, Kanchanaburi, (K.37)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-J:
 LQS/I
 Royal Irrigation Di
 Thailand
 Hydrology Division
 Rating Curve HYD.:

Water Year - 1999

Discharge, in Cubic Meter per Second, Water Year April 1, 1999 to March 31, 2000

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	120.2	363.8	60.8	111.8	220.8	161.6	240.5	534.8	190.4	133.0	118.8	235.5	
2	124.4	384.7	65.9	117.4	176.0	180.8	227.3	585.0	216.0	120.2	168.0	253.7	
3	127.2	270.2	76.3	114.6	216.0	208.0	230.6	825.8	168.0	123.0	163.2	257.0	
4	120.2	182.4	80.2	103.4	349.2	212.8	237.2	760.8	163.2	127.2	157.0	258.6	
5	95.0	187.2	78.9	68.5	483.5	209.6	290.0	659.1	149.5	143.5	154.0	248.7	
6	76.3	158.5	84.1	63.3	477.8	184.0	308.7	536.7	139.0	169.6	146.5	211.2	
7	116.0	116.0	72.4	106.2	510.1	182.4	285.1	428.4	120.2	188.8	111.8	184.0	
8	89.4	127.2	68.5	106.2	504.4	229.0	293.4	342.0	155.5	148.0	109.0	253.7	
9	134.5	140.5	78.9	95.0	517.7	232.2	281.8	290.0	171.2	113.2	172.8	263.6	
10	125.8	120.2	90.8	100.6	407.5	232.2	240.5	258.6	169.6	99.2	198.4	266.9	
11	118.8	107.6	152.5	93.6	373.3	230.6	188.8	232.2	160.0	118.8	195.2	255.4	
12	149.5	124.4	196.8	64.6	343.8	243.8	168.0	253.7	137.5	148.0	187.2	253.7	
13	146.5	127.2	177.6	57.2	308.7	212.8	233.9	230.6	120.2	139.0	185.6	214.4	
14	128.6	133.0	148.0	72.4	295.1	192.0	247.1	248.7	114.6	120.2	161.6	151.0	
15	128.6	130.0	134.5	85.4	331.2	250.4	333.0	216.0	151.0	133.0	142.0	237.2	
16	136.0	117.4	134.5	113.2	336.6	255.4	417.0	203.2	143.5	136.0	209.6	257.0	
17	130.0	111.8	123.0	111.8	308.7	273.5	407.5	237.2	139.0	116.0	224.0	261.9	
18	121.6	103.4	117.4	117.4	343.8	310.4	458.8	238.9	148.0	109.0	235.5	268.6	
19	104.8	97.8	102.0	97.8	333.0	295.1	512.0	227.3	155.5	139.0	238.9	258.6	
20	104.8	106.2	111.8	97.8	338.4	232.2	481.6	219.2	114.6	149.5	224.0	220.8	
21	114.6	110.4	96.4	121.6	320.6	204.8	375.2	211.2	93.6	148.0	187.2	185.6	
22	116.0	146.5	78.9	113.2	308.7	242.2	324.0	174.4	118.8	149.5	158.5	253.7	
23	117.4	131.5	102.0	116.0	247.1	247.1	278.5	164.8	130.0	145.0	225.7	261.9	
24	113.2	106.2	111.8	116.0	212.8	281.8	230.6	200.0	133.0	127.2	235.5	265.3	
25	100.6	96.4	102.0	103.4	266.9	286.7	164.8	208.0	136.0	109.0	242.2	258.6	
26	93.6	89.4	102.0	90.8	242.2	285.1	462.6	209.6	136.0	145.0	240.5	253.7	
27	84.1	85.4	106.2	131.5	211.2	237.2	1086.2	220.8	113.2	157.0	230.6	220.8	
28	140.5	77.6	82.8	298.5	216.0	196.8	720.0	235.5	107.6	145.0	196.8	196.8	
29	155.5	73.7	80.2	296.8	192.0	300.2	633.3	172.8	121.6	146.5	172.8	209.6	
30	258.6	69.8	109.0	240.5	121.6	290.0	623.0	148.0	127.2	139.0		250.4	
31		64.6		243.8	104.8		629.0		123.0	139.0		250.4	
Total	3692.3	4261.0	3126.2	3770.3	9619.5	7100.7	11610.0	9473.3	4366.5	4224.4	5392.9	7418.3	74055.4 CMSDAY
Mean	123.1	137.5	104.2	121.6	310.3	236.7	374.5	315.8	140.9	136.3	186.0	239.3	202.3 CMS
Max	258.6	384.7	196.8	298.5	517.7	310.4	1086.2	825.8	216.0	188.8	242.2	268.6	1086.2 CMS
Min	76.3	64.6	60.8	57.2	104.8	161.6	164.8	148.0	93.6	99.2	109.0	151.0	57.2 CMS
Runoff	319.0	368.2	270.1	325.8	831.1	613.5	1003.1	818.5	377.3	365.0	466.0	640.96	398.390 MCM
Momentary Peak	1270.90 CMS, at 28.59 H (MSL.), at 06.00 hours, on Oct 27, 1999												
Runoff Yield	19.08 Liters/Second/Square KM, Momentary Peak Yield 119.86 Liters/Second/Square KM												

Station - Ban Lum Sum, Sai Yok, Kanchanaburi, (K.10)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

Royal Irrigation Dept.
 Thailand
 Hydrology Division
 Rating Curve HYD.7 I

Water Year - 1995

Gage Height in Meter (MSL.), Water Year April 1, 1995 to March 31, 1995

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	33.59	32.42	33.93	34.19	32.35	40.45	34.98	33.30	33.56	31.12	32.73	33.69	
2	32.91	31.99	34.07	33.91	32.68	40.27	34.06	32.93	33.41	31.06	32.51	33.47	
3	32.14	32.99	33.82	32.70	32.94	40.04	34.27	33.10	32.78	31.21	32.26	33.36	
4	32.95	34.05	33.10	33.04	32.91	38.60	34.89	32.97	32.34	31.89	32.02	32.50	
5	33.62	34.46	32.45	33.44	33.06	37.00	34.96	32.84	32.40	32.11	31.71	33.05	
6	33.54	34.31	32.94	33.69	32.48	36.66	34.85	32.15	32.09	32.11	32.09	34.13	
7	33.50	33.66	34.04	33.53	32.07	35.92	34.85	32.16	31.83	31.89	32.36	33.92	
8	33.50	32.58	34.33	33.75	32.46	35.55	34.74	33.34	32.40	31.64	32.54	33.49	
9	33.02	32.82	34.26	33.51	32.98	34.88	34.99	33.44	31.98	31.82	32.48	33.46	
10	32.27	33.41	34.74	32.48	32.90	34.45	34.43	33.41	32.04	32.21	32.45	33.51	
11	32.64	33.69	36.08	32.81	32.88	34.06	34.27	33.34	31.75	32.42	32.56	32.40	
12	33.06	33.47	34.47	33.32	32.64	34.24	34.09	33.60	31.62	32.20	32.08	33.13	
13	33.11	33.49	33.71	32.73	31.85	34.72	34.08	33.07	32.41	32.56	32.57	33.99	
14	33.23	32.51	34.10	33.20	31.55	34.63	33.98	33.08	32.45	32.55	33.24	34.05	
15	33.69	32.90	34.03	33.70	32.50	34.63	34.02	33.47	32.60	32.15	33.22	34.06	
16	34.18	33.10	34.14	33.15	32.69	34.93	33.65	33.55	32.67	33.30	33.19	33.99	
17	33.06	33.76	34.05	31.94	32.65	35.15	34.28	33.18	32.55	33.75	33.30	33.59	
18	32.99	34.05	34.12	31.91	32.73	35.04	34.42	32.79	32.09	33.02	32.39	32.32	
19	33.47	34.05	33.84	32.05	32.60	34.96	34.47	32.85	32.35	33.42	31.76	33.45	
20	33.78	33.78	34.28	32.51	32.70	35.14	34.38	32.38	33.15	32.78	32.07	34.29	
21	33.96	33.67	34.38	32.63	32.13	34.94	33.98	32.78	33.01	32.60	32.96	34.04	
22	33.93	32.67	34.18	32.69	32.05	35.41	33.71	33.64	32.71	31.86	33.27	33.71	
23	33.65	33.16	34.30	32.84	33.01	35.46	32.72	33.78	32.60	32.54	33.43	33.87	
24	33.04	33.68	34.20	32.09	33.42	34.78	31.91	33.57	32.06	33.16	33.40	33.85	
25	33.22	33.72	33.78	32.08	33.48	33.49	32.54	32.95	31.62	33.18	33.42	33.06	
26	33.89	33.77	32.46	32.30	33.40	34.18	33.05	33.06	31.56	33.06	32.86	33.27	
27	34.04	34.02	32.94	32.14	33.72	36.03	32.92	32.24	32.04	33.36	33.37	33.81	
28	33.28	33.63	34.22	32.48	33.17	36.24	32.92	32.96	31.79	32.88	34.09	33.59	
29	33.15	32.36	34.21	32.74	33.07	35.83	32.90	33.97	31.56	32.17	33.74	33.79	
30	32.86	32.88	34.49	32.52	34.49	35.63	32.46	34.13	31.42	32.05		33.46	
31		34.00		32.00	36.91		32.84		31.57	32.94		33.43	
Mean	33.31	33.39	33.99	32.84	32.92	35.78	33.89	33.13	32.27	32.42	32.76	33.54	
Max	34.18	34.46	36.08	34.19	36.91	40.45	34.99	34.13	33.56	33.75	34.09	34.29	40.45
Min	32.14	31.99	32.45	31.91	31.55	33.49	31.91	32.15	31.42	31.06	31.71	32.32	31.06
Annual Max Momentary Gage Height	40.99 M (MSL.) , at 20.00 hours, on Sep 1, 1995												
Zero Gage at Bottom Elevation	30.40 M (MSL.) , River Bed 29.96 m (MSL.)												
Left Bank Elevation	47.12 M (MSL.)												
Right Bank Elevation	46.65 M (MSL.) M (MSL.) , Drainage Area 7,008 Square Kilometers												

RID Computer Center
 Station - Ban Lum Sum, Sai Yok, Kanchanaburi, (K.10)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-Ja
 LOS/L
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HC7 R

Water Year - 1996

Gage Height in Meter (MSL.), Water Year April 1, 1996 to March 31, 1996

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	32.26	33.28	34.38	33.00	34.55	35.25	42.28	34.20	34.09	31.89	33.77	32.95	
2	33.10	32.43	34.73	33.70	35.29	34.53	42.26	33.90	32.89	31.52	33.09	32.58	
3	34.21	32.93	34.14	34.04	35.09	34.90	40.97	33.51	32.57	31.65	31.66	32.44	
4	33.89	33.59	34.09	34.09	34.68	35.93	38.79	33.11	33.35	32.30	32.77	32.74	
5	33.47	32.81	33.71	34.26	33.93	36.50	37.58	33.80	34.10	32.43	33.20	32.83	
6	33.39	31.71	33.86	34.34	34.44	36.50	36.55	34.61	32.95	31.66	33.15	32.84	
7	33.34	31.99	34.11	33.31	34.92	36.43	35.79	34.78	33.24	32.22	33.43	33.07	
8	32.45	32.75	34.34	32.54	35.60	35.85	36.59	34.97	34.10	32.27	32.11	33.07	
9	32.89	33.27	34.35	33.09	35.78	35.67	37.30	35.23	33.63	32.24	31.81	32.64	
10	33.75	33.32	32.88	33.80	36.14	35.65	37.09	34.97	33.25	32.32	31.61	32.10	
11	33.55	33.46	32.23	33.80	36.12	35.90	36.27	34.16	33.36	32.16	32.56	32.94	
12	33.47	32.83	33.35	33.47	34.78	35.62	35.54	34.29	33.52	31.83	33.32	32.95	
13	32.81	32.14	34.08	33.38	33.14	35.55	34.85	35.07	33.54	31.62	33.41	32.81	
14	32.43	32.82	34.45	32.60	34.35	35.54	34.32	34.82	33.45	32.03	33.42	32.97	
15	32.47	33.65	34.08	32.28	35.29	36.15	34.99	34.62	33.00	31.79	33.47	33.21	
16	33.47	33.72	33.78	33.28	35.81	36.42	35.29	34.39	32.13	31.72	32.57	33.29	
17	33.69	33.21	32.43	33.83	35.68	36.25	35.41	33.55	32.52	32.06	32.01	32.63	
18	33.97	33.20	33.53	33.94	35.62	36.60	35.36	32.56	32.70	32.57	32.54	33.35	
19	34.09	32.86	34.09	33.80	34.44	37.08	35.07	33.25	32.42	32.08	32.50	33.13	
20	34.11	32.23	34.27	34.01	34.17	37.46	34.43	32.86	32.57	31.66	32.81	33.20	
21	33.79	32.76	34.20	33.61	34.83	37.32	33.82	33.18	32.57	31.96	32.79	33.23	
22	33.05	33.16	34.49	32.53	34.98	36.91	34.59	33.64	31.98	32.76	32.16	33.27	
23	33.43	33.11	34.38	32.59	35.02	36.07	35.13	34.03	31.52	32.18	32.73	33.75	
24	33.57	33.21	33.23	32.69	34.84	35.96	33.67	33.36	31.40	32.60	32.09	32.20	
25	33.81	33.41	33.91	33.51	34.83	35.78	34.31	32.19	31.76	32.56	32.59	33.10	
26	33.56	33.61	34.63	36.05	33.97	35.66	34.40	33.25	31.77	32.38	32.90	33.02	
27	33.60	33.00	34.54	39.57	34.34	35.87	32.95	34.07	31.71	31.49	33.09	32.91	
28	32.99	33.64	34.51	42.42	35.40	35.86	32.47	34.63	31.74	31.60	32.98	33.01	
29	32.02	33.58	34.27	40.58	35.82	36.77	33.23	34.67	31.87	32.18		32.64	
30	33.00	33.60	33.47	37.29	35.94	38.87	34.39	34.49	31.66	32.03		33.07	
31		33.63		34.95	35.94		34.65		31.79	32.97		32.47	
Mean	33.32	33.06	33.95	34.40	35.02	36.16	35.82	34.01	32.68	32.09	32.73	32.92	
Max	34.21	33.72	34.73	42.42	36.14	38.87	42.28	35.23	34.10	32.97	33.77	33.75	42.42
Min	32.02	31.71	32.23	32.28	33.14	34.53	32.47	32.19	31.40	31.49	31.61	32.10	31.40
Annual Max Momentary Gage Height	42.77 M (MSL.), at 21.00 hours, on Oct 1, 1996												
Zero Gage at Bottom Elevation	30.40 M (MSL.), River Bed 29.85 m (MSL.)												
Left Bank Elevation	41.11 M (MSL.)												
Right Bank Elevation	46.80 M (MSL.) M (MSL.), Drainage Area 7,008 Square Kilometers												

RID Computer Center
 Station - Ban Lum Sum, Sai Yok, Kanchanaburi, (K.10)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-Jai
 LQS/LI
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1997

Gage Haight in Meter (MSL.), Water Year April 1, 1997 to March 31, 1997

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	32.87	33.80	32.68	32.09	39.50	37.21	36.67	33.93	32.63	31.52	32.96	33.62	
2	33.06	32.53	31.84	32.52	40.65	37.75	36.62	32.89	32.92	31.53	32.31	32.91	
3	32.78	32.77	32.95	32.56	40.55	37.86	36.18	32.10	33.32	31.74	32.81	33.45	
4	32.94	33.64	33.71	32.41	40.61	37.77	36.38	32.15	33.14	32.75	33.72	33.98	
5	33.02	33.62	33.86	32.25	41.37	37.84	36.24	32.49	33.21	32.33	33.81	33.94	
6	32.94	32.78	33.65	31.99	41.77	37.61	35.77	32.82	32.23	32.65	33.61	33.87	
7	32.48	33.96	33.49	31.64	41.61	37.64	35.68	33.38	31.57	32.93	33.17	33.98	
8	32.49	34.11	32.72	32.19	41.13	37.34	35.57	33.32	32.38	32.98	32.11	33.82	
9	33.29	34.44	31.64	32.53	40.49	36.67	35.70	32.56	32.92	33.15	31.60	33.01	
10	33.40	34.17	32.47	32.18	40.22	36.43	35.38	32.08	33.08	33.39	32.40	33.64	
11	33.38	33.11	33.11	32.02	39.94	36.53	35.13	32.56	32.78	33.22	33.47	34.18	
12	33.40	32.14	33.15	32.30	39.70	36.47	34.78	33.28	32.96	33.16	32.79	34.01	
13	32.66	33.20	33.16	31.84	39.49	36.56	35.50	33.59	33.04	33.13	33.35	34.16	
14	32.02	33.69	33.63	31.68	39.47	36.37	35.80	33.63	33.04	33.25	33.58	34.09	
15	32.25	33.74	33.09	32.58	39.28	36.47	35.38	33.72	32.71	33.33	33.49	33.92	
16	32.60	33.68	33.36	32.82	39.28	36.25	35.33	32.81	33.24	33.25	32.58	33.39	
17	33.67	33.56	33.22	33.33	39.39	36.22	34.94	32.08	33.88	33.04	33.48	33.63	
18	32.96	32.63	33.35	33.15	40.30	35.62	34.77	32.76	33.68	33.26	34.06	34.27	
19	33.33	31.99	33.28	32.81	40.68	35.54	34.64	33.27	33.98	32.34	33.93	34.44	
20	33.35	31.89	32.99	33.01	40.73	35.08	34.66	32.88	34.02	32.94	34.03	34.52	
21	32.96	31.72	33.28	32.51	40.47	35.28	34.88	32.75	33.89	33.55	33.85	34.58	
22	33.35	32.50	32.43	33.10	40.24	35.80	34.97	32.85	32.47	33.17	33.46	34.58	
23	33.50	32.67	32.06	35.15	40.00	36.06	35.24	32.17	32.84	33.32	33.08	33.98	
24	33.39	32.69	33.08	35.06	39.27	37.12	33.94	31.79	33.82	33.77	33.60	34.20	
25	32.89	33.63	33.14	34.39	37.53	36.81	34.37	32.68	34.17	33.76	33.86	34.85	
26	33.11	33.04	33.00	35.19	37.16	37.03	34.58	32.88	34.22	32.64	33.88	35.03	
27	32.51	32.61	32.72	35.53	37.05	36.84	34.12	32.81	34.09	32.85	33.67	34.96	
28	32.31	32.61	32.91	34.66	37.05	36.77	34.35	33.02	32.80	33.27	33.63	34.86	
29	32.87	32.72	32.29	36.30	36.89	36.55	34.66	33.22	31.86	33.40		34.68	
30	33.44	32.65	32.03	36.53	36.99	35.97	34.51	32.63	32.39	33.50		33.65	
31		32.84		37.18	37.07		34.34		32.25	33.23		34.13	
Mean	32.97	33.07	32.94	33.34	39.54	36.65	35.20	32.84	33.08	32.98	33.30	34.08	
Max	33.67	34.44	33.86	37.18	41.77	37.86	36.67	33.93	34.22	33.77	34.06	35.03	41.77
Min	32.02	31.72	31.64	31.64	36.89	35.08	33.94	31.79	31.57	31.52	31.60	32.91	31.52
Annual Max Momentary Gage Height	41.78 M (MSL.), at 11.00 hours, on Aug 6, 1997												
Zero Gage at Bottom Elevation	30.40 M (MSL.), River Bed 29.85 m (MSL.)												
Left Bank Elevation	41.11 M (MSL.)												
Right Bank Elevation	46.80 M (MSL.) M (MSL.), Drainage Area 7,008 Square Kilometers												

RID Computer Center
 Station - Ban Lum Sum, Sai Yok, Kanchanaburi, (K.10)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-Jz
 LOS/l
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1998

Gage Height in Meter (MSL.), Water Year April 1, 1998 to March 31, 1998

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	34.20	34.98	32.68	33.83	33.32	32.65	32.41	32.30	31.85	31.61	31.61	31.77	
2	33.81	34.02	33.48	33.19	32.35	32.57	32.38	31.94	31.74	31.60	32.35	31.79	
3	34.21	34.84	33.91	32.98	31.77	32.31	32.70	32.50	31.71	31.58	32.10	32.56	
4	34.57	34.93	33.40	33.16	32.58	32.12	32.10	32.86	31.88	31.59	31.96	32.37	
5	34.68	34.84	33.33	32.00	33.37	32.44	31.82	32.45	31.64	31.77	32.11	32.43	
6	32.93	34.57	33.64	31.59	33.55	32.01	32.11	32.24	31.66	31.98	32.19	32.32	
7	32.50	34.73	33.22	33.06	33.18	31.72	32.98	32.04	31.44	32.01	31.82	32.28	
8	33.80	33.98	31.89	33.98	33.19	32.16	33.65	31.86	31.61	31.97	31.73	32.09	
9	33.79	34.28	32.42	33.55	32.24	32.41	33.54	31.70	31.66	31.92	31.77	32.21	
10	33.72	34.35	33.52	32.24	31.89	32.56	32.73	32.15	31.69	31.88	32.07	32.54	
11	33.83	34.18	33.80	32.70	33.05	32.61	32.35	32.28	31.59	31.58	32.04	32.50	
12	33.78	34.42	33.90	32.81	33.30	32.35	32.32	32.38	31.62	31.94	32.15	32.66	
13	33.82	34.29	33.96	32.14	32.54	32.43	33.73	32.29	31.64	32.05	31.92	32.44	
14	32.71	34.05	33.79	32.54	33.76	32.28	33.75	32.34	31.49	32.03	31.88	32.09	
15	32.17	34.12	33.34	33.18	34.03	33.31	33.17	32.14	31.50	32.07	31.68	32.08	
16	32.42	34.47	33.74	33.18	33.82	33.14	32.89	31.89	31.44	31.99	31.91	32.41	
17	34.27	34.67	34.26	33.29	32.49	33.36	33.09	32.10	31.45	31.93	31.87	32.41	
18	34.46	34.58	34.22	32.99	33.48	33.20	32.60	32.24	31.39	31.67	31.59	32.60	
19	34.59	34.47	34.37	32.24	33.82	32.67	32.14	32.09	31.44	31.90	31.97	32.70	
20	34.48	34.65	34.43	31.50	33.77	32.56	32.06	32.16	31.45	31.79	32.29	32.44	
21	34.86	34.32	33.57	32.11	33.78	32.57	32.38	31.96	31.36	31.86	32.01	32.35	
22	34.51	33.94	32.40	32.93	33.50	32.88	31.82	32.01	31.41	31.76	32.18	31.84	
23	34.48	34.47	33.57	33.19	32.75	33.19	31.62	31.74	31.50	32.02	32.33	32.26	
24	34.67	34.30	34.19	33.08	32.27	33.51	31.52	31.88	31.47	31.71	32.21	32.16	
25	35.15	33.68	33.94	33.01	33.16	33.41	31.44	32.05	31.59	31.67	32.30	32.13	
26	34.89	34.10	33.92	31.77	33.65	33.45	31.35	32.15	31.58	31.99	32.13	32.23	
27	34.76	34.09	33.55	31.29	33.91	32.97	31.29	32.06	31.53	31.78	32.34	32.23	
28	35.03	34.11	32.68	32.65	33.78	32.28	31.24	32.18	31.39	31.84	32.13	31.94	
29	35.23	34.17	31.55	33.63	33.73	32.79	31.22	31.91	31.32	31.90		31.83	
30	35.37	33.78	33.00	33.90	33.12	32.29	31.19	31.72	31.59	31.96		32.09	
31		33.11		33.85	32.34		31.36		31.61	31.93		32.13	
Mean	34.12	34.31	33.46	32.82	33.14	32.67	32.29	32.12	31.56	31.85	32.02	32.25	
Max	35.37	34.98	34.43	33.98	34.03	33.51	33.75	32.86	31.88	32.07	32.35	32.70	35.37
Min	32.17	33.11	31.55	31.29	31.77	31.72	31.19	31.70	31.32	31.58	31.59	31.77	31.19
Annual Max Momentary Gage Height	35.46 M (MSL.), at 14.00 hours, on Apr 30, 1998												
Zero Gage at Bottom Elevation	30.40 M (MSL.), River Bed 29.63 m (MSL.)												
Left Bank Elevation	51.64 M (MSL.)												
Right Bank Elevation	48.47 M (MSL.) M (MSL.), Drainage Area 7,008 Square Kilometers												

RID Computer Center
 Station - Ban Lum Sum, Sai Yok, Kanchanaburi, (K.10)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-Ja
 LOS/LI
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1999

Gage Height in Meter (MSL.), Water Year April 1, 1999 to March 31, 1999

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	32.16	33.25	31.36	32.19	33.13	32.99	33.52	33.82	33.16	32.10	32.65	33.82	
2	32.17	32.98	31.57	32.12	32.78	33.40	33.50	35.22	32.66	32.12	32.83	33.83	
3	32.19	32.22	31.60	32.02	34.46	33.46	33.24	36.52	32.37	32.10	32.86	33.85	
4	31.93	31.87	31.65	31.61	35.66	33.56	33.72	34.95	32.38	32.52	32.95	33.92	
5	31.77	32.19	31.75	31.48	36.46	33.30	34.68	34.08	32.31	32.42	32.71	33.37	
6	32.00	31.79	31.64	31.74	36.18	32.83	34.20	33.56	32.07	33.05	32.60	32.95	
7	31.88	31.67	31.58	32.03	36.41	33.39	34.09	33.17	32.12	32.74	32.30	33.51	
8	32.29	31.99	31.61	31.94	36.82	33.70	34.28	32.89	32.67	32.14	32.62	33.93	
9	32.27	31.70	31.73	31.87	35.90	33.59	33.92	32.69	32.51	32.03	33.10	33.94	
10	31.98	31.45	32.25	31.94	35.42	33.79	33.09	32.54	32.49	31.79	33.27	33.94	
11	31.99	31.71	32.87	31.63	34.98	33.55	32.66	32.70	32.42	32.40	33.26	33.91	
12	32.25	31.78	32.89	31.44	34.71	33.60	33.33	32.90	32.12	32.34	33.23	33.51	
13	32.11	31.81	32.31	31.50	34.22	33.01	33.36	32.82	32.06	32.12	32.80	32.83	
14	32.14	31.89	32.28	31.77	34.77	33.72	33.96	32.77	32.19	32.32	32.45	33.18	
15	32.25	31.75	32.27	32.09	34.59	33.84	34.18	32.38	32.43	32.37	33.18	33.76	
16	32.28	31.56	32.03	32.11	34.56	33.90	33.76	32.64	32.15	32.10	33.37	34.13	
17	32.21	31.35	32.01	32.04	34.66	34.32	33.72	32.93	32.31	31.94	33.56	33.86	
18	32.02	31.19	31.74	31.83	34.84	34.61	34.75	32.86	32.48	32.22	33.69	34.06	
19	31.91	31.46	31.90	31.80	34.80	33.98	35.43	32.78	32.15	32.50	33.62	33.77	
20	32.12	31.50	31.68	32.31	34.79	33.10	34.57	32.80	31.90	32.42	33.12	32.95	
21	31.94	31.82	31.60	32.00	34.60	33.70	34.16	32.47	31.94	32.42	32.64	33.49	
22	31.98	31.96	31.72	32.04	34.25	33.75	33.74	32.32	32.20	32.49	33.26	34.01	
23	32.08	31.79	31.92	32.23	33.25	33.94	33.33	32.63	32.17	32.27	33.62	33.98	
24	31.85	31.56	31.90	31.95	33.98	34.30	32.54	32.88	32.22	32.00	33.60	34.06	
25	31.89	31.54	31.85	31.95	33.91	34.37	32.11	32.83	32.32	32.23	33.79	33.95	
26	31.68	31.49	32.01	32.03	33.45	33.99	33.08	32.78	31.99	32.67	33.57	33.45	
27	31.90	31.48	31.67	33.62	33.41	33.01	34.43	33.36	31.94	32.54	33.32	33.15	
28	31.91	31.46	31.68	34.88	33.37	34.05	34.17	32.78	31.90	32.45	32.81	33.30	
29	32.08	31.46	31.89	33.81	32.58	34.45	34.25	32.19	32.14	32.45	33.32	33.72	
30	32.68	31.43	31.98	33.84	32.15	33.92	34.99	32.64	32.07	32.40		33.79	
31		31.33		33.58	32.56		34.66		32.11	32.02		33.81	
Mean	32.06	31.76	31.90	32.24	34.44	33.70	33.85	33.13	32.26	32.31	33.11	33.67	
Max	32.68	33.25	32.89	34.88	36.82	34.61	35.43	36.52	33.16	33.05	33.79	34.13	36.82
Min	31.68	31.19	31.36	31.44	32.15	32.83	32.11	32.19	31.90	31.79	32.30	32.83	31.19
Annual Max Momentary Gage Height	37.33 M (MSL.), at 16.00 hours, on Aug 8, 1999												
Zero Gage at Bottom Elevation	30.40 M (MSL.), River Bed 29.85 m (MSL.)												
Left Bank Elevation	41.11 M (MSL.)												
Right Bank Elevation	46.80 M (MSL.) M (MSL.), Drainage Area 7,008 Square Kilometers												

RID Computer Center
 Station - Ban Bo, Suan Phung, Ratchaburi, (K.17)
 Stream - Lam Phachi
 River - Khwae Noi
 River System - Mae Klong

30-J
 LQS/I
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD7F

Water Year - 1995

Gage Height in Meter (A.D.), Water Year April 1, 1995 to March 31, 1995

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.10	0.16	0.25	0.20	0.31	1.78	2.02	1.65	0.52	0.27	0.20	0.13	
2	0.15	0.23	0.23	0.20	0.42	1.52	2.42	1.45	0.51	0.28	0.19	0.14	
3	0.09	0.23	0.23	0.20	0.43	1.40	2.01	1.33	0.49	0.27	0.17	0.11	
4	0.09	0.27	0.22	0.21	0.37	1.53	1.88	1.30	0.48	0.27	0.19	0.11	
5	0.11	0.25	0.18	0.23	0.32	1.20	1.94	1.24	0.46	0.26	0.18	0.12	
6	0.16	0.19	0.10	0.45	0.28	1.00	2.04	1.15	0.45	0.27	0.17	0.13	
7	0.15	0.22	0.09	0.49	0.26	0.87	3.08	1.06	0.44	0.26	0.19	0.14	
8	0.19	0.22	0.16	0.37	0.28	0.77	3.17	0.98	0.43	0.25	0.19	0.10	
9	0.22	0.78	0.24	0.32	0.31	0.71	3.29	0.99	0.42	0.24	0.15	0.08	
10	0.23	0.47	0.65	0.36	0.35	0.74	3.86	0.94	0.42	0.27	0.14	0.11	
11	0.22	0.33	1.17	0.38	0.44	0.85	5.43	0.92	0.41	0.27	0.17	0.12	
12	0.21	0.27	1.11	0.28	0.58	1.08	3.73	0.93	0.40	0.27	0.18	0.09	
13	0.20	0.25	0.73	0.23	0.57	1.21	3.30	0.94	0.39	0.27	0.17	0.07	
14	0.12	0.24	0.65	0.20	0.49	1.28	3.31	0.94	0.38	0.26	0.14	0.07	
15	0.07	0.21	0.75	0.21	0.42	1.20	3.03	0.97	0.38	0.25	0.13	0.13	
16	0.10	0.21	0.69	0.22	0.29	1.51	2.77	1.04	0.36	0.27	0.16	0.13	
17	0.11	0.23	0.58	0.21	0.39	1.40	2.64	0.93	0.36	0.25	0.18	0.13	
18	0.10	0.22	0.62	0.26	0.37	1.14	2.39	0.87	0.36	0.25	0.14	0.13	
19	0.09	0.27	0.48	0.26	0.35	1.10	2.12	0.82	0.35	0.24	0.12	0.10	
20	0.09	0.24	0.49	0.19	0.52	1.00	1.96	0.79	0.35	0.24	0.14	0.07	
21	0.10	0.22	0.43	0.16	0.64	1.08	1.88	0.75	0.34	0.22	0.13	0.06	
22	0.16	0.20	0.38	0.21	0.59	1.05	1.73	0.72	0.33	0.23	0.16	0.10	
23	0.26	0.18	0.36	0.25	0.51	0.96	1.59	0.69	0.33	0.22	0.17	0.06	
24	0.15	0.15	0.33	0.26	0.79	0.89	1.46	0.66	0.31	0.22	0.15	0.03	
25	0.14	0.15	0.31	0.20	0.74	0.96	1.37	0.63	0.31	0.22	0.10	0.06	
26	0.26	0.12	0.31	0.17	0.66	1.17	1.29	0.61	0.30	0.20	0.13	0.07	
27	0.31	0.13	0.28	0.22	0.73	1.54	1.22	0.59	0.30	0.19	0.14	0.12	
28	0.29	0.16	0.24	0.21	0.70	1.42	1.36	0.58	0.29	0.21	0.11	0.11	
29	0.18	0.27	0.18	0.22	0.65	1.23	1.38	0.56	0.28	0.18	0.10	0.14	
30	0.12	0.24	0.20	0.25	1.02	1.47	1.69	0.54	0.28	0.20		0.14	
31		0.27		0.28	1.82		1.90		0.28	0.19		0.09	

Mean	0.16	0.24	0.42	0.25	0.54	1.17	2.36	0.92	0.38	0.24	0.15	0.10	
Max	0.31	0.78	1.17	0.49	1.82	1.78	5.43	1.65	0.52	0.28	0.20	0.14	5.43
Min	0.07	0.12	0.09	0.16	0.26	0.71	1.22	0.54	0.28	0.18	0.10	0.03	0.03
Annual Max Momentary Gage Height	6.02 M (A.D.), at 06.00 hours, on Oct 11, 1995												
Zero Gage at Bottom Elevation	0.00 M (A.D.), River Bed 0.00 m (A.D.)												
Left Bank Elevation	9.55 M (A.D.)												
Right Bank Elevation	8.70 M (A.D.) M (A.D.), Drainage Area 1,355 Square Kilometers												

RID Computer Center
 Station - Ban Bo, Suan Phung, Ratchaburi, (K.17)
 Stream - Lam Phachi
 River - Khwae Noi
 River System - Mae Klong

30-Ja
 LQS/L
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HC7 R

Water Year - 1996

Gage Height in Meter (AD.), Water Year April 1, 1996 to March 31, 1996

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.07	0.36	0.54	0.43	2.79	1.40	5.52	2.97	0.90	0.50	0.38	0.31	
2	0.06	0.32	0.48	0.41	2.43	1.82	3.88	2.76	0.89	0.50	0.38	0.30	
3	0.06	0.32	0.46	0.39	2.13	1.65	3.15	3.50	0.89	0.49	0.38	0.31	
4	0.06	0.33	0.45	0.38	1.90	1.79	2.67	3.44	0.85	0.49	0.37	0.31	
5	0.09	0.31	0.48	0.37	1.72	2.03	2.49	2.83	0.83	0.48	0.37	0.30	
6	0.09	0.31	0.66	0.50	1.58	1.72	2.31	2.39	0.81	0.47	0.36	0.30	
7	0.09	0.25	0.54	0.50	1.44	1.72	2.63	2.40	0.84	0.47	0.36	0.29	
8	0.08	0.24	0.46	0.52	1.36	2.71	2.40	2.13	0.81	0.46	0.36	0.29	
9	0.13	0.26	0.46	0.46	1.27	3.87	2.64	1.96	0.76	0.46	0.35	0.28	
10	0.12	0.25	0.48	0.45	1.16	3.77	2.33	1.74	0.74	0.46	0.35	0.28	
11	0.10	0.32	0.47	0.45	1.11	2.94	2.27	1.59	0.74	0.44	0.35	0.28	
12	0.11	0.36	0.45	0.55	1.24	2.40	2.70	1.54	0.72	0.44	0.34	0.29	
13	0.17	0.59	0.44	0.60	1.08	2.04	2.81	1.39	0.70	0.44	0.35	0.30	
14	0.17	0.84	0.44	0.53	0.98	2.06	2.63	2.54	0.68	0.43	0.34	0.31	
15	0.13	0.51	0.43	0.51	0.92	3.17	2.37	2.52	0.68	0.43	0.34	0.30	
16	0.09	0.42	0.70	0.48	0.89	3.16	2.11	1.99	0.66	0.43	0.33	0.29	
17	0.12	0.38	2.07	0.44	0.96	2.69	1.92	1.75	0.64	0.42	0.33	0.28	
18	0.17	0.43	1.40	0.55	0.88	2.55	1.79	1.62	0.63	0.42	0.33	0.28	
19	0.09	0.74	1.04	0.50	0.84	2.48	1.68	1.57	0.61	0.42	0.34	0.27	
20	0.17	0.94	0.88	0.44	0.88	2.57	1.71	1.44	0.61	0.42	0.35	0.26	
21	0.13	1.18	0.76	0.43	1.03	2.33	1.90	1.34	0.60	0.46	0.34	0.26	
22	0.23	1.68	0.69	0.42	0.94	2.07	1.77	1.27	0.58	0.42	0.33	0.25	
23	0.28	1.29	0.62	0.43	0.86	1.87	1.61	1.20	0.57	0.41	0.33	0.24	
24	0.19	0.94	0.57	0.47	0.88	1.73	1.54	1.16	0.56	0.40	0.32	0.26	
25	0.21	0.78	0.54	1.07	1.19	1.60	1.51	1.12	0.56	0.39	0.33	0.28	
26	0.21	0.68	0.53	4.34	1.87	1.49	3.11	1.08	0.55	0.39	0.32	0.28	
27	0.22	0.60	0.52	5.00	1.86	1.60	3.18	1.03	0.54	0.39	0.31	0.27	
28	0.31	0.57	0.51	6.01	1.54	2.09	2.49	0.99	0.54	0.39	0.31	0.28	
29	0.41	0.54	0.48	4.29	1.35	3.56	2.11	0.95	0.54	0.39		0.28	
30	0.52	0.63	0.45	3.23	1.50	5.52	2.18	0.92	0.55	0.39		0.27	
31		0.67		2.97	1.46		3.05		0.52	0.39		0.27	
Mean	0.16	0.58	0.63	1.23	1.36	2.41	2.47	1.84	0.68	0.44	0.34	0.28	
Max	0.52	1.68	2.07	6.01	2.79	5.52	5.52	3.50	0.90	0.50	0.38	0.31	6.01
Min	0.06	0.24	0.43	0.37	0.84	1.40	1.51	0.92	0.52	0.39	0.31	0.24	0.06
Annual Max Momentary Gage Height	8.12 M (AD.), at 21.00 hours, on Sep 30, 1996												
Zero Gage at Bottom Elevation	0.00 M (AD.), River Bed -0.07 m (AD.)												
Left Bank Elevation	6.11 M (AD.)												
Right Bank Elevation	4.84 M (AD.) M (AD.), Drainage Area 1,355 Square Kilometers												

RID Computer Center
 Station - Ban Bo, Suan Phung, Ratchaburi, (K.17)
 Stream - Lam Phachi
 River - Khwae Noi
 River System - Mae Klong

LQS/
 Royal Irrigation C
 Thailand
 Hydrology Division
 Rating Curve HYD.

Water Year - 1997

Gage Height in Meter (A.D.), Water Year April 1, 1997 to March 31, 1997

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.28	0.31	0.11	0.14	1.06	0.40	0.94	0.62	0.78	0.60	0.50	0.42	
2	0.30	0.30	0.13	0.17	1.21	0.39	0.84	0.59	0.77	0.60	0.51	0.42	
3	0.28	0.29	0.15	0.19	1.30	0.36	0.77	0.57	0.76	0.60	0.51	0.43	
4	0.27	0.29	0.15	0.15	2.19	0.39	1.27	3.24	0.75	0.59	0.51	0.42	
5	0.28	0.29	0.14	0.12	1.91	0.38	1.63	5.82	0.75	0.59	0.50	0.44	
6	0.30	0.26	0.14	0.09	1.37	0.37	2.66	3.20	0.74	0.58	0.51	0.44	
7	0.33	0.24	0.09	0.08	1.06	0.35	1.92	2.23	0.73	0.58	0.51	0.48	
8	0.29	0.23	0.11	0.08	0.87	0.35	1.66	1.79	0.73	0.58	0.50	0.46	
9	0.42	0.22	0.08	0.08	0.72	0.34	1.45	1.53	0.72	0.56	0.51	0.45	
10	0.32	0.22	0.03	0.07	0.61	0.36	1.28	1.38	0.72	0.56	0.50	0.44	
11	0.29	0.22	0.09	0.09	0.53	0.38	1.16	1.27	0.70	0.55	0.49	0.43	
12	0.28	0.11	0.07	0.09	0.48	0.54	1.12	1.19	0.70	0.54	0.49	0.42	
13	0.26	0.14	0.07	0.11	0.44	0.67	1.24	1.12	0.70	0.55	0.49	0.41	
14	0.25	0.15	0.11	0.16	0.42	0.59	1.13	1.07	0.69	0.56	0.49	0.43	
15	0.24	0.17	0.07	0.17	0.40	0.57	1.09	1.04	0.69	0.56	0.48	0.41	
16	0.23	0.17	0.02	0.18	0.38	0.51	1.66	1.01	0.68	0.56	0.48	0.38	
17	0.21	0.12	0.05	0.20	0.42	0.50	1.32	0.99	0.68	0.54	0.47	0.41	
18	0.20	0.15	0.08	0.25	0.62	0.69	1.21	0.97	0.67	0.55	0.47	0.42	
19	0.17	0.18	0.03	0.33	0.64	1.57	1.13	0.98	0.66	0.54	0.46	0.40	
20	0.18	0.19	0.01	0.28	0.69	1.08	1.03	0.94	0.66	0.53	0.46	0.40	
21	0.20	0.23	0.04	0.24	0.76	0.93	0.93	0.91	0.65	0.54	0.44	0.42	
22	0.23	0.26	0.05	0.24	0.67	1.69	0.86	0.88	0.65	0.53	0.45	0.39	
23	0.23	0.27	0.05	0.59	0.57	2.53	0.81	0.87	0.65	0.53	0.45	0.37	
24	0.24	0.27	0.03	0.56	0.50	1.87	0.76	0.86	0.64	0.53	0.44	0.39	
25	0.53	0.24	0.01	0.49	0.48	1.45	0.83	0.84	0.63	0.53	0.44	0.42	
26	0.50	0.23	0.02	0.51	0.47	1.20	0.76	0.83	0.63	0.53	0.43	0.38	
27	0.43	0.23	0.06	0.64	0.46	1.05	0.71	0.82	0.63	0.52	0.43	0.38	
28	0.35	0.23	0.08	0.59	0.45	1.20	0.86	0.81	0.62	0.52	0.43	0.42	
29	0.33	0.22	0.09	0.55	0.43	1.21	0.81	0.80	0.61	0.52		0.41	
30	0.31	0.22	0.11	0.52	0.41	1.06	0.72	0.79	0.60	0.51		0.35	
31		0.21		0.57	0.41		0.67		0.59	0.52		0.37	

Mean	0.29	0.22	0.08	0.28	0.74	0.83	1.14	1.33	0.68	0.55	0.48	0.41	
Max	0.53	0.31	0.15	0.64	2.19	2.53	2.66	5.82	0.78	0.60	0.51	0.48	5.82
Min	0.17	0.11	0.01	0.07	0.38	0.34	0.67	0.57	0.59	0.51	0.43	0.35	0.01
Annual Max Momentary Gage Height	7.08 M (A.D.) , at 02.00 hours, on Nov 5, 1997												
Zero Gage at Bottom Elevation	0.00 M (A.D.) , River Bed -0.07 m (A.D.)												
Left Bank Elevation	6.11 M (A.D.)												
Right Bank Elevation	4.84 M (A.D.) M (A.D.) , Drainage Area 1,355 Square Kilometers												

RID Computer Center
 Station - Ban Bo, Suan Phung, Ratchaburi, (K.17)
 Stream - Lam Phachi
 River - Khwae Noi
 River System - Mae Klong

30-Ja
 LQS/L
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1998

Gage Height in Meter (MSL.), Water Year April 1, 1998 to March 31, 1998

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	97.91	97.85	97.91	97.84	98.18	97.95	98.63	98.23	98.09	97.92	97.83	97.76	
2	97.93	97.80	97.93	97.89	98.04	98.12	99.07	98.21	98.08	97.91	97.85	97.82	
3	97.92	97.80	97.91	97.85	97.99	98.13	99.22	98.30	98.08	97.90	97.89	97.77	
4	97.93	97.87	97.90	97.84	97.95	98.04	98.93	98.24	98.10	97.91	97.87	97.75	
5	97.93	97.87	97.91	97.89	97.93	98.10	98.71	98.20	98.08	97.91	97.88	97.82	
6	97.94	97.83	97.93	97.86	97.91	98.04	98.58	98.18	98.07	97.91	97.89	97.83	
7	97.94	97.86	97.92	97.85	97.89	98.00	98.83	98.16	98.06	97.89	97.86	97.87	
8	97.93	97.84	97.88	97.85	97.89	97.98	99.59	98.15	98.05	97.90	97.86	97.85	
9	97.92	97.86	97.85	97.89	97.88	97.98	99.27	98.14	98.04	97.91	97.86	97.79	
10	97.93	97.90	97.88	97.84	97.86	97.97	99.14	98.13	98.04	97.89	97.87	97.80	
11	97.95	97.88	97.90	97.81	97.89	97.94	100.06	98.11	98.03	97.87	97.86	97.79	
12	97.91	97.84	97.86	97.88	97.90	97.95	100.40	98.10	97.97	97.89	97.81	97.76	
13	97.90	97.90	97.89	97.86	97.88	97.95	99.73	98.09	98.01	97.86	97.85	97.78	
14	97.91	97.95	97.90	97.84	97.86	97.97	99.44	98.08	98.00	97.86	97.85	97.76	
15	97.89	97.99	97.87	97.90	97.88	97.98	99.00	98.07	97.99	97.87	97.81	97.74	
16	97.91	97.96	97.91	97.91	97.88	97.96	98.82	98.07	97.99	97.90	97.83	97.72	
17	97.90	97.94	97.92	97.86	97.89	97.95	98.72	98.11	97.99	97.85	97.85	97.79	
18	97.92	97.93	97.90	97.85	97.88	97.96	98.59	98.10	97.99	97.83	97.83	97.82	
19	97.93	97.94	97.87	97.88	97.92	97.98	98.53	98.08	97.99	97.84	97.82	97.75	
20	97.92	97.91	97.86	97.83	97.99	98.04	98.88	98.06	97.99	97.86	97.82	97.71	
21	97.90	97.92	97.87	97.85	98.04	98.63	98.64	98.06	97.99	97.86	97.81	97.70	
22	97.90	97.92	97.85	97.92	98.04	98.61	98.53	98.06	97.99	97.81	97.83	97.77	
23	97.90	97.92	97.85	97.90	98.01	98.65	98.47	98.13	97.98	97.82	97.77	97.76	
24	97.88	97.90	97.88	97.87	97.97	98.97	98.43	98.15	97.97	97.85	97.84	97.73	
25	97.89	97.88	97.87	97.89	97.97	98.82	98.38	98.12	97.97	97.82	97.84	97.77	
26	97.89	97.89	97.81	97.90	98.03	99.22	98.34	98.09	97.96	97.80	97.77	97.79	
27	97.83	97.89	97.78	97.84	98.02	99.21	98.31	98.08	97.96	97.85	97.75	97.74	
28	97.83	97.89	97.85	97.87	98.05	98.91	98.28	98.15	97.96	97.84	97.74	97.76	
29	97.84	97.90	97.81	97.87	98.03	98.74	98.25	98.15	97.95	97.80		97.80	
30	97.86	97.92	97.79	97.92	97.99	98.59	98.23	98.12	97.94	97.84		97.78	
31		97.91		97.95	97.96		98.25		97.91	97.87		97.82	
Mean	97.90	97.89	97.88	97.87	97.95	98.28	98.85	98.13	98.01	97.87	97.83	97.78	
Max	97.95	97.99	97.93	97.95	98.18	99.22	100.40	98.30	98.10	97.92	97.89	97.87	100.40
Min	97.83	97.80	97.78	97.81	97.86	97.94	98.23	98.06	97.91	97.80	97.74	97.70	97.70
Annual Max Momentary Gage Height	101.05 M (MSL.), at 20.00 hours, on Oct 11, 1998												
Zero Gage at Bottom Elevation	97.46 M (MSL.), River Bed 97.39 m (MSL.)												
Left Bank Elevation	103.57 M (MSL.)												
Right Bank Elevation	102.30 M (MSL.) M (MSL.), Drainage Area 1,355 Square Kilometers												

RID Computer Center
 Station - Ban Bo, Suan Phung, Ratchaburi, (K.17)
 Stream - Lam Phachi
 River - Khwae Noi
 River System - Mae Klong

30-Ja
 LQS/L
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1999

Gage Height in Meter (MSL.), Water Year April 1, 1999 to March 31, 1999

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	97.80	98.63	98.16	97.90	97.91	97.98	98.08	99.52	98.14	97.91	97.83	97.83	
2	97.76	98.76	98.14	97.88	97.92	97.96	98.38	99.74	98.13	97.90	97.83	97.84	
3	97.79	98.52	98.11	97.87	98.18	97.94	98.43	99.72	98.12	97.90	97.84	97.84	
4	97.80	98.48	98.08	97.90	98.63	97.92	98.54	100.03	98.10	97.90	97.84	97.84	
5	97.76	98.36	98.04	97.88	98.52	97.91	98.31	99.92	98.12	97.90	97.84	97.85	
6	97.75	98.28	98.00	97.85	98.49	97.92	98.25	99.60	98.16	97.89	97.84	97.84	
7	97.81	98.23	98.05	97.89	98.54	97.93	98.22	99.31	98.15	97.89	97.83	97.82	
8	97.79	98.37	98.10	97.91	98.41	97.93	98.16	99.09	98.11	97.88	97.83	97.82	
9	97.74	98.52	98.14	97.92	98.25	97.92	98.22	98.95	98.07	97.88	97.83	97.81	
10	97.82	98.23	98.17	97.91	98.15	97.92	98.23	98.85	98.05	97.88	97.83	97.80	
11	98.20	98.21	98.16	97.87	98.04	97.91	98.21	98.75	98.03	97.88	97.83	97.80	
12	98.22	98.37	98.15	97.85	97.97	97.90	98.37	98.71	98.01	97.88	97.82	97.80	
13	98.21	98.41	98.11	97.89	97.97	97.90	98.20	98.72	98.00	97.87	97.81	97.81	
14	98.14	98.45	98.04	97.91	97.95	97.90	99.55	98.74	98.01	97.87	97.81	97.80	
15	98.07	98.49	97.98	97.92	97.93	97.89	100.57	98.67	98.00	97.86	97.83	97.79	
16	98.02	98.64	97.96	97.91	97.93	97.88	100.11	98.66	97.99	97.86	97.85	97.80	
17	97.99	98.51	97.94	97.90	97.93	97.89	99.80	98.59	97.98	97.86	97.85	97.79	
18	97.96	98.62	97.94	97.88	97.92	97.89	99.91	98.52	97.96	97.86	97.85	97.78	
19	97.97	98.48	97.93	97.88	97.92	97.89	99.60	98.47	97.96	97.86	97.84	97.76	
20	98.01	98.65	97.93	97.88	97.94	97.89	99.18	98.43	97.95	97.87	97.84	97.78	
21	98.06	98.69	97.93	97.86	98.00	97.87	98.96	98.38	97.95	97.87	97.86	97.81	
22	98.06	98.49	97.92	97.85	97.99	97.88	98.80	98.36	97.97	97.87	97.86	97.81	
23	98.07	98.44	97.91	97.85	97.98	97.89	98.67	98.34	97.95	97.86	97.85	97.80	
24	98.06	98.39	97.91	97.83	98.01	97.89	98.62	98.32	97.93	97.86	97.86	97.83	
25	98.03	98.35	97.91	97.88	98.12	97.93	100.04	98.36	97.93	97.85	97.85	97.82	
26	98.00	98.30	97.91	97.96	98.05	97.99	102.70	98.42	97.92	97.85	97.86	97.83	
27	97.99	98.25	97.91	98.02	98.00	97.96	100.39	98.31	97.91	97.85	97.86	97.83	
28	98.15	98.22	97.91	97.98	97.99	98.01	100.31	98.26	97.91	97.84	97.84	97.83	
29	98.21	98.21	97.92	97.95	98.00	98.04	100.15	98.21	97.91	97.84	97.83	97.83	
30	98.28	98.20	97.91	97.93	98.04	98.09	100.22	98.17	97.91	97.84		97.83	
31		98.17		97.91	98.01		99.80		97.91	97.83		97.81	
Mean	97.98	98.42	98.01	97.90	98.09	97.93	99.19	98.80	98.01	97.87	97.84	97.81	
Max	98.28	98.76	98.17	98.02	98.63	98.09	102.70	100.03	98.16	97.91	97.86	97.85	102.70
Min	97.74	98.17	97.91	97.83	97.91	97.87	98.08	98.17	97.91	97.83	97.81	97.76	97.74
Annual Max Momentary Gage Height	104.50 M (MSL.) , at 06.00 hours, on Oct 4, 1999												
Zero Gage at Bottom Elevation	97.46 M (MSL.) , River Bed 97.39 m (MSL.)												
Left Bank Elevation	103.57 M (MSL.)												
Right Bank Elevation	103.50 M (MSL.) M (MSL.) , Drainage Area 1,355 Square Kilometers												

RIO Computer Center
 Station - Ban Kha, A.Suan Phung, Ratchaburi, (K.25A)
 Stream - Huai Tha Khoei
 River - Lam Pha Chi
 River System - Mae Klong

30-J:
 LQS/l
 Royal Irrigation De
 Thailand
 Hydrology Divjsion
 Rating Curve HC7.C

Water Year - 1995

Gage Height in Meter (A.D.), Water Year April 1, 1995 to March 31, 1995

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.17	0.15	0.18	0.41	0.49	0.96	1.53	1.47	0.68	0.47	0.41	0.35	
2	0.14	0.38	0.18	0.39	0.46	0.91	1.44	1.32	0.66	0.47	0.42	0.37	
3	0.15	0.19	0.19	0.39	0.43	1.02	1.35	1.26	0.65	0.46	0.41	0.39	
4	0.14	0.17	0.27	0.40	0.40	0.91	1.41	1.22	0.63	0.45	0.41	0.37	
5	0.14	0.16	0.21	0.47	0.37	0.83	1.66	1.18	0.62	0.44	0.41	0.37	
6	0.15	0.17	0.20	1.01	0.35	0.77	1.71	1.10	0.62	0.44	0.40	0.36	
7	0.14	0.21	0.19	0.61	0.35	0.72	2.52	1.04	0.61	0.44	0.40	0.35	
8	0.14	0.18	0.18	0.51	0.36	0.68	2.10	1.00	0.60	0.43	0.40	0.35	
9	0.14	0.68	0.20	0.71	0.35	0.70	2.14	1.03	0.60	0.43	0.39	0.34	
10	0.13	0.25	0.44	0.61	0.35	0.76	3.34	0.98	0.59	0.44	0.40	0.35	
11	0.13	0.21	0.38	0.57	0.81	1.12	3.21	1.00	0.58	0.44	0.39	0.35	
12	0.13	0.17	0.25	0.53	0.72	1.82	2.27	1.00	0.57	0.44	0.38	0.44	
13	0.13	0.16	0.62	0.48	0.61	1.30	2.90	0.99	0.56	0.43	0.38	0.38	
14	0.14	0.17	0.84	0.49	0.55	1.39	2.42	0.96	0.56	0.43	0.38	0.36	
15	0.13	0.17	0.82	0.49	0.53	1.42	2.56	1.01	0.56	0.43	0.38	0.35	
16	0.14	0.17	0.62	0.47	0.69	2.05	2.17	0.94	0.55	0.42	0.38	0.34	
17	0.14	0.16	0.68	0.45	0.54	1.40	2.20	0.92	0.55	0.42	0.38	0.34	
18	0.14	0.17	0.55	0.48	0.51	1.25	1.80	0.89	0.54	0.45	0.38	0.33	
19	0.14	0.16	0.91	0.46	0.86	1.15	1.61	0.87	0.54	0.44	0.38	0.34	
20	0.17	0.15	0.71	0.45	0.54	1.06	1.54	0.85	0.53	0.43	0.41	0.34	
21	0.14	0.13	0.61	0.42	0.87	1.24	1.53	0.84	0.53	0.43	0.40	0.35	
22	0.15	0.13	0.57	0.42	0.71	1.05	1.35	0.82	0.52	0.43	0.39	0.40	
23	0.14	0.12	0.54	0.43	0.90	0.97	1.28	0.80	0.51	0.43	0.38	0.37	
24	0.14	0.11	0.51	0.43	0.87	0.93	1.22	0.77	0.50	0.43	0.38	0.35	
25	0.14	0.11	0.60	0.47	0.71	1.42	1.17	0.75	0.50	0.42	0.37	0.33	
26	0.13	0.12	0.49	0.53	0.95	1.44	1.13	0.75	0.49	0.43	0.37	0.33	
27	0.14	0.11	0.45	0.48	0.89	1.40	1.10	0.73	0.48	0.43	0.36	0.32	
28	0.13	0.24	0.44	0.52	0.76	1.20	1.27	0.73	0.47	0.43	0.36	0.37	
29	0.13	0.19	0.42	0.45	0.77	1.12	1.24	0.71	0.48	0.42	0.36	0.41	
30	0.14	0.18	0.41	0.42	1.02	1.21	1.92	0.68	0.48	0.42		0.37	
31		0.19		0.44	0.99		1.75		0.47	0.41		0.36	
Mean	0.14	0.19	0.46	0.50	0.64	1.14	1.83	0.95	0.56	0.43	0.39	0.36	
Max	0.17	0.68	0.91	1.01	1.02	2.05	3.34	1.47	0.68	0.47	0.42	0.44	3.34
Min	0.13	0.11	0.18	0.39	0.35	0.68	1.10	0.68	0.47	0.41	0.36	0.32	0.11
Annual Max Momentary Gage Height	4.00 M (A.D.) , at 21.00 hours, on Oct 10, 1995												
Zero Gage at Bottom Elevation	0.00 M (A.D.) , River Bed 0.02 m (A.D.)												
Left Bank Elevation	6.94 M (A.D.)												
Right Bank Elevation	6.95 M (A.D.) M (A.D.) , Drainage Area 482 Square Kilometers												

RID Computer Center
 Station - Ban Kha, A.Suan Phung, Ratchaburi, (K.25A)
 Stream - Huai Tha Khoei
 River - Lam Pha Chi
 River System - Mae Klong

30-
 LQS,
 Royal Irrigation (Thailand
 Hydrology Division
 Rating Curve HC7

Water Year - 1996

Gage Height in Meter (A.D.), Water Year April 1, 1996 to March 31, 1996

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.35	0.52	0.65	0.55	1.35	1.37	3.26	1.91	0.91	0.54	0.43	0.36	
2	0.34	0.51	0.56	0.53	1.21	1.38	2.48	1.94	0.91	0.54	0.43	0.36	
3	0.34	0.48	0.54	0.54	1.13	1.21	2.13	1.97	0.90	0.54	0.43	0.36	
4	0.48	0.48	0.59	0.52	1.06	1.50	1.90	1.99	0.87	0.53	0.41	0.36	
5	0.42	0.47	0.61	0.51	1.02	1.40	1.80	1.80	0.85	0.52	0.41	0.35	
6	0.40	0.54	0.64	0.62	0.99	1.34	1.67	1.65	0.82	0.51	0.41	0.33	
7	0.41	0.57	0.59	0.53	0.94	1.23	2.10	1.52	0.90	0.51	0.40	0.33	
8	0.39	0.50	0.61	0.51	0.94	1.96	2.16	1.48	0.82	0.51	0.40	0.33	
9	0.37	0.52	0.58	0.50	0.89	2.68	2.01	1.47	0.80	0.50	0.40	0.33	
10	0.37	0.53	0.67	0.49	0.86	2.26	1.81	1.35	0.78	0.50	0.40	0.32	
11	0.36	0.47	0.57	0.49	0.89	1.79	1.77	1.27	0.76	0.49	0.39	0.33	
12	0.35	0.50	0.55	0.49	0.97	1.52	2.08	1.33	0.75	0.49	0.39	0.33	
13	0.35	0.52	0.54	0.49	0.83	1.38	1.96	1.20	0.73	0.48	0.38	0.37	
14	0.37	0.57	0.58	0.63	0.78	1.51	1.87	2.67	0.71	0.48	0.38	0.38	
15	0.40	0.48	0.55	0.63	0.76	1.74	1.75	2.02	0.69	0.47	0.38	0.36	
16	0.38	0.56	2.04	0.55	0.74	1.62	1.62	1.68	0.68	0.47	0.37	0.34	
17	0.38	1.12	1.32	0.52	1.00	1.53	1.52	1.52	0.67	0.47	0.37	0.34	
18	0.42	0.69	0.99	0.76	0.82	1.47	1.44	1.49	0.67	0.46	0.37	0.34	
19	0.78	0.67	0.90	0.60	0.87	1.41	1.36	1.42	0.66	0.46	0.38	0.33	
20	0.47	0.82	0.88	0.56	0.81	1.36	1.62	1.34	0.65	0.45	0.38	0.33	
21	0.43	1.16	0.81	0.53	0.83	1.27	1.43	1.28	0.63	0.45	0.38	0.34	
22	0.43	1.21	0.76	0.52	0.85	1.21	1.47	1.15	0.62	0.45	0.38	0.33	
23	0.42	0.96	0.72	0.55	0.75	1.15	1.34	1.16	0.61	0.45	0.38	0.32	
24	0.40	0.83	0.69	0.55	0.82	1.11	1.26	1.13	0.60	0.44	0.37	0.33	
25	0.39	0.75	0.68	0.88	1.01	1.07	1.28	1.10	0.59	0.44	0.36	0.32	
26	0.41	0.69	0.66	1.79	1.11	1.04	2.86	1.05	0.58	0.43	0.36	0.31	
27	0.46	0.66	0.64	2.32	1.09	1.13	2.49	1.03	0.57	0.43	0.36	0.31	
28	0.54	0.64	0.62	2.89	0.99	1.40	2.05	0.99	0.57	0.43	0.36	0.31	
29	0.64	0.66	0.59	2.16	0.94	2.90	1.81	0.96	0.56	0.43		0.31	
30	0.65	0.61	0.57	1.74	0.93	4.66	1.89	0.93	0.56	0.43		0.31	
31		0.62		1.59	1.03		2.03		0.55	0.43		0.31	
Mean	0.43	0.66	0.72	0.86	0.94	1.62	1.88	1.46	0.71	0.48	0.39	0.33	
Max	0.78	1.21	2.04	2.89	1.35	4.66	3.26	2.67	0.91	0.54	0.43	0.38	4.66
Min	0.34	0.47	0.54	0.49	0.74	1.04	1.26	0.93	0.55	0.43	0.36	0.31	0.31
Annual Max Momentary Gage Height	6.04 M (A.D.) , at 12.00 hours, on Sep 30, 1996												
Zero Gage at Bottom Elevation	0.00 M (A.D.) , River Bed 0.09 m (A.D.)												
Left Bank Elevation	4.84 M (A.D.)												
Right Bank Elevation	8.02 M (A.D.) M (A.D.) , Drainage Area 250 Square Kilometers												

RIO Computer Center
 Station - Ban Kha, A.Suan Phung, Ratchaburi, (K.25A)
 Stream - Huai Tha Khoei
 River - Lam Pha Chi
 River System - Mae Klong

30-J:
 LQS/l
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1997

Gage Height in Meter (A.D.), Water Year April 1, 1997 to March 31, 1997

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.31	0.34	0.24	0.24	0.28	0.31	0.88	0.65	0.85	0.55	0.48	0.40	
2	0.31	0.34	0.25	0.23	0.29	0.31	0.83	0.63	0.83	0.55	0.48	0.40	
3	0.31	0.33	0.25	0.23	0.33	0.30	0.80	0.61	0.82	0.55	0.48	0.41	
4	0.33	0.41	0.25	0.24	0.39	0.29	1.61	3.45	0.80	0.55	0.48	0.40	
5	0.33	0.35	0.26	0.25	0.45	0.29	1.80	4.16	0.78	0.55	0.48	0.40	
6	0.33	0.32	0.26	0.25	0.47	0.28	1.95	2.79	0.77	0.54	0.48	0.40	
7	0.33	0.29	0.26	0.26	0.50	0.28	1.53	2.14	0.76	0.54	0.48	0.40	
8	0.39	0.28	0.26	0.26	0.47	0.30	1.45	1.86	0.75	0.53	0.47	0.40	
9	0.34	0.28	0.25	0.23	0.44	0.31	1.33	1.69	0.73	0.53	0.47	0.40	
10	0.35	0.34	0.26	0.24	0.43	0.30	1.21	1.56	0.71	0.53	0.47	0.40	
11	0.35	0.31	0.26	0.22	0.41	0.63	1.15	1.48	0.70	0.53	0.46	0.40	
12	0.33	0.45	0.26	0.22	0.39	0.58	1.10	1.42	0.69	0.53	0.46	0.40	
13	0.33	0.33	0.27	0.22	0.37	0.68	1.12	1.36	0.68	0.52	0.44	0.40	
14	0.30	0.31	0.26	0.25	0.36	0.53	1.02	1.31	0.67	0.52	0.42	0.39	
15	0.30	0.32	0.26	0.26	0.35	0.50	0.96	1.27	0.66	0.52	0.42	0.39	
16	0.30	0.32	0.26	0.25	0.33	0.48	1.17	1.22	0.64	0.51	0.42	0.39	
17	0.33	0.33	0.26	0.28	0.35	0.47	1.07	1.19	0.64	0.51	0.42	0.39	
18	0.28	0.31	0.24	0.25	0.40	0.51	1.06	1.16	0.63	0.51	0.42	0.39	
19	0.28	0.31	0.23	0.25	0.40	1.04	1.01	1.15	0.63	0.50	0.41	0.39	
20	0.28	0.31	0.27	0.25	0.40	0.80	0.98	1.11	0.63	0.50	0.39	0.39	
21	0.28	0.33	0.26	0.25	0.40	0.76	0.93	1.06	0.61	0.49	0.37	0.39	
22	0.28	0.33	0.24	0.26	0.39	1.64	0.89	1.03	0.60	0.49	0.40	0.39	
23	0.28	0.31	0.23	0.26	0.36	1.37	0.83	1.01	0.60	0.49	0.40	0.39	
24	0.28	0.31	0.23	0.26	0.35	1.18	0.79	0.98	0.58	0.49	0.40	0.39	
25	0.28	0.27	0.24	0.26	0.35	1.02	0.78	0.96	0.58	0.49	0.40	0.38	
26	0.54	0.26	0.26	0.26	0.34	0.95	0.75	0.94	0.58	0.48	0.40	0.38	
27	0.39	0.27	0.27	0.27	0.33	0.89	0.72	0.90	0.58	0.48	0.40	0.38	
28	0.37	0.27	0.27	0.27	0.33	1.32	0.88	0.89	0.57	0.48	0.40	0.38	
29	0.36	0.27	0.26	0.27	0.32	1.05	0.74	0.88	0.56	0.48		0.38	
30	0.34	0.25	0.25	0.25	0.32	0.94	0.69	0.86	0.56	0.48		0.38	
31		0.25		0.27	0.31		0.67		0.55	0.48		0.38	

Mean	0.33	0.31	0.25	0.25	0.37	0.68	1.05	1.39	0.67	0.51	0.44	0.39	
Max	0.54	0.45	0.27	0.28	0.50	1.64	1.95	4.16	0.85	0.55	0.48	0.41	4.16
Min	0.28	0.25	0.23	0.22	0.28	0.28	0.67	0.61	0.55	0.48	0.37	0.38	0.22
Annual Max Momentary Gage Height	4.70 M (A.D.), at 06.00 hours, on Nov 5, 1997												
Zero Gage at Bottom Elevation	0.00 M (A.D.), River Bed 0.09 m (A.D.)												
Left Bank Elevation	4.84 M (A.D.)												
Right Bank Elevation	8.02 M (A.D.) M (A.D.), Drainage Area 250 Square Kilometers												

RIO Computer Center
 Station - Ban Kha, A.Suan Phung, Ratchaburi, (K.25A)
 Stream - Huai Tha Khoei
 River - Lam Pha Chi
 River System - Mae Klong

30-J
 LQS/
 Royal Irrigation D
 Thailand
 Hydrology Division
 Rating Curve HYD.

Water Year - 1998

Gage Height in Meter (A.D.), Water Year April 1, 1998 to March 31, 1998

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.38	0.38	0.39	0.38	0.55	0.77	1.42	0.94	0.73	0.51	0.46	0.46	
2	0.38	0.38	0.39	0.39	0.51	1.03	1.95	1.00	0.72	0.51	0.46	0.46	
3	0.38	0.38	0.38	0.39	0.50	0.90	2.32	1.12	0.71	0.51	0.46	0.46	
4	0.38	0.38	0.38	0.39	0.49	0.91	1.83	0.95	0.70	0.52	0.46	0.46	
5	0.38	0.38	0.38	0.38	0.48	0.89	1.56	0.90	0.70	0.52	0.46	0.46	
6	0.38	0.38	0.39	0.38	0.48	0.83	1.44	0.86	0.69	0.50	0.46	0.46	
7	0.38	0.38	0.39	0.38	0.48	0.79	1.58	0.83	0.68	0.51	0.46	0.46	
8	0.38	0.38	0.39	0.38	0.48	0.76	1.87	0.82	0.66	0.50	0.46	0.46	
9	0.38	0.38	0.39	0.39	0.48	0.78	1.74	0.81	0.65	0.49	0.46	0.46	
10	0.39	0.38	0.38	0.39	0.49	0.75	1.70	0.79	0.64	0.47	0.46	0.46	
11	0.39	0.38	0.38	0.38	0.49	0.72	2.99	0.76	0.63	0.47	0.46	0.46	
12	0.38	0.38	0.39	0.38	0.49	0.72	2.55	0.75	0.63	0.47	0.46	0.46	
13	0.38	0.38	0.40	0.38	0.48	0.73	2.29	0.73	0.62	0.47	0.46	0.46	
14	0.38	0.39	0.40	0.38	0.49	0.73	2.06	0.72	0.61	0.47	0.46	0.46	
15	0.38	0.38	0.41	0.41	0.49	0.70	1.74	0.71	0.61	0.47	0.46	0.46	
16	0.38	0.38	0.39	0.40	0.49	0.68	1.66	0.76	0.60	0.47	0.46	0.46	
17	0.38	0.38	0.39	0.45	0.48	0.68	1.53	0.78	0.60	0.47	0.46	0.46	
18	0.38	0.40	0.38	0.42	0.48	0.68	1.41	0.74	0.60	0.48	0.46	0.46	
19	0.38	0.40	0.38	0.41	0.50	1.02	1.34	0.69	0.60	0.47	0.46	0.46	
20	0.38	0.40	0.38	0.40	0.56	1.03	1.94	0.65	0.59	0.46	0.46	0.46	
21	0.38	0.40	0.38	0.39	0.80	1.73	1.50	0.66	0.59	0.47	0.46	0.46	
22	0.39	0.39	0.38	0.44	0.74	1.35	1.38	0.71	0.58	0.47	0.46	0.46	
23	0.38	0.39	0.38	0.48	0.69	1.62	1.31	0.83	0.58	0.46	0.46	0.46	
24	0.38	0.39	0.38	0.44	0.74	1.84	1.25	0.79	0.57	0.46	0.46	0.46	
25	0.38	0.39	0.37	0.43	0.85	1.63	1.18	0.75	0.57	0.46	0.46	0.46	
26	0.38	0.39	0.37	0.42	0.89	2.37	1.14	0.72	0.56	0.46	0.46	0.46	
27	0.38	0.40	0.37	0.42	1.04	1.90	1.09	0.72	0.55	0.46	0.46	0.46	
28	0.38	0.39	0.37	0.41	1.03	1.65	1.04	0.84	0.54	0.46	0.46	0.46	
29	0.38	0.39	0.38	0.40	0.88	1.59	1.01	0.78	0.52	0.47		0.46	
30	0.38	0.39	0.38	0.41	0.83	1.43	1.00	0.75	0.52	0.47		0.46	
31		0.38		0.49	0.79		0.98		0.52	0.47		0.46	
Mean	0.38	0.39	0.38	0.41	0.62	1.11	1.61	0.80	0.62	0.48	0.46	0.46	
Max	0.39	0.40	0.41	0.49	1.04	2.37	2.99	1.12	0.73	0.52	0.46	0.46	2.99
Min	0.38	0.38	0.37	0.38	0.48	0.68	0.98	0.65	0.52	0.46	0.46	0.46	0.37
Annual Max Momentary Gage Height	3.31 M (A.D.) , at 06.00 hours, on Oct 11, 1998												
Zero Gage at Bottom Elevation	0.00 M (A.D.) , River Bed 2.00 m (A.D.)												
Left Bank Elevation	6.87 M (A.D.)												
Right Bank Elevation	0.00 M (A.D.) M (A.D.) , Drainage Area 250 Square Kilometers												

RID Computer Center
 Station - Ban Kha, A.Suan Phung, Ratchaburi, (K.25A)
 Stream - Huai Tha Khoei
 River - Lam Pha Chi
 River System - Mae Klong

30-J.
 LQS/I
 Royal Irrigation Dr
 Thailand
 Hydrology Division
 Rating Curve HYD.

Water Year - 1999

Gage Height in Meter (AD.), Water Year April 1, 1999 to March 31, 1999

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	0.46	1.26	1.04	0.70	0.61	0.68	0.66	2.36	0.68	0.44	0.26	0.28	
2	0.46	1.61	1.01	0.70	0.63	0.67	1.05	2.43	0.67	0.44	0.25	0.31	
3	0.46	1.43	0.98	0.69	0.68	0.65	0.89	2.37	0.66	0.43	0.25	0.31	
4	0.46	1.47	0.97	0.68	0.69	0.65	1.01	2.66	0.65	0.43	0.25	0.29	
5	0.46	1.33	0.94	0.68	0.67	0.65	0.93	2.52	0.66	0.42	0.25	0.28	
6	0.46	1.22	0.92	0.67	0.65	0.67	1.07	2.36	0.73	0.41	0.25	0.27	
7	0.46	1.20	0.90	0.66	0.79	0.65	0.92	2.06	0.69	0.40	0.25	0.27	
8	0.46	1.14	0.95	0.70	0.75	0.65	0.88	1.85	0.66	0.40	0.25	0.26	
9	0.46	1.19	0.90	0.70	0.70	0.64	1.13	1.70	0.64	0.40	0.25	0.26	
10	0.46	1.08	0.90	0.68	0.69	0.63	1.04	1.57	0.61	0.40	0.24	0.25	
11	1.50	1.10	0.88	0.67	0.67	0.62	0.95	1.47	0.60	0.39	0.23	0.24	
12	1.40	1.52	0.87	0.67	0.66	0.60	0.91	1.40	0.58	0.38	0.23	0.24	
13	1.30	1.61	0.85	0.67	0.65	0.60	0.84	1.34	0.57	0.38	0.23	0.24	
14	1.20	1.46	0.84	0.67	0.64	0.59	3.14	1.26	0.57	0.37	0.23	0.24	
15	1.10	1.72	0.82	0.67	0.63	0.57	3.14	1.18	0.56	0.36	0.42	0.24	
16	1.00	1.74	0.82	0.66	0.63	0.57	2.55	1.16	0.55	0.35	0.30	0.24	
17	1.10	1.53	0.80	0.65	0.62	0.57	2.29	1.09	0.50	0.35	0.28	0.21	
18	1.00	1.86	0.78	0.65	0.60	0.57	2.50	1.04	0.46	0.35	0.26	0.21	
19	0.91	1.60	0.77	0.67	0.59	0.58	1.91	0.99	0.44	0.35	0.26	0.21	
20	0.89	1.63	0.77	0.65	0.59	0.57	1.72	0.93	0.43	0.39	0.28	0.20	
21	0.87	1.64	0.76	0.65	0.71	0.57	1.59	0.90	0.45	0.36	0.40	0.21	
22	0.86	1.48	0.75	0.64	0.76	0.57	1.49	0.87	0.57	0.34	0.32	0.21	
23	0.85	1.47	0.74	0.63	0.69	0.67	1.43	0.85	0.51	0.31	0.31	0.20	
24	0.85	1.40	0.74	0.63	0.71	0.68	1.40	0.83	0.49	0.30	0.30	0.22	
25	0.84	1.35	0.74	0.64	0.74	0.68	2.73	0.81	0.48	0.29	0.29	0.28	
26	0.84	1.27	0.73	0.65	0.72	0.64	3.68	0.82	0.45	0.28	0.29	0.24	
27	0.82	1.21	0.73	0.65	0.70	1.04	2.61	0.78	0.45	0.28	0.28	0.23	
28	1.06	1.19	0.72	0.63	0.69	0.72	2.68	0.75	0.45	0.28	0.28	0.23	
29	0.92	1.22	0.71	0.63	0.71	0.74	2.63	0.72	0.45	0.27	0.28	0.22	
30	1.27	1.18	0.71	0.63	0.70	0.71	2.78	0.71	0.45	0.27		0.22	
31		1.02		0.63	0.69		2.48		0.44	0.26		0.24	
Mean	0.84	1.39	0.83	0.66	0.68	0.65	1.78	1.39	0.55	0.36	0.27	0.24	
Max	1.50	1.86	1.04	0.70	0.79	1.04	3.68	2.66	0.73	0.44	0.42	0.31	3.68
Min	0.46	1.02	0.71	0.63	0.59	0.57	0.66	0.71	0.43	0.26	0.23	0.20	0.20
Annual Max Momentary Gage Height	4.06 M (AD.), at 06.00 hours, on Oct 26, 1999												
Zero Gage at Bottom Elevation	0.00 M (AD.), River Bed 0.15 m (AD.)												
Left Bank Elevation	4.84 M (AD.)												
Right Bank Elevation	8.02 M (AD.) M (AD.), Drainage Area 250 Square Kilometers												

RID Computer Center
 Station - Ban Wang Yen, Muang, Kanchanaburi, (K.37)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-
 - LOS,
 Royal Irrigation [Thailand
 Hydrology Division
 Rating Curve HC7.

Water Year - 1995

Gage Height in Meter (A.O.), Water Year April 1, 1995 to March 31, 1995

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	4.26	3.75	4.40	4.58	3.24	7.13	5.86	4.23	4.25	2.89	3.68	4.13	
2	4.02	3.48	4.42	4.40	3.66	8.26	5.27	4.20	4.07	2.71	3.65	4.05	
3	3.77	3.21	4.45	4.24	3.78	7.98	4.98	4.08	3.97	2.69	3.46	3.94	
4	3.36	4.14	4.28	3.46	3.80	7.78	5.18	4.08	3.60	2.96	3.38	3.92	
5	4.13	4.50	3.90	4.10	3.86	6.60	5.73	4.03	3.43	3.23	3.17	3.39	
6	4.25	4.70	3.48	4.20	3.83	6.10	5.50	3.89	3.57	3.32	2.99	4.15	
7	4.23	4.34	4.25	4.20	3.47	5.80	5.61	3.38	3.09	3.30	3.46	4.29	
8	4.09	4.21	4.53	4.17	3.27	5.44	5.72	3.93	3.44	3.11	3.45	4.14	
9	4.10	3.42	4.55	4.28	3.84	5.23	6.41	4.21	3.39	3.00	3.53	3.99	
10	3.70	4.09	4.61	4.12	3.81	4.85	6.58	4.21	3.17	3.29	3.50	4.15	
11	3.48	4.25	5.28	3.42	3.80	4.95	6.24	4.16	3.31	3.40	3.53	3.85	
12	3.78	4.15	5.43	3.76	3.86	5.01	6.02	4.21	2.99	3.46	3.56	3.33	
13	3.83	4.18	4.25	4.16	3.46	5.31	6.03	4.23	3.33	3.30	3.07	4.22	
14	3.98	4.12	4.55	3.53	3.07	5.44	5.34	3.75	3.52	3.55	3.80	4.24	
15	4.00	4.10	4.53	4.28	3.10	5.24	5.92	4.08	3.54	3.55	3.86	4.30	
16	4.32	3.72	4.52	4.18	3.78	5.51	5.64	4.16	3.59	3.39	3.82	4.27	
17	4.39	4.12	4.52	3.73	3.65	5.60	5.27	4.09	3.63	4.02	4.00	4.26	
18	3.75	4.35	4.51	3.11	3.72	5.52	5.40	3.90	3.53	4.07	3.74	3.74	
19	4.06	4.48	4.52	3.48	3.74	5.18	5.25	3.75	3.14	3.48	3.30	3.48	
20	4.19	4.33	4.34	3.40	3.68	5.22	5.16	3.77	3.73	3.59	3.03	4.31	
21	4.29	4.28	4.65	3.71	3.67	5.15	4.96	3.42	3.63	3.62	3.42	4.37	
22	4.39	4.23	4.60	3.69	3.22	5.22	4.74	4.07	3.52	3.50	3.84	4.19	
23	4.24	3.46	4.51	3.80	3.73	5.38	4.49	4.16	3.58	3.05	3.91	4.13	
24	4.21	4.22	4.59	3.67	4.02	5.15	3.76	4.20	3.54	3.77	3.95	4.20	
25	3.64	4.22	4.44	3.14	4.31	4.83	3.61	4.06	3.14	3.85	3.95	4.05	
26	4.20	4.27	4.12	3.58	4.11	4.59	4.11	3.74	2.98	3.76	3.94	3.77	
27	4.42	4.33	3.30	3.44	4.36	5.87	4.07	3.90	3.17	3.87	3.54	4.15	
28	4.23	4.38	4.37	3.48	4.39	6.08	4.06	3.29	3.23	3.86	4.21	4.06	
29	3.95	4.16	4.50	3.70	3.78	5.78	4.07	4.16	3.02	3.68	4.22	4.19	
30	3.85	3.36	4.61	3.72	4.26	5.63	4.06	4.36	2.98	3.05		4.03	
31		4.28		3.57	5.29		3.73		2.96	3.67		3.98	
Mean	4.04	4.09	4.43	3.82	3.79	5.73	5.12	3.99	3.42	3.42	3.62	4.04	
Max	4.42	4.70	5.43	4.58	5.29	8.26	6.58	4.36	4.25	4.07	4.22	4.37	8.26
Min	3.36	3.21	3.30	3.11	3.07	4.59	3.61	3.29	2.96	2.69	2.99	3.33	2.69
Annual Max Momentary Gage Height	8.30 M (A.D.) , at 09.00 hours, on Sep 2, 1995												
Zero Gage at Bottom Elevation	0.00 M (A.D.) , River Bed -0.14 m (A.D.)												
Left Bank Elevation	13.03 M (A.D.)												
Right Bank Elevation	9.83 M (A.D.) M (A.D.) , Drainage Area 10,603 Square Kilometers												

RID Computer Center
 Station - Ban Wang Yen, Muang, Kanchanaburi, (K.37)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-J:
 LQS/I
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HC7 f

Water Year - 1996

Gage Height in Meter (AD.), Water Year April 1, 1996 to March 31, 1996

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	3.92	3.99	4.33	3.77	5.30	5.51	12.41	5.87	4.75	3.45	4.24	4.01	
2	3.17	3.84	4.58	4.08	5.43	5.11	12.95	5.70	4.51	3.25	4.18	3.92	
3	4.20	3.38	4.53	4.18	5.33	5.25	11.52	5.50	3.74	3.17	3.74	3.86	
4	4.26	3.99	4.45	4.33	5.11	5.83	9.89	5.79	4.05	3.33	3.39	3.79	
5	4.17	4.06	4.27	4.36	4.83	6.17	8.19	5.55	4.41	3.72	3.96	4.05	
6	3.96	3.38	4.19	4.46	4.42	6.44	7.36	5.64	4.57	3.63	4.02	4.03	
7	4.10	3.03	4.30	4.35	4.84	6.91	6.82	5.63	3.74	3.15	4.11	4.09	
8	3.60	3.32	4.46	3.74	5.02	6.42	6.51	5.59	4.51	3.74	3.97	4.13	
9	3.35	3.84	4.46	3.56	5.31	6.47	7.16	5.66	4.51	3.53	3.43	4.05	
10	3.87	3.86	4.45	4.06	5.52	6.40	7.13	5.58	4.13	3.58	3.39	3.87	
11	4.11	3.94	3.30	4.24	5.54	6.62	6.79	5.21	4.15	3.62	3.32	3.70	
12	3.97	3.97	3.62	4.10	5.35	5.73	6.28	4.77	4.15	3.50	3.98	4.06	
13	4.02	3.52	4.24	4.00	4.45	5.69	6.03	5.21	4.27	3.35	4.13	4.02	
14	3.52	3.29	4.43	3.88	4.01	5.61	5.81	5.23	4.25	3.35	4.01	3.98	
15	3.45	4.06	4.40	3.51	4.88	5.68	5.58	5.50	4.17	3.51	4.23	4.08	
16	3.50	4.19	4.23	3.54	5.16	6.23	5.83	5.38	3.91	3.41	3.98	4.25	
17	4.04	4.15	4.02	4.15	5.30	6.21	5.76	5.05	3.41	3.42	3.68	4.03	
18	4.22	3.67	3.61	4.24	5.16	6.15	5.64	4.41	3.99	3.75	3.56	4.04	
19	4.28	4.05	4.33	4.22	5.11	6.29	5.60	4.22	3.77	3.74	3.82	4.18	
20	4.30	3.59	4.49	4.24	4.26	6.47	5.36	4.36	3.74	3.56	3.84	4.12	
21	4.32	3.55	4.46	4.28	4.75	6.52	4.90	4.30	3.84	3.29	3.93	4.24	
22	3.88	3.95	4.48	3.80	4.94	6.44	4.93	4.21	3.75	3.83	3.85	4.15	
23	3.91	4.08	4.53	3.40	4.93	6.03	5.37	4.65	3.30	3.75	3.65	4.28	
24	3.99	4.02	4.39	3.69	4.92	5.62	5.23	4.63	3.13	3.67	3.84	4.18	
25	4.21	4.04	3.90	3.66	4.82	5.58	4.55	4.12	3.25	3.87	3.63	3.67	
26	4.07	4.20	4.47	4.90	4.84	5.49	5.07	3.80	3.35	3.89	3.89	4.18	
27	4.16	4.04	4.56	7.06	4.56	5.95	5.27	4.44	3.36	3.56	4.10	4.08	
28	4.08	3.88	4.56	8.93	5.06	5.96	4.92	4.79	3.29	3.20	4.00	4.10	
29	3.52	4.19	4.50	10.27	5.40	6.58	4.46	4.86	3.33	3.55		3.98	
30	3.35	4.15	4.30	8.87	5.44	8.93	4.98	4.80	3.44	3.60		4.08	
31		4.05		6.46	5.54		5.44		3.27	3.53		4.13	
Mean	3.92	3.85	4.29	4.72	5.02	6.14	6.57	5.02	3.87	3.53	3.85	4.04	
Max	4.32	4.20	4.58	10.27	5.54	8.93	12.95	5.87	4.75	3.89	4.24	4.28	12.95
Min	3.17	3.03	3.30	3.40	4.01	5.11	4.46	3.80	3.13	3.15	3.32	3.67	3.03
Annual Max Momentary Gage Height	13.12 M (AD.), at 22.00 hours, on Oct 1, 1996												
Zero Gage at Bottom Elevation	0.00 M (AD.), River Bed -0.67 m (AD.)												
Left Bank Elevation	6.78 M (AD.)												
Right Bank Elevation	7.94 M (AD.) M (AD.), Drainage Area 10,603 Square Kilometers												

RTD Computer Center
 Station - Ban Wang Yen, Muang, Kanchanaburi, (K.37)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-J
 LQS/l
 Royal Irrigation De
 Thailand
 Hydrology Division
 Rating Curve HYD.7

Water Year - 1997

Gage Height in Meter (AD.), Water Year April 1, 1997 to March 31, 1997

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	3.63	4.34	3.90	3.23	6.75	6.25	5.96	4.71	3.98	3.53	4.21	4.36	
2	4.13	4.37	3.83	3.71	7.91	6.44	6.07	4.55	3.88	3.21	4.04	4.24	
3	4.00	3.54	3.33	3.80	8.14	6.68	5.92	3.85	4.23	3.19	3.37	3.85	
4	4.04	4.13	4.29	3.87	8.18	6.61	5.77	3.50	4.29	3.63	4.23	4.42	
5	4.01	4.58	4.46	3.74	8.50	6.68	6.12	7.57	4.19	4.02	4.49	4.50	
6	4.03	3.94	4.42	3.67	8.92	6.59	6.03	9.16	4.18	3.47	4.44	4.50	
7	4.03	4.23	4.40	3.47	8.94	6.51	6.39	6.59	3.40	4.02	4.33	4.51	
8	3.71	4.60	4.29	3.23	8.74	6.48	6.05	5.63	3.51	4.06	3.96	4.50	
9	4.02	4.65	3.66	3.82	8.38	6.15	5.88	5.12	3.82	4.06	3.34	4.35	
10	4.21	4.79	3.18	3.76	8.07	5.89	5.61	4.31	4.12	4.24	3.09	3.99	
11	4.27	4.42	4.15	3.64	7.87	5.92	5.44	4.23	4.15	4.21	3.99	4.55	
12	4.29	3.91	4.10	3.64	7.74	5.88	5.22	4.33	4.05	4.11	4.22	4.61	
13	4.25	3.67	4.06	3.67	7.59	5.98	5.21	4.64	4.12	4.14	3.78	4.57	
14	3.76	4.35	4.22	3.36	7.54	5.87	5.93	4.64	4.13	4.15	4.27	4.62	
15	3.54	4.38	4.41	3.31	7.50	5.89	5.58	4.65	4.10	4.20	4.34	4.56	
16	3.62	4.45	3.83	3.96	7.43	5.80	5.65	4.50	3.95	4.20	4.30	4.46	
17	4.12	4.37	4.20	4.01	7.45	5.77	5.71	4.08	4.40	4.13	3.73	4.08	
18	4.15	4.16	4.21	4.24	7.68	5.46	5.27	3.73	4.49	4.09	4.50	4.58	
19	4.17	3.76	4.26	4.00	8.16	5.38	5.18	4.35	4.49	4.17	4.54	4.64	
20	4.22	3.25	4.03	3.98	8.27	5.42	5.15	4.30	4.60	3.58	4.54	4.74	
21	4.22	3.49	4.10	4.13	8.23	5.36	5.07	4.15	4.60	4.27	4.55	4.79	
22	4.06	3.27	4.16	3.85	8.07	5.71	5.13	4.14	4.37	4.34	4.48	4.83	
23	4.26	3.82	3.39	4.37	8.00	5.74	5.22	4.11	3.54	4.09	4.24	4.74	
24	4.40	3.93	3.81	5.22	7.79	6.53	5.11	3.59	4.26	4.40	4.05	4.45	
25	4.08	4.03	4.12	4.73	6.98	6.61	4.56	3.60	4.55	4.47	4.46	4.70	
26	4.06	4.43	4.15	4.80	6.38	6.39	4.98	4.14	4.64	4.35	4.42	4.94	
27	4.03	3.84	3.98	5.33	6.23	6.27	4.99	3.99	4.66	3.55	4.46	5.00	
28	3.74	3.90	4.05	5.01	6.23	6.24	4.76	4.10	4.55	4.19	4.37	4.96	
29	3.71	3.90	3.89	5.24	6.19	6.23	5.15	4.26	4.20	4.14		4.90	
30	4.14	3.96	3.65	5.87	6.14	5.79	5.02	4.24	3.48	4.37		4.78	
31		3.88		5.91	6.20		4.92		3.77	4.21		4.26	

Mean	4.03	4.08	4.02	4.15	7.62	6.08	5.45	4.63	4.15	4.03	4.17	4.55	
Max	4.40	4.79	4.46	5.91	8.94	6.68	6.39	9.16	4.66	4.47	4.55	5.00	9.16
Min	3.54	3.25	3.18	3.23	6.14	5.36	4.56	3.50	3.40	3.19	3.09	3.85	3.09
Annual Max Momentary Gage Height	9.77 M (AD.) , at 06.00 hours, on Nov 6, 1997												
Zero Gage at Bottom Elevation	0.00 M (AD.) , River Bed -0.67 m (AD.)												
Left Bank Elevation	6.79 M (AD.)												
Right Bank Elevation	7.94 M (AD.) M (AD.) , Drainage Area 10,603 Square Kilometers												

RID Computer Center
 Station - Ban Wang Yen, Muang, Kanchanaburi, (K.37)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-J
 LQS/
 Royal Irrigation D
 Thailand
 Hydrology Division
 Rating Curve HYD.

Water Year - 1998

Gage Height in Meter (MSL.), Water Year April 1, 1998 to March 31, 1998

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	24.52	24.91	23.93	24.22	24.24	23.54	23.95	23.32	23.21	23.06	23.17	23.22	
2	24.29	24.70	23.63	24.20	23.89	23.57	24.81	23.62	23.34	23.03	22.98	23.03	
3	24.36	24.37	24.25	23.73	23.31	23.68	24.36	23.57	23.27	23.04	23.46	23.15	
4	24.52	24.83	24.22	23.85	22.94	23.43	24.25	24.24	23.26	23.04	23.33	23.41	
5	24.65	24.73	23.98	23.80	23.46	23.44	23.71	23.98	23.30	23.10	23.33	23.36	
6	24.66	24.69	24.12	23.10	24.04	23.53	23.48	23.68	23.17	23.27	23.33	23.37	
7	23.27	24.60	24.18	23.10	24.07	23.21	26.41	23.62	23.04	23.30	23.34	23.34	
8	24.02	24.40	23.78	24.20	23.98	22.93	26.04	23.49	23.06	23.28	23.13	23.28	
9	24.19	24.40	23.02	24.26	23.88	23.48	25.73	23.24	23.05	23.30	22.99	23.21	
10	24.22	24.51	23.95	24.00	23.35	23.51	25.39	23.05	23.12	23.27	23.15	23.41	
11	24.22	24.55	24.20	23.14	23.18	23.53	24.83	23.59	23.16	23.17	23.22	23.48	
12	24.24	24.42	24.30	24.08	23.97	23.62	25.35	23.57	23.06	23.01	23.20	23.52	
13	24.39	24.56	24.31	23.57	23.94	23.46	26.26	23.60	23.07	23.33	23.23	23.54	
14	24.31	24.47	24.38	23.17	23.72	23.55	25.69	23.64	23.06	23.36	23.16	23.47	
15	23.54	24.27	24.24	24.00	24.33	23.47	25.18	23.62	23.02	23.33	23.09	23.30	
16	23.06	24.59	23.85	23.95	24.33	23.97	24.44	23.43	23.02	23.33	22.90	23.23	
17	23.85	24.61	24.39	24.05	24.05	24.02	24.37	23.23	22.96	23.30	23.20	23.46	
18	24.53	24.58	24.47	23.96	23.54	23.99	24.42	23.52	23.02	23.21	23.00	23.53	
19	24.56	24.64	24.46	23.81	24.24	23.96	23.85	23.59	22.94	23.08	22.97	23.59	
20	24.68	24.61	24.59	23.23	24.22	23.65	24.65	23.50	22.94	23.38	23.31	23.59	
21	24.59	24.62	24.44	22.91	24.24	24.10	24.21	23.53	22.86	23.20	23.36	23.48	
22	24.73	24.19	23.98	24.28	24.19	23.84	23.84	23.37	22.85	23.20	23.31	23.37	
23	24.56	24.46	24.43	23.86	24.08	24.23	23.57	23.28	23.00	23.13	23.29	23.15	
24	24.55	24.60	24.44	23.91	23.66	24.20	23.37	23.20	22.92	23.24	23.35	23.43	
25	24.77	24.42	24.36	23.93	23.45	24.67	23.22	23.52	22.95	23.04	23.36	23.37	
26	24.84	24.18	24.31	23.76	24.04	24.52	23.15	23.41	23.12	22.88	23.40	23.36	
27	24.84	24.49	24.24	22.95	24.33	24.65	23.05	23.46	23.07	23.25	23.37	23.36	
28	24.71	24.35	24.07	22.84	24.22	24.31	23.01	23.44	22.90	23.17	23.38	23.35	
29	24.86	24.40	23.45	23.91	24.20	23.84	22.97	23.44	22.84	23.21		23.19	
30	24.97	24.44	22.96	24.20	24.23	24.03	22.92	23.31	22.91	23.23		23.02	
31		24.10		24.33	23.69		22.89		23.01	23.25		23.33	
Mean	24.38	24.51	24.10	23.75	23.90	23.80	24.30	23.50	23.05	23.19	23.23	23.35	
Max	24.97	24.91	24.59	24.33	24.33	24.67	26.41	24.24	23.34	23.38	23.46	23.59	26.41
Min	23.06	24.10	22.96	22.84	22.94	22.93	22.89	23.05	22.84	22.88	22.90	23.02	22.84
Annual Max Momentary Gage Height	27.90 M (MSL.) , at 18.00 hours, on Oct 7, 1998												
Zero Gage at Bottom Elevation	19.84 M (MSL.) , River Bed 19.96 m (MSL.)												
Left Bank Elevation	27.59 M (MSL.)												
Right Bank Elevation	29.24 M (MSL.) M (MSL.) , Drainage Area 10,603 Square Kilometers												

RID Computer Center
 Station - Ban Wang Yen, Muang, Kanchanaburi, (K.37)
 Stream - Khwae Noi
 River - Mae Klong
 River System - Mae Klong

30-J
 LQS/
 Royal Irrigation C
 Thailand
 Hydrology Division
 Rating Curve HYD.

Water Year - 1999

Gage Height in Meter (MSL.), Water Year April 1, 1999 to March 31, 1999

Date	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Annual
1	23.33	24.82	22.89	23.27	23.98	23.61	24.10	25.72	23.79	23.42	23.32	24.07	
2	23.36	24.93	22.93	23.31	23.70	23.73	24.02	25.98	23.95	23.33	23.65	24.18	
3	23.38	24.28	23.01	23.29	23.95	23.90	24.04	27.03	23.65	23.35	23.62	24.20	
4	23.33	23.74	23.04	23.21	24.74	23.93	24.08	26.77	23.62	23.38	23.58	24.21	
5	23.15	23.77	23.03	22.95	25.45	23.91	24.40	26.34	23.53	23.49	23.56	24.15	
6	23.01	23.59	23.07	22.91	25.42	23.75	24.51	25.73	23.46	23.66	23.51	23.92	
7	23.30	23.30	22.98	23.23	25.59	23.74	24.37	25.16	23.33	23.78	23.27	23.75	
8	23.11	23.38	22.95	23.23	25.56	24.03	24.42	24.70	23.57	23.52	23.25	24.18	
9	23.43	23.47	23.03	23.15	25.63	24.05	24.35	24.40	23.67	23.28	23.68	24.24	
10	23.37	23.33	23.12	23.19	25.05	24.05	24.10	24.21	23.66	23.18	23.84	24.26	
11	23.32	23.24	23.55	23.14	24.87	24.04	23.78	24.05	23.60	23.32	23.82	24.19	
12	23.53	23.36	23.83	22.92	24.71	24.12	23.65	24.18	23.45	23.52	23.77	24.18	
13	23.51	23.38	23.71	22.86	24.51	23.93	24.06	24.04	23.33	23.46	23.76	23.94	
14	23.39	23.42	23.52	22.98	24.43	23.80	24.14	24.15	23.29	23.33	23.61	23.54	
15	23.39	23.40	23.43	23.08	24.64	24.16	24.65	23.95	23.54	23.42	23.48	24.08	
16	23.44	23.31	23.43	23.28	24.67	24.19	25.10	23.87	23.49	23.44	23.91	24.20	
17	23.40	23.27	23.35	23.27	24.51	24.30	25.05	24.08	23.46	23.30	24.00	24.23	
18	23.34	23.21	23.31	23.31	24.71	24.52	25.32	24.09	23.52	23.25	24.07	24.27	
19	23.22	23.17	23.20	23.17	24.65	24.43	25.60	24.02	23.57	23.46	24.09	24.21	
20	23.22	23.23	23.27	23.17	24.68	24.05	25.44	23.97	23.29	23.53	24.00	23.98	
21	23.29	23.26	23.16	23.34	24.58	23.88	24.88	23.92	23.14	23.52	23.77	23.76	
22	23.30	23.51	23.03	23.28	24.51	24.11	24.60	23.69	23.32	23.53	23.59	24.18	
23	23.31	23.41	23.20	23.30	24.14	24.14	24.33	23.63	23.40	23.50	24.01	24.23	
24	23.28	23.23	23.27	23.30	23.93	24.35	24.04	23.85	23.42	23.38	24.07	24.25	
25	23.19	23.16	23.20	23.21	24.26	24.38	23.63	23.90	23.44	23.25	24.11	24.21	
26	23.14	23.11	23.20	23.12	24.11	24.37	25.34	23.91	23.44	23.50	24.10	24.18	
27	23.07	23.08	23.23	23.41	23.92	24.08	27.98	23.98	23.28	23.58	24.04	23.98	
28	23.47	23.02	23.06	24.45	23.95	23.83	26.60	24.07	23.24	23.50	23.83	23.83	
29	23.57	22.99	23.04	24.44	23.80	24.46	26.22	23.68	23.34	23.51	23.68	23.91	
30	24.21	22.96	23.25	24.10	23.34	24.40	26.17	23.52	23.38	23.46		24.16	
31		22.92		24.12	23.22		26.20		23.35	23.46		24.16	
Mean	23.35	23.43	23.21	23.32	24.49	24.07	24.81	24.49	23.47	23.44	23.76	24.09	
Max	24.21	24.93	23.83	24.45	25.63	24.52	27.98	27.03	23.95	23.78	24.11	24.27	27.98
Min	23.01	22.92	22.89	22.86	23.22	23.61	23.63	23.52	23.14	23.18	23.25	23.54	22.86
Annual Max Momentary Gage Height	28.59 M (MSL.), at 06.00 hours, on Oct 27, 1999												
Zero Gage at Bottom Elevation	19.84 M (MSL.), River Bed 19.17 m (MSL.)												
Left Bank Elevation	26.63 M (MSL.)												
Right Bank Elevation	27.78 M (MSL.) M (MSL.), Drainage Area 10,603 Square Kilometers												