


LAND SIDE


SEA SIDE

Sect 141




Existing Elevation (m)	-10.2	-10.1	-10.1	-10.1	-10.1	-10.1	-10.3	-10.1	-10.1	-10.0	-10.0	-10.0	-10.0		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 142



Existing Elevation (m)	-10.0	-10.1	-10.0	-10.0	-10.0	-10.0	-10.0	-10.0	-10.0	-9.8	-9.8	-9.8	-9.8		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150




Sect 143



Existing Elevation (m)	-10.0	-10.0	-9.9	-9.9	-10.0	-9.9	-9.9	-9.9	-9.9	-9.8	-9.9	-9.8	-9.8		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Legend:



----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	 JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	 COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	 NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
					CHECKED BY :				SUB-SECTION : OUTER CHANNEL	SCALE : H.: 1:2000 V.: 1:2000	
									APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL 141,142,143	DRAWING NO. : DR-02-017

LAND SIDE



Sect 144

SEA SIDE





Existing Elevation (m)	-9.9	-9.8	-9.8	-9.8	-9.8	-9.8	-9.8	-9.8	-9.8	-9.9	-9.7	-9.8	-9.8
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 145



Existing Elevation (m)	-9.7	-9.0	-9.7	-9.8	-9.8	-9.7	-9.7	-9.7	-9.8	-9.6	-9.7	-9.7	-9.6
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 146



Existing Elevation (m)	-9.7	-9.7	-9.6	-9.6	-9.6	-9.7	-9.6	-9.6	-9.6	-9.6	-9.5	-9.6	-9.5
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5




Legend:
 - - - - - Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :	SUB-SECTION : OUTER CHANNEL	SCALE : H.: 1:2000
								APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL 144,145,146	V.: 1:2000
										DRAWING NO. : DR-02-01B

LAND SIDE




Sect 147

SEA SIDE






Existing Elevation (m)	-9.6	-9.7	-9.6	-9.6	-9.7	-9.6	-9.7	-9.7	-9.6	-9.6	-9.6	-9.6	-9.6		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 148



Existing Elevation (m)	-9.6	-9.6	-9.6	-9.7	-9.6	-9.6	-9.6	-9.6	-9.6	-9.6	-9.6	-9.6	-9.6		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 149



Existing Elevation (m)	-9.6	-9.6	-9.6	-9.6	-9.6	-9.6	-9.7	-9.7	-9.6	-9.6	-9.6	-9.7	-9.7		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150


Legend:
 - - - - - Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	<p>JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)</p>	<p>NIPPON KOEI CO., LTD.</p>	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :	SUB-SECTION : OUTER CHANNEL	SCALE : H.:1:2000 V.:1:2000
								APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL 147,148,149	DRAWING NO: DR-02-019

LAND SIDE


SEA SIDE

Sect 150




Existing Elevation (m)	-9.7	-9.8	-9.7	-9.7	-9.7	-9.8	-9.8	-9.7	-9.8	-9.8	-9.7	-9.9	-9.7		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 151






Existing Elevation (m)	-9.7	-9.8	-9.7	-9.8	-9.7	-9.8	-9.8	-9.8	-9.9	-9.8	-9.8	-9.8	-9.8		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 152



Existing Elevation (m)	-9.7	-9.8	-9.8	-9.9	-9.9	-9.8	-9.8	-9.8	-9.8	-9.8	-9.9	-9.8	-9.9		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150



Legend:
 - - - - - Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	 JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)  COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR  NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
					CHECKED BY :			SUB-SECTION : OUTER CHANNEL	SCALE : H.:1:2000	
					APPROVED BY :			TITLE : CROSS SECTIONS OF OUTER CHANNEL 150,151,152	V.:1:2000	
									DRAWING NO: DR-02-020	

LAND SIDE



SEA SIDE

Sect 153





Existing Elevation (m)	-9.9	-9.8	-9.8	-9.5	-9.9	-9.7	-9.9	-9.8	-9.6	-9.8	-9.8	-9.9	-9.9
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 154



Existing Elevation (m)	-9.8	-9.8	-9.8	-9.7	-9.7	-9.8	-9.8	-9.8	-9.7	-9.8	-9.9	-9.8	-9.8
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 155



Existing Elevation (m)	-9.7	-9.8	-9.8	-9.8	-9.9	-9.7	-9.8	-9.7	-9.8	-9.8	-9.8	-9.8	-9.8
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Legend:


--- Existing Elevation
 ——— Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :	SUB-SECTION : OUTER CHANNEL	SCALE : H.:1:2000 V.:1:2000
								APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL 153,154,155	DRAWING NO. : DR-02-021


LAND SIDE

Sect 156


SEA SIDE



Sect 157



Sect 158





Legend:
 - - - - - Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
					CHECKED BY :			SUB-SECTION : OUTER CHANNEL	SCALE : H.: 1:2000 V.: 1:2000	
					APPROVED BY :			TITLE : CROSS SECTIONS OF OUTER CHANNEL 156,157,158	DRAWING NO.: DR-02-022	

LAND SIDE



Sect 159

SEA SIDE





Existing Elevation (m)	-10.1	-10.1	-10.0	-10.3	-10.3	-10.3	-10.3	-10.2	-10.3	-10.1	-10.2	-10.1	-10.3		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 160



Existing Elevation (m)	-10.1	-10.1	-10.3	-10.3	-10.3	-10.1	-10.1	-10.2	-10.2	-10.1	-10.1	-10.2	-10.2		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 161



Existing Elevation (m)	-10.1	-10.1	-10.0	-10.0	-10.2	-10.2	-10.2	-10.3	-10.3	-10.2	-10.1	-10.3	-10.3		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Legend:




----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :		
								APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL 159,160,161	DRAWING NO: DR-02-023

LAND SIDE




Sect 162

SEA SIDE






Existing Elevation (m)	-10.2	-10.3	-10.2	-10.2	-10.2	-10.3	-10.2	-10.2	-10.3	-10.2	-10.3	-10.3	-10.3		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 163



Existing Elevation (m)	-10.3	-10.3	-10.3	-10.3	-10.3	-10.5	-10.3	-10.3	-10.3	-10.4	-10.4	-10.4	-10.3		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 164



Existing Elevation (m)	-10.3	-10.4	-10.5	-10.5	-10.4	-10.4	-10.3	-10.5	-10.4	-10.4	-10.5	-10.5	-10.5		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150



Legend:
 - - - - - Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :		
								APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL	SCALE : H.:1:2000 V.:1:2000
									162,163,164	DRAWING NO: DR-02-024

LAND SIDE



SEA SIDE

Sect 165





Existing Elevation (m)	-10.4	-10.4	-10.5	-10.5	-10.6	-10.5	-10.5	-10.6	-10.5	-10.6	-10.6	-10.6	-10.6
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	25	0.00	25	53.5	68.5	78.5	103.5

Sect 166



Existing Elevation (m)	-10.5	-10.3	-10.3	-10.4	-10.4	-10.4	-10.3	-10.3	-10.4	-10.5	-10.6	-10.5	-10.7
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	25	0.00	25	53.5	68.5	78.5	103.5

Sect 167



Existing Elevation (m)	-10.5	-10.5	-10.4	-10.5	-10.5	-10.5	-10.6	-10.7	-10.6	-10.6	-10.7	-10.7	-10.6
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	25	0.00	25	53.5	68.5	78.5	103.5

Legend:



--- Existing Elevation
 — Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :		
								APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL 165,166,167	SCALE : H.: 1:2000 V.: 1:2000
										DRAWING NO: DR-02-025

LAND SIDE



Sect 168

SEA SIDE





Existing Elevation (m)	-10.5	-10.4	-10.4	-10.5	-10.5	-10.5	-10.5	-10.6	-10.7	-10.6	-10.5	-10.7	-10.7
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 169



Existing Elevation (m)	-10.6	-10.6	-10.6	-10.6	-10.5	-10.6	-10.5	-10.5	-10.4	-10.5	-10.6	-10.7	-10.8
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 170



Existing Elevation (m)	-10.6	-10.6	-10.7	-10.7	-10.7	-10.8	-10.7	-10.8	-10.0	-10.8	-10.8	-10.8	-10.8
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Legend:



----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JICA JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY:	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
									CHECKED BY:	SUB-SECTION : OUTER CHANNEL	SCALE : H.: 1:2000 V.: 1:2000
									APPROVED BY:	TITLE : CROSS SECTIONS OF OUTER CHANNEL 168,169,170	DRAWING NO.: DR-02-026

LAND SIDE



SEA SIDE

Sect 171





Existing Elevation (m)	-10.6	-10.7	-10.7	-10.8	-10.9	-10.8	-10.9	-10.9	-10.9	-10.9	-10.9	-10.9	-10.8		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 172



Existing Elevation (m)	-10.9	-11.0	-11.0	-10.9	-10.9	-11.0	-10.9	-11.0	-11.1	-11.1	-11.3	-11.2	-11.3		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 173



Existing Elevation (m)	-11.0	-11.0	-11.1	-11.1	-11.2	-11.0	-11.1	-11.2	-11.1	-11.2	-11.1	-11.1	-11.3		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150


Legend:
 - - - - - Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	 JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	 COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	 NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION :	DREDGING AND RECLAMATION WORK OUTER CHANNEL CROSS SECTIONS OF OUTER CHANNEL 171,172,173	DATE :
					CHECKED BY :				OCTOBER/2002			
									APPROVED BY :	SCALE :		
										H.: 1:2000		
										V.: 1:2000		
										DRAWING NO. :		
										DR-02-027		

LAND SIDE


SEA SIDE

Sect 174




Existing Elevation (m)	-11.0	-10.9	-11.0	-11.1	-11.1	-11.0	-11.5	-11.0	-11.0	-11.0	-11.0	-11.3	-11.3
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 175



Existing Elevation (m)	-11.1	-11.1	-11.1	-11.1	-11.2	-11.1	-11.2	-11.0	-11.2	-11.2	-11.2	-11.2	-11.3
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 176



Existing Elevation (m)	-11.1	-11.1	-11.2	-11.1	-11.3	-11.3	-11.3	-11.3	-11.3	-11.3	-11.3	-11.4	-11.4
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Legend:



----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JICA JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION :	DATE :
					CHECKED BY :			SUB-SECTION :		
					APPROVED BY :			TITLE :		
								DREDGING AND RECLAMATION WORK OUTER CHANNEL CROSS SECTIONS OF OUTER CHANNEL 174,175,176		OCTOBER/2002 SCALE : H.:1:2000 V.:1:2000 DRAWING NO: DR-02-028

LAND SIDE



SEA SIDE

Sect 177





Existing Elevation (m)	-11.3	-11.4	-11.4	-11.4	-11.3	-11.3	-11.3	-11.3	-11.2	-11.2	-11.4	-11.5	-11.5
Dredging Elevation (m)		-2.00	-7.00	-14.00-14.50	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10 15 28.5	25	0.00	25	28.5	15 10	25	21.5	25	
Cum. Distance (m)	-150	-125	103.5	78.5-68.5-53.5	-25	0.00	25	53.5	68.5 78.5	103.5	125	150	

Sect 178



Existing Elevation (m)	-11.4	-11.4	-11.4	-11.5	-11.5	-11.5	-11.5	-11.5	-11.6	-11.6	-11.6	-11.6	-11.6
Dredging Elevation (m)		-2.00	-7.00	-14.00-14.50	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10 15 28.5	25	0.00	25	28.5	15 10	25	21.5	25	
Cum. Distance (m)	-150	-125	103.5	78.5-68.5-53.5	-25	0.00	25	53.5	68.5 78.5	103.5	125	150	

Sect 179



Existing Elevation (m)	-11.5	-11.5	-11.5	-11.5	-11.4	-11.7	-11.6	-11.6	-11.7	-11.6	-11.6	-11.7	-11.6
Dredging Elevation (m)		-2.00	-7.00	-14.00-14.50	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10 15 28.5	25	0.00	25	28.5	15 10	25	21.5	25	
Cum. Distance (m)	-150	-125	103.5	78.5-68.5-53.5	-25	0.00	25	53.5	68.5 78.5	103.5	125	150	

Legend:

----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK SUB-SECTION : OUTER CHANNEL TITLE : CROSS SECTIONS OF OUTER CHANNEL 177,178,179	DATE : OCTOBER/2002
					CHECKED BY :			SCALE : H.:1:2000 V.:1:2000		
					APPROVED BY :	DRAWING NO: DR-02-029				

LAND SIDE

Sect 180

SEA SIDE

0
-5
-10
-15
-20
-25
-30
-35
-40

0
-5
-10
-15
-20
-25
-30
-35
-40

Existing Elevation (m)	-11.5	-11.5	-11.6	-11.4	-11.8	-11.8	-11.6	-11.7	-11.7	-11.8	-11.7	-11.7	-11.7
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 181

0
-5
-10
-15
-20
-25
-30
-35
-40

0
-5
-10
-15
-20
-25
-30
-35
-40

Existing Elevation (m)	-11.6	-11.7	-11.8	-11.8	-11.7	-11.6	-11.7	-11.8	-11.9	-11.9	-11.8	-11.8	-11.8
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 182




0
-5
-10
-15
-20
-25
-30
-35
-40

0
-5
-10
-15
-20
-25
-30
-35
-40

Existing Elevation (m)	-11.8	-11.8	-11.9	-11.9	-12.0	-11.9	-11.9	-11.9	-12.0	-11.8	-11.8	-12.1	-12.0
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Legend:



----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	 JICA JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	 CEPA COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	 NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK SUB-SECTION : OUTER CHANNEL TITLE : CROSS SECTIONS OF OUTER CHANNEL 180,181,182	DATE :
									CHECKED BY :		SCALE : H.: 1:2000 V.: 1:2000
							APPROVED BY :	DRAWING NO: DR-02-030			

LAND SIDE



Sect 183

SEA SIDE





Existing Elevation (m)	-11.6	-11.0	-11.8	-11.9	-11.8	-11.7	-11.9	-11.9	-11.8	-11.8	-11.9	-12.0	-12.1		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 184



Existing Elevation (m)	-12.0	-11.8	-11.9	-11.9	-12.0	-12.0	-12.0	-11.9	-12.1	-12.1	-11.9	-11.9	-12.1		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 185



Existing Elevation (m)	-11.9	-11.9	-11.8	-11.9	-11.9	-12.0	-12.1	-12.1	-12.1	-12.1	-12.1	-12.1	-12.1		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00				
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Legend:

--- Existing Elevation
 ——— Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION :	DATE :
								CHECKED BY :	SUB-SECTION :	OCTOBER/2002
								APPROVED BY :	TITLE :	SCALE : H.:1:2000 V.:1:2000
									DREDGING AND RECLAMATION WORK OUTER CHANNEL CROSS SECTIONS OF OUTER CHANNEL 183,184,185	DRAWING NO: DR-02-031

LAND SIDE

Sect 186

SEA SIDE

0
-5
-10
-15
-20
-25
-30
-35
-40

0
-5
-10
-15
-20
-25
-30
-35
-40

Existing Elevation (m)	-11.9	-11.9	-11.9	-12.0	-13.0	-12.9	-12.0	-12.0	-12.0	-12.1	-12.1	-12.2	-12.2
Dredging Elevation (m)		-2.00	-7.00	-14.00-14.50	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10 15 28.5	25	0.00	25	28.5	15 10	25	21.5	25	
Cum. Distance (m)	-150	-125	103.5	78.5-68.5-53.5	-25	0.00	25	53.5	68.5 78.5	103.5	125	150	

Sect 187

0
-5
-10
-15
-20
-25
-30
-35
-40

0
-5
-10
-15
-20
-25
-30
-35
-40

Existing Elevation (m)	-12.0	-12.1	-12.1	-12.1	-12.1	-12.1	-12.2	-12.4	-12.3	-12.3	-12.3	-12.3	-12.2
Dredging Elevation (m)		-2.00	-7.00	-14.00-14.50	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10 15 28.5	25	0.00	25	28.5	15 10	25	21.5	25	
Cum. Distance (m)	-150	-125	103.5	78.5-68.5-53.5	-25	0.00	25	53.5	68.5 78.5	103.5	125	150	




Sect 188

0
-5
-10
-15
-20
-25
-30
-35
-40

0
-5
-10
-15
-20
-25
-30
-35
-40

Existing Elevation (m)	-12.0	-12.0	-12.1	-12.2	-12.2	-12.2	-12.3	-12.3	-12.2	-12.2	-12.2	-12.3	-12.3
Dredging Elevation (m)		-2.00	-7.00	-14.00-14.50	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10 15 28.5	25	0.00	25	28.5	15 10	25	21.5	25	
Cum. Distance (m)	-150	-125	103.5	78.5-68.5-53.5	-25	0.00	25	53.5	68.5 78.5	103.5	125	150	



Legend:
 - - - - - Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	 JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	 COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	 NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION :	DATE :
					CHECKED BY :				DREDGING AND RECLAMATION WORK OUTER CHANNEL	OCTOBER/2002	
					APPROVED BY :	TITLE :	SCALE :				
							H.:1:2000				
							V.:1:2000				
							DRAWING NO. DR-02-032				

LAND SIDE



Sect 189

SEA SIDE





Existing Elevation (m)	-12.4	-12.3	-12.3	-12.4	-12.3	-12.3	-12.3	-12.3	-12.4	-12.4	-12.4	-12.4	-12.3		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 190



Existing Elevation (m)	-12.3	-12.3	-12.3	-12.4	-12.5	-12.5	-12.5	-12.5	-12.5	-12.5	-12.5	-12.5	-12.5		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 191



Existing Elevation (m)	-12.4	-12.4	-12.4	-12.5	-12.5	-12.5	-12.3	-12.5	-12.5	-12.5	-12.5	-12.5	-12.5		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150



Legend:
 - - - - - Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :	SUB-SECTION : OUTER CHANNEL	SCALE : H.: 1:2000
								APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL 189,190,191	V.: 1:2000
										DRAWING NO.: DR-02-033

LAND SIDE



Sect 192

SEA SIDE





Existing Elevation (m)	-12.4	-12.6	-12.6	-12.6	-12.6	-12.6	-12.5	-12.6	-12.6	-12.6	-12.4	-12.6	-12.6
Dredging Elevation (m)		-2.00	-7.00	-14.00-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00	
Distance (m)	25	21.5	25	10 15 28.5	25	0.00	25	28.5 15 10	25	21.5	25		
Cum. Distance (m)	-150	-125	103.5	78.5-68.5-53.5	-25	0.00	25	53.5 68.5 78.5	103.5	125	150		

Sect 193



Existing Elevation (m)	-12.5	-12.5	-12.5	-12.6	-12.7	-12.7	-12.7	-12.7	-12.7	-12.7	-12.7	-12.7	-12.7
Dredging Elevation (m)		-2.00	-7.00	-14.00-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00	
Distance (m)	25	21.5	25	10 15 28.5	25	0.00	25	28.5 15 10	25	21.5	25		
Cum. Distance (m)	-150	-125	103.5	78.5-68.5-53.5	-25	0.00	25	53.5 68.5 78.5	103.5	125	150		

Sect 194



Existing Elevation (m)	-12.5	-12.6	-12.6	-12.6	-12.7	-12.7	-12.6	-12.7	-12.7	-12.7	-12.8	-12.8	-12.8
Dredging Elevation (m)		-2.00	-7.00	-14.00-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00	
Distance (m)	25	21.5	25	10 15 28.5	25	0.00	25	28.5 15 10	25	21.5	25		
Cum. Distance (m)	-150	-125	103.5	78.5-68.5-53.5	-25	0.00	25	53.5 68.5 78.5	103.5	125	150		

Legend:



----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK SUB-SECTION : OUTER CHANNEL TITLE : CROSS SECTIONS OF OUTER CHANNEL 192,193,194	DATE : OCTOBER/2002
					CHECKED BY :			SCALE : H.:1:2000 V.:1:2000		
					APPROVED BY :			DRAWING NO. : DR-02-034		

LAND SIDE



Sect 195

SEA SIDE





Existing Elevation (m)	-12.7	-12.7	-12.8	-12.7	-12.7	-12.8	-12.8	-12.8	-12.8	-12.8	-12.9	-12.9	-12.9
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 196



Existing Elevation (m)	-12.7	-12.7	-12.8	-12.8	-12.8	-12.8	-12.8	-12.8	-12.8	-12.8	-12.8	-12.9	-12.9
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 197



Existing Elevation (m)	-12.7	-12.8	-12.8	-12.8	-12.8	-12.9	-12.9	-13.0	-12.9	-12.9	-12.9	-12.9	-13.0
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Legend:



--- Existing Elevation
 - - - - - Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK SUB-SECTION : OUTER CHANNEL TITLE : CROSS SECTIONS OF OUTER CHANNEL 195,196,197	DATE :
					CHECKED BY :			SCALE : H.: 1:2000 V.: 1:2000		
					APPROVED BY :	DRAWING NO. : DR-02-035				

LAND SIDE



SEA SIDE

Sect 198





Existing Elevation (m)	-12.9	-12.9	-12.9	-12.9	-13.0	-12.9	-12.9	-13.0	-13.0	-12.9	-12.9	-13.0	-13.0		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00				
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 199



Existing Elevation (m)	-12.9	-13.0	-13.8	-13.8	-13.0	-13.1	-13.0	-13.1	-13.3	-13.1	-13.1	-13.1	-13.1		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00				
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 200



Existing Elevation (m)	-13.1	-13.1	-13.1	-13.1	-13.1	-13.1	-13.1	-13.3	-13.3	-13.3	-13.2	-13.3	-13.1		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00				
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Legend:



----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK SUB-SECTION : OUTER CHANNEL TITLE : CROSS SECTIONS OF OUTER CHANNEL 198,199,200	DATE : OCTOBER/2002
					CHECKED BY :			SCALE : H.: 1:2000		
					APPROVED BY :			V.: 1:2000		
									DRAWING NO: DR-02-036	

LAND SIDE



Sect 201

SEA SIDE





Existing Elevation (m)	-13.2	-13.2	-13.1	-13.2	-13.2	-13.2	-13.2	-13.3	-13.3	-13.3	-13.2	-13.3	-13.3
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 202



Existing Elevation (m)	-13.2	-13.2	-13.2	-13.2	-13.2	-13.1	-13.2	-13.3	-13.3	-13.3	-13.2	-13.3	-13.3
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 203



Existing Elevation (m)	-13.3	-13.4	-13.3	-13.3	-13.3	-13.3	-13.3	-13.4	-13.5	-13.4	-13.4	-13.4	-13.4
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Legend:



----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :		
								APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL 201,202,203	SCALE : H.:1:2000 V.:1:2000
										DRAWING NO: DR-02-037

LAND SIDE



Sect 204

SEA SIDE





Existing Elevation (m)	-13.4	-13.4	-13.4	-13.4	-13.3	-13.4	-13.5	-13.5	-13.5	-13.5	-13.5	-13.5	-13.5		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 205



Existing Elevation (m)	-13.5	-13.5	-13.6	-13.5	-13.5	-13.5	-13.5	-13.5	-13.4	-13.4	-13.5	-13.5	-13.5		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 206



Existing Elevation (m)	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.6	-13.7	-13.6	-13.6	-13.7	-13.7	-13.7		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00			
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150



Legend:
 - - - - - Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :		
								APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL	SCALE : H.:1:2000
									204,205,206	V.:1:2000
										DRAWING NO: DR-02-038

LAND SIDE



Sect 207

SEA SIDE





Existing Elevation (m)	-13.7	-13.7	-13.7	-13.7	-13.7	-13.7	-13.7	-13.7	-13.9	-13.9	-13.7	-13.8	-13.7		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 208



Existing Elevation (m)	-13.8	-13.8	-13.8	-13.8	-13.8	-13.8	-13.8	-13.8	-13.8	-13.9	-13.8	-13.9	-13.9		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 209



Existing Elevation (m)	-13.7	-13.8	-13.8	-13.8	-13.8	-13.8	-13.8	-13.8	-13.9	-13.9	-13.9	-13.9	-14.0		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	-68.5	-53.5	-25	0.00	25	53.5	68.5	78.5	103.5	125	150

Legend:



----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION :	DATE :
								CHECKED BY :	SUB-SECTION :	OCTOBER/2002
								APPROVED BY :	TITLE :	SCALE : H.: 1:2000 V.: 1:2000
								DREDGING AND RECLAMATION WORK OUTER CHANNEL CROSS SECTIONS OF OUTER CHANNEL 207,208,209		DRAWING NO: DR-02-039

LAND SIDE



Sect 210

SEA SIDE





Existing Elevation (m)	-13.9	-14.0	-14.0	-14.0	-14.0	-13.9	-13.9	-13.9	-13.9	-13.9	-14.0	-14.0	-13.9		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 211



Existing Elevation (m)	-14.0	-14.0	-14.0	-14.0	-14.2	-14.1	-14.1	-14.1	-14.1	-14.1	-14.1	-14.1	-14.1		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	25	0.00	25	53.5	68.5	78.5	103.5	125	150

Sect 212



Existing Elevation (m)	-14.1	-14.3	-14.2	-14.2	-14.2	-14.2	-14.2	-14.2	-14.3	-14.2	-14.2	-14.2	-14.3		
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00		-7.00	-2.00		
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25	21.5	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	25	0.00	25	53.5	68.5	78.5	103.5	125	150

Legend:



----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :	SUB-SECTION : OUTER CHANNEL	SCALE : H.:1:2000 V.:1:2000
								APPROVED BY :	TITLE : CROSS SECTIONS OF OUTER CHANNEL 210,211,212	DRAWING NO: DR-02-040

LAND SIDE



SEA SIDE

Sect 213





Existing Elevation (m)	-14.2	-14.3	-14.3	-14.2	-14.2	-14.3	-14.2	-14.2	-14.3	-14.3	-14.2	-14.2	-14.2
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 214



Existing Elevation (m)	-14.2	-14.3	-14.2	-14.2	-14.3	-14.2	-14.3	-14.2	-14.3	-14.3	-14.4	-14.3	-14.4
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Sect 215



Existing Elevation (m)	-14.3	-14.4	-14.4	-14.4	-14.5	-14.4	-14.5	-14.5	-14.5	-14.5	-14.5	-14.5	-14.4
Dredging Elevation (m)		-2.00	-7.00	-14.00	-14.50	-14.50	-14.50	-14.50	-14.50	-14.00	-7.00	-2.00	
Distance (m)	25	21.5	25	10	15	28.5	25	0.00	25	28.5	15	10	25
Cum. Distance (m)	-150	-125	103.5	78.5	68.5	53.5	-25	0.00	25	53.5	68.5	78.5	103.5

Legend:

----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK SUB-SECTION : OUTER CHANNEL TITLE : CROSS SECTIONS OF OUTER CHANNEL 213,214,215	DATE : OCTOBER/2002
								CHECKED BY :		SCALE : H.:1:2000 V.:1:2000
							APPROVED BY :	DRAWING NO: DR-02-041		

LAND SIDE

Sect 0

SEA SIDE

0
-5
-10
-15
-20

0
-5
-10
-15
-20

Existing Elevation (m)																				
Dredging Elevation (m)																				
Distance (m)	25	25	25	25	25	25	25	25	25	50	25	25	0.00	25	25	20.5	25	25	25	25
Cum. Distance (m)	-300	-275	-250	-225	-200	-175	-150	-125	-100	-70	-50	-25	0.00	25	50	70	100	125	150	175

Sect T-1

0
-5
-10
-15
-20

0
-5
-10
-15
-20

Existing Elevation (m)																				
Dredging Elevation (m)																				
Distance (m)	25	25	25	25	25	25	25	25	25	25	25	25	0.00	25	25	20.5	25	25	25	25
Cum. Distance (m)	-300	-275	-250	-225	-200	-175	-150	-127.37	-100	-75	-50	-25	0.00	25	50	70	100	125	150	175

Sect T-2




0
-5
-10
-15
-20

0
-5
-10
-15
-20

Existing Elevation (m)																				
Dredging Elevation (m)																				
Distance (m)	25	25	25	25	25	25	25	25	25	25	25	25	0.00	25	25	20.5	25	25	25	25
Cum. Distance (m)	-300	-275	-250	-225	-200	-185.47	-150	-125	-100	-75	-50	-25	0.00	25	50	70	100	125	150	175

Legend:

----- Existing Elevation
 _____ Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	 JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	 COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	 NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION :	DATE :
											CHECKED BY :
									APPROVED BY :	TITLE :	SCALE :
										CROSS SECTIONS OF TURNING BASIN (0,T-1,T-2)	H.: 1:250 V.: 1:250
											DRAWING NO. : DR-03-001

LAND SIDE

Sect T-3

SEA SIDE



Existing Elevation (m)						-11.2	-11.1	-10.6	-10.7	-10.3	-10.2	-9.8	-9.5	-9.2	-9.0	-8.8	8.6	8.6	8.4	8.5	8.5			
Dredging Elevation (m)						-11.1	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-8.0			
Distance (m)	25	25	25	25	25	19	25	25	25	25	25	25	25	25	25	25	0.00	25	25	20.5	25	25	25	
Cum. Distance (m)	-400	-375	-350	-325	-300	-275	-244	-225	-200	-175	-150	-125	-100	-75	-50	-25	0.00	25	50	70	100	125	150	175

Sect T-4



Existing Elevation (m)						-11.4	-11.5	-11.3	-11.2	-11.1	-11.1	-10.8	-10.6	-10.3	-10.0	-9.7	-9.4	-9.1	-8.8	8.7	8.4	8.4	8.4	8.5	9.0	
Dredging Elevation (m)						-11.4	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-8.0		
Distance (m)	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	0.00	25	25	20.5	25	25	25
Cum. Distance (m)	-400	-375	-350	-325	-300.94	-275	-250	-225	-200	-175	-150	-125	-100	-75	-50	-25	0.00	25	50	70	100	125	150	175		

Sect T-5






Existing Elevation (m)						-11.4	-11.4	-11.4	-11.4	-11.2	-11.2	-10.9	-10.6	-10.3	-9.9	-9.6	-9.4	-9.1	-8.8	-8.6	8.4	8.4	8.4	8.5	8.5	8.5	
Dredging Elevation (m)						-10.8	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	-14.0	8.0		
Distance (m)	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	0.00	25	25	20.5	25	25	25
Cum. Distance (m)	-400	-375	-359	-325	-300	-275	-250	-225	-200	-175	-150	-125	-100	-75	-50	-25	0.00	25	50	70	100	125	150	175			

Legend:

 Existing Elevation
 Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE

 JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)
 COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)

THE DETAILED DESIGN
 ON PORT REACTIVATION PROJECT
 IN LA UNION PROVINCE
 OF THE REPUBLIC OF EL SALVADOR
 NIPPON KOEI CO., LTD.


DESIGNED BY :
 CHECKED BY :
 APPROVED BY :

SECTION : DREDGING AND RECLAMATION WORK
 SUB-SECTION : TURNING BASIN AND PASSENGER BERTH DREDGING
 TITLE : CROSS SECTIONS OF TURNING BASIN (T-3,T-4,T-5)


DATE : OCTOBER/2002
 SCALE : H.: 1:250
 V.: 1:250
 DRAWING NO.: DR-03-002

LAND SIDE


Sect T-9 SEA SIDE



Sect T-10



Sect T-11




Legend:
 - - - - - Existing Elevation
 - - - - - Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY:	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY:	SUB-SECTION : TURNING BASIN AND PASSENGER BERTH DREDGING	SCALE : H.:1:250 V.:1:250
								APPROVED BY:	TITLE : CROSS SECTIONS OF TURNING BASIN (T-9,T-10,T-11)	DRAWING NO: DR-03-004

CROSS SECTION PB-1

SEA SIDE

LAND SIDE




Existing Elevation (m)	-9.08	-9.32	-9.54	-9.74	-9.92	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-9.61	-9.05	-7.40	-6.58	-6.00	-5.47	-4.53	-2.08	-0.85	-0.42	0.00	0.00	
Dredging Elevation (m)																														
Distance (m)	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	
Cum. Distance (m)	225	250	275	300	325	350	375	400	425	450	475	500	525	550	575	600	625	650	675	700	725	750	775	800	825	850	875	900	925	

DISTANCE: 50 MTS.

CROSS SECTION PB-2

SEA SIDE

LAND SIDE




Existing Elevation (m)	-8.92	-9.07	9.25	-9.42	-9.56	-9.75	-9.91	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-9.77	-9.32	-8.65	-7.84	-6.05	-5.37	-4.98	-4.28	-2.87	-1.39	-0.75	-0.20	0.00	0.00
Dredging Elevation (m)																															
Distance (m)	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	
Cum. Distance (m)	200	225	250	275	300	325	350	375	400	425	450	475	500	525	550	575	600	625	650	675	700	725	750	775	800	825	850	875	900	925	950

DISTANCE: 50 MTS.

CROSS SECTION PB-3

SEA SIDE

LAND SIDE



Existing Elevation (m)	-8.81	-8.92	-9.07	-9.24	-9.40	-9.57	-9.73	-9.89	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-10.00	-9.81	-9.28	-8.58	-7.69	-6.87	-4.99	-4.61	-4.20	-3.38	-1.82	-1.29	-0.67	0.00	0.00	
Dredging Elevation (m)																																
Distance (m)	27	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25		
Cum. Distance (m)	177	200	225	250	275	300	325	350	375	400	425	450	475	500	525	550	575	600	625	650	675	700	725	750	775	800	825	850	875	900	923	950

Legend:
 Existing Elevation
 Dredging Elevation


REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :	SUB-SECTION : TURNING BASIN AND PASSENGER BERTH DREDGING	SCALE : H= 1:4000 V= 1:500
								APPROVED BY :	TITLE : CROSS SECTIONS OF PASSENGER TURNING BASIN (PB-1,PB-2,PB-3)	DRAWING NO: DR-03-007

DISTANCE: 50 MTS.

CROSS SECTION PB-4

SEA SIDE

LAND SIDE




DISTANCE: 50 MTS.

CROSS SECTION PB-5

SIDE SIDE

LAND SIDE




DISTANCE: 50 MTS.

CROSS SECTION PB-6

SEA SIDE


LAND SIDE




Legend:
 — Existing Elevation
 — Dredging Elevation

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	JICA JAPAN INTERNATIONAL COOPERATION AGENCY (JICA) COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	THE DETAILED DESIGN ON PORT REACTIVATION PROJECT IN LA UNION PROVINCE OF THE REPUBLIC OF EL SALVADOR NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :	SUB-SECTION : TURNING BASIN AND PASSENGER BERTH DREDGING	SCALE : H= 1:4000 V= 1:500
								APPROVED BY :	TITLE : CROSS SECTIONS OF PASSENGER TURNING BASIN (PB-4,PB-5,PB-6)	DRAWING NO. : DR-03-008


DISTANCE: 28.78m



DISTANCE: 25m



DISTANCE: 25m



- LEGEND:
- EXISTING ELEVATION LINE
 - - - RECLAMATION LINE (+4.50)
 - FINISH ELEVATION
 - SEE SHEET: PV-00-003
 - EXCAVATION LINE

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE

JICA
JAPAN INTERNATIONAL
COOPERATION AGENCY
(JICA)

Cepa
COMISION EJECUTIVA
PORTUARIA AUTONOMA
(CEPA)

THE DETAILED DESIGN
ON PORT REACTIVATION PROJECT
IN LA UNION PROVINCE
OF THE REPUBLIC OF EL SALVADOR


NK NIPPON KOEI CO., LTD.

DESIGNED BY :
CHECKED BY :
APPROVED BY :


SECTION : DREDGING AND RECLAMATION WORK
SUB-SECTION : RECLAMATION AND EXCAVATION
TITLE : CROSS SECTIONS OF
RECLAMATION AND EXCAVATION
(-4, -3, -2)

DATE : OCTOBER/2002
SCALE : H= 1:4000
V= 1:1000
DRAWING NO: DR-04-001


DISTANCE: 25m



DISTANCE: 25m




DISTANCE: 25m




- LEGEND:
- EXISTING ELEVATION LINE
 - RECLAMATION LINE (+4.50)
 - FINISH ELEVATION
 - SEE SHEET: PV-00-003
 - EXCAVATION LINE

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	 JICA JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	 CEPA COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	 NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
									CHECKED BY :	SUB-SECTION : RECLAMATION AND EXCAVATION	SCALE : H= 1:4000 V= 1:1000
									APPROVED BY :	TITLE : CROSS SECTIONS OF RECLAMATION AND EXCAVATION (-1,0,1)	DR-WING NO: DR-04-002


DISTANCE: 25m



DISTANCE: 25m



DISTANCE: 25m



- LEGEND:
- EXISTING ELEVATION LINE
 - - - RECLAMATION LINE (+4.50)
 - FINISH ELEVATION
 - SEE SHEET: PV-00-003
 - EXCAVATION LINE

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE

JICA
JAPAN INTERNATIONAL
COOPERATION AGENCY
(JICA)

Cepa
COMISION EJECUTIVA
PORTUARIA AUTONOMA
(CEPA)

THE DETAILED DESIGN
ON PORT REACTIVATION PROJECT
IN LA UNION PROVINCE
OF THE REPUBLIC OF EL SALVADOR

NK NIPPON KOEI CO., LTD.


DESIGNED BY :
CHECKED BY :
APPROVED BY :

SECTION : DREDGING AND RECLAMATION WORK
SUB-SECTION : RECLAMATION AND EXCAVATION
TITLE : CROSS SECTIONS OF
RECLAMATION AND EXCAVATION
(2,3,4)

DATE : OCTOBER/2002
SCALE : H= 1:4000
V= 1:1000
DRAWING NO: DR-04-003


DISTANCE: 25m

CROSS SECTION (5)




DISTANCE: 25m

CROSS SECTION (6)



DISTANCE: 25m

CROSS SECTION (7)




- LEGEND:
- EXISTING ELEVATION LINE
 - - - - RECLAMATION LINE (+4.50)
 - FINISH ELEVATION
 - SEE SHEET: PV-00-003
 - EXCAVATION LINE

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	 JICA JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	 CEPA COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	 NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
									CHECKED BY :	SUB-SECTION : RECLAMATION AND EXCAVATION	SCALE : H= 1:4000 V= 1:1000
									APPROVED BY :	TITLE : CROSS SECTIONS OF RECLAMATION AND EXCAVATION (5,6,7)	DRAWING NO. : DR-04-004


CROSS SECTION (8)

DISTANCE: 25m




CROSS SECTION (9)

DISTANCE: 25m



CROSS SECTION (10)

DISTANCE: 25m



- LEGEND:
- EXISTING ELEVATION LINE
 - RECLAMATION LINE (+4.50)
 - FINISH ELEVATION
 - SEE SHEET: PV-00-003
 - EXCAVATION LINE

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE

JICA
JAPAN INTERNATIONAL
COOPERATION AGENCY
(JICA)

Cepa
COMISION EJECUTIVA
PORTUARIA AUTONOMA
(CEPA)

THE DETAILED DESIGN
ON PORT REACTIVATION PROJECT
IN LA UNION PROVINCE
OF THE REPUBLIC OF EL SALVADOR

NIPON KOEI CO., LTD.


DESIGNED BY :
CHECKED BY :
APPROVED BY :

SECTION : DREDGING AND RECLAMATION WORK
SUB-SECTION : RECLAMATION AND EXCAVATION
TITLE : CROSS SECTIONS OF
RECLAMATION AND EXCAVATION
(8,9,10)

DATE : OCTOBER/2002
SCALE : H= 1:4000
V= 1:1000
DRAWING NO: DR-04-005


CROSS SECTION (11)

DISTANCE: 25m




CROSS SECTION (12)

DISTANCE: 25m



CROSS SECTION (13)

DISTANCE: 25m




- LEGEND:
- EXISTING ELEVATION LINE
 - RECLAMATION LINE (+4.50)
 - FINISH ELEVATION
 - SEE SHEET: PV-00-003
 - EXCAVATION LINE

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE	 JICA JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	 CPA COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	 NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
									CHECKED BY :	SUB-SECTION : RECLAMATION AND EXCAVATION	SCALE : H= 1:4000 V= 1:1000
									APPROVED BY :	TITLE : CROSS SECTIONS OF RECLAMATION AND EXCAVATION (11,12,13)	DRAWING NO: DR-04-006


CROSS SECTION (14)

DISTANCE: 25m




CROSS SECTION (15)

DISTANCE: 25m



CROSS SECTION (16)

DISTANCE: 25m



- LEGEND:
- EXISTING ELEVATION LINE
 - - - RECLAMATION LINE (+4.50)
 - FINISH ELEVATION
 - SEE SHEET: PV-00-003
 - EXCAVATION LINE

REV. NO.		DATE		COORDINATE		BY		APPROVED		DATE		 JICA JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	 CEPA COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)	 NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION :	DATE :
															CHECKED BY :	SUB-SECTION :	OCTOBER/2002
												APPROVED BY :	TITLE :	SCALE :			
														DR-04-007			


THE DETAILED DESIGN
ON PORT REACTIVATION PROJECT
IN LA UNION PROVINCE
OF THE REPUBLIC OF EL SALVADOR

SECTION : DREDGING AND RECLAMATION WORK
SUB-SECTION : RECLAMATION AND EXCAVATION
TITLE : CROSS SECTIONS OF RECLAMATION AND EXCAVATION (14,15,16)

SCALE : H= 1:4000
V= 1:1000


DISTANCE: 25m

CROSS SECTION (17)




DISTANCE: 25m

CROSS SECTION (18)



DISTANCE: 25m

CROSS SECTION (19)




- LEGEND:
- EXISTING ELEVATION LINE
 - RECLAMATION LINE (+4.50)
 - FINISH ELEVATION
 - SEE SHEET: PV-00-003
 - EXCAVATION LINE

REV. NO:	DATE	COORDINATE	BY	APPROVED	DATE	<p>JICA JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)</p> <p>COMISION EJECUTIVA PORTUARIA AUTONOMA (CEPA)</p>	<p>NIPPON KOEI CO., LTD.</p>	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK	DATE : OCTOBER/2002
								CHECKED BY :	SUB-SECTION : RECLAMATION AND EXCAVATION	SCALE : H= 1:4000 V= 1:1000
								APPROVED BY :	TITLE : CROSS SECTIONS OF RECLAMATION AND EXCAVATION (17,18,19)	DRAWING NO: DR-04-008


DISTANCE: 25m

CROSS SECTION (20)




DISTANCE: 25m

CROSS SECTION (21)



DISTANCE: 25m

CROSS SECTION (22)



LEGEND:

- EXISTING ELEVATION LINE
- RECLAMATION LINE (+4.50)
- FINISH ELEVATION
- SEE SHEET: PV-00-003
- EXCAVATION LINE

REV. NO.	DATE	COORDINATE	BY	APPROVED	DATE

JICA
 JAPAN INTERNATIONAL
 COOPERATION AGENCY
 (JICA)

Cepa
 COMISION EJECUTIVA
 PORTUARIA AUTONOMA
 (CEPA)

THE DETAILED DESIGN
 ON PORT REACTIVATION PROJECT
 IN LA UNION PROVINCE
 OF THE REPUBLIC OF EL SALVADOR


NKC
 NIPPON KOEI CO., LTD.

DESIGNED BY :
 CHECKED BY :
 APPROVED BY :

SECTION : DREDGING AND RECLAMATION WORK
 SUB-SECTION : RECLAMATION AND EXCAVATION
 TITLE : CROSS SECTIONS OF
 RECLAMATION AND EXCAVATION
 (20,21,22)

DATE : OCTOBER/2002
 SCALE : H= 1:4000
 V= 1:1000
 DRAWING NO.: DR-04-009

DISTANCE: 10m



- LEGEND:
- EXISTING ELEVATION LINE
 - RECLAMATION LINE (+4.50)
 - FINISH ELEVATION
 - SEE SHEET: PV-00-003
 - EXCAVATION LINE

REV. NO.		DATE		COORDINATE		BY		APPROVED		DATE		 JICA JAPAN INTERNATIONAL COOPERATION AGENCY (JICA)	 COMISION EJECUTIVA PORTUARLA AUTONOMA (CEPA)	 NIPPON KOEI CO., LTD.	DESIGNED BY :	SECTION : DREDGING AND RECLAMATION WORK SUB-SECTION : RECLAMATION AND EXCAVATION TITLE : CROSS SECTION OF RECLAMATION AND EXCAVATION (22')	DATE :	OCTOBER/2002
															SCALE :		H= 1:4000 V= 1:1000	
												DRAWING NO.:	DR-04-010					