# **BILL OF QUANTITIES**

# **SUMMARY OF BILL OF QUANTITIES**

# **UPGRADING INTER-URBAN HIGHWAY SYSTEM** ALONG THE PAN-PHILIPPINE HIGHWAY PROJECT

# **PLARIDEL BYPASS** (STA. 39 + 625.00 - STA. 47 + 400.00)**CONTRACT PACKAGE NO. II**

PART ITEM	DESCRIPTION	AMOUNT	PERCENT WEIGHT
PART A	FACILITIES FOR THE ENGINEER		
PART C	EARTHWORKS	·	
PART D	SUBBASE AND BASE COURSE		
PART E	SURFACE COURSE		
PART F	BRIDGE CONSTRUCTION		!
PART G	DRAINAGE AND SLOPE PROTECTION STRUCTURES		
PART H	MISCELLANEOUS STRUCTURES		
1	SUB-TOTAL (PART A TO H)		
PART J	MOBILIZATION and DEMOBILIZATION		
PART K	PROVISIONAL SUM	,	
2	SUB-TOTAL (PART J & K)		
	GRAND TOTAL (1 + 2)		

Note: Bidder must fill up this Summary of the Bill of Quantities Dated this \_\_\_\_\_ day of \_\_\_\_\_ Printed Name:\_\_\_ In the capacity of :\_\_\_\_\_ Duly authorized to sign for and in behalf of:\_\_\_\_\_\_

### **BILL OF QUANTITIES**

PART A FACILITIES FOR THE ENGINEER

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
A(1)a	Facilities for the Engineer (Provision of Combined Field Office, Laboratory Bldg. and Engr's. Quarter (Pesos	Lump Sum	1.00		
	and Centavos per Lump Sum)		. ]	;	
A(1)b	Facilities for the Engineer (Maintenance of Field Office, Lab Bldg. & Engr's Qtr. (Pesos	Mo.	28.00		
	and Centavos per month)			:	
A(1)c	Facilities for the Engineer (Provision of Furnitures and Fixtures for the Field Office/Laboratory Bldg.and Engr's Quarter) (Pesos	Lump Sum	1.00		
	and Centavos per lump sum)			·	
A(1)d	Facilities for the Engineer (Provision of Equipment and Appliances for the Field Office, Laboratory Bldg.and Engr's.) Quarter) (Pesos	Lump Sum	1.00		
	and Centavos per lump sum)				
A(1)e	Facilities for the Engineer (Provision of Office Supplies and Consumable Stores (Pesos	Мо.	28.00		
	and Centavos per month)			,	
		Sub-tota	l for this Page		

(Centavos per month)				
		Sub-tota	al for this Page	
lote: Bidder must fill up this section of the	Bill of Quantities			 
ated this	day of		-	 20
ignature:				 
rinted Name:				 <del>.</del>
the capacity of :		·.		
uly authorized to sign for and in behalf of:				 
30/2002				

**BILL OF QUANTITIES** 

PART A

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
A(1)f	Facilities for the Engineer (Provide/Operate / Maintain Communication Equipments for the Engineer) (Pesos	Мо	28.00		
A(2)a	and	veh-mo	28.00		
	(Operation and Maintenance included) (Pesosand				
A(2)b	and Centavos per vehicle month)  Facilities for the Engineer (Rental of two (2) service vehicles - wagon (Operation and Maintenance included)	veh-ma	56.00		
	and Centavos per vehicle month)				
A(2)c	Facilities for the Engineer (Rental of three (3) service vehicles-pick - ups, (Operation and Maintenance included) (Pesos	veh-mo	84.00		
	and Centavos per vehicle month)				
	Facilities for the Engineer (Provision of Testing Equipments, Apparatus and Publications) (Pesos	lump sum	1.00		
	and Centavos per lump sum)				
		Sub-tota	I for this Page		

		Sub-total for this Page	
Note: Bidder must fill up this section	n of the Bill of Quantities		
Dated this	day of		
Signature:			·
Printed Name:	·		
n the capacity of :			
Ouly authorized to sign for and in behalf of:		<u> </u>	
	•		

### **BILL OF QUANTITIES**

PART A

·					FACILITIE	S FOR THE ENGINEER
PAY ITEM NO.	DESCRIPTION		UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
A(4)	Facilities for the Engineer (Progress Photographs) (Pesos		each	1,300.00		
		!		ī ·		
·			:		i	
			Sub-tota	l for this Page		
				FOR PART A		
Note: Bidder	must fill up this section of the Bill of Quantities					
Dated this	day of					20
Signature:					·	
Printed Name:	·	<del></del>	<del></del>			·
In the capacity of	· :		· <u> </u>			

Duty authorized to sign for and in behalf of:\_

### **BILL OF QUANTITIES**

PART C

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
100(1)	Clearing and Grubbing (Pesos	ha.	26.00		
	and Centavos per hectare)				•
	Individual Removal of Trees, Small (150mm to 900mm diameter) (Pesos	each	125.00		
	and Centavos each)				
100(4)	Individual Removal of Trees, Large (Over 900mm diameter) (Pesos	each	15.00		
	and Centavos each)		ļ Ē		
101(1)	Removal of Existing Structures and Obstruction (Pesos	l.s.	1.00		
i	and Centavos per lump sum)		<u> </u> 		
101(3)a	Removal of Existing PCC Pavement (Pesos	sq.m.	2,294.00		
	and Centavos per square meter)		:		
102(1)	Unsuitable Excavation (Pesos	cu.m.	73,418.00		
	and Centavos per cubic meter)				
		Sub-tota	al for this Page		

Dated this	day of	 20
Signature:		<u> </u>
Printed Name:		
In the capacity of :		 

#### **BILL OF QUANTITIES**

PART C

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
	Structure Excavation (Pesos	cu.m.	1,741.00		
- I	and Centavos per cubic meter) ,				
	Bridge Excavation, Common, Above O.W.L. (Pesosand	cu.m.	1,774.00		
	Centavos per cubic meter)				
	Bridge Excavation, Common Below O.W.L. (Pesos	cu.m.	180.00	·	
	and Centavos per cubic meter)			·	
	Gravel Foundation Fill (Pesos	cu.m.	181.00		
	and			:	
103(6)	Centavos per cubic meter)  Pipe Culverts and Drain Excavation (Pesos	cu.m.	5,977.00		
	and				
103(7)	Centavos per cublo meter)  Granular Backfill for Pipe Culvert (Pesos	cu.m.	3,253.00		
	and Centavos per cubic meter)				
	Embankment (From Roadway Excavation) (Pesos	cu.m.	2,731.00		
	and Centavos per cubic meter)				
		0,4,4,4	l for this Page	<u></u>	

# **BILL OF QUANTITIES**

PART C

					EARTHWORKS
PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
104(3)a	Embankment (From Borrow Excavation) (Pesos	cu.m.	460,767.00		
·	and Centavos per cubic meter)				·
104(3)b	Embankment (from Borrow Excavation for Bridges) (Selected Granular Materials) (Pesos	cu.m.	3,680.00		
 	and Centavos per cubic meter)		i		
105(1)	Subgrade Preparation (Common Materials) (Pesos	sq.m.	4,406.00		
·	andCentavos per square meter)		į		
	·				
<b> </b> 					
			:		
		Sub-tota	l for this Page		
		TOTAL	FOR PART C		
	der must fill up this section of the Bill of Quantities			20	
Signature:					
Printed Name					
In the capacity	y of :				
Duly authorize	ed to sign for and in behalf of:				<u></u> .

lcp10/30/2002]

#### **BILL OF QUANTITIES**

PART D

	SUBBASE AND BASE COUR				SE AND BASE COURSE
PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
200(1)	Aggregate Subbase Course (Pesos	cu.m.	10,134.00		
	andCentavos per cubic meter)				
201(1)	Aggregate Base Course (Pesos	cu.m.	10,536.00		
	and Centavos per cubic meter)				
			:		
			÷		
			:		
ŕ					
		Sub-tota	l for this Page		
Note: Bidder	must fill up this section of the Bill of Quantities	TOTAL	FOR PART D		
	·			_	20
Signature:					
Printed Name:					
In the capacity of :	<del></del>				<u>.</u>

Duly authorized to sign for and in behalf of:\_

### **BILL OF QUANTITIES**

PART E

	<del></del>		<del></del>		SURFACE COURSE
PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
300(1)	Gravel Surface Course (Pesos	cu.m.	6,815.00		
	and Centavos per cubic meter)				
311(1)a	PCC Pavement (Plain, 280mm Thick) (Pesos	sq.m.	56,205.00		
	and Centavos per square meter)				
311(1)c	PCC Pavement (Plain, 230mm Thick) (Pesos	sq.m.	4,025.00		
	and Centavos per square meter)				
311(2)	PCC Pavement (Reinforced, 300mm Thick) (Pesos	sq.m.	1,145.00		
	and Centavos per square meter)				
				·	
		Sub-tota	l for this Page		
Note: Pidde	must fill up this section of the Bill of Quantities	TOTAL	FOR PART E		
	must till up this section of the Bill of Quantities			20	)
Signature:					
Printed Name:			<u> </u>		<del></del>
In the capacity of	·				· ·
Duk authorizad ta	a cian for and in habalf of				

#### **BILL OF QUANTITIES**

PART F

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUN (Pesos)
400(4)a	Precast Concrete Piles, Furnished (400mm x 400mm) (Pesos	l.m.	985.00		
	and Centavos per linear meter)				
400(4)b	Precast Concrete Piles, Furnished (450mm x 450mm) (Pesos	l.m.	3,645.00		
	and Centavos per linear meter)				
400(13)a	Precast Concrete Piles, Driven (400mm x 400mm) (Pesos	l.m.	879.00		
·	and Centavos per linear meter)				
400(13)Ь	Precast Concrete Piles, Driven (450mm x 450mm) (Pesos	l.m.	3,243.00		
	and Centavos per linear meter)			ļ	
400(15)a	Test Piles (400mm x 400mm), Furnished & Driven (Pesos	l.m.	55.00		
	and Centavos per linear meter)				
400(15)b	Test Piles (450mm x 450mm), Furnished & Driven (Pesos	l. <b>m</b> .	162.00		
	and Centavos per linear meter)				
<del></del>			<u> </u>		····

Note: Bidder must fill up this section of the Bill of Quantities Dated this\_ \_\_\_\_\_day of \_\_\_\_\_ Signature:\_ Printed Name: In the capacity of :\_\_\_\_ Duly authorized to sign for and in behalf of:\_\_\_\_\_

#### **BILL OF QUANTITIES**

PART F

PAY ITEM NO	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUN (Pesos
400(19)a	Piles Shoes (400mm x 400mm) (Pesos	each	87.00		
	and	, (			
	Centavos each)			•	٠
400(19)b	Piles Shoes (450mm x 450mm) (Pesos	each	331.00		
	and				
	Centavos each)			!	ı
401(1)a	Concrete Railing, Type A (Concrete Post & Precast Beams) (Pesos	l.m.	463.00		
	and				•
	Centavos per linear meter)	1			
404(1)	Reinforcing Steel, Grade 40 (Pesos	kg	253,166.00		
	and			-	
	Centavos per kilogram)				
404(2)	Reinforcing Steel, Grade 60 (Pesos	kg	278,877.00		
	and				
	Centavos per kilogram)				
405(1)a	Structural Concrete, Class "A" (fc' = 21 MPa) (For heavily reinforced structures) (Pesos	cu.m.	1,748.00		
	and	1	<u> </u>		
	Centavos per cubic meter)			i	
405(1)b	Structural Concrete, Class "A" (fc' = 21MPa) (For small & medium bridges substructures) (Pesos	cu.m.	2,270.00		·
	and	1			
	Centavos per cubic meter)	<u> </u>	<u> </u>		
			otal for this Page		

#### **BILL OF QUANTITIES**

PART F

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUN (Pesos)
405(1)c	Structural Concrete, Class "A1" (fc' = 21 MPa) (For small & medium bridges superstructures) (Pesos	cu.m.	222.00		
	Centavos per cubic meter)				
405(1)d	Structural Concrete, Class "A1" (fc' = 21MPa) (For small & medium bridges PCDGsuperstructures) (Pesos	cu.m.	615.00		
	and Centavos per cubic meter)	-			
405(2)	Structural Concrete, Class "B" (fc' = 17 Mpa) (for thinly reinforced structures) (Pesos	cu.m.	1,229.00		
	and Centavos per cubic meter)	1	]		
405(3)	Structural Concrete, Class "C" (fc' = 21 Mpa) (for thinly reinforced structures) (Pesos	cu.m.	159.00		
	and Centavos per cubic meter)				
405(6)	Lean Concrete (fc' = 17 Mpa) (Pesos	cu.m.	314.00		
	and Centavos per cubic meter)				
406(1)c	Prestressed Structural Concrete Member (AASHTO Girder Type IV, L = 24.00m) (Pesos	each	5.00		
	and Centavos each)				
		C.L.	otal for this Page		· · · · · · · · · · · · · · · · · · ·

### **BILL OF QUANTITIES**

PART F

PAY ITEM NO.	DESCRIPTION	TINU	QUANTITY	UNIT PRICE (Pesos)	AMOUN (Pesos)
406(1)e	Prestressed Structural Concrete Member (AASHTO Girder Type IV-B, L = 30.00m) (Pesos	each	10.00		
	and Centavos each)				
406(1)	Prestressed Structural Concrete Member (AASHTO Girder Type V, L = 33.50.00m) (Pesos	each	10.00		
	and				
406(1)j	Prestressed Structural Concrete Member (AASHTO Girder Type VI, L = 35.00m) (Pesos	each	5.00		-
	and Centavos each)			·	
406(1)n	Prestressed Structural Concrete Member (AASHTO Girder Type VI, L = 40.00m) (Pesos	each	5.00		
	and Centavos each)				
407(1)a	Elastomeric Bearing Pad (400mm x 300mm x 50mm, Duro 60) (Pesos	each	10.00		
	and Centavos each)				
407(1)c	Etastomeric Bearing Pad (600mm x 350mm x 50mm, Duro 60) (Pesos	each	60.00		
	and Centavos each)				
		Sub-1	otal for this Page		

### **BILL OF QUANTITIES**

PART F

	7		1	BRIDGI	E CONSTRUCTION
PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
407(2)a	Expansion Joint,_+40mm Movement (Pesos	l.m.	140.00		
	andCentavos per linear meter)				
407(2)g	Expansion Joint, 30mm for Bridge Sidewalk (Pesos	l.m.	23.00		
	and Centavos per linear meter)				<u>.</u>
407(4)	150mm ø G. I. Drain Pipe (Pesos	l.m.	22.00		
	and Centavos per linear meter)				
SPL 420(2)	Re-alignment of River/Stream (Pesos	i.s.	1.00		
	and Centavos per lump sum)			•	
:	:	·		,	
			·		
		Sub-to	otal for this Page		
		TOTA	L FOR PART F		
Note: Bidder m	ust fill up this section of the Bill of Quantities			<del></del>	

PART G

# UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY PROJECT PLARIDEL BYPASS CONTRACT PACKAGE NO. II

BILL OF QUANTITIES

			DRAINAC	GE & SLOPE PROTE	CTION STRUCTUR
PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
500(1)c4	Reinforced Concrete Pipe Culvert (610 mm dia), Class IV (Pesosand	l.m	7.00		
E00(4)=6	Centavos per linear meter)		4 400 00	·	
500(1)c6	Reinforced Concrete Pipe Culvert (910 mm dia.), Class IV (Pesos	l.m	1,139.00		
	and Centavos per linear meter)				
500(1)c7	Reinforced Concrete Pipe Culvert (1070 mm dia.), Class IV (Pesos	l.m	171.00		
500(1)c8	Reinforced Concrete Pipe Culvert (1220 mm dia.), Class IV (Pesos	i.m	105.00		·
500(1)c9	Reinforced Concrete Pipe Culvert (1520 mm dia.), Class IV (Pesos	l.m	80.00		
	and Centavos per linear meter)			·	
502(7)a	Trapezoidal Concrete Lined Ditch (450mm x 500mm) (Pesos	l.m.	590.00		
	and	<b>\</b>	1 '	1	

ted this	day of	20
nature:		
ted Name:		
e capacity of :		

#### **BILL OF QUANTITIES**

PART G

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
502(7)b	Trapezoidal Concrete Lined Ditch (1000mm x 500mm) (Pesos	i.m.	44.00		
504(5)	Grouted Riprap, Class A (Pesos	cu.m.	2,219.00		
	and Centavos per cubic meter)				
506(1)	Hand Laid Rock Embankment (Loose Boulder Apron) (Pesos and Centavos per cubic meter)	cu.m.	586.00		
507(b2)	Steel Sheet Pile, Furnished & Driven (400mm x 85mm x 8mm) (Pesos and Centavos per Linear meter)	l.m.	826.00		
510(1)	Rubble Concrete Slope Protection (Pesos	cu.m.	363.00		
			al for this Page		
t Didd	must fill up this section of the Bill of Quantities	TOTAL	FOR PART G		

# **BILL OF QUANTITIES**

PART H

			T		OUS STRUCTUR
PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
600(3)a	Combination Concrete Curb and Gutter, Type A (Pesos	l.m	1,363.00		
	and				
	Centavos per linear meter)				
602(1)	Right - of - Way Monuments (Concrete) (Pesos	each	562.00		
I	and	ļ			
	Centavos each)				
602(2)	Maintenance Marker Post ( For Drainage Structure) (Pesos	each	112.00		
	and				
	Centavos each)				
602(3)	Kilometer Posts (Pesos	each	8.00		
	andCentavos each)				
603(3)a	Metal Guardrail (Metal Beam), Type A	l.m.	4,263.00		
	(Pesos				·
	and Centavos per linear meter)				
604(1)	Fencing (Barbed Wire) (Pesos	l.m.	580.00		
	and				
	Centavos per linear meter)				
605(1)a	Warning Signs, (Triangular 900 mm) (Pesos	each	19.00		
	and		1		
	Centavos each)	<u></u>	<u> </u>		

<u></u>		 Sub-total ic	r ms rage		_
Note: Bidder must fill up this section of the B.	ill of Quantities				
Dated this	day of	 		20	
Signature:					
Printed Name:					_
In the capacity of :		 			
Duly authorized to sign for and in behalf of:					_

### **BILL OF QUANTITIES**

PART H

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
605(2)b	Regulatory Signs, (Octagonal, 600mm) (Pesos	each	6.00		
	and				
	Centavos each)				
605(2)c	Regulatory Signs, Type R6 -4, (Circular, 600mm) (Pesos	each	22.00		
	and				
	Centavos each)				
605(2)d	Regulatory Signs (Rectangular, 450mm x 750mm ) (Pesos	each	8.00	<u> </u>	
	and				
	Centavos each)				
605(3)c	Informatory Sign, Type B, Double Post (Pesos	each	1.00		
	and				
	Centavos each)				
605(3)d	Informatory Sign, Type C, Double Post (Pesos	each	6.00		
	and				
	Centavos each)				
607(2)b	Reflectorized Pavement Studs (2- Face Reflective) (Pesos	each	140.00		
	and				
	Centavos each)				
			Sub-total for th	nis Page	
Vote: Biddei	must fill up this section of the Bill of Quantities				
Dated this	day of		· · · · · · · · · · · · · · · · · · ·		20
ignature:					
rinted Name:_	··				
the capacity o	i :				
uly authorized t	o sign for and in behalf of:				

**BILL OF QUANTITIES** 

PART H MISCELLANEOUS STRUCTURES AMOUNT **UNIT PRICE** PAY ITEM **DESCRIPTION** TINU QUANTITY NO. (Pesos) (Pesos) 607(3) Chatter Bars (1- Face Reflective) 256.00 each (Pesos and Centavos each) 608(1) 22,122.00 Furnishing and Placing Top Soil cu.m. (Pesos and Centavos per cubic meter) 610 110,609.00 Sodding sq.m. (Pesos and, Centavos per square meter) 611(1)c Trees (Furnishing and Transplanting) 706.00 each (High Tree, 1.5m , H , 3.0m) (Pesos and Centavos each) 612(1)a Reflectorized Thermoplastic Pavement Markings (White) 3,156.00 sq.m. (Pesos and\_ Centavos per square meter) 612(1)b Reflectorized Thermoplastic Pavement Markings (Yellow) 194.00 są.m. (Pesos and Centavos per square meter)

	TOTAL FO	OR PART H
Note: Bidder must fill up this section	of the Bill of Quantities	*
Dated this	day of	20
signature:		
Printed Name:		
the capacity of :		
July authorized to sign for and in behalf of		

#### **BILL OF QUANTITIES**

PART H MISCELLANEOUS STRUCTURES

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
SPL 620(1)a	Traffic Signal Pole, Type A (H = 6.7 m ) (Pesos	each	2.00		
	andCentayos each)				
SPL 620(1)d	Traffic Signal Pole, Type B (ø114.3 x 4.2m) (Pesos	each	8.00		
	and Centavos each)				
SPL 620(1)d	Traffic Signal Pole, Type C (ø 114.3 x 3.4m) (Pesos	each	8.00		
	and Centavos each)	·			·
SPL 620(1)e	Traffic Signal Pole, Type D (ø114.3 x 3.m) (Pesos	each	6.00		
	and Centavos each)				
SPL 620(2)a	Traffic Signal Lamps, Type A (6 Vehicle Lamps) (Pesos	each	7.00		
	andCentavos each)				
SPL 620(2)b	Traffic Signal Lamps, Type B (3 Vehicle Lamps) (Pesos	each	19.00		
	and Centavos each)		-		
SPL 620(2)c	Traffic Signal Lamps, Type C (2 Pedestrian Lamps) (Pesos	each	12.00		
	and Centavos each)				
		Sub-tota	l for this Page		
Note: Biddei	r must fill up this section of the Bill of Quantities				· · · · · · · · · · · · · · · · · · ·
Dated this	day of			20	·
Signature:					
Printed Name:					<del></del>
In the capacity o	f:	<u> </u>			

Duly authorized to sign for and in behalf of:\_

#### **BILL OF QUANTITIES**

PART H

		4			<u> </u>
PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUN' (Pesos)
SPL 620(4)a	Street Lighting Poles (Single Lamp) (Pesos	each	7.00		
	and Centavos each)				
SPL 620(4)b	Street Lighting Poles (Dual Lamp) (Pesos	each	27.00		
	and Centavos each)				
SPL 620(4)d	Street Lighting Service Pole (W/ Panel) (Pesos	each	2.00		
	and Centavos each)				
SPL 620(4)e	Flourescent Lighting for Underpass Culvert (Pesos	each	4.00		
	and Centavos each)				
j					l
					٠.
					. •
<del></del>		Sub-tot	al for this Page		
		TOTAL	FOR PART H		

### **BILL OF QUANTITIES**

PART J
MOBILIZATION AND DEMOBILIZATION

r :	<del></del>				
PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
SPL 800	Mobilization and Demobilization (Pesos	Lump sum	1.00		
			:		
		Sub-tot	al for this Page		
Note: Bidder	must fill up this section of the Bill of Quantities	TOTAL	FOR PART J		<u> </u>
Dated this	day of	·**		2	0
			···		<del></del>
•	sign for and in behalf of:				<del></del>

#### Upgrading inter-urban Highway System along the Pan-Philippine Highway Project Plaridel Bypass Contract Package No. II

### BILL OF QUANTITIES

PART K PROVISIONAL SUM

PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
SPL 900(1)	Provisional Sum No. 1 (For Traffic Management during Construction) (Pesos	Prov'l Sum	1.00		
SPL 900(2)	and	Prov'l Sum	1.00		
SPL 900(3)	and Centavos per provisional sum) Provisional Sum No. 3 (For Geotechnical Investigation) (Pesos	Prov'l Sum	1.00		
SPL 900(4)	and	Prov'l Sum	1.00		
SPL 900(5)	Centavos per provisional sum)  Provisional Sum No. 5  (For Environmental Compliance Requirements)  (Pesos	Prov'i Sum	1.00		
SPL 900(6)	and	Prov1 Sum	1.00		
SPL 900(7)	and	Prov'l Sum	1.00		·
	andCentavos per provisional sum)				
		Sub-tota	al for this Page		
Note: Bidder	must fill up this section of the Bill of Quantities	700 101			
Dated this	day of			·	20
Signature:					
				<u> </u>	
in the capacity of					
Duty authorized to	o sign for and in behalf of:			<del></del>	

### BILL OF QUANTITIES

PART K

					PROVISIONAL SU
PAY ITEM NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (Pesos)	AMOUNT (Pesos)
SPL 900(8)	Provisional Sum No. 8 (For Overseas Development Assistance (ODA) Recognition Plate) (Pesos	Prov'l Sum	1.00		
	and				
	Centavos per provisionat sum)				
SPL 900(9)	Provisional Sum No. 9 (For Contingencies) (Pesos	Prov'l Sum	1.00		
	and				
	Centavos per provisional sum)				
			·		
			:		
	·		ļ ,		e e
				•	
			1		
			!		
		الماريخ	l for this Boso		
	***************************************		of for this Page		······································
Note: Bidder	must fill up this section of the Bill of Quantities	TOTAL FOR	BILL PART K	<u></u>	
Dated this	day of	<del> </del>		·	20
Signature:					
Printed Name:					<del> </del>
In the capacity of	· · · · · · · · · · · · · · · · · · ·				

ANNEX NO. 1 - SCHEDULE/BREAKDOWN OF LUMP SUM PAY ITEMS

LUMP SUM ITEM NO. A(1)a	FACILITIES FOR THE ENGINEER (Combined Field Office and Laboratory Building)								
OMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)				
I.	Earthworks	UNIT	QUANTITI	(FE3U3)	(FESUS)				
"	a. Excavation	:		į					
	Structural Excavation	cu.m.	181.28	Į.					
4	2. Structural Backfill	cu.m.	128.51						
	3. Bedding Materials	cu.m.	59.98						
ľ	4. Soil Poisoning	sq.m.	1,800.00						
	b. Filing Materials	ł	1						
	c. Bedding Materials	1	ì	i					
j	1. 0.10 m thick	cu.m							
II.	Concrete Works								
	a. 3,000 psi or 20.70 Mpa - Class A	cu.m.	16.93	J					
ļ	1. P. Cement	bag		. [					
Į	2. Sand	cu.m.							
	3. Gravel	cu.m.							
	b. 2,500 psi or 17 Mpa - Class B	cu.m.	54.00						
	1. P. Cement	bag							
1	2. Sand	cu.m.	1	1					
	Gravel     Rebars	cu.m.							
	c. Rebars 1. Rebars	kg.	2,584.00						
	d. Formworks	sq.m.	138.16						
		J Oquan	100.74						
10.	Masonry		}	}					
*	a. CHB , 150mm (6")	pcs.	1,566.00						
	b. CHB, 100 mm (4")	pcs.	606.00	· ·					
	c. P. Cement	bags							
ļ	d. Fine Aggregates	Cu.m.	l l						
	e. Coarse Aggregates f. Rebars	kg.	50.60						
	g. Tie Wire # 16	kg.	16.87						
IV.	Scafolding/Formworks								
ļ	d. Lumber Anitone	bd.ft		i					
1	Lumber, Apitong     Nails and Hardwares	bα.π kg.	1	1					
	Nails and narowales     Coco Lumber	bd.ft	]	į					
	4. Plywood 1/4	pcs		]					
٧.	Roof Truss, Frame & Purling								
	Thermal Protection								
	Bu 11 10 00 0			[					
	a. Pre-painted GA 26 Corrugated Roofing,	pcs	Ĭ	<b>\</b>					
	with Aluminum Foil Insulation (Harvi-Foil 427) b. Pre-painted Wall Panel, w/ Insulation	1 000							
	c. Ridge Roll, 24" x 8"	pcs pcs	j	j					
	d. Pre-painted Metal Facia, 24" x 8", Ga. 26	pcs		ļ					
	e. Rivets, Straps and Washers	lot	1						
			Sub-Total for thi	s Page					

	DESCRIPTION								
LUMP SUM ITEM NO. A(1)a	FACILITIES FOR THE ENGINEER (Combined Field Office and Laboratory Building)								
COMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)				
	Ceiling and Wall Panelling								
	-	1		·					
ĺ	a. Gypsum Board Ceiling	pcs		·					
ļ	b. 6.0 mm MDF Wall Panelling c. 1' x 1" x 12' Aluminim T-Runner	pcs	1						
ľ	d. 2" x 2" Nailer (External Only)	pcs bd.ft.							
	e. Misc. (Wire hangers, Screws, Nails)	kg.		1					
	Finishes:								
<b> </b>	o Mind Tiles 200 v 200 v 2 vv								
	a. Vinyl Tiles, 300 x 300 x 3 mm b. Adhesive	pcs. gal.	. [						
	c. Tiles, Unglazed white (100 x 200mm)	pcs.							
ŀ	d. Tiles, Glazed (200 x 200mm)	pcs.							
Į.	e. Portland Cement	bags							
ŀ	f. White Cement	bags							
l	g. Concrete Paint	gal.							
	m. Misc. (thinners, Brush, etc)	lot							
	Structural Steel Members:								
	Turn Buckle & Bolts w/ Nuts and Washers	lot							
	Doors and Windows			Ì					
	Doors								
[	a. Steel Door D-1 , Insulated, Pre-Painted, 2.10 x 0.90	ea							
	b. Wooden Door D-2, 2.10 x 0.80, Hollow Core	ea							
	c. Toilet Door D-3, 2.10 x 0.60	ea	· ]						
	Windows								
	d. Metal Jalousie Windows, W-1, 2.10 x 1.5 (Blade-GA. 20)	ea		•					
1	e. Metal Jalousie Windows, W-2, 3.9 x 1.5, (Blade - Ga. 20_	ea	<b> </b>	i					
	f. Metal Jalousie Windows, W-3, 0.90 x 1.40 (Blade - Ga. 20)	ea							
-	g. Metal Jalousie Windows, W-1, 0.25 x 0.82	ea		1					
	h. Window Jamb, GA. 18 x 25 x 100mm	ea							
	Plumbing Works:								
,	a. G.l. Pipes, 19mm dia. x 10 ft.	pcs							
	b. G.I. Pipes, 13mm dia. x 10 ft.	pcs							
	c. Gate Valve	ea							
	d. Control Valve	ea							
ľ	e. Water Meter	ea							
	f. PVC Pipe, 150mm dia. x 10 ft.	pcs							
	g. PVC Pipe, 100mm dia. x 10 ft.	pcs							
			Sub-Total for th	nis Page					

	DESCRIPTION									
LUMP SUM ITEM NO.	FACILITIES FOR THE ENGINEER									
A(1)a	(Combined Field Office and Laboratory Building )									
COMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)					
ļ	h. PVC Pipe, 50mm dia. x 10 ft. i. Clean Out	pcs								
	i, Clean Out j. FCO/FD	pcs pcs	í (	ĺ						
<u> </u>	k. Shower Drain	ea								
	Plumbing Fixtures									
]										
1	a. Slope Sink	ea								
] )	b. Lavatory	ea	i i							
<b>i</b> i 1	c. Water Closet	ea	1 1							
y ł	d. Urinal e. Faucet	ea ea	(							
	f. Hose Bibbs	ea								
1	Toilet Accessories									
	a. Toilet Mirror	set								
1	b. Toilet Paper Dispenser	set	i i							
	c. Shower Head	set								
1 1	d. Grab Bar	ea	t l							
	e. Soap Holder	ea	]							
	Cabinets & Kitchen Counters									
1 1	a. 18mm MDF Board	pcs	ĺĺ							
<b>∦</b>	b. 6mm MDF Board	pcs								
1	c. Lumber, Apitong or Equal	bd.ft.	}							
<b>!</b>	d. Lock Set	pcs								
<b>li</b> . I	e. Handle	pcs	1							
	f. 25mm dia. Pipe Hanger x 10 ft. g. Nails and hardwares	pcs lot								
	-		 							
	Electrical Works	lot								
	•	}	į							
		1		ļ						
<u> </u>										
		1								
<b> </b>		•	}	Ţ						
				ľ						
				Ì						
		<u>.</u>								
			Sub-Total for	this Page						

IMP SUM TEM NO. A(1)a	FACILITIES FOR THE ENGINEER (Engineer's Quarter Building)									
MPONENT	` ` <u> </u>			UNIT PRICE	AMOUNT					
NO.	DESCRIPTION	TINU	QUANTITY	(PESOS)	(PESOS)					
l.	Earthworks	;								
	a. Granular Bed Course		l							
II.	Concrete Works									
ŀ	1. P. Cement 2. Sand	bag cu.m.		i i						
	3. Gravel	cu.m.								
	4. Reinforcing Steel Bars	•••••			-					
	5. Tie Wire # 16	bag								
hi.	Masonry									
	a. CHB , 150mm (6")	pcs.	1	1						
	b. CHB, 100 mm (4")	pcs.		1						
	c. P. Cement	bags								
	d. Fine Aggregates	cu.m.	}							
	e. Coarse Aggregates	cu.m.		•						
	f. Rebars g. Tie Wire # 16	kg. kg.								
l		rg.								
IV.	Scafolding/Formworks									
	1. Lumber, Apitong	bd.ft		1						
	Nails and Hardwares	kg.								
	3. Coco Lumber	bd.ft		İ						
	4. Plywood 1/4	pcs								
٧.	Thermal Protection			Ì						
	a. Pre-painted GA. 26 Corrugated Roofing W/ Aluminum Foil	pcs								
	Insulation (Harvi-427) b. Pre-painted Wall Panel w/ Insulation	noc		j						
	c. Ridge Roll, 24* x 8'	pcs pcs	ļ	· [	•					
	d. Pre-painted Metal Facia, 24" x 8", Ga. 26	pcs								
	e. Rivets, Straps and Washers	lot								
VI.	Celling and Wall Panelling									
	a. Gypsum Board Ceiling	pcs	Į l							
	b. 6.0 mm MDF Wall Panelling	pcs								
	c. 1' x 1' x 12' Aluminim T-Runner	pcs	1							
	d. 2" x 2" Nailer (External Only) e. Misc. (Wire hangers, Screws, Nails)	bd.ft. kg.		Ţ						
		ry.								
VII.	Finishes:		<b>(</b>	-						
	a. Vinyl Tites, 300 x 300 x 3 mm	pcs.								
i	b. Adhesive	gal.	]	;						
	c. Tiles, Unglazed white (100 x 200mm)	pcs.								
	d. Tiles, Glazed (200 x 200mm) e. Portland Cement	pcs. bags								
	f. White Cement	bags	<b> </b>	ľ						
	g. Concrete Paint	gal.	<b>\</b>	}						
	m. Misc. (thinners, Brush, etc)	lot								
			Sub-Total for							

	DESCRIPTION								
LUMP SUM	54 ON 1715	0 500 5	IF ELIGINIEED						
ITEM NO.	FACILITIES FOR THE ENGINEER  (Foolpoorte Quarter Building )								
A(1)a	(Engineer's Quarter Building )								
COMPONENT		<del></del>		UNIT PRICE	AMOUNT				
<u>NO.</u>	DESCRIPTION	UNIT	QUANTITY	(PESOS)	(PESOS)				
VIII.	Structural Steel Members:								
i	To - Buddle & Balls and Mark and Mr.	1-4			İ				
	Turn Buckle & Bolts w/ Nuts and Washers	lot							
IX	Doors and Windows								
	a. Pre-painted Steel Door D-1 , Insulated, 2.10 x 0.90	ea							
	b. Wooden Door D-2, 2.10 x 0.80, Hollow Core	ea	]						
- 1	c. Toilet Door D-3, 2.10 x 0.60	ea	1						
ľ	d. Metal Jalousie Windows, W-1, 2.10 x 1.5 (Blade - GA.20)	ea	ſ		1				
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	e. Metal Jalousie Windows, W-2, 3.9 x 1.5 (Blade -Ga. 20)	ea			1				
Į.	f. Metal Jalousie Windows, W-3, 0.90 x 1.40 (Blade Ga 20)	ea							
	g. Metal Jalousie Windows, W-1, 0.25 x 0.82	ea							
1	h. Window Jamb, GA. 18 x 25 x 100mm	ea							
х.	Plumbing Works								
^	Linuming Morea	I							
	a. G.I. Pipes, 19mm dia. x 10 ft.	pcs			1				
	b. G.I. Pipes, 13mm dia. x 10 ft.	pcs							
j	c. Gate Valve	ea	ļ						
· ]	d. Control Valve	ea	i i						
ĺ	e. Water Meter	ea							
	f. PVC Pipe, 150mm dia. x 10 ft.								
		pcs	ļ		1				
- 1	g. PVC Pipe, 100mm dia. x 10 ft.	pcs							
	h. PVC Pipe, 50mm dia. x 10 ft.	pcs			İ				
	i. Clean Out	pcs			ľ				
ľ	) FCO/FD	pcs	1		1.				
i	Plumbing Fixtures								
}	a. Slope Sink	ea	}		}				
	b. Lavatory	ea							
Į	c. Water Closet	ea			1				
[	d. Urinal		ļ		Ì				
·		ea							
i	e. Faucet f. Hose Bibbs	ea ea		•					
Ì	i. Nose bious	ea .	1						
XI.	Tollet Accessories								
• }	a. Toilet Mirror	set	]						
1	b. Toilet Paper Dispenser	set	ĺ		1				
1	c. Shower Head	set	ļ						
ì	d. Grab Bar	ea	İ		1				
	e. Soap Holder	ea	İ						
XII.	Cabinets & Kitchen Counters	ļ	1						
	a. 18mm MDF Board	pcs							
1	b. 6mm MDF Board	pcs							
	c. Lumber, Apitong or Equal	bd.ft.							
]	· · · · · · · · · · · · · · · · · · ·		ì		Í				
1		pcs							
	e. Handle	pcs	f	V					
}	f. 25mm dia. Pipe Hanger x 10 ft.	pcs	}		}				
	g. Nails and hardwares	lot							
XIII.	Electrical Works	lot							
				·					

ITEM NO. A(1)a	FACILITIES FOR THE ENGINEER (Covered Parking & Fences & Gate )								
OMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)				
l.	Covered Parking								
	a. Granular Bed Materials	cu.m.							
	b. Portland Cement	bag							
	c. Fine Aggregates	cu.m.							
	d. Coarse Aggregates	cu.m.							
	e, Reinforcing Steel Bars	kgs							
	f. Tie Wire # 16	kgs							
	g. Lumber, Apitong or Equal	bd.ft	<b>\</b>	Ĭ					
	h. Plywood, 1/4" i. Coco Lumber	pcs bd.ft.							
	j. Post Strap	pcs							
	k. G. Roofings x 15 ft.	pcs	l	]					
	I. Nails and Hardwares	kgs							
	m. Misc (1% of the above)	lot							
11.	Fences and Gate:								
	a. Portland Cement	bag		•					
	b. Fine Aggregates	cu.m.							
	c. Coarse Aggregates d. G.I. Pipe, 75mm dia. X 20 ft.	cu.m.							
	d. G.I. Pipe, 75mm dia. X 20 ft. e, G.I. Pipe, 50mm dia. X 20 ft.	kgs kgs		1					
	f. Diagonal Brace, 12mm dia.	bd.ft							
	g. Turn Buckle, 12mm dia.	pcs							
	h. Wooden Post (4" x 4")	bd.ft.							
	i. Barb Wire	pcs		.					
÷	j. Chain Link Fence (6' x 12m/roll)	pcs							
	k. Mics. (welding Rods, Primers, etc.)	kgs							
III.	Curing Tank								
	a. Portland Cement b. Fine Aggregates	bag cu.m.							
	b. Fine Aggregates c. Coarse Aggregates	cu.m.							
	d. CHB, 150 mm Thk (6")	pcs		*					
	e. Reinforcing Steel	kgs	*						
	f. Sahara Cement	kgs		1					
	g. 50mm dia. G. I Drain Pipe	l.m.		i					
	h. 50mm dia. Screw Plug	ea.	İ						
, IV.	Septic Tank a. Portland Cement	 							
	a. Portland Cement b. Fine Aggregates	bag cu.m.		ļ					
	c. Coarse Aggregates	cu.m.		ì					
	d. CHB, 150 mm Thk (6*)	pcs	j	j					
	e. Reinforcing Steel	kgs							
*	f. 100mm PVC Pipe	pcs							
	g. 100mm PVC Double Tee	pcs		l					
	h. 100mm PVC Clean Out-Plug	pcs	<b> </b>						
	i. Coco Lumber	bd.ft.							
	j. Plywood, 1/4" k. Nails & Hardwares (1% of the above)	pcs lot	ŀ						
			Sub-Total for the	nis Page					

# SCHEDULE \_\_- ANNEX | TO THE BILL OF QUANTITIES

NO. DESCRIPTION UNIT QUANTITY (PESOS) (PESOS)  1. Office Desk, 70 x 150 cm, with 3 drawers on each side of center drawer, with lock and keys and 114 in. thick glasstop each  2. Swivel Chair with padded seat and back and arm rest, to match office desk each  3. Visitor's Chair with padded seat and back rest each  4. Book Sheff, 40 x 70 x 245 cm. With 3 shelves with lock and keys each  5. Steel Cabinet, 4 drawers, fire resistant with lock and keys each  6. Magic Clip Whiteboard, 2 ft. x 3 ft., with 12 in. magicilp with aluminum stand and ball casters each  7. Office Desk, 70 x 140 cm, with 3 drawers on each side of center drawer with lock and keys each  8. Drafting Table, with padded seat stool and 2 T-Squares each  9. Clerical Table, 60 x 100 cm, withy top and right side drawer with lock and keys each	LUMP SUM ITEM NO. A(1)c	DESCRIPTION: (Furr	itures and Fixture	OR THE ENGINE es for Field Office Engineer's Quart	/Laboratory	
3 drawers on each side of center drawer, with lock and keys and 1/4 in. thick glasstop each  2. Swivel Chair with padded seat and back and arm rest, to match office desk each  3. Visitor's Chair with padded seat and back rest each  4. Book Shelf, 40 x 70 x 245 cm. With 3 shelves with lock and keys each  5. Steel Cabinet, 4 drawers, fire resistant with lock and keys each  6. Magic Clip Whiteboard, 2 ft. x 3 ft., with 12 in. magicilip with aluminum stand and ball casters each  7. Office Desk, 70 x 140 cm, with 3 drawers on each side of center drawer with lock and keys each  8. Drafting Table, with padded seat stool and 2 T-Squares each  9. Clerical Table, 60 x 100 cm, withy top and right side drawer with lock and keys each	COMPONENT NO.	DESCRIPTION	UNIT	QUANTITY		
and back and arm rest, to match office desk each  3. Visitor's Chair with padded seat and back rest each  4. Book Shelf, 40 x 70 x 245 cm. With 3 shelves with lock and keys each  5. Steel Cabinet, 4 drawers, fire resistant with lock and keys each  6. Magic Clip Whiteboard, 2 ft. x 3 ft., with 12 in. magiclip with aluminum stand and ball casters each  7. Office Desk, 70 x 140 cm, with 3 drawers on each side of center drawer with lock and keys each  8. Drafting Table, with padded seat stool and 2 T-Squares each  9. Clerical Table, 60 x 100 cm, withy top and right side drawer with lock and keys each	1.	3 drawers on each side of center drawer, with lock and keys and	each			
and back rest  Book Shelf, 40 x 70 x 245 cm. With 3 shelves with lock and keys  each  Steel Cabinet, 4 drawers, fire resistant with lock and keys  each  Magic Clip Whiteboard, 2 ft. x 3 ft., with 12 in. magiclip with aluminum stand and ball casters  each  Office Desk, 76 x 140 cm, with 3 drawers on each side of center drawer with lock and keys  ach  Drafting Table, with padded seat stool and 2 T-Squares  each  Clerical Table, 60 x 100 cm, withy top and right side drawer with lock and keys  each	2.	and back and arm rest, to match	each			
3 shelves with lock and keys each  5. Steel Cabinet, 4 drawers, fire resistant with lock and keys each  6. Magic Clip Whiteboard, 2 ft. x 3 ft., with 12 in. magiclip with aluminum stand and ball casters each  7. Office Desk, 76 x 140 cm, with 3 drawers on each side of center drawer with lock and keys each  8. Drafting Table, with padded seat stool and 2 T-Squares each  9. Clerical Table, 60 x 100 cm, withy top and right side drawer with lock and keys each	3.		each	;		•
resistant with lock and keys each  6. Magic Clip Whiteboard, 2 ft. x 3 ft., with 12 in. magiclip with aluminum stand and ball casters each  7. Office Desk, 70 x 140 cm, with 3 drawers on each side of center drawer with lock and keys each  8. Drafting Table, with padded seat stool and 2 T-Squares each  9. Clerical Table, 60 x 100 cm, withy top and right side drawer with lock and keys each	4.		each			
with 12 in. magiclip with aluminum stand and ball casters each  7. Office Desk, 70 x 140 cm, with 3 drawers on each side of center drawer with lock and keys each  8. Drafting Table, with padded seat stool and 2 T-Squares each  9. Clerical Table, 60 x 100 cm, withy top and right side drawer with lock and keys each	5.	· ·	each			
3 drawers on each side of center drawer with lock and keys each  8. Drafting Table, with padded seat stool and 2 T-Squares each  9. Clerical Table, 60 x 100 cm, withy top and right side drawer with lock and keys each	6.	with 12 in, magiclip with aluminum	each			
stool and 2 T-Squares each  9. Clerical Table, 60 x 100 cm, withy top and right side drawer with lock and keys each	<b>7.</b>	3 drawers on each side of center	each			
top and right side drawer with lock and keys each	8.		each			
10 Turiet Chair untight with padded	9.	top and right side drawer with	each			
seat and back seat each	10.	Typist Chair, upright, with padded seat and back seat	each			

# SCHEDULE \_\_- ANNEX I TO THE BILL OF QUANTITIES

	DESCRIPTION:	FAOR ITIES -	DE THE SHOW						
LUMP SUM ITEM NO. A(1)c	FACILITIES FOR THE ENGINEER (Furnitures and Fixtures for Field Office/Laboratory Building and Engineer's Quarters)								
COMPONENT				UNIT PRICE	AMOUNT				
NO.	DESCRIPTION	UNIT	QUANTITY	(PESOS)	(PESOS)				
11.	Typewriter Table, 40 x 90 cm, with side shelves	each							
12.	Conference Table, 120 x 200 cm.	each							
13.	Standard Size Chair	each							
14.	Wash Basin	each		:					
15.	Supplies Cabinet	each							
16.	STORAGE AREA  Closet, 60 x 180 x 200 cm high with 40 cm shelves  ALL AREAS	each							
17,	Waste Basket, Plastic	each							
					· · · · · · · · · · · · · · · · · · ·				
Sub-Total for this Page									
		Т	OTAL FOR ITE	M NO. A(1)C					

	DESCRIPTION:	THE ENG	INEER					
LUMP SUM ITEM NO. A(1)e	FACILITIES FOR THE ENGINEER (Equipment and Appliances for Field Office/Laboratory Building and Engineer's Quarters)							
COMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)			
	A. COMBINED FIELD OFFICE/LABORATORY			>				
1.	IBM Typewriter set III with standard carriage, or equivalent	each			·			
2.	Electronic Calculator, Casio FX-4200, or equivalent	each						
3.	Photo copier, Sharp SF-2414, 14 CPM or equivalent	each	1					
4.	Electric Stand Fan, 16" blade diameter	each						
5.	Air Conditioner, Window Type, with timer complete with standard accessories, 2.5hp which will operate on 220 V cycle, single phase current with timer	each		į	·			
6.	Plain paper plain telefax machine	each						
7	Computer System with the ff specifications: ASUS P3BF/P3B-133 Intel Pentium IV, 800MHz (Slot 1) 128 MB DIMM RAM, 20GB Quantum/Maxtor Hard disk, 1.44 MB Floppoy disk drive (TEAC), 52X Creative CD ROM drive with (Infra Red), 32 MB Video Card (AGP) CMI 8738 PCI Sound Card (32 bit) or with AM/FM Sound card, NTC 102-104 keyboard, PS/2, 3 button mouse, 17" Color Monitor (Viewsonic), UPS with AVR (A.P.C.), dust cover, mid tower casing with 300watts power supply, Altec Lansing Speaker with surround and sub (latest model), 2 USB Ports, ASUS 56 kbps in V.90 Modern Riser Card, ASUS PCI L101 Ethernet LAN card, 10BASE-T LAN twist Pair straight cable 10m length with connectors.	each						
8	Regular licensed Installer CD's MS Windows 2000 Microsoft Office 2000 including Power Point, Symantec Norton System works 2002 and Anti-Virus software							
9	External ASUS CD-RW Drive 8x Record/ 4x Rewrite/ 32x Read including CD Recording Software with ASUS PCI - DA2200 SCSI RAID Card or equivalent ASUS Internal drive	•		·				
10	LAN Hub Port for 10BASE-T Cable with 4 ports min.	٠	}					
11	HP Scanner for A3 size including Scan Software with SCSI or USB Connector (Latest Model)							
12	HP Printer, Desk Jet 1120C or higher (Latest Model)							
	<u> </u>	S	ub-Total for thi	s Page				

LUMP SUM ITEM NO. A(1)e	DESCRIPTION:  FACILITIES FOR THE ENGINEER  (Equipment and Appliances for Field Office/Laboratory  Building and Engineer's Quarters)						
			<del></del>	LIMIT DOIGE	AMOUNT		
COMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRIČE (PESOS)	(PESOS)		
13	HP Printer, Laser Jet 6L or higher (Latest Model)						
14	Standrad Computer Table						
15	Magnetic whiteboard, 4' x 8' on roller stand, usable both sides						
16	Autofocus 35mm SLR Compact Camera with at least 35-70mm Zoom lens or equivalent						
17	Fire Extinguisers, 10 lbs			!			
18	Wall Clock						
19	Electric Air Pot, 3.5 liter capacity						
20	Manual Punching/Binding Machine IB Master, 24 pins made in Switzerland.			•			
	B. LIVING QUARTERS						
1	Air condition unit, window type with timer complete with standard acces., 1.0 hp, 220V cycle, single phase current			į			
2	Refrigerator, 10 cu. Ft						
3	Gas stove with two (2) burner complete with hose, LPG tank and regulator						
· <b>4</b>	Electric Stand Fan, 16" diametet blade						
5	Fire Extinguisher, 10 lbs						
6	Wall Clock						
7	Electric Air Pot, 3.5 liter capacity						
8	Set of kitchenwares dor at least 12 persons consisting of the following: spoons, forks, knives, cups and saucers, serving plates, placemats, ash tray, rice plates, pitchers, bolos, casserolles, frying pan, canisters						
9	Water Purifier/Filter System	•					
10	Petromax or approved equal for emergency use.			:			
		Si	ub-Total for th	is Page			
TOTAL FOR ITEM NO. A(1)e							

LUMP SUM ITEM NO. A(1)d	DESCRIPTION: FACILITIES FOR THE ENGINEE (Furnitures and Fixtures for the Combined Office/Labora for the Engineer)		g Quarters		
COMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)
·	A. COMBINED FIELD OFFICE/LABORATORY				
1.	ExecutiveTable, KD Tanguile dark brown non-glass varnish, 75cm x 150 cm, 3 drawers on one side and center drawer provided with locks and keys and 1/4" thick glass	each		·	
2.	Office Table, KD Tanguile, dark brown non-gloss varnish, 60cm x 120cm, 3 drawers on one side and center drawer provided with locks and keys	each			
3.	Executive chairs on rollers, padded with back and arm rest to match executive table.	each		,	
4.	Swivel chair on rollers, padded with back and arm rest to match Office desk.	each		į	
5.	Office Desks, 75cm x 150cm with 3 drawers on each side of the center drawer with locks and keys.	each	i		
6.	Drafting table, KD Tanguile, dark brown non-gloss varnish 80cm x 150cm with drafting stool with padded seat of synthetic upholstery	each			
7	Complete set of drafting instrument, K & E of model or equivalent.			. 1	
8	Typist table, KD tanguile, 60cm x 100cm with top and right side drawer, with locks and keys			:	
9	Conference table, KD Tanguile, dark brown, non-gloss varnish, 140cm x 240cm x 32 cm deep with shelves.		<u> </u>		
10	Steel filing cabinet for horizontal plans, 5 drawers				
11	Steel filing Cabinet, 4 drawers with locks and keys, fire resistant			:	'
12	Venetian blinds for all windows				
13	Table for Computer Printer				
	B. ENGINEER'S LIVING QUARTER				
14	Single Bed, 187cm x 90cm, with 10cm thick foam rubber mattress			1	
15	Double deck bed with 10cm thick foam rubber mattress				!
16	Chairs upright with padded seat and backrest			7	1
17	Dining table for eight (8) persons, KD tanguile dark brown, non-gloss varnish, 6mm thick glass top.				
		Sub-	Total for this	Page	

l	DESCRIPTION:				
LUMP SUM ITEM NO.	FACILITIES FOR THE ENGINE (Furnitures and Fixtures for the Combined Office/Labor for the Engineer)		g Quarters		
A(1)d	, as and anginous,				
COMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)
18	Chairs with backrest KD tanguile, dark brown with non-gloss varnish				
19	Long sofa with padded arm and backrest synthetic leather upholstery				
20	Sofa lounge chairs, with padded arm and backrest, synthetic leather upholsthery				
21	Cupboard, KD Tanguile, 122 cm wide by 32cm deep with 5 shelves and panel doors with locks and keys, painted.				
22	Venetian blinds for all windows				
			·		
Į.					•
!	•				
		Sub-	Total for this	Page	
		TOTAL I	FOR ITEM N	O. A(1)d	

LUMP SUM ITEM NO.	DESCRIPTION: FACILITIES FOR THE ENGINEER		-		
A(3)a	Laboratory Testing Equipment/Apparatus and	l Publication			
COMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)
NO.	DESCRIPTION	Join	QUANTITI	1 1 1	(1 2000)
	SCHEDULE C : Laboratory Testing Equipment/Apparatus				
	I. Soil Testing Equipment		1	Ì	
	1.1 Gradation Analysis		(		
1	3" - 8" dia. Brass Sieve	each			,
2	2½" - 8" dia. Brass Sieve	each			•
3	2" - 8" dia. Brass Sieve	each		 	
4	1½" - 8" dia. Brass Sieve	each			
5	1" - 8" dla. Brass Sieve	each			
6	3/4" - 8" dia. Brass Sieve	each		}	····
7	1/2" - 8" dia. Brass Sieve	each		 	
8	3/8" - 8" dia. Brass Sieve	each			
9	#4 - 8" dia. Brass Sieve	each			
10	#8 - 8" dia. Brass Sieve	each		<u> </u>	
11	#10 - 8" dia. Brass Sieve	each		<del>                                     </del>	
12	#16 - 8" día. Brass Sleve	each		<del></del>	
13	#20 - 8" dia. Brass Sieve	each		<del></del>	
14	#30 - 8" dia. Brass Sieve	each		<del> </del>	<del></del>
15	#40 - 8" dia. Brass Sieve	each			
16	#50 - 8" dia. Brass Sieve	each			
17	#100 - 8° dia. Brass Sieve	each			
18	#200 - 8" dia. Brass Sieve	each		<del> </del>	
19	#200 - 8" dia. Brass Sieve wet washing sieve	each		<del> </del>	<del></del>
20	Brass Pan 8" dia, X 2" deep	each		<del>  </del>	
21	Wire Sieve Brass	each		}	
22	Brass Cover with ring	each		}	<u> </u>
23	Galvanized Steel Pan, 18" x 18" x 3" with handle	each			
24	Galvanized Steel Pan, 24" x 24" x 3" with handle	each		<del>  -                                   </del>	
		<u> </u>		1	
		;	Sub-Total for t	his Page	

MPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)
	SCHEDULE C : Laboratory Testing Equipment/Apparatus				
25	Vot. Flasks, 500 ml	each			
<b>2</b> 6	Mechanical Operated Sieve Shaker	each			
27	Wire Basket (2.36 mm mesh)	each			
28	Triple Beam Balance, 2610 gms., 0.10 gms. Sensitivity or equivalent	each			
29	Sample Splitter 2-1/2 chute width	each			
30	Sample Splitter 1-1/2 chute width	each			
31	Sampling bags (jute), 25 kgs. Cap.	each			
32	Hard Bristle Brush	each	į		<del></del> .
33	Paint Brush, 2.5 cm.	each			<del></del> -
34	Paint Brush, 5.0 cm.	each			·
35	Sample Spliter 1" chute width	each			<del></del>
1	1.2 Atterberg Limits  Liquid Limit Test Set with counter consisting of the ff.	set			
	a. Plastic Limit Set with Spatula b. Graduated Cylinder, 100ml. c. Evaporating Dish, 250 ml., 115 mm x 45 mm d. Spatula				
2	Plastic Limit Test Set, kit consisiting of the ff.	set			<u></u>
	a. Plastic Limit Plate b. Graduated Cylinder, 25ml. c. Evaporating Dish, 120 ml., 90 mm x 37 mm d. Doz. Aluminum moisture can 3 oz w/ cover				
	e. Plastic dispensing bottle, 250 ml. f. Set Triple Beam Balance, 311 gms cap w/ sensitivity of 0.01 gram				
3	Wash Bottle, 1000 ml. Cap	piece		-	
4	Diał - o -gram balance, 310 gms cap x 0.01 gram sen., Ohaus	unit			· · · · · · · · · · · · · · · · · · ·
			1		

OMPONENT		<u>-</u>	<del></del>	UNIT PRICE (	AMOUNT
NO.	DESCRIPTION	UNIT	QUANTITY	(PESOS)	(PESOS)
	SCHEDULE C : Laboratory Testing Equipment/Apparatus				
	1.3 Moisture Density Relation				
1	Compaction Mold, 4" dia. With collar and base plate	unit			
2	Compaction Mold, 6" dia. With extension collar	unit			
3	Compaction Rammer, 5.5 lbs.	each			
4	Compaction Rammer, 10 lbs.	each			
5	Steel Straight Edge, 12 in x 1-½" x 1/8"	each		<u> </u>	
6	Mixing Trowel, 2.5" x 4.5" blade	each	1		
7	Spatula, 4° blade	each			· <u>-</u>
8	Spatula, 8" blade	each			
9	Trimming knife	each	ļ	<u> </u>	
10	Heavy Duty Solution Balance, 20 kg. Cap., 1 gr.	unit			
11	Mixing Pan, 24" x 24" x 3" with blade	each			
12	Moisture Can, 500 cc with cover	dozen			
13	Laboratory California Bearing Ratio (Items included/set)	set		 	
	a. Mechanical Loading Press, 45 KN cap. With metric dial	unit			
	b. California Bearing Ratio Mold, 6* dia. X 7* w/ collar & base	each		<u> </u>	
٠	c. Slotted Surcharge, 25 lbs.	each			
	d. Circular Surcharge, 25 lbs.	each			
	e. Straight Edge 12" x 1-1/2" x 1/8"	each		<b>  </b>	
	f. Spacer Disk	each			
	ig. California Bearing Ratio Swell Plate	each			<u> </u>
	h. Dial Indicator Reading 25 mm range for penetration	each		<b> </b>	
	I. Tripod Attachment	each			
	j. Holder of Penetration Dial	each		<del></del>	<del></del> -
	k. 4.5T capacity proving ring	each			
	I. Filter Screen, box of 100, 6" dia.	box		<b></b>	
				}	

ITEM NO. A(3)a	FACILITIES FOR THE ENGINEER Laboratory Testing Equipment/Apparatus and	Publication			
OMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)
	SCHEDULE C : Laboratory Testing Equipment/Apparatus		:		
	1.4 Field Density				
1	Sand Cone and Jug	set			
2	Replacement Jug Plastic	each			
3	Density Plate	pieces			·
4	Sample metal can w/ cover (1 gal. Cap.)	pieces			· · · · · · · · · · · · · · · · · · ·
5	Sampling Spoon	each			
6	Plastic Bags, 8" x 14" x 0.0035	each			
7	Steel Chisel, 1" width	each			
8	Ball Hammer	each			
9	Sand Scoop	each			
10	Field Scale, 15 kg., 4.5 gm. Sensitivity	set			
11	Straight Edge, 12"	pieces			
12	Ottawa Sand	bag		<u> </u>	
	1.5 Organic Impurities				
1	Graduated Bottle, 12 oz.	pieces			
2	Sodium Hydroxide Solution	bottle			
3	Color Standard chart for organic impurities	piece		<del></del>	
	II. Aggregate and Concrete Testing Equipment				
1	Portable Compression Testing Machine 100 tons, dual gauge	unit			
2	Cylinder Mold, 6" x 12"	pieces			
3	Slump Cone and Base w/ graduated Tamping Rod	set			
4	Beam Molds, 6" x 6" x 30"	pieces			· 
5	Pressure meter, 1/4 cu. Ft.	each			
6	Cement Trowel, rectangular blade	each			
7	Cement Trowel, triangular blade	each			
	1		Sub-Total for t		

ITEM NO. A(3)a	FACILITIES FOR THE ENGINEER Laboratory Testing Equipment/Apparatus	and Publication			
OMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)
	SCHEDULE C : Laboratory Testing Equipment/Apparatus				<u>-</u> ''
8	Yield bucket, 1 cu. Ft.	each			
9	Yield bucket, 1/2 cu. Ft.	each			
10	Capping Set	set			
11	Capping Compound	lot			
12	Coring machine	unit	}		
13	Core bits, 4" dia.	unit	ļ		
14	Core bits, 6° dia.	unit			
15	Vicat apparatus	each			
16	Gilmore needles	each		<b></b>	
17	Cylinder capper, 6" x 12"	each			
18	Cylinder carrier, 6" x 12"	each	1		
19	Capping ladle, 8 oz.	each			
	III). Miscellaneous Equipments and Items		į		
1	Laboratory Oven, Double Wall, 220V/60 cycle AC	unit			
2	Speedy Moisture Tester w/ Reagents	each			
3	Vemier Caliper	each	}		
4	Glass Plate 15 cm x 15 cm	each			
5	Sand Equivalent Test	set	}		
- 6	Gas Range, 2 burners	each		,	
7	Calcium Carbide Reagent	box	<u> </u>		
8	Sand Equivalent Stock Solution	bottle			· 
9	Los Angeles Abrasion Machine	unit			
10	Sodium Hydroxide Solution for Organic Impurities	bottle			
11	Sodium Sulphate Solution for Soundness	bottle			
12	Distilled Water	gals			
13	Rubber Mallet, 15 cm dia.	each			<u>.                                    </u>
	<u> </u>		Sub-Total for th	-	

LUMP SUM ITEM NO. A(3)a	DESCRIPTION: FACILITIES FOR THE ENGINEER Laboratory Testing Equipment/Apparatus and Publication						
OMPONENT NO.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE (PESOS)	AMOUNT (PESOS)		
	SCHEDULE C : Laboratory Testing Equipment/Apparatus				·		
14	Mixing Dish	each					
15	Graduated Cylinder, 1000 ml.	each	į	 			
16	Graduated Cylinder, 500 ml.	each					
17	Graduated Cylinder, 100 ml.	each					
18	Graduated Cylinder, 50 ml.	each	:				
19	Graduated Cylinder, 25 ml.	each					
20	Shovel, square shape	each					
21	Shovel, round shape	each					
22	Plastic bag	lot					
	. •						
	IV. Publications						
1	Part I AASHTO Specifications, Latest Edition	сору		· .			
2	Part II AASHTO Tests, Latest Edition	сору					
	;						
		(	Sub-Total for th	nis Page			
		TO	TAL FOR ITEN	1NO A(3)a	<del></del>		

ANNEX NO. 2 - DAYWORK SCHEDULE

#### **DAYWORK SCHEDULE**

### 1. GENERAL

- Daywork schedule shall be subject to the provisions of Clause 13.6 of the Conditions of Contract.
- The Contractor will be paid for Daywork carried out during the course of the Contract at the rates set down by him in this Schedule, all items of which are provisional. All profits and overheads must be included in the rates which shall also include all other costs of whichever nature necessary for and incidental to the performance of extra work, such as royalties payment to the third parties for land or the use of land for damage due to property, transportation, tools, laboratory equipment and personnel testing.
- 3) Unless specified otherwise, payments for Daywork at rates set down in this Schedule shall be subject to price escalation adjustment in accordance with the provisions in the Conditions of Contract.

#### 2. LABOR RATES

- 1) Daywork Rates quoted for labor shall be the amounts payable, and shall include allowances for complying with the Labor Law, for use and waste of hand tools and for all ordinary non-mechanical plant including staging, scaffoldings, etc., where not erected and all special inducement for working in the Philippines.
- 2) Unless expressly authorized in writing by the Engineer, special rates for overtime will not be admissible for payment.

PAY ITEM	DESCRIPTION	UNIT	UNIT PRICE (Peso)
900	LABOR		
900(1)	Foreman	hour	•
900(2)	Assistant Foreman	hour	
900(3)	Heavy Equipment Operator	hour	
900(4)	Light Equipment Operator	hour	•
900(5)	Driver	hour	
900(6)	Skilled Laborer	hour	
900(8)	Unskilled Laborer	hour	
	Sub Total For (Labor)		······

### 3. MATERIAL RATES

Material used on daywork shall be as stated in the Specifications. The rates shall in include for delivery to the immediate working area and for unloading. All rates shall include the adequate storing and protection of materials as necessary and additional handling costs and taxes.

PAY ITEM	DESCRIPTION	UNIT	UNIT PRICE (Peso)
901	MATERIALS	l 	, 123,
901(1)	Portland Cement	bag	
901(2)	Reinforcing Steel, Grade 40	kg.	
901(3)	Reinforcing Steel, Standard Grade	kg.	
901(4)	Round Timber	pc.	
901(5)	Lumber, Yakal	bd. ft.	
, ,	Paint, Reflective	gal.	
, ,	Lumber, Apitong or Tanguile	bd. ft.	
901(8)	Paint, Non-Reflective	gal.	
901(9)	Ordinary Plywood, 1/2" thk. x 4' x 8'	pc.	
901(10)	Ordinary Plywood, 1/4" thk. x 4' x 8'	pc.	
901(11)	Ordinary Lawanit, 1/4" x 4' x 8'	pc.	i ·
	Common Wire Nails	kg.	
1 ' '	Concrete Nails	kg.	
	G.I. Wire #16	kg.	
1	Fine Aggregates (Sand)	cu. m.	:
, , ,	Coarse Aggregates (gravel)	cu. m.	
	Aggregates Subbase Course	cu. m.	
, , ,	Boulder / Rockfill	cu. m.	
	Bunker Fuel	itr.	
, , ,	Diesel Fuel	ltr.	
, ,	Special Gasoline	ltr.	
, ,	Lubricating Oil	Itr.	
, , ,	Regular Paint	gal.	
, , ,	RCPC, 610 mm dia. Class IV	1 m.	
	RCPC, 760 mm dia. Class IV	1 m.	
901(26)	RCPC, 910 mm dia. Class IV	1 m.	
901(27)	RCPC, 1070 mm dia. Class IV	1 m.	
901(28)	RCPC, 1220 mm dia. Class IV	1 m.	
	RCPC, 1520 mm dia. Class IV	1 m.	
901(30)	RCPC, 610 mm dia., Class II	l m.	
901(31)	RCPC, 760 mm dia., Class II	1m.	
901(32)	RCPC, 910 mm dia., Class II	1m.	
901(33)	RCPC, 1220 mm dia., Class II	1m.	
901(34)	Ready Mix Concrete, Class A	cu.m.	
901(35)	Concrete Hollows Blocks, 6" thick	pc.	
901(36)	Asphalt Penetration Grade 60 – 70	m. t.	
901(30)	Asphalt Penetration Grade 85 – 100	m. t.	
901(37)	Cut Back Asphalt MC – 70	m. t.	_
901(35)	Emulsified Asphalt SS – 1	m. t.	
301(33)	Sub Total For (Materials)	111- 6-	-

### 4. PLANT AND EQUIPMENT RATES

- The rates for plant and equipment shall include the wages of drivers, attendants and operators, maintenance in proper working order at all, times, attendance in starting up and shutting down, all fuel and power, oils, greases ad cleaning materials, replacement and/or sharpening of tools and provision of tools, charges for depreciation insurance, taxes and the like and all other ancillary items including consumable stores.
- 2) In addition to the above, rates for craft shall include for crews, mooring and anchoring where applicable.

Only the actual hours worked will be paid for.

3)	Only the actual hours worked will be paid for.		UNIT PRICE
PAY ITEM	DESCRIPTION	UNIT	(Peso)
		<del></del>	
902	PLANT AND EQUIPMENT		· 
902(1)	Washing and Screening Plant	hour	
902(2)	Bulldozer, 180 Hp	hour	
902(3)	Bulldozer, 140 Hp	hour	
902(4)	Wheel Loader, 1.53 cu. m.	hour	
902(5)	Excavator Backhoe, 1 1/2 cubic yard	hour	
902(6)	Wheel Loader, 1.14 cu. m.	hour	
902(7)	Steel Roller, 8 – 12 tons		
902(8)	Hydraulic Backhoe, 0.80 cu. m.	hour	
902(9)	Pneumatic Roller, 4 -11 tons	į.	
902(10)	Hydraulic Backhoe, 0.40 cu. m.	hour	
902(11)	Asphalt Kettle		
902(12)	Motorized Grader, 150Hp	hour	
902(13)	Asphalt Distributor, 3000 gal.		
902(14)	Asphalt Paver / Finisher, 10 ft. wide		
902(15)	Motorized Grader, 125Hp	hour	
902(16)	Hydraulic Crane, 21 –25T	hour	
902(17)	Hydraulic Crane, 11 –15T		
902(18)	Dump Truck, 6.88 - 8.41 cu. m.	hour	
902(19)	Stake Truck, 11 - 12 T	hour	
902(20)	Water Tank Truck (500 - 1000 gals)	hour	
902(21)	Concrete Mixer, 1 Bagger	hour	
902(22)	Concrete Mixer, 2 Bagger	hour	
902(23)	Concrete Vibrator	hour	· ·
902(24)	Vibratory Plate Compactor, 12 Hp	hour	
902(25)	Water Pump, 3 ½" - 4"	hour	
902(26)	Bar Cutter and Bending Machine	hour	
902(27)	Pile Hammer with Golf Lead	hour	
902(28)	Drop Hammer with Pile Cap Lead	hour	
	Sub Total For (Plant and Equipment)		

4) Should any discrepancy be found between unit price from the Bill of Quantities and rates from the Daywork Schedule, the latter shall be subject to discussion with the Contractor, and if deemed necessary, corrected.

Sample Forms

SECTION E - DRAFT CONTRACT AGREEMENT AND SAMPLE FORMS

### SECTION E

### DRAFT CONTRACT AGREEMENT AND SAMPLE FORMS

### **TABLE OF CONTENTS**

<u>Description</u>	<u>Page</u>
Contract Agreement (Draft)	E - 1
Bid Security (Bank Guarantee)	E –5
Performance Bond (Bank Guarantee)	E -6
<ul> <li>a) Performance Bond – GSIS</li> <li>b) Form of Performance Security Bond</li> </ul>	
Advance Payment Security (Bank Guarantee)	E - 13
Detailed Unit Price Analysis	E-14
Outline of Narrative Description of Construction Procedure/Methods	E-15
Certificate of Pre-Bid Attendance	E-16
Certificate of Site Visit	E-17
Statement of On-Going Projects or Committed Projects	E-18

# (DRAFT) CONTRACT AGREEMENT

for the
UPGRADING INTER-URBAN HIGHWAY SYSTEM
ALONG THE PAN-PHILIPPINE HIGHWAY PROJECT
PLARIDEL BYPASS (STA. 39+625.00 – STA. 47+400.00)
CONTRACT PACKAGE No. II
(JBIC Loan Agreement No. \_\_\_\_\_)

KNO	W ALL	MEN I	BY THESE PI	RESENTS:					
			RACT made a ARTMENT OF Bonifacio						
PART	TY OF	THE FI	Bonifacio IRST PART		(	0,7,0,10,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	. ,
					- And -				
at					ater refer	red to as the		represe	address ented by <b>R"</b> ) as the
PART	TY OF T	THE S	ECOND PAR	T					
Inter-	apan B Urban	ank fo Highv	, the Owner is or Internation way System : 325.00 – Sta.	al Coopera along the	ation (JE Pan – F	BIC), L/A N Philippine	io. Highway l	, u	<b>Ipgrading</b>
		ion of	, the Owner I such Works a	ind the rem	nedying of	f any defec	ts therein t	for the	amount of
	WHE		, the works _calendar day	comprised	l in the	Contract s	shall be o	complet	ted within
letter	WHE dated_		, the CONT		-	its conform	ity with a	ward th	nrough its
Now	this A	GREEI	MENT WITNE	SSETH as	follows:	1			
1.			eement, words assigned to t						
2.			ig documents is agreement		eemed to	form and b	e interprete	ed and	construed
	a. b.		ertisement or l			ion for the	Bidded Pro	oject	

Drawings/Plans (Volume IV - Bid Documents)

Ç.

- d. Technical Specifications and/or Special Provisions (Volume III Bid Documents)
- e. General Conditions (Conditions of Contract, Volume II Bid Documents)
- f. Proposal Book (Volume I Bid Documents)
- g. Supplemental Notices
- Letter of Acceptance of the Contractor
- Contractor's License and Certificate of Renewal
- j. Authority of Contractor's Representative/Signatory to the Contract
- k. PERT/CPM or Equivalent Schedule of Work
- 1. Project Cash Flow and Payment Schedule on Quarterly Basis
- m. Duly Approved Program of Work and Cost Estimates
- n. Approved Budget for the Contract of Work Items and Cost Components
- Bid and Abstract of Bids
- p. Certificate of Availability of Funds
- q. Performance Security
- r. Resolution of BAC Recommending Award
- s. Approval of the Award by the Secretary's Office
- t. Concurrence of the Lending Institutions
- u. Other Pertinent Documents as may be Reasonably Required by the Owner
- In consideration of the payments to be made by the OWNER to the CONTRACTOR
  as hereinafter mentioned, the CONTRACTOR hereby covenants with the OWNER
  to construct and complete the Works and remedy any defects therein in conformity
  in all respects with the provisions of the Contract.
- 4. The OWNER hereby covenants to pay the CONTRACTOR, in consideration of the execution and completion of the Works and the remedying of defects therein the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
- 5. The guidelines for the computation and payment of price escalation on infrastructure contracts as promulgated by existing laws, decrees, rules and regulations will be applied to this Contract.
- The CONTRACTOR shall comply with, and strictly observe all laws regarding workmen's compensation for injuries, minimum wages, hours of labor, and other labor laws.
- 7. The Contractor warrants that he has not given nor promised to give any money or gift to any employees of the Owner to secure this Contract.
- 8. Pursuant to PD 1594 and its Implementing Rules and Regulations as amended and the General Terms and Conditions of the Loan Agreement (\_\_\_\_\_\_), this contract shall be subject to the concurrence of the JAPAN BANK FOR INTERNATIONAL COOPERATION (JBIC)
- This AGREEMENT becomes valid and binding upon approval by the Secretary of Public Works and Highways (DPWH) in accordance with the existing laws, decrees, rules and regulations of the Government of the Republic of the Philippines and the Japan Bank for International Cooperation (JBIC).

IN WITNESS WHEREOF, the PART executed the day and year first before	IES hereto have caused this Agreement written.
REPUBLIC OF THE PHILIPPINES	
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS (First Party)	CONTRACTOR (Second Party)
Ву:	Ву:
(Party of the First Part)	(Party of the Second Part)
SIGNED IN TH	IE PRESENCE OF:
(Witness)	(Witness)
Witness)	(Witness

Secretary

REPUBLIC OF THE PHILIPPINES)
) S.S.

### ACKNOWLEDGMENT

appeared MANUEL M. BONOAN, CESC issued on official capacity as Undersecretary of Highways, representing the REPU with Community issued on at known to me ar	r and in the City of Manila, personally O III, with Community Tax Certificate No.  at in his the Department of Public Works and IBLIC OF THE PHILIPPINES and Tax Certificate No.  respectively, representing and to me known to be the same persons
me that the same is their true act and de represent.	AGREEMENT and they acknowledged to sed for and in behalf of the PARTIES they
ACKNOWLEDGMENT is written duly sign	_ pages, including this page on which the gned by the contracting parties and their of the instrument and on the left margin of
this of	e hereunto affixed my signature and seal atManila, Philippines.
	NOTARY PUBLIC
Until TAN PTR	No
Doc. No Page No Book No Series No	

### **BID SECURITY (Bank Guarantee)**

WHEREAS,				(here	ìnafter c	alled "tl	he Bio	ider")
,	ĪN	lame of Bidde	rî	`				•
has submitted		d dated	-		for	the con	struct	ion of
	•		[Date]					
			[54.0]	Ьe	ereinafte	r called	"the	Bid.")
<del></del>	(Nar	ne of the Cont	tract)	^	)	. 0000		<b>-</b> ,
KNOW ALL	MEN by	these presen	ts that <b>WE</b>					of
			<del></del>		Name of			
			<del></del>	_ <del></del> h	aving o	ır regite	ered of	ffice at
	[]	Name of Cour	ntry]					
				(hereiı	n <b>á</b> ter cal	led <b>"the</b>	Ban	k") are
		[Address]						
bound unto (hereinafter			OF PUBLIC Employer")		he s	um	of	PESOS
		[Amount is	n Words]		, <b>\</b>			
		on by these procommon seal	esems. of the said E	Bank this		_day of	f	·
THE CONDIT	TONS o	of this obligat	ion are:		4			
1.		Bidder withdra om of Bid: or	aws his Bid du	ing the pe	riod of t	oid valid	dity sp	ecified in
2.			not accept the o with the Instruc				errors (	of his bid
3.			ng been notified e period of bid v		ıcceptar	ce of t	nis Bi	d by the
	(a)		es to execute thons to Bidders, i			ent in a	ccorda	ance with
	(b)		ses to furnish thructions to Bidde		nance S	ecurity,	in ac	cordance

WE undertake to pay the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or both of the two (2) conditions, specifying the occurred condition or conditions.

THIS GUARANTEE will remain in force up to and including the one hundred twenty (120) days after the deadline for submission of bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Bank is hereby waived. Any demand in respect to this Guarantee should reach the Bank not later than the date above.

ated this _	day of _	,200
		•
<del></del>	[Signature of Bank Representative	e] [Seal of the Bank]
	IN THE PI	RESENCE OF:
Witne	ss Name and Signature]	[Witness Name and Signature]
	[Address]	[Address]

### **PERFORMANCE SECURITY**

(BANK GUARANTEE)

THIS between	AGREEMENT is made on the	ne		day of	- Inana	, 200
DOLVYC		address	of	bank]	(hereinafter	called "the
Guara		_		-	•	
Emple	antor") of the one part and oyer] (hereinafter called "the En	<b>npioyer"</b> ) o	n the	other pa	ırt.	
WHE	REAS					
1)	this agreement is supplemen				after called "th	
	of Contractor] of	inaffan aslla	-1 6146	- Combi		
	[address of Contractor] (here the Employer on the other page 2)	ınaπer calle art wherebv	a "tr the	e Contract	<b>actor</b> ) on the tor agreed and	one part and I undertook to
	execute the Works of	-			-	
					peing the Contr	act Price, and
2)	the Guarantor has agreed to gmanner hereafter appearing.	guarantee tl	ie du	e perfor	mance of the C	Contract in the
NOW,	, THEREFORE, the Guarantor h	nereby agre	es wi	th the En	nployer as follo	ws:
a)	If the Contractor shall in any breach of his obligations there Employer the aggregate sum Guaranteel,	eunder then of Pesos	the	Guaranto	or will indemnif	y and pay the
	Guarantee], words and figures], such sum in which the Contract Price is Guarantor to that effect and issue of the Defects Liability C	being payal payable, p has made a	ole in rovid	the type ed that t	s and amounts ne Employer ha	of currencies as notified the
b)	The Guarantor shall not be arrangement between the Cor of the Guarantor, or by an 1ontractor, or by any forbeat payment, time, performance, such arrangement, alteration,	ntractor and ry alteration rance on th or otherwise	the E in e pa e, and	Employer the oblining the dany no	r, with or withou gations underle Contractor, v tice to the Gua	ut the consent taken by the whether as to arantor of any
	Guarantee shall be valid until the aking-Over Certificate.	e date twent	y eig	ht (28) d	ays from the da	ate of issue of

### Sample Forms

[Witness]	Witness
[Guarantor]	[Employer]
Ву:	Ву:
SIGNED:	
Given under our hand on the date first m	entioned above.

### Republic of the Philippines GOVERNMENT SERVICE INSURANCE SYSTEM

### **GENERAL INSURANCE FUND**

GSIS Makati Building, Legaspi St. Legaspi Village, Makati, Metro Manila

· G(2) GIF Bond No
BIDDER'S BOND
KNOW ALL MEN BY THESE PRESENTS :
That we, represented by its
WHEREAS, the above bounden PRINCIPAL will submit a BID for the
WHEREAS, the conditions of the aforementioned OBLIGEE require the BIDDER a bond for the said bid.
WHEREAS, the PRINCIPAL agrees to comply with all the terms and conditions of the said bid with the aforementioned OBLIGEE;
NOW THEREFORE, the conditions of this obligation are such that if the above bounden PRINCIPAL shall, in case he/fit becomes the successful bidder in the said bid mentioned above, accept a contract with said OBLIGEE under the terms and conditions of said bid, then this obligation shall be null and void; otherwise it shall remain in full force and effect.
WITNESS OUR HANDS AND SEALS this day of
GOVERNMENT SERVICE INSURANCE SYSTEM  General Insurance Fund
Principal By: By:
SIGNED IN THE PRESENCE OF :

SF 3B

### Republic of the Philippines GOVERNMENT SERVICE INSURANCE SYSTEM

GENERAL INSURANCE FUND GSIS Makati Building, Legaspi St. Legaspi Village, Makati, Metro Manila

Legaopi vilago,	Manaci, Modern	ight fire
		G( ) GIF Bond
PERFORM	MANCE BOND	
KNOW ALL MEN BY THESE PRESENTS :		
That we,	ed and existing la, its SURETY, sum of PES avment of which	are held and firmly bound unto BOS
THE CONDITIONS OF THIS OBLIG	SATION are as fo	ollows:
WHEREAS, the aboveP 20into a contract with	RINCIPAL on th	ne day of, represented by ully and faithfully.
WHEREAS, said contract requires the above stated sum to the contract	he said PRINCI full and faithful	PAL to give a sufficient bond in performance on its part of said
NOW, THEREFORE, if the PRINCII undertakings, covenants, terms, condition obligation shall be null and void; otherwise,	s and agreeme	ents of said contract, then this
The liability of the SURETY unde 20 and said bond will be cancelled notified in writing of any existing obligation	ten (10) days a	ill expire on Ifter the expiration. SURETY is
IN WITNESS WHEREOF, we have	e set our hands , 20, at	and signed our names on the, Philippines.
	GOVERNMEN SYSTEM General Insura	T SERVICE INSURANCE
Principal	_	
Ву:	By:	
		NOT VALID WITH ERASURES
SIGNED IN TH	E PRESENCE (	OF:

### FORM OF PERFORMANCE SECURITY (BOND)

DY UNS DONG _								as
Principal (here	einafter calle	ed "the Co	ontractor") a	and				
(hereinafter	called "t	he Sure	ety"), are	held	and	firmly	bound	unto
(hereinafter	called	the	"Employ		in the payn	the nent of wh	amount	of ell and
truly to be ma		ntractor ar	nd the Sure	ty bind	themsel	ves, their	heirs, sev	/erally,
WHEREAS, th			red into a w					
and amendme part hereof an	ents thereto,	which to t	he extent h	erein pr	ovided f	or, are by	reference	made
NOW THERE promptly and this obligation Whenever the Contract, the I	faithfully perf shall be nu Contractor s	form the sull and vo whall be, ar	aid Contractid; otherwised declared	t (includ se it sha by the E	ing any all remai imployer	amendme in in full to be, in	ents thereto force and default und	o) then effect. der the

1. complete the Contract in accordance with its terms and conditions; or

may promptly remedy the default, or shall promptly:

- pay the Employer the amount required by Employer to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.
- the right to institute action on the Penal Bond Pursuant to Act. No. 3688 of any individual, firm, partnership, corporation and association supplying the Contractor with Labor and Material for the prosecution of the work is hereby acknowledged and confirmed.

The Surety shall not be liable for a greater sum than the specified penalty of this Bond.

Any suit under this Bond must be instituted before the expiration of thirty (30) days from the date of the issuing of the Certificate of Final Acceptance.

No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Employer named herein of the heirs, executors, administrators, successors and assigns of the Employer.

Duthia Dand

SF 3C

In testimony whereof, the Contracto Surety has caused these presents to signature of his legal representative	o be sealed with his corporate seal	
	,20	
SIGNED, SEALED AND DELIVERE	D:	
By the Surety	Bythe Contractor	· · · · · · · · · · · · · · · · · · ·
in the presence of(Witness	in the presence of	(\Mitness

### **ADVANCE PAYMENT SECURITY**

(BANK GUARANTEE)

, Be	EPARTMENT OF PUBL onicafio Drive, Port Are anila		IWAYS
Re : Co U <sub>I</sub> Al	ontract Package No. Il pgrading Inter-Urban H long the Pan-Philippine arldel Bypass (Sta. 39-	Highway Project	00)
Gentlemen:		•	
("Advance called "the Cont HIGHWAYS (DP	Payment") of tractor") shall deposit w WH) (hereinafter called	the above in a part in a p	ontract, Sub-Clause 14.20 -mentioned Contract, of Contractor] (hereinafter OF PUBLIC WORKS AND guarantee to guarantee his the Contract in an amount at of Guarantee in words].
obligator and no	ot as Surety merely, the of objection on our part	nditionally and irrevoca e payment to <b>DPWH</b>	k or financial institution], as ably to guarantee as primary on its first demand without aim to the Contractor, in the [amount of Guarantee in
Contract or of the which may be m and the Contract	e Works to be performe ade between the <b>Depa</b>	d thereunder or of any rtment of Public Wor ease us from any liabilit	fication of the terms on the of the Contract documents the contract documents the contract documents the contract of the contr
			te of the advance payment the same amount from the
Yours truly,			
(Signature and S	eal of the Bank}		
Name of Bank/Fi	nancial Institution : Address : Date :		

### **DETAILED UNIT PRICE ANALYSIS**

PAY ITEM:	UNIT/QUANTITY:			
DESCRIPTION:				
A) NAME AND SPECIFICATION OF EQUIPMENT	NO. OF UNITS	NO. OF HOURS	UNIT	TOTAL COST (Pesos)
		-		
TOTAL EQUIPMENT COST		ļ		
B) DESIGNATION OF PERSONNEL	NO. OF UNITS	NO. OF HOURS	UNIT COST	TOTAL COST (Pesos)
	:			
TOTAL LABOR COST				
OUTPUT: QTY/HR.				
C) DESCRIPTION OF MATERIALS	UNIT	QTY.	UNIT COST	TOTAL COST (Pesos)
TOTAL MATERIALS COST	<u> </u>			
D) TOTAL ESTIMATED DIRECT O	COST			
E) VALUE ADDED TAX (10% Labor + Equipment)				
F) OVERHEAD CONTINGENCIES & MISC. (% TDC)				
G) PROFIT (% TDC)				
H) TOTAL COST				
I) UNIT COST				<u> </u>

### OUTLINE

# NARRATIVE DESCRIPTION OF CONSTRUCTION PROCEDURE/METHODS

### 1.0 INTRODUCTION

Refer to Bidding, etc.

### 2.0 BRIEF DESCRIPTION OF PROJECT

State general Features of the Project. Use Table as necessary

### 3.0 CONSTRUCTION PROCEDURES/METHODS

### 3.1 METHODOLOGY OR GENERAL APPROACH

State general approach in terms of use of Equipment Intensive or Labor Intensive Methods, any Special Methods, any methods or procedures to insure compensation on time and quantity of construction affecting the project, etc.

### 3.2 PROGRAM OF WORK

Refer to CPM, Progress Bar Schedule and Development Schedules submitted.

### 3.3 FINANCIAL PROGRAM

Refer to Cash Flow Schedules, provisions for workers, capital schedule of receipts, etc.

NOTE TO BIDDER:

This is a recommended outline for presenting the above document.

### **CERTIFICATE OF PRE-BID ATTENDANCE**

TO WHOM IT MAY CONCERN:			
This is to certify that			
representative of	,attended		
the Pre-Bid Conference for			
held on, 200	•		
This certification is issued upon the r bidding requirements of the Project.	request of the Contractor for compliance to the		
	Certified by:		
	[Consultant's Representative]		
[Project Director, DPWH]	<del>-</del>		

### **CERTIFICATE OF SITE VISIT**

TO WHOM IT MAY CONCERN:

This is to certify that	_
representative of	, has
conducted site inspection/visited the proposed const Highway System Along the Pan-Philippine Hi 39+625.00 – Sta. 47+400.00), Contract Package No	ghway Project, Plaridel Bypass, Sta
This certification is issued thisday request of the Contractor for Compliance to the bidd	of, 200, on the ing requirements of the Project.
	Certified by:
	[Consultant's Representative]
[Project Director, DPWH]	

**SF 9** 

## STATEMENT OF ON-GOING PROJECTS OR COMMITTED PROJECTS

The Contractor shall list all projects that are being currently undertaken or they are in the process of negotiating, in accordance with Clause 5.6.12.

NAME OF PROJECT	DATE STARTED/STATUS IN PERCENTAGE/ COMPLETED	DESCRIPTION OF PROJECT/LENGTH/COST/ PERTINENT DETAILS	

### Sample Forms