

NOTES:

- RELATIVE PATHS OF LEFT TURNING VEHICLES ARE IMAGINARY ONLY; OVERALL, THESE WILL DETERMINE THE CONFIGURATION OF CHANNELIZATION ISLANDS IN INTERSECTION DESIGN.
- Ro AS DEFINED BY CONDITION OBTAINING AND Wc IN CONFORMANCE WITH DESIGN VEHICLES AND Ro.
- (ADOPTED FROM JAPANESE STANDARDS USE IN OTHER PROJECTS.)


WHERE:

- Wn = LANE WIDTH (NORMAL)
- Wc = LANE WIDTH (TURNING)
- Δ = INTERSECTION ANGLE
- Ro = OUTER RADIUS
- Ri = INNER RADIUS
- Rt = TRANSITION RADIUS
- α = 180° -

FORMULAS :

- Ri = Ro - Wc
- Rt = nRi (n=3)
- S = Wc - Wn
- t = S/(n-1)
- A = (Ri+S) cot α/2
- B = √2 (Rt - Ri) S - S²
- C = B/(n-1)
- D = S + t

4 LEFT TURN LANE/S ELEMENTS THREE CENTERED CURVE-SYMMETRICAL
RS-01



NOTES:

- FORMULAS DERIVED BELOW ARE FOR FIELD LAYOUT PURPOSE (DRAWING LAYOUT BY GRAPHICAL SOLUTION ONLY.)
- DESIGN RADII (R1, R2 & R3) AND OFFSET S AS WELL AS LANE WIDTH W (WHERE CORNER ISLANDS ARE REQUIRED UNDER CONDITIONS OBTAINING) AS BASED ON VALUES SET BY THE TEAM'S 'A GUIDE TO TRAFFIC ENGINEERING AND MANAGEMENT TECHNIQUES'.


WHERE:

- Δ = INTERSECTION ANGLE
- R1 = INNER RADIUS
- R2 = TRANSITION RADIUS
- S = OFFSET OF INNER CIRCULAR CURVE FROM TANGENTS

FORMULAS :

- T1 = (R1+S) TAN Δ/2
- T = T1 + (R2-R1) SIN θ
- T2 = T1 - R1 SIN θ
- Y = (R1+S) - R1 COS θ
- E = (R1+S) / COS Δ/2 - R1
- M = R1 - R1 COS (Δ/2 - θ)
- θ = COS⁻¹ (R2 - R1 - S / R2 - R1)

5 RIGHT TURN/S ELEMENTS THREE CENTERED CURVE-SYMMETRICAL
RS-01




WHERE:

- R1 = RADIUS OF INTERMEDIATE CIRCULAR ARC
- R2 = RADIUS OF CIRCULAR ARC ON APPROACH LEG (1.5 x R1)
- R3 = RADIUS OF CIRCULAR ARC ON DEPARTURE LEG (3 x R1)
- S = OFFSET OF INNER CIRCULAR CURVE FROM TANGENTS
- Δ = INTERSECTION ANGLE

FORMULAS :

- θA = COS⁻¹ [(R2 - (R1+S)) / (R2 - R1)]
- θB = COS⁻¹ [(R3 - (R1+S)) / (R3 - R1)]
- T1 = (R1+S) TAN Δ/2
- TA = T1 + (R2-R1) SIN θA
- TB = T1 + (R3-R1) SIN θB
- tA = T1 - R1 SIN θA = TA - R2 SIN θA
- tB = T1 - R1 SIN θB = TB - R3 SIN θB
- YA = (R1+S) - R1 COS θA
- YB = (R1+S) - R1 COS θB

6 RIGHT TURN/S ELEMENTS THREE CENTERED CURVE-ASYMMETRICAL
RS-01




FORMULAS :

- θ = TAN⁻¹ 1/S (TAPER RATE S:1)
- T = WS / (3 COS θ + 1)
- L/3 = T (COS θ + 1)
- R = T / TAN θ/2
- APPROX. T = L/6
- θ = TAN⁻¹ W/4T

OPERATING SPEED	S VALUE
50 KPH	8
60 KPH	(10)
70 KPH	(12.5)
80 KPH	15
PARKING TURNOUT (ENTRANCE / EXIT)	2
BUS TURNOUT (DESIRABLE MIN)	4

(S VALUE SHOWN IN PARENTHESIS WERE INTERPOLATED FROM AASHTO)

1 ROADWAY TAPERING-L1/3 TAN SECTION (CIRCULAR CURVE ROUNDING)
RS-01



FORMULAS :

- L = CWS (C=1 MINIMUM, C=2 DESIRABLE)
- Y = KW


WHERE:

- L = LENGTH OF FLARE
- W = WIDENING (MAX. OFFSET)
- S = TAPER RATE (HOR:VER)
- X = DISTANCE ALONG BASELINE
- Y = OFFSET FROM BASELINE

LAYOUT BY OFFSET

X/L	0.00	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00
K	0.000	0.005	0.020	0.045	0.080	0.125	0.180	0.245	0.320	0.405	0.500	0.595	0.680	0.755	0.820	0.875	0.920	0.955	0.980	0.995	1.000

2 ROADWAY TAPERING REVERSED PARABOLIC CURVE FLARES-SYMMETRICAL (BY OFFSET)
RS-01




INCREASING			
Xi/Li	K	Xi/Li	K
0.00	0.000	0.52	0.5103
0.02	0.0010	0.54	0.5470
0.04	0.0020	0.56	0.5836
0.06	0.0047	0.58	0.6194
0.08	0.0077	0.60	0.6548
0.10	0.0114	0.62	0.6888
0.12	0.0158	0.64	0.7217
0.14	0.0217	0.66	0.7522
0.16	0.0300	0.68	0.7789
0.18	0.0399	0.70	0.8050
0.20	0.0499	0.72	0.8286
0.22	0.0612	0.74	0.8521
0.24	0.0760	0.76	0.8741
0.26	0.0908	0.78	0.8947
0.28	0.1110	0.80	0.9128
0.30	0.1315	0.82	0.9293
0.32	0.1574	0.84	0.9440
0.34	0.1849	0.86	0.9580
0.36	0.2161	0.88	0.9691
0.38	0.2496	0.90	0.9775
0.40	0.2846	0.92	0.9849
0.42	0.3215	0.94	0.9903
0.44	0.3586	0.96	0.9952
0.46	0.3965	0.98	0.9982
0.48	0.4344	1.00	1.0000
0.50	1.4724		

WHERE:

- W = FULL WIDENING
- L = LENGTH OF TAPERING/ TRANSITION
- Y = WIDENING/OFFSET FROM BASELINE @ X DISTANCE
- FOR X/L : Y = KW

DECREASING			
Xd/Ld	K	Xd/Ld	K
0.00	1.0000	0.52	0.1967
0.02	0.9964	0.54	0.1784
0.04	0.9905	0.56	0.1613
0.06	0.9810	0.58	0.1453
0.08	0.9660	0.60	0.1304
0.10	0.9438	0.62	0.1162
0.12	0.9200	0.64	0.1034
0.14	0.8920	0.66	0.0916
0.16	0.8602	0.68	0.0807
0.18	0.8238	0.70	0.0708
0.20	0.7816	0.72	0.0622
0.22	0.7324	0.74	0.0543
0.24	0.6822	0.76	0.0473
0.26	0.6340	0.78	0.0407
0.28	0.5848	0.80	0.0348
0.30	0.5365	0.82	0.0288
0.32	0.4912	0.84	0.0236
0.34	0.4478	0.86	0.0190
0.36	0.4092	0.88	0.0150
0.38	0.3748	0.90	0.0116
0.40	0.3443	0.92	0.0082
0.42	0.3144	0.94	0.0052
0.44	0.2868	0.96	0.0026
0.46	0.2610	0.98	0.0012
0.48	0.2373	1.00	0.0000
0.50	0.2163		

3 ROADWAY TAPERING REVERSED PARABOLIC CURVE ASYMMETRICAL (BY OFFSET)
RS-01




WHERE :
 PI = POINT OF INTERSECTION
 Δ = INTERSECTION ANGLE
 R = CURVE RADIUS
 T = TANGENT LENGTH
 LC = CURVE LENGTH
 E = EXTERNAL DISTANCE
 PC = BEGINNING OF CIRCULAR CURVE
 PT = END OF CIRCULAR CURVE

FORMULAS:
 $T = R (\tan \Delta/2)$
 $LC = \frac{\pi R \Delta}{180}$
 $E = T (\tan \Delta/4)$

NOTE :
 NO HORIZONTAL CURVE IS REQUIRED WHEN THE INTERSECTION ANGLE IS LESS THAN ONE DEGREE (1°)

2 HORIZONTAL CURVE (CIRCULAR)
 RS-02




WHERE :
 PI = POINT OF INTERSECTION
 Δ = INTERSECTION ANGLE
 R = CURVE RADIUS
 Es = EXTERNAL DISTANCE
 Ls = LENGTH OF SPIRAL
 A = PARAMETER OF CLOTHOID
 θs = SPIRAL ANGLE
 X, Y = COORDINATES OF POINTS SC AND CS WITH RESPECT TO MAIN TANGENTS
 ΔR = OFFSET BETWEEN CIRCULAR CURVE AND MAIN TANGENT ("THROW" OF SPIRAL)
 Xm = DISTANCE FROM TS OR ST TO POINT OF "THROW"


FORMULAS:
 $A^2 = R(Ls)$
 $\theta_s = Ls(D/40)$
 $x = Ls \left(1 - \frac{Ls^2}{40R^2}\right)$
 $y = \frac{Ls^3}{6R} \left(1 - \frac{Ls^2}{56R^2}\right)$
 $\Delta R = y + R \cos \theta_s - R$
 $X_m = x - R \sin \theta_s$
 $T = (R + \Delta R) \tan \Delta/2$
 $T_s = x_m + T$
 $\Delta c = \Delta - 2\theta_s$
 $L_c = \pi R \Delta c / 180$
 $T_L = x - (y / \tan \theta_s)$
 $T_k = \frac{y}{\sin \theta_s}$
 $E_s = \left[R + \frac{y}{4} \right] \sec \frac{\Delta}{2} - R$

WHERE :
 Ts = TOTAL TANGENT DISTANCE
 TL = LONG TANGENT OF SPIRAL
 Tk = SHORT TANGENT OF SPIRAL
 Ls = LENGTH OF SPIRAL
 Δc = CENTRAL ANGLE OF CIRCULAR CURVE
 Lc = LENGTH OF CIRCULAR CURVE
 Ts = BEGINNING OF TRANSITION CURVE
 SC = BEGINNING OF CIRCULAR CURVE
 CS = END OF CIRCULAR CURVE
 ST = END OF TRANSITION CURVE


1 HORIZONTAL CURVE WITH TRANSITION (CLOTHOID SPIRAL)
 RS-02



5a MAIN BYPASS
 RS-02



5 DESIGN CONTROLS FOR VERTICAL CURVES
 RS-02



WHERE :
 PVI = VERTICAL POINT OF INTERSECTION
 PVC = VERTICAL POINT OF CURVATURE
 PVT = VERTICAL POINT OF TANGENCY
 LVC = LENGTH OF VERTICAL CURVE
 G1, G2 = TANGENT GRADES IN PERCENT
 MO = MIDDLE ORDINATE
 X = DISTANCE FROM PVC TO PVT TO ANY POINT OF CURVE
 Y = VERTICAL OFFSET AT SAID DISTANCE "X"
 HP = HIGH POINT OF CURVE
 DH = DISTANCE OF "HP" FROM CURVE END RECKONED FROM FLATTER GRADE


FOR SYMMETRICAL VERTICAL PARABOLIC CURVES :

$MO = \frac{(G1-G2)}{100} \cdot \frac{L}{8}$
 $Y_x = \frac{(G1-G2)}{100} \cdot \frac{x^2}{2LVC}$
 $DH = \frac{GLVC}{(G1-G2)}$



(WHERE G IS THE LESSER GRADE)

NOTES :
 1. SIMILARLY APPLIES TO LP (LOW POINT) OF SAG VERTICAL CURVES
 2. NO VERTICAL CURVE IS REQUIRED WHERE THE ALGEBRAIC DIFFERENCE IN GRADE IS 0.50% OR LESS

3 VERTICAL PARABOLIC CURVE (SYMMETRICAL)
 RS-02



5b ACCESS ROADS
 RS-02



WHERE :
 L1 = SHORT SIDE OF VERTICAL CURVE LENGTH
 L2 = LONG SIDE OF VERTICAL CURVE LENGTH
 LP = LOW POINT OF CURVE
 DL = DISTANCE OF LP FROM CURVE END RECKONED FROM FLATTER GRADE
 ALL OTHER NOMENCLATURE SAME AS SYMMETRICAL PARABOLIC CURVE


FOR ASYMMETRICAL VERTICAL PARABOLIC CURVES :

$MO = \frac{(G1-G2)}{100} \cdot \frac{L1 \cdot L2}{2L}$
 $Y2 = \frac{X2^2}{L2^2} \cdot MO$
 $Y1 = \frac{X1^2}{L1^2} \cdot MO$
 $DL = \frac{G2 \cdot L2}{L1} \cdot K$
 $K = \frac{L}{G1+G2}$

(FLATTER GRADE SIDE VALUES FOR NUMERATOR & VICE VERSA)

NOTES :
 1. SIMILARLY APPLIES TO LP (LOW POINT) OF SAG VERTICAL CURVES
 2. NO VERTICAL CURVE IS REQUIRED WHERE THE ALGEBRAIC DIFFERENCE IN GRADE IS 0.50% OR LESS

4 VERTICAL PARABOLIC CURVE (ASYMMETRICAL)
 RS-02




$$R1 = \frac{We_1}{S}$$

$$R2 = \frac{We_2}{S}$$

$$L1 = \frac{Wnc}{S}$$

WHERE:
 R1 = LENGTH OF SUPERELEV. RUNOFF (1st CURVE)
 R2 = LENGTH OF SUPERELEV. RUNOFF (2nd CURVE)
 L1 = LENGTH OF ROUNDING
 ALL OTHER NOMENCLATURE THE SAME



$$LK1 = \frac{W}{S} (e_1 - NC)$$

$$R1 = \frac{Wnc}{S}$$


$$R2 = \frac{We_2}{S}$$

$$LK2 = R1 + R2 = \frac{W}{S} (Nc + e_2)$$

WHERE:
 LK1 = MIN. LENGTH OF EASEMENT/CLOTHOID (1st CURVE)
 LK2 = MIN. LENGTH OF EASEMENT/CLOTHOID (2nd CURVE)
 R1 = LENGTH OF SUPERELEVATION RUNOUT
 R2 = LENGTH OF SUPERELEVATION RUNOFF (2nd CURVE)
 W = CARRIAGEWAY (NORMAL)
 ALL OTHER NOMENCLATURE THE SAME

2 SUPERELEVATION TRANSITION-REVERSE CURVE (MAIN ROAD)
 RS-03

3 SUPERELEVATION TRANSITION-(RAMPS)
 PAVEMENT REVOLVED ABOUT OUTER EDGE
 RS-03



$$A^2 = R LK$$

A = CLOTHOID PARAMETER

$$R1 = \frac{Wnc}{S}$$

$$R2 = \frac{We}{S}$$

$$L1 = \frac{Wnc}{S}$$

$$LK1 = R1 + R2 = \frac{W}{S} (Nc + e) \text{ (A)}$$

$$LK2 = L1 + LK1 = \frac{W}{S} (2Nc + e) \text{ (B)}$$

WHERE:
 LK1 = MIN. LENGTH OF EASEMENT/CLOTHOID (W/O ROUNDING L1)
 LK2 = MIN. LENGTH OF EASEMENT/CLOTHOID (W/ ROUNDING)
 R1 = SUPERELEVATION RUNOUT LENGTH (WITHIN CLOTHOID) *
 R2 = SUPERELEVATION RUNOFF LENGTH
 L1 = LENGTH OF ROUNDING
 W = CARRIAGEWAY (ONE DIRECTION)
 e = SUPERELEVATION RATE
 Nc = NORMAL CROWN SLOPE
 S = RELATIVE SLOPE OF EDGES W/ S

* OTHER AUTHORITIES PLACE R1 ALONG THE TANGENT

S VALUE
(INTERPOLATED FROM AASHTO)

DESIGN SPEED Km/h	40	50	60	70	80	90	100	110	120
100 S	0.70	0.65	0.60	0.55	0.50	0.48	0.45	0.42	0.40

SUPERELEVATION "e" RATES
 MAIN ROAD RAMP


D	R	V=80 KPH e _{max} =0.060		V=40 KPH e _{max} =0.070		
		D	R	D	R	
0'-10'	6,875.36	NC	(0.004)	NC	(0.003)	
-20	3,437.78	NC	(0.008)	NC	(0.007)	
-30	2,291.83	NC	(0.013)	NC	(0.010)	
-40	1,718.87	RC	(0.016)	RC	(0.013)	
-50	1,375.10	0.021		RC	(0.016)	
1'-00'	1,145.92	0.024		RC	(0.019)	
-10	982.21	0.027		-30	327.40	(0.022)
-20	859.44	0.030		4'-00'	286.48	0.024
-30	763.94	0.033		-30	254.65	0.027
-40	687.55	0.036		5'-00'	229.18	0.030
-50	625.05	0.039		6'-00'	190.99	0.035
2'-00'	572.96	0.041		7'-00'	163.70	0.039
-10	528.68	0.044		8'-00'	143.24	0.043
-20	491.11	0.046		9'-00'	127.32	0.047
-30	458.37	0.048		10'-00'	114.59	0.050
-40	429.72	0.050		11'-00'	104.17	0.054
-50	404.44	0.052		12'-00'	104.17	0.057
3'-00'	381.97	0.053		13'-00'	86.15	0.060
-10	361.87	0.055		14'-00'	81.85	0.062
-20	343.78	0.056		15'-00'	76.39	0.065
-30	327.40	0.057		16'-00'	71.62	0.066
-40	312.52	0.058		17'-00'	67.42	0.068
-50	298.93	0.059		18'-00'	63.66	0.069
4'-00'	286.48	0.059		19'-00'	60.31	0.069
-10	275.02	0.060		20'-00'	57.30	0.070
-20	264.44	0.060		-30	55.90	0.070
-30	254.65	0.060		-50	55.00	0.070

- NOTES:
- RATE OF SUPERELEVATION "e" AS SHOWN IN TABLE.
 - ROUNDING "L1" IS OPTIONAL AND NECESSARY ONLY IF "S" IS GREATER THAN THAT SHOWN IN TABLE.
 - SIDEWALKS SHALL ALWAYS SLOPE TOWARDS THE TRAVELWAY.
 - SHOULDERS OF THE MAIN ROADS SHALL ALWAYS SLOPE OUTWARD THE TRAVELWAY IRRESPECTIVE OF THE RATE OF "e" NORMAL SHOULDER SLOPE SHALL BE THE SAME AS THE TRAVELWAY.
 - FOR THE INTERCHANGE RAMPS, TREATMENT FOR THE OUTER OR THE RIGHT SIDE SHOULDER SHALL BE THE SAME AS THE ABOVE. THE INNER SHOULDER SHALL ALWAYS SLOPE TOWARDS THE LEFT OR THE INSIDE. WHERE "e" IS IN THE OPPOSITE DIRECTION, THE ALGEBRAIC SUM OF THE SLOPES OF THE SHOULDER AND TRAVELWAY SHALL BE EQUAL TO 8.0%.
 - SUPERELEVATION "e" RATES AS SHOWN IN TABLE ARE BASED ON A PARABOLIC FORM OF DISTRIBUTION.


NC = NORMAL CROWN SLOPE (0.020)
 (WHERE THEORETICAL e ≤ NC/2)
 RC = REMOVE ADVERSE CROWN & SUPERELEVATE AT NC
 (WHERE THEORETICAL e > NC/2)

1 SUPERELEVATION TRANSITION (MAIN ROAD)
 RS-03


	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	10/19/02	<i>S. G. G. G.</i>		BUREAU OF DESIGN Submitted By: DANILO C. TRAJANO Project Director Recommended By: JOSEFINA M. ALAGAR Chief, Highways Division Recommended By: GILBERTO S. REYES Dir. Director IV Recommended By: MANUEL M. BONDAN Undersecretary Approved By: SIMEON A. DATUMANONG Secretary	NOT TO SCALE	GEOMETRIC DESIGN STANDARD - 3 SUPERELEVATION ATTAINMENT/ DETAILS DIAGRAMATIC PROFILES/ SECTIONS				
SUBMITTED		10/21/02	<i>M. R. R.</i>				CABANATUAN BYPASS - CONTRACT PACKAGE IV		FULL SIZE A1		




A TYPICAL PLAN OF TWO LANE PAVEMENT
RS-04 SCALE 1:50




C PLAN (SHOWING FLARING OF EXISTING CONC. PAV'T.)
RS-04 SCALE 1:50




G BAR SPACING ALONG CURVES DETAIL
RS-04 NOT TO SCALE




F WEAKENED PLANE JT. USED IN FULL WIDTH CONST.
F WEAKENED PLANE JT. USED IN HALF WIDTH CONST.




C1 SECTION (TO BE USED FOR FLARING EXT'G. CONC. PAVEMENT)
C2 SECTION (TO BE PROVIDED IN PAVEMENT MORE THAN FOUR LANES IN WIDTH)
C2 SECTION (TO BE USED ONLY FOR CONNECTIONS W/ EXT'G. CONCRETE PAVEMENT)




H1 PLAN NOT TO SCALE
H2 ELEVATION NOT TO SCALE
J SIDE FORM DETAIL NOT TO SCALE




D ELEVATION (SHOWING ASSEMBLY OF DEFORMED PLATE FOR 4.50m. PANEL)
RS-04 NOT TO SCALE




E1 DETAIL NOT TO SCALE
E1a SECTION NOT TO SCALE




I TRANSVERSE EXPN. JOINT DETAIL
RS-04 NOT TO SCALE




E2 DETAIL NOT TO SCALE
E2a SECTION NOT TO SCALE




B DOWELLED EXPN. JOINT DETAIL
RS-04 NOT TO SCALE



A1 SECTION NOT TO SCALE
A2 SECTION NOT TO SCALE



A3 SECTION NOT TO SCALE
A4 SECTION NOT TO SCALE




F WEAKENED GROOVE DETAIL
RS-04 NOT TO SCALE

T	a	b	c	E	F
180	60	750	375	289	375
200	70	750	375	289	375
230	85	500	250	164	250
250	95	500	250	164	250
280	110	500	250	164	250


TABLE OF DIMENSIONS

- NOTES:**
- MATERIALS AND WORKMANSHIP SHALL CONFORM WITH THE "GENERAL SPECIFICATIONS FOR ROADS AND BRIDGES 1995".
 - CONSTRUCTIONS (CONTACT) JOINTS ARE FORMED WHEN CONCRETE ON ONE SIDE OF THE JOINT IS POURED AHEAD AND ALLOWED TO SET BEFORE POURING ON THE OTHER SIDE.
 - AT CONSTRUCTION JOINT, (LONGITUDINAL OR TRANSVERSE) CARE SHOULD BE TAKEN THAT NO CONCRETE FROM THE LAST SLAB PLACED OVERHANGS ANY PORTION OF FIRST SLAB.
 - ALL BARS SHALL BE DEFORMED STEEL BARS.
 - TYPE OF WEAKENED PLANE JOINT TO BE USED SHALL BE AS SPECIFIED IN THE PLANS AND ONLY ONE TYPE SHALL BE USED FOR THE WHOLE PROJECT.
 - MATERIAL FOR THE DEFORMED METAL PLATE SHALL BE BRAND NEW SHEET METAL GAUGE NO. 18 OF IRON FREE FROM RUST AND KINKS.
 - AT LEAST SIX(6) SUCCESSIVE DOWELED BUTT JOINTS AT NORMAL JOINT SPACING, SHALL BE PROVIDED BEFORE OR AFTER AN EXPANSION JOINT.
 - THE GROVE OR CRACK ABOVE JOINT (LONGITUDINAL OR TRAVERSE) SHALL BE SEALED WITH 30-50 PENETRATION ASPHALT SEAL OR COLD APPLIED LIQUID RUBBER COMPOUND AFTER THE CONCRETE HARDENS AND BEFORE OPENING THE PAVEMENT TO TRAFFIC. PENETRATION ASPHALT SEAL ON CONCRETE PAVEMENT JOINTS SHOULD BE POURED IN SUCH MANNER THAT SPILLING WILL BE ELIMINATED/PREVENTED THUS, PROVIDE SMOOTH RIDING/LEVELLING SURFACE.
 - ALL TRANSVERSE JOINTS, EXCEPT CONSTRUCTION JOINTS, SHALL BE CONTINUOUS FROM EDGE TO EDGE.
 - ALL LONGITUDINAL JOINTS SHALL MEET AT INTERSECTIONS WITH NO GAPSOR OFFSETS.
 - WHEN WIDTH OF LANE IS THIRTY SIX(36) METERS OR LESS, SIZE OF THE BAR MAY BE REDUCED TO 12mm DIAMETER.
 - ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.


<p>JAPAN INTERNATIONAL COOPERATION AGENCY</p>		<p>REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>		<p>PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)</p>		<p>SCALE : NOT TO SCALE</p>	<p>SHEET CONTENTS : STANDARD PORTLAND CEMENT CONCRETE PAVEMENT</p>	<p>SHEET NO. : RS-04</p>
<p>DESIGNED : 10/12/02 CHECKED : 10/17/02 SUBMITTED : 10/21/02</p>	<p>DATE : SIGNATURE : ACACIO S. ROSE TEAM LEADER</p>	<p>PHL - PMD Submitted By : DANILO C. TRAJANO Project Director</p>	<p>BUREAU OF DESIGN Reviewed By : JOSEFINA M. ALAGAR Chief, Highways Division</p>	<p>OFFICE OF THE SECRETARY Recommended By : MANUEL M. BONOAN Undersecretary</p>	<p>Approved By : SIMEON A. DATUMANONG Secretary</p>	<p>NOT TO SCALE FULL SIZE A1</p>		



1c TYPE "C"
RS-05




2c TYPE "B"
RS-05




* 30 FOR RAMPS FOR PHYSICALLY HANDICAPPED


3 CONCRETE DROP CURB AND GUTTER (MODIFIED)
RS-05 NOT TO SCALE




1b TYPE "B"
RS-05




2b TYPE "B"
RS-05




4a TYPE "A"
RS-05



1a TYPE "A"
RS-05



2a TYPE "A"
RS-05




4b TYPE "B"
RS-05

1 COMBINATION CONCRETE CURB AND GUTTER
RS-05 NOT TO SCALE

2 COMBINATION CONCRETE CURB AND SIDE STRIP
RS-05 NOT TO SCALE


4 CONCRETE CURB
RS-05 NOT TO SCALE

	DESIGNED	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pinaridel, Cabanatuan and San Jose Bypasses) CABANATUAN BYPASS - CONTRACT PACKAGE IV	SCALE : NOT TO SCALE FULL SIZE A1	SHEET CONTENTS : CONCRETE CURB AND GUTTER DETAILS	SHEET NO. : RS-05
	CHECKED	10/19/02	<i>[Signature]</i>	BUREAU OF DESIGN OFFICE OF THE SECRETARY						
	SUBMITTED	10/21/02	<i>[Signature]</i>	Submitted By: DANILO C. TRAJANO Project Director	Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV				




A2 ELEVATION
RS-06 SCALE 1:20


B2 ELEVATION
RS-06 SCALE 1:20




A1 SECTION
RS-06 SCALE 1:20




B1 SECTION
RS-06 SCALE 1:20




SIDEWALK



A PLAN
RS-06 SCALE 1:20



B PLAN
RS-06 SCALE 1:20




MEDIAN



C ISOMETRIC VIEW
RS-06 NOT TO SCALE

1 CURB-CUT RAMP DETAILS
RS-06 SCALE AS SHOWN

	DESIGNED	DATE	SIGNATURE	<p>REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :			SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	10/19/02	<i>[Signature]</i>		BUREAU OF DESIGN	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)			AS SHOWN	CURB-CUT RAMP DETAILS (FOR THE PHYSICALLY HANDICAPPED)	RS-06
	SUBMITTED	10/21/02	<i>[Signature]</i>		OFFICE OF THE SECRETARY	CABANATUAN BYPASS - CONTRACT PACKAGE IV			FULL SIZE A1		
Submitted By:		Reviewed By:		Recommended By:		Approved By:					
DANILO C. TRAJANO Project Director		JOSEFINA M. ALAGAR Chief, Highways Division		GILBERTO S. REYES OC, Director IV		MANUEL M. BONDAN Undersecretary		SIMEON A. DATUMANONG Secretary			






SKETCH OF CROSS SECTION SHOWING ARRANGEMENT AND SETTING OF POST ALONG THE ROAD RIGHT OF WAY LINE.



- NOTES:
- CONCRETE MIXTURE TO BE USED SHOULD BE CLASS "A" MIX (1:2:3). ALL CONCRETE SHOULD BE PLAIN CEMENT FINISHED, PAINTED WITH WHITE REFLECTORIZED WHILE LETTERINGS AND NUMERALS SHOULD BE CHROME YELLOW REFLECTORIZED PAINT. BE V-CUT (SEE SECTION DRAWING) POST.
 - ALL DIMENSIONS ARE ALL IN MILLIMETERS UNLESS OTHERWISE STATED.

- CONDITIONS:
- WHERE THE SHOULDER IS LESS THAN 1.00 TO 2.50 METERS, KILOMETER POST SHALL BE LOCATED AS FAR AS PRACTICABLE BUT NOT LESS THAN 0.50 METER AWAY FROM THE GUTTER THAT CLEAR VISIBILITY WITHIN 25.00 TO 50.00 METERS IS FACILITATED.
 - ALL KM. POST TO BE PLACED ON THE RIGHT HAND SIDE OF THE ROAD.

1 KILOMETER POST SCALE AS SHOWN



GENERAL NOTES


- CONCRETE MONUMENTS SHALL BE PLACED OPPOSITE ALL P.I., B.T.C., E.T.C., 150.00m (MAX.) INTERVAL ON FLAT CURVES AND 300.00m (MAX.) INTERVAL ON TANGENTIAL ALIGNMENTS ALONG THE RIGHT OF WAY LINE.
- RIGHT-OF-WAY MONUMENTS SHALL BE SET ALONG THE RIGHT OF WAY LINES WITH THE LETTERED FACE, FACING THE CENTERLINE OF THE ROAD.
- THE LETTERS SHALL BE 0.005m DEEP FROM FACE OF CONCRETE, INDENTED.
- PHIL. CACUATE OR APPROVED SPECIES SUITABLE TO MAKE ROOTS UPON PLANTING OF 0.10m TO 0.30m DIA. SHALL BE PLANTED OPPOSITE EACH OTHER ALONG THE RIGHT OF WAY LINES TO A MAXIMUM DISTANCE OF 40.00m FROM POST TO POST CONSIDERING ALSO THE CONCRETE MONUMENTS EXPENSES SHALL BE CHARGED ALSO AGAINST CONSTRUCTION ENGINEERING.

NOTE:

ALL CONCRETE TO BE CLASS "A".


CONSTRUCTION NOTES:

ACTUAL LOCATIONS OF RIGHT-OF-WAY MONUMENTS SHALL BE ADJUSTED AS DETERMINED BY THE ENGINEER.




2 RIGHT OF WAY MARKER SCALE AS SHOWN


	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	10/19/02	S. S. ACACIO		Submitted By:	BUREAU OF DESIGN	OFFICE OF THE SECRETARY	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Paridel, Cabanatuan and San Jose Bypasses)	AS SHOWN	STANDARD KILOMETER POST AND RIGHT OF WAY MARKERS	RS-07	
	SUBMITTED	10/21/02	M. R. RIVERA	DANILO C. TRAJANO	JOSEFINA M. ALAGAR	GILBERTO S. REYES	MANUEL M. BONDAN	SIMEON A. DATUMANONG	CABANATUAN BYPASS - CONTRACT PACKAGE IV	FULL SIZE A1		




1 GUARDRAIL DETAIL
RS-08 SCALE 1:20





2 STEEL POST DETAIL
RS-08 SCALE 1:20




3 BEAM TYPE GUARDRAIL (TYPE "GR-A")
RS-08 SCALE 1:10



4 BEAM TYPE GUARDRAIL ON RETAINING WALL (TYPE "GR-B")
RS-08 SCALE 1:10



5 BRACKET DETAIL
RS-08 SCALE 1:5




- NOTES:
1. MATERIALS AND WORKMANSHIP SHALL COMPLY WITH STANDARD SPECIFICATION FOR PUBLIC WORKS AND HIGHWAYS, 1995 EDITION.
 2. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS INDICATED OTHERWISE.
 3. GAUGE OF FLEX-BEAM GUARDRAIL SHALL BE AS INDICATED IN SPECIFICATION.
 4. WHEN CONCRETE POSTS ARE USED IT SHALL CONFORM WITH THE REQUIREMENTS OF CLASS "C" CONCRETE, ITEM 405 AND REINFORCING STEEL CONFORM WITH REQUIREMENTS OF REINFORCING STEEL, ITEM 404.

	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	SCALE : AS SHOWN FULL SIZE A1	SHEET CONTENTS : STANDARD STEEL BEAM GUARDRAIL (TYPE GR-A & GR-B)	SHEET NO. : RS-08
	CHECKED	10/27/02	<i>S. G. G. G.</i>		BUREAU OF DESIGN Reviewed By: <i>DANILO C. TRAJANO</i> Project Director	OFFICE OF THE SECRETARY Recommended By: <i>JOSEFINA M. ALAGAR</i> Chief, Highways Division	Recommended By: <i>GILBERTO S. REYES</i> OIC, Director IV				

NOTE :


DRAIN OR WEEP HOLES SHALL BE PROVIDED IN SLOPE EMBANKMENT AT LOCATIONS SHOWN ON THE PLANS. GRAVEL BACKING NOT LESS THAN 0.057 CUBIC METER SHALL BE PROVIDED AT EACH DRAIN OR WEEP HOLES TO INSURE PROPER OPERATION OF THE DRAIN. ROCK BACKING SHALL EXTEND TO AT LEAST ONE (1) FOOT ABOVE THE DRAIN OR WEEP HOLES.




2A ELEVATION OF GROUDED RIP-RAP
RS-09 NOT TO SCALE

NOTE :


WHERE COMMON BORROW CONSIST OF CLAY OR OTHER IMPERVIOUS MATERIALS, SHOULDER DRAINS SHALL BE INSTALLED 20.00 M. APART ON EACH SHOULDER AND ARRANGED IN SUCH A WAY THAT THE DRAINS ON EACH SHOULDERS ARE STAGGERED AND NOT EXACTLY OPPOSITE EACH OTHER. THEY SHOULD BE CONSTRUCTED AT LOWEST POINT OF SAG VERTICALS ON BOTH SHOULDERS.




150mmØ UNREINFORCED CONCRETE PIPE UNDERDRAIN
RS-09 NOT TO SCALE




D DETAIL OF SODDING
RS-09 NOT TO SCALE




1A GROUDED RIP-RAP PROTECTION FOR SLOPE OF EMBANKMENT
RS-09 NOT TO SCALE



C DETAIL OF UNDERDRAIN
RS-09 NOT TO SCALE




1B RUBBLE MASONRY RETAINING WALL
RS-09 NOT TO SCALE



3B STONE MASONRY RETAINING WALL
RS-09 NOT TO SCALE

NOTE :

EMBANKMENT WILL BE CONSTRUCTED ONLY ON A FOUNDATION BED SATISFACTORY TO THE ENGINEER. THE STONES SHALL NOT BE LESS THAN 0.15 CU.M. IN VOLUME WITH 75% OF STONES AT LEAST 0.03 CU.M. IN VOLUME AND LAID OFF TO THE LINES AND DIMENSIONS REQUIRED. THE STONES SHALL BE BONDED TO SAME EXTENT AND SECURELY BEDDED. SPALLS SHALL BE USED TO FILL VOIDS. ANY SPACE BACK TO HAND-LAID ROCK EMBANKMENT SHALL BE FILLED ENTIRELY WITH COMPACTED MATERIAL.




5B HAND LAID ROCK EMBANKMENT
RS-09 NOT TO SCALE

NOTE :

CONCRETE CLASS "A" FOOTING FOR WALL WHEN ORDERED BY THE ENGINEER. DEPTH OF FOOTING : FOOTING SHALL BE CARRIED DOWN TO A FIRM FOUNDATION AS DIRECTED BY THE ENGINEER.
MORTAR : TO BE ONE (1) PART CEMENT AND THREE (3) PARTS SAND.
MORTAR : JOINTS WITH GENERALLY 2.50 TO 4 CMS., MIN. 2 CMS., MAX. 6.50 CMS.
BULGE : THE BULGE OF INDIVIDUAL STONES SHALL VARY BETWEEN 2.50 TO 10 CMS.
SURFACE FINISH : TO BE FREE OF TOOL OR DRILL MARKS.
PAYMENT FOR POROUS TILE DRAIN WITH ROCK BACKFILL AND FOR 150mmØ & GALVANIZED IRON PIPES WITH ROCK BACKING PAYMENT WILL NOT BE MADE DIRECT, BUT WILL BE INCLUDED AS PART OF THE PRICE BID FOR MASONRY QUANTITY TO BE PAID FOR SHALL BE WITHIN THE WORKING LINES AS SHOWN IN SECTIONS. ALL WALL MASONRY SHALL BE "STONE MASONRY" ITEM 505 OF GOVERNMENT STANDARD SPECIFICATIONS FOR HIGHWAYS AND BRIDGES.


HEIGHT "H" IN METER	QUANTITIES PER LINEAR METER OF WALL	
	CONCRETE CU. M.	STEEL KILOS
3.00	0.153	19
3.60	0.230	30
4.80	0.306	40
6.00	0.383	45




SECTION SHOWING WORKING LINES FOR BULDGE AND PAYMENTS

HEIGHT IN METERS	TABLE		TABLE	
	QUANTITIES PER LINEAR M OF WALL IN CU. METER	QUANTITIES PER LINEAR M OF WALL IN CU. METER	HEIGHT IN METERS	QUANTITIES PER LINEAR M OF WALL IN CU. METER
0.90	0.15	3.60	1.15	
1.20	0.23	3.90	1.30	
1.50	0.31	4.20	1.45	
1.90	0.38	4.50	1.68	
2.10	0.46	4.80	1.91	
2.40	0.54	5.10	2.14	
2.70	0.69	5.40	2.37	
3.00	0.77	5.80	2.68	
3.30	0.92	6.00	2.91	


MIN. BULGE 2.50 CMS., MAX. BULGE 10 CMS. FEATHERED TO WORKING LINE AT JOINTS TO BE RAKED TO A DEPTH OF 2.50 TO 5 CMS.



METHOD OF STEPPING FOOTING
RS-09 NOT TO SCALE



A EMBANKMENT PROTECTION WALLS
RS-09 NOT TO SCALE



2B FOOTING FOR WALL
RS-09 NOT TO SCALE

B MASONRY RETAINING WALLS
RS-09 NOT TO SCALE

JICA
JAPAN INTERNATIONAL COOPERATION AGENCY

KAI KATAHIRA & ENGINEERS INTERNATIONAL
YEC YACHIYO ENGINEERING CO., LTD.

REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

DESIGNED: 10/12/02
CHECKED: 10/19/02
SUBMITTED: 10/21/02


Submitted By: DANILLO C. TRAJANO
Reviewed By: JOSEFINA M. ALAGAR
Recommended By: GILBERTO S. REYES
Approved By: MANUEL M. BONDAN

PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)


SCALE : AS SHOWN

SHEET CONTENTS : EMBANKMENT PROTECTION WALLS AND MASONRY RETAINING WALLS


SHEET NO. : RS-09




4 TYPICAL PRIVATE DRIVEWAY AT SIDE WALK (PROFILE)
RS-10 NOT TO SCALE




5 TYPICAL SIDE ROAD AT SIDE WALK (PROFILE)
RS-10 NOT TO SCALE




6C SUPERELEVATED CUT SECTION
RS-10 NOT TO SCALE



FOR ASPHALTIC SURFACE




FOR R.C. CONCRETE PAVEMENT FOR PRIVATE DRIVEWAY




6B SUPERELEVATED FILL SECTION
RS-10 NOT TO SCALE

3 TYPICAL CROSS - SECTION
RS-10 NOT TO SCALE




HALF CUT SECTION HALF FILL SECTION

6A STANDARD CROWNED SECTION
RS-10 NOT TO SCALE



1 PLAN OF SIDE ROAD & PRIVATE DRIVEWAY AT SIDE WALK
RS-10 NOT TO SCALE



2 SECTION OF R.C. CONCRETE PAVEMENT OF SIDE ROAD & PRIVATE DRIVEWAY
RS-10 NOT TO SCALE

6 VERTICAL ALIGNMENT OF ACCESS ROAD APPROACHES TO MINOR INTERSECTION
RS-10 NOT TO SCALE

NOTES:

- THE ENGINEER SHALL DIRECT THE LISTING OF CONNECTION SIDE ROAD/ PRIVATE DRIVEWAY APPROACHES, THE ARRANGEMENT OF THE DRAINAGE STRUCTURES (IF ANY), THE LIMIT OF WORK FOR THE CONNECTION ROADS AND THE TYPE AND QUANTITIES OF PAVEMENT STRUCTURE.
- THE WORD "SIDE ROAD" IN THIS DRAWING REFER TO THE ROAD CONNECTING TO THE HIGHWAY SIDE ROAD LEADS TO THE BARANGAY, PUBLIC PLACE ETC., WHILE "PRIVATE DRIVEWAY" IS THE PRIVATE CONNECTION ROAD FOR PRIVATE HOUSE.
- SIDE ROAD (PUBLIC) APPROACHES AND PRIVATE DRIVEWAY TO BUILDINGS OR RESIDENCE SHALL BE PAVED 1.5 m OUT FROM EDGE OF SHOULDER OR TO THE RIGHT-OF-WAY LINE, WHICHEVER IS LESS. PAVEMENT THICKNESSES SHALL BE AS SHOWN ON THE PLANS.
- USE 4:1 OF FLATTER SIDE SLOPE IN THE APPROACH RADII AREA.
- THE SIDE SLOPES IN THE MAIN ROADWAY AND THE APPROACH ROADWAY IF STEEPER THE 4:1 SHALL BE SMOOTHLY TRANSITIONED INTO THE 4:1 AREA.
- SIDE CROSS DRAINS SHALL BE LOCATED 10.00m OR AS SHOWN IN THE PLAN.
- 15m. RADII TO BE USED ON INTERSECTION ROADS, EXCEPT RESIDENTIAL DRIVES, UNLESS OTHERWISE SPECIFIED ON PLANS.
- RADII MAY BE VARIED TO SUIT FIELD CONDITIONS.
- TANGENT SLOPE NOT STEEPER THAN 10% BEYOND VERTICAL CURVE, THE SLOPE MAY BE STEEPER, IF REQUIRED, TO MEET EXISTING APPROACH SLOPE.
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN METERS.

	DESIGNED	10/12/02	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS		PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	10/19/02	BUREAU OF DESIGN		THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	SIDE ROAD APPROACHES AND PRIVATE DRIVEWAY ACCESS	RS-10	
	SUBMITTED	10/21/02	OFFICE OF THE SECRETARY		CABANATUAN BYPASS - CONTRACT PACKAGE IV	FULL SIZE A1			
Submitted By:		Reviewed By:		Recommended By:		Approved By:			
DANILO C. TRAJANO Project Director		JOSEFINA M. ALAGAR Chief, Highways Division		GILBERTO S. REYES OIC, Director IV		MANUEL M. BONGAON Undersecretary		SIMEON A. DATUMANONG Secretary	



1
W1-1(L or R)



2
W1-4 (L)



3
W2-1



4
W2-4



5
W2-5



6
W2-6 (L or R)



7
W2-7




8
W2-8



9
W2-9 (R)



10
W2-10 (L or R)



11
W3-1



12
W4-2



13
W4-2 (R)



14
W4-3



15
W5-3



16
W5-9



17
W5-10



18
W6-1



19
W6-2



20
W8-3A




21
W8-3B




22
R1-1A




23
R1-2A




24
R2-2L



25
R2-3




26
R2-4A (R)




27
R2-4A (L)



28
R2-4P




29
R2-5



30
R2-6A




31
R2-7A (L)




32
R3-1PA




33
R3-8P



34
R3-13A



35
R3-14A



36
R3-15A



37
R3-16



38
R4-1B(80)




39
R4-3B (40)



40
R6-4



41
S2-3



42
S2-6



43
S2-9

NOTE:

THE MATERIALS, DIMENSIONS, SIZES OF LETTERS AND NUMERALS, SHAPE, COLOR AND INSTALLATION SHALL BE IN ACCORDANCE WITH THE SPECIFICATIONS OF DPWH'S, PHILIPPINE ROAD SIGNS MANUAL, REVISED EDITION, 1982.

LEGEND:


A. WARNING SIGNS

- SHARP TURN (W1-1)
- REVERSE CURVE (W1-4) (L)
- CROSS ROAD (W2-1)
- T JUNCTION (W2-4)
- Y JUNCTION (W2-5)
- SIDE ROAD JUNCTION (W2-6)
- ROUNDABOUT (W2-7)
- PRIORITY ROAD (W2-8)
- PRIORITY ROAD (W2-9) (R)
- PRIORITY ROAD (W2-10)
- SIGNALS AHEAD (W3-1)
- ROAD NARROWS (W4-2)
- ROAD NARROWED (W4-2) (R)
- DIVIDED ROAD (W4-3)
- HUMPS (W5-3)
- SLIPPERY ROAD (W5-9)
- CATTLE CROSSING (W5-10)
- PEDESTRIANS (W6-1)
- CHILDREN (W6-2)
- (DISTANCE)...m. (W8-3a)
- (DISTANCE)...m. (W8-3b)


B. REGULATORY SIGNS

- STOP (R1-1A)
- GIVE WAY (R1-2)(A)
- DIRECTION TO BE FOLLOWED (R2-2)(L)
- DIRECTION TO BE FOLLOWED (R2-3)
- DIRECTION TO BE FOLLOWED (R2-4A)(R)
- DIRECTION TO BE FOLLOWED (R2-4A)(L)
- DIRECTION TO BE FOLLOWED (R2-4P)
- DIRECTION TO BE FOLLOWED (R2-5)
- TWO WAY (R2-6)(A)
- DIRECTION TO BE FOLLOWED (R2-7A)(L)
- NO ENTRY (R3-1P)(A)
- NO ENTRY (R3-8P)
- TURNING PROHIBITION (R3-13A)
- TURNING PROHIBITION (R3-14A)
- TURNING PROHIBITION (R3-15A)
- PROHIBITION OF OVERTAKING (R3-16)
- SPEED RESTRICTION (R4-1B)(80)
- SPEED RESTRICTION (R4-3B)(40)
- SPEED RESTRICTION (R6-4)
- TURN RIGHT AT ANY TIME W/ CARE (S2-3)
- NO RIGHT TURN ON RED SIGNAL (S2-6)
- ROAD CLOSED (S2-9)




	DESIGNED	10/12/02		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	10/19/02		Submitted By:	Reviewed By:	Recommended By:	Approved By:	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	STANDARD TRAFFIC SIGNS SIGN INDEX
	SUBMITTED	10/21/02	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONOAN Undersecretary	SIMEON A. DATUMANONG Secretary	FULL SIZE A1		




GS-24






GS-27




GS-25





GS-28




GS-26




GS-29











GS-30






GS-32




GS-31





GS-34



GS-32



GS-35



JICA
JAPAN INTERNATIONAL COOPERATION AGENCY
KATAHIRA & ENGINEERS
YEO YACHIYO ENGINEERING CO., LTD.

DESIGNED	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS					
10/12/01		<i>S. Luna</i>	BUREAU OF DESIGN		OFFICE OF THE SECRETARY			
CHECKED	10/15/01	<i>S. Reese</i>	Submitted by:	Reviewed by:	Recommended by:	Recommended By:	Approved By:	
SUBMITTED	10/21/01	<i>M. Kitch</i>	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONOAN Undersecretary	SIMEON A. DATUMANONG Secretary	

PROJECT AND LOCATION :
THE DETAILED DESIGN STUDY ON
UPGRADING INTER-URBAN HIGHWAY SYSTEM
ALONG THE PAN-PHILIPPINE HIGHWAY
(Pinaridel, Cabanatuan and San Jose Bypasses)
CABANATUAN BYPASS - CONTRACT PACKAGE IV

SCALE :
AS SHOWN
FULL SIZE A1

SHEET CONTENTS :
ADVANCED DIRECTION
SIGN DETAILS

SHEET NO. :
RS-13a

ROADSIDE SIGNS - MOUNTING SELECTION TABLE

SIGN SIZE WIDTH x DEPTH (mm)	NUMBER AND DIAMETER (mm) OF GALVANIZED PIPE POSTS
1200 x 600	2 x 65
1800 x 600	2 x 65
1800 x 1200	2 x 100
2400 x 600	2 x 100
2400 x 1200	2 x 125
2400 x 1800	2 x 125
3000 x 600	2 x 100
3000 x 1200	2 x 125
3000 x 1800	2 x 150
3000 x 2400	2 x 150
3700 x 600	2 x 100
3700 x 1200	2 x 125
3700 x 1800	2 x 150
3700 x 2400	3 x 150
4300 x 600	2 x 100
4300 x 1200	2 x 125
4300 x 1800	3 x 150
4900 x 600	3 x 100
4900 x 1200	3 x 125
4900 x 1800	3 x 150
5500 x 600	3 x 100
5500 x 1200	3 x 125
5500 x 1800	3 x 150
6100 x 600	3 x 100
6100 x 1200	3 x 125
6100 x 1800	3 x 150

FOR INTERMEDIATE SIGN SIZES :
 (a.) TAKE DIMENSIONS OF SIGN TO NEAREST 300mm.
 (b.) FOR AN ODD DIMENSION TAKE THE NEAREST EVEN HIGHER DIMENSION IN TABLE E.G.:

NOTES:

- THIS TABLE GIVES NUMBER AND SIZE OF GALVANIZED PIPE POSTS REQUIRED FOR SIGN SIZES SHOWN. ASSUMING UNDERSIDE OF SIGN IS 2.0m CLEAR ABOVE ROAD PAVEMENT. FOR SIGNS WITH CLEARANCES GREATER THAN 2.0m THE WIDTH USED IN THIS TABLE SHOULD BE THE ACTUAL WIDTH INCREASED BY A PERCENTAGE EQUAL TO THE PERCENTAGE INCREASE IN HEIGHT ABOVE 2.0m.
- 12mm DIAMETER CADMIUM - PLATED BOLTS, NUTS AND WASHERS SHALL BE USED FOR ATTACHING SIGN TO POSTS.
- TOP OF PIPE TO BE SUITABLY CAPPED AND PIPE BASES SHALL BE SEALED AGAINST MOISTURE.
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE INDICATED.

SIGN POST FOUNDATION TABLE


POST PROFILE Ø (mm)	FOUNDATION DIAMETER (mm)	FOUNDATION DEPTH (mm)
≤ 100	400	1000
125	425	1200
150	450	1500

CLASSIFICATION FOR INFORMATORY SIGN

	H ≥ 900	H ≤ 1500	H ≤ 2100	H > 2100
W ≤ 2100	A	B	B	-
W ≤ 2700	B	C	C	-
W ≤ 3350	B	C	D	D
W ≤ 4000	B	C	D	G
W ≤ 4600	B	C	G	G
W ≥ 4600	E	F	G	G

NOTE:


LETTERS "A" TO "G" INDICATES THE SIZE CLASSIFICATION FOR INFORMATORY SIGNS SCHEDULE.




1 TYPICAL SIGN MOUNTING
 RS-14 NOT TO SCALE

	DESIGNED	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BUREAU OF DESIGN OFFICE OF THE SECRETARY	PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) CABANATUAN BYPASS - CONTRACT PACKAGE IV	SCALE : NOT TO SCALE FULL SIZE A1	SHEET CONTENTS : MOUNTING/SUPPORT FOR ROAD SIGN TYPICAL SIGN MOUNTING DETAILS (1 OF 2)	SHEET NO. : RS-14
	CHECKED	10/19/02	S. LUNA					
	SUBMITTED	10/21/02	TEAM LEADER (Signature)					


NOTE:
SIGN SHALL BE TURNED 3° TO 5° FROM ONCOMING TRAFFIC ON STRAIGHT SECTIONS AND RIGHT HAND CURVES. ON LEFT HAND CURVES THIS ANGLE SHOULD BE SUITABLY INCREASED TO PREVENT GLARE.




1 PLAN VIEW
RS-15




2 SIGN POSITIONS
RS-15 NOT TO SCALE




3a ELEVATION
RS-15




6 INSTALLATION DETAILS (TYPE 'A')
RS-15



7 INSTALLATION DETAILS (TYPE 'B')
RS-15



4 FRICTION CAP DETAIL
RS-15




3b SECTION
RS-15

SECTION SHOWN ARE FOR INSTALLATIONS ON RIGHT SHOULDER AND IN GORE. PLATE SLOTS BEVELS ARE OPPOSITE HAND FROM THAT SHOWN FOR INSTALLATIONS ON LEFT SHOULDER. PLATES FOR BASE CONNECTION SHALL CONFORM W/ THE REQ'S OF ASTM A 36.

3 SIGN POST & STUB POST DETAIL
RS-15

NOTES:
FRICTION CAPS MAY BE MANUFACTURED FROM EITHER HOT ROLLED OR COLD ROLLED STEEL SHEETS MINIMUM SHEET THICKNESS SHALL BE GAUGE 24. THE RIM EDGE SHALL BE REASONABLY STRAIGHT AND SMOOTH.
CAPS SHALL BE SIZED AND FORMED IN SUCH MANNER AS TO PRODUCE A DRIVE-ON FRICTION FIT AND HAVE NO TENDENCY TO ROCK WHEN SEATED ON THE PIPE. THE DEPTH SHALL BE SUFFICIENT TO GIVE POSITIVE PROTECTION AGAINST THE ENTRANCE OF RAIN WATER. THEY SHALL BE FREE OF SHARP CREASES OR INDENTATION AND SHOW NO EVIDENCE OF METAL FAILURE.
CAPS SHALL HAVE AN ELECTRO DEPOSITED COATING OF ZINC IN ACCORDANCE WITH REQUIREMENTS OF ASTM SPECS. A164, TYPE G.S.

PROCEDURE FOR ASSEMBLY OF BASE CONNECTION:
1. ASSEMBLE POST TO STUB WITH BOLTS AND ONE FLAT WASHER ON EACH BOLT BETWEEN PLATES.
2. SHIM AS REQUIRED TO PLUMB POST.
3. TIGHTEN ALL BOLTS THE MAXIMUM POSSIBLE WITH 300 TO 380mm WRENCH TO BED WASHER AND SHIMS AND CLEAN BOLT TREADS THEN LOOSEN.
4. RETIGHTEN BOLT IN A SYSTEMATIC ORDER TO A TORQUE OF 200in-lb (266.016 x 10⁻⁴ KN-m).
5. LOOSEN EACH BOLT AND RETIGHTEN TO THE PRESCRIBED TORQUE IN THE SAME ORDER AS INITIAL TIGHTENING.
6. BURR TREADS AT JUNCTION WITH NUT USING A CENTER PUNCH TO PREVENT NUT LOOSENING.




5 SHIM DETAIL
RS-15


NOTES:
ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE INDICATED.
MATERIAL AND FABRICATION SHALL CONFORM TO THE REQUIREMENTS OF GENERAL SPECIFICATIONS.
ALL PIPE POST, STRUCTURAL STEEL, BOLTS AND WASHER SHALL BE GALVANIZED AS PER AASHTO M III.
ALL HIGH STRENGTH BOLTS AND WASHER SHALL CONFORM TO ASTM-325 AND ALL HIGH STRENGTH NUTS SHALL BE OF SUCH CAPACITY AS TO DEVELOP THE BOLT STRENGTH.
TIGHTEN THE HIGH STRENGTH BOLTS IN THE BASE CONNECTION BY THE USE OF TORQUE, DO NOT OVERTIGHTEN.
DESIGN TORQUE EQUALS TO 200in-lb(266.016x10⁻⁴KN-m)

TYPICAL SIGN MOUNTING DETAILS
NOT TO SCALE


	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Palaridel, Cabanatuan and San Jose Bypasses)	SCALE : NOT TO SCALE FULL SIZE A1	SHEET CONTENTS : MOUNTING / SUPPORT FOR ROAD SIGN TYPICAL SIGN MOUNTING DETAILS (2 OF 2)	SHEET NO. : RS-15
	CHECKED	10/19/02	S. JOSE		BUREAU OF DESIGN							
	SUBMITTED	10/21/02	Mr. Kendo		Submitted By:	Reviewed By:	Recommended By:	Approved By:				
				DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary	SIMEON A. DATUMANONG Secretary				




1B BYPASS MAIN LINE
RS-16 NOT TO SCALE




1A RAMP AND CROSS ROADS
RS-16 NOT TO SCALE



1E PAVEMENT MARKINGS AT SIGNALIZED INTERSECTION
RS-16 NOT TO SCALE



1D PAVEMENT MARKINGS AT UNSIGNALIZED INTERSECTION
RS-16 NOT TO SCALE




1C STANDARD PAVEMENT ARROWS
RS-16 NOT TO SCALE

NOTE:
VALUES IN PARENTHESIS () ARE FOR SPEED LIMIT OVER 60 KPH.
MATERIALS, DIMENSIONS AND COLOR OF STANDARD PAVEMENT ARROWS SHALL CONFORM IN ACCORDANCE WITH THE SPECIFICATION DEFINED IN THE DPWH MANUAL OF PAVEMENT MARKINGS, 1980 EDITION.

1 STANDARD PAVEMENT MARKINGS
RS-16 NOT TO SCALE

	DESIGNED	10/12/02	<i>[Signature]</i>	<p>REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :			SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	10/19/02	<i>[Signature]</i>		<p>THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)</p>			NOT TO SCALE	STANDARD PAVEMENT MARKINGS Sheet 1 OF 2	RS-16
	SUBMITTED	10/21/02	<i>[Signature]</i>		<p>CABANATUAN BYPASS - CONTRACT PACKAGE IV</p>			FULL SIZE A1		
<p>Submitted By: DANILLO C. TRAJANO Reviewed By: JOSEFINA M. ALAGAR Recommended By: GILBERTO S. REYES Approved By: MANUEL M. BONDAN SIMEON A. DATUMANONG</p>				<p>Office of the Secretary</p>						



AA' BEGIN NO PASSING ZONE
SIGHT DISTANCE BECOMES LESS THAN
MIN. MEASURED BETWEEN POINTS
1.30 METER ABOVE PAVEMENT.

B.B' END NO PASSING ZONE
SIGHT DISTANCE AGAIN EXCEEDS
MINIMUM.

NOTE:

NO PASSING ZONE IN OPPOSITE DIRECTION MAY OR MAY NOT
OVERLAP DEPENDING ON VERTICAL ALIGNMENT AND DESIGN SPEED.
FOR NO OVERLAPPING TYPE, REFER TO FIGURE 6 OF DPWH
MANUAL ON PAVEMENT MARKINGS (1980), IF REQUIRED.


**NO-PASSING LINES ON HORIZONTAL CURVES
(OVERLAPPING TYPE)**

1B
RS-17 NOT TO SCALE

85 PERCENTAGE SPEED


- 30 MILES (48.28 KMS)
- 40 MILES (64.37 KMS)
- 50 MILES (80.46 KMS)
- 60 MILES (96.56 KMS)
- 70 MILES (112.65 KMS)

85 PERCENTILE SPEED (Km/h)	MIN. SIGHT DISTANCE (1.15m to 1.15m) (m)	MIN. LENGTH OR BARRIER LINE L (m)	MIN. DISTANCE BETWEEN BARRIER LINE (m)
50	150	75	150
60	180	90	175
70	210	105	200



1E CHEVRON MARKINGS

RS-17 NOT TO SCALE




1D CHEVRON MARKINGS NEAR OBSTRUCTION

RS-17 NOT TO SCALE

	RAMPS & OTHER ROADS (60 KPH OR LESS)	BYPASS MAINLINE (GREATER THAN 60 KPH)
W	150mm	150mm
D	500mm	1000mm
A	1.5m	3.0m
B	2.0m	4.0m
C	4.0m	8.0m


NOTE:

PROVIDE CONCRETE CHATTER BARS AT BOTH SIDES OF CHEVRON MARKINGS MIDWAYS BETWEEN DIAGONAL MARKINGS AND PAVEMENT STUDS AT THE END SPACED 5.00 m. ON CENTERS.



1C CHEVRON MARKINGS AT INTERSECTION

RS-17 NOT TO SCALE



AA' BEGIN NO PASSING ZONE
SIGHT DISTANCE BECOMES LESS THAN
MEASURED BETWEEN POINTS ON CENTER
LINE. (OR ON RIGHT-HAND LANE ON
THREE LANE ROAD.)

B.B' END NO PASSING ZONE
SIGHT DISTANCE AGAIN EXCEEDS
MINIMUM.

1A NO-PASSING LINES ON HORIZONTAL CURVES

RS-17 NOT TO SCALE

1 STANDARD PAVEMENT MARKINGS

RS-17 NOT TO SCALE

JICA
JAPAN INTERNATIONAL COOPERATION AGENCY

KEI KATAMIRA & ENGINEERS INTERNATIONAL
YEO YACHIYO ENGINEERING CO., LTD.

DATE	SIGNATURE
DESIGNED 10/12/02	<i>[Signature]</i>
CHECKED 10/17/02	<i>[Signature]</i>
SUBMITTED 10/17/02	<i>[Signature]</i>

REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

BUREAU OF DESIGN OFFICE OF THE SECRETARY

Submitted By: DANILO C. TRAJANG, Project Director

Reviewed By: JOSEFINA M. ALAGAR, Chief, Highways Division

Recommended By: GILBERTO S. REYES, OIC, Director IV

Recommended By: MANUEL M. BONOAN, Undersecretary

Approved By: SIMEDON A. DATUMAHONG, Secretary


PROJECT AND LOCATION :
THE DETAILED DESIGN STUDY ON
UPGRADING INTER-URBAN HIGHWAY SYSTEM
ALONG THE PAN-PHILIPPINE HIGHWAY
(Palaridel, Cabanatuan and San Jose Bypasses)

CABANATUAN BYPASS - CONTRACT PACKAGE IV


SCALE :
NOT TO SCALE
FULL SIZE A1

SHEET CONTENTS :
STANDARD PAVEMENT MARKINGS
SHEET 2 OF 2


SHEET NO. :
RS-17



3 LOCATION OF ROAD STUDS AND CHATTER BARS
 RS-18 NOT TO SCALE



1 CHATTER BAR
 (WITH LENSES ON 1 - SIDE)
 RS-18 SCALE 1:20 M



2 REFLECTIVE ROAD STUDS FOR CONCRETE
 (WITH LENSES ON ONE - SIDE / TWO SIDES)
 RS-18 SCALE 1:20


JICA
 JAPAN INTERNATIONAL COOPERATION AGENCY
 KATAHIRA & ENGINEERS INTERNATIONAL
 YEO YACHIYO ENGINEERING CO., LTD.

DATE	SIGNATURE
DESIGNED 10/12/02	<i>[Signature]</i>
CHECKED 10/17/02	<i>[Signature]</i>
SUBMITTED 10/18/02	<i>[Signature]</i>


BUREAU OF DESIGN		OFFICE OF THE SECRETARY		
Submitted By: R.J.H.L. - PMO	Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV	Recommended By: MANUEL M. BONDAN Undersecretary	Approved By: SIMEON A. DATUMANONG Secretary

PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	SCALE : AS SHOWN FULL SIZE A1
--	-------------------------------------


SHEET CONTENTS : REFLECTIVE ROAD STUDS AND CONCRETE CHATTER BAR AND DETAILS	SHEET NO. : RS-18
--	----------------------



3A ANCHOR FRAME DETAIL
SCALE 1:10




2C ELEVATION
SCALE 1:10



2B PLAN
SCALE 1:10

2A BASE PLATE DETAIL
SCALE 1:10




1B FRONT VIEW
SCALE 1:20


1C SIDE VIEW
SCALE 1:20

1A MAST ARM VEHICLE SIGNAL POST
SCALE 1:20

A TRAFFIC SIGNAL POST TYPE A
SCALE 1:20




5B SECTION
SCALE 1:20




5C SECTION THROUGH FOOTING
SCALE 1:20

FOOTING DETAILS TYPE-1 (MOUNTING WITH PEDESTAL)
SCALE 1:20



4B SECTION
SCALE 1:20




4C SECTION THROUGH FOOTING
SCALE 1:20

FOOTING DETAILS TYPE-2 (MOUNTING AT SIDEWALK LEVEL)
SCALE 1:20

- NOTES:
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
 - TYPE-1 POST SHALL BE USED FOR POSTS LOCATED ON MEDIAN AND CORNER ISLANDS. TYPE-2 POSTS SHALL BE USED FOR POSTS LOCATED ON SIDEWALKS.
 - STANDARD TRAFFIC SIGNAL POST DESIGN (TYPE A, B, C & D) BASED ON MANUAL FOR THE DESIGN AND LAYOUT OF TRAFFIC SIGNALS IN THE PHILIPPINES, TRAFFIC ENGINEERING CENTER, JANUARY 1983.


		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BUREAU OF DESIGN				PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)		SCALE : AS SHOWN	SHEET CONTENTS : TRAFFIC SIGNAL POST TYPE 'A' AND FOUNDATION DETAILS	SHEET NO. : RS-19
DESIGNED	DATE	SIGNATURE	Submitted By:	Reviewed By:	Recommended By:	Approved By:	CABANATUAN BYPASS - CONTRACT PACKAGE IV FULL SIZE A1			
CHECKED			DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES QC, Director IV	MANUEL M. BONDAN Undersecretary				
SUBMITTED						SIMEON A. DATUMANONG Secretary				



1A TYPE B-1
RS-20 SCALE 1:30

2A TYPE C-1
RS-20 SCALE 1:30

3 TRAFFIC SIGNAL POST TYPE D
RS-20 SCALE 1:30



1B TYPE B-2
RS-20 SCALE 1:30



2B TYPE C-2
RS-20 SCALE 1:30

1 TRAFFIC SIGNAL POST TYPE B
RS-20 SCALE 1:30

2 TRAFFIC SIGNAL POST TYPE C
RS-20 SCALE 1:30

- NOTES:
1. POST ON SIDEWALKS SHOULD BE LOCATED AT A MINIMUM OF 0.60m (0.75 FOR MAST ARMS) FROM THE FACE OF THE CURB.
 2. POST ON MEDIAN ISLANDS MUST BE OFFSET AT LEAST 1.5m FROM THE NOSE OF THE ISLAND AND MOUNTED ON CONCRETE PEDESTALS AT LEAST 0.60m HIGH.
 3. POST AND MAST ARMS ON CORNER ISLANDS SHOULD BE AT LEAST 1.0m FROM THE FACE OF THE CURB AND MOUNTED ON CONCRETE PEDESTALS 0.60m HIGH.
 4. PEDESTRIAN LANTERN ATTACHMENTS ARE INCLUDED ONLY IF SPECIFIED IN THE TRAFFIC SIGNAL LIGHT LAYOUT.

	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	SCALE : AS SHOWN FULL SIZE A1	SHEET CONTENTS : TRAFFIC SIGNAL POST TYPES 'B', 'C' & 'D'	SHEET NO. : RS-20	
	CHECKED	10/12/01	<i>[Signature]</i>		BUREAU OF DESIGN Submitted By: DANILLO C. TRAJANG Project Director	OFFICE OF THE SECRETARY Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV					Approved By: MANUEL M. BONDAN Undersecretary
	SUBMITTED	10/21/01	<i>[Signature]</i> TEAM LEADER		Approved By: SIMEDN A. DATUMANONG Secretary	CABANATUAN BYPASS - CONTRACT PACKAGE IV						



NOTES:
 1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
 2. POST AND FOUNDATION DESIGN BASED ON TRAFFIC ENGINEERING CENTER DRAWING NO. 1033.

1 SCALE 1:10
 VEHICLE SIGNAL POST FOUNDATION (TYPE B)


2 SCALE 1:10
 VEHICLE SIGNAL POST FOUNDATION (TYPE C)

3 SCALE 1:10
 PEDESTRIAN SIGNAL POST FOUNDATION (TYPE D)

4 SCALE 1:10
 TYPICAL BOTTOM SECTION OF FOOTING - TYPE C


5 SCALE 1:5
 POST AND BASE PLATE

	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	DESIGNED	10/12/02	[Signature]	BUREAU OF DESIGN			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pilaridel, Cabanatuan and San Jose Bypasses)	AS SHOWN	TRAFFIC SIGNAL POST TYPE B, C & D FOUNDATION DETAILS
CHECKED	10/19/02	[Signature]	Submitted By:	Reviewed By:	Recommended By:	CABANATUAN BYPASS - CONTRACT PACKAGE IV	FULL SIZE A1		
SUBMITTED	10/24/02	[Signature]	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES GC, Director IV			MANUEL M. BONDAN Undersecretary	SIMEON A. DATUMANDONG Secretary



2 GENERAL PLANTING LOCATION
RS-22 SCALE 1:120


SURFACE	FOOT PATH				SIDE DRAIN				SLOPE PROTECTION			
	EXISTING GROUND	SLOPE PROTECTION	SOIL DUST PREVENTION	PAVEMENT	SOIL DUST PREVENTION	PAVEMENT	SOIL DUST PREVENTION	PAVEMENT	SLOPE PROTECTION	EXISTING GROUND		
DISCRIPTION	NATURE	SODDING	SODDING	GRAVEL	SODDING	GRAVEL	PCC	GRAVEL	SODDING	NATURE		
		SODDING	COMPACTED SUBGRADE		COMPACTED SUBGRADE				COMPACTED SUBGRADE			



1 TYPICAL PLANTING LAYOUT
RS-22 SCALE 1:120


- NOTES:
- 3-B INDICATE LOCATION AS SPECIFIED IN THE PLANTING LAYOUT.
 - DEPARTMENT ORDER (DO) NO.15, S 2000 AND ITS REQUIREMENTS SHALL BE IMPOSED.

	DESIGNED	DATE	SIGNATURE	<p>REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :			SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	10/17/12	<i>S. Luna</i>		BUREAU OF DESIGN	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Paridel, Cabanatuan and San Jose Bypasses)			AS SHOWN	TYPICAL PLANTING LAYOUT WITHOUT FRONTAGE ROAD (INITIAL STAGE)	RS-22
	SUBMITTED	10/21/12	<i>M. R. R. R.</i>		OFFICE OF THE SECRETARY	CABANATUAN BYPASS - CONTRACT PACKAGE IV			FULL SIZE A1		
				Submitted By:	Reviewed By:	Recommended By:	Approved By:				
				DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES D/C, Director IV	MANUEL M. BONDAN Undersecretary	SIMEON A. DATUMANONG Secretary			




A SECTION

EMBANKMENT SECTION




1 PLAN OF ROAD SIDE PLANTATION (OUTSIDE EMBANKMENT SECTION)

RS-23 NOT TO SCALE




A-A SECTION

EMBANKMENT SECTION




2 PLAN OF ROAD SIDE PLANTATION (OUTSIDE EMBANKMENT SECTION)


RS-23 NOT TO SCALE




DISTRICT CHART OF PLANTING ARRANGEMENT IN THE MEDIAN





MEDIAN OF LESS THAN 1.5M



MEDIAN OF 1.5 - LESS THAN 2.0M




MEDIAN OF 2.0 - LESS THAN 4.0M



MEDIAN OF MORE THAN 4.0M

3 TYPES OF PLANTING FORMS ACCORDING TO MEDIAN/OUTER SEPARATION WIDTH


RS-23 NOT TO SCALE




4 ISOMETRIC VIEW OF HOLLOW BLOCK PLANT BOX

RS-23 NOT TO SCALE




	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pinaridel, Cabanatuan and San Jose Bypasses)	SCALE : NOT TO SCALE	SHEET CONTENTS : TYPES OF PLANTING FORMS AND OTHER DETAILS (INITIAL STAGE)	SHEET NO. : RS-23
	CHECKED	10/19/10	S. LUNA		BUREAU OF DESIGN						
	SUBMITTED	10/21/10	MANUEL M. BONDAN	Submitted By: DANILDO C. TRAJANO Project Director			Recommended By: JOSEFINA M. ALAGAR Chief, Highways Division	Approved By: GILBERTO S. REYES OIC, Director IV	CABANATUAN BYPASS - CONTRACT PACKAGE IV		




1 FENCE TYPE - I (BARBED WIRE FENCE) INSTALLATION FOR WOOD FENCES
 RS-24 SCALE 1:20



3 FENCE TYPE - II (CHAIN LINK FENCE) FOR EITHER STEEL OR CONCRETE POST FENCES
 RS-24 SCALE 1:20



5 CONCRETE POST SECTION
 RS-24 SCALE 1:5



4 SIDE VIEW
 RS-24 SCALE 1:20

- NOTES:**
1. MATERIALS AND WORKMANSHIP SHALL CONFORM TO THE REQUIREMENTS OF THE GENERAL SPECIFICATIONS
 2. CONSTRUCTION LOCATION OF FENCES ARE SHOWN ON LAYOUT PLAN OR AS DIRECTED BY THE ENGINEER.
 3. OFFSET TO BE 0.5m AT MONUMENT LOCATIONS. MEASURED AT RIGHT ANGLES TO R/W LINES. TAPER TO ACHIEVE OFFSET TO BE AT LEAST 6m LONG.
 4. STRAINED BARBED WIRE SHALL BE GALVANIZED AS SPECIFIED BY IN ITEM 711
 5. 50mm# AND 75mm# STEEL PIPE SHALL BE GALVANIZED.
 6. THE COST OF FENCE TYPE I SHALL INCLUDE THE COST OF WOOD/RC STRUT POST AND ITS FOUNDATION.
 7. THE COST OF FENCE TYPE II SHALL INCLUDE THE COST OF 0.90x1.50 EXIT-ENTRANCE OF FENCE GATE, INSTALLATION EQUIPMENT AND ITS FOUNDATION.
 8. LOCATION OF EXIT-ENTRANCE OF FENCE GATE TYPE II SHALL BE AS DIRECTED BY THE PROJECT ENGINEER.
 9. CONCRETE FOUNDATION OF STEEL POST TO BE CLASS "C".
 10. CONCRETE POST SHALL BE CLASS "A" CONCRETE, RUBBER FINISH OR CASTED IN SMOOTH SURFACE FORMS WITH EXPOSED CORNERS ROUNDED OR CHAMFERED 12mm.
 11. CONCRETE POST REINFORCING STEEL EXCEPT THE WIRES SHALL BE DEFORMED STEEL BARS OF INTERMEDIATE GRADE.
 12. WOOD POSTS FENCES SHALL CONFORM AS SPECIFIED IN ITEM 711 OF STANDARD SPECIFICATIONS FOR HIGHWAY AND BRIDGES.
 13. MATERIAL FOR CHAIN LINK FENCE POST ARE SUBJECT TO CHANGE TO SUIT FIELD CONDITIONS. CHANGES SHALL BE PREPARED BY CONTRACTOR AND SHALL BE APPROVED BY THE ENGINEER.
 14. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE INDICATED.

	DESIGNED	DATE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	10/17/01		BUREAU OF DESIGN Submitted By: DANILLO C. TRAJANO Project Director	OFFICE OF THE SECRETARY Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV	Recommended By: MANUEL M. BONDAN Undersecretary	Approved By: SIMEON A. DATUMANONG Secretary	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pilaridel, Cabanatuan and San Jose Bypasses)	AS SHOWN	TYPICAL FENCING DETAILS
SUBMITTED	10/21/01	TEAM LEADER DANILLO C. TRAJANO Project Director							FULL SIZE A1		

DRAINAGE

SCHEDULE OF DRAINAGE STRUCTURES

WATERSHED NO.	Q (cms)	STATION (kms)	SKEW	FINISHED GRADE ELEV. (m)	CULVERT CHARACTERISTICS								STRUCTURES		CULVERT FLOW CAPACITY (cms)	REMARKS	RECOMMENDATION		
					INVERT ELEVATION (m)			SLOPE	RCPC (mm dia.)	RCBC (SxH) (mm)	LENGTH (m)			INLET				OUTLET	
					LEFT	CENTER	RIGHT				LEFT	RIGHT	TOTAL						
MAIN BYPASS																			
1	1.87	121+700		36.595	34.55	34.60	34.65	0.00385	1-910			13.00	13.00	26.00	F	F	1.16	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		121+914	15° RF	39.315	34.80	34.85	34.90	0.00294	1-910			17.00	17.00	34.00	F	F	1.01	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
2		122+061	10° LF	38.029	33.80	33.85	33.90	0.00313	1-1220			16.00	16.00	32.00	F	F	2.28	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		122+340	10° LF	41.789	35.82	35.90	35.97	0.00375	1-910			20.00	20.00	40.00	F	F	1.14	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
BRIDGE NO. 11																			
NEW BRIDGE																			
3	0.23	122+452	26° RF	41.345	36.52	36.60	36.67	0.00385	1-910			19.50	19.50	39.00	F	F	1.16	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		122+465	30° RF	41.124	36.30	36.35	36.40	0.00263	1-1520			19.50	19.00	38.00	F	F	3.76	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
BRIDGE NO. 12																			
NEW BRIDGE																			
4	735.50	122+581.666	FIRST APPROACH																
		122+684.126	SECOND APPROACH																
		123+280	5° RF	38.600	36.30	36.35	36.40	0.00370	1-910			13.50	13.50	27.00	F	F	1.13	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		123+364	45° RF	38.669	35.75	35.80	35.85	0.00250	1-910			19.50	20.50	40.00	F	F	0.93	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
5	0.28	123+475	25° RF	38.126	36.15	36.20	36.25	0.00303	1-910			17.00	16.00	33.00	F	F	1.03	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		123+500	25° RF	38.045	36.00	36.05	36.10	0.00294	1-910			16.50	17.50	34.00	F	F	1.01	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		123+564	20° RF	38.101	35.75	35.80	35.85	0.00333	2-1220			15.00	15.00	30.00	F	F	2.35	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
6	2.27	123+574	20° RF	38.170	35.95	36.00	36.05	0.00333	1-910			15.00	15.00	30.00	F	F	1.08	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		123+654	40° LF	38.439	36.10	36.15	36.20	0.00294	1-910			16.50	17.50	34.00	F	F	1.01	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		123+940	40° LF	38.727	35.90	35.95	36.00	0.00286	1-910			17.50	17.50	35.00	F	F	1.00	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
7	2.63	124+134	10° LF	38.843	35.90	35.95	36.00	0.00345	1-910			14.50	14.50	29.00	F	F	1.09	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		124+360	35° LF	38.101	35.85	35.90	35.95	0.00323	2-910			15.50	15.50	31.00	F	F	2.12	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
8	3.71	124+514	40° LF	40.104	35.85	35.90	35.95	0.00256	2-910			19.50	19.50	39.00	F	F	1.89	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		124+654	40° LF	38.894	36.35	36.40	36.45	0.00294	2-910			17.00	17.00	34.00	F	F	2.02	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
9	25.23	124+924	10° RF	39.334	34.50	34.55	34.60	0.00333				15.10	14.90	30.00	W	W	31.83	STORM WATER DRAINAGE	CONSTRUCT RCBC. PROVIDE WINGWALLS.
10	1.53	125+014	20° LF	40.554	36.20	36.25	36.30	0.00294	1-910			17.00	17.00	34.00	F	F	1.01	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		125+180	10° RF	38.934	36.50	36.55	36.60	0.00357	1-910			14.00	14.00	28.00	F	F	1.11	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
11		125+374	10° RF	39.438	37.40	37.45	37.50	0.00385	1-910			13.00	13.00	26.00	F	F	1.16	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		125+600	10° LF	43.174	38.25	38.30	38.35	0.00270	1-910			18.50	18.50	37.00	F	F	0.97	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		BRIDGE NO. 13																	
NEW BRIDGE																			
12	8.53	125+655		43.156	38.25	38.30	38.35	0.00278	2-1220			18.00	18.00	36.00	F	F	4.29	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		125+864	10° RF	41.756	39.00	39.10	39.20	0.00435	2-1220			21.50	24.50	46.00	F	F	5.37	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
13	3.45	125+895	7° RF	41.747	39.55	39.65	39.75	0.00370	1-910			28.50	25.50	54.00	F	F	1.13	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		126+214		40.201	37.95	38.00	38.05	0.00385	2-1070			13.00	13.00	26.00	F	F	3.56	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
14	45.99	126+434		40.241	38.00	38.05	38.10	0.00370	1-910			13.50	13.50	27.00	F	F	1.13	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		126+624	35° LF	41.191	36.50	36.55	36.60	0.00295				17.00	16.90	33.90	W	W	61.79	IRRIGATION STRUCTURE	CONSTRUCT RCBC. PROVIDE WINGWALLS.
		126+718	30° LF	41.004	36.45	36.50	36.55	0.00270	1-910			18.50	18.50	37.00	F	F	0.97	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
15	0.58	126+874	10° LF	39.771	37.85	37.70	37.75	0.00370	1-910			13.50	13.50	27.00	F	F	1.13	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		126+994	30° RF	40.274	37.85	37.90	37.95	0.00333	1-1220			15.00	15.00	30.00	F	F	2.35	STORM WATER DRAINAGE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
16	1.23	127+006	30° RF	40.334	37.95	38.00	38.05	0.00333	1-1070			15.00	15.00	30.00	F	F	1.66	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
		127+334	5° RF	40.834	38.90	38.95	39.00	0.00385	1-910			13.00	13.00	26.00	F	F	1.16	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.

LEGEND:
 S - STRAIGHT W - WINGWALL
 F - FLARED

JICA
 JAPAN INTERNATIONAL COOPERATION AGENCY

KATAHIRA & ENGINEERS
 YEO YACHIKO ENGINEERING CO., LTD.

REPUBLIC OF THE PHILIPPINES
 DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

BUREAU OF DESIGN OFFICE OF THE SECRETARY

DESIGNED: *[Signature]* DATE: 10/12/02 SUBMITTED: 10/21/02

CHECKED: *[Signature]* DATE: 10/19/02 TEAM LEADER: *[Signature]*

REVIEWED BY: DANILO C. TRAJANO, Project Director

RECOMMENDED BY: JOSEFINA M. ALACAR, Chief, Highways Division

RECOMMENDED BY: GILBERTO S. REYES, OIC, Director IV

RECOMMENDED BY: MANUEL M. BONDAN, Undersecretary

APPROVED BY: SIMEON A. DATUMANONG, Secretary

PROJECT AND LOCATION: THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Paridae, Cabanatuan and San Jose Bypasses)

SCALE: NOT TO SCALE SHEET CONTENTS: SCHEDULE OF DRAINAGE STRUCTURES SHEET NO.: DG-01

CABANATUAN BYPASS - CONTRACT PACKAGE IV FULL SIZE A1

SCHEDULE OF DRAINAGE STRUCTURES

WATERSHED NO.	STATION Q (cms)	STATION (lms)	SKEW	FINISHED GRADE ELEV. (m)	CULVERT CHARACTERISTICS							STRUCTURES		CULVERT FLOW CAPACITY (cms)	REMARKS	RECOMMENDATION			
					INVERT ELEVATION (m)			SLOPE	RCPD (mm dia.)	RCBC (SxH) (mm)	LENGTH (m)						INLET	OUTLET	
					LEFT	CENTER	RIGHT				LEFT	RIGHT	TOTAL						
ACCESS ROAD																			
STA. 125 + 881.570 INTERSECTION A-24																			
	0+920			40.105	38.20	38.15	38.10	0.01250	1-910			4.00	4.00	8.00	F	F	2.08	LATERAL PIPE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
STA. 129 + 442.886 INTERSECTION A-29																			
	1+040			42.795	41.15	41.12	41.10	0.00455	1-910			5.50	5.50	11.00	F	F	1.26	LATERAL PIPE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
STA. 129 + 921.679 INTERSECTION A-30																			
	0+900			43.681	42.07	42.04	42.02	0.00455	1-910			5.50	5.50	11.00	F	F	1.26	LATERAL PIPE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
STA. 133 + 808.030 INTERSECTION A-34																			
	1+027			44.694	43.00	42.97	42.95	0.00455	1-910			5.50	5.50	11.00	F	F	1.26	IRRIGATION STRUCTURE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.
STA. 134 + 231.098 INTERSECTION A-35																			
	0+070			43.005	41.25	41.31	41.35	0.00435	1-910			14.50	8.50	23.00	F	F	1.23	LATERAL PIPE	INSTALL. PROVIDE FLARED TYPE HEADWALLS.

LEGEND:
 S - STRAIGHT W - WINGWALL
 F - FLARED

QUANTITIES FOR RCBC

STATION	SIZE	ITEM 103 (1) STRUCTURAL EXCAVATION (m³)	ITEM 103 (3) a GRAVEL FOUNDATION FILL (m³)		ITEM 404 (1) REINFORCING BAR (GRADE 40) (kg)		ITEM 405 (1) a STRUCTURAL CONCRETE CLASS "A" (m³)		ITEM 405 (6) LEAN CONCRETE (m³)	
		RCBC & WW	RCBC	WW	RCBC	WW	RCBC	WW	RCBC	WW
MAIN BYPASS										
STA. 119 + 000.000 - STA. 121 + 600.000										
124+924	2-2.40x2.40	267.30	17.10	7.50	13,854.00	1,540.00	167.40	27.96	8.55	3.75
126+624	3-3.00x2.40	507.82	34.58	11.05	31,174.44	1,880.00	305.10	34.38	17.29	5.53
127+480	3-3.00x2.10	475.02	35.50	9.46	31,309.56	1,600.00	300.67	29.06	17.75	4.73
128+297	2-3.00x3.00	332.32	18.49	11.27	19,338.90	2,240.00	183.31	40.66	9.25	5.63
131+734	2-3.00x3.00	510.88	28.43	11.27	29,729.90	2,240.00	281.808	40.66	14.21	5.63
129+110	2-3.00x2.40	297.07	20.08	8.44	18,793.20	1,640.00	183.33	29.66	10.04	4.22
132+460	1-3.00x3.00	202.34	10.19	8.07	11,702.05	1,920.00	103.86	34.68	5.09	4.03
T O T A L		2,574.75	164.36	67.06	156,082.05	13,060.00	1,525.48	237.06	82.18	33.52

	DATE	SIGNATURE	 REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	DESIGNED	10/12/12	<i>[Signature]</i>	BUREAU OF DESIGN				THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	SCHEDULE OF DRAINAGE STRUCTURES / QUANTITIES FOR RCBC	DG-02
	CHECKED	10/17/12	<i>[Signature]</i>	Submitted By:	Reviewed By:	Recommended By:	CABANATUAN BYPASS - CONTRACT PACKAGE IV	FULL SIZE A1			
SUBMITTED	10/21/12	<i>[Signature]</i>	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary SIMEON A. DATUMANONG Secretary					

SCHEDULE OF SIDE DITCH

STATION		LENGTH (m)	TYPE	LOCATION	REMARKS	STATION		LENGTH (m)	TYPE	LOCATION	REMARKS	STATION		LENGTH (m)	TYPE	LOCATION	REMARKS
FROM	TO					FROM	TO					FROM	TO				
SIDE DITCH (MAIN BYPASS)						SIDE DITCH (ACCESS ROAD)											
122+060	122+340	280.00	C-1	LEFT SIDE	LINED	ROAD INTERSECTION A-23						ROAD INTERSECTION A-32					
122+860	123+260	300.00	C-1	LEFT SIDE	LINED	0+900.00	0+975.00	75.00	U	RIGHT SIDE	LINED	0+910.00	0+980.00	70.00	U	LEFT SIDE	LINED
123+360	123+470	110.00	E-3	LEFT SIDE	UNLINED	1+030.00	1+080.00	50.00	U	RIGHT SIDE	LINED	0+910.00	0+980.00	70.00	U	RIGHT SIDE	LINED
124+134	124+360	226.00	E-3	LEFT SIDE	UNLINED							1+020.00	1+080.00	60.00	U	LEFT SIDE	LINED
124+520	124+660	140.00	E-3	LEFT SIDE	UNLINED	ROAD INTERSECTION A-24						1+020.00	1+080.00	60.00	U	RIGHT SIDE	LINED
124+660	124+830	170.00	E-1	LEFT SIDE	LINED	0+920.00	0+990.00	70.00	E-4	LEFT SIDE	UNLINED						
124+830	124+910	80.00	C-1	LEFT SIDE	LINED							ROAD INTERSECTION A-33					
124+930	125+180	250.00	C-1	LEFT SIDE	LINED	ROAD INTERSECTION A-25						0+850.00	0+890.00	30.00	E-4	LEFT SIDE	UNLINED
125+180	125+374	194.00	C-1	LEFT SIDE	LINED	0+900.00	0+960.00	60.00	U	LEFT SIDE	LINED	0+850.00	0+890.00	30.00	E-4	RIGHT SIDE	UNLINED
125+374	125+600	226.00	C-1	LEFT SIDE	LINED	0+900.00	0+960.00	60.00	U	RIGHT SIDE	LINED	1+120.00	1+150.00	30.00	E-4	LEFT SIDE	UNLINED
125+655	125+860	205.00	C-1	LEFT SIDE	LINED	1+038.00	1+050.00	52.00	U	LEFT SIDE	LINED	1+120.00	1+150.00	30.00	E-4	RIGHT SIDE	UNLINED
125+895	126+214	319.00	C-1	LEFT SIDE	LINED												
126+214	126+434	220.00	E-3	LEFT SIDE	UNLINED	ROAD INTERSECTION A-29						ROAD INTERSECTION A-34					
126+434	126+624	190.00	C-1	LEFT SIDE	LINED	0+890.00	0+920.00	30.00	E-4	LEFT SIDE	UNLINED	0+770.00	0+800.00	30.00	E-4	LEFT SIDE	UNLINED
127+010	127+300	290.00	C-1	LEFT SIDE	LINED	0+890.00	0+920.00	30.00	E-4	RIGHT SIDE	UNLINED	0+770.00	0+820.00	50.00	E-4	RIGHT SIDE	UNLINED
127+480	127+692	212.00	C-1	LEFT SIDE	LINED	1+020.00	1+040.00	20.00	E-4	LEFT SIDE	UNLINED						
127+500	127+530	130.00	C-4	RIGHT SIDE	LINED	1+020.00	1+040.00	20.00	E-4	RIGHT SIDE	UNLINED						
127+850	128+060	210.00	C-1	LEFT SIDE	LINED							ROAD INTERSECTION A-35					
128+060	128+140	80.00	E-3	LEFT SIDE	UNLINED							0+020.00	0+070.00	50.00	E-4	LEFT SIDE	UNLINED
128+140	128+290	150.00	C-1	LEFT SIDE	LINED	ROAD INTERSECTION A-30						0+020.00	0+070.00	50.00	E-4	RIGHT SIDE	UNLINED
128+140	128+290	150.00	C-2	RIGHT SIDE	LINED	0+840.00	0+900.00	60.00	U	LEFT SIDE	LINED						
128+394	128+700	306.00	E-3	LEFT SIDE	UNLINED	0+840.00	0+900.00	60.00	U	RIGHT SIDE	LINED						
129+110	129+366	256.00	C-3	LEFT SIDE	LINED	0+900.00	0+980.00	80.00	U	LEFT SIDE	LINED						
129+366	129+480	114.00	C-3	LEFT SIDE	LINED	0+900.00	0+980.00	80.00	U	RIGHT SIDE	LINED						
129+366	129+430	64.00	C-4	RIGHT SIDE	LINED	1+020.00	1+100.00	80.00	U	LEFT SIDE	LINED						
131+085	131+340	255.00	C-1	LEFT SIDE	LINED	1+020.00	1+100.00	80.00	U	RIGHT SIDE	LINED						
131+085	131+190	105.00	E-3	RIGHT SIDE	UNLINED												
131+904	132+120	216.00	C-1	LEFT SIDE	LINED												

JICA JAPAN INTERNATIONAL COOPERATION AGENCY	KATAHIRA & ENGINEERS INTERNATIONAL	YECO YACHIYO ENGINEERING CO., LTD.	DATE	SIGNATURE	DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS	PROJECT AND LOCATION :				SCALE :	SHEET CONTENTS :	SHEET NO. :	
			DESIGNED	10/12/10		<i>[Signature]</i>	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)				FULL SIZE A1	SCHEDULE OF SIDE DITCH	DG-03
			CHECKED	10/12/10		<i>[Signature]</i>	CABANATUAN BYPASS - CONTRACT PACKAGE IV						
SUBMITTED	10/12/10	<i>[Signature]</i>	P.W.H. - PMO Submitted By: DANILO C. TRAJANO Project Director	BUREAU OF DESIGN Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	OFFICE OF THE SECRETARY Recommended By: GILBERTO S. REYES OIC, Director IV	Approved By: MANUEL M. BONGAN Undersecretary	Approved By: SIMEON A. DATUMANONG Secretary						