






	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Paridel, Cabanatuan and San Jose Bypasses) SAN JOSE BYPASS	SCALE : 1:1000 FULL SIZE A1	SHEET CONTENTS : TRAFFIC SIGNS, PAVEMENT MARKINGS AND CUT RAMPS LAYOUT (INITIAL STAGE) STA. 155+828.866 - STA. 157+100	SHEET NO. : RM-01	
	CHECKED	7/4/02	<i>[Signature]</i>		Submitted By:	Reviewed By:	Recommended By:	Recommended By:					
	SUBMITTED	9/6/02	<i>[Signature]</i>		DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	CILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary					SIMEON A. DATUMANGING Secretary





	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pilaridel, Cabanatuan and San Jose Bypasses) SAN JOSE BYPASS	SCALE : 1:1000 FULL SIZE A1	SHEET CONTENTS : TRAFFIC SIGNS, PAVEMENT MARKINGS AND CUT RAMPS LAYOUT (INITIAL STAGE) STA. 157+100 - STA. 158+500	SHEET NO. : RM-02
	CHECKED	9/14/02	S. JOSE		Submitted By:	Reviewed By:	Recommended By:	Recommended By:				
	SUBMITTED	9/14/02	M. KINCA		DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES DIC, Director IV	MANUEL M. BONDAN Undersecretary				




	DESIGNED	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/4/02	<i>[Signature]</i>	BUREAU OF DESIGN				THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	1:1000	TRAFFIC SIGNS, PAVEMENT MARKINGS AND CUT RAMPS LAYOUT (INITIAL STAGE)	RM-03
	SUBMITTED	9/6/02	<i>[Signature]</i>	Submitted By:	Reviewed By:	Recommended By:	Recommended By:	FULL SIZE A1	STA. 158+500 - STA. 159+900		
				DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary				





CENTER LINE 150mm x 3.00m @ 9.00m GAP , WHITE WITH
100mm , UNBROKEN , YELLOW AT R.S. L=210.00m





REFER SHEET NO. R1-27



	DESIGNED	DATE	SIGNATURE	 REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/2/02	S. LUMAK	Submitted By:	Reviewed By:	Recommended By:	Recommended By:	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Piaridel, Cabanatuan and San Jose Bypasses)	1:1000	TRAFFIC SIGNS, PAVEMENT MARKINGS AND CUT RAMPS LAYOUT (INITIAL STAGE) STA. 159+900 - STA. 161+300	RM-04
	SUBMITTED	9/4/02	M. KUNDU	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONOAN Undersecretary	SAN JOSE BYPASS FULL SIZE A1	SIMEON A. DATUMANONG Secretary		




	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) SAN JOSE BYPASS	SCALE : 1:1000 FULL SIZE A1	SHEET CONTENTS : TRAFFIC SIGNS, PAVEMENT MARKINGS AND CUT RAMP LAYOUT (INITIAL STAGE) STA. 161+300 - STA. 162+700	SHEET NO. : RM-05
	CHECKED	9/4/02	<i>S. Luna</i>		PUHL - PMO Submitted By:	BUREAU OF DESIGN Reviewed By:	OFFICE OF THE SECRETARY Recommended By:				
	SUBMITTED	9/6/02	<i>Mr. Kishida</i>		DANILD C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV				




END OF SAN JOSE BYPASS
 STA. 163+808.107
 ELEV. = 127.489
 N = 1,750,052.616
 E = 500,970.641



	DESIGNED	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	7/2/02	[Signature]	Submitted By: P.J.H.L. - PMD Reviewed By: [Signature] Recommended By: [Signature]			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) SAN JOSE BYPASS	1:1000 FULL SIZE A1	TRAFFIC SIGNS, PAVEMENT MARKINGS AND CUT RAMPS LAYOUT (INITIAL STAGE) STA. 162+700 - STA. 163+808.107	RM-06
	SUBMITTED	7/6/02	[Signature]	DANILLO C. TRAJANO - Project Director JOSEFINA M. ALAGAR - Chief, Highways Division GILBERTO S. REYES - OIC, Director IV MANUEL M. BONDAN - Undersecretary SIMEDON A. DATUMANONG - Secretary						





- NOTES:
- FOR TYPICAL PLANTING LAYOUT SEE SHEET NO. RS-22
 - FOR TYPES FOR PLANTING FORMS AND OTHER DETAILS SEE SHEET NO. RS-23
 - 1-A (4)
 - INDICATE TYPE OF PLANTING FORM (ALL SHOWN IN PARENTHESIS)
 - INDICATE LOCATION OF PLANTING (NOT SHOWN IN PARENTHESIS)
 - LENGTH OF GUARDRAILS W/ (*) SIGN INCLUDES LENGTHS DIAGONALLY INSTALLED GUARDRAILS AT BRIDGE APPROACHES.





	DESIGNED	DATE	SIGNATURE		PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)			SCALE :	SHEET CONTENTS : PLANTING GUARDRAIL, R.O.W. AND KM POSTS LAYOUT (INITIAL STAGE) STA. 155+828.866 - STA. 157+100	SHEET NO. : RM-07
	CHECKED	9/1/02	S. JOSE		BUREAU OF DESIGN Submitted By: PJHL - PMO Reviewed By: JOSEFINA M. ALAGAR, Chief, Highways Division Recommended By: GILBERTO S. REYES, OIC, Director IV Recommended By: MANUEL M. BONDAN, Undersecretary Approved By: SIMEON A. DATUMANONG, Secretary			1:1000		
	SUBMITTED	7/6/02	MA. KRISTINA		OFFICE OF THE SECRETARY (See cover sheet for Signatures/Approval)			FULL SIZE A1		
	JAPAN INTERNATIONAL COOPERATION AGENCY KATAHIRA & ENGINEERS INTERNATIONAL YEO YACHIYO ENGINEERING CO., LTD.				DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BUREAU OF DESIGN OFFICE OF THE SECRETARY					



 JAPAN INTERNATIONAL COOPERATION AGENCY		 DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS		PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) SAN JOSE BYPASS		SCALE : 1:1000 FULL SIZE A1	SHEET CONTENTS : PLANTING GUARDRAIL, R.O.W. AND KM POSTS LAYOUT (INITIAL STAGE) STA. 157+100 - STA. 158+500	SHEET NO. : RM-08
DESIGNED	DATE	SIGNATURE	SUBMITTED BY: FJHL - PMO REVIEWED BY: JOSEFINA M. ALACAR RECOMMENDED BY: GILBERTO S. REYES APPROVED BY: MANUEL M. BONANAN		OFFICE OF THE SECRETARY (See cover sheet for Signature/Approval) SINEON A. DATUMANONG Secretary			
CHECKED	DATE	SIGNATURE	SUBMITTED BY: DANILO C. TRAJANO REVIEWED BY: JOSEFINA M. ALACAR RECOMMENDED BY: GILBERTO S. REYES APPROVED BY: MANUEL M. BONANAN		OFFICE OF THE SECRETARY (See cover sheet for Signature/Approval) SINEON A. DATUMANONG Secretary			
SUBMITTED	DATE	SIGNATURE	SUBMITTED BY: DANILO C. TRAJANO REVIEWED BY: JOSEFINA M. ALACAR RECOMMENDED BY: GILBERTO S. REYES APPROVED BY: MANUEL M. BONANAN		OFFICE OF THE SECRETARY (See cover sheet for Signature/Approval) SINEON A. DATUMANONG Secretary			



	DESIGNED	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Paridel, Cabanatuan and San Jose Bypasses) SAN JOSE BYPASS	SCALE : 1:1000 FULL SIZE A1	SHEET CONTENTS : PLANTING GUARDRAIL, R.O.W. AND KM POSTS LAYOUT (INITIAL STAGE) STA. 158+500 - STA. 159+900	SHEET NO. : RM-09
	CHECKED	9/2/02	S. LUNA								
	SUBMITTED	9/4/02	S. ROSE	Submitted By:	Reviewed By:	Recommended By:	Approved By:				
	9/6/02	W. K. K.	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary	SIMEON A. DATUMANONG Secretary				




JAPAN INTERNATIONAL COOPERATION AGENCY
 KATAHIRA & ENGINEERS INTERNATIONAL
 YACHIYO ENGINEERING CO., LTD.



DESIGNED	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			
9/2/02	9/2/02	<i>S. LUNA</i>	BUREAU OF DESIGN		OFFICE OF THE SECRETARY	
CHECKED	9/4/02	<i>S. ROSE</i>	Submitted By:	Reviewed By:	Recommended By:	Recommended By:
SUBMITTED	9/10/02	<i>Mr. Mendiola</i>	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary
					Approved By:	Approved By:
					SIMEON A. DATUMANONG Secretary	

PROJECT AND LOCATION :
**THE DETAILED DESIGN STUDY ON
 UPGRADING INTER-URBAN HIGHWAY SYSTEM
 ALONG THE PAN-PHILIPPINE HIGHWAY
 (Pardel, Cabanatuan and San Jose Bypasses)**
SAN JOSE BYPASS



SCALE :
 1:1000
 FULL SIZE A1

SHEET CONTENTS :
**PLANTING GUARDRAIL, R.O.W. AND
 KM POSTS LAYOUT
 (INITIAL STAGE)**
 STA. 159+900 - STA. 161+300


SHEET NO. :
RM-10



	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) SAN JOSE BYPASS	SCALE : 1:1000 FULL SIZE A1	SHEET CONTENTS : PLANTING GUARDRAIL, R.O.W. AND KM POSTS LAYOUT (INITIAL STAGE) STA. 161+300 - STA. 162+700	SHEET NO. : RM-11
	CHECKED	9/14/02	<i>S. G. JOSE</i>		P.U.M. - P.M.O. Submitted By:	Reviewed By:	Recommended By:	Recommended By:				
	SUBMITTED	9/6/02	<i>M. K. KEN</i>		DANILLO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary				



	DESIGNED	DATE	SIGNATURE	<p>REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :			SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	9/13/02	<i>[Signature]</i>		THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pinaridel, Cabanatuan and San Jose Bypasses)			1:1000	PLANTING GUARDRAIL, R.O.W. AND KM POSTS LAYOUT (INITIAL STAGE) STA. 162+700 - STA. 163+808.107	RM-12	
	SUBMITTED	9/16/02	<i>[Signature]</i>		SAN JOSE BYPASS			FULL SIZE A1			
PUHL - PMO Submitted By: DANILLO C. TRAJANO Project Director				BUREAU OF DESIGN Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division			OFFICE OF THE SECRETARY Recommended By: GILBERTO S. REYES OIC, Director IV			Recommended By: MANUEL M. BONDAN Undersecretary	



WHERE:


W_n = LANE WIDTH (NORMAL)
W_c = LANE WIDTH (TURNING)
Δ = INTERSECTION ANGLE
R_o = OUTER RADIUS
R_i = INNER RADIUS
R_T = TRANSITION RADIUS
α = 180° -

FORMULAS :

R_i = R_o - W_c
R_T = nR_i (n=3)
S = W_c - W_n
t = S / (n-1)
A = (R_i + S) cot α/2
B = √[2(R_T - R_i)S - S²]
C = B / (n-1)
D = S + t

NOTES:

- RELATIVE PATHS OF LEFT TURNING VEHICLES ARE IMAGINARY ONLY; OVERALL, THESE WILL DETERMINE THE CONFIGURATION OF CHANNELIZATION ISLANDS IN INTERSECTION DESIGN.
- R_o AS DEFINED BY CONDITION OBTAINING AND W_c IN CONFORMANCE WITH DESIGN VEHICLES AND R_o.
- (ADOPTED FROM JAPANESE STANDARDS USE IN OTHER PROJECTS.)



WHERE:


Δ = INTERSECTION ANGLE
R₁ = INNER RADIUS
R₂ = TRANSITION RADIUS
S = OFFSET OF INNER CIRCULAR CURVE FROM TANGENTS

FORMULAS :

T₁ = (R₁ + S) tan Δ/2
T = T₁ + (R₂ - R₁) sin θ
T₂ = T₁ - R₁ sin θ
Y = (R₁ + S) - R₁ cos θ
E = $\frac{R_1 + S}{\cos \Delta/2} - R_1$
M = R₁ - R₁ cos (Δ/2 - θ)
θ = cos⁻¹ $\left(\frac{R_2 - R_1 - S}{R_2 - R_1} \right)$

NOTES:

- FORMULAS DERIVED BELOW ARE FOR FIELD LAYOUT PURPOSE (DRAWING LAYOUT BY GRAPHICAL SOLUTION ONLY.)
- DESIGN RADII (R₁, R₂ & R₃) AND OFFSET S AS WELL AS LANE WIDTH W (WHERE CORNER ISLANDS ARE REQUIRED UNDER CONDITIONS OBTAINING) AS BASED ON VALUES SET BY THE TEAM'S "A GUIDE TO TRAFFIC ENGINEERING AND MANAGEMENT TECHNIQUES".



WHERE:

R₁ = RADIUS OF INTERMEDIATE CIRCULAR ARC
R₂ = RADIUS OF CIRCULAR ARC ON APPROACH LEG (1.5 x R₁)
R₃ = RADIUS OF CIRCULAR ARC ON DEPARTURE LEG (3 x R₁)
S = OFFSET OF INNER CIRCULAR CURVE FROM TANGENTS
Δ = INTERSECTION ANGLE


FORMULAS :

θ_A = cos⁻¹ $\left[\frac{R_2 - (R_1 + S)}{R_2 - R_1} \right]$
θ_B = cos⁻¹ $\left[\frac{R_3 - (R_1 + S)}{R_3 - R_1} \right]$
T₁ = (R₁ + S) tan Δ/2
T_A = T₁ + (R₂ - R₁) sin θ_A
T_B = T₁ + (R₃ - R₁) sin θ_B
I_A = T₁ - R₁ sin θ_A = T_A - R₂ sin θ_A
I_B = T₁ - R₁ sin θ_B = T_B - R₃ sin θ_B
Y_A = (R₁ + S) - R₁ cos θ_A
Y_B = (R₁ + S) - R₁ cos θ_B

4 LEFT TURN LANE/S ELEMENTS THREE CENTERED CURVE-SYMMETRICAL RS-01

5 RIGHT TURN/S ELEMENTS THREE CENTERED CURVE-SYMMETRICAL RS-01

6 RIGHT TURN/S ELEMENTS THREE CENTERED CURVE-ASYMMETRICAL RS-01




FORMULAS :

θ = tan⁻¹ 1/S (TAPER RATE S:1)
T = $\frac{WS}{3 \cos \theta + 1}$
L/3 = T (cos θ + 1)
R = $\frac{T}{\tan \theta/2}$
APPROX.
T = L/6
θ = tan⁻¹ W/4T

OPERATING SPEED	S VALUE
50 KPH	8
60 KPH	(10)
70 KPH	(12.5)
80 KPH	15
PARKING TURNOUT (ENTRANCE / EXIT)	2
BUS TURNOUT (DESIRABLE MIN)	4

(S VALUE SHOWN IN PARENTHESIS WERE INTERPOLATED FROM AASHTO)



FORMULAS :


L = CWS
(C=1 MINIMUM)
(C=2 DESIRABLE)
Y = KW

WHERE:

L = LENGTH OF FLARE
W = WIDENING (MAX. OFFSET)
S = TAPER RATE (HOR:VER)
X = DISTANCE ALONG BASELINE
Y = OFFSET FROM BASELINE

LAYOUT BY OFFSET

X/L	0.00	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00
K	0.000	0.005	0.020	0.045	0.080	0.125	0.180	0.245	0.320	0.405	0.500	0.595	0.680	0.755	0.820	0.875	0.920	0.955	0.980	0.995	1.000



INCREASING			
Xi / Li	K	Xi / Li	K
0.00	0.000	0.52	0.5103
0.02	0.0010	0.54	0.5470
0.04	0.0020	0.56	0.5836
0.06	0.0047	0.58	0.6194
0.08	0.0077	0.60	0.6548
0.10	0.0114	0.62	0.6888
0.12	0.0156	0.64	0.7217
0.14	0.0217	0.66	0.7522
0.16	0.0300	0.68	0.7789
0.18	0.0390	0.70	0.8050
0.20	0.0499	0.72	0.8286
0.22	0.0612	0.74	0.8521
0.24	0.0750	0.76	0.8741
0.26	0.0908	0.78	0.8947
0.28	0.1110	0.80	0.9128
0.30	0.1315	0.82	0.9293
0.32	0.1574	0.84	0.9440
0.34	0.1849	0.86	0.9580
0.36	0.2161	0.88	0.9691
0.38	0.2496	0.90	0.9775
0.40	0.2846	0.92	0.9849
0.42	0.3215	0.94	0.9903
0.44	0.3586	0.96	0.9952
0.46	0.3955	0.98	0.9982
0.48	0.4344	1.00	1.0000
0.50	1.4724		

WHERE:


W = FULL WIDENING
L = LENGTH OF TAPERING/ TRANSITION
Y = WIDENING/OFFSET FROM BASELINE @ X DISTANCE
FOR $\frac{X}{L}$: Y = KW

DECREASING			
Xd / Ld	K	Xd / Ld	K
0.00	1.0000	0.52	0.1967
0.02	0.9964	0.54	0.1784
0.04	0.9905	0.56	0.1613
0.06	0.9810	0.58	0.1453
0.08	0.9680	0.60	0.1304
0.10	0.9438	0.62	0.1162
0.12	0.9200	0.64	0.1034
0.14	0.8920	0.66	0.0916
0.16	0.8602	0.68	0.0807
0.18	0.8239	0.70	0.0708
0.20	0.7816	0.72	0.0622
0.22	0.7324	0.74	0.0543
0.24	0.6822	0.76	0.0473
0.26	0.6340	0.78	0.0407
0.28	0.5848	0.80	0.0348
0.30	0.5365	0.82	0.0288
0.32	0.4912	0.84	0.0236
0.34	0.4478	0.86	0.0190
0.36	0.4092	0.88	0.0150
0.38	0.3748	0.90	0.0116
0.40	0.3443	0.92	0.0082
0.42	0.3144	0.94	0.0052
0.44	0.2868	0.96	0.0026
0.46	0.2610	0.98	0.0012
0.48	0.2373	1.00	0.0000
0.50	0.2163		

1 ROADWAY TAPERING-L/3 TAN SECTION (CIRCULAR CURVE ROUNDING) RS-01

2 ROADWAY TAPERING REVERSED PARABOLIC CURVE FLARES-SYMMETRICAL (BY OFFSET) RS-01

3 ROADWAY TAPERING REVERSED PARABOLIC CURVE ASYMMETRICAL (BY OFFSET) RS-01



WHERE :

- PI = POINT OF INTERSECTION
- Δ = INTERSECTION ANGLE
- R = CURVE RADIUS
- T = TANGENT LENGTH
- LC = CURVE LENGTH
- E = EXTERNAL DISTANCE
- PC = BEGINNING OF CIRCULAR CURVE
- PT = END OF CIRCULAR CURVE

FORMULAS:





$$T = R (\tan \frac{\Delta}{2})$$

$$LC = \frac{\pi R \Delta}{180}$$

$$E = T (\tan \frac{\Delta}{4})$$

NOTE :

NO HORIZONTAL CURVE IS REQUIRED WHEN THE INTERSECTION ANGLE IS LESS THAN ONE DEGREE (1')




5a MAIN BYPASS

5b ACCESS ROADS

2 HORIZONTAL CURVE (CIRCULAR)

5 DESIGN CONTROLS FOR VERTICAL CURVES



FORMULAS:

$$A^2 = R(L_s)$$

$$\theta_s = L_s(D/40)$$

$$x = L_s \left(1 - \frac{L_s^2}{40R^2}\right)$$

$$y = \frac{L_s^2}{6R} \left(1 - \frac{L_s^2}{36R^2}\right)$$

$$\Delta R = y + R \cos \theta_s - R$$

$$X_m = x - R \sin \theta_s$$

$$T = (R + \Delta R) \tan \frac{\Delta}{2}$$

$$T_s = X_m + T$$

$$\Delta c = \Delta - 2\theta_s$$

$$L_c = \pi R \Delta c / 180$$

$$T_l = x - (y / \tan \theta_s)$$


$$T_x = \frac{y}{\sin \theta_s}$$

$$E_s = \left[R + \frac{y}{4} \sec \frac{\Delta}{2} \right] - R$$

WHERE :

- PI = POINT OF INTERSECTION
- Δ = INTERSECTION ANGLE
- R = CURVE RADIUS
- E_s = EXTERNAL DISTANCE
- L_s = LENGTH OF SPIRAL
- A = PARAMETER OF CLOTHOID
- θ_s = SPIRAL ANGLE
- X, Y = COORDINATES OF POINTS SC AND CS WITH RESPECT TO MAIN TANGENTS
- ΔR = OFFSET BETWEEN CIRCULAR CURVE AND MAIN TANGENT ("THROW" OF SPIRAL)
- X_m = DISTANCE FROM TS OR ST TO POINT OF "THROW"

- T_s = TOTAL TANGENT DISTANCE
- T_l = LONG TANGENT OF SPIRAL
- T_x = SHORT TANGENT OF SPIRAL
- L_s = LENGTH OF SPIRAL
- Δc = CENTRAL ANGLE OF CIRCULAR CURVE
- L_c = LENGTH OF CIRCULAR CURVE
- T_s = BEGINNING OF TRANSITION CURVE
- SC = BEGINNING OF CIRCULAR CURVE
- CS = END OF CIRCULAR CURVE
- ST = END OF TRANSITION CURVE



WHERE :

- PVI = VERTICAL POINT OF INTERSECTION
- PVC = VERTICAL POINT OF CURVATURE
- PVT = VERTICAL POINT OF TANGENCY
- LVC = LENGTH OF VERTICAL CURVE
- G₁, G₂ = TANGENT GRADES IN PERCENT
- MO = MIDDLE ORDINATE
- X = DISTANCE FROM PVC TO PVT TO ANY POINT OF CURVE
- Y = VERTICAL OFFSET AT SAID DISTANCE "X"
- HP = HIGH POINT OF CURVE
- DH = DISTANCE OF "HP" FROM CURVE END RECKONED FROM FLATTER GRADE

FOR SYMMETRICAL VERTICAL PARABOLIC CURVES :

$$MO = \frac{(G_1 - G_2)}{100} \cdot \frac{L}{8}$$


$$Y_x = \frac{(G_1 - G_2)}{100} \cdot \frac{x^2}{2LVC}$$

$$DH = \frac{GLVC}{(G_1 - G_2)}$$

(WHERE G IS THE LESSER GRADE)

NOTES :

1. SIMILARLY APPLIES TO LP (LOW POINT) OF SAG VERTICAL CURVES
2. NO VERTICAL CURVE IS REQUIRED WHERE THE ALGEBRAIC DIFFERENCE IN GRADE IS 0.50% OR LESS



WHERE :

- L₁ = SHORT SIDE OF VERTICAL CURVE LENGTH
 - L₂ = LONG SIDE OF VERTICAL CURVE LENGTH
 - LP = LOW POINT OF CURVE
 - DL = DISTANCE OF LP FROM CURVE END RECKONED FROM FLATTER GRADE
- ALL OTHER NOMENCLATURE SAME AS SYMMETRICAL PARABOLIC CURVE

FOR ASYMMETRICAL VERTICAL PARABOLIC CURVES :

$$MO = \frac{(G_1 - G_2)}{100} \cdot \frac{L_1 L_2}{2L}$$

$$Y_2 = \frac{x_2^2}{L_2^2} \cdot MO$$

$$Y_1 = \frac{x_1^2}{L_1^2} \cdot MO$$

$$DL = \frac{G_2 L_2}{L_1} \cdot K$$

$$K = \frac{L}{G_1 + G_2}$$

NOTES :


1. SIMILARLY APPLIES TO LP (LOW POINT) OF SAG VERTICAL CURVES
2. NO VERTICAL CURVE IS REQUIRED WHERE THE ALGEBRAIC DIFFERENCE IN GRADE IS 0.50% OR LESS

1 HORIZONTAL CURVE WITH TRANSITION (CLOTHOID SPIRAL)

3 VERTICAL PARABOLIC CURVE (SYMMETRICAL)

4 VERTICAL PARABOLIC CURVE (ASYMMETRICAL)

	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	DESIGNED	9/2/02	[Signature]	BUREAU OF DESIGN			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pilaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	GEOMETRIC DESIGN STANDARD - 2 HORIZONTAL AND VERTICAL CURVES
CHECKED	9/4/02	[Signature]	Submitted By:	Reviewed By:	Recommended By:	SAN JOSE BYPASS	FULL SIZE A1		
SUBMITTED	9/6/02	[Signature]	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV				
			OFFICE OF THE SECRETARY						
			Approved By:						
			SIMEON A. DATUMANONG Secretary						




$$R1 = \frac{We_1}{S}$$

$$R2 = \frac{We_2}{S}$$

$$L1 = \frac{Wnc}{S}$$

WHERE :
 R1 = LENGTH OF SUPERELEV. RUNOFF (1st CURVE)
 R2 = LENGTH OF SUPERELEV. RUNOFF (2nd CURVE)
 L1 = LENGTH OF ROUNDING
 ALL OTHER NOMENCLATURE THE SAME



$$LK1 = \frac{W}{S} (e_1 - NC)$$


$$R1 = \frac{Wnc}{S}$$

$$R2 = \frac{We_2}{S}$$

$$LK2 = R1 + R2 = \frac{W}{S} (Nc + e_2)$$

WHERE :
 LK1 = MIN. LENGTH OF EASEMENT/CLOTHOID (1st CURVE)
 LK2 = MIN. LENGTH OF EASEMENT/CLOTHOID (2nd CURVE)
 R1 = LENGTH OF SUPERELEVATION RUNOUT
 R2 = LENGTH OF SUPERELEVATION RUNOFF (2nd CURVE)
 W = CARRIAGEWAY (NORMAL)
 ALL OTHER NOMENCLATURE THE SAME

2 SUPERELEVATION TRANSITION-REVERSE CURVE (MAIN ROAD)
 RS-03



$$A^2 = R LK$$

A = CLOTHOID PARAMETER

$$R1 = \frac{WNc}{S}$$

$$R2 = \frac{We}{S}$$

$$L1 = \frac{Wnc}{S}$$

$$LK1 = R1 + R2 = \frac{W}{S} (Nc + e) \quad (A)$$

$$LK2 = L1 + LK1 = \frac{W}{S} (2Nc + e) \quad (B)$$

WHERE :
 LK1 = MIN. LENGTH OF EASEMENT/CLOTHOID (W/O ROUNDING L1)
 LK2 = MIN. LENGTH OF EASEMENT/CLOTHOID (W/ ROUNDING)
 R1 = SUPERELEVATION RUNOUT LENGTH (WITHIN CLOTHOID) *
 R2 = SUPERELEVATION RUNOFF LENGTH
 L1 = LENGTH OF ROUNDING
 W = CARRIAGEWAY (ONE DIRECTION)
 e = SUPERELEVATION RATE
 Nc = NORMAL CROWN SLOPE
 S = RELATIVE SLOPE OF EDGES W/ S

* OTHER AUTHORITIES PLACE R1 ALONG THE TANGENT

1 SUPERELEVATION TRANSITION (MAIN ROAD)
 RS-03

3 SUPERELEVATION TRANSITION-(RAMPS)
 PAVEMENT REVOLVED ABOUT OUTER EDGE
 RS-03


S VALUE
 (INTERPOLATED FROM AASHTO)

DESIGN SPEED Km/h	40	50	60	70	80	90	100	110	120
100 S	0.70	0.65	0.60	0.55	0.50	0.48	0.45	0.42	0.40


SUPERELEVATION "e" RATES

MAIN ROAD			RAMPS		
D	R	V=80 KPH e _{max} =0.060	D	R	V=40 KPH e _{max} =0.070
0'-10'	6,875.36	NC (0.004)	0'-30'	2,291.83	NC (0.003)
-20	3,437.78	NC (0.008)	1'-00'	1,145.92	NC (0.007)
-30	2,291.83	NC (0.013)	-30	763.94	NC (0.010)
-40	1,718.87	RC (0.016)	2'-00'	572.96	RC (0.013)
-50	1,375.10	0.021	-30	458.37	RC (0.016)
1'-00'	1,145.92	0.024	3'-00'	361.97	RC (0.019)
-10	962.21	0.027	-30	327.40	RC (0.022)
-20	859.44	0.030	4'-00'	286.48	0.024
-30	763.94	0.033	-30	254.65	0.027
-40	687.55	0.036	5'-00'	229.18	0.030
-50	625.05	0.039	6'-00'	190.99	0.035
2'-00'	572.96	0.041	7'-00'	163.70	0.039
-10	528.68	0.044	8'-00'	143.24	0.043
-20	491.11	0.046	9'-00'	127.32	0.047
-30	458.37	0.048	10'-00'	114.59	0.050
-40	429.72	0.050	11'-00'	104.17	0.054
-50	404.44	0.052	12'-00'	104.17	0.057
3'-00'	381.97	0.053	13'-00'	86.15	0.060
-10	361.87	0.055	14'-00'	81.85	0.062
-20	343.78	0.056	15'-00'	76.39	0.065
-30	327.40	0.057	16'-00'	71.62	0.065
-40	312.52	0.058	17'-00'	67.42	0.068
-50	298.93	0.059	18'-00'	63.66	0.069
4'-00'	286.48	0.059	19'-00'	60.31	0.069
-10	275.02	0.060	20'-00'	57.30	0.070
-20	264.44	0.060	-30	55.90	0.070
-30	254.65	0.060	-50	55.00	0.070


- NOTES:
- RATE OF SUPERELEVATION "e" AS SHOWN IN TABLE.
 - ROUNDING "L1" IS OPTIONAL AND NECESSARY ONLY IF "S" IS GREATER THAN THAT SHOWN IN TABLE.
 - SIDEWALKS SHALL ALWAYS SLOPE TOWARDS THE TRAVELWAY.
 - SHOULDERS OF THE MAIN ROADS SHALL ALWAYS SLOPE OUTWARD THE TRAVELWAY IRRESPECTIVE OF THE RATE OF "e" NORMAL SHOULDER SLOPE SHALL BE THE SAME AS THE TRAVELWAY.
 - FOR THE INTERCHANGE RAMPS, TREATMENT FOR THE OUTER OR THE RIGHT SIDE SHOULDER SHALL BE THE SAME AS THE ABOVE. THE NARROWER INNER SHOULDER SHALL ALWAYS SLOPE TOWARDS THE LEFT OR THE INSIDE. WHERE "e" IS IN THE OPPOSITE DIRECTION, THE ALGEBRAIC SUM OF THE SLOPES OF THE SHOULDER AND TRAVELWAY SHALL BE EQUAL TO 8.0%.
 - SUPERELEVATION "e" RATES AS SHOWN IN TABLE ARE BASED ON A PARABOLIC FORM OF DISTRIBUTION.




A TYPICAL PLAN OF TWO LANE PAVEMENT
RS-04 SCALE 1:50




F WEAKENED PLANE JT. USED IN FULL WIDTH CONST.
G WEAKENED PLANE JT. USED IN HALF WIDTH CONST.




A1 SECTION
RS-04 NOT TO SCALE




A2 SECTION
RS-04 NOT TO SCALE



A3 SECTION
RS-04 NOT TO SCALE




A4 SECTION
RS-04 NOT TO SCALE




F WEAKENED GROOVE DETAIL
RS-04 NOT TO SCALE

TABLE OF DIMENSIONS


T	a	b	c	E	F
180	60	750	375 750	289	375
200	70	750	375 750	289	375
230	85	500	250 500	164	250
250	95	500	250 500	164	250
280	110	500	250 500	164	250




C PLAN (SHOWING FLARING OF EXISTING CONC. PAV'T.)
RS-04 SCALE 1:50




C1 SECTION (TO BE USED FOR FLARING EXT'G. CONC. PAVEMENT)
C2 SECTION (TO BE PROVIDED IN PAVEMENT MORE THAN FOUR LANES IN WIDTH)




D ELEVATION (SHOWING ASSEMBLY OF DEFORMED PLATE FOR 4.50m. PANEL)
RS-04 NOT TO SCALE




E1 DETAIL
RS-04 NOT TO SCALE



E2 DETAIL
RS-04 NOT TO SCALE




E METAL PLATE FOR WEAKENED JOINT
RS-04 NOT TO SCALE




B DOWELLED EXPN. JOINT DETAIL
RS-04 NOT TO SCALE

NOTE: FOR FLARING OF EXT'G. CONC. PAVEMENT THE EXISTING CONCRETE PAVEMENT SHALL BE CHIPPED OFF PERPENDICULARLY TO THE EXISTING BASE ABOUT 300mm WIDE TO A DISTANCE WHERE THE FLARE IS LESS THAN 1000mm AND NECESSARY DOWEL BARS SHALL BE PROVIDED TO CONNECT THE NEW PAVEMENT WITH EXISTING PAVEMENT.




G BAR SPACING ALONG CURVES DETAIL
RS-04 NOT TO SCALE



H1 PLAN
RS-04 NOT TO SCALE



H2 ELEVATION
RS-04 NOT TO SCALE




I TRANSVERSE EXPN. JOINT DETAIL
RS-04 NOT TO SCALE


(TO BE PROVIDED AT BRIDGE AND CULVERT ENDS & OTHER HIGHWAY STRUCTURES AS SHOWN)

J TIE BAR SUPPORT DETAIL
RS-04 NOT TO SCALE


- NOTES:**
- MATERIALS AND WORKMANSHIP SHALL CONFORM WITH THE "GENERAL SPECIFICATIONS FOR ROADS AND BRIDGES 1995".
 - CONSTRUCTIONS (CONTACT) JOINTS ARE FORMED WHEN CONCRETE ON ONE SIDE OF THE JOINT IS POURED AHEAD AND ALLOWED TO SET BEFORE POURING ON THE OTHER SIDE.
 - AT CONSTRUCTION JOINT, (LONGITUDINAL OR TRANSVERSE) CARE SHOULD BE TAKEN THAT NO CONCRETE FROM THE LAST SLAB PLACED OVERHANGS ANY PORTION OF FIRST SLAB.
 - ALL BARS SHALL BE DEFORMED STEEL BARS.
 - TYPE OF WEAKENED PLANE JOINT TO BE USED SHALL BE AS SPECIFIED IN THE PLANS AND ONLY ONE TYPE SHALL BE USED FOR THE WHOLE PROJECT.
 - MATERIAL FOR THE DEFORMED METAL PLATE SHALL BE BRAND NEW SHEET METAL GAUGE NO. 18 OF IRON FREE FROM RUST AND KINKS.
 - AT LEAST SIX(6) SUCCESSIVE DOWELED BUTT JOINTS AT NORMAL JOINT SPACING, SHALL BE PROVIDED BEFORE OR AFTER AN EXPANSION JOINT.
 - THE GROVE OR CRACK ABOVE JOINT (LONGITUDINAL OR TRAVERSE) SHALL BE SEALED WITH 30-50 PENETRATION ASPHALT SEAL OR COLD APPLIED LIQUID RUBBER COMPOUND AFTER THE CONCRETE HARDENS AND BEFORE OPENING THE PAVEMENT TO TRAFFIC. PENETRATION ASPHALT SEAL ON CONCRETE PAVEMENT JOINTS SHOULD BE POURED IN SUCH MANNER THAT SPILLING WILL BE ELIMINATED/PREVENTED THUS, PROVIDE SMOOTH RIDING/LEVELLING SURFACE.
 - ALL TRANSVERSE JOINTS, EXCEPT CONSTRUCTION JOINTS, SHALL BE CONTINUOUS FROM EDGE TO EDGE.
 - ALL LONGITUDINAL JOINTS SHALL MEET AT INTERSECTIONS WITH NO GAPS OR OFFSETS.
 - WHEN WIDTH OF LANE IS THIRTY SIX(36) METERS OR LESS, SIZE OF THE BAR MAY BE REDUCED TO 12mm DIAMETER.
 - ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.



1c TYPE "C"
RS-05




2c TYPE "B"
RS-05




3 CONCRETE DROP CURB AND GUTTER (MODIFIED)
RS-05 NOT TO SCALE


* 30 FOR RAMPS FOR PHYSICALLY HANDICAPPED




1b TYPE "B"
RS-05




2b TYPE "B"
RS-05




4a TYPE "A"
RS-05



1a TYPE "A"
RS-05



2a TYPE "A"
RS-05










4b TYPE "B"
RS-05

1 COMBINATION CONCRETE CURB AND GUTTER
RS-05 NOT TO SCALE

2 COMBINATION CONCRETE CURB AND SIDE STRIP
RS-05 NOT TO SCALE

4 CONCRETE CURB
RS-05 NOT TO SCALE


	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pinaridel, Cabanatuan and San Jose Bypasses)	SCALE : NOT TO SCALE	SHEET CONTENTS : CONCRETE CURB AND GUTTER DETAILS	SHEET NO. : RS-05
	CHECKED	9/4/02	S. BOSE		BUREAU OF DESIGN Submitted By: DANILO C. TRAJANO Project Director	OFFICE OF THE SECRETARY Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV				
SUBMITTED 9/10/02 W. KILDA TEAM LEADER				SAN JOSE BYPASS							



C ISOMETRIC VIEW
RS-06 NOT TO SCALE


1 CURB-CUT RAMP DETAILS
RS-06 SCALE AS SHOWN

	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	SCALE : AS SHOWN FULL SIZE A1	SHEET CONTENTS : CURB-CUT RAMP DETAILS (FOR THE PHYSICALLY HANDICAPPED)	SHEET NO. : RS-06
	CHECKED	9/2/02	[Signature]		DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS						
	SUBMITTED	9/6/02	[Signature]		BUREAU OF DESIGN	OFFICE OF THE SECRETARY					
					Submitted By: DANILO C. TRAJANO Project Director	Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES Dir. Director IV	Approved By: (See cover sheet for Signature/Approval) MANUEL M. BONDAN Undersecretary SIMEON A. DATUMANONG Secretary			




1A LOCATION OF KILOMETER POST
SCALE 1:200

SECTION THRU STEM OF ENGRAVED FIGURES (ACTUAL SIZE)




1B ELEVATION
SCALE 1:15

1D SECTION
SCALE 1:15



1C PLAN
SCALE 1:15



1E SECTION
SCALE 1:15


NOTES:

- CONCRETE MIXTURE TO BE USED SHOULD BE CLASS "A" MIX (1:2:3). ALL CONCRETE SHOULD BE PLAIN CEMENT FINISHED, PAINTED WITH WHITE REFLECTORIZED WHILE LETTERINGS AND NUMERALS SHOULD BE CHROME YELLOW REFLECTORIZED PAINT. BE V-CUT (SEE SECTION DRAWING) POST.
- ALL DIMENSIONS ARE ALL IN MILLIMETERS UNLESS OTHERWISE STATED.


CONDITIONS:

- WHERE THE SHOULDER IS LESS THAN 1.00 TO 2.50 METERS, KILOMETER POST SHALL BE LOCATED AS FAR AS PRACTICABLE BUT NOT LESS THAN 0.50 METER AWAY FROM THE GUTTER THAT CLEAR VISIBILITY WITHIN 25.00 TO 50.00 METERS IS FACILITATED.
- ALL KM. POST TO BE PLACED ON THE RIGHT HAND SIDE OF THE ROAD.

1 KILOMETER POST
SCALE AS SHOWN



2A PLAN
SCALE 1:500



SKETCH OF CROSS SECTION SHOWING ARRANGEMENT AND SETTING OF POST ALONG THE ROAD RIGHT OF WAY LINE.

GENERAL NOTES


- CONCRETE MONUMENTS SHALL BE PLACED OPPOSITE ALL P.I., B.T.C., E.T.C., 150.00m (MAX.) INTERVAL ON FLAT CURVES AND 300.00m (MAX.) INTERVAL ON TANGENTIAL ALIGNMENTS ALONG THE RIGHT OF WAY LINE.
- RIGHT-OF-WAY MONUMENTS SHALL BE SET ALONG THE RIGHT OF WAY LINES WITH THE LETTERED FACE, FACING THE CENTERLINE OF THE ROAD.
- THE LETTERS SHALL BE 0.005m DEEP FROM FACE OF CONCRETE, INDENTED.
- PHIL. CACUATE OR APPROVED SPECIES SUITABLE TO MAKE ROOTS UPON PLANTING OF 0.10m TO 0.30m DIA. SHALL BE PLANTED OPPOSITE EACH OTHER ALONG THE RIGHT OF WAY LINES TO A MAXIMUM DISTANCE OF 40.00m FROM POST TO POST CONSIDERING ALSO THE CONCRETE MONUMENTS EXPENSES SHALL BE CHARGED ALSO AGAINST CONSTRUCTION ENGINEERING.

NOTE:


ALL CONCRETE TO BE CLASS "A".

CONSTRUCTION NOTES:


ACTUAL LOCATIONS OF RIGHT-OF-WAY MONUMENTS SHALL BE ADJUSTED AS DETERMINED BY THE ENGINEER.



2B SIDE ELEVATION
SCALE 1:5




2C PLAN
SCALE 1:5




2E ELEVATION
SCALE 1:5

2D SECTION
SCALE 1:5




2F PLAN
SCALE 1:5




2G DETAIL OF LETTERS
SCALE 1:5

2 RIGHT OF WAY MARKER
SCALE AS SHOWN


	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	9/4/02	S. G. SOSE		Submitted By:	BUREAU OF DESIGN			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pilaridel, Cabanatuan and San Jose Bypasses)	AS SHOWN	STANDARD KILOMETER POST AND RIGHT OF WAY MARKERS	RS-07
	SUBMITTED	9/6/02	M. B. BANDA		Reviewed By:	OFFICE OF THE SECRETARY			FULL SIZE A1			
				Submitted By:	DANILO C. TRAJANO Project Director	Reviewed By:	JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By:	GILBERTO S. REYES D/C, Director IV	Approved By:	MANUEL M. BONOAN Undersecretary	SIMEON A. DATUMANONG Secretary




1 GUARDRAIL DETAIL
RS-08 SCALE 1:20




2 STEEL POST DETAIL
RS-08 SCALE 1:20




3 BEAM TYPE GUARDRAIL (TYPE "GR-A")
RS-08 SCALE 1:10



4 BEAM TYPE GUARDRAIL ON RETAINING WALL (TYPE "GR-B")
RS-08 SCALE 1:10



5 BRACKET DETAIL
RS-08 SCALE 1:5




PERSPECTIVE

- NOTES:**
1. MATERIALS AND WORKMANSHIP SHALL COMPLY WITH STANDARD SPECIFICATION FOR PUBLIC WORKS AND HIGHWAYS, 1995 EDITION.
 2. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS INDICATED OTHERWISE.
 3. GAUGE OF FLEX-BEAM GUARDRAIL SHALL BE AS INDICATED IN SPECIFICATION.
 4. WHEN CONCRETE POSTS ARE USED IT SHALL CONFORM WITH THE REQUIREMENTS OF CLASS "C" CONCRETE, ITEM 405 AND REINFORCING STEEL CONFORM WITH REQUIREMENTS OF REINFORCING STEEL, ITEM 404.

	DESIGNED	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/2/02	[Signature]	BUREAU OF DESIGN Submitted By: DANILO C. TRAJANO Reviewed By: JOSEFINA M. ALAGAR Recommended By: GILBERTO S. REYES (See cover sheet for Signature/Approval) MANUEL M. BONDAN Undersecretary				THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	AS SHOWN	STANDARD STEEL BEAM GUARDRAIL (TYPE GR-A & GR-B)	RS-08
	SUBMITTED	9/4/02	[Signature]	OFFICE OF THE SECRETARY Approved By: SIMEON A. DATUMANONG Secretary				SAN JOSE BYPASS	FULL SIZE A1		

NOTE:


DRAIN OR WEEP HOLES SHALL BE PROVIDED IN SLOPE EMBANKMENT AT LOCATIONS SHOWN ON THE PLANS. GRAVEL BACKING NOT LESS THAN 0.057 CUBIC METER SHALL BE PROVIDED AT EACH DRAIN OR WEEP HOLES TO INSURE PROPER OPERATION OF THE DRAIN. ROCK BACKING SHALL EXTEND TO AT LEAST ONE (1) FOOT ABOVE THE DRAIN OR WEEP HOLES.




2A ELEVATION OF GROUDED RIP-RAP
RS-09 NOT TO SCALE

NOTE:


WHERE COMMON BORROW CONSIST OF CLAY OR OTHER IMPERVIOUS MATERIALS, SHOULDER DRAINS SHALL BE INSTALLED 20.00 M. APART ON EACH SHOULDER AND ARRANGED IN SUCH A WAY THAT THE DRAINS ON EACH SHOULDERS ARE STAGGERED AND NOT EXACTLY OPPOSITE EACH OTHER. THEY SHOULD BE CONSTRUCTED AT LOWEST POINT OF SAG VERTICALS ON BOTH SHOULDERS.




150mmØ UNREINFORCED CONCRETE PIPE UNDERDRAIN
RS-09 NOT TO SCALE




D DETAIL OF SODDING
RS-09 NOT TO SCALE




1A GROUDED RIP-RAP PROTECTION FOR SLOPE OF EMBANKMENT
RS-09 NOT TO SCALE



C DETAIL OF UNDERDRAIN
RS-09 NOT TO SCALE




1B RUBBLE MASONRY RETAINING WALL
RS-09 NOT TO SCALE



3B STONE MASONRY RETAINING WALL
RS-09 NOT TO SCALE

NOTE:


EMBANKMENT WILL BE CONSTRUCTED ONLY ON A FOUNDATION BED SATISFACTORY TO THE ENGINEER. THE STONES SHALL NOT BE LESS THAN 0.15 CU.M. IN VOLUME WITH 75% OF STONES AT LEAST 0.03 CU.M. IN VOLUME AND LAID OFF TO THE LINES AND DIMENSIONS REQUIRED. THE STONES SHALL BE BONDED TO SAME EXTENT AND SECURELY BEDDED. SPALLS SHALL BE USED TO FILL VOIDS. ANY SPACE BACK TO HAND-LAID ROCK EMBANKMENT SHALL BE FILLED ENTIRELY WITH COMPACTED MATERIAL.



5B HAND LAID ROCK EMBANKMENT
RS-09 NOT TO SCALE


NOTE:

CONCRETE CLASS "A" FOOTING FOR WALL WHEN ORDERED BY THE ENGINEER. DEPTH OF FOOTING : FOOTING SHALL BE CARRIED DOWN TO A FIRM FOUNDATION AS DIRECTED BY THE ENGINEER. MORTAR : TO BE ONE (1) PART CEMENT AND THREE (3) PARTS SAND. MORTAR : JOINTS WITH GENERALLY 2.50 TO 4 CMS., MIN. 2 CMS., MAX. 6.50 CMS. BULGE : THE BULGE OF INDIVIDUAL STONES SHALL VARY BETWEEN 2.50 TO 10 CMS. SURFACE FINISH : TO BE FREE OF TOOL OR DRILL MARKS. PAYMENT FOR POROUS TILE DRAIN WITH ROCK BACKFILL AND FOR 150mmØ & GALVANIZED IRON PIPES WITH ROCK BACKING PAYMENT WILL NOT BE MADE DIRECT, BUT WILL BE INCLUDED AS PART OF THE PRICE BID FOR MASONRY QUANTITY TO BE PAID FOR SHALL BE WITHIN THE WORKING LINES AS SHOWN IN SECTIONS. ALL WALL MASONRY SHALL BE "STONE MASONRY" ITEM 505 OF GOVERNMENT STANDARD SPECIFICATIONS FOR HIGHWAYS AND BRIDGES.




A EMBANKMENT PROTECTION WALLS
RS-09 NOT TO SCALE

HEIGHT "H" IN METER	QUANTITIES PER LINEAR METER OF WALL	
	CONCRETE CU. M.	STEEL KILOS
3.00	0.153	19
3.60	0.230	30
4.80	0.306	40
6.00	0.383	45




2B FOOTING FOR WALL
RS-09 NOT TO SCALE




SECTION SHOWING WORKING LINES FOR BULGE AND PAYMENTS

HEIGHT IN METERS	TABLE		TABLE	
	QUANTITIES PER LINEAR M OF WALL IN CU. METER	QUANTITIES PER LINEAR M OF WALL IN CU. METER	HEIGHT IN METERS	QUANTITIES PER LINEAR M OF WALL IN CU. METER
0.90	0.15	3.60	1.15	
1.20	0.23	3.90	1.30	
1.50	0.31	4.20	1.45	
1.90	0.38	4.50	1.68	
2.10	0.46	4.80	1.91	
2.40	0.54	5.10	2.14	
2.70	0.69	5.40	2.37	
3.00	0.77	5.60	2.68	
3.30	0.92	6.00	2.91	


MIN. BULGE 2.50 CMS., MAX. BULGE 10 CMS. FEATHERED TO WORKING LINE AT JOINTS TO BE RAKED TO A DEPTH OF 2.50 TO 5 CMS.




4B METHOD OF STEPPING FOOTING
RS-09 NOT TO SCALE




4 TYPICAL PRIVATE DRIVEWAY AT SIDE WALK (PROFILE)
RS-10 NOT TO SCALE




5 TYPICAL SIDE ROAD AT SIDE WALK (PROFILE)
RS-10 NOT TO SCALE



6C SUPERELEVATED CUT SECTION
RS-10 NOT TO SCALE




FOR ASPHALTIC SURFACE FOR GRAVEL SURFACE




FOR R.C. CONCRETE PAVEMENT FOR PRIVATE DRIVEWAY

3 TYPICAL CROSS - SECTION
RS-10 NOT TO SCALE




6B SUPERELEVATED FILL SECTION
RS-10 NOT TO SCALE




HALF CUT SECTION HALF FILL SECTION

6A STANDARD CROWNED SECTION
RS-10 NOT TO SCALE



R1 = 5.00 M. - 9.00 M. ACCORDING TO TRAFFIC VOLUME AND AVAILABLE SPACE
R2 = 2.50 M. - 3.50 M. OR AS INDICATED IN THE PLAN & PROFILE DRAWING




2 SECTION OF R.C. CONCRETE PAVEMENT OF SIDE ROAD & PRIVATE DRIVEWAY
RS-10 NOT TO SCALE

6 VERTICAL ALIGNMENT OF ACCESS ROAD APPROACHES TO MINOR INTERSECTION
RS-10 NOT TO SCALE


- NOTES:
1. THE ENGINEER SHALL DIRECT THE LISTING OF CONNECTION SIDE ROAD/ PRIVATE DRIVEWAY APPROACHES, THE ARRANGEMENT OF THE DRAINAGE STRUCTURES (IF ANY), THE LIMIT OF WORK FOR THE CONNECTION ROADS AND THE TYPE AND QUANTITIES OF PAVEMENT STRUCTURE.
 2. THE WORD "SIDE ROAD" IN THIS DRAWING REFER TO THE ROAD CONNECTING TO THE HIGHWAY SIDE ROAD LEADS TO THE BARANGAY, PUBLIC PLACE ETC., WHILE "PRIVATE DRIVEWAY" IS THE PRIVATE CONNECTION ROAD FOR PRIVATE HOUSE.
 3. SIDE ROAD (PUBLIC) APPROACHES AND PRIVATE DRIVEWAY TO BUILDINGS OR RESIDENCE SHALL BE PAVED 1.5 m OUT FROM EDGE OF SHOULDER OR TO THE RIGHT-OF-WAY LINE, WHICHEVER IS LESS. PAVEMENT THICKNESSES SHALL BE AS SHOWN ON THE PLANS.
 4. USE 4:1 OF FLATTER SIDE SLOPE IN THE APPROACH RADI AREA.
 5. THE SIDE SLOPES IN THE MAIN ROADWAY AND THE APPROACH ROADWAY IF STEEPER THE 4:1 SHALL BE SMOOTHLY TRANSITIONED INTO THE 4:1 AREA.
 6. SIDE CROSS DRAINS SHALL BE LOCATED 10.00m OR AS SHOWN IN THE PLAN.
 7. 15m. RADI TO BE USED ON INTERSECTION ROADS, EXCEPT RESIDENTIAL DRIVES, UNLESS OTHERWISE SPECIFIED ON PLANS.
 8. RADI MAY BE VARIED TO SUIT FIELD CONDITIONS.
 9. TANGENT SLOPE NOT STEEPER THAN 10% BEYOND VERTICAL CURVE, THE SLOPE MAY BE STEEPER, IF REQUIRED, TO MEET EXISTING APPROACH SLOPE.
 10. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN METERS.

1 PLAN OF SIDE ROAD & PRIVATE DRIVEWAY AT SIDE WALK
RS-10 NOT TO SCALE


	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	SCALE : NOT TO SCALE FULL SIZE A1	SHEET CONTENTS : SIDE ROAD APPROACHES AND PRIVATE DRIVEWAY ACCESS	SHEET NO. : RS-10	
	CHECKED	9/1/02	S. GOSSE		BUREAU OF DESIGN Submitted By: DANILO C. TRAJANO Project Director	OFFICE OF THE SECRETARY Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV					Approved By: MANUEL M. BONOAN Undersecretary
	SUBMITTED	9/6/02	M. KUBAN		TEAM LEADER	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division					GILBERTO S. REYES OIC, Director IV




T1 - 1




T1 - 5




T1 - 6




T2 - 2




T2 - 4




T2 - 6




T2 - 7




T2 - 8




T4 - 1L



T4 - 1R




T4 - 2




T4 - 3

- NOTES :
- BARRIER SHALL HAVE AN ALTERNATE DIAGONAL BLACK AND YELLOW STRIPES. THE YELLOW BANDS SHALL BE REFLECTORIZED.
 - BARRIER POINTS SHALL BE PRINTED YELLOW.
 - PROVISION SHALL BE MADE FOR THE HANDLING OF SIGNS BELOW THE BARRIER BARS.



DETAIL OF ARROW



ROAD SIGNS, (LOCATION AND INSTALLATION)

BARRICADES (TYPE I, TYPE II, TYPE III) SHOULD CONFORM WITH SPECIFICATIONS MENTIONED IN PHILIPPINES. ROAD SHOWS MANUAL. (REVISED EDITION MPWH, TRAFFIC ENG'G. AND MANAGEMENT PROJECT SERIES OF 1962.

TYPE 1 BARRICADE

- NOTES :
- ADVANCE SIGNS (T1) AND POSITION SIGNS (T2) SHALL HAVE BLACK LETTERS ON YELLOW REFLECTORIZED BACKGROUND.
 - TRAFFIC DIVERSION SIGNS (T4-1) SHALL HAVE BLACK LETTERS AND ARROW ON YELLOW REFLECTORIZED BACKGROUND.
 - TRAFFIC DIVERSION SIGNS (T4-2) & (T4-3) SHALL HAVE WHITE CHEVRONS ON BLACK BACKGROUND. WHITE REFLECTIVE MATERIAL 64mm. WIDE TO BE CENTRALLY PLACED ON WHITE BANDS.

PROYEKTO NI
PANGULONG
GLORIA MACAPAGAL ARROYO

PHILIPPINES-JAPAN COOPERATION PROJECT

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
SECRETARY SIMEON A. DATUMANONG

PROJECT FOR
UPGRADING INTER-URBAN HIGHWAY SYSTEM
ALONG THE PAN-PHILIPPINE HIGHWAY
(Plaridel, Cabanatuan and San Jose Bypasses)

STARTED :
TARGET COMPLETION :
CONTRACTOR :
IMPLEMENTING OFFICE :
FUND SOURCES :

BLUE TEXT ON WHITE BACKGROUND
24.38 [B]

YELLOW BACKGROUND
BLUE TEXT W/ 105mm SIZE ON WHITE BACKGROUND
500mm
BLUE TEXT ON WHITE BACKGROUND
BLACK TEXT ON GREEN BACKGROUND
RED TEXT ON WHITE BACKGROUND
BLACK TEXT ON WHITE BACKGROUND

1 ROAD WORK SIGN DETAILS
RS-11 NOT TO SCALE

2 PROJECT SIGN BOARD DETAILS
RS-11 NOT TO SCALE


	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :				
	CHECKED	9/14/02	S. G. ACACIO		DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS							THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	AS SHOWN	STANDARD ROAD WORK SIGN AND PROJECT SIGN BOARD DETAILS	RS-11
	SUBMITTED	9/16/02	M. K. KUNDU		BUREAU OF DESIGN										
P.U.H.L. - P.M.O.		Reviewed By:		OFFICE OF THE SECRETARY											
Submitted By:		DANILO C. TRAJANO Project Director		Reviewed By:		JOSEFINA M. ALAGAR Chief, Highways Division		Recommended By:		GILBERTO S. REYES OIC, Director IV					
Submitted By:		M. K. KUNDU TEAM LEADER		Recommended By:		MANUEL M. BONOAN Undersecretary		Approved By:		SIMEON A. DATUMANONG Secretary					

Aritao

San Jose

City Proper


Cabanatuan




GS-1




GS-2




GS-3




GS-4



GS-5



GS-6



GS-7

1 ADVANCE DIRECTION SIGN DETAILS
RS-13 NOT TO SCALE

JICA
JAPAN INTERNATIONAL COOPERATION AGENCY
KEI KATAHIRA & ENGINEERS INTERNATIONAL
yec YACHIYO ENGINEERING CO., LTD.

DATE	SIGNATURE
DESIGNED 9/2/02	[Signature]
CHECKED 9/4/02	[Signature]
SUBMITTED 9/6/02	[Signature]

REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

BUREAU OF DESIGN		OFFICE OF THE SECRETARY		
Submitted By: DANILO C. TRAJANO Project Director	Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES DIC, Director IV	Recommended By: MANUEL M. BONOAN Undersecretary	Approved By: SIMEON A. DATUMANONG Secretary

PROJECT AND LOCATION :
THE DETAILED DESIGN STUDY ON
UPGRADING INTER-URBAN HIGHWAY SYSTEM
ALONG THE PAN-PHILIPPINE HIGHWAY
(Plaridel, Cabanatuan and San Jose Bypasses)
SAN JOSE BYPASS

SCALE :
AS SHOWN
FULL SIZE A1

SHEET CONTENTS :
ADVANCE DIRECTION SIGN
DETAILS

SHEET NO. :
RS-13

ROADSIDE SIGNS - MOUNTING SELECTION TABLE

SIGN SIZE WIDTH x DEPTH (mm)	NUMBER AND DIAMETER (mm) OF GALVANIZED PIPE POSTS
1200 x 600	2 x 65
1800 x 600	2 x 65
1800 x 1200	2 x 100
2400 x 600	2 x 100
2400 x 1200	2 x 125
2400 x 1800	2 x 125
3000 x 600	2 x 100
3000 x 1200	2 x 125
3000 x 1800	2 x 150
3000 x 2400	2 x 150
3700 x 600	2 x 100
3700 x 1200	2 x 125
3700 x 1800	2 x 150
3700 x 2400	3 x 150
4300 x 600	2 x 100
4300 x 1200	2 x 125
4300 x 1800	3 x 150
4900 x 600	3 x 100
4900 x 1200	3 x 125
4900 x 1800	3 x 150
5500 x 600	3 x 100
5500 x 1200	3 x 125
5500 x 1800	3 x 150
6100 x 600	3 x 100
6100 x 1200	3 x 125
6100 x 1800	3 x 150

FDR INTERMEDIATE SIGN SIZES :

- (a.) TAKE DIMENSIONS OF SIGN TO NEAREST 300mm.
- (b.) FOR AN ODD DIMENSION TAKE THE NEAREST EVEN HIGHER DIMENSION IN TABLE E.G.:

NOTES:

1. THIS TABLE GIVES NUMBER AND SIZE OF GALVANIZED PIPE POSTS REQUIRED FOR SIGN SIZES SHOWN. ASSUMING UNDERSIDE OF SIGN IS 2.0m CLEAR ABOVE ROAD PAVEMENT. FOR SIGNS WITH CLEARANCES GREATER THAN 2.0m THE WIDTH USED IN THIS TABLE SHOULD BE THE ACTUAL WIDTH INCREASED BY A PERCENTAGE EQUAL TO THE PERCENTAGE INCREASE IN HEIGHT ABOVE 2.0m.
2. 12mm DIAMETER CADMIUM - PLATED BOLTS, NUTS AND WASHERS SHALL BE USED FOR ATTACHING SIGN TO POSTS.
3. TOP OF PIPE TO BE SUITABLY CAPPED AND PIPE BASES SHALL BE SEALED AGAINST MOISTURE.
4. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE INDICATED.

SIGN POST FOUNDATION TABLE


POST PROFILE # (mm)	FOUNDATION DIAMETER (mm)	FOUNDATION DEPTH (mm)
≤ 100	400	1000
125	425	1200
150	450	1500

CLASSIFICATION FOR INFORMATORY SIGN

	H ≥ 900	H ≤ 1500	H ≤ 2100	H > 2100
W ≤ 2100	A	B	B	-
W ≤ 2700	B	C	C	-
W ≤ 3350	B	C	D	D
W ≤ 4000	B	C	D	G
W ≤ 4600	B	C	G	G
W ≥ 4600	E	F	G	G

NOTE:


LETTERS "A" TO "G" INDICATES THE SIZE CLASSIFICATION FOR INFORMATORY SIGNS SCHEDULE.




1 TYPICAL SIGN MOUNTING
RS-14 NOT TO SCALE

	DESIGNED	9/2/02	[Signature]	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/14/02	[Signature]	BUREAU OF DESIGN OFFICE OF THE SECRETARY				THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pilaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	MOUNTING/SUPPORT FOR ROAD SIGN TYPICAL SIGN MOUNTING DETAILS (1 OF 2)	RS-14
	SUBMITTED	9/16/02	[Signature]	Submitted By:	Reviewed By:	Recommended By:	Approved By:	SAN JOSE BYPASS	FULL SIZE A1		


NOTE:
SIGN SHALL BE TURNED 3° TO 5° FROM ONCOMING TRAFFIC ON STRAIGHT SECTIONS AND RIGHT HAND CURVES. ON LEFT HAND CURVES THIS ANGLE SHOULD BE SUITABLY INCREASED TO PREVENT GLARE.




1 PLAN VIEW
RS-15




2 SIGN POSITIONS
RS-15 NOT TO SCALE




3a ELEVATION
RS-15



6 INSTALLATION DETAILS (TYPE 'A')
RS-15



7 INSTALLATION DETAILS (TYPE 'B')
RS-15




4 FRICTION CAP DETAIL
RS-15

NOTES:
FRICTION CAPS MAY BE MANUFACTURED FROM EITHER HOT ROLLED OR COLD ROLLED STEEL SHEETS. MINIMUM SHEET THICKNESS SHALL BE GAUGE 24. THE RIM EDGE SHALL BE REASONABLY STRAIGHT AND SMOOTH.
CAPS SHALL BE SIZED AND FORMED IN SUCH MANNER AS TO PRODUCE A DRIVE-ON FRICTION FIT AND HAVE NO TENDENCY TO ROCK WHEN SEATED ON THE PIPE. THE DEPTH SHALL BE SUFFICIENT TO GIVE POSITIVE PROTECTION AGAINST THE ENTRANCE OF RAIN WATER. THEY SHALL BE FREE OF SHARP CREASES OR INDENTATION AND SHOW NO EVIDENCE OF METAL FAILURE.
CAPS SHALL HAVE AN ELECTRO DEPOSITED COATING OF ZINC IN ACCORDANCE WITH REQUIREMENTS OF ASTM SPECS. A164, TYPE G.S.

PROCEDURE FOR ASSEMBLY OF BASE CONNECTION:
1. ASSEMBLE POST TO STUB WITH BOLTS AND ONE FLAT WASHER ON EACH BOLT BETWEEN PLATES.
2. SHIM AS REQUIRED TO PLUMB POST.
3. TIGHTEN ALL BOLTS THE MAXIMUM POSSIBLE WITH 300 TO 380mm WRENCH TO BED WASHER AND SHIMS AND CLEAN BOLT TREADS THEN LOOSEN.
4. RETIGHTEN BOLT IN A SYSTEMATIC ORDER TO A TORQUE OF 200in-lb (266.016 x 10⁻⁴ KN-M).
5. LOOSEN EACH BOLT AND RETIGHTEN TO THE PRESCRIBED TORQUE IN THE SAME ORDER AS INITIAL TIGHTENING.
6. BURR TREADS AT JUNCTION WITH NUT USING A CENTER PUNCH TO PREVENT NUT LOOSENING.


TYPICAL SIGN MOUNTING DETAILS
NOT TO SCALE



3b SECTION
RS-15

SECTION SHOWN ARE FOR INSTALLATIONS ON RIGHT SHOULDER AND IN GORE. PLATE SLOTS BEVELS ARE OPPOSITE HAND FROM THAT SHOWN FOR INSTALLATIONS ON LEFT SHOULDER. PLATES FOR BASE CONNECTION SHALL CONFORM W/ THE REQ'S OF ASTM A 36.


3 SIGN POST & STUB POST DETAIL
RS-15




5 SHIM DETAIL
RS-15

NOTES:
ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE INDICATED.
MATERIAL AND FABRICATION SHALL CONFORM TO THE REQUIREMENTS OF GENERAL SPECIFICATIONS.
ALL PIPE POST, STRUCTURAL STEEL, BOLTS AND WASHER SHALL BE GALVANIZED AS PER AASHTO M III.
ALL HIGH STRENGTH BOLTS AND WASHER SHALL CONFORM TO ASTM-325 AND ALL HIGH STRENGTH NUTS SHALL BE OF SUCH CAPACITY AS TO DEVELOP THE BOLT STRENGTH.
TIGHTEN THE HIGH STRENGTH BOLTS IN THE BASE CONNECTION BY THE USE OF TORQUE, DO NOT OVERTIGHTEN.
DESIGN TORQUE EQUALS TO 200in-lb (266.016x10⁻⁴ KN-m)


	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pinarid, Cabanatuan and San Jose Bypasses)	SCALE : NOT TO SCALE FULL SIZE A1	SHEET CONTENTS : MOUNTING / SUPPORT FOR ROAD SIGN TYPICAL SIGN MOUNTING DETAILS (2 OF 2)	SHEET NO. : RS-15
	CHECKED	9/4/02	S. LUNA		BUREAU OF DESIGN						
	SUBMITTED	9/6/02	M. KUNDU	PJHL - PWD Submitted By: DANILO C. TRAJANO Project Director			Recommended By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV	Recommended By: MANUEL M. BONDAN Undersecretary	Approved By: SIMEON A. DATUMANDONG Secretary	SAN JOSE BYPASS




1B BYPASS MAIN LINE
RS-17 NOT TO SCALE




1A RAMP AND CROSS ROADS
RS-16 NOT TO SCALE



1E PAVEMENT MARKINGS AT SIGNALIZED INTERSECTION
RS-16 NOT TO SCALE



1D PAVEMENT MARKINGS AT UNSIGNALIZED INTERSECTION
RS-16 NOT TO SCALE




1C STANDARD PAVEMENT ARROWS
RS-16 NOT TO SCALE

NOTE:
VALUES IN PARENTHESIS () ARE FOR SPEED LIMIT OVER 60 KPH.
MATERIALS, DIMENSIONS AND COLOR OF STANDARD PAVEMENT ARROWS SHALL CONFORM IN ACCORDANCE WITH THE SPECIFICATION DEFINED IN THE DPWH MANUAL OF PAVEMENT MARKINGS, 1980 EDITION.

1 STANDARD PAVEMENT MARKINGS
RS-16 NOT TO SCALE

	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/4/02	<i>S. JOSE</i>		BUREAU OF DESIGN	OFFICE OF THE SECRETARY	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	STANDARD PAVEMENT MARKINGS (1 OF 2)	RS-16	
	SUBMITTED	9/6/02	<i>M. KILDA</i>		Submitted By: DANILO C. TRAJANO Project Director	Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV	Recommended By: MANUEL M. BONDAN Undersecretary			Approved By: SIMEON A. DATUMANDONG Secretary



85 PERCENTAGE SPEED
 30 MILES (48.28 KMS)
 40 MILES (64.37 KMS)
 50 MILES (80.46 KMS)
 60 MILES (96.56 KMS)
 70 MILES (112.65 KMS)


1A NO-PASSING LINES ON HORIZONTAL CURVES
 RS-17 NOT TO SCALE

AA' BEGIN NO PASSING ZONE
 SIGHT DISTANCE BECOMES LESS THAN
 MIN. MEASURED BETWEEN POINTS
 1.30 METER ABOVE PAVEMENT.


BB' END NO PASSING ZONE
 SIGHT DISTANCE AGAIN EXCEEDS
 MINIMUM.

NOTE:
 NO PASSING ZONE IN OPPOSITE DIRECTION MAY OR MAY NOT
 OVERLAP DEPENDING ON VERTICAL ALIGNMENT AND DESIGN SPEED.
 FOR NO OVERLAPPING TYPE, REFER TO FIGURE 6 OF DPWH
 MANUAL ON PAVEMENT MARKINGS (1980), IF REQUIRED.

85 PERCENTILE SPEED (Km/h)	MIN. SIGHT DISTANCE (1.15m to 1.15m) (m)	MIN. LENGTH OR BARRER LINE L (m)	MIN. DISTANCE BETWEEN BARRER LINE (m)
50	150	75	150
60	180	90	175
70	210	105	200




1E CHEVRON MARKINGS
 RS-17 NOT TO SCALE




1D CHEVRON MARKINGS NEAR OBSTRUCTION
 RS-17 NOT TO SCALE

	RAMPS & OTHER ROADS (80 KPH OR LESS)	BYPASS MAINLINE (GREATER THAN 80 KPH)
W	150mm	150mm
D	500mm	1000mm
A	1.5m	3.0m
B	2.0m	4.0m
C	4.0m	8.0m

NOTE:
 PROVIDE CONCRETE CHATTER BARS AT
 BOTH SIDES OF CHEVRON MARKINGS
 MIDWAYS BETWEEN DIAGONAL MARKINGS
 AND PAVEMENT STUDS AT THE END
 SPACED 5.00 m. ON CENTERS.



1C CHEVRON MARKINGS AT INTERSECTION
 RS-17 NOT TO SCALE




1B NO-PASSING LINES ON HORIZONTAL CURVES (OVERLAPPING TYPE)
 RS-17 NOT TO SCALE

AA' BEGIN NO PASSING ZONE
 SIGHT DISTANCE BECOMES LESS THAN
 MEASURED BETWEEN POINTS ON CENTER
 LINE. (OR ON RIGHT-HAND LANE ON
 THREE LANE ROAD.)

BB' END NO PASSING ZONE
 SIGHT DISTANCE AGAIN EXCEEDS
 MINIMUM.


1 STANDARD PAVEMENT MARKINGS
 RS-17 NOT TO SCALE




3 LOCATION OF ROAD STUDS AND CHATTER BARS
RS-18 NOT TO SCALE

TABLE OF OFFSETS FOR CHEVRON ALONG STA. 155+860.00 TO STA. 156+000.00
(BASED FROM ROAD WAY TAPERING, REVERSED PARABOLIC CURVE, SYMMETRICAL SHEET NO. RS-01)


DIST. (m) (x)	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
OFFSET (m) (y)	0	0.033	0.123	0.278	0.494	0.768	1.104	1.500	1.893	2.232	0.251	2.721	2.874	2.964	3.00




2 DETAILED LAYOUT OF CHEVRON MARKING
RS-18 NOT TO SCALE



1 CHEVRON DETAILS ALONG A1-1
RS-18 NOT TO SCALE





4 DETAIL
RS-18 NOT TO SCALE





WITH LENS ON ONE SIDE WITH LENSES ON TWO SIDES


6 REFLECTIVE ROAD STUDS FOR CONCRETE
(WITH LENSES ON ONE-SIDE/TWO SIDED)
RS-18 NOT TO SCALE




5 CHATTER BAR (WITH LENSES ON ONE-SIDE)
RS-18 NOT TO SCALE



3A ANCHOR FRAME DETAIL
RS-19 SCALE 1:10




2C ELEVATION
RS-19 SCALE 1:10



2B PLAN
RS-19 SCALE 1:10

2A BASE PLATE DETAIL
RS-19 SCALE 1:10




1B FRONT VIEW
RS-19 SCALE 1:20


1C SIDE VIEW
RS-19 SCALE 1:20

1A MAST ARM VEHICLE SIGNAL POST
RS-19 SCALE 1:20


A TRAFFIC SIGNAL POST TYPE A
RS-19 SCALE 1:20




5B SECTION
RS-19



5C SECTION THROUGH FOOTING
RS-19



4B SECTION
RS-19



4C SECTION THROUGH FOOTING
RS-19

5A TYPE-1 (MOUNTING WITH PEDESTAL)
RS-19 SCALE 1:20


4A TYPE-2 (MOUNTING AT SIDEWALK LEVEL)
RS-19 SCALE 1:20

FOOTING DETAILS

TYPE-2 (MOUNTING AT SIDEWALK LEVEL)

- NOTES:
1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
 2. TYPE-1 POST SHALL BE USED FOR POSTS LOCATED ON MEDIAN AND CORNER ISLANDS. TYPE-2 POSTS SHALL BE USED FOR POSTS LOCATED ON SIDEWALKS.
 3. STANDARD TRAFFIC SIGNAL POST DESIGN (TYPE A, B, C & D) BASED ON MANUAL FOR THE DESIGN AND LAYOUT OF TRAFFIC SIGNALS IN THE PHILIPPINES, TRAFFIC ENGINEERING CENTER, JANUARY 1983.


	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	SCALE : AS SHOWN FULL SIZE A1	SHEET CONTENTS : TRAFFIC SIGNAL POST TYPE 'A' AND FOUNDATION DETAILS	SHEET NO. : RS-19
	CHECKED	9/16/02	[Signature]		BUREAU OF DESIGN						
	SUBMITTED	9/16/02	[Signature]		Submitted By:	Reviewed By:	Recommended By:				
			[Signature]		DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES DIC, Director IV	MANUEL M. BONDAN Undersecretary	SIMEON A. DATUMANONG Secretary		



1A TYPE B-1
RS-20 SCALE 1:30

2A TYPE C-1
RS-20 SCALE 1:30

3 TRAFFIC SIGNAL POST TYPE D
RS-20 SCALE 1:30




1B TYPE B-2
RS-20 SCALE 1:30

2B TYPE C-2
RS-20 SCALE 1:30


1 TRAFFIC SIGNAL POST TYPE B
RS-20 SCALE 1:30

2 TRAFFIC SIGNAL POST TYPE C
RS-20 SCALE 1:30


- NOTES:
1. POST ON SIDEWALKS SHOULD BE LOCATED AT A MINIMUM OF 0.60m (0.75 FOR MAST ARMS) FROM THE FACE OF THE CURB.
 2. POST ON MEDIAN ISLANDS MUST BE OFFSET AT LEAST 1.5m FROM THE NOSE OF THE ISLAND AND MOUNTED ON CONCRETE PEDESTALS AT LEAST 0.60m HIGH.
 3. POST AND MAST ARMS ON CORNER ISLANDS SHOULD BE AT LEAST 1.0m FROM THE FACE OF THE CURB AND MOUNTED ON CONCRETE PEDESTALS 0.60m HIGH.
 4. PEDESTRIAN LANTERN ATTACHMENTS ARE INCLUDED ONLY IF SPECIFIED IN THE TRAFFIC SIGNAL LIGHT LAYOUT.



PLAN OF FOOTING




SECTION THRU A OF TYPE B




SECTION THROUGH FOUNDATION (4.1 SIGNAL POST)

VEHICLE SIGNAL POST FOUNDATION (TYPE B)


1 SCALE 1:10



PLAN OF FOOTING




SECTION THRU A OF TYPE C




SECTION THROUGH FOUNDATION (4.1 SIGNAL POST)

VEHICLE SIGNAL POST FOUNDATION (TYPE C)


2 SCALE 1:10



PLAN OF FOOTING





SECTION THRU A OF TYPE D




SECTION THROUGH FOUNDATION (4.1 SIGNAL POST)

PEDESTRIAN SIGNAL POST FOUNDATION (TYPE D)

3 SCALE 1:10




5 POST AND BASE PLATE SCALE 1:5




4 TYPICAL BOTTOM SECTION OF FOOTING - TYPE C SCALE 1:10


NOTES:
1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
2. POST AND FOUNDATION DESIGN BASED ON TRAFFIC ENGINEERING CENTER DRAWING NO. 1033.




1 TYPICAL PLANTING LAYOUT
RS-22 SCALE: 1:150



2 EMBANKMENT SECTION
RS-22 SCALE: 1:100









3 CUT SECTION
RS-22 SCALE: 1:100



4 GENERAL PLANTING LOCATION (ALONG INTERSECTION)
RS-22 NOT TO SCALE

NOTES:
1. 1-A INDICATE LOCATION AS SPECIFIED IN THE PLANTING LAYOUT.
2. DEPARTMENT ORDER (DO) NO.15, S 2000 AND ITS REQUIREMENTS SHALL BE IMPOSED.







	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	9/14/02	S. JOSE		BUREAU OF DESIGN			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	AS SHOWN	TYPICAL PLANTING LAYOUT (INITIAL STAGE)	RS-22	
	SUBMITTED	9/16/02	Ma. Kildan		OFFICE OF THE SECRETARY			SAN JOSE BYPASS	FULL SIZE A1			
				Submitted By: DANILLO C. TRAJANO Project Director			Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OC, Director IV	Recommended By: MANUEL M. BONDAN Undersecretary	Approved By: SIMEON A. DATUMANONG Secretary		



1 RS-23 NOT TO SCALE

MEDIAN OF LESS THAN 1.5M

MEDIAN OF 2.0 - LESS THAN 4.0M



MEDIAN OF MORE THAN 4.0M

TYPES OF PLANTING FORMS ACCORDING TO MEDIAN/OUTER SEPARATION WIDTH

3 RS-23 NOT TO SCALE


EMBANKMENT SECTION

2 RS-23 NOT TO SCALE

4 RS-23 NOT TO SCALE


A RS-23 NOT TO SCALE

	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/2/02	S. LUNA		DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS						
SUBMITTED				BUREAU OF DESIGN			OFFICE OF THE SECRETARY			FULL SIZE A1	
SUBMITTED				Submitted By: DANILLO C. TRAJANO, Project Director			Reviewed By: JOSEFINA M. ALAGAR, Chief, Highways Division			Recommended By: GILBERTO S. REYES, Chief, Director IV	
SUBMITTED				Recommended By: MANUEL M. BONDAN, Undersecretary			Approved By: SIMEON A. DATUMANONG, Secretary			SAN JOSE BYPASS	




FENCE TYPE - I (BARBED WIRE FENCE) INSTALLATION FOR WOOD FENCES

1
RS-24 SCALE 1:20




FENCE TYPE - II (CHAIN LINK FENCE) FOR EITHER STEEL OR CONCRETE POST FENCES

3
RS-24 SCALE 1:20




1A
RS-24 SCALE 1:5




2A OTHER HIGHWAYS SCALE 1:30
2B FREEWAYS SCALE 1:30

2 FENCE LOCATION SCALE 1:30



5 CONCRETE POST SECTION SCALE 1:5



4 SIDE VIEW SCALE 1:20

NOTES:

- MATERIALS AND WORKMANSHIP SHALL CONFORM TO THE REQUIREMENTS OF THE GENERAL SPECIFICATIONS
- CONSTRUCTION LOCATION OF FENCES ARE SHOWN ON LAYOUT PLAN OR AS DIRECTED BY THE ENGINEER.
- OFFSET TO BE 0.5m AT MONUMENT LOCATIONS. MEASURED AT RIGHT ANGLES TO R/W LINES. TAPER TO ACHIEVE OFFSET TO BE AT LEAST 6m LONG.
- STRAINED BARBED WIRE SHALL BE GALVANIZED AS SPECIFIED BY IN ITEM 711
- 50mm AND 75mm STEEL PIPE SHALL BE GALVANIZED.
- THE COST OF FENCE TYPE I SHALL INCLUDE THE COST OF WOOD/RC STRUT POST AND ITS FOUNDATION.
- THE COST OF FENCE TYPE II SHALL INCLUDE THE COST OF 0.90x1.50 EXIT-ENTRANCE OF FENCE GATE, INSTALLATION EQUIPMENT AND ITS FOUNDATION.
- LOCATION OF EXIT-ENTRANCE OF FENCE GATE TYPE II SHALL BE AS DIRECTED BY THE PROJECT ENGINEER.
- CONCRETE FOUNDATION OF STEEL POST TO BE CLASS "C".
- CONCRETE POST SHALL BE CLASS "A" CONCRETE, RUBBER FINISH OR CASTED IN SMOOTH SURFACE FORMS WITH EXPOSED CORNERS ROUNDED OR CHAMFERED 12mm.
- CONCRETE POST REINFORCING STEEL EXCEPT THE WIRES SHALL BE DEFORMED STEEL BARS OF INTERMEDIATE GRADE.
- WOOD POSTS FENCES SHALL CONFORM AS SPECIFIED IN ITEM 711 OF STANDARD SPECIFICATIONS FOR HIGHWAY AND BRIDGES.
- MATERIAL FOR CHAIN LINK FENCE POST ARE SUBJECT TO CHANGE TO SUIT FIELD CONDITIONS. CHANGES SHALL BE PREPARED BY CONTRACTOR AND SHALL BE APPROVED BY THE ENGINEER.
- ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE INDICATED.