


TABLE OF COORDINATES

CONTROL POINT	COORDINATES		REMARKS
	NORTHING	EASTING	
1	1653265.291	492096.306	EDGE OF PAVEMENT TO MEET EXISTING
2	1653303.941	492108.288	EDGE OF 7.00m WIDE PAVEMENT TO MEET EXISTING
3	1653304.97	492101.364	EDGE OF PAVEMENT 1.50m FROM THE CENTERLINE
4	1653364.331	492110.191	EDGE OF 10.00m WIDE PAVEMENT
5	1653363.066	492120.11	BEG. OF TAPER 2.75m FROM THE CENTERLINE
6	1653407.705	492125.8	END OF TAPER 0.25m FROM THE CENTERLINE
7	1653409.349	492112.905	EDGE OF 13.00m WIDE PAVEMENT
44	1653361.130	492094.157	BEG. OF TAPER, PAVEMENT WIDTH 10.00m
45	1653316.112	492091.443	END OF TAPER, PAVEMENT WIDTH 7.00m
46	1653315.227	492098.387	EDGE OF PAVEMENT 2.75m FROM THE CENTERLINE
47	1653256.291	492085.080	EDGE OF 7.00m WIDE PAVEMENT
48	1653255.550	492092.041	EDGE OF PAVEMENT 1.50m FROM THE CENTERLINE



**GEOMETRIC DESIGN LAYOUT**  
**INTERSECTION A-16 (STA. 47+170.587) - ULTIMATE STAGE**  
 SCALE 1:500

	DESIGNED	DATE	SIGNATURE	<p align="center">REPUBLIC OF THE PHILIPPINES                  DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	SCALE :	SHEET CONTENTS : INTERSECTION DETAIL GEOMETRIC DESIGN LAYOUT INTERSECTION A-16 (ULTIMATE STAGE) 1 of 2	SHEET NO. : RI-16		
	CHECKED	DATE	SIGNATURE			BUREAU OF DESIGN Submitted By: DANILLO C. TRAJANO Project Director			OFFICE OF THE SECRETARY Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	1:500 FULL SIZE A1
	SUBMITTED	DATE	SIGNATURE			Recommended By: GILBERTO S. REYES OIC, Director IV			Approved By: MANUEL M. BONOAN Undersecretary	SIMEON A. DATUMANONG Secretary

TABLE OF COORDINATES			
CONTROL POINT	COORDINATES		REMARKS
	NORTHING	EASTING	
8	1653469.861	492118.098	BEG. OF MEDIAN RADIUS 1.25
9	1653469.545	492120.575	END OF MEDIAN RADIUS 1.25
10	1653465.411	492130.132	PAVEMENT INTERSECTION AT ISLAND LOCATION
11	1653474.49	492131.289	PAVEMENT INTERSECTION AT ISLAND LOCATION
12	1653473.071	492138.476	PAVEMENT INTERSECTION AT ISLAND LOCATION
13	1653454.791	492131.802	BEG. OF CORNER RADIUS 18
14	1653469.49	492143.669	INTERSECTION OF CORNER RADIUS 18 & 8.50
15	1653460.091	492154.884	END OF RADIUS 8.50 TO MEET EXISTING
16	1653487.245	492138.963	PAVEMENT INTERSECTION AT ISLAND LOCATION
17	1653488.41	492133.063	PAVEMENT INTERSECTION AT ISLAND LOCATION
18	1653496.047	492134.037	PAVEMENT INTERSECTION AT ISLAND LOCATION
19	1653497.173	492124.351	BEG. OF MEDIAN RADIUS 1.25
20	1653496.825	492127.079	END OF MEDIAN RADIUS 1.25
21	1653484.209	492154.34	END OF CORNER RADIUS 20
22	1653506.359	492138.375	BEG. OF CORNER RADIUS 20 TO MEET EXISTING
23	1653605.556	492151.02	BEG. OF TAPER, PAVEMENT 10.00m WIDE
24	1653650.719	492153.751	END OF TAPER, PAVEMENT 7.00m WIDE
25	1653651.459	492146.79	BEG. OF TRANSITION 2.75m FROM THE CENTERLINE






TABLE OF COORDINATES			
CONTROL POINT	COORDINATES		REMARKS
	NORTHING	EASTING	
26	1653699.424	492158.930	EDGE OF 7.00m WIDE PAVEMENT TO MEET EXISTING
27	1653700.237	492151.977	EDGE OF 7.00m WIDE PAVEMENT TO MEET EXISTING
28	1653662.068	492136.803	BEG. OF TRANSITION, PAVEMENT 7.00m WIDE
29	1653661.038	492143.726	EDGE OF PAVEMENT 1.50m FROM THE CENTERLINE
30	1653601.678	492134.900	BEG. OF TAPER 2.75m FROM THE CENTERLINE
31	1653602.942	492124.980	EDGE OF 10.00m WIDE PAVEMENT
32	1653558.304	492119.290	EDGE OF 13.00m WIDE PAVEMENT
33	1653556.660	492132.186	END OF TAPER 0.25m FROM THE CENTERLINE
34	1653511.895	492113.375	BEG. OF CORNER RADIUS 18
35	1653496.457	492092.307	END OF CORNER RADIUS 18 TO MEET EXISTING
36	1653501.276	492115.045	PAVEMENT INTERSECTION AT ISLAND LOCATION
37	1653493.615	492106.700	PAVEMENT INTERSECTION AT ISLAND LOCATION
38	1653492.196	492113.888	PAVEMENT INTERSECTION AT ISLAND LOCATION
39	1653479.441	492106.214	PAVEMENT INTERSECTION AT ISLAND LOCATION
40	1653478.276	492112.114	PAVEMENT INTERSECTION AT ISLAND LOCATION
41	1653470.639	492111.140	PAVEMENT INTERSECTION AT ISLAND LOCATION
42	1653482.478	492090.836	BEG. OF CORNER RADIUS 20 TO MEET EXISTING
43	1653460.328	492106.802	END OF CORNER RADIUS 20

**1**  
RI-17 SCALE 1:500



## GEOMETRIC DESIGN LAYOUT INTERSECTION A-16 (STA. 47+170.587) - ULTIMATE STAGE

	DESIGNED	DATE	SIGNATURE		DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BUREAU OF DESIGN OFFICE OF THE SECRETARY				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	7/25/02	<i>[Signature]</i>		Submitted By:	Reviewed By:	Recommended By:	Approved By:	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	1:500	INTERSECTION DETAIL GEOMETRIC DESIGN LAYOUT INTERSECTION A-16 (ULTIMATE STAGE) 2 of 2	RI-17
	SUBMITTED	7/27/02	<i>[Signature]</i>		DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONOAN Undersecretary				





1
 PAVING AND GRADING PLAN  
 INTERSECTION A-16 (STA. 47+170.587) - ULTIMATE STAGE  
 RI-18 SCALE 1:500

	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	SCALE : 1:500 FULL SIZE A1	SHEET CONTENTS : INTERSECTION DETAIL PAVING AND GRADING PLAN INTERSECTION A-16 (ULTIMATE STAGE) 1 of 2	SHEET NO. : RI-18	
	DESIGNED	9/21/02	<i>[Signature]</i>	BUREAU OF DESIGN							
	CHECKED	9/25/02	<i>[Signature]</i>	Submitted By:	Reviewed By:	Recommended By:					Recommended By:
SUBMITTED	7/27/07	<i>[Signature]</i>	DANIEL C. TRALANG Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONOAN Undersecretary	SIMEON A. DATUMANONG Secretary				



		DATE	SIGNATURE	 REPUBLIC OF THE PHILIPPINES <b>DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</b>	PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :		
	DESIGNED	9/21/02	<i>[Signature]</i>			Submitted By:	<b>THE DETAILED DESIGN STUDY ON            UPGRADING INTER-URBAN HIGHWAY SYSTEM            ALONG THE PAN-PHILIPPINE HIGHWAY            (Plaridel, Cabanatuan and San Jose Bypasses)</b>	1:500	<b>INTERSECTION DETAIL            PAVING AND GRADING PLAN            INTERSECTION A-16 (ULTIMATE STAGE) 2 of 2</b>	<b>RI-19</b>
	CHECKED	9/25/02	<i>[Signature]</i>			Reviewed By:	<b>PLARIDEL BYPASS - CONTRACT PACKAGE II</b>	FULL SIZE A1		
SUBMITTED	9/27/02	<i>[Signature]</i>	TEAM LEADER	DANILLO C. TRAJANO Project Director JOSEFINA M. ALAGAR Chief, Highways Division GILBERTO S. REYES OIC, Director IV MANUEL M. BONGAN Undersecretary SIMEDON A. DATUMANONG Secretary						





**TRAFFIC SIGNS AND PAVEMENT MARKINGS LAYOUT PLAN  
INTERSECTION A-16 (STA. 47+170.587) - ULTIMATE STAGE**

1  
RI-20

SCALE 1:500

	DESIGNED	9/22/02		<p align="center">REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :			SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	9/25/02			BUREAU OF DESIGN	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)			1:500	<b>TRAFFIC SIGNS AND PAVEMENT MARKINGS LAYOUT PLAN</b> INTERSECTION A-16 (ULTIMATE STAGE)	<b>RI-20</b>
	SUBMITTED	9/29/02			Submitted By: <b>DANILO C. TRAJANO</b> Project Director Reviewed By: <b>JOSEFINA M. ALAGAR</b> Chief, Highways Division Recommended By: <b>GILBERTO S. REYES</b> DIC, Director IV Recommended By: <b>MANUEL M. BONGAN</b> Undersecretary Approved By: <b>SIMEON A. DATUMANONG</b> Secretary	<b>PLARIDEL BYPASS - CONTRACT PACKAGE II</b>			FULL SIZE A1		





**TRAFFIC SIGNS AND PAVEMENT MARKINGS LAYOUT PLAN  
INTERSECTION A-16 (STA. 47+170.587) - ULTIMATE STAGE**

1  
RI-21

SCALE

1:500


	DESIGNED	DATE	SIGNATURE	<p align="center">REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :			SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	7/25/02	S. G. ROSE		BUREAU OF DESIGN	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)			1:500	TRAFFIC SIGNS AND PAVEMENT MARKINGS LAYOUT PLAN INTERSECTION A-16 (ULTIMATE STAGE)	RI-21
	SUBMITTED	7/29/02	M. RICHIE		OFFICE OF THE SECRETARY	PLARIDEL BYPASS - CONTRACT PACKAGE II			FULL SIZE A1		
				Submitted By:	Reviewed By:	Recommended By:	Recommended By:	Approved By:			
				DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES Dir., Director IV	MANUEL M. BONDAN Undersecretary	SIMEDON A. DATUMANONG Secretary			



PROJECTED PEAK-HOUR VOLUMES (YEAR 2020)

SIGNAL PHASING

	(A)	(B)	(C)	(D)
G:	12.5	74.3	30.3	16.9
Y:	2.0	2.0	2.0	2.0
R:	2.0	2.0	2.0	2.0
C = 150.0 secs.				





DESIGN PLAN LANTERN SYMBOL	LANTERN ASSEMBLY	DESIGN PLAN LANTERN SYMBOL	LANTERN ASSEMBLY

LANTERN ASSEMBLY REFERENCE



**NOTE :**  
ENCIRCLED FIGURES (I.E., (A), (B-1), ETC.)  
INDICATE TRAFFIC SIGNAL POST TYPE

1 INTERSECTION A-16 (STA. 47+170.587) - ULTIMATE STAGE  
R-22 SCALE 1:250

	DESIGNED	DATE	SIGNATURE	<p>REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :			SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	9/25/02			Submitted By:	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)			1:250	TRAFFIC SIGNAL LIGHT LAYOUT INTERSECTION A-16 (ULTIMATE STAGE)	RI-22
	SUBMITTED	7/27/02			Reviewed By:	PLARIDEL BYPASS - CONTRACT PACKAGE II			FULL SIZE A1		
			TEAM LEADER	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONGAN Undersecretary	SIMEON A. DATUMANONG Secretary			





**PLARIDEL BYPASS  
END OF  
CONTRACT PACKAGE I  
BEG. OF CONTRACT PACKAGE II**  
STA. 39+625.000  
ELEV. = 9.617  
N = 1,646,581.893  
E = 489,274.817





	DESIGNED	DATE	SIGNATURE	 REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) <b>PLARIDEL BYPASS - CONTRACT PACKAGE II</b>	SCALE : 1:1000 FULL SIZE A1	SHEET CONTENTS : <b>TRAFFIC SIGNS AND PAVEMENT MARKINGS LAYOUT PLAN</b> ALONG BYPASS (ULTIMATE STAGE) STA. 39+625 - STA. 41+000	SHEET NO. : <b>RM-01</b>
	CHECKED	DATE	SIGNATURE							
	SUBMITTED	DATE	SIGNATURE	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV				









	DATE	SIGNATURE				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	DESIGNED	7/12/02	S. LUNA	DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BUREAU OF DESIGN			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	1:1000	<b>TRAFFIC SIGNS AND PAVEMENT          MARKINGS LAYOUT PLAN</b> ALONG BYPASS (ULTIMATE STAGE) STA. 41+000 - STA. 42+400	<b>RM-02</b>
	CHECKED	7/25/02	S. GOSE	Submitted By:	Reviewed By:	Recommended By:	Office of the Secretary	FULL SIZE A1		
SUBMITTED	7/27/02	M. Kaban	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary	SIMEON A. DATUMANONG Secretary			





	DESIGNED	9/21/02	S. J. [Signature]	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	SCALE : 1:1000 FULL SIZE A1	SHEET CONTENTS : TRAFFIC SIGNS AND PAVEMENT MARKINGS LAYOUT PLAN ALONG BYPASS (ULTIMATE STAGE) STA. 42+400 - STA. 43+800	SHEET NO. : RM-03
	CHECKED	9/25/02	S. J. [Signature]	Submitted By:	Reviewed By:	Recommended By:	Approved By:				
	SUBMITTED	9/27/02	M. [Signature]	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES DIC, Director IV	MANUEL M. BONGAN Undersecretary				



	DESIGNED	9/21/02	<i>[Signature]</i> LUNA	<p>REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :			SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	9/27/02	<i>[Signature]</i> LOOSE		Submitted By:	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)			1:1000	TRAFFIC SIGNS AND PAVEMENT MARKINGS LAYOUT PLAN ALONG BYPASS (ULTIMATE STAGE) STA. 43+800 - STA. 45+200	RM-04
	SUBMITTED	9/29/02	<i>[Signature]</i> KIM		Reviewed By:	PLARIDEL BYPASS - CONTRACT PACKAGE II			FULL SIZE A1		
					Team Leader	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OC, Director IV	MANUEL M. BONGAN Undersecretary	SIMEON A. DATUMANONG Secretary	



	DATE	SIGNATURE	 REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	SCALE :  1:1000 FULL SIZE A1	SHEET CONTENTS : TRAFFIC SIGNS AND PAVEMENT MARKINGS LAYOUT PLAN ALONG BYPASS (ULTIMATE STAGE) STA. 45+200 - STA. 46+600	SHEET NO. :  RM-05	
	DESIGNED	9/21/02	[Signature]	BUREAU OF DESIGN		OFFICE OF THE SECRETARY					
	CHECKED	9/25/02	[Signature]	Submitted By:	Reviewed By:	Recommended By:					Recommended By:
	SUBMITTED	9/27/02	[Signature]	DANILO C. TRAJANO Project Director	JOSEFINA M. ALACAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV					MANUEL M. BONDAN Undersecretary



**PLARIDEL BYPASS  
END OF  
CONTRACT PACKAGE II  
BEG. OF CONTRACT PACKAGE III**  
STA. 47+400.00  
ELEV. = 18.127  
N = 1,655,914.515  
E = 492,454.342

**JICA**  
JAPAN INTERNATIONAL COOPERATION AGENCY  
**KATAHIRA & ENGINEERS**  
INTERNATIONAL  
**yeo** YACHIYO ENGINEERING  
CO., LTD.



DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES
DESIGNED 7/21/02	S. LUNA	DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
CHECKED 9/25/02	S. JOSE	BUREAU OF DESIGN
SUBMITTED 9/27/02	TEAM LEADER	OFFICE OF THE SECRETARY
	DANILO C. TRAJANO Project Director	Submitted By: JOSEFINA M. ALAGAR Chief, Highways Division
		Reviewed By: GILBERTO S. REYES OIC, Director IV
		Recommended By: MANUEL M. BONDAN Undersecretary
		Approved By: SIMEON A. DATUMANONG Secretary

PROJECT AND LOCATION :  
THE DETAILED DESIGN STUDY ON  
UPGRADING INTER-URBAN HIGHWAY SYSTEM  
ALONG THE PAN-PHILIPPINE HIGHWAY  
(Plaridel, Cabanatuan and San Jose Bypasses)  
**PLARIDEL BYPASS - CONTRACT PACKAGE II**



SCALE :  
1:1000  
FULL SIZE A1

SHEET CONTENTS :  
**TRAFFIC SIGNS AND PAVEMENT  
MARKINGS LAYOUT PLAN**  
ALONG BYPASS (ULTIMATE STAGE)  
STA. 46+600 - STA. 47+4000

SHEET NO. :  
**RM-06**



**PLARIDEL BYPASS  
BEGINNING OF  
CONTRACT PACKAGE II  
END OF CONTRACT PACKAGE I**  
STA. 39+625.000  
ELEV. = 9.617  
N = 1,646,581.893  
E = 489,274.817



**JICA**  
JAPAN INTERNATIONAL COOPERATION AGENCY  
**KATAHIRA & ENGINEERS**  
**yeo YACHIYO ENGINEERING CO., LTD.**

	DATE	SIGNATURE
DESIGNED	9/2/02	S. LUNA
CHECKED	9/25/02	S. LUNA
SUBMITTED	9/27/02	S. LUNA



REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS					
BUREAU OF DESIGN		OFFICE OF THE SECRETARY			
Submitted By:	Reviewed By:	Recommended By:	Recommended By:	Approved By:	Approved By:
DANLO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary	SIMEON A. DATUMANONG Secretary	

PROJECT AND LOCATION :  
**THE DETAILED DESIGN STUDY ON  
UPGRADING INTER-URBAN HIGHWAY SYSTEM  
ALONG THE PAN-PHILIPPINE HIGHWAY  
(Plaridel, Cabanatuan and San Jose Bypasses)**  
**PLARIDEL BYPASS - CONTRACT PACKAGE II**



SCALE :  
1:1000  
FULL SIZE A1

SHEET CONTENTS :  
**PLANTING, GUARDRAIL AND  
KILOMETER POST LAYOUT PLAN  
ALONG BYPASS (ULTIMATE STAGE)**  
STA. 39+625 - STA. 41+000

SHEET NO. :  
**RM-07**





	DESIGNED	7/21/02	S. Lopez	<p>REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :			SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/25/02	S. Lopez		THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)			1:1000	PLANTING, GUARDRAIL AND KILOMETER POST LAYOUT PLAN ALONG BYPASS (ULTIMATE STAGE) STA. 41+000 - STA. 42+400	<b>RM-08</b>
	SUBMITTED	9/27/02	M. R. RUCHE		PLARIDEL BYPASS - CONTRACT PACKAGE II			FULL SIZE A1		
Submitted By:		Reviewed By:		Recommended By:		Recommended By:				
DANILO C. TRAJANO Project Director		JOSEFINA M. ALAGAR Chief, Highways Division		GILBERTO S. REYES OIC, Director IV		MANUEL M. BONDAN Undersecretary		SIMEON A. DATUMANONG Secretary		



	DESIGNED	9/21/02	S. LUNA	<p>REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :		SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/25/02	S. JOSE		THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)		1:1000	<b>PLANTING, GUARDRAIL AND KILOMETER POST LAYOUT PLAN</b> ALONG BYPASS (ULTIMATE STAGE) STA. 42+400 - STA. 43+800	<b>RM-09</b>
	SUBMITTED	9/27/02	M. BONDAN		PLARIDEL BYPASS - CONTRACT PACKAGE II		FULL SIZE A1		
						Submitted By: <b>DANILO C. TRAJANO</b> Project Director Reviewed By: <b>JOSEFINA M. ALAGAR</b> Chief, Highways Division Recommended By: <b>GILBERTO S. REYES</b> DIC, Director IV Recommended By: <b>MANUEL M. BONOAN</b> Undersecretary Approved By: <b>SIMEON A. DATUMANONG</b> Secretary			





**JICA**  
 JAPAN INTERNATIONAL COOPERATION AGENCY

**KATAHIRA & ENGINEERS**  
 INTERNATIONAL

**YEO**  
 YACHIYO ENGINEERING CO., LTD.

	DATE	SIGNATURE
DESIGNED	9/21/02	[Signature]
CHECKED	9/25/02	[Signature]
SUBMITTED	9/27/02	[Signature]

REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS					
BUREAU OF DESIGN		OFFICE OF THE SECRETARY			
Submitted By:	Reviewed By:	Recommended By:	Recommended By:	Recommended By:	Approved By:
DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary	SIMEON A. DATUMANONG Secretary	



PROJECT AND LOCATION :  
 THE DETAILED DESIGN STUDY ON  
 UPGRADING INTER-URBAN HIGHWAY SYSTEM  
 ALONG THE PAN-PHILIPPINE HIGHWAY  
 (Plaridel, Cabanatuan and San Jose Bypasses)

PLARIDEL BYPASS - CONTRACT PACKAGE II



SCALE :  
 1:1000  
 FULL SIZE A1

SHEET CONTENTS :  
 PLANTING, GUARDRAIL AND  
 KILOMETER POST LAYOUT PLAN  
 ALONG BYPASS (ULTIMATE STAGE)  
 STA. 43+800 - STA. 45+200

SHEET NO. :  
**RM-10**




	DESIGNED	DATE	SIGNATURE	<p>REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS</p>	PROJECT AND LOCATION :			SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	7/25/02	<i>[Signature]</i>		THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Pilaridel, Cabanatuan and San Jose Bypasses)			1:1000	PLANTING, GUARDRAIL AND KILOMETER POST LAYOUT PLAN ALONG BYPASS (ULTIMATE STAGE) STA. 45+200 - STA. 46+600	RM-11
	SUBMITTED	7/27/02	<i>[Signature]</i>		PLARIDEL BYPASS - CONTRACT PACKAGE II			FULL SIZE A1		
	Submitted By:		Reviewed By:		Recommended By:		Approved By:			
DANIL C. TRAJANO Project Director		JOSEFINA M. ALAGAR Chief, Highways Division		DILBERTO S. REYES OIC, Director IV		MANUEL M. BONOAN Undersecretary		SIMEON A. DATUMANONG Secretary		



**PLARIDEL BYPASS  
END OF  
CONTRACT PACKAGE II  
BEG. OF CONTRACT PACKAGE III**  
 STA. 47+400.00  
 ELEV. = 18.127  
 N = 1,655,914.515  
 E = 492,454.342

	DESIGNED	9/2/02	S. [Signature]	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/25/02	[Signature]	BUREAU OF DESIGN OFFICE OF THE SECRETARY			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	1:1000	PLANTING, GUARDRAIL AND KILOMETER POST LAYOUT PLAN ALONG BYPASS (ULTIMATE STAGE) STA. 46+600 - STA. 47+400	RM-12
	SUBMITTED	9/27/02	[Signature]	Submitted By: DANLO C. TRAJANO Project Director	Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV	Recommended By: MANUEL M. BONGAN Underscretary	Approved By: SIMEON A. DATUMANONG Secretary		



**NOTES:**

- RELATIVE PATHS OF LEFT TURNING VEHICLES ARE IMAGINARY ONLY; OVERALL, THESE WILL DETERMINE THE CONFIGURATION OF CHANNELIZATION ISLANDS IN INTERSECTION DESIGN.
- Ro AS DEFINED BY CONDITION OBTAINING AND Wc IN CONFORMANCE WITH DESIGN VEHICLES AND Ro.

( ADOPTED FROM JAPANESE STANDARDS USE IN OTHER PROJECTS. )

**WHERE:**


W<sub>n</sub> = LANE WIDTH (NORMAL)  
W<sub>c</sub> = LANE WIDTH (TURNING)  
Δ = INTERSECTION ANGLE  
R<sub>o</sub> = OUTER RADIUS  
R<sub>i</sub> = INNER RADIUS  
R<sub>T</sub> = TRANSITION RADIUS  
C = 180° -

**FORMULAS:**

R<sub>i</sub> = R<sub>o</sub> - W<sub>c</sub>  
R<sub>T</sub> = nR<sub>i</sub> (n=3)  
S = W<sub>c</sub> - W<sub>n</sub>  
t = S/(n-1)  
A = (R<sub>i</sub>+S) cot Δ/2  
B = √[2(R<sub>T</sub>-R<sub>i</sub>)S - S<sup>2</sup>]  
C = B/(n-1)  
D = S + t

**LEFT TURN LANE/S ELEMENTS  
THREE CENTERED CURVE-SYMMETRICAL**

4  
RS-01



**WHERE:**


Δ = INTERSECTION ANGLE  
R<sub>1</sub> = INNER RADIUS  
R<sub>2</sub> = TRANSITION RADIUS  
S = OFFSET OF INNER CIRCULAR CURVE FROM TANGENTS

**FORMULAS:**

T<sub>1</sub> = (R<sub>1</sub>+S) TAN Δ/2  
T = T<sub>1</sub> + (R<sub>2</sub>-R<sub>1</sub>) SIN θ  
T<sub>2</sub> = T<sub>1</sub>-R<sub>1</sub> SIN θ  
Y = (R<sub>1</sub>+S) - R<sub>1</sub> COS θ  
E =  $\frac{R_1+S}{\cos \Delta/2} - R_1$   
M = R<sub>1</sub>-R<sub>1</sub> COS (Δ/2-θ)  
θ = COS<sup>-1</sup>  $\left( \frac{R_2-R_1-S}{R_2-R_1} \right)$

**RIGHT TURN/S ELEMENTS  
THREE CENTERED CURVE-SYMMETRICAL**

5  
RS-01



**WHERE:**


R<sub>1</sub> = RADIUS OF INTERMEDIATE CIRCULAR ARC  
R<sub>2</sub> = RADIUS OF CIRCULAR ARC ON APPROACH LEG (1.5 x R<sub>1</sub>)  
R<sub>3</sub> = RADIUS OF CIRCULAR ARC ON DEPARTURE LEG (3 x R<sub>1</sub>)  
S = OFFSET OF INNER CIRCULAR CURVE FROM TANGENTS  
Δ = INTERSECTION ANGLE

**FORMULAS:**

θ<sub>A</sub> = COS<sup>-1</sup>  $\left[ \frac{R_2-(R_1+S)}{R_2-R_1} \right]$   
θ<sub>B</sub> = COS<sup>-1</sup>  $\left[ \frac{R_3-(R_1+S)}{R_3-R_1} \right]$   
T<sub>1</sub> = (R<sub>1</sub>+S) TAN Δ/2  
T<sub>A</sub> = T<sub>1</sub> + (R<sub>2</sub>-R<sub>1</sub>) SIN θ<sub>A</sub>  
T<sub>B</sub> = T<sub>1</sub> + (R<sub>3</sub>-R<sub>1</sub>) SIN θ<sub>B</sub>  
T<sub>A</sub> = T<sub>1</sub>-R<sub>1</sub> SIN θ<sub>A</sub> = T<sub>A</sub>-R<sub>2</sub> SIN θ<sub>A</sub>  
T<sub>B</sub> = T<sub>1</sub>-R<sub>1</sub> SIN θ<sub>B</sub> = T<sub>B</sub>-R<sub>3</sub> SIN θ<sub>B</sub>  
Y<sub>A</sub> = (R<sub>1</sub>+S) - R<sub>1</sub> COS θ<sub>A</sub>  
Y<sub>B</sub> = (R<sub>1</sub>+S) - R<sub>1</sub> COS θ<sub>B</sub>

**RIGHT TURN/S ELEMENTS  
THREE CENTERED CURVE-ASYMMETRICAL**

6  
RS-01



**FORMULAS:**


θ = TAN<sup>-1</sup> 1/S (TAPER RATE S:1)  
T =  $\frac{WS}{3 \cos \theta + 1}$   
L/3 = T (COS θ + 1)  
R =  $\frac{T}{\tan \theta/2}$   
APPROX.  
T = L/6  
θ = TAN<sup>-1</sup> W/4T

OPERATING SPEED	S VALUE
50 KPH	8
60 KPH	(10)
70 KPH	(12.5)
80 KPH	15
PARKING TURNOUT (ENTRANCE / EXIT)	2
BUS TURNOUT (DESIRABLE MIN)	4

(S VALUE SHOWN IN PARENTHESIS WERE INTERPOLATED FROM AASHTO)

**ROADWAY TAPERING-L/3 TAN SECTION  
(CIRCULAR CURVE ROUNDING)**

1  
RS-01



**FORMULAS:**

L = CWS  
(C=1 MINIMUM)  
(C=2 DESIRABLE)  
Y = KW

**WHERE:**


L = LENGTH OF FLARE  
W = WIDENING (MAX. OFFSET)  
S = TAPER RATE (HOR:VER)  
X = DISTANCE ALONG BASELINE  
Y = OFFSET FROM BASELINE

**LAYOUT BY OFFSET**

X/L	0.00	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00
K	0.000	0.005	0.020	0.045	0.080	0.125	0.180	0.245	0.320	0.405	0.500	0.595	0.680	0.755	0.820	0.875	0.920	0.955	0.980	0.995	1.000

**ROADWAY TAPERING  
REVERSED PARABOLIC CURVE FLARES-SYMMETRICAL  
(BY OFFSET)**

2  
RS-01



INCREASING			
Xi / Li	K	Xi / Li	K
0.00	0.000	0.52	0.5103
0.02	0.0010	0.54	0.5470
0.04	0.0020	0.56	0.5836
0.06	0.0047	0.58	0.6194
0.08	0.0077	0.60	0.6548
0.10	0.0114	0.62	0.6898
0.12	0.0156	0.64	0.7217
0.14	0.0217	0.66	0.7522
0.16	0.0300	0.68	0.7789
0.18	0.0390	0.70	0.8050
0.20	0.0499	0.72	0.8286
0.22	0.0612	0.74	0.8521
0.24	0.0760	0.76	0.8741
0.26	0.0908	0.78	0.8947
0.28	0.1110	0.80	0.9128
0.30	0.1315	0.82	0.9293
0.32	0.1574	0.84	0.9440
0.34	0.1849	0.86	0.9580
0.36	0.2161	0.88	0.9691
0.38	0.2496	0.90	0.9775
0.40	0.2846	0.92	0.9849
0.42	0.3215	0.94	0.9903
0.44	0.3586	0.96	0.9952
0.46	0.3965	0.98	0.9982
0.48	0.4344	1.00	1.0000
0.50	1.4724		


**WHERE:**

W = FULL WIDENING  
L = LENGTH OF TAPERING/TRANSITION  
Y = WIDENING/OFFSET FROM BASELINE @ X DISTANCE  
FOR  $\frac{X}{L}$  : Y = KW

DECREASING			
Xd / Ld	K	Xd / Ld	K
0.00	1.0000	0.52	0.1967
0.02	0.9964	0.54	0.1784
0.04	0.9905	0.56	0.1613
0.06	0.9810	0.58	0.1453
0.08	0.9680	0.60	0.1304
0.10	0.9438	0.62	0.1162
0.12	0.9200	0.64	0.1034
0.14	0.8920	0.66	0.0916
0.16	0.8602	0.68	0.0807
0.18	0.8238	0.70	0.0708
0.20	0.7816	0.72	0.0622
0.22	0.7324	0.74	0.0543
0.24	0.6822	0.76	0.0473
0.26	0.6340	0.78	0.0407
0.28	0.5848	0.80	0.0348
0.30	0.5365	0.82	0.0288
0.32	0.4912	0.84	0.0236
0.34	0.4478	0.86	0.0190
0.36	0.4092	0.88	0.0150
0.38	0.3748	0.90	0.0116
0.40	0.3443	0.92	0.0082
0.42	0.3144	0.94	0.0052
0.44	0.2858	0.96	0.0026
0.46	0.2610	0.98	0.0012
0.48	0.2373	1.00	0.0000
0.50	0.2163		

**ROADWAY TAPERING  
REVERSED PARABOLIC CURVE ASYMMETRICAL  
(BY OFFSET)**


3  
RS-01




WHERE:  
 PI = POINT OF INTERSECTION  
 Δ = INTERSECTION ANGLE  
 R = CURVE RADIUS  
 T = TANGENT LENGTH  
 LC = CURVE LENGTH  
 E = EXTERNAL DISTANCE  
 PC = BEGINNING OF CIRCULAR CURVE  
 PT = END OF CIRCULAR CURVE

FORMULAS:  
 $T = R (\tan \Delta / 2)$   
 $LC = \frac{\pi R \Delta}{180}$   
 $E = T (\tan \Delta / 4)$

NOTE:  
 NO HORIZONTAL CURVE IS REQUIRED WHEN THE INTERSECTION ANGLE IS LESS THAN ONE DEGREE (1')




5a MAIN BYPASS  
RS-02



5b ACCESS ROADS  
RS-02

2 HORIZONTAL CURVE (CIRCULAR)  
RS-02




FORMULAS:  
 $A^2 = R(L_s)$   
 $\theta_s = L_s(D/40)$   
 $x = L_s \left(1 - \frac{L_s^2}{40R^2}\right)$   
 $y = \frac{L_s^2}{6R} \left(1 - \frac{L_s^2}{56R^2}\right)$   
 $\Delta R = y + R \cos \theta_s - R$   
 $x_m = x - R \sin \theta_s$   
 $T = (R + \Delta R) \tan \Delta / 2$   
 $T_s = x_m + T$   
 $\Delta c = \Delta - 2\theta_s$   
 $L_c = \pi R \Delta c / 180$   
 $T_L = x - (y / \tan \theta_s)$   
 $T_k = \frac{y}{\sin \theta_s}$   
 $E_s = \left[ R + \frac{y}{4} \sec \frac{\Delta}{2} \right] - R$

WHERE:  
 PI = POINT OF INTERSECTION  
 Δ = INTERSECTION ANGLE  
 R = CURVE RADIUS  
 Es = EXTERNAL DISTANCE  
 Ls = LENGTH OF SPIRAL  
 A = PARAMETER OF CLOTHOID  
 θs = SPIRAL ANGLE  
 X,Y = COORDINATES OF POINTS SC AND CS WITH RESPECT TO MAIN TANGENTS  
 ΔR = OFFSET BETWEEN CIRCULAR CURVE AND MAIN TANGENT ("THROW" OF SPIRAL)  
 Xm = DISTANCE FROM TS OR ST TO POINT OF "THROW"

Ts = TOTAL TANGENT DISTANCE  
 TL = LONG TANGENT OF SPIRAL  
 Tk = SHORT TANGENT OF SPIRAL  
 Ls = LENGTH OF SPIRAL  
 Δc = CENTRAL ANGLE OF CIRCULAR CURVE  
 Lc = LENGTH OF CIRCULAR CURVE  
 TS = BEGINNING OF TRANSITION CURVE  
 SC = BEGINNING OF CIRCULAR CURVE  
 CS = END OF CIRCULAR CURVE  
 ST = END OF TRANSITION CURVE

5 DESIGN CONTROLS FOR VERTICAL CURVES  
RS-02



WHERE:  
 PVI = VERTICAL POINT OF INTERSECTION  
 PVC = VERTICAL POINT OF CURVATURE  
 PVT = VERTICAL POINT OF TANGENCY  
 LVC = LENGTH OF VERTICAL CURVE  
 G1, G2 = TANGENT GRADES IN PERCENT  
 MO = MIDDLE ORDINATE  
 X = DISTANCE FROM PVC TO PVT TO ANY POINT OF CURVE  
 Y = VERTICAL OFFSET AT SAID DISTANCE "X"  
 HP = HIGH POINT OF CURVE  
 DH = DISTANCE OF "HP" FROM CURVE END RECKONED FROM FLATTER GRADE

FOR SYMMETRICAL VERTICAL PARABOLIC CURVES:


$$MO = \frac{(G1-G2) \cdot L}{8}$$

$$Y_x = \frac{(G1-G2) \cdot x^2}{2LVC}$$

$$DH = \frac{GLVC}{(G1-G2)}$$

(WHERE G IS THE LESSER GRADE)

NOTES:  
 1. SIMILARLY APPLIES TO LP (LOW POINT) OF SAG VERTICAL CURVES  
 2. NO VERTICAL CURVE IS REQUIRED WHERE THE ALGEBRAIC DIFFERENCE IN GRADE IS 0.50% OR LESS



WHERE:  
 L1 = SHORT SIDE OF VERTICAL CURVE LENGTH  
 L2 = LONG SIDE OF VERTICAL CURVE LENGTH  
 LP = LOW POINT OF CURVE  
 DL = DISTANCE OF LP FROM CURVE END RECKONED FROM FLATTER GRADE  
 ALL OTHER NOMENCLATURE SAME AS SYMMETRICAL PARABOLIC CURVE

FOR ASYMMETRICAL VERTICAL PARABOLIC CURVES:

$$MO = \frac{(G1-G2) \cdot L1 \cdot L2}{2L}$$

$$Y_x = \frac{X^2}{L^2} \cdot MO$$

$$Y1 = \frac{X1^2}{L1^2} \cdot MO$$

$$DL = \frac{G2 \cdot L2}{L1} \cdot K$$

$$K = \frac{L}{G1-G2}$$


NOTES:  
 1. SIMILARLY APPLIES TO LP (LOW POINT) OF SAG VERTICAL CURVES  
 2. NO VERTICAL CURVE IS REQUIRED WHERE THE ALGEBRAIC DIFFERENCE IN GRADE IS 0.50% OR LESS

1 HORIZONTAL CURVE WITH TRANSITION (CLOTHOID SPIRAL)  
RS-02

3 VERTICAL PARABOLIC CURVE (SYMMETRICAL)  
RS-02

4 VERTICAL PARABOLIC CURVE (ASYMMETRICAL)  
RS-02

	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	DESIGNED	7/21/02	[Signature]	BUREAU OF DESIGN			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)  PLARIDEL BYPASS - CONTRACT PACKAGE II	NOT TO SCALE	GEOMETRIC DESIGN STANDARD - 2 HORIZONTAL AND VERTICAL CURVES	RS-02
	CHECKED	7/25/02	[Signature]	OFFICE OF THE SECRETARY						
SUBMITTED	7/27/02	[Signature]	Recommended By: MANUEL M. BONOAN (Undersecretary) Approved By: SIMON A. DATUMANONG (Secretary)							
Submitted By: DANILO C. TRAJANO (Project Director) Reviewed By: JOSEFINA M. ALAGAR (Chief, Highways Division)			Recommended By: GILBERTO S. REYES (DCC Director IV)							




$$R1 = \frac{We_1}{S}$$

$$R2 = \frac{We_2}{S}$$

$$L1 = \frac{Wnc}{S}$$

WHERE :  
 R1 = LENGTH OF SUPERELEV. RUNOFF (1st CURVE)  
 R2 = LENGTH OF SUPERELEV. RUNOFF (2nd CURVE)  
 L1 = LENGTH OF ROUNDING  
 ALL OTHER NOMENCLATURE THE SAME



$$LK1 = \frac{W}{S} (e_1 - NC)$$

$$R1 = \frac{Wnc}{S}$$


$$R2 = \frac{We_2}{S}$$

$$LK2 = R1 + R2 = \frac{W}{S} (NC + e_2)$$

WHERE :  
 LK1 = MIN. LENGTH OF EASEMENT/CLOTHOID (1st CURVE)  
 LK2 = MIN. LENGTH OF EASEMENT/CLOTHOID (2nd CURVE)  
 R1 = LENGTH OF SUPERELEVATION RUNOFF  
 R2 = LENGTH OF SUPERELEVATION RUNOFF (2nd CURVE)  
 W = CARRIAGEWAY (NORMAL)  
 ALL OTHER NOMENCLATURE THE SAME

2 SUPERELEVATION TRANSITION-REVERSE CURVE (MAIN ROAD)  
 RS-03

3 SUPERELEVATION TRANSITION-(RAMPS)  
 RS-03  
 PAVEMENT REVOLVED ABOUT OUTER EDGE



$$A^2 = R LK$$

A = CLOTHOID PARAMETER

$$R1 = \frac{Wnc}{S}$$

$$R2 = \frac{We}{S}$$

$$L1 = \frac{Wnc}{S}$$

$$LK1 = R1 + R2 = \frac{W}{S} (NC + e) \quad (A)$$

$$LK2 = L1 + LK1 = \frac{W}{S} (2NC + e) \quad (B)$$

WHERE :  
 LK1 = MIN. LENGTH OF EASEMENT/CLOTHOID (W/O ROUNDING) L1  
 LK2 = MIN. LENGTH OF EASEMENT/CLOTHOID (W/ ROUNDING)  
 R1 = SUPERELEVATION RUNOFF LENGTH (WITHIN CLOTHOID) \*  
 R2 = SUPERELEVATION RUNOFF LENGTH  
 L1 = LENGTH OF ROUNDING  
 W = CARRIAGEWAY (ONE DIRECTION)  
 e = SUPERELEVATION RATE  
 NC = NORMAL CROWN SLOPE  
 S = RELATIVE SLOPE OF EDGES W/ P

\* OTHER AUTHORITIES PLACE R1 ALONG THE TANGENT

1 SUPERELEVATION TRANSITION (MAIN ROAD)  
 RS-03

S VALUE  
(INTERPOLATED FROM AASHTO)

DESIGN SPEED Km/h	40	50	60	70	80	90	100	110	120
100 S	0.70	0.65	0.60	0.55	0.50	0.48	0.45	0.42	0.40

SUPERELEVATION "e" RATES  
 MAIN ROAD      RAMPS


D	R	V=80 KPH e <sub>max</sub> =0.060
0'-10'	6,875.36	NC (0.004)
-20	3,437.78	NC (0.008)
-30	2,291.83	NC (0.013)
-40	1,718.87	RC (0.016)
-50	1,375.10	0.021
1'-00'	1,145.92	0.024
-10	982.21	0.027
-20	859.44	0.030
-30	763.94	0.033
-40	687.55	0.036
-50	625.05	0.039
2'-00'	572.96	0.041
-10	528.68	0.044
-20	491.11	0.046
-30	458.37	0.048
-40	429.72	0.050
-50	404.44	0.052
3'-00'	381.97	0.053
-10	361.87	0.055
-20	343.78	0.056
-30	327.40	0.057
-40	312.52	0.058
-50	298.93	0.059
4'-00'	286.48	0.059
-10	275.02	0.060
-20	264.44	0.060
-30	254.65	0.060

D	R	V=40 KPH e <sub>max</sub> =0.070
0'-30'	2,291.83	NC (0.003)
1'-00'	1,145.92	NC (0.007)
-30	763.94	NC (0.010)
2'-00'	572.96	RC (0.013)
-30	458.37	(0.016)
3'-00'	361.97	RC (0.019)
-30	327.40	(0.022)
4'-00'	286.48	0.024
-30	254.65	0.027
5'-00'	229.18	0.030
5'-00'	190.99	0.035
7'-00'	163.70	0.039
8'-00'	143.24	0.043
9'-00'	127.32	0.047
10'-00'	114.59	0.050
11'-00'	104.17	0.054
12'-00'	104.17	0.057
13'-00'	86.15	0.060
14'-00'	81.85	0.062
15'-00'	76.39	0.065
16'-00'	71.62	0.066
17'-00'	67.42	0.068
18'-00'	63.66	0.069
19'-00'	60.31	0.069
20'-00'	57.30	0.070
-30	55.90	0.070
-50	55.00	0.070


- NOTES:
- RATE OF SUPERELEVATION "e" AS SHOWN IN TABLE.
  - ROUNDING "L1" IS OPTIONAL AND NECESSARY ONLY IF "S" IS GREATER THAN THAT SHOWN IN TABLE.
  - SIDEWALKS SHALL ALWAYS SLOPE TOWARDS THE TRAVELWAY.
  - SHOULDERS OF THE MAIN ROADS SHALL ALWAYS SLOPE OUTWARD THE TRAVELWAY IRRESPECTIVE OF THE RATE OF "e" NORMAL SHOULDER SLOPE SHALL BE THE SAME AS THE TRAVELWAY.
  - FOR THE INTERCHANGE RAMPS, TREATMENT FOR THE OUTER OR THE RIGHT SIDE SHOULDER SHALL BE THE SAME AS THE ABOVE. THE NARROWER INNER SHOULDER SHALL ALWAYS SLOPE TOWARDS THE LEFT OR THE INSIDE. WHERE "e" IS IN THE OPPOSITE DIRECTION. THE ALGEBRAIC SUM OF THE SLOPES OF THE SHOULDER AND TRAVELWAY SHALL BE EQUAL TO 8.0%.
  - SUPERELEVATION "e" RATES AS SHOWN IN TABLE ARE BASED ON A PARABOLIC FORM OF DISTRIBUTION.

NC = NORMAL CROWN SLOPE (0.020)  
 (WHERE THEORETICAL e ≤ NC/2)  
 RC = REMOVE ADVERSE CROWN & SUPERELEVATE AT NC  
 (WHERE THEORETICAL e > NC/2)


	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	DESIGNED	9/21/02	A. ACACIO	BUREAU OF DESIGN				THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)  PLARIDEL BYPASS - CONTRACT PACKAGE II	NOT TO SCALE	GEOMETRIC DESIGN STANDARD - 3 SUPERELEVATION ATTAINMENT/DETAILS DIAGRAMATIC PROFILES/ SECTIONS	RS-03
	CHECKED	9/23/02	S. GARCIA	OFFICE OF THE SECRETARY							
	SUBMITTED	9/27/02	M. B. ROSE	Submitted By:	Reviewed By:	Recommended By:	Approved By:				
			DANILO C. TRAJANO Project Director	JOSEFINA M. ALACAR Chief, Highways Division	GILBERTO S. REYES Dir. Director IV	MANUEL M. BONGAY Undersecretary	SIMEON A. DATUMANONG Secretary				




**A TYPICAL PLAN OF TWO LANE PAVEMENT**  
RS-04 SCALE 1:50




**C PLAN (SHOWING FLARING OF EXISTING CONC. PAVT.)**  
RS-04 SCALE 1:50




**G BAR SPACING ALONG CURVES DETAIL**  
RS-04 NOT TO SCALE




**C1 SECTION** (TO BE USED FOR FLARING EXT'G. CONC. PAVEMENT)  
**C2 SECTION** (TO BE PROVIDED IN PAVEMENT MORE THAN FOUR LANES IN WIDTH)  
RS-04 NOT TO SCALE




**F WEAKENED PLANE JT. USED IN FULL WIDTH CONST.**  
**F WEAKENED PLANE JT. USED IN HALF WIDTH CONST.**  
RS-04 NOT TO SCALE




**A1 SECTION** (TO BE USED FOR FULL WIDTH OR SIMULTANEOUS CONST. OF TWO OR MORE LANES)  
RS-04 NOT TO SCALE




**A2 SECTION** (TO BE PLACED ONLY IN MIDDLE THIRD OF NORMAL JOINT INTERVAL)  
RS-04 NOT TO SCALE




**A3 SECTION** (TO BE USED FOR HALF WIDTH OR LANE AT TIME OF CONSTRUCTION)  
RS-04 NOT TO SCALE




**A4 SECTION** (TO BE PLACED ONLY AT LOCATION OF WEAKENED PLANE JOINT)  
RS-04 NOT TO SCALE




**D ELEVATION (SHOWING ASSEMBLY OF DEFORMED PLATE FOR 4.50m. PANEL)**  
RS-04 NOT TO SCALE




**E1 DETAIL** (TO BE PROVIDED AT BRIDGE AND CULVERT ENDS & OTHER HIGHWAY STRUCTURES AS SHOWN)  
**E2 DETAIL** (TO BE PLACED AT CERTAIN INTERSECTIONS & STRUCTURE)  
RS-04 NOT TO SCALE



**E METAL PLATE FOR WEAKENED JOINT**  
RS-04 NOT TO SCALE




**B DOWELLED EXPN. JOINT DETAIL**  
RS-04 NOT TO SCALE



**H1 PLAN** (TO BE PROVIDED AT BRIDGE AND CULVERT ENDS & OTHER HIGHWAY STRUCTURES AS SHOWN)  
RS-04 NOT TO SCALE




**H2 ELEVATION** (TO BE PROVIDED AT BRIDGE AND CULVERT ENDS & OTHER HIGHWAY STRUCTURES AS SHOWN)  
RS-04 NOT TO SCALE



**I TRANSVERSE EXPN. JOINT DETAIL**  
RS-04 NOT TO SCALE

- NOTES:**
- MATERIALS AND WORKMANSHIP SHALL CONFORM WITH THE "GENERAL SPECIFICATIONS FOR ROADS AND BRIDGES 1995".
  - CONSTRUCTIONS (CONTACT) JOINTS ARE FORMED WHEN CONCRETE ON ONE SIDE OF THE JOINT IS POURED AHEAD AND ALLOWED TO SET BEFORE POURING ON THE OTHER SIDE.
  - AT CONSTRUCTION JOINT, (LONGITUDINAL OR TRANSVERSE) CARE SHOULD BE TAKEN THAT NO CONCRETE FROM THE LAST SLAB PLACED OVERHANGS ANY PORTION OF FIRST SLAB.
  - ALL BARS SHALL BE DEFORMED STEEL BARS.
  - TYPE OF WEAKENED PLANE JOINT TO BE USED SHALL BE AS SPECIFIED IN THE PLANS AND ONLY ONE TYPE SHALL BE USED FOR THE WHOLE PROJECT.
  - MATERIAL FOR THE DEFORMED METAL PLATE SHALL BE BRAND NEW SHEET METAL GAUGE NO. 18 OF IRON FREE FROM RUST AND KINKS.
  - AT LEAST SIX(6) SUCCESSIVE DOWELED BUTT JOINTS AT NORMAL JOINT SPACING, SHALL BE PROVIDED BEFORE OR AFTER AN EXPANSION JOINT.
  - THE GROVE OR CRACK ABOVE JOINT (LONGITUDINAL OR TRAVERSE) SHALL BE SEALED WITH 30-50 PENETRATION ASPHALT SEAL OR COLD APPLIED LIQUID RUBBER COMPOUND AFTER THE CONCRETE HARDENS AND BEFORE OPENING THE PAVEMENT TO TRAFFIC. PENETRATION ASPHALT SEAL ON CONCRETE PAVEMENT JOINTS SHOULD BE POURED IN SUCH MANNER THAT SPILLING WILL BE ELIMINATED/PREVENTED THUS, PROVIDE SMOOTH RIDING/LEVELLING SURFACE.
  - ALL TRANSVERSE JOINTS, EXCEPT CONSTRUCTION JOINTS, SHALL BE CONTINUOUS FROM EDGE TO EDGE.
  - ALL LONGITUDINAL JOINTS SHALL MEET AT INTERSECTIONS WITH NO GAPS OR OFFSETS.
  - WHEN WIDTH OF LANE IS THIRTY SIX(36) METERS OR LESS, SIZE OF THE BAR MAY BE REDUCED TO 12mm DIAMETER.
  - ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.




**F WEAKENED GROOVE DETAIL**  
RS-04 NOT TO SCALE


T	a	b	c	E	F
180	60	750	375 750	289	375
200	70	750	375 750	289	375
230	85	500	250 500	164	250
250	95	500	250 500	164	250
280	110	500	250 500	164	250

**TABLE OF DIMENSIONS**


	DATE	SIGNATURE		PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	DESIGNED	9/21/02		A. ACACIO	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	STANDARD PORTLAND CEMENT CONCRETE PAVEMENT
CHECKED	9/25/02	S. GARCIA	P.U.H. - P.M.O. BUREAU OF DESIGN Reviewed By:	PLARIDEL BYPASS - CONTRACT PACKAGE II	FULL SIZE A1		
SUBMITTED	9/27/02	M. ROSA	Recommended By: GILBERTO S. REYES, O.C., Director IV Recommended By: MANUEL M. BONGAN, Undersecretary Approved By: SIMEON A. DATUMANONG, Secretary				



1c TYPE "C"  
RS-05




2c TYPE "B"  
RS-05




\* 30 FOR RAMPS FOR PHYSICALLY HANDICAPPED


3 CONCRETE DROP CURB AND GUTTER (MODIFIED)  
RS-05 NOT TO SCALE




1b TYPE "B"  
RS-05




2b TYPE "B"  
RS-05




4a TYPE "A"  
RS-05



1a TYPE "A"  
RS-05



2a TYPE "A"  
RS-05



4b TYPE "B"  
RS-05








1 COMBINATION CONCRETE CURB AND GUTTER  
RS-05 NOT TO SCALE

2 COMBINATION CONCRETE CURB AND SIDE STRIP  
RS-05 NOT TO SCALE

4 CONCRETE CURB  
RS-05 NOT TO SCALE

	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	DESIGNED	9/21/02	<i>[Signature]</i>	BUREAU OF DESIGN			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	NOT TO SCALE	CONCRETE CURB AND GUTTER DETAILS	RS-05
	CHECKED	9/25/02	<i>[Signature]</i>	Submitted By:	Reviewed By:	Recommended By:				
SUBMITTED	9/27/02	<i>[Signature]</i>	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary				






**C ISOMETRIC VIEW**  
RS-06 NOT TO SCALE

**1 CURB-CUT RAMP DETAILS**  
RS-06 SCALE AS SHOWN


	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES			PROJECT AND LOCATION : <b>THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)</b> <b>PLARIDEL BYPASS - CONTRACT PACKAGE II</b>	SCALE :	SHEET CONTENTS : <b>CURB-CUT RAMP DETAILS (FOR THE PHYSICALLY HANDICAPPED)</b>	SHEET NO. :
	CHECKED	9/25/02	ACACIO		DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				AS SHOWN		<b>RS-06</b>
	SUBMITTED	9/27/02	ROSE		BUREAU OF DESIGN				FULL SIZE A1		
			ROSE		OFFICE OF THE SECRETARY						
					Submitted By:	Reviewed By:	Recommended By:	Approved By:			
					DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONOAN Undersecretary	SIMEON A. DATUMANONG Secretary		



1A LOCATION OF KILOMETER POST  
RS-07 SCALE AS SHOWN


2A PLAN  
RS-07 SCALE 1:500

SKETCH OF CROSS SECTION SHOWING ARRANGEMENT AND SETTING OF POST ALONG THE ROAD RIGHT OF WAY LINE.




1B ELEVATION  
RS-07 SCALE 1:15

1D SECTION  
RS-07 SCALE 1:15



1C PLAN  
RS-07 SCALE 1:15



1E SECTION  
RS-07 SCALE 1:15


NOTES:

- CONCRETE MIXTURE TO BE USED SHOULD BE CLASS "A" MIX (1:2:3). ALL CONCRETE SHOULD BE PLAIN CEMENT FINISHED, PAINTED WITH WHITE REFLECTORIZED WHILE LETTERINGS AND NUMERALS SHOULD BE CHROME YELLOW REFLECTORIZED PAINT. BE V-CUT (SEE SECTION DRAWING) POST.
- ALL DIMENSIONS ARE ALL IN MILLIMETERS UNLESS OTHERWISE STATED.


CONDITIONS:

- WHERE THE SHOULDER IS LESS THAN 1.00 TO 2.50 METERS, KILOMETER POST SHALL BE LOCATED AS FAR AS PRACTICABLE BUT NOT LESS THAN 0.50 METER AWAY FROM THE GUTTER THAT CLEAR VISIBILITY WITHIN 25.00 TO 50.00 METERS IS FACILITATED.
- ALL KM. POST TO BE PLACED ON THE RIGHT HAND SIDE OF THE ROAD.


1 KILOMETER POST  
RS-07 SCALE AS SHOWN



2B SIDE ELEVATION  
RS-07 SCALE 1:5




2C PLAN  
RS-07 SCALE 1:5



2D SECTION  
RS-07 SCALE 1:5

2E ELEVATION  
RS-07 SCALE 1:5

2F PLAN  
RS-07 SCALE 1:5



2G DETAIL OF LETTERS  
RS-07 SCALE 1:5

GENERAL NOTES

- CONCRETE MONUMENTS SHALL BE PLACED OPPOSITE ALL P.I., B.T.C., E.T.C., 150.00m (MAX.) INTERVAL ON FLAT CURVES AND 300.00m (MAX.) INTERVAL ON TANGENTIAL ALIGNMENTS ALONG THE RIGHT OF WAY LINE.
- RIGHT-OF-WAY MONUMENTS SHALL BE SET ALONG THE RIGHT OF WAY LINES WITH THE LETTERED FACE, FACING THE CENTERLINE OF THE ROAD.
- THE LETTERS SHALL BE 0.005m DEEP FROM FACE OF CONCRETE, INDENTED.
- PHIL. CACTUS OR APPROVED SPECIES SUITABLE TO MAKE ROOTS UPON PLANTING OF 0.10m TO 0.30m DIA. SHALL BE PLANTED OPPOSITE EACH OTHER ALONG THE RIGHT OF WAY LINES TO A MAXIMUM DISTANCE OF 40.00m FROM POST TO POST CONSIDERING ALSO THE CONCRETE MONUMENTS EXPENSES SHALL BE CHARGED ALSO AGAINST CONSTRUCTION ENGINEERING.

NOTE:


ALL CONCRETE TO BE CLASS "A".

CONSTRUCTION NOTES:


ACTUAL LOCATIONS OF RIGHT-OF-WAY MONUMENTS SHALL BE ADJUSTED AS DETERMINED BY THE ENGINEER.

2 RIGHT OF WAY MARKER  
RS-07 SCALE AS SHOWN



	DESIGNED: 9/21/02 CHECKED: 9/25/02 SUBMITTED: 9/27/02	DATE: 9/21/02 SIGNATURE: [Signature] NAME: [Name]	PROJECT AND LOCATION: THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	SCALE: AS SHOWN FULL SIZE A1	SHEET CONTENTS: STANDARD KILOMETER POST AND RIGHT OF WAY MARKERS	SHEET NO.: RS-07
	JICA JAPAN INTERNATIONAL COOPERATION AGENCY		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			
	KATAHIRA & ENGINEERS INTERNATIONAL YEO YACHYO ENGINEERING CO., LTD.		BUREAU OF DESIGN OFFICE OF THE SECRETARY			




**1 GUARDRAIL DETAIL**  
RS-08 SCALE 1:20




**2 STEEL POST DETAIL**  
RS-08 SCALE 1:20




**3 BEAM TYPE GUARDRAIL (TYPE "GR-A")**  
RS-08 SCALE 1:10



**4 BEAM TYPE GUARDRAIL ON RETAINING WALL (TYPE "GR-B")**  
RS-08 SCALE 1:10



**5 BRACKET DETAIL**  
RS-08 SCALE 1:5




PERSPECTIVE

- NOTES:**
- MATERIALS AND WORKMANSHIP SHALL COMPLY WITH STANDARD SPECIFICATION FOR PUBLIC WORKS AND HIGHWAYS, 1995 EDITION.
  - ALL DIMENSIONS ARE IN MILLIMETERS UNLESS INDICATED OTHERWISE.
  - GAUGE OF FLEX-BEAM GUARDRAIL SHALL BE AS INDICATED IN SPECIFICATION.
  - WHEN CONCRETE POSTS ARE USED IT SHALL CONFORM WITH THE REQUIREMENTS OF CLASS "C" CONCRETE, ITEM 405 AND REINFORCING STEEL CONFORM WITH REQUIREMENTS OF REINFORCING STEEL, ITEM 404.

	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : <b>THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)</b>	SCALE : AS SHOWN FULL SIZE A1	SHEET CONTENTS : <b>STANDARD STEEL BEAM GUARDRAIL (TYPE GR-A &amp; GR-B)</b>	SHEET NO. : <b>RS-08</b>
	CHECKED	DATE	SIGNATURE		P.J.H. - P.M.O. Submitted By:	BUREAU OF DESIGN Reviewed By:	OFFICE OF THE SECRETARY Recommended By:				
	SUBMITTED	DATE	SIGNATURE		DANILLO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES O.C. Director IV	MANUEL M. BONGAN Undersecretary	SIMEON A. DATUMANONG Secretary		

**NOTE :**


DRAIN OR WEEP HOLES SHALL BE PROVIDED IN SLOPE EMBANKMENT AT LOCATIONS SHOWN ON THE PLANS. GRAVEL BACKING NOT LESS THAN 0.057 CUBIC METER SHALL BE PROVIDED AT EACH DRAIN OR WEEP HOLES TO INSURE PROPER OPERATION OF THE DRAIN. ROCK BACKING SHALL EXTEND TO AT LEAST ONE (1) FOOT ABOVE THE DRAIN OR WEEP HOLES.




**2A ELEVATION OF GROUDED RIP-RAP**  
RS-09 NOT TO SCALE

**NOTE :**


WHERE COMMON BORROW CONSIST OF CLAY OR OTHER IMPERVIOUS MATERIALS, SHOULDER DRAINS SHALL BE INSTALLED 20.00 M. APART ON EACH SHOULDER AND ARRANGED IN SUCH A WAY THAT THE DRAINS ON EACH SHOULDER ARE STAGGERED AND NOT EXACTLY OPPOSITE EACH OTHER. THEY SHOULD BE CONSTRUCTED AT LOWEST POINT OF SAG VERTICALS ON BOTH SHOULDER.




**150mmØ UNREINFORCED CONCRETE PIPE UNDERDRAIN**  
RS-09 NOT TO SCALE




**D DETAIL OF SODDING**  
RS-09 NOT TO SCALE




**1A GROUDED RIP-RAP PROTECTION FOR SLOPE OF EMBANKMENT**  
RS-09 NOT TO SCALE




**C DETAIL OF UNDERDRAIN**  
RS-09 NOT TO SCALE



**SECTION**




**1B RUBBLE MASONRY RETAINING WALL**  
RS-09 NOT TO SCALE




**3B STONE MASONRY RETAINING WALL**  
RS-09 NOT TO SCALE

**NOTE :**  
EMBANKMENT WILL BE CONSTRUCTED ONLY ON A FOUNDATION BED SATISFACTORY TO THE ENGINEER. THE STONES SHALL NOT BE LESS THAN 0.15 CU.M. IN VOLUME WITH 75% OF STONES AT LEAST 0.03 CU.M. IN VOLUME AND LAID OFF TO THE LINES AND DIMENSIONS REQUIRED. THE STONES SHALL BE BONDED TO SAME EXTENT AND SECURELY BEDDED. SPALLS SHALL BE USED TO FILL VOIDS. ANY SPACE BACK TO HAND-LAID ROCK EMBANKMENT SHALL BE FILLED ENTIRELY WITH COMPACTED MATERIAL.




**5B HAND LAID ROCK EMBANKMENT**  
RS-09 NOT TO SCALE




**A EMBANKMENT PROTECTION WALLS**  
RS-09 NOT TO SCALE

HEIGHT * H * IN METER	QUANTITIES PER LINEAR METER OF WALL	
	CONCRETE CU. M.	STEEL KILOS
3.00	0.153	19
3.60	0.230	30
4.80	0.306	40
6.00	0.383	45




**2B FOOTING FOR WALL**  
RS-09 NOT TO SCALE



**SECTION SHOWING WORKING LINES FOR BULDGE AND PAYMENTS**

HEIGHT IN METERS	QUANTITIES PER LINEAR M. OF WALL IN CU. METER	
	CONCRETE	STEEL
0.90	0.15	1.15
1.20	0.23	1.30
1.50	0.31	1.45
1.90	0.38	1.68
2.10	0.46	1.91
2.40	0.54	2.14
2.70	0.69	2.37
3.00	0.77	2.68
3.30	0.92	2.91


MIN. BULDGE 2.50 CMS., MAX. BULDGE 10 CMS. FEATHERED TO WORKING LINE AT JOINTS TO BE RAKED TO A DEPTH OF 2.50 TO 5 CMS.




**4B METHOD OF STEPPING FOOTING**  
RS-09 NOT TO SCALE

**NOTE :**  
CONCRETE CLASS "A" FOOTING FOR WALL WHEN ORDERED BY THE ENGINEER. DEPTH OF FOOTING : FOOTING SHALL BE CARRIED DOWN TO A FIRM FOUNDATION AS DIRECTED BY THE ENGINEER.  
MORTAR : TO BE ONE (1) PART CEMENT AND THREE (3) PARTS SAND.  
MORTAR : JOINTS WITH GENERALLY 2.50 TO 4 CMS., MIN. 2 CMS., MAX. 6.50 CMS.  
BULDGE : THE BULDGE OF INDIVIDUAL STONES SHALL VARY BETWEEN 2.50 TO 10 CMS.  
SURFACE FINISH : TO BE FREE OF TOOL OR DRILL MARKS.  
PAYMENT FOR POROUS TILE DRAIN WITH ROCK BACKFILL AND FOR 150mmØ & GALVANIZED IRON PIPES WITH ROCK BACKING PAYMENT WILL NOT BE MADE DIRECT.BUT WILL BE INCLUDED AS PART OF THE PRICE BID FOR MASONRY QUANTITY TO BE PAID FOR SHALL BE WITHIN THE WORKING LINES AS SHOWN IN SECTIONS. ALL WALL MASONRY SHALL BE "STONE MASONRY" ITEM 505 OF GOVERNMENT STANDARD SPECIFICATIONS FOR HIGHWAYS AND BRIDGES.


	DATE: 9/21/02 DESIGNED: [Signature] CHECKED: 9/25/02 SUBMITTED: 9/27/02	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS P.J.H. - P.M.O. BUREAU OF DESIGN OFFICE OF THE SECRETARY	PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	SCALE : AS SHOWN FULL SIZE A1	SHEET CONTENTS : EMBANKMENT PROTECTION WALLS AND MASONRY RETAINING WALLS	SHEET NO. : RS-09
	Submitted By: DANILLO C. TRAJANO, Project Director Reviewed By: JOSEFINA M. ALAGAR, Chief, Highways Division Recommended By: GILBERTO S. REYES, OIC, Director IV Recommended By: MANUEL M. BONGAN, Undersecretary Approved By: SIMEON A. DATUMANONG, Secretary	PLARIDEL BYPASS - CONTRACT PACKAGE II	AS SHOWN FULL SIZE A1	EMBANKMENT PROTECTION WALLS AND MASONRY RETAINING WALLS	RS-09	




4 TYPICAL PRIVATE DRIVEWAY AT SIDE WALK (PROFILE)  
RS-10 NOT TO SCALE




5 TYPICAL SIDE ROAD AT SIDE WALK (PROFILE)  
RS-10 NOT TO SCALE




6C SUPERELEVATED CUT SECTION  
RS-10 NOT TO SCALE



FOR ASPHALTIC SURFACE FOR GRAVEL SURFACE




FOR R.C. CONCRETE PAVEMENT FOR PRIVATE DRIVEWAY




6B SUPERELEVATED FILL SECTION  
RS-10 NOT TO SCALE

3 TYPICAL CROSS - SECTION  
RS-10 NOT TO SCALE




HALF CUT SECTION HALF FILL SECTION

6A STANDARD CROWNED SECTION  
RS-10 NOT TO SCALE



R1 = 5.00 M. - 9.00 M. R2 = 2.50 M. - 3.50 M. ACCORDING TO TRAFFIC VOLUME AND AVAILABLE SPACE OR AS INDICATED IN THE PLAN & PROFILE DRAWING

1 PLAN OF SIDE ROAD & PRIVATE DRIVEWAY AT SIDE WALK  
RS-10 NOT TO SCALE




2 SECTION OF R.C. CONCRETE PAVEMENT OF SIDE ROAD & PRIVATE DRIVEWAY  
RS-10 NOT TO SCALE

6 VERTICAL ALIGNMENT OF ACCESS ROAD APPROACHES TO MINOR INTERSECTION  
RS-10 NOT TO SCALE


NOTES:

1. THE ENGINEER SHALL DIRECT THE LISTING OF CONNECTION SIDE ROAD/ PRIVATE DRIVEWAY APPROACHES, THE ARRANGEMENT OF THE DRAINAGE STRUCTURES (IF ANY), THE LIMIT OF WORK FOR THE CONNECTION ROADS AND THE TYPE AND QUANTITIES OF PAVEMENT STRUCTURE.
2. THE WORD "SIDE ROAD" IN THIS DRAWING REFER TO THE ROAD CONNECTING TO THE HIGHWAY SIDE ROAD LEADS TO THE BARANGAY, PUBLIC PLACE ETC., WHILE "PRIVATE DRIVEWAY" IS THE PRIVATE CONNECTION ROAD FOR PRIVATE HOUSE.
3. SIDE ROAD (PUBLIC) APPROACHES AND PRIVATE DRIVEWAY TO BUILDINGS OR RESIDENCE SHALL BE PAVED 1.5 m OUT FROM EDGE OF SHOULDER OR TO THE RIGHT-OF-WAY LINE, WHICHEVER IS LESS. PAVEMENT THICKNESSES SHALL BE AS SHOWN ON THE PLANS.
4. USE 4:1 OF FLATTER SIDE SLOPE IN THE APPROACH RADII AREA.
5. THE SIDE SLOPES IN THE MAIN ROADWAY AND THE APPROACH ROADWAY IF STEEPER THE 4:1 SHALL BE SMOOTHLY TRANSITIONED INTO THE 4:1 AREA.
6. SIDE CROSS DRAINS SHALL BE LOCATED 10.00m OR AS SHOWN IN THE PLAN.
7. 15m. RADII TO BE USED ON INTERSECTION ROADS, EXCEPT RESIDENTIAL DRIVES, UNLESS OTHERWISE SPECIFIED ON PLANS.
8. RADII MAY BE VARIED TO SUIT FIELD CONDITIONS.
9. TANGENT SLOPE NOT STEEPER THAN 10% BEYOND VERTICAL CURVE, THE SLOPE MAY BE STEEPER, IF REQUIRED, TO MEET EXISTING APPROACH SLOPE.
10. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN METERS.


	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	DESIGNED	9/21/02	<i>[Signature]</i>	BUREAU OF DESIGN			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	NOT TO SCALE	SIDE ROAD APPROACHES AND PRIVATE DRIVEWAY ACCESS	RS-10
	CHECKED	9/23/02	<i>[Signature]</i>	Submitted By:	Reviewed By:	Recommended By:				
SUBMITTED	9/25/02	<i>[Signature]</i>	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	Manuel M. Bongan Undersecretary				
							FULL SIZE A1			




T1 - 1




T1 - 5




T1 - 6




T2 - 2




T2 - 4




T2 - 6




T2 - 7




T2 - 8




T4 - 1L



T4 - 1R




T4 - 2




T4 - 3

- NOTES :
- BARRIER SHALL HAVE AN ALTERNATE DIAGONAL BLACK AND YELLOW STRIPES. THE YELLOW BANDS SHALL BE REFLECTORIZED.
  - BARRIER POINTS SHALL BE PRINTED YELLOW.
  - PROVISION SHALL BE MADE FOR THE HANDLING OF SIGNS BELOW THE BARRIER BARS.



DETAIL OF ARROW



TYPE 1 BARRICADE

- NOTES :
- ADVANCE SIGNS (T1) AND POSITION SIGNS (T2) SHALL HAVE BLACK LETTERS ON YELLOW REFLECTORIZED BACKGROUND.
  - TRAFFIC DIVERSION SIGNS (T4-1) SHALL HAVE BLACK LETTERS AND ARROW ON YELLOW REFLECTORIZED BACKGROUND.
  - TRAFFIC DIVERSION SIGNS (T4-2) & (T4-3) SHALL HAVE WHITE CHEVRONS ON BLACK BACKGROUND, WHITE REFLECTIVE MATERIAL 64mm. WIDE TO BE CENTRALLY PLACED ON WHITE BANDS.

ROAD SIGNS, ( LOCATION AND INSTALLATION )

BARRICADES (TYPE I, TYPE II, TYPE III) SHOULD CONFORM WITH SPECIFICATIONS MENTIONED IN PHILIPPINES. ROAD SHOWS MANUAL ( REVISED EDITION MPWH, TRAFFIC ENG'G. AND MANAGEMENT PROJECT SERIES OF 1962.

PROYEKTO NI  
PANGULONG  
GLORIA MACAPAGAL ARROYO

PHILIPPINES-JAPAN COOPERATION PROJECT

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS  
SECRETARY SIMEON A. DATUMANONG

PROJECT FOR  
UPGRADING INTER-URBAN HIGHWAY SYSTEM  
ALONG THE PAN-PHILIPPINE HIGHWAY  
(Plaridel, Cabanatuan and San Jose Bypasses)

STARTED :  
TARGET COMPLETION :  
CONTRACTOR :  
IMPLEMENTING OFFICE :  
FUND SOURCES :

1 ROAD WORK SIGN DETAILS  
RS-11 NOT TO SCALE

2 PROJECT SIGN BOARD DETAILS  
RS-11 NOT TO SCALE

	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	CHECKED	7/25/02	S. Y. ACACIO		PUHL - PMO Submitted By: DANILLO C. TRAJANO Project Director	BUREAU OF DESIGN Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	OFFICE OF THE SECRETARY Recommended By: GILBERTO S. REYES OIC, Director IV	Approved By: MANUEL M. BONCAN Undersecretary	Approved By: SIMEON A. DATUMANONG Secretary	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	AS SHOWN	STANDARD ROAD WORK SIGN AND PROJECT SIGN BOARD DETAILS
	SUBMITTED	7/27/02	M. S. Y. ACACIO TEAM LEADER						PLARIDEL BYPASS - CONTRACT PACKAGE II	FULL SIZE A1		




1  
W1-1(L or R)



2  
W1-4 (L)




3  
W2-1



4  
W2-4



5  
W2-5




6  
W2-6 (L or R)



7  
W2-7




8  
W2-8




9  
W2-9 (R)




10  
W2-10 (L or R)



11  
W3-1



12  
W4-2



13  
W4-2 (R)



14  
W4-3



15  
W5-3



16  
W5-9



17  
W5-10



18  
W6-1




19  
W6-2



20  
W8-3A




21  
W8-3B




22  
R1-1A




23  
R1-2A




24  
R2-2L



25  
R2-3




26  
R2-4A (R)



27  
R2-4A (L)



28  
R2-4P



29  
R2-5



30  
R2-6A




31  
R2-7A (L)




32  
R3-1PA




33  
R3-6P




34  
R3-13A



35  
R3-14A



36  
R3-15A



37  
R3-16



38  
R4-1B(80)



39  
R4-3B (40)



40  
R6-4

LEGEND:

A. WARNING SIGNS

1. SHARP TURN (W1-1)
2. REVERSE CURVE (W1-4) (L)
3. CROSS ROAD (W2-1)
4. T JUNCTION (W2-4)
5. Y JUNCTION (W2-5)
6. SIDE ROAD JUNCTION (W2-6)
7. ROUNDABOUT (W2-7)
8. PRIORITY ROAD (W2-8)
9. PRIORITY ROAD (W2-9) (R)
10. PRIORITY ROAD (W2-10)
11. SIGNALS AHEAD (W3-1)
12. ROAD NARROWS (W4-2)
13. ROAD NARROWED (W4-2) (R)
14. DIVIDED ROAD (W4-3)
15. HUMPS (W5-3)
16. SLIPPERY ROAD (W5-9)
17. CATTLE CROSSING (W5-10)
18. PEDESTRIANS (W6-1)
19. CHILDREN (W6-2)
20. (DISTANCE)...m. (W8-3a)
21. (DISTANCE)...m. (W8-3b)

B. REGULATORY SIGNS


22. STOP (R1-1A)
23. GIVE WAY (R1-2)(A)
24. DIRECTION TO BE FOLLOWED (R2-2)(L)
25. DIRECTION TO BE FOLLOWED (R2-3)
26. DIRECTION TO BE FOLLOWED (R2-4A)(R)
27. DIRECTION TO BE FOLLOWED (R2-4A)(L)
28. DIRECTION TO BE FOLLOWED (R2-4P)
29. DIRECTION TO BE FOLLOWED (R2-5)
30. TWO WAY (R2-6)(A)
31. DIRECTION TO BE FOLLOWED (R2-7A)(L)
32. NO ENTRY (R3-1P)(A)
33. NO ENTRY (R3-6P)
34. TURNING PROHIBITION (R3-13A)
35. TURNING PROHIBITION (R3-14A)
36. TURNING PROHIBITION (R3-15A)
37. PROHIBITION OF OVERTAKING (R3-16)
38. SPEED RESTRICTION (R4-1B)(80)
39. SPEED RESTRICTION (R4-3B)(40)
40. LOAD RESTRICTION (R6-4)
41. TURN RIGHT AT ANY TIME W/ CARE (S2-3)
42. NO RIGHT TURN ON RED SIGNAL (S2-6)
43. ROAD CLOSED (S2-9)
44. HAZARD MARKERS (T4-3)

NOTE:

THE MATERIALS, DIMENSIONS, SIZES OF LETTERS AND NUMERALS, SHAPE, COLOR AND INSTALLATION SHALL BE IN ACCORDANCE WITH THE SPECIFICATIONS OF DPWH'S, PHILIPPINE ROAD SIGNS MANUAL, REVISED EDITION, 1982.



41  
S2-3



42  
S2-6




43  
S2-9




44  
T4-3 (L OR R)


	DESIGNED	9/21/02	S. ALUNA		REPUBLIC OF THE PHILIPPINES			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/23/02	S. ROSE		DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	STANDARD TRAFFIC SIGNS SIGN INDEX	RS-12
	SUBMITTED	9/27/02	M. KIBICHA		PUHL - PIMO Submitted By:	BUREAU OF DESIGN Reviewed By:	OFFICE OF THE SECRETARY Recommended By:				




GS-1








GS-5



GS-2



GS-7





ROADSIDE SIGNS - MOUNTING SELECTION TABLE

SIGN SIZE WIDTH x DEPTH (mm)	NUMBER AND DIAMETER (mm) OF GALVANIZED PIPE POSTS
1200 x 600	2 x 65
1800 x 600	2 x 65
1800 x 1200	2 x 100
2400 x 600	2 x 100
2400 x 1200	2 x 125
2400 x 1800	2 x 125
3000 x 600	2 x 100
3000 x 1200	2 x 125
3000 x 1800	2 x 150
3000 x 2400	2 x 150
3700 x 600	2 x 100
3700 x 1200	2 x 125
3700 x 1800	2 x 150
3700 x 2400	3 x 150
4300 x 600	2 x 100
4300 x 1200	2 x 125
4300 x 1800	3 x 150
4900 x 600	3 x 100
4900 x 1200	3 x 125
4900 x 1800	3 x 150
5500 x 600	3 x 100
5500 x 1200	3 x 125
5500 x 1800	3 x 150
6100 x 600	3 x 100
6100 x 1200	3 x 125
6100 x 1800	3 x 150

FOR INTERMEDIATE SIGN SIZES :

- (a.) TAKE DIMENSIONS OF SIGN TO NEAREST 300mm.
- (b.) FOR AN ODD DIMENSION TAKE THE NEAREST EVEN HIGHER DIMENSION IN TABLE E.G.:

NOTES:

1. THIS TABLE GIVES NUMBER AND SIZE OF GALVANIZED PIPE POSTS REQUIRED FOR SIGN SIZES SHOWN. ASSUMING UNDERSIDE OF SIGN IS 2.0m CLEAR ABOVE ROAD PAVEMENT. FOR SIGNS WITH CLEARANCES GREATER THAN 2.0m THE WIDTH USED IN THIS TABLE SHOULD BE THE ACTUAL WIDTH INCREASED BY A PERCENTAGE EQUAL TO THE PERCENTAGE INCREASE IN HEIGHT ABOVE 2.0m.
2. 12mm DIAMETER CADMIUM - PLATED BOLTS, NUTS AND WASHERS SHALL BE USED FOR ATTACHING SIGN TO POSTS.
3. TOP OF PIPE TO BE SUITABLY CAPPED AND PIPE BASES SHALL BE SEALED AGAINST MOISTURE.
4. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE INDICATED.

SIGN POST FOUNDATION TABLE


POST PROFILE Ø (mm)	FOUNDATION DIAMETER (mm)	FOUNDATION DEPTH (mm)
≤ 100	400	1000
125	425	1200
150	450	1500

CLASSIFICATION FOR INFORMATORY SIGN

	H ≥ 900	H ≤ 1500	H ≤ 2100	H > 2100
W ≤ 2100	A	B	B	-
W ≤ 2700	B	C	C	-
W ≤ 3350	B	C	D	D
W ≤ 4000	B	C	D	G
W ≤ 4600	B	C	G	G
W ≥ 4600	E	F	G	G

NOTE:


LETTERS "A" TO "G" INDICATES THE SIZE CLASSIFICATION FOR INFORMATORY SIGNS SCHEDULE.




1 TYPICAL SIGN MOUNTING NOT TO SCALE

	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	SCALE : NOT TO SCALE FULL SIZE A1	SHEET CONTENTS : MOUNTING/SUPPORT FOR ROAD SIGN TYPICAL SIGN MOUNTING DETAILS (1 OF 2)	SHEET NO. : RS-14
	CHECKED	9/25/02	S. G. REYES		Submitted By:	Reviewed By:	Recommended By:				
	SUBMITTED	7/27/02	M. M. BONGAN		DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OC, Director IV	MANUEL M. BONGAN Undersecretary	SIMEON A. DATUMANONG Secretary		


NOTE:  
SIGN SHALL BE TURNED 3' TO 5' FROM ONCOMING TRAFFIC ON STRAIGHT SECTIONS AND RIGHT HAND CURVES. ON LEFT HAND CURVES THIS ANGLE SHOULD BE SUITABLY INCREASED TO PREVENT GLARE.




1 PLAN VIEW  
RS-15



2 SIGN POSITIONS  
RS-15 NOT TO SCALE




3a ELEVATION  
RS-15



3b SECTION  
RS-15

SECTION SHOWN ARE FOR INSTALLATIONS ON RIGHT SHOULDER AND IN GORE. PLATE SLOTS BEVELS ARE OPPOSITE HAND FROM THAT SHOWN FOR INSTALLATIONS ON LEFT SHOULDER. PLATES FOR BASE CONNECTION SHALL CONFORM W/ THE REQ'S OF ASTM A 36.

3 SIGN POST & STUB POST DETAIL  
RS-15




4 FRICTION CAP DETAIL  
RS-15


NOTES:  
FRICTION CAPS MAY BE MANUFACTURED FROM EITHER HOT ROLLED OR COLD ROLLED STEEL SHEETS. MINIMUM SHEET THICKNESS SHALL BE GAUGE 24.  
THE RIM EDGE SHALL BE REASONABLY STRAIGHT AND SMOOTH.  
CAPS SHALL BE SIZED AND FORMED IN SUCH MANNER AS TO PRODUCE A DRIVE-ON FRICTION FIT AND HAVE NO TENDENCY TO ROCK WHEN SEATED ON THE PIPE. THE DEPTH SHALL BE SUFFICIENT TO GIVE POSITIVE PROTECTION AGAINST THE ENTRANCE OF RAIN WATER. THEY SHALL BE FREE OF SHARP CREASES OR INDENTATION AND SHOW NO EVIDENCE OF METAL FAILURE.  
CAPS SHALL HAVE AN ELECTRO DEPOSITED COATING OF ZINC IN ACCORDANCE WITH REQUIREMENTS OF ASTM SPECS. A164, TYPE G.S.

PROCEDURE FOR ASSEMBLY OF BASE CONNECTION:

- ASSEMBLE POST TO STUB WITH BOLTS AND ONE FLAT WASHER ON EACH BOLT BETWEEN PLATES.
- SHIM AS REQUIRED TO PLUMB POST.
- TIGHTEN ALL BOLTS THE MAXIMUM POSSIBLE WITH 300 TO 380mm WRENCH TO BED WASHER AND SHIMS AND CLEAN BOLT TREADS THEN LOOSEN.
- RETIGHTEN BOLT IN A SYSTEMATIC ORDER TO A TORQUE OF 200in-lb (266.016 x 10<sup>-4</sup> KN-M).
- LOOSEN EACH BOLT AND RETIGHTEN TO THE PRESCRIBED TORQUE IN THE SAME ORDER AS INITIAL TIGHTENING.
- BURR TREADS AT JUNCTION WITH NUT USING A CENTER PUNCH TO PREVENT NUT LOOSENING.




6 INSTALLATION DETAILS (TYPE 'A')  
RS-15



7 INSTALLATION DETAILS (TYPE 'B')  
RS-15





TYPICAL SIGN MOUNTING DETAILS  
NOT TO SCALE



5 SHIM DETAIL  
RS-15

NOTES:  
ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE INDICATED.  
MATERIAL AND FABRICATION SHALL CONFORM TO THE REQUIREMENTS OF GENERAL SPECIFICATIONS.  
ALL PIPE POST, STRUCTURAL STEEL, BOLTS AND WASHER SHALL BE GALVANIZED AS PER AASHTO M III.  
ALL HIGH STRENGTH BOLTS AND WASHER SHALL CONFORM TO ASTM-325 AND ALL HIGH STRENGTH NUTS SHALL BE OF SUCH CAPACITY AS TO DEVELOP THE BOLT STRENGTH.  
TIGHTEN THE HIGH STRENGTH BOLTS IN THE BASE CONNECTION BY THE USE OF TORQUE, DO NOT OVERTIGHTEN.  
DESIGN TORQUE EQUALS TO 200in-lb(266.016x10<sup>-4</sup>KN-m)


	DESIGNED	9/21/02	[Signature]		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/25/02	[Signature]		PUHL - PMO BUREAU OF DESIGN OFFICE OF THE SECRETARY	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	MOUNTING / SUPPORT FOR ROAD SIGN TYPICAL SIGN MOUNTING DETAILS (2 OF 2)	RS-15		
	SUBMITTED	9/27/02	[Signature]	DANILLO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONDAN Undersecretary	SIMEON A. DATUMANONG Secretary	PLARIDEL BYPASS - CONTRACT PACKAGE II	FULL SIZE A1	



**1 STANDARD PAVEMENT MARKINGS**  
RS-16 NOT TO SCALE

**NOTE:**  
VALUES IN PARENTHESIS ( ) ARE FOR SPEED LIMIT OVER 60 KPH.  
MATERIALS, DIMENSIONS AND COLOR OF STANDARD PAVEMENT ARROWS SHALL CONFORM IN ACCORDANCE WITH THE SPECIFICATION DEFINED IN THE DPWH MANUAL OF PAVEMENT MARKINGS, 1980 EDITION.

	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	9/25/02	<i>[Signature]</i>		PUHL - PMO BUREAU OF DESIGN OFFICE OF THE SECRETARY	THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	STANDARD PAVEMENT MARKINGS	Sheet 1 of 2	RS-16	
	SUBMITTED	9/27/02	<i>[Signature]</i>		Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division Recommended By: GILBERTO S. REYES O.C. Director IV Recommended By: MANUEL M. BORJAN Undersecretary Approved By: SIMEON A. DATUMANONG Secretary	PLARIDEL BYPASS - CONTRACT PACKAGE II	FULL SIZE A1				




**1B** NOT TO SCALE

A.A' BEGIN NO PASSING ZONE  
SIGHT DISTANCE BECOMES LESS THAN  
MIN. MEASURED BETWEEN POINTS  
1.30 METER ABOVE PAVEMENT.


B.B' END NO PASSING ZONE  
SIGHT DISTANCE AGAIN EXCEEDS  
MINIMUM.

**NOTE:**  
NO PASSING ZONE IN OPPOSITE DIRECTION MAY OR MAY NOT  
OVERLAP DEPENDING ON VERTICAL ALIGNMENT AND DESIGN SPEED.  
FOR NO OVERLAPPING TYPE, REFER TO FIGURE 6 OF DPWH  
MANUAL ON PAVEMENT MARKINGS (1980), IF REQUIRED.

85 PERCENTILE SPEED (km/h)	MIN. SIGHT DISTANCE (1.15m to 1.15m) (m)	MIN. LENGTH OR BARRIER LINE L (m)	MIN. DISTANCE BETWEEN BARRIER LINE (m)
50	150	75	150
60	180	90	175
70	210	105	200




**1E** NOT TO SCALE




**1D** NOT TO SCALE

	RAMPS & OTHER ROADS (60 KPH OR LESS)	BYPASS MAINLINE (GREATER THAN 60 KPH)
W	150mm	150mm
D	500mm	1000mm
A	1.5m	3.0m
B	2.0m	4.0m
C	4.0m	8.0m

**NOTE:**  
PROVIDE CONCRETE CHATTER BARS AT BOTH SIDES OF CHEVRON MARKINGS MIDWAYS BETWEEN DIAGONAL MARKINGS AND PAVEMENT STUDS AT THE END SPACED 5.00 m. ON CENTERS.



**1C** NOT TO SCALE



**1A** NOT TO SCALE


**1** NOT TO SCALE

**JICA**  
JAPAN INTERNATIONAL COOPERATION AGENCY


**KAI** KATAHIRA & ENGINEERS INTERNATIONAL  
**YEO** YACHIYO ENGINEERING CO., LTD.

DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				
DESIGNED: 9/21/12	[Signature]	BUREAU OF DESIGN				
CHECKED: 9/25/12	[Signature]	OFFICE OF THE SECRETARY				
SUBMITTED: 10/3/12	[Signature]	Submitted By: DANILO C. TRAJANO Project Director	Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV	Recommended By: MANUEL M. BONDAN Undersecretary	Approved By: SIMEON A. DATUMANONG Secretary


PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	STANDARD PAVEMENT MARKINGS SHEET 2 OF 2	RS-17
PLARIDEL BYPASS - CONTRACT PACKAGE II	FULL SIZE A1		



3 LOCATION OF ROAD STUDS AND CHATTER BARS  
 RS-18 NOT TO SCALE





1 CHATTER BAR  
 ( WITH LENSES ON 1 - SIDE )  
 RS-18 SCALE 1:20 M




2 REFLECTIVE ROAD STUDS FOR CONCRETE  
 ( WITH LENSES ON ONE - SIDE / TWO SIDES )  
 RS-18 SCALE 1:20


	DATE: 9/21/02 DESIGNED: [Signature] CHECKED: 9/25/02 SUBMITTED: 9/27/02	SIGNATURE: [Signature] S. LUNA SOOSE TEAM LEADER	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS	BUREAU OF DESIGN FJHL - PMO Submitted By: DANILLO C. TRAJANO Project Director	OFFICE OF THE SECRETARY Reviewed By: JOSEFINA M. ALAGAR Chief, Highways Division	Recommended By: GILBERTO S. REYES OIC, Director IV	Approved By: MANUEL M. BONGAN Undersecretary	Approved By: SIMEON A. DATUMANONG Secretary	PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	SCALE : AS SHOWN FULL SIZE A1	SHEET CONTENTS : REFLECTIVE ROAD STUDS AND CONCRETE CHATTER BAR AND DETAILS	SHEET NO. : RS-18
--	--	---	--	--	--	---	---	--	---	-------------------------------------	--	----------------------



3A ANCHOR FRAME DETAIL  
SCALE 1:10




2C ELEVATION  
SCALE 1:10



2B PLAN  
SCALE 1:10

2A BASE PLATE DETAIL  
SCALE 1:10




1B FRONT VIEW  
SCALE 1:20


1C SIDE VIEW  
SCALE 1:20

1A MAST ARM VEHICLE SIGNAL POST  
SCALE 1:20

A TRAFFIC SIGNAL POST TYPE A  
SCALE 1:20




5B SECTION  
SCALE 1:20




5C SECTION THROUGH FOOTING  
SCALE 1:20

5A TYPE-1 (MOUNTING WITH PEDESTAL)  
SCALE 1:20



4B SECTION  
SCALE 1:20




4C SECTION THROUGH FOOTING  
SCALE 1:20

4A TYPE-2 (MOUNTING AT SIDEWALK LEVEL)  
SCALE 1:20

- NOTES:
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
  - TYPE-1 POST SHALL BE USED FOR POSTS LOCATED ON MEDIAN AND CORNER ISLANDS. TYPE-2 POSTS SHALL BE USED FOR POSTS LOCATED ON SIDEWALKS.
  - STANDARD TRAFFIC SIGNAL POST DESIGN (TYPE A, B, C & D) BASED ON MANUAL FOR THE DESIGN AND LAYOUT OF TRAFFIC SIGNALS IN THE PHILIPPINES, TRAFFIC ENGINEERING CENTER, JANUARY 1983.


	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS			PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :		
	DESIGNED	9/2/02	CEBACAN	BUREAU OF DESIGN			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses) PLARIDEL BYPASS - CONTRACT PACKAGE II	AS SHOWN	TRAFFIC SIGNAL POST TYPE 'A' AND FOUNDATION DETAILS	RS-19	
	CHECKED	9/25/02	S. B. BUSE	Submitted By:	Reviewed By:	Recommended By:					
	SUBMITTED	9/27/02	M. B. B. B. B.	DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES D.C., Director IV					MANUEL M. BONGAN Undersecretary
			OFFICE OF THE SECRETARY			PLARIDEL BYPASS - CONTRACT PACKAGE II					FULL SIZE A1



1A TYPE B-1  
RS-20 SCALE 1:30

2A TYPE C-1  
RS-20 SCALE 1:30

3 TRAFFIC SIGNAL POST TYPE D  
RS-20 SCALE 1:30



1B TYPE B-2  
RS-20 SCALE 1:30


2B TYPE C-2  
RS-20 SCALE 1:30

1 TRAFFIC SIGNAL POST TYPE B  
RS-20 SCALE 1:30


2 TRAFFIC SIGNAL POST TYPE C  
RS-20 SCALE 1:30

- NOTES:
1. POST ON SIDEWALKS SHOULD BE LOCATED AT A MINIMUM OF 0.60m (0.75 FOR MAST ARMS) FROM THE FACE OF THE CURB.
  2. POST ON MEDIAN ISLANDS MUST BE OFFSET AT LEAST 1.5m FROM THE NOSE OF THE ISLAND AND MOUNTED ON CONCRETE PEDESTALS AT LEAST 0.60m HIGH.
  3. POST AND MAST ARMS ON CORNER ISLANDS SHOULD BE AT LEAST 1.0m FROM THE FACE OF THE CURB AND MOUNTED ON CONCRETE PEDESTALS 0.60m HIGH.
  4. PEDESTRIAN LANTERN ATTACHMENTS ARE INCLUDED ONLY IF SPECIFIED IN THE TRAFFIC SIGNAL LIGHT LAYOUT.


	DATE	SIGNATURE	REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :	
	DESIGNED	7/21/02	[Signature]	BUREAU OF DESIGN				THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)  PLARIDEL BYPASS - CONTRACT PACKAGE II	AS SHOWN	TRAFFIC SIGNAL POST TYPES 'B', 'C' & 'D'	RS-20
	CHECKED	7/25/02	[Signature]	OFFICE OF THE SECRETARY							
	SUBMITTED	7/27/02	[Signature]	Submitted By:	Reviewed By:	Recommended By:	Approved By:				
			DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONGAON Undersecretary	SIMEON A. DATUMANONG Secretary				
							PLARIDEL BYPASS - CONTRACT PACKAGE II	FULL SIZE A1			





PLAN OF FOOTING




PLAN OF FOOTING




PLAN OF FOOTING




SECTION THRU A OF TYPE B




SECTION THRU A OF TYPE C



SECTION THRU A OF TYPE D




5 POST AND BASE PLATE SCALE 1:5




SECTION THROUGH FOUNDATION (4.1 SIGNAL POST)

1 VEHICLE SIGNAL POST FOUNDATION (TYPE B) SCALE 1:10




SECTION THROUGH FOUNDATION (4.1 SIGNAL POST)

2 VEHICLE SIGNAL POST FOUNDATION (TYPE C) SCALE 1:10



SECTION THROUGH FOUNDATION (4.1 SIGNAL POST)

3 PEDESTRIAN SIGNAL POST FOUNDATION (TYPE D) SCALE 1:10




4 TYPICAL BOTTOM SECTION OF FOOTING - TYPE C SCALE 1:10

NOTES:  
 1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.  
 2. POST AND FOUNDATION DESIGN BASED ON TRAFFIC ENGINEERING CENTER DRAWING NO. 1033.


JICA JAPAN INTERNATIONAL COOPERATION AGENCY		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION : THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)		SCALE : AS SHOWN	SHEET CONTENTS : TRAFFIC SIGNAL POST TYPE B, C & D FOUNDATION DETAILS	SHEET NO. : RS-21
DESIGNED: 9/21/02 CHECKED: 9/25/02 SUBMITTED: 9/27/02	DATE: 9/21/02 SIGNATURE: [Signature] TEAM LEADER	PJHL - PMO Submitted By: [Signature] Project Director	BUREAU OF DESIGN Reviewed By: [Signature] Chief, Highways Division	OFFICE OF THE SECRETARY Recommended By: [Signature] Undersecretary	OFFICE OF THE SECRETARY Approved By: [Signature] Secretary	PLARIDEL BYPASS - CONTRACT PACKAGE II		FULL SIZE A1		






2 GENERAL PLANTING LOCATION  
RS-22 SCALE 1:120

SURFACE	EXISTING GROUND	SLOPE PROTECTION	PAVEMENT		PAVEMENT		SLOPE PROTECTION	EXISTING GROUND
	NATURE	SODDING	PCC		PCC		SODDING	NATURE
	SODDING	COMPACTED SUBGRADE	CONC. CURB & GUTTER TYPE 'A'		TYPE 'A' SODDING & PLANTING		COMPACTED SUBGRADE	




1 TYPICAL PLANTING LAYOUT  
RS-22 SCALE 1:120


	DESIGNED	DATE	SIGNATURE				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	10/25/02	<i>[Signature]</i>	DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS Submitted By: DANILLO C. TRAJANO (Project Director) Reviewed By: JOSEFINA M. ALAGAR (Chief, Highways Division) Recommended By: GILBERTO S. REYES (OIC, Director IV) Recommended By: MANUEL M. BONGAN (Undersecretary) Approved By: SIMEON A. DATUMANONG (Secretary)			THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	AS SHOWN	TYPICAL PLANTING LAYOUT WITHOUT FRONTAGE ROAD (ULTIMATE STAGE)	RS-22
	SUBMITTED	10/29/02	M. KIUCHI (TEAM LEADER)				PLARIDEL BYPASS - CONTRACT PACKAGE II	FULL SIZE A1		




A SECTION




DISTRICT CHART OF PLANTING ARRANGEMENT IN THE MEDIAN




MEDIAN OF 2.0 - LESS THAN 4.0M




EMBANKMENT SECTION




MEDIAN OF LESS THAN 1.5M




1 PLAN OF ROAD SIDE PLANTATION (OUTSIDE EMBANKMENT SECTION) SCALE RS-23 NOT TO



A - A SECTION




MEDIAN OF 1.5 - LESS THAN 2.0M




MEDIAN OF MORE THAN 4.0M

3 TYPES OF PLANTING FORMS ACCORDING TO MEDIAN/OUTER SEPARATION WIDTH SCALE RS-23 NOT TO

EMBANKMENT SECTION



2 PLAN OF ROAD SIDE PLANTATION (OUTSIDE EMBANKMENT SECTION) SCALE RS-23 NOT TO



4 ISOMETRIC VIEW OF HOLLOW BLOCK PLANT BOX SCALE RS-23 NOT TO

	DESIGNED	DATE	SIGNATURE		REPUBLIC OF THE PHILIPPINES DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS				PROJECT AND LOCATION :	SCALE :	SHEET CONTENTS :	SHEET NO. :
	CHECKED	10/25/07	[Signature]		BUREAU OF DESIGN				THE DETAILED DESIGN STUDY ON UPGRADING INTER-URBAN HIGHWAY SYSTEM ALONG THE PAN-PHILIPPINE HIGHWAY (Plaridel, Cabanatuan and San Jose Bypasses)	NOT TO SCALE	TYPES OF PLANTING FORMS AND OTHER DETAILS (ULTIMATE STAGE)	RS-23
	SUBMITTED	10/29/07	[Signature]		OFFICE OF THE SECRETARY				PLARIDEL BYPASS - CONTRACT PACKAGE II	FULL SIZE A1		
					Submitted By:	Reviewed By:	Recommended By:	Recommended By:	Approved By:			
			DANILO C. TRAJANO Project Director	JOSEFINA M. ALAGAR Chief, Highways Division	GILBERTO S. REYES OIC, Director IV	MANUEL M. BONOAN Undersecretary	SIMEON A. DATUMANONG Secretary					