

SECTOR G

***HYDROLOGICAL
ANALYSIS***

**THE STUDY ON COMPREHENSIVE WATER MANAGEMENT
OF MUSI RIVER BASIN IN THE REPUBLIC OF INDONESIA**

FINAL REPORT

SECTOR G

HYDROLOGICAL ANALYSIS

TABLE OF CONTENTS

1.	BASIN DIVISION AND RIVER SYSTEM.....	G-1
1.1	Basin Division	G-1
1.2	River System.....	G-2
1.2.1	Mountain Area	G-2
1.2.2	Floodplain Area	G-2
1.2.3	Coastal Plain Area (Downstream of Palembang)	G-3
2.	HYDROLOGICAL OBSERVATION SYSTEM	G-4
2.1	Existing Conditions	G-4
2.1.1	General	G-4
2.1.2	Rainfall Observation	G-4
2.1.3	Water Level Observation	G-5
2.1.4	Discharge Measurement.....	G-5
2.1.5	Management of Hydrological Observation.....	G-6
2.1.6	Result of Inventory Survey under IWIRIP	G-7
2.2	Evaluation of Existing Monitoring System	G-7
2.2.1	Data Treatment.....	G-7
2.2.2	Data Transfer/Collection.....	G-8
2.2.3	Distribution of Stations and Measurement	G-8
2.2.4	Data Processing System.....	G-10
2.2.5	Relationship with Other Organizations.....	G-10
2.3	Recommended Hydrological Monitoring Network.....	G-10
2.3.1	Monitoring Network for Water Management	G-10
2.3.2	Monitoring Network for Flood Warning	G-18
3.	ANALYSIS ON OBSERVED DATA	G-21
3.1	Rainfall	G-21
3.1.1	Monthly Rainfall Analysis.....	G-21

3.1.2	Annual Rainfall	G-21
3.1.3	Storm Rainfall	G-21
3.2	Discharge	G-24
3.2.1	Discharge Rating Curve	G-24
3.2.2	Estimation of Probable Discharge from Observed Data	G-25
3.3	Water Flow Regime	G-26
3.3.1	Seasonal Variation of River Flow	G-26
3.3.2	Annual Average Flow Regime	G-27
3.4	Water Volume Analysis	G-28
4.	RUNOFF ANALYSIS ON FLOW REGIME ESTIMATION FOR MUSI RIVER AND TRIBUTARIES	G-30
4.1	Objective of Runoff Analysis and Target Area	G-30
4.2	Establishment of Runoff Simulation Model	G-30
4.2.1	Outline of Model Structure	G-30
4.2.2	Data Availability	G-30
4.2.3	Boundary Conditions for Simulation Model	G-30
4.3	Model Calibration	G-36
4.4	Simulation Result	G-36
5.	FLOOD ROUTING SIMULATION FOR MUSI RIVER TRIBUTARIES	G-38
5.1	Objective of Flood Routing Simulation and Target Stretch	G-38
5.2	Governing Equation of Kinematic River Routing Method	G-38
5.3	Establishment of Flood Routing Model	G-39
5.3.1	Boundary Condition	G-39
5.4	Model Calibration	G-40
5.4.1	Target Flood and Calibration Point	G-40
5.4.2	Calibration Result	G-41
5.5	Simulation Result	G-41
5.5.1	Maximum Discharge	G-41
5.5.2	Probable Discharge	G-42
6.	INUNDATION ANALYSIS FOR PALEMBANG DRAINAGE PLAN	G-43
6.1	Objective Inundation Analysis	G-43
6.2	Target Area	G-43
6.3	Inundation Regime	G-43
6.4	Elaboration of Flood Simulation Model	G-44
6.4.1	Structure of Flood Simulation Model	G-44
6.4.2	Runoff Model for Estimation of Runoff from Drainage Areas	G-45

6.4.3	Elaboration of Hydrodynamic Model for Flood Routing of Channels	G-48
6.4.4	Pond Model	G-50
6.5	Simulation Result.....	G-51
6.5.1	Simulation Result of Runoff	G-51
6.5.2	Flood Map.....	G-51
7.	SEDIMENTATION	G-52
7.1	Sedimentation in Musi Main Stretch (at Tebing Abong)	G-52
7.2	Sedimentation in Upstream of Komerling River (at Martapura).....	G-52
7.3	Sedimentation in Lower Musi River.....	G-53

LIST OF TABLES

Table G1.1.1	Catchment Area, River Length and Distance from River Mouth by Sub-Basins	G-1
Table G2.1.1	Result of Inventory Survey for Hydrological Stations	G-7
Table G2.2.1	Catchment Area of Sub Basins, Number and Density of Rainfall Gaging Stations	G-9
Table G2.3.1	Existing and Proposed Water Level Gaging Stations	G-13
Table G2.3.2	Field Monitoring Site and Necessary Days for Monitoring Work.....	G-16
Table G2.3.3	Input for Monitoring Work	G-16
Table G2.3.4	Cost for Database Establishment and Maintenance.....	G-17
Table G2.3.5	Minimum Required Rain Gage Station Density	G-19
Table G2.3.6	Proposed Water Level Gaging Site for Flood Forecasting	G-20
Table G3.1.1	Maximum 12-Hour Rainfall (Kenten Station at Palembang)	G-23
Table G3.1.2	Probable 12-Hour Rainfall (Kenten Station at Palembang).....	G-23
Table G3.2.1	Rating Curves.....	G-25
Table G3.2.2	Probable Discharge	G-26
Table G3.3.1	Annual Average Flow Regime.....	G-28
Table G3.4.1	Results of Water Volume Analysis.....	G-29
Table G4.2.1	Catchment Area of Sub-Basins	G-31
Table G4.2.2	Monthly Evapotranspiration Type	G-33
Table G4.2.3	Evapotranspiration Type Applied to Sub-Basins.....	G-33
Table G4.2.4	Temporary Parameters for Hydrological Model.....	G-35
Table G4.2.5	Catchment Delineation and Character of Sub-Basins.....	G-36
Table G4.4.1	Natural Flow Regime Resulting from Simulation	G-37
Table G5.3.1	Parameters for Definition of K Value	G-40
Table G5.5.1	Maximum Discharge Resulting from Simulation	G-42
Table G5.5.2	Probable Discharge Resulting from Simulation	G-42
Table G6.3.1	Outline of Inundation Area	G-44
Table G6.4.1	Parameters for Definition of K Value.....	G-47
Table G6.4.2	Parameters for Model (Present Condition)	G-48
Table G6.4.3	Dimension of Drainage Channel.....	G-49
Table G7.2.1	Annual Sediment Load at Martapura.....	G-52
Table G7.2.2	Estimation Result of Sediment Load at Martapura.....	G-52

LIST OF FIGURES

Figure G2.3.1	New Installation of Water Level Gaging Stations.....	G-12
Figure G2.3.2	Typical Structure of Water Level Gage	G-15

Figure G3.1.1	Monthly Rainfall at Principal Stations	G-21
Figure G3.1.2	Mass Curves of Rainfall (Over 50 mm) at Plaju	G-22
Figure G3.1.3	Ratio of Concentration of Storm Rainfall.....	G-22
Figure G3.1.4	Probable 12-Hour Rainfall (Kenten Station at Palembang)	G-24
Figure G3.3.1 (1)	Seasonal Variation of River Flow.....	G-27
Figure G3.3.1 (2)	Seasonal Variation of River Flow.....	G-27
Figure G4.2.1	Thiessen Polygon for Musi River Basin.....	G-32
Figure G5.3.1	Schematic Diagram of Flood Routing Simulation	G-39
Figure G5.4.1	Calibration Result of Flood Routing Simulation.....	G-41
Figure G6.4.1	Flow Chart of Simulation	G-44
Figure G6.4.2	Image of Storage Function Model.....	G-45
Figure G6.4.3	Model Hyetograph.....	G-46
Figure G6.4.4	Concept of Pond Module.....	G-50

LIST OF ANNEXES

Annex G1.1.1	Basin Division	GA-1
Annex G2.1.1	Organization Chart of Musi Balai PSDA	GA-2
Annex G2.1.2	Location of Hydrological Observatory (Musi Balai PSDA)	GA-3
Annex G2.1.3	Location of Rainfall Gauging Station (BMG).....	GA-4
Annex G2.1.4	Inventory of Collected Hydrological Data (Musi BPSDA).....	GA-5
Annex G2.1.5	Inventory of Rainfall Observation (BMG)	GA-6
Annex G2.1.6	Discharge Measurement Station	GA-7
Annex G2.1.7 (1/2)	Inventory of Hydrological Monitoring Station Status and Cost for Improvement.....	GA-8
Annex G2.1.7 (2/2)	Inventory of Hydrological Monitoring Station Status and Cost for Improvement.....	GA-9
Annex G2.3.2	Flowchart for Building of Flood Calculation Model.....	GA-10
Annex G2.3.3	Flowchart of Flood Calculation	GA-11
Annex G3.1.1	Isohyetal Map (Annual Rainfall)	GA-12
Annex G3.1.2	Time Series of Rainfall at Kenten Station (R>50 mm)	GA-13
Annex G3.2.2	Annual Maximum Water Level	GA-14
Annex G3.2.3	Probable Maximum Water Level.....	GA-15
Annex G3.2.4	Probable Discharge (100 Year)	GA-16
Annex G3.4.1	Mean Annual Potential of Evapotranspiration	GA-17
Annex G4.2.1	Structure of NAM Model.....	GA-18
Annex G4.2.2	Weight of Thiessen Polygon.....	GA-19
Annex G4.3.1	NAM Calibration Sub-Catchments.....	GA-20
Annex G6.2.1	Target Area of Runoff and Inundation Analysis	GA-21

Annex G6.3.1	Inundation Area (Beginning of 1990s)	GA-22
Annex G6.3.2	Spot Inundation of Palembang City	GA-23
Annex G6.4.1 (1)	Division of Buah Drainage Area.....	GA-24
Annex G6.4.1 (2)	Division of Bendung Drainage Area.....	GA-25
Annex G6.5.1	Simulation Result of Runoff for Palembang (15 Year)	GA-26
Annex G6.5.2	Flood Simulation Result (Buah, Bendung Drainage System)	GA-27
Annex G6.5.3 (1)	Flood Map (Buah 15-Year).....	GA-28
Annex G6.5.3 (2)	Flood Map (Bendung 15 Year).....	GA-29