

Module A5. Number of Health Services Performance(2002)

A5.number of Health Services Performance(2002)

Total

		July	Aug	Sep	Oct	Nov	Dec
No.of out-patient	0<1	2,376	1,969	3,254	2,034	2,049	2,031
	1<14	6,008	5,635	5,884	6,056	6,223	5,911
	15<	10,439	9,913	12,969	11,286	11,086	11,256
No.of in-patient	0<1	77	70	67	83	66	61
	1<14	165	158	148	164	164	135
	15<	475	418	416	444	438	396
No.of emergency case	Min	0	0	0	0	0	0
	Max	3,000	2,900	3,150	3,000	3,100	3,110
	Avr	189	181	181	187	183	176
No.of CT scan	Min	0	0	0	0	0	0
	Max	1,952	1,934	2,165	2,463	1,968	2,096
	Avr	59	56	64	66	59	48
No.of Xray test	Min	0	0	0	0	0	0
	Max	71,550	118,800	131,450	16,350	9,350	7,700
	Avr	1,543	2,398	2,520	750	658	601
No.of endoscopes	Min	0	0	0	0	0	0
	Max	860	880	781	866	866	4,101
	Avr	64	58	65	68	66	110
No.of ultrasound echogram	Min	0	0	0	0	0	0
	Max	32,200	23,200	71,200	27,200	40,000	21,000
	Avr	1,306	1,018	1,634	1,081	1,303	931
No.of ECG	Min	0	0	0	0	0	0
	Max	1,899	2,013	2,150	2,098	1,987	2,130
	Avr	309	326	352	358	353	330
No.of EEG	Min	0	0	0	0	0	0
	Max	3,340	8,880	8,560	12,350	7,420	9,000
	Avr	87	239	194	224	191	183
No.of spirometer	Min	0	0	0	0	0	0
	Max	11,322	11,650	12,250	10,250	16,500	7,500
	Avr	161	167	178	168	248	107
Lab.Exam. No.of Biochemistry	Min	0	0	0	0	0	0
	Max	88,437	51,014	26,731	28,716	51,100	51,119
	Avr	5,115	3,683	3,213	3,174	3,737	3,852
Lab.Exam. No.of Hematology	Min	0	0	0	0	0	0
	Max	96,777	76,777	86,778	50,100	64,669	70,182
	Avr	11,828	11,399	11,347	10,468	10,238	10,296
Lab.Exam. No.of Serological	Min	0	0	0	0	0	0
	Max	66,830	246,500	206,820	49,250	10,540	9,930
	Avr	2,075	4,595	4,065	1,812	1,292	1,183
Lab.Exam. No.of Urine/stool	Min	0	0	0	0	0	0
	Max	131,565	141,566	121,565	81,653	91,654	131,653
	Avr	12,668	12,668	12,260	12,336	12,376	12,246
Lab.Exam. No.of Bacteriology	Min	0	0	0	0	0	0
	Max	12,758	10,917	11,647	8,727	9,985	9,900
	Avr	1,028	634	930	552	828	798
Lab.Exam. No.of Other	Min	0	0	0	0	0	0
	Max	145,360	78,800	106,000	108,800	136,600	66,400
	Avr	3,654	2,433	2,786	2,860	3,219	2,048

Tashkent

		July	Aug	Sep	Oct	Nov	Dec
No.of out-patient	0<1	3,589	2,397	2,807	2,903	2,883	2,890
	1<14	6,814	6,748	7,492	7,704	7,640	5,288
	15<	32,330	24,390	30,689	35,686	35,835	36,522
No.of in-patient	0<1	27	25	24	21	18	19
	1<14	269	258	272	268	280	275
	15<	788	717	603	702	635	634
No.of emergency case	Min	0	0	0	0	0	0
	Max	332	341	283	300	306	304
	Avr	84	89	70	77	76	68
No.of CT scan	Min	0	0	0	0	0	0
	Max	0	0	0	0	0	0
	Avr	0	0	0	0	0	0
No.of Xray test	Min	0	0	0	0	0	0
	Max	1,153	1,029	1,152	1,213	1,153	1,140
	Avr	275	247	288	274	256	238
No.of endoscopes	Min	0	0	0	0	0	0
	Max	185	180	187	182	191	182
	Avr	38	36	37	53	40	32
No.of ultrasound echogram	Min	0	0	0	0	0	0
	Max	5,920	5,812	6,120	6,004	5,983	5,924
	Avr	1,422	1,409	1,319	1,402	1,402	1,288
No.of ECG	Min	0	0	0	0	0	0
	Max	1,399	1,366	1,208	1,198	1,206	1,211
	Avr	362	370	340	330	343	344
No.of EEG	Min	0	0	0	0	0	0
	Max	0	0	0	0	0	0
	Avr	0	0	0	0	0	0
No.of spirometer	Min	0	0	0	0	0	0
	Max	0	0	0	0	0	0
	Avr	0	0	0	0	0	0
Lab.Exam. No.of Biochemistry	Min	0	0	0	0	0	0
	Max	26,541	27,614	26,731	28,716	27,346	27,471
	Avr	6,658	6,437	6,970	6,963	6,889	7,099
Lab.Exam. No.of Hematology	Min	0	0	0	0	0	0
	Max	96,777	76,777	86,778	42,134	43,247	43,347
	Avr	31,157	28,353	29,979	18,823	19,145	19,404
Lab.Exam. No.of Serological	Min	0	0	0	0	0	0
	Max	7,160	7,286	8,146	7,143	8,240	9,145
	Avr	2,177	2,222	2,355	2,215	2,412	2,606
Lab.Exam. No.of Urine/stool	Min	0	0	0	0	0	0
	Max	131,565	141,566	121,565	81,653	91,654	131,653
	Avr	39,427	41,016	38,174	36,707	38,217	39,804
Lab.Exam. No.of Bacteriology	Min	0	0	0	0	0	0
	Max	4,375	4,114	5,903	4,818	4,440	4,813
	Avr	1,404	1,401	1,674	1,479	1,447	1,515
Lab.Exam. No.of Other	Min	0	0	0	0	0	0
	Max	8,627	6,627	10,627	6,264	11,264	10,265
	Avr	1,346	1,056	1,624	1,006	1,722	1,581

Tashkent city

		July	Aug	Sep	Oct	Nov	Dec
No.of out-patient	0<1	1,793	12	1,802	1,808	1,814	1,535
	1<14	4,684	4,406	4,697	4,778	4,572	4,444
	15<	413	368	390	423	421	312
No.of in-patient	0<1	32	32	31	35	39	30
	1<14	181	173	142	148	153	60
	15<	272	114	235	244	249	151
No.of emergency case	Min	0	0	0	0	0	0
	Max	3,000	2,900	3,150	3,000	3,100	3,110
	Avr	595	574	610	605	615	583
No.of CT scan	Min	0	0	0	0	0	0
	Max	0	0	0	0	0	0
	Avr	0	0	0	0	0	0
No.of Xray test	Min	0	0	0	0	0	0
	Max	2,450	2,450	2,450	2,450	2,450	1,500
	Avr	708	722	715	746	758	527
No.of endoscopes	Min	0	0	0	0	0	0
	Max	860	880	781	866	866	860
	Avr	158	156	148	157	174	146
No.of ultrasound echogram	Min	0	0	0	0	0	0
	Max	1,169	1,070	1,280	1,540	1,537	1,169
	Avr	451	453	487	536	559	389
No.of ECG	Min	0	0	0	0	0	0
	Max	1,714	1,946	1,677	2,098	1,705	1,671
	Avr	546	548	599	652	681	523
No.of EEG	Min	0	0	0	0	0	0
	Max	342	211	439	340	302	251
	Avr	49	37	62	51	48	43
No.of spirometer	Min	0	0	0	0	0	0
	Max	18	19	20	18	19	18
	Avr	2	2	2	2	2	2
Lab.Exam. No.of Biochemistry	Min	0	0	0	0	0	0
	Max	51,814	51,014	7,590	7,387	51,100	51,119
	Avr	8,415	8,318	3,734	3,782	8,498	8,517
Lab.Exam. No.of Hematology	Min	0	0	0	0	0	0
	Max	18,980	18,980	18,900	18,900	18,911	18,911
	Avr	4,449	4,200	4,397	4,386	4,408	4,314
Lab.Exam. No.of Serological	Min	0	0	0	0	0	0
	Max	2,525	2,000	2,600	2,520	2,500	2,000
	Avr	719	612	769	753	731	649
Lab.Exam. No.of Urine/stool	Min	0	0	0	0	0	0
	Max	16,445	16,440	16,430	16,445	16,440	16,445
	Avr	5,720	5,430	5,535	5,669	5,725	5,586
Lab.Exam. No.of Bacteriology	Min	0	0	0	0	0	0
	Max	12,758	5,425	9,984	3,067	9,985	9,900
	Avr	3,641	969	2,806	868	2,872	2,642
Lab.Exam. No.of Other	Min	0	0	0	0	0	0
	Max	2,097	1,650	1,706	1,917	899	381
	Avr	210	165	171	192	90	44

Bukhara

		July	Aug	Sep	Oct	Nov	Dec
No.of out-patient	0<1	978	906	921	884	880	960
	1<14	8,211	7,499	8,297	8,561	8,627	8,938
	15<	10,986	15,213	15,411	15,183	14,565	15,304
No.of in-patient	0<1	100	73	62	85	63	48
	1<14	115	95	78	129	117	115
	15<	417	293	353	307	348	336
No.of emergency case	Min	0	0	0	0	0	0
	Max	250	164	172	196	159	184
	Avr	84	69	72	81	70	78
No.of CT scan	Min	0	0	0	0	0	0
	Max	23	27	21	34	36	41
	Avr	2	3	2	3	4	4
No.of Xray test	Min	0	0	0	0	0	0
	Max	1,242	1,251	1,185	1,212	1,216	1,306
	Avr	402	423	397	452	431	464
No.of endoscopes	Min	0	0	0	0	0	0
	Max	186	171	197	186	189	167
	Avr	49	49	56	57	55	56
No.of ultrasound echogram	Min	0	0	0	0	0	0
	Max	1,459	998	1,115	1,102	1,000	1,000
	Avr	435	293	303	287	267	264
No.of ECG	Min	15	8	11	6	14	10
	Max	612	617	596	561	578	621
	Avr	243	246	241	244	249	248
No.of EEG	Min	0	0	0	0	0	0
	Max	0	0	0	0	0	0
	Avr	0	0	0	0	0	0
No.of spirometer	Min	0	0	0	0	0	0
	Max	0	0	0	0	0	0
	Avr	0	0	0	0	0	0
Lab.Exam. No.of Biochemistry	Min	327	255	327	100	333	0
	Max	7,775	6,520	6,437	6,427	6,390	6,437
	Avr	3,193	2,816	2,658	2,771	2,755	2,322
Lab.Exam. No.of Hematology	Min	243	240	200	180	200	198
	Max	35,221	34,100	34,820	34,820	34,812	34,631
	Avr	13,742	13,576	13,752	13,804	12,735	13,045
Lab.Exam. No.of Serological	Min	0	0	0	0	0	0
	Max	2,802	2,507	2,589	2,387	2,393	2,596
	Avr	1,141	1,185	1,157	971	1,003	895
Lab.Exam. No.of Urine/stool	Min	216	357	300	131	260	154
	Max	54,810	54,733	54,905	54,903	54,903	54,903
	Avr	15,091	14,843	14,943	14,894	14,919	14,709
Lab.Exam. No.of Bacteriology	Min	0	0	0	0	0	0
	Max	1,490	1,415	1,600	1,114	1,350	1,440
	Avr	452	440	505	276	373	368
Lab.Exam. No.of Other	Min	0	0	0	0	0	0
	Max	5,391	1,795	1,810	1,625	1,661	1,776
	Avr	871	337	351	316	312	322

Navoi

		July	Aug	Sep	Oct	Nov	Dec
No.of out-patient	0<1	31	30	31	33	35	40
	1<14	913	900	902	918	932	943
	15<	2,307	2,300	2,425	2,469	2,542	2,499
No.of in-patient	0<1	9	5	5	12	8	9
	1<14	26	18	13	17	20	20
	15<	328	270	232	307	269	212
No.of emergency case	Min	0	0	0	0	0	0
	Max	732	575	435	623	560	346
	Avr	124	98	74	106	94	59
No.of CT scan	Min	0	0	0	0	0	0
	Max	0	0	0	0	0	0
	Avr	0	0	0	0	0	0
No.of Xray test	Min	0	0	0	0	0	0
	Max	1,243	1,402	1,501	1,365	1,779	1,424
	Avr	212	238	262	236	304	242
No.of endoscopes	Min	0	0	0	0	0	0
	Max	255	215	225	245	274	228
	Avr	43	36	38	41	46	38
No.of ultrasound echogram	Min	0	0	0	0	0	0
	Max	1,774	1,350	1,065	1,448	1,178	1,105
	Avr	402	332	303	344	287	285
No.of ECG	Min	0	0	0	0	0	0
	Max	526	432	537	448	516	598
	Avr	117	104	130	107	115	127
No.of EEG	Min	0	0	0	0	0	0
	Max	9	7	9	14	10	0
	Avr	2	1	2	2	2	0
No.of spirometer	Min	0	0	0	0	0	0
	Max	0	0	0	0	0	0
	Avr	0	0	0	0	0	0
Lab.Exam. No.of Biochemistry	Min	0	0	0	0	0	0
	Max	8,710	7,294	7,494	6,194	6,468	6,711
	Avr	2,074	1,820	1,853	1,635	1,691	1,732
Lab.Exam. No.of Hematology	Min	0	0	0	0	0	0
	Max	28,253	28,000	11,960	28,411	28,353	28,353
	Avr	7,151	6,427	2,555	7,057	6,994	7,079
Lab.Exam. No.of Serological	Min	0	0	0	0	0	0
	Max	115	103	95	106	91	83
	Avr	19	17	16	18	15	14
Lab.Exam. No.of Urine/stool	Min	0	0	0	0	0	0
	Max	16,955	14,620	13,596	17,904	21,136	17,652
	Avr	2,878	2,486	2,363	3,035	3,581	3,001
Lab.Exam. No.of Bacteriology	Min	0	0	0	0	0	0
	Max	486	225	189	248	90	194
	Avr	110	72	54	62	17	32
Lab.Exam. No.of Other	Min	0	0	0	0	0	0
	Max	195	76	120	64	21	0
	Avr	33	13	20	11	4	0

Karakalpakstan

		July	Aug	Sep	Oct	Nov	Dec
No.of out-patient	0<1	3,739	3,777	3,814	3,737	3,790	3,818
	1<14	1,903	1,672	1,663	1,684	2,201	1,894
	15<	3,795	3,536	3,617	3,798	3,759	3,171
No.of in-patient	0<1	135	129	119	124	133	119
	1<14	93	91	97	103	112	99
	15<	435	378	364	458	414	356
No.of emergency case	Min	0	0	0	0	0	0
	Max	187	188	155	130	186	135
	Avr	44	46	44	41	45	39
No.of CT scan	Min	0	0	0	0	0	0
	Max	300	280	298	290	277	250
	Avr	17	16	17	16	15	14
No.of Xray test	Min	0	0	0	0	0	0
	Max	71,550	118,800	131,450	16,350	9,350	7,700
	Avr	4,144	6,756	7,463	1,072	720	594
No.of endoscopes	Min	0	0	0	0	0	0
	Max	178	143	188	197	179	179
	Avr	22	20	33	33	31	23
No.of ultrasound echogram	Min	0	0	0	0	0	0
	Max	32,200	23,200	71,200	27,200	40,000	21,000
	Avr	3,295	2,284	4,745	2,479	3,385	2,079
No.of ECG	Min	0	0	0	0	0	0
	Max	501	471	652	645	514	509
	Avr	137	162	219	225	186	153
No.of EEG	Min	0	0	0	0	0	0
	Max	3,340	8,880	8,560	12,350	7,420	9,000
	Avr	304	913	719	849	716	691
No.of spirometer	Min	0	0	0	0	0	0
	Max	11,322	11,650	12,250	10,250	16,500	7,500
	Avr	642	663	707	667	986	423
Lab.Exam. No.of Biochemistry	Min	0	0	0	0	0	0
	Max	88,437	7,862	17,480	12,412	9,208	10,930
	Avr	6,912	1,761	2,341	2,053	1,925	2,158
Lab.Exam. No.of Hematology	Min	0	0	0	0	0	0
	Max	52,500	49,129	51,616	50,100	64,669	70,182
	Avr	10,083	9,372	8,835	9,056	9,580	9,442
Lab.Exam. No.of Serological	Min	0	0	0	0	0	0
	Max	66,830	246,500	206,820	49,250	10,540	7,440
	Avr	4,506	14,581	12,371	3,602	1,463	1,169
Lab.Exam. No.of Urine/stool	Min	0	0	0	0	0	0
	Max	68,100	70,614	52,501	67,814	69,616	55,905
	Avr	8,520	8,527	7,479	8,786	8,789	8,297
Lab.Exam. No.of Bacteriology	Min	0	0	0	0	0	0
	Max	2,088	1,840	1,670	1,854	1,400	1,520
	Avr	192	179	171	164	158	161
Lab.Exam. No.of Other	Min	0	0	0	0	0	0
	Max	145,360	78,800	106,000	108,800	136,600	66,400
	Avr	10,288	6,003	7,203	7,570	8,851	4,339

Samarkand

		July	Aug	Sep	Oct	Nov	Dec
No.of out-patient	0<1	3,452	3,201	8,306	2,075	2,108	2,088
	1<14	13,808	12,917	12,803	13,089	13,310	12,908
	15<	18,245	16,442	27,989	17,008	16,807	16,314
No.of in-patient	0<1	71	68	78	124	47	57
	1<14	240	238	203	235	223	171
	15<	498	557	506	498	508	486
No.of emergency case	Min	0	0	0	0	0	0
	Max	2,250	2,240	2,220	2,230	2,190	2,292
	Avr	276	264	261	275	259	264
No.of CT scan	Min	0	0	0	0	0	0
	Max	1,936	1,811	2,165	1,996	1,968	1,085
	Avr	138	129	155	143	141	78
No.of Xray test	Min	0	0	0	0	0	0
	Max	3,800	18,043	13,099	3,690	3,810	3,740
	Avr	881	1,881	1,561	684	666	690
No.of endoscopes	Min	0	0	0	0	0	0
	Max	742	467	624	375	425	4,101
	Avr	95	74	87	75	75	340
No.of ultrasound echogram	Min	0	0	0	0	0	0
	Max	908	969	1,004	904	826	908
	Avr	299	274	324	290	294	247
No.of ECG	Min	0	0	0	0	0	0
	Max	1,899	2,013	2,150	2,007	1,987	2,130
	Avr	411	456	500	501	477	517
No.of EEG	Min	0	0	0	0	0	0
	Max	308	399	407	328	385	307
	Avr	22	29	29	23	28	22
No.of spirometer	Min	0	0	0	0	0	0
	Max	40	71	83	67	55	51
	Avr	3	5	6	5	4	4
Lab.Exam. No.of Biochemistry	Min	0	0	0	0	0	0
	Max	4,365	4,370	4,515	4,975	4,423	3,585
	Avr	1,665	1,592	1,617	1,583	1,312	1,140
Lab.Exam. No.of Hematology	Min	0	0	0	0	0	0
	Max	29,618	28,518	33,518	28,612	27,842	27,361
	Avr	7,525	7,451	9,138	7,847	6,878	7,155
Lab.Exam. No.of Serological	Min	0	0	0	0	0	0
	Max	13,450	12,110	11,940	10,501	10,340	9,930
	Avr	1,842	1,833	1,816	1,728	1,664	1,566
Lab.Exam. No.of Urine/stool	Min	0	0	0	0	0	0
	Max	79,312	78,147	77,694	68,607	54,500	54,382
	Avr	10,111	10,467	10,439	9,721	8,768	8,657
Lab.Exam. No.of Bacteriology	Min	0	0	0	0	0	0
	Max	11,985	10,917	11,647	8,727	7,627	7,574
	Avr	1,271	1,201	1,243	949	917	898
Lab.Exam. No.of Other	Min	0	0	0	0	0	0
	Max	18,201	16,909	16,512	17,912	18,501	16,487
	Avr	1,551	1,438	1,471	1,548	1,600	1,445

Fergana

		July	Aug	Sep	Oct	Nov	Dec
No.of out-patient	0<1	344	410	332	382	357	412
	1<14	3,267	3,303	3,806	4,234	4,432	4,896
	15<	10,531	11,367	12,777	12,209	11,331	14,025
No.of in-patient	0<1	80	71	66	86	72	68
	1<14	263	255	265	274	269	251
	15<	717	687	694	637	707	678
No.of emergency case	Min	0	0	0	0	0	0
	Max	231	224	232	230	219	226
	Avr	121	120	124	120	117	118
No.of CT scan	Min	0	0	0	0	0	0
	Max	1,952	1,934	2,146	2,463	1,966	2,096
	Avr	279	276	307	352	281	299
No.of Xray test	Min	141	130	87	143	147	98
	Max	2,687	2,646	2,606	2,613	2,461	2,618
	Avr	1,411	1,443	1,504	1,403	1,365	1,414
No.of endoscopes	Min	0	0	0	0	0	0
	Max	71	73	100	177	94	83
	Avr	37	38	52	73	46	44
No.of ultrasound echogram	Min	0	0	0	0	0	0
	Max	4,968	4,970	4,982	4,980	4,953	4,948
	Avr	1,325	1,294	1,249	1,295	1,283	1,268
No.of ECG	Min	53	47	30	13	28	34
	Max	856	876	828	800	830	700
	Avr	410	435	403	403	432	407
No.of EEG	Min	0	0	0	0	0	0
	Max	7	9	7	4	6	6
	Avr	1	1	1	1	1	1
No.of spirometer	Min	0	0	0	0	0	0
	Max	0	0	0	0	0	0
	Avr	0	0	0	0	0	0
Lab.Exam. No.of Biochemistry	Min	1,764	1,770	1,750	1,520	1,713	1,715
	Max	16,000	15,950	16,250	17,000	16,500	28,127
	Avr	6,490	6,269	6,102	6,469	6,453	7,727
Lab.Exam. No.of Hematology	Min	385	300	238	261	246	160
	Max	50,175	50,284	50,971	49,774	48,634	47,587
	Avr	17,411	18,990	17,624	17,836	17,288	17,043
Lab.Exam. No.of Serological	Min	0	0	0	0	0	0
	Max	2,317	2,415	2,257	2,416	2,535	2,385
	Avr	1,226	1,299	1,250	1,226	1,296	1,210
Lab.Exam. No.of Urine/stool	Min	1,703	1,523	1,358	1,435	1,295	876
	Max	34,107	33,561	33,324	32,451	31,475	31,339
	Avr	16,546	15,333	16,540	16,167	16,382	15,937
Lab.Exam. No.of Bacteriology	Min	0	0	0	0	0	0
	Max	758	692	703	725	643	569
	Avr	193	179	185	194	175	157
Lab.Exam. No.of Other	Min	0	0	0	0	0	0
	Max	32,672	31,865	31,416	33,187	31,615	32,486
	Avr	5,109	4,933	4,806	5,118	4,847	4,914

Rayon

		July	Aug	Sep	Oct	Nov	Dec
No.of out-patient	0<1	2,728	2,522	3,860	2,287	2,306	2,336
	1<14	6,783	6,380	6,650	6,830	7,083	6,724
	15<	13,047	12,359	16,369	14,132	13,910	14,161
No.of in-patient	0<1	89	83	81	98	80	76
	1<14	158	153	152	162	163	149
	15<	514	477	455	489	479	451
No.of emergency case	Min	0	0	0	0	0	0
	Max	3,000	2,900	3,150	3,000	3,100	3,110
	Avr	177	171	172	174	171	171
No.of CT scan	Min	0	0	0	0	0	0
	Max	1,952	1,934	2,146	2,463	1,966	2,096
	Avr	40	40	44	49	40	42
No.of Xray test	Min	0	0	0	0	0	0
	Max	71,550	118,800	131,450	16,350	9,350	7,700
	Avr	1,832	2,924	3,080	804	677	652
No.of endoscopes	Min	0	0	0	0	0	0
	Max	742	467	624	375	425	4,101
	Avr	46	40	51	54	49	110
No.of ultrasound echogram	Min	0	0	0	0	0	0
	Max	32,200	23,200	71,200	27,200	40,000	21,000
	Avr	1,531	1,193	1,987	1,260	1,547	1,104
No.of ECG	Min	0	0	0	0	0	0
	Max	1,899	2,013	2,150	2,007	1,987	2,130
	Avr	281	306	327	327	317	311
No.of EEG	Min	0	0	0	0	0	0
	Max	3,340	8,880	8,560	12,350	7,420	9,000
	Avr	105	303	241	281	239	230
No.of spirometer	Min	0	0	0	0	0	0
	Max	11,322	11,650	12,250	10,250	16,500	7,500
	Avr	206	213	227	214	317	136
Lab.Exam. No.of Biochemistry	Min	0	0	0	0	0	0
	Max	88,437	27,614	26,731	28,716	27,346	28,127
	Avr	4,716	2,920	3,174	3,108	2,972	3,205
Lab.Exam. No.of Hematology	Min	0	0	0	0	0	0
	Max	96,777	76,777	86,778	50,100	64,669	70,182
	Avr	13,795	13,380	13,267	12,074	11,818	11,945
Lab.Exam. No.of Serological	Min	0	0	0	0	0	0
	Max	66,830	246,500	206,820	49,250	10,540	9,930
	Avr	2,508	5,768	5,055	2,162	1,487	1,371
Lab.Exam. No.of Urine/stool	Min	0	0	0	0	0	0
	Max	131,565	141,566	121,565	81,653	91,654	131,653
	Avr	14,666	14,670	14,157	14,131	14,085	14,108
Lab.Exam. No.of Bacteriology	Min	0	0	0	0	0	0
	Max	11,985	10,917	11,647	8,727	7,627	7,574
	Avr	597	578	626	533	501	510
Lab.Exam. No.of Other	Min	0	0	0	0	0	0
	Max	145,360	78,800	106,000	108,800	136,600	66,400
	Avr	4,644	3,086	3,538	3,631	4,109	2,616

Oblast

		July	Aug	Sep	Oct	Nov	Dec
No.of out-patient	0<1	1,145	36	1,136	1,150	1,151	964
	1<14	3,294	3,030	3,201	3,346	3,213	3,065
	15<	1,311	1,354	1,071	1,328	1,206	1,089
No.of in-patient	0<1	36	24	20	31	18	7
	1<14	190	173	132	173	166	87
	15<	339	214	281	285	297	206
No.of emergency case	Min	0	0	0	0	0	0
	Max	2,000	2,102	2,016	2,161	2,162	2,000
	Avr	232	215	213	232	225	192
No.of CT scan	Min	0	0	0	0	0	0
	Max	1,936	1,811	2,165	1,996	1,968	1,085
	Avr	122	115	137	127	125	70
No.of Xray test	Min	0	0	0	0	0	0
	Max	2,450	2,450	2,450	2,450	2,450	1,500
	Avr	533	556	558	562	591	421
No.of endoscopes	Min	0	0	0	0	0	0
	Max	860	880	781	866	866	860
	Avr	125	122	116	117	126	111
No.of ultrasound echogram	Min	0	0	0	0	0	0
	Max	1,774	1,350	1,280	1,540	1,537	1,169
	Avr	518	405	399	456	447	325
No.of ECG	Min	0	0	0	0	0	0
	Max	1,714	1,946	1,677	2,098	1,705	1,671
	Avr	406	400	438	467	479	395
No.of EEG	Min	0	0	0	0	0	0
	Max	342	211	439	340	302	251
	Avr	25	17	31	25	23	19
No.of spirometer	Min	0	0	0	0	0	0
	Max	40	71	83	67	55	51
	Avr	4	6	6	5	5	4
Lab.Exam. No.of Biochemistry	Min	0	0	0	0	0	0
	Max	51,814	51,014	7,590	7,387	51,100	51,119
	Avr	6,511	6,353	3,348	3,405	6,417	6,119
Lab.Exam. No.of Hematology	Min	0	0	0	0	0	0
	Max	18,980	18,980	18,900	18,900	18,911	18,911
	Avr	4,944	4,464	4,629	4,847	4,709	4,527
Lab.Exam. No.of Serological	Min	0	0	0	0	0	0
	Max	2,525	2,000	2,600	2,520	2,500	2,000
	Avr	560	491	601	586	610	526
Lab.Exam. No.of Urine/stool	Min	0	0	0	0	0	0
	Max	16,955	16,440	16,430	17,904	21,136	17,652
	Avr	5,676	5,664	5,620	6,055	6,394	5,727
Lab.Exam. No.of Bacteriology	Min	0	0	0	0	0	0
	Max	12,758	5,425	9,984	3,067	9,985	9,900
	Avr	2,536	828	1,991	622	1,969	1,806
Lab.Exam. No.of Other	Min	0	0	0	0	0	0
	Max	2,097	1,650	1,706	1,917	899	381
	Avr	189	149	153	164	101	58

A6. Disease Pattern

Total

		2000	2001	2002
Respiratory disease				
Pneumonia	Min	0.0	0.0	0.0
	Max	9,855.0	2,203.0	2,244.0
	Avr	488.4	389.9	328.5
Influenza	Min	0.0	0.0	0.0
	Max	12,156.0	10,216.0	11,410.0
	Avr	337.9	245.9	260.3
Common cold	Min	0.0	0.0	0.0
	Max	30,127.0	32,815.0	35,961.0
	Avr	1,592.0	1,613.4	1,771.0
ARI	Min	0.0	0.0	0.0
	Max	15,702.0	15,194.0	16,053.0
	Avr	1,610.9	1,453.5	1,281.4
Tuberculosis	Min	0.0	0.0	0.0
	Max	1,968.0	2,354.0	2,040.0
	Avr	180.0	197.1	164.9
Lung cancer	Min	0.0	0.0	0.0
	Max	471.0	558.0	809.0
	Avr	10.8	12.1	15.5
Others	Min	0.0	0.0	0.0
	Max	14,341.0	15,834.0	16,001.0
	Avr	518.1	580.7	459.1
Gastrointestinal disease				
Dysentery	Min	0.0	0.0	0.0
	Max	95.0	80.0	92.0
	Avr	9.8	8.9	8.0
Abdominal typhoid	Min	0.0	0.0	0.0
	Max	8.0	18.0	4.0
	Avr	0.4	0.6	0.3
Salmonellosis	Min	0.0	0.0	0.0
	Max	14.0	26.0	13.0
	Avr	1.4	1.4	1.0
Diarrhea	Min	0.0	0.0	0.0
	Max	1,459.0	1,611.0	1,559.0
	Avr	109.2	106.2	107.7
Acute intestinal disease	Min	0.0	0.0	0.0
	Max	3,141.0	3,442.0	1,065.0
	Avr	123.4	129.5	86.8
Gastric ulcer	Min	0.0	0.0	0.0
	Max	2,009.0	2,425.0	2,847.0
	Avr	210.7	196.7	216.6
Gastric cancer	Min	0.0	0.0	0.0
	Max	61.0	49.0	52.0
	Avr	6.9	6.6	6.2
Others	Min	0.0	0.0	0.0
	Max	5,636.0	6,063.0	9,407.0
	Avr	414.5	422.0	343.2

		2000	2001	2002
Hepatic/biliary				
Viral hepatitis	Min	0.0	0.0	0.0
	Max	2,485.0	1,097.0	981.0
	Avr	140.8	95.8	76.7
Type A	Min	0.0	0.0	0.0
	Max	1,764.0	473.0	457.0
	Avr	115.0	75.1	60.4
Type B	Min	0.0	0.0	0.0
	Max	400.0	302.0	280.0
	Avr	20.0	13.3	12.3
Type C	Min	0.0	0.0	0.0
	Max	19.0	27.0	18.0
	Avr	0.6	0.8	0.4
Hepatic cirrhosis				
Alcoholic	Min	0.0	0.0	0.0
	Max	895.0	1,116.0	1,278.0
	Avr	17.5	20.8	23.2
Hepatic cancer				
Others	Min	0.0	0.0	0.0
	Max	32.0	28.0	29.0
	Avr	3.6	3.4	3.3
Cardiovascular disease				
Myocardial disease	Min	0.0	0.0	0.0
	Max	2,273.0	2,206.0	2,189.0
	Avr	221.3	212.0	192.7
Cerebrovascular disease	Min	0.0	0.0	0.0
	Max	1,716.0	1,874.0	1,880.0
	Avr	208.7	226.5	236.0
Hypertension	Min	0.0	0.0	0.0
	Max	4,198.0	5,457.0	5,722.0
	Avr	545.9	550.9	611.8
Brain tumor	Min	0.0	0.0	0.0
	Max	30.0	35.0	39.0
	Avr	1.7	1.8	2.0
Others	Min	0.0	0.0	0.0
	Max	3,742.0	4,480.0	4,393.0
	Avr	230.8	252.5	212.5

		2000	2001	2002
Infection preventive by vaccine				
Diphtheria	Min	0.0	0.0	0.0
	Max	4,112.0	3,897.0	3,984.0
	Avr	108.9	106.0	107.4
Pertussis	Min	0.0	0.0	0.0
	Max	4,112.0	3,897.0	3,984.0
	Avr	108.9	106.0	107.4
Tetanus	Min	0.0	0.0	0.0
	Max	4,112.0	3,897.0	3,984.0
	Avr	108.9	105.9	107.4
Poliomyelitis	Min	0.0	0.0	0.0
	Max	3,454.0	3,308.0	3,320.0
	Avr	99.2	93.8	94.3
Measles	Min	0.0	0.0	0.0
	Max	3,815.0	3,597.0	3,648.0
	Avr	93.6	90.2	92.5
Mumps	Min	0.0	0.0	0.0
	Max	358.0	2,211.0	2,186.0
	Avr	10.0	55.3	46.3
Rubella	Min	0.0	0.0	0.0
	Max	4.0	88.0	126.0
	Avr	0.1	1.6	2.3
Other infection				
STD	Min	0.0	0.0	0.0
	Max	658.0	890.0	1,200.0
	Avr	46.6	53.7	57.4
HIV	Min	0.0	0.0	0.0
	Max	1.0	2.0	3.0
	Avr	0.0	0.1	0.1
Parasitic infestation	Min	0.0	0.0	0.0
	Max	3,827.0	2,227.0	3,178.0
	Avr	152.9	139.7	144.4
Others	Min	0.0	0.0	0.0
	Max	453.0	845.0	697.0
	Avr	24.1	28.8	25.5

		2000	2001	2002
Nutritional disease				
Iodine Deficiency	Min	0.0	0.0	0.0
	Max	13,444.0	231,417.0	335,181.0
	Avr	947.7	4,165.5	5,778.5
Anemia	Min	0.0	0.0	0.0
	Max	96,786.0	75,765.0	76,864.0
	Avr	10,425.5	10,260.2	10,549.6
Diabetes	Min	0.0	0.0	0.0
	Max	4,084.0	4,295.0	4,803.0
	Avr	196.8	204.3	214.5
Malnutrition	Min	0.0	0.0	0.0
	Max	31,260.0	31,290.0	33,216.0
	Avr	643.8	651.7	662.6
Others	Min	0.0	0.0	0.0
	Max	4,416.0	4,524.0	2,561.0
	Avr	129.0	132.8	100.8
Ophthalmologic disease	Min	0.0	0.0	0.0
	Max	17,920.0	19,623.0	20,185.0
	Avr	795.2	855.6	875.5
Otolaryngologic disease	Min	0.0	0.0	0.0
	Max	7,862.0	7,871.0	8,552.0
	Avr	777.4	777.8	776.4
Dermatological disease	Min	0.0	0.0	0.0
	Max	19,503.0	19,806.0	20,412.0
	Avr	1,144.7	1,316.0	1,298.7
Urinary disease	Min	0.0	0.0	0.0
	Max	15,402.0	16,305.0	17,408.0
	Avr	2,353.0	2,424.4	2,501.7
Dental disease	Min	0.0	0.0	0.0
	Max	86,432.0	85,942.0	88,360.0
	Avr	8,672.0	8,798.7	9,191.1
Case of Operation				
Abdominal	Min	0.0	0.0	0.0
	Max	4,188.0	5,923.0	4,925.0
	Avr	443.9	540.1	446.7
Lung	Min	0.0	0.0	0.0
	Max	140.0	137.0	121.0
	Avr	6.1	5.7	4.5
Brain	Min	0.0	0.0	0.0
	Max	49.0	79.0	48.0
	Avr	1.4	3.1	1.8
Orthopedic	Min	0.0	0.0	0.0
	Max	391.0	411.0	452.0
	Avr	22.1	22.3	22.7
Trauma	Min	0.0	0.0	0.0
	Max	4,836.0	9,122.0	9,666.0
	Avr	256.7	349.3	272.7
Burn	Min	0.0	0.0	0.0
	Max	197.0	587.0	974.0
	Avr	12.4	25.9	30.3
Others	Min	0.0	0.0	0.0
	Max	3,406.0	3,789.0	3,831.0
	Avr	263.6	274.6	241.8

Tashkent

		2000	2001	2002
Respiratory disease				
Pneumonia	Min	160.0	114.0	87.0
	Max	2,084.0	2,203.0	2,198.0
	Avr	858.6	861.0	922.6
Influenza	Min	0.0	0.0	0.0
	Max	12,156.0	10,216.0	11,410.0
	Avr	3,065.3	2,240.1	2,357.9
Common cold	Min	0.0	0.0	0.0
	Max	12,048.0	11,915.0	10,712.0
	Avr	3,428.0	3,089.9	3,619.0
ARI	Min	274.0	311.0	269.0
	Max	12,043.0	12,112.0	11,816.0
	Avr	4,181.9	3,243.7	3,086.3
Tuberculosis	Min	0.0	0.0	0.0
	Max	443.0	437.0	371.0
	Avr	94.3	95.9	82.4
Lung cancer	Min	0.0	0.0	0.0
	Max	9.0	17.0	8.0
	Avr	4.1	5.4	3.3
Others	Min	0.0	0.0	0.0
	Max	1,653.0	1,579.0	1,674.0
	Avr	490.6	495.1	526.7
Gastrointestinal disease				
Dysentery	Min	17.0	9.0	0.0
	Max	51.0	62.0	92.0
	Avr	29.6	31.3	30.7
Abdominal typhoid	Min	0.0	0.0	0.0
	Max	0.0	1.0	0.0
	Avr	0.0	0.1	0.0
Salmonellosis	Min	0.0	0.0	0.0
	Max	14.0	26.0	12.0
	Avr	7.6	9.3	4.7
Diarrhea	Min	0.0	0.0	0.0
	Max	916.0	837.0	1,410.0
	Avr	185.0	172.7	251.6
Acute intestinal disease	Min	84.0	20.0	16.0
	Max	442.0	361.0	372.0
	Avr	211.7	181.1	197.6
Gastric ulcer	Min	76.0	79.0	78.0
	Max	1,872.0	2,425.0	2,847.0
	Avr	669.6	720.7	782.6
Gastric cancer	Min	1.0	2.0	1.0
	Max	18.0	39.0	13.0
	Avr	8.4	11.7	6.9
Others	Min	0.0	0.0	0.0
	Max	1,492.0	1,514.0	1,468.0
	Avr	290.7	274.3	250.9

		2000	2001	2002
Hepatic/biliary				
Viral hepatitis	Min	152.0	107.0	103.0
	Max	629.0	517.0	527.0
	Avr	314.9	228.6	194.0
Type A	Min	140.0	99.0	91.0
	Max	333.0	473.0	457.0
	Avr	257.7	211.1	173.6
Type B	Min	7.0	8.0	4.0
	Max	299.0	44.0	70.0
	Avr	56.4	15.9	19.6
Type C	Min	0.0	0.0	0.0
	Max	1.0	10.0	2.0
	Avr	0.3	1.6	0.7
Hepatic cirrhosis				
Alcoholic	Min	0.0	0.0	0.0
	Max	193.0	201.0	218.0
	Avr	36.3	37.6	38.6
Hepatic cancer				
Others	Min	0.0	0.0	0.0
	Max	6.0	10.0	7.0
	Avr	3.0	3.1	3.4
Others				
	Min	0.0	0.0	0.0
	Max	1,236.0	1,271.0	1,316.0
	Avr	178.6	183.3	189.3
Cardiovascular disease				
Myocardial disease				
	Min	11.0	10.0	11.0
	Max	2,104.0	2,206.0	2,189.0
	Avr	632.7	667.3	682.3
Cerebrovascular disease				
	Min	6.0	3.0	14.0
	Max	1,716.0	1,795.0	1,711.0
	Avr	731.6	796.0	767.4
Hypertension				
	Min	205.0	127.0	193.0
	Max	4,198.0	5,457.0	5,722.0
	Avr	1,562.9	1,737.9	1,814.3
Brain tumor				
	Min	0.0	0.0	0.0
	Max	1.0	2.0	2.0
	Avr	0.4	0.3	0.3
Others				
	Min	0.0	0.0	0.0
	Max	184.0	193.0	212.0
	Avr	45.0	48.0	43.6

		2000	2001	2002
Infection preventive by vaccine				
Diphtheria	Min	0.0	0.0	0.0
	Max	3,290.0	3,308.0	3,320.0
	Avr	470.0	472.6	474.3
Pertussis	Min	0.0	0.0	0.0
	Max	3,290.0	3,308.0	3,320.0
	Avr	470.0	472.6	474.3
Tetanus	Min	0.0	0.0	0.0
	Max	3,290.0	3,304.0	3,320.0
	Avr	470.0	472.0	474.3
Poliomyelitis	Min	0.0	0.0	0.0
	Max	3,290.0	3,308.0	3,320.0
	Avr	470.0	472.6	474.3
Measles	Min	0.0	0.0	0.0
	Max	2,534.0	2,526.0	2,633.0
	Avr	362.0	360.9	376.4
Mumps	Min	0.0	0.0	0.0
	Max	37.0	2,211.0	2,186.0
	Avr	7.4	416.1	350.0
Rubella	Min	0.0	0.0	0.0
	Max	2.0	88.0	126.0
	Avr	0.4	14.6	21.6
Other infection				
STD	Min	0.0	0.0	0.0
	Max	362.0	421.0	258.0
	Avr	77.9	80.0	56.3
HIV	Min	0.0	0.0	0.0
	Max	0.0	2.0	3.0
	Avr	0.0	0.6	0.7
Parasitic infestation	Min	0.0	0.0	0.0
	Max	3,827.0	2,227.0	3,178.0
	Avr	762.4	712.7	802.7
Others	Min	0.0	0.0	0.0
	Max	203.0	214.0	206.0
	Avr	29.0	30.6	29.4

		2000	2001	2002
Nutritional disease				
Iodine Deficiency	Min	0.0	0.0	0.0
	Max	2,727.0	3,154.0	2,499.0
	Avr	777.0	795.7	747.6
Anemia	Min	0.0	0.0	0.0
	Max	28,364.0	41,477.0	51,750.0
	Avr	9,369.9	11,897.4	11,739.6
Diabetes	Min	5.0	9.0	8.0
	Max	840.0	1,022.0	970.0
	Avr	385.1	387.7	390.7
Malnutrition	Min	0.0	0.0	0.0
	Max	639.0	611.0	892.0
	Avr	112.9	111.1	151.7
Others	Min	0.0	0.0	0.0
	Max	316.0	273.0	261.0
	Avr	47.4	41.0	39.1
Ophthalmologic disease	Min	126.0	113.0	0.0
	Max	4,585.0	4,611.0	4,748.0
	Avr	1,202.6	1,272.3	1,204.1
Otolaryngologic disease	Min	124.0	103.0	87.0
	Max	2,103.0	1,878.0	2,801.0
	Avr	772.9	769.3	899.6
Dermatological disease	Min	100.0	35.0	39.0
	Max	3,877.0	2,016.0	2,915.0
	Avr	1,118.4	831.3	1,003.3
Urinary disease	Min	314.0	370.0	381.0
	Max	11,953.0	10,411.0	9,790.0
	Avr	4,148.0	4,003.9	4,093.7
Dental disease	Min	0.0	0.0	0.0
	Max	86,432.0	85,942.0	84,316.0
	Avr	23,334.3	22,503.7	22,335.1
Case of Operation				
Abdominal	Min	0.0	0.0	0.0
	Max	803.0	627.0	634.0
	Avr	359.9	320.6	327.9
Lung	Min	0.0	0.0	0.0
	Max	140.0	7.0	8.0
	Avr	21.7	2.1	3.0
Brain	Min	0.0	0.0	0.0
	Max	2.0	3.0	9.0
	Avr	0.4	0.9	1.7
Orthopedic	Min	0.0	0.0	0.0
	Max	348.0	411.0	410.0
	Avr	68.4	78.3	77.3
Trauma	Min	0.0	0.0	0.0
	Max	271.0	235.0	204.0
	Avr	108.3	83.4	79.3
Burn	Min	0.0	0.0	0.0
	Max	197.0	195.0	240.0
	Avr	40.7	39.4	49.1
Others	Min	0.0	0.0	0.0
	Max	3,406.0	3,789.0	3,831.0
	Avr	751.4	838.3	824.9

Tashkent city

		2000	2001	2002
Respiratory disease				
Pneumonia	Min	0.0	0.0	0.0
	Max	1,308.0	1,775.0	1,209.0
	Avr	260.7	348.7	179.5
Influenza	Min	0.0	0.0	0.0
	Max	60.0	59.0	60.0
	Avr	6.0	5.9	6.0
Common cold	Min	0.0	0.0	0.0
	Max	49.0	50.0	63.0
	Avr	4.9	5.0	6.5
ARI	Min	0.0	0.0	0.0
	Max	5,915.0	4,087.0	3,267.0
	Avr	647.6	465.7	379.3
Tuberculosis	Min	0.0	0.0	0.0
	Max	1,339.0	1,988.0	3.0
	Avr	134.3	199.3	0.3
Lung cancer	Min	0.0	0.0	0.0
	Max	2.0	4.0	3.0
	Avr	0.3	0.5	0.5
Others	Min	0.0	0.0	0.0
	Max	1,304.0	1,348.0	1,235.0
	Avr	191.0	214.4	123.7
Gastrointestinal disease				
Dysentery	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Abdominal typhoid	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Salmonellosis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Diarrhea	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Acute intestinal disease	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Gastric ulcer	Min	0.0	0.0	0.0
	Max	716.0	707.0	1,072.0
	Avr	142.3	146.3	178.4
Gastric cancer	Min	0.0	0.0	0.0
	Max	4.0	8.0	18.0
	Avr	0.6	1.1	2.2
Others	Min	0.0	0.0	0.0
	Max	2,534.0	3,509.0	701.0
	Avr	378.0	473.5	70.1

		2000	2001	2002
Hepatic/biliary				
Viral hepatitis	Min	0.0	0.0	0.0
	Max	9.0	5.0	42.0
	Avr	0.9	1.3	4.2
Type A	Min	0.0	0.0	0.0
	Max	0.0	2.0	35.0
	Avr	0.0	0.4	3.5
Type B	Min	0.0	0.0	0.0
	Max	0.0	2.0	7.0
	Avr	0.0	0.4	0.7
Type C	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Hepatic cirrhosis	Min	0.0	0.0	0.0
	Max	1,500.0	1,234.0	375.0
	Avr	244.6	192.2	50.4
Alcoholic	Min	0.0	0.0	0.0
	Max	4.0	5.0	3.0
	Avr	0.4	0.5	0.3
Hepatic cancer	Min	0.0	0.0	0.0
	Max	8.0	4.0	3.0
	Avr	1.1	0.6	0.5
Others	Min	0.0	0.0	0.0
	Max	972.0	1,040.0	953.0
	Avr	104.1	140.0	95.3
Cardiovascular disease				
Myocardial disease	Min	0.0	0.0	0.0
	Max	2,273.0	824.0	858.0
	Avr	372.6	243.7	98.3
Cerebrovascular disease	Min	0.0	0.0	0.0
	Max	522.0	630.0	1,438.0
	Avr	145.1	161.4	186.9
Hypertension	Min	0.0	0.0	0.0
	Max	1,411.0	1,459.0	2,677.0
	Avr	274.8	251.4	379.9
Brain tumor	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Others	Min	0.0	0.0	0.0
	Max	850.0	790.0	660.0
	Avr	199.3	195.4	132.0

		2000	2001	2002
Infection preventive by vaccine				
Diphtheria	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Pertussis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Tetanus	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Poliomyelitis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Measles	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Mumps	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Rubella	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Other infection				
STD	Min	0.0	0.0	0.0
	Max	658.0	890.0	1,200.0
	Avr	131.6	178.0	240.0
HIV	Min	0.0	0.0	0.0
	Max	0.0	0.0	1.0
	Avr	0.0	0.0	0.2
Parasitic infestation	Min	0.0	0.0	0.0
	Max	38.0	25.0	44.0
	Avr	3.6	2.5	4.4
Others	Min	0.0	0.0	0.0
	Max	144.0	191.0	175.0
	Avr	38.4	39.1	36.5

		2000	2001	2002
Nutritional disease				
Iodine Deficiency	Min	0.0	0.0	0.0
	Max	1,850.0	1,618.0	1,950.0
	Avr	378.0	329.4	396.6
Anemia	Min	0.0	0.0	0.0
	Max	2,590.0	2,600.0	2,800.0
	Avr	765.5	769.8	670.2
Diabetes	Min	0.0	0.0	0.0
	Max	585.0	554.0	588.0
	Avr	102.1	91.7	87.7
Malnutrition	Min	0.0	0.0	0.0
	Max	8.0	13.0	19.0
	Avr	1.2	1.7	2.1
Others	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Ophthalmologic disease	Min	0.0	0.0	0.0
	Max	746.0	1,151.0	1,369.0
	Avr	175.3	217.3	201.8
Otolaryngologic disease	Min	0.0	0.0	0.0
	Max	495.0	455.0	1,003.0
	Avr	162.6	143.9	198.2
Dermatological disease	Min	0.0	0.0	0.0
	Max	54.0	75.0	69.0
	Avr	6.1	8.5	8.4
Urinary disease	Min	0.0	0.0	0.0
	Max	2,168.0	2,229.0	2,048.0
	Avr	855.7	1,014.1	648.1
Dental disease	Min	0.0	0.0	0.0
	Max	34,400.0	34,000.0	35,000.0
	Avr	3,580.1	3,576.1	3,534.8
Case of Operation				
Abdominal	Min	0.0	0.0	0.0
	Max	4,188.0	5,923.0	4,925.0
	Avr	1,160.9	1,658.3	1,041.5
Lung	Min	0.0	0.0	0.0
	Max	4.0	49.0	3.0
	Avr	0.4	5.3	0.3
Brain	Min	0.0	0.0	0.0
	Max	49.0	79.0	0.0
	Avr	4.9	7.9	0.0
Orthopedic	Min	0.0	0.0	0.0
	Max	5.0	2.0	15.0
	Avr	0.5	0.2	1.5
Trauma	Min	0.0	0.0	0.0
	Max	3,117.0	5,936.0	257.0
	Avr	367.7	642.2	33.7
Burn	Min	0.0	0.0	0.0
	Max	3.0	587.0	8.0
	Avr	0.3	59.1	0.8
Others	Min	0.0	0.0	0.0
	Max	184.0	344.0	315.0
	Avr	18.4	34.4	31.5

Bukhara

		2000	2001	2002
Respiratory disease				
Pneumonia	Min	0.0	0.0	0.0
	Max	368.0	375.0	381.0
	Avr	89.6	98.1	96.9
Influenza	Min	0.0	0.0	0.0
	Max	325.0	310.0	318.0
	Avr	52.6	37.9	42.2
Common cold	Min	0.0	0.0	0.0
	Max	1,894.0	1,916.0	2,011.0
	Avr	296.0	283.1	302.0
ARI	Min	0.0	0.0	0.0
	Max	3,856.0	3,825.0	3,837.0
	Avr	1,443.5	1,167.9	1,111.6
Tuberculosis	Min	0.0	0.0	0.0
	Max	350.0	343.0	369.0
	Avr	58.2	57.9	60.7
Lung cancer	Min	0.0	0.0	0.0
	Max	18.0	16.0	17.0
	Avr	2.5	2.3	2.4
Others	Min	0.0	0.0	0.0
	Max	14,341.0	15,834.0	16,001.0
	Avr	1,614.0	1,766.2	1,792.3
Gastrointestinal disease				
Dysentery	Min	0.0	0.0	0.0
	Max	95.0	80.0	35.0
	Avr	11.4	10.3	5.6
Abdominal typhoid	Min	0.0	0.0	0.0
	Max	1.0	3.0	3.0
	Avr	0.2	0.5	0.7
Salmonellosis	Min	0.0	0.0	0.0
	Max	7.0	3.0	4.0
	Avr	1.3	0.9	0.8
Diarrhea	Min	0.0	0.0	0.0
	Max	762.0	498.0	829.0
	Avr	126.6	89.4	134.7
Acute intestinal disease	Min	0.0	0.0	0.0
	Max	197.0	330.0	401.0
	Avr	78.7	104.3	74.4
Gastric ulcer	Min	0.0	0.0	0.0
	Max	305.0	318.0	329.0
	Avr	109.3	121.2	126.6
Gastric cancer	Min	0.0	0.0	0.0
	Max	21.0	18.0	21.0
	Avr	3.9	3.8	4.5
Others	Min	0.0	0.0	0.0
	Max	5,391.0	3,818.0	3,911.0
	Avr	855.0	707.4	734.0

		2000	2001	2002
Hepatic/biliary				
Viral hepatitis	Min	0.0	0.0	0.0
	Max	2,485.0	1,097.0	981.0
	Avr	367.1	162.4	145.9
Type A	Min	0.0	0.0	0.0
	Max	1,764.0	453.0	368.0
	Avr	294.4	96.4	84.4
Type B	Min	0.0	0.0	0.0
	Max	400.0	302.0	280.0
	Avr	47.5	35.7	32.6
Type C	Min	0.0	0.0	0.0
	Max	19.0	27.0	18.0
	Avr	2.4	3.2	2.0
Hepatic cirrhosis				
Alcoholic	Min	0.0	0.0	0.0
	Max	51.0	55.0	47.0
	Avr	8.6	9.9	9.2
Hepatic cancer	Min	0.0	0.0	0.0
	Max	6.0	7.0	5.0
	Avr	1.0	1.0	0.9
Others	Min	0.0	0.0	0.0
	Max	11.0	12.0	9.0
	Avr	2.2	2.1	1.9
Cardiovascular disease	Min	0.0	0.0	0.0
	Max	483.0	652.0	841.0
	Avr	106.5	125.8	144.3
Myocardial disease				
Cerebrovascular disease	Min	0.0	0.0	0.0
	Max	314.0	362.0	387.0
	Avr	47.7	52.2	54.0
Hypertension	Min	0.0	0.0	0.0
	Max	51.0	62.0	58.0
	Avr	9.2	11.5	11.6
Brain tumor	Min	0.0	0.0	0.0
	Max	807.0	828.0	911.0
	Avr	270.4	269.4	286.1
Others	Min	0.0	0.0	0.0
	Max	5.0	7.0	9.0
	Avr	1.3	1.6	1.6
Others	Min	0.0	0.0	0.0
	Max	696.0	644.0	672.0
	Avr	264.4	248.5	267.8

		2000	2001	2002
Infection preventive by vaccine				
Diphtheria	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Pertussis	Min	0.0	0.0	0.0
	Max	2.0	2.0	0.0
	Avr	0.2	0.2	0.0
Tetanus	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Poliomyelitis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Measles	Min	0.0	0.0	0.0
	Max	0.0	2.0	0.0
	Avr	0.0	0.2	0.0
Mumps	Min	0.0	0.0	0.0
	Max	15.0	30.0	83.0
	Avr	1.9	3.3	12.5
Rubella	Min	0.0	0.0	0.0
	Max	0.0	1.0	3.0
	Avr	0.0	0.1	0.3
Other infection				
STD	Min	0.0	0.0	0.0
	Max	79.0	84.0	87.0
	Avr	7.9	8.4	8.7
HIV	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Parasitic infestation	Min	0.0	0.0	0.0
	Max	531.0	405.0	549.0
	Avr	87.2	78.5	110.7
Others	Min	0.0	0.0	0.0
	Max	453.0	845.0	697.0
	Avr	45.3	84.5	69.7

		2000	2001	2002
Nutritional disease				
Iodine Deficiency	Min	0.0	0.0	0.0
	Max	11,441.0	231,417.0	335,181.0
	Avr	1,776.3	23,814.4	34,271.2
Anemia	Min	0.0	0.0	0.0
	Max	59,765.0	62,414.0	65,318.0
	Avr	9,988.1	10,595.0	10,478.2
Diabetes	Min	0.0	0.0	0.0
	Max	4,084.0	4,295.0	4,803.0
	Avr	516.8	538.2	590.1
Malnutrition	Min	0.0	0.0	0.0
	Max	31,260.0	31,290.0	33,216.0
	Avr	3,126.0	3,129.0	3,321.6
Others	Min	0.0	0.0	0.0
	Max	4,416.0	4,524.0	2,561.0
	Avr	447.3	455.4	259.6
Ophthalmologic disease	Min	0.0	0.0	0.0
	Max	516.0	701.0	783.0
	Avr	166.5	188.5	204.9
Otolaryngologic disease	Min	0.0	0.0	0.0
	Max	750.0	726.0	721.0
	Avr	265.5	252.5	267.4
Dermatological disease	Min	0.0	0.0	0.0
	Max	3,959.0	5,474.0	2,174.0
	Avr	878.3	1,073.5	679.1
Urinary disease	Min	0.0	0.0	0.0
	Max	9,791.0	9,203.0	9,649.0
	Avr	1,890.3	1,829.8	2,108.8
Dental disease	Min	0.0	0.0	0.0
	Max	64,271.0	64,216.0	64,817.0
	Avr	11,451.9	11,819.7	12,115.1
Case of Operation				
Abdominal	Min	0.0	0.0	0.0
	Max	831.0	847.0	881.0
	Avr	272.3	304.1	313.3
Lung	Min	0.0	0.0	0.0
	Max	128.0	137.0	121.0
	Avr	14.1	15.5	13.6
Brain	Min	0.0	0.0	0.0
	Max	14.0	18.0	12.0
	Avr	2.0	2.3	1.7
Orthopedic	Min	0.0	0.0	0.0
	Max	11.0	31.0	43.0
	Avr	2.3	5.4	5.6
Trauma	Min	0.0	0.0	0.0
	Max	195.0	212.0	213.0
	Avr	41.8	46.0	47.9
Burn	Min	0.0	0.0	0.0
	Max	26.0	21.0	28.0
	Avr	2.9	2.3	2.9
Others	Min	0.0	0.0	0.0
	Max	683.0	461.0	472.0
	Avr	143.0	132.9	130.4

Navoi

		2000	2001	2002
Respiratory disease				
Pneumonia	Min	0.0	0.0	0.0
	Max	213.0	231.0	265.0
	Avr	65.0	88.0	87.5
Influenza	Min	0.0	0.0	0.0
	Max	214.0	57.0	28.0
	Avr	36.5	11.0	4.8
Common cold	Min	0.0	0.0	0.0
	Max	13,108.0	13,141.0	16,803.0
	Avr	2,989.3	2,983.7	3,513.3
ARI	Min	0.0	0.0	0.0
	Max	3,150.0	2,780.0	2,760.0
	Avr	910.8	1,190.5	1,041.5
Tuberculosis	Min	0.0	0.0	0.0
	Max	133.0	68.0	84.0
	Avr	40.7	34.7	46.2
Lung cancer	Min	0.0	0.0	0.0
	Max	2.0	1.0	2.0
	Avr	1.0	0.5	0.5
Others	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Gastrointestinal disease				
Dysentery	Min	0.0	0.0	0.0
	Max	41.0	22.0	20.0
	Avr	10.0	6.5	5.5
Abdominal typhoid	Min	0.0	0.0	0.0
	Max	8.0	18.0	4.0
	Avr	2.7	3.5	1.2
Salmonellosis	Min	0.0	0.0	0.0
	Max	11.0	7.0	0.0
	Avr	2.2	1.3	0.0
Diarrhea	Min	0.0	0.0	0.0
	Max	541.0	434.0	191.0
	Avr	147.7	131.8	60.7
Acute intestinal disease	Min	0.0	0.0	0.0
	Max	461.0	399.0	427.0
	Avr	118.5	102.2	93.3
Gastric ulcer	Min	0.0	0.0	0.0
	Max	206.0	221.0	237.0
	Avr	64.7	84.0	84.2
Gastric cancer	Min	0.0	0.0	0.0
	Max	5.0	4.0	5.0
	Avr	1.5	1.0	1.5
Others	Min	0.0	0.0	0.0
	Max	876.0	1,246.0	1,042.0
	Avr	146.0	207.7	173.7

		2000	2001	2002
Hepatic/biliary				
Viral hepatitis				
	Min	0.0	0.0	0.0
	Max	210.0	291.0	137.0
	Avr	62.5	73.5	38.5
Type A				
	Min	0.0	0.0	0.0
	Max	167.0	104.0	80.0
	Avr	48.7	30.7	26.7
Type B				
	Min	0.0	0.0	0.0
	Max	59.0	35.0	20.0
	Avr	17.8	11.0	5.7
Type C				
	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Hepatic cirrhosis				
	Min	0.0	0.0	0.0
	Max	38.0	44.0	73.0
	Avr	11.0	10.7	15.0
Alcoholic				
	Min	0.0	0.0	0.0
	Max	16.0	14.0	9.0
	Avr	2.7	2.3	1.5
Hepatic cancer				
	Min	0.0	0.0	0.0
	Max	3.0	4.0	2.0
	Avr	0.5	0.7	0.3
Others				
	Min	0.0	0.0	0.0
	Max	126.0	210.0	386.0
	Avr	21.0	35.0	64.3
Cardiovascular disease				
Myocardial disease				
	Min	0.0	0.0	0.0
	Max	239.0	201.0	197.0
	Avr	63.0	71.5	62.3
Cerebrovascular disease				
	Min	0.0	0.0	0.0
	Max	118.0	259.0	241.0
	Avr	38.2	54.3	54.5
Hypertension				
	Min	0.0	0.0	0.0
	Max	162.0	247.0	300.0
	Avr	109.8	150.8	164.3
Brain tumor				
	Min	0.0	0.0	0.0
	Max	2.0	0.0	0.0
	Avr	0.3	0.0	0.0
Others				
	Min	0.0	0.0	0.0
	Max	309.0	801.0	991.0
	Avr	51.5	133.5	165.2

		2000	2001	2002
Infection preventive by vaccine				
Diphtheria	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Pertussis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Tetanus	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Poliomyelitis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Measles	Min	0.0	0.0	0.0
	Max	2.0	0.0	0.0
	Avr	0.3	0.0	0.0
Mumps	Min	0.0	0.0	0.0
	Max	36.0	27.0	18.0
	Avr	7.5	5.3	3.7
Rubella	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Other infection				
STD	Min	0.0	0.0	0.0
	Max	9.0	14.0	27.0
	Avr	1.5	4.2	6.2
HIV	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Parasitic infestation	Min	0.0	0.0	0.0
	Max	6.0	4.0	0.0
	Avr	1.0	0.7	0.0
Others	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0

		2000	2001	2002
Nutritional disease				
Iodine Deficiency	Min	0.0	0.0	0.0
	Max	279.0	402.0	313.0
	Avr	51.8	68.2	100.0
Anemia	Min	0.0	0.0	0.0
	Max	16,874.0	16,520.0	17,443.0
	Avr	5,640.5	5,412.3	6,034.2
Diabetes	Min	0.0	0.0	0.0
	Max	25.0	59.0	75.0
	Avr	13.7	25.2	25.3
Malnutrition	Min	0.0	0.0	0.0
	Max	1,265.0	1,484.0	1,562.0
	Avr	210.8	247.3	260.3
Others	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Ophthalmologic disease	Min	0.0	0.0	0.0
	Max	1,453.0	1,872.0	1,265.0
	Avr	345.0	391.0	436.7
Otolaryngologic disease	Min	0.0	0.0	0.0
	Max	2,386.0	2,165.0	1,947.0
	Avr	581.0	579.5	598.2
Dermatological disease	Min	0.0	0.0	0.0
	Max	395.0	931.0	1,125.0
	Avr	215.5	348.7	336.0
Urinary disease	Min	0.0	0.0	0.0
	Max	2,193.0	2,280.0	3,488.0
	Avr	1,010.3	1,149.3	1,388.3
Dental disease	Min	0.0	0.0	0.0
	Max	5,981.0	5,367.0	5,295.0
	Avr	1,166.3	1,057.8	1,017.7
Case of Operation				
Abdominal	Min	0.0	0.0	0.0
	Max	707.0	999.0	1,086.0
	Avr	361.7	432.5	447.5
Lung	Min	0.0	0.0	0.0
	Max	25.0	42.0	31.0
	Avr	4.2	7.7	5.7
Brain	Min	0.0	0.0	0.0
	Max	5.0	16.0	9.0
	Avr	0.8	4.3	1.5
Orthopedic	Min	0.0	0.0	0.0
	Max	16.0	16.0	9.0
	Avr	4.8	4.5	3.0
Trauma	Min	0.0	0.0	0.0
	Max	3,609.0	2,737.0	2,997.0
	Avr	629.2	522.7	550.0
Burn	Min	0.0	0.0	0.0
	Max	112.0	239.0	168.0
	Avr	21.3	43.5	31.2
Others	Min	0.0	0.0	0.0
	Max	1,812.0	2,004.0	0.0
	Avr	302.0	334.0	0.0

Karakalpakstan

		2000	2001	2002
Respiratory disease				
Pneumonia	Min	0.0	0.0	0.0
	Max	9,855.0	1,915.0	2,244.0
	Avr	933.2	450.0	320.1
Influenza	Min	0.0	0.0	0.0
	Max	275.0	203.0	382.0
	Avr	25.1	17.8	29.4
Common cold	Min	0.0	0.0	0.0
	Max	18,636.0	18,641.0	19,817.0
	Avr	1,704.9	1,763.4	1,792.6
ARI	Min	0.0	0.0	0.0
	Max	15,702.0	15,194.0	16,053.0
	Avr	1,694.4	1,646.2	1,192.3
Tuberculosis	Min	0.0	0.0	0.0
	Max	653.0	724.0	536.0
	Avr	193.0	202.4	194.1
Lung cancer	Min	0.0	0.0	0.0
	Max	471.0	558.0	809.0
	Avr	30.7	35.3	49.4
Others	Min	0.0	0.0	0.0
	Max	10,229.0	10,416.0	2,567.0
	Avr	568.6	578.9	142.8
Gastrointestinal disease				
Dysentery	Min	0.0	0.0	0.0
	Max	43.0	31.0	40.0
	Avr	11.3	8.4	8.8
Abdominal typhoid	Min	0.0	0.0	0.0
	Max	0.0	1.0	1.0
	Avr	0.0	0.1	0.1
Salmonellosis	Min	0.0	0.0	0.0
	Max	8.0	6.0	13.0
	Avr	1.0	0.5	1.3
Diarrhea	Min	0.0	0.0	0.0
	Max	957.0	1,076.0	715.0
	Avr	72.3	80.6	54.9
Acute intestinal disease	Min	0.0	0.0	0.0
	Max	3,141.0	3,442.0	1,065.0
	Avr	242.1	268.3	125.9
Gastric ulcer	Min	0.0	0.0	0.0
	Max	549.0	565.0	589.0
	Avr	73.1	77.3	78.1
Gastric cancer	Min	0.0	0.0	0.0
	Max	58.0	32.0	36.0
	Avr	8.0	6.1	7.2
Others	Min	0.0	0.0	0.0
	Max	5,636.0	6,063.0	9,407.0
	Avr	606.2	639.2	566.3

		2000	2001	2002
Hepatic/biliary				
Viral hepatitis	Min	0.0	0.0	0.0
	Max	169.0	131.0	77.0
	Avr	46.9	37.4	19.7
Type A	Min	0.0	0.0	0.0
	Max	155.0	130.0	76.0
	Avr	36.7	31.5	17.1
Type B	Min	0.0	0.0	0.0
	Max	14.0	11.0	10.0
	Avr	3.9	3.6	3.0
Type C	Min	0.0	0.0	0.0
	Max	3.0	0.0	1.0
	Avr	0.4	0.0	0.1
Hepatic cirrhosis				
Alcoholic	Min	0.0	0.0	0.0
	Max	188.0	136.0	133.0
	Avr	25.1	23.4	15.6
Hepatic cancer	Min	0.0	0.0	0.0
	Max	17.0	13.0	16.0
	Avr	2.9	2.3	2.3
Others	Min	0.0	0.0	0.0
	Max	26.0	30.0	19.0
	Avr	1.4	1.7	1.1
Cardiovascular disease				
Myocardial disease	Min	0.0	0.0	0.0
	Max	740.0	690.0	746.0
	Avr	101.1	92.5	106.6
Cerebrovascular disease	Min	0.0	0.0	0.0
	Max	1,369.0	1,616.0	1,809.0
	Avr	191.6	219.5	246.6
Hypertension	Min	0.0	0.0	0.0
	Max	2,335.0	2,173.0	2,608.0
	Avr	505.9	465.1	505.3
Brain tumor	Min	0.0	0.0	0.0
	Max	10.0	5.0	8.0
	Avr	1.0	0.7	0.6
Others	Min	0.0	0.0	0.0
	Max	3,742.0	4,480.0	4,393.0
	Avr	437.3	493.4	319.1

		2000	2001	2002
Infection preventive by vaccine				
Diphtheria	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Pertussis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Tetanus	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Poliomyelitis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Measles	Min	0.0	0.0	0.0
	Max	14.0	9.0	6.0
	Avr	0.8	0.5	0.3
Mumps	Min	0.0	0.0	0.0
	Max	136.0	145.0	63.0
	Avr	10.9	19.6	8.8
Rubella	Min	0.0	0.0	0.0
	Max	1.0	4.0	1.0
	Avr	0.1	0.2	0.1
Other infection				
STD	Min	0.0	0.0	0.0
	Max	449.0	487.0	300.0
	Avr	33.8	34.4	28.3
HIV	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Parasitic infestation	Min	0.0	0.0	0.0
	Max	772.0	663.0	722.0
	Avr	46.5	40.2	46.0
Others	Min	0.0	0.0	0.0
	Max	108.0	71.0	71.0
	Avr	11.8	6.5	5.9

		2000	2001	2002
Nutritional disease				
Iodine Deficiency	Min	0.0	0.0	0.0
	Max	2,013.0	2,104.0	1,912.0
	Avr	318.4	335.2	375.9
Anemia	Min	0.0	0.0	0.0
	Max	96,786.0	75,765.0	76,864.0
	Avr	20,319.9	18,540.6	18,251.6
Diabetes	Min	0.0	0.0	0.0
	Max	401.0	469.0	489.0
	Avr	64.5	71.7	72.9
Malnutrition	Min	0.0	0.0	0.0
	Max	10,121.0	10,384.0	8,836.0
	Avr	571.8	587.1	500.8
Others	Min	0.0	0.0	0.0
	Max	988.0	1,056.0	1,144.0
	Avr	112.2	115.2	101.4
Ophthalmologic disease	Min	0.0	0.0	0.0
	Max	2,368.0	3,158.0	3,416.0
	Avr	392.9	438.2	486.0
Otolaryngologic disease	Min	0.0	0.0	0.0
	Max	6,130.0	4,740.0	2,616.0
	Avr	866.8	821.2	654.1
Dermatological disease	Min	0.0	0.0	0.0
	Max	4,685.0	7,717.0	6,318.0
	Avr	861.1	1,351.8	1,294.1
Urinary disease	Min	0.0	0.0	0.0
	Max	12,045.0	15,637.0	13,738.0
	Avr	2,656.3	2,875.5	2,716.9
Dental disease	Min	0.0	0.0	0.0
	Max	29,841.0	35,155.0	30,260.0
	Avr	5,785.9	6,052.1	5,994.2
Case of Operation				
Abdominal	Min	0.0	0.0	0.0
	Max	589.0	631.0	635.0
	Avr	192.6	207.8	193.9
Lung	Min	0.0	0.0	0.0
	Max	23.0	46.0	22.0
	Avr	2.4	3.2	2.5
Brain	Min	0.0	0.0	0.0
	Max	3.0	1.0	2.0
	Avr	0.2	0.1	0.2
Orthopedic	Min	0.0	0.0	0.0
	Max	43.0	92.0	89.0
	Avr	9.9	17.3	14.6
Trauma	Min	0.0	0.0	0.0
	Max	4,836.0	9,122.0	9,666.0
	Avr	338.9	568.9	617.7
Burn	Min	0.0	0.0	0.0
	Max	55.0	233.0	974.0
	Avr	10.4	22.4	68.6
Others	Min	0.0	0.0	0.0
	Max	773.0	844.0	733.0
	Avr	133.9	126.1	133.4

Samarkand

		2000	2001	2002
Respiratory disease				
Pneumonia	Min	0.0	0.0	0.0
	Max	2,600.0	2,029.0	1,526.0
	Avr	384.4	417.1	381.4
Influenza	Min	0.0	0.0	0.0
	Max	150.0	97.0	109.0
	Avr	18.9	15.6	11.1
Common cold	Min	0.0	0.0	0.0
	Max	30,127.0	32,815.0	35,961.0
	Avr	2,323.8	2,535.1	2,755.4
ARI	Min	0.0	0.0	0.0
	Max	4,012.0	3,987.0	4,512.0
	Avr	1,450.5	1,404.2	1,441.1
Tuberculosis	Min	0.0	0.0	0.0
	Max	1,968.0	2,354.0	2,040.0
	Avr	403.4	430.6	424.4
Lung cancer	Min	0.0	0.0	0.0
	Max	35.0	30.0	29.0
	Avr	8.4	8.4	7.4
Others	Min	0.0	0.0	0.0
	Max	2,382.0	2,415.0	2,557.0
	Avr	226.0	378.1	387.8
Gastrointestinal disease				
Dysentery	Min	0.0	0.0	0.0
	Max	17.0	31.0	13.0
	Avr	3.0	3.4	2.2
Abdominal typhoid	Min	0.0	0.0	0.0
	Max	4.0	4.0	4.0
	Avr	0.8	1.0	0.6
Salmonellosis	Min	0.0	0.0	0.0
	Max	1.0	1.0	2.0
	Avr	0.1	0.1	0.2
Diarrhea	Min	0.0	0.0	0.0
	Max	675.0	684.0	712.0
	Avr	87.1	90.2	93.0
Acute intestinal disease	Min	0.0	0.0	0.0
	Max	376.0	358.0	340.0
	Avr	75.1	75.3	67.5
Gastric ulcer	Min	0.0	0.0	0.0
	Max	2,009.0	983.0	1,212.0
	Avr	374.5	253.9	292.5
Gastric cancer	Min	0.0	0.0	0.0
	Max	61.0	49.0	52.0
	Avr	15.0	14.5	12.0
Others	Min	0.0	0.0	0.0
	Max	1,539.0	1,647.0	1,748.0
	Avr	144.1	155.4	160.2

		2000	2001	2002
Hepatic/biliary				
Viral hepatitis	Min	0.0	0.0	0.0
	Max	516.0	415.0	384.0
	Avr	149.0	126.7	109.9
Type A	Min	0.0	0.0	0.0
	Max	450.0	394.0	362.0
	Avr	127.7	111.6	95.7
Type B	Min	0.0	0.0	0.0
	Max	56.0	65.0	85.0
	Avr	18.4	18.2	17.9
Type C	Min	0.0	0.0	0.0
	Max	5.0	5.0	3.0
	Avr	0.6	0.7	0.3
Hepatic cirrhosis				
Alcoholic	Min	0.0	0.0	0.0
	Max	895.0	1,116.0	1,278.0
	Avr	64.7	80.3	91.8
Hepatic cancer	Min	0.0	0.0	0.0
	Max	32.0	28.0	29.0
	Avr	9.9	9.6	9.2
Others	Min	0.0	0.0	0.0
	Max	493.0	514.0	524.0
	Avr	60.6	63.3	62.9
Cardiovascular disease				
Myocardial disease				
	Min	0.0	0.0	0.0
	Max	1,700.0	1,666.0	1,522.0
	Avr	290.4	325.9	312.1
Cerebrovascular disease				
	Min	0.0	0.0	0.0
	Max	1,692.0	1,874.0	1,880.0
	Avr	274.7	273.0	280.2
Hypertension				
	Min	0.0	0.0	0.0
	Max	2,764.0	2,369.0	2,931.0
	Avr	754.1	739.9	834.0
Brain tumor				
	Min	0.0	0.0	0.0
	Max	30.0	35.0	39.0
	Avr	5.5	6.5	7.6
Others	Min	0.0	0.0	0.0
	Max	985.0	1,092.0	1,520.0
	Avr	182.8	193.7	243.7

		2000	2001	2002
Infection preventive by vaccine				
Diphtheria	Min	0.0	0.0	0.0
	Max	4,112.0	3,897.0	3,984.0
	Avr	293.7	278.4	284.6
Pertussis	Min	0.0	0.0	0.0
	Max	4,112.0	3,897.0	3,984.0
	Avr	293.7	278.4	284.6
Tetanus	Min	0.0	0.0	0.0
	Max	4,112.0	3,897.0	3,984.0
	Avr	293.7	278.4	284.6
Poliomyelitis	Min	0.0	0.0	0.0
	Max	3,454.0	3,067.0	3,095.0
	Avr	246.7	219.1	221.1
Measles	Min	0.0	0.0	0.0
	Max	3,815.0	3,597.0	3,648.0
	Avr	272.5	256.9	260.6
Mumps	Min	0.0	0.0	0.0
	Max	358.0	402.0	306.0
	Avr	26.2	30.9	28.1
Rubella	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Other infection				
STD	Min	0.0	0.0	0.0
	Max	331.0	364.0	274.0
	Avr	29.5	30.6	24.9
HIV	Min	0.0	0.0	0.0
	Max	1.0	1.0	1.0
	Avr	0.1	0.1	0.1
Parasitic infestation	Min	0.0	0.0	0.0
	Max	831.0	894.0	783.0
	Avr	230.4	207.7	155.4
Others	Min	0.0	0.0	0.0
	Max	388.0	389.0	357.0
	Avr	27.7	27.8	25.5

		2000	2001	2002
Nutritional disease				
Iodine Deficiency	Min	0.0	0.0	0.0
	Max	13,444.0	13,147.0	12,928.0
	Avr	2,244.0	2,128.6	2,404.3
Anemia	Min	0.0	0.0	0.0
	Max	30,441.0	28,150.0	28,084.0
	Avr	9,032.6	8,892.6	10,622.1
Diabetes	Min	0.0	0.0	0.0
	Max	876.0	999.0	1,043.0
	Avr	229.5	242.9	254.8
Malnutrition	Min	0.0	0.0	0.0
	Max	134.0	140.0	142.0
	Avr	11.4	12.9	12.9
Others	Min	0.0	0.0	0.0
	Max	1,482.0	1,625.0	1,736.0
	Avr	138.9	150.9	154.2
Ophthalmologic disease	Min	0.0	0.0	0.0
	Max	17,920.0	19,623.0	20,185.0
	Avr	2,361.8	2,496.9	2,546.1
Otolaryngologic disease	Min	0.0	0.0	0.0
	Max	7,862.0	7,871.0	8,552.0
	Avr	1,654.2	1,731.5	1,801.7
Dermatological disease	Min	0.0	0.0	0.0
	Max	19,503.0	19,806.0	20,412.0
	Avr	3,139.9	3,293.1	3,480.3
Urinary disease	Min	0.0	275.0	458.0
	Max	15,402.0	16,305.0	17,408.0
	Avr	3,442.3	3,450.0	3,925.4
Dental disease	Min	0.0	0.0	0.0
	Max	62,928.0	64,328.0	88,360.0
	Avr	11,755.1	12,229.3	14,129.8
Case of Operation				
Abdominal	Min	0.0	268.0	86.0
	Max	841.0	897.0	1,030.0
	Avr	459.0	526.4	514.6
Lung	Min	0.0	0.0	0.0
	Max	10.0	16.0	12.0
	Avr	0.9	1.9	1.8
Brain	Min	0.0	0.0	0.0
	Max	8.0	55.0	48.0
	Avr	1.1	5.4	5.9
Orthopedic	Min	0.0	0.0	0.0
	Max	316.0	155.0	106.0
	Avr	28.3	16.9	14.3
Trauma	Min	0.0	0.0	0.0
	Max	916.0	1,192.0	1,210.0
	Avr	187.4	201.8	187.7
Burn	Min	0.0	0.0	0.0
	Max	111.0	100.0	150.0
	Avr	13.9	13.9	17.9
Others	Min	0.0	0.0	0.0
	Max	673.0	791.0	849.0
	Avr	133.8	147.9	149.7

Fergana

		2000	2001	2002
Respiratory disease				
Pneumonia	Min	217.0	291.0	270.0
	Max	611.0	929.0	824.0
	Avr	377.0	516.7	497.7
Influenza	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Common cold	Min	0.0	0.0	0.0
	Max	93.0	69.0	89.0
	Avr	31.0	23.0	29.7
ARI	Min	298.0	227.0	165.0
	Max	1,903.0	2,447.0	1,775.0
	Avr	1,029.3	1,121.7	911.7
Tuberculosis	Min	0.0	0.0	0.0
	Max	235.0	230.0	264.0
	Avr	96.0	93.7	104.3
Lung cancer	Min	0.0	0.0	0.0
	Max	5.0	4.0	5.0
	Avr	1.7	1.3	1.7
Others	Min	0.0	0.0	0.0
	Max	186.0	321.0	230.0
	Avr	116.0	166.0	124.3
Gastrointestinal disease				
Dysentery	Min	0.0	0.0	0.0
	Max	38.0	45.0	53.0
	Avr	12.7	15.0	17.7
Abdominal typhoid	Min	0.0	0.0	0.0
	Max	1.0	0.0	0.0
	Avr	0.3	0.0	0.0
Salmonellosis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Diarrhea	Min	0.0	0.0	0.0
	Max	1,459.0	1,611.0	1,559.0
	Avr	486.3	537.0	519.7
Acute intestinal disease	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Gastric ulcer	Min	0.0	0.0	0.0
	Max	167.0	188.0	164.0
	Avr	59.7	69.0	65.0
Gastric cancer	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Others	Min	0.0	0.0	0.0
	Max	15.0	43.0	61.0
	Avr	5.0	14.3	20.3

		2000	2001	2002
Hepatic/biliary				
Viral hepatitis	Min	0.0	0.0	0.0
	Max	292.0	304.0	148.0
	Avr	127.0	130.3	77.7
Type A	Min	0.0	0.0	0.0
	Max	245.0	265.0	123.0
	Avr	109.3	115.7	69.3
Type B	Min	0.0	0.0	0.0
	Max	47.0	39.0	25.0
	Avr	17.7	14.7	8.3
Type C	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Hepatic cirrhosis	Min	2.0	2.0	2.0
	Max	72.0	64.0	85.0
	Avr	37.3	41.7	47.7
Alcoholic	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Hepatic cancer	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Others	Min	0.0	0.0	0.0
	Max	1.0	5.0	4.0
	Avr	0.3	1.7	1.3
Cardiovascular disease				
Myocardial disease	Min	0.0	0.0	0.0
	Max	152.0	132.0	141.0
	Avr	50.7	44.0	47.0
Cerebrovascular disease	Min	0.0	0.0	0.0
	Max	3.0	5.0	0.0
	Avr	1.0	1.7	0.0
Hypertension	Min	0.0	0.0	0.0
	Max	209.0	243.0	271.0
	Avr	136.3	151.0	160.7
Brain tumor	Min	0.0	0.0	0.0
	Max	0.0	0.0	1.0
	Avr	0.0	0.0	0.3
Others	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0

		2000	2001	2002
Infection preventive by vaccine				
Diphtheria	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Pertussis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Tetanus	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Poliomyelitis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Measles	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Mumps	Min	0.0	0.0	0.0
	Max	0.0	0.0	1.0
	Avr	0.0	0.0	0.3
Rubella	Min	0.0	0.0	0.0
	Max	4.0	0.0	3.0
	Avr	1.3	0.0	1.0
Other infection				
STD	Min	0.0	0.0	0.0
	Max	160.0	121.0	105.0
	Avr	65.3	51.3	41.7
HIV	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Parasitic infestation	Min	0.0	0.0	0.0
	Max	81.0	67.0	48.0
	Avr	27.0	22.3	16.0
Others	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0

		2000	2001	2002
Nutritional disease				
Iodine Deficiency	Min	0.0	0.0	0.0
	Max	5.0	5.0	3.0
	Avr	1.7	1.7	1.0
Anemia	Min	726.0	681.0	738.0
	Max	4,750.0	4,783.0	5,027.0
	Avr	3,250.7	3,354.7	3,423.0
Diabetes	Min	0.0	0.0	0.0
	Max	40.0	38.0	42.0
	Avr	13.3	12.7	14.0
Malnutrition	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Others	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Ophthalmologic disease	Min	0.0	0.0	0.0
	Max	29.0	26.0	26.0
	Avr	9.7	8.7	8.7
Otolaryngologic disease	Min	12.0	8.0	8.0
	Max	737.0	873.0	1,046.0
	Avr	309.3	348.0	417.7
Dermatological disease	Min	0.0	0.0	0.0
	Max	298.0	212.0	259.0
	Avr	138.3	107.3	126.0
Urinary disease	Min	257.0	313.0	409.0
	Max	595.0	628.0	652.0
	Avr	481.0	479.3	566.0
Dental disease	Min	0.0	0.0	0.0
	Max	318.0	335.0	328.0
	Avr	106.0	111.7	109.3
Case of Operation				
Abdominal	Min	313.0	184.0	226.0
	Max	511.0	493.0	468.0
	Avr	424.7	385.3	384.7
Lung	Min	0.0	0.0	0.0
	Max	39.0	33.0	41.0
	Avr	13.0	11.0	13.7
Brain	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Orthopedic	Min	0.0	0.0	0.0
	Max	391.0	336.0	452.0
	Avr	130.3	112.0	150.7
Trauma	Min	0.0	0.0	0.0
	Max	68.0	49.0	91.0
	Avr	35.3	27.3	43.0
Burn	Min	0.0	0.0	0.0
	Max	18.0	11.0	9.0
	Avr	6.0	3.7	3.0
Others	Min	221.0	426.0	311.0
	Max	3,115.0	2,898.0	3,007.0
	Avr	1,652.0	1,595.3	1,516.7

Rayon

		2000	2001	2002
Respiratory disease				
Pneumonia	Min	0.0	0.0	0.0
	Max	9,855.0	2,203.0	2,244.0
	Avr	583.0	434.4	385.9
Influenza	Min	0.0	0.0	0.0
	Max	12,156.0	10,216.0	11,410.0
	Avr	441.2	321.6	340.2
Common cold	Min	0.0	0.0	0.0
	Max	30,127.0	32,815.0	35,961.0
	Avr	2,068.2	2,099.1	2,303.6
ARI	Min	0.0	0.0	0.0
	Max	15,702.0	15,194.0	16,053.0
	Avr	1,943.3	1,780.4	1,572.4
Tuberculosis	Min	0.0	0.0	0.0
	Max	1,968.0	2,354.0	2,040.0
	Avr	208.7	218.5	214.7
Lung cancer	Min	0.0	0.0	0.0
	Max	471.0	558.0	809.0
	Avr	14.0	15.8	20.1
Others	Min	0.0	0.0	0.0
	Max	14,341.0	15,834.0	16,001.0
	Avr	637.7	714.6	571.3
Gastrointestinal disease				
Dysentery	Min	0.0	0.0	0.0
	Max	51.0	62.0	92.0
	Avr	10.9	10.1	9.8
Abdominal typhoid	Min	0.0	0.0	0.0
	Max	8.0	18.0	4.0
	Avr	0.6	0.8	0.4
Salmonellosis	Min	0.0	0.0	0.0
	Max	14.0	26.0	13.0
	Avr	1.7	1.7	1.2
Diarrhea	Min	0.0	0.0	0.0
	Max	1,459.0	1,611.0	1,559.0
	Avr	127.9	131.2	124.7
Acute intestinal disease	Min	0.0	0.0	0.0
	Max	3,141.0	3,442.0	1,065.0
	Avr	159.0	162.8	112.6
Gastric ulcer	Min	0.0	0.0	0.0
	Max	2,009.0	2,425.0	2,847.0
	Avr	245.5	224.7	243.8
Gastric cancer	Min	0.0	0.0	0.0
	Max	61.0	49.0	52.0
	Avr	8.7	8.4	7.8
Others	Min	0.0	0.0	0.0
	Max	5,636.0	6,063.0	9,407.0
	Avr	448.3	432.5	408.0

		2000	2001	2002
Hepatic/biliary				
Viral hepatitis	Min	0.0	0.0	0.0
	Max	629.0	517.0	527.0
	Avr	136.1	104.0	80.6
Type A	Min	0.0	0.0	0.0
	Max	450.0	473.0	457.0
	Avr	116.4	89.4	71.3
Type B	Min	0.0	0.0	0.0
	Max	299.0	65.0	85.0
	Avr	18.4	11.4	10.5
Type C	Min	0.0	0.0	0.0
	Max	5.0	10.0	3.0
	Avr	0.4	0.5	0.2
Hepatic cirrhosis				
Alcoholic	Min	0.0	0.0	0.0
	Max	895.0	1,116.0	1,278.0
	Avr	22.9	27.2	30.3
Hepatic cancer	Min	0.0	0.0	0.0
	Max	32.0	28.0	29.0
	Avr	4.6	4.2	4.1
Others	Min	0.0	0.0	0.0
	Max	1,236.0	1,271.0	1,316.0
	Avr	56.3	60.5	64.5
Cardiovascular disease				
Myocardial disease	Min	0.0	0.0	0.0
	Max	2,104.0	2,206.0	2,189.0
	Avr	216.8	227.7	229.8
Cerebrovascular disease	Min	0.0	0.0	0.0
	Max	1,716.0	1,874.0	1,880.0
	Avr	242.8	261.9	269.9
Hypertension	Min	0.0	0.0	0.0
	Max	4,198.0	5,457.0	5,722.0
	Avr	658.3	667.1	730.8
Brain tumor	Min	0.0	0.0	0.0
	Max	30.0	35.0	39.0
	Avr	2.1	2.3	2.5
Others	Min	0.0	0.0	0.0
	Max	3,742.0	4,480.0	4,393.0
	Avr	247.2	267.2	226.1

		2000	2001	2002
Infection preventive by vaccine				
Diphtheria	Min	0.0	0.0	0.0
	Max	4,112.0	3,897.0	3,984.0
	Avr	142.3	138.6	140.5
Pertussis	Min	0.0	0.0	0.0
	Max	4,112.0	3,897.0	3,984.0
	Avr	142.3	138.6	140.5
Tetanus	Min	0.0	0.0	0.0
	Max	4,112.0	3,897.0	3,984.0
	Avr	142.3	138.5	140.5
Poliomyelitis	Min	0.0	0.0	0.0
	Max	3,454.0	3,308.0	3,320.0
	Avr	129.7	122.6	123.4
Measles	Min	0.0	0.0	0.0
	Max	3,815.0	3,597.0	3,648.0
	Avr	122.4	117.9	120.9
Mumps	Min	0.0	0.0	0.0
	Max	358.0	2,211.0	2,186.0
	Avr	13.0	72.3	59.0
Rubella	Min	0.0	0.0	0.0
	Max	4.0	88.0	126.0
	Avr	0.2	2.0	3.0
Other infection				
STD	Min	0.0	0.0	0.0
	Max	449.0	487.0	300.0
	Avr	29.2	29.0	23.6
HIV	Min	0.0	0.0	0.0
	Max	1.0	2.0	3.0
	Avr	0.0	0.1	0.1
Parasitic infestation	Min	0.0	0.0	0.0
	Max	3,827.0	2,227.0	3,178.0
	Avr	193.9	175.7	178.5
Others	Min	0.0	0.0	0.0
	Max	388.0	389.0	357.0
	Avr	15.5	13.8	12.9

		2000	2001	2002
Nutritional disease				
Iodine Deficiency	Min	0.0	0.0	0.0
	Max	13,444.0	13,147.0	12,928.0
	Avr	928.9	911.9	1,015.6
Anemia	Min	0.0	0.0	0.0
	Max	96,786.0	75,765.0	76,864.0
	Avr	13,279.7	13,069.7	13,463.1
Diabetes	Min	0.0	0.0	0.0
	Max	876.0	1,022.0	1,043.0
	Avr	154.6	162.0	166.7
Malnutrition	Min	0.0	0.0	0.0
	Max	31,260.0	31,290.0	33,216.0
	Avr	841.8	852.2	866.4
Others	Min	0.0	0.0	0.0
	Max	4,416.0	4,524.0	2,561.0
	Avr	168.6	173.6	131.8
Ophthalmologic disease	Min	0.0	0.0	0.0
	Max	17,920.0	19,623.0	20,185.0
	Avr	1,002.9	1,074.0	1,103.3
Otolaryngologic disease	Min	0.0	0.0	0.0
	Max	7,862.0	7,871.0	8,552.0
	Avr	946.9	948.8	931.8
Dermatological disease	Min	0.0	0.0	0.0
	Max	19,503.0	19,806.0	20,412.0
	Avr	1,468.2	1,690.1	1,651.0
Urinary disease	Min	0.0	0.0	0.0
	Max	15,402.0	16,305.0	17,408.0
	Avr	2,881.0	2,922.1	3,080.0
Dental disease	Min	0.0	0.0	0.0
	Max	86,432.0	85,942.0	88,360.0
	Avr	11,272.4	11,429.0	11,970.2
Case of Operation				
Abdominal	Min	0.0	0.0	0.0
	Max	841.0	897.0	1,030.0
	Avr	318.9	339.9	342.2
Lung	Min	0.0	0.0	0.0
	Max	140.0	137.0	121.0
	Avr	6.7	4.9	4.4
Brain	Min	0.0	0.0	0.0
	Max	14.0	55.0	48.0
	Avr	0.8	2.2	2.2
Orthopedic	Min	0.0	0.0	0.0
	Max	348.0	411.0	410.0
	Avr	21.1	22.3	20.7
Trauma	Min	0.0	0.0	0.0
	Max	4,836.0	9,122.0	9,666.0
	Avr	259.3	323.4	342.0
Burn	Min	0.0	0.0	0.0
	Max	197.0	239.0	974.0
	Avr	15.8	22.0	39.0
Others	Min	0.0	0.0	0.0
	Max	3,406.0	3,789.0	3,831.0
	Avr	300.3	303.6	301.5

Oblast

		2000	2001	2002
Respiratory disease				
Pneumonia	Min	0.0	0.0	0.0
	Max	1,308.0	1,775.0	1,209.0
	Avr	180.9	245.1	142.0
Influenza	Min	0.0	0.0	0.0
	Max	27.0	2.0	9.0
	Avr	2.3	0.2	0.6
Common cold	Min	0.0	0.0	0.0
	Max	709.0	563.0	641.0
	Avr	44.3	35.2	40.2
ARI	Min	0.0	0.0	0.0
	Max	5,915.0	4,087.0	3,267.0
	Avr	530.9	391.1	335.7
Tuberculosis	Min	0.0	0.0	0.0
	Max	1,339.0	1,988.0	44.0
	Avr	86.7	127.7	2.9
Lung cancer	Min	0.0	0.0	0.0
	Max	4.0	3.0	4.0
	Avr	0.5	0.3	0.5
Others	Min	0.0	0.0	0.0
	Max	1,304.0	1,348.0	1,235.0
	Avr	129.5	145.3	94.5
Gastrointestinal disease				
Dysentery	Min	0.0	0.0	0.0
	Max	95.0	80.0	35.0
	Avr	6.1	5.1	2.4
Abdominal typhoid	Min	0.0	0.0	0.0
	Max	1.0	2.0	3.0
	Avr	0.1	0.1	0.3
Salmonellosis	Min	0.0	0.0	0.0
	Max	7.0	3.0	4.0
	Avr	0.6	0.3	0.3
Diarrhea	Min	0.0	0.0	0.0
	Max	762.0	392.0	829.0
	Avr	48.4	24.8	52.3
Acute intestinal disease	Min	0.0	0.0	0.0
	Max	118.0	330.0	38.0
	Avr	7.7	21.4	2.9
Gastric ulcer	Min	0.0	0.0	0.0
	Max	716.0	707.0	1,072.0
	Avr	97.6	105.8	128.0
Gastric cancer	Min	0.0	0.0	0.0
	Max	4.0	4.0	4.0
	Avr	0.9	0.8	0.8
Others	Min	0.0	0.0	0.0
	Max	2,534.0	3,509.0	1,042.0
	Avr	304.7	388.0	132.4

		2000	2001	2002
Hepatic/biliary				
Viral hepatitis	Min	0.0	0.0	0.0
	Max	2,485.0	1,097.0	981.0
	Avr	156.0	69.4	64.1
Type A	Min	0.0	0.0	0.0
	Max	1,764.0	453.0	368.0
	Avr	110.3	28.6	25.3
Type B	Min	0.0	0.0	0.0
	Max	400.0	302.0	280.0
	Avr	25.1	19.3	18.0
Type C	Min	0.0	0.0	0.0
	Max	19.0	27.0	18.0
	Avr	1.2	1.7	1.1
Hepatic cirrhosis				
Alcoholic	Min	0.0	0.0	0.0
	Max	1.0	1.0	1.0
	Avr	0.1	0.1	0.1
Hepatic cancer	Min	0.0	0.0	0.0
	Max	6.0	5.0	4.0
	Avr	0.7	0.6	0.6
Others	Min	0.0	0.0	0.0
	Max	972.0	1,040.0	953.0
	Avr	89.4	120.3	103.6
Cardiovascular disease				
Myocardial disease	Min	0.0	0.0	0.0
	Max	2,273.0	824.0	858.0
	Avr	235.8	161.3	71.9
Cerebrovascular disease	Min	0.0	0.0	0.0
	Max	522.0	630.0	1,438.0
	Avr	97.7	111.7	125.8
Hypertension	Min	0.0	0.0	0.0
	Max	1,411.0	1,459.0	2,677.0
	Avr	180.9	173.2	224.9
Brain tumor	Min	0.0	0.0	0.0
	Max	3.0	3.0	3.0
	Avr	0.2	0.2	0.3
Others	Min	0.0	0.0	0.0
	Max	850.0	801.0	991.0
	Avr	177.2	204.6	168.2

		2000	2001	2002
Infection preventive by vaccine				
Diphtheria	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Pertussis	Min	0.0	0.0	0.0
	Max	2.0	2.0	0.0
	Avr	0.1	0.1	0.0
Tetanus	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Poliomyelitis	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Measles	Min	0.0	0.0	0.0
	Max	0.0	2.0	0.0
	Avr	0.0	0.1	0.0
Mumps	Min	0.0	0.0	0.0
	Max	4.0	3.0	83.0
	Avr	0.3	0.2	5.3
Rubella	Min	0.0	0.0	0.0
	Max	0.0	1.0	3.0
	Avr	0.0	0.1	0.2
Other infection				
STD	Min	0.0	0.0	0.0
	Max	658.0	890.0	1,200.0
	Avr	102.9	134.0	167.1
HIV	Min	0.0	0.0	0.0
	Max	0.0	0.0	1.0
	Avr	0.0	0.0	0.1
Parasitic infestation	Min	0.0	0.0	0.0
	Max	187.0	220.0	394.0
	Avr	19.3	22.8	33.8
Others	Min	0.0	0.0	0.0
	Max	453.0	845.0	697.0
	Avr	52.3	77.3	66.4

		2000	2001	2002
Nutritional disease				
Iodine Deficiency	Min	0.0	0.0	0.0
	Max	11,441.0	231,417.0	335,181.0
	Avr	1,008.9	14,739.8	21,257.9
Anemia	Min	0.0	0.0	0.0
	Max	4,276.0	4,783.0	5,027.0
	Avr	1,149.6	1,129.5	1,080.8
Diabetes	Min	0.0	0.0	0.0
	Max	4,084.0	4,295.0	4,803.0
	Avr	333.9	341.9	370.1
Malnutrition	Min	0.0	0.0	0.0
	Max	2.0	2.0	1.0
	Avr	0.3	0.3	0.1
Others	Min	0.0	0.0	0.0
	Max	0.0	0.0	0.0
	Avr	0.0	0.0	0.0
Ophthalmologic disease	Min	0.0	0.0	0.0
	Max	746.0	1,151.0	1,369.0
	Avr	120.0	145.7	135.1
Otolaryngologic disease	Min	0.0	0.0	0.0
	Max	982.0	1,020.0	1,046.0
	Avr	226.8	222.1	271.2
Dermatological disease	Min	0.0	0.0	0.0
	Max	1,283.0	1,352.0	2,174.0
	Avr	93.3	100.1	153.4
Urinary disease	Min	0.0	0.0	0.0
	Max	2,168.0	2,229.0	2,048.0
	Avr	637.1	806.9	622.2
Dental disease	Min	0.0	0.0	0.0
	Max	2,308.0	2,413.0	2,337.0
	Avr	220.5	250.3	158.8
Case of Operation				
Abdominal	Min	0.0	0.0	0.0
	Max	4,188.0	5,923.0	4,925.0
	Avr	850.3	1,190.9	786.3
Lung	Min	0.0	0.0	0.0
	Max	39.0	49.0	41.0
	Avr	4.3	8.1	4.7
Brain	Min	0.0	0.0	0.0
	Max	49.0	79.0	9.0
	Avr	3.6	6.1	0.6
Orthopedic	Min	0.0	0.0	0.0
	Max	391.0	336.0	452.0
	Avr	25.4	22.3	29.1
Trauma	Min	0.0	0.0	0.0
	Max	3,117.0	5,936.0	279.0
	Avr	248.4	433.2	47.7
Burn	Min	0.0	0.0	0.0
	Max	26.0	587.0	28.0
	Avr	1.6	38.6	2.3
Others	Min	0.0	0.0	0.0
	Max	1,812.0	2,004.0	315.0
	Avr	144.5	180.3	47.8

Module B. Facility and Maintenance Section

B1. Scale of facility

Select Oblast and Facility level	Bukhara	Fergana	Karakalpakstan	Navoi	Samarkand	Tashkent	Tashkent city	Total	Ray	oblast	Total
<i>Structure of Building</i>											
Reinforced Concrete	1	1	1	1	2	0	2	9	4	5	9
Brick	9	7	13	5	12	7	8	61	49	12	61
Wooden	1	0	1	1	0	0	0	3	2	1	3
Others	0	0	2	1	2	0	0	5	5	0	5
Total	11	8	17	8	16	7	11	78	60	18	78
<i>How many buildings is the hospital composed?</i>											
single	0	0	2	1	1	1	1	6	5	1	6
complex	8	6	12	5	9	5	8	53	41	12	53
separate (city type)	2	1	2	0	5	2	0	12	10	2	12
Total	10	7	16	6	15	8	9	71	56	15	71
<i>How many floors and how much floor area is in each building, if the hospital has complex building?</i>											
Buildings <AVR.>	1.9	4.2	2.9	3.0	2.7	2.7	3.5	2.9	2.8	3.2	2.9
Total Area (m2) <AVR.>	6,556.0	4,221.7	5,364.1	2,628.0	2,111.4	5,028.5	11,917.8	5,304.2	3,726.2	9,906.8	5,304.2
Average (m2) <AVR.>	3,470.8	1,013.2	1,877.4	876.0	791.8	1,885.7	3,405.1	1,838.4	1,336.9	3,082.1	1,838.4

B2. Electricity

Select Oblast and Facility level	Bukhara	Fergana	Karakalpakstan	Navoi	Samarqand	Tashkent	Tashkent city	Total	Ray	oblast	Total
Sub-station											
Yes	7	7	12	5	8	7	5	51	40	11	51
No	2	0	3	1	4	0	4	14	11	3	14
Total	9	7	15	6	12	7	9	65	51	14	65
Receiving electric capacity											
Total Max <kVA>	800.0	2,520.0	1,410.0	400.0	1,000.0	960.0	1,600.0	2,520.0	2,520.0	1,600.0	2,520.0
Total Min <kVA>	3.5	10.0	0.0	40.0	70.0	250.0	380.0	0.0	0.0	10.0	0.0
Total Avr <kVA>	226.5	801.4	427.2	310.0	391.4	641.4	810.0	491.7	493.3	492.2	491.7
Stability of electricity											
Good	10	7	12	6	8	7	8	58	44	14	58
No good	0	0	1	0	5	0	0	6	5	1	6
Total	10	7	13	6	13	7	8	64	49	15	64
Actual supply voltage											
Single-phase Max	221.0	220.0	250.0	220.0	320.0	380.0	320.0		380.0	320.0	
Min	220.0	220.0	220.0	216.0	100.0	200.0	220.0		200.0	100.0	
Avr	220.5	220.0	225.0	218.0	220.0	266.7	253.3		233.9	217.0	
Three-phase Max	380.0	380.0	380.0	372.0	380.0	380.0	380.0		380.0	380.0	
Min	380.0	50.0	380.0	372.0	100.0	380.0	50.0		50.0	50.0	
Avr	380.0	298.3	380.0	372.0	352.0	380.0	258.0		356.8	298.0	
Condition of cable											
Good	8	7	13	4	12	6	8	58	47	11	58
No good	0	0	1	1	2	1	0	5	4	1	5
Total	8	7	14	5	14	7	8	63	51	12	63
Power failure(How often do you have power cut?)											
Frequency Max (/month)	15.0	60.0	6.0	17.0	150.0	5.5	10.0	150.0	150.0	10.0	150.0
Frequency Min (/month)	1.0	1.5	1.0	3.0	0.1	0.0	0.0	0.0	0.0	1.0	0.0
Frequency Avr (/month)	4.4	15.1	2.4	10.0	29.4	2.1	3.0	10.9	12.5	3.9	10.9
Time of length for Power failure in average											
Approximately Max (/minute)	60.0	180.0	60.0	20.0	90.0	30.0	60.0	180.0	180.0	60.0	180.0
Approximately Min (/minute)	3.0	0.0	2.0	8.0	2.0	6.0	3.0	0.0	2.0	0.0	0.0
Approximately Avr (/minute)	26.0	50.7	19.8	14.0	28.7	13.0	29.7	26.9	27.1	26.1	26.9
Do you have generator for emergency power?											
Yes	4	1	4	2	2	2	5	20	15	5	20
No	6	6	11	3	12	5	4	47	38	9	47
Total	10	7	15	5	14	7	9	67	53	14	67
Capacity of generator											
Max (kVA)	600.0	30.0	380.0	380.0	380.0		630.0	630.0	600.0	630.0	630.0
Min (kVA)	4.0	30.0	30.0	380.0	380.0		1.0	1.0	30.0	1.0	1.0
Avr (kVA)	302.0	30.0	220.0	380.0	380.0		177.6	246.3	283.8	142.9	229.6
No. of unit(s) of generator											
Max (units)	2.0	1.0	3.0		1.0	1.0	1.0	3.0	3.0	1.0	3.0
Min (units)	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0
Avr (units)	1.3	1.0	1.8		1.0	1.0	1.0	1.3	1.4	1.0	1.3
Manufacturer of generator											
Russian made	4	1	6	2	2	2	3	20	16	4	20
Other	0	0	1	0	0	0	2	3	2	1	3
Total	4	1	7	2	2	2	5	23	18	5	23
How old is your generator?Produced year is											
70s	0	0	0	0	1	1	0	2	2	0	2
80s	1	0	3	2	0	1	2	9	7	2	9
90s	3	1	2	0	1	0	0	7	6	1	7
After 2KY	0	0	0	0	0	0	3	3	1	2	3
Total	4	1	5	2	2	2	5	21	16	5	21
Range of supply area of generator											
Operation,IGU,Laboratory	1	0	4	2	0	0	5	12	8	4	12
Other	1	0	1	0	2	2	0	6	5	1	6
Total	2	0	5	2	2	2	5	18	13	5	18

B3. Water Supply

Select Oblast and Facility level	Bukhara	Fergana	Karakalpakstan	Navoi	Samarkand	Tashkent	Tashkent city	Total	SVP	Ray	oblast
Amount of supply water											
Enough	8	3	12	4	8	6	7	48	0	36	12
Not enough	2	3	3	2	6	1	2	19	0	16	3
Total	10	6	15	6	14	7	9	67	0	52	15
Capacity of reservoir											
Max <m3>	576.0	32.0	3,000.0	9,458.7	21,960.0	70,000.0		70,000.0		70,000.0	9,458.7
Min <m3>	50.0	3.0	25.0	45.0	27.0	25.0		3.0		3.0	27.0
Avr <m3>	206.0	15.0	737.7	3,184.6	3,316.7	17,645.0		3,394.2		3,654.8	1,935.1
Water source											
City water	10	4	14	5	7	6	9	55	0	40	15
Well water	1	3	2	2	7	1	0	16	0	16	0
Total	11	7	16	7	14	7	9	71	0	56	15
General pipe diameter											
Max <mm>	1,000.0	219.0	219.0	100.0	545.0	100.0	159.0	1,000.0		545.0	1,000.0
Min <mm>	50.0	69.0	0.0	50.0	35.0	25.0	40.0	0.0		0.0	50.0
Ave <mm>	194.0	113.6	79.1	79.2	151.5	77.3	93.0	118.0		103.0	160.2
Material of Pipe											
Steel(iron)	9	7	13	6	12	6	9	62	0	48	14
Aluminum	0	0	0	0	0	0	0	0	0	0	0
Other	0	0	1	1	0	0	0	2	0	2	0
Total	9	7	14	7	12	6	9	64	0	50	14
Hardness of water											
Hard	9	5	6	2	8	3	1	34	0	28	6
Normal	1	2	9	4	6	4	8	34	0	25	9
Soft	0	0	0	0	0	0	0	0	0	0	0
Total	10	7	15	6	14	7	9	68	0	53	15
General pressure of water											
Max <Kg/cm2>	2.5	2.3	3.5	7.0	4.5	2.5	5.0	7.0		7.0	5.0
Min <Kg/cm2>	0.8	1.0	0.8	3.8	0.1	1.5	1.5	0.1		0.1	0.2
Avr <Kg/cm2>	1.7	1.8	2.2	5.4	1.4	1.9	2.8	2.1		2.2	2.0

B4. Sewage

Select Oblast and Facility level	Bukhara	Fergana	Karakalpakstan	Navoi	Samarkand	Tashkent	Tashkent city	Total	SVP	Ray	oblast
Condition of sewage disposal											
Direct to sewage	7	6	11	5	9	6	7	51	0	39	12
Sewage after self-treatment	1	1	3	0	4	0	2	11	0	9	2
Other	2	0	0	1	1	0	0	4	0	3	1
Total	10	7	14	6	14	6	9	66	0	51	15
Material of Pipe											
Steel(iron)	9	6	14	5	12	5	7	58	0	47	11
Aluminum	0	0	0	0	0	0	0	0	0	0	0
Other	0	1	0	2	1	0	3	7	0	4	3
Total	9	7	14	7	13	5	10	65	0	51	14
General pipe diameter											
Max <mm>	159.0	330.0	300.0	150.0	455.0	200.0	200.0	455.0		455.0	260.0
Min <mm>	100.0	100.0	32.0	80.0	100.0	76.0	50.0	32.0		32.0	50.0
Avr <mm>	132.7	197.5	137.3	120.0	154.9	138.0	116.7	141.6		141.9	140.8
Do you have the tank for dirty water(underground)?											
Yes	3	1	7	3	6	3	1	24	0	23	14
No	7	6	7	3	7	4	7	41	0	27	14
Total	10	7	14	6	13	7	8	65	0	50	15
if yes,how often you call sewage car to take them out?											
1 time/week	1	1	4	2	2	2	0	12	0	11	1
1-2 times/month	1	0	1	0	4	1	0	7	0	6	1
less frequently	3	0	4	1	1	2	2	13	0	10	3
Total	5	1	9	3	7	5	2	32	0	27	5

B5. Medical Gas

Select Oblast and Facility level	Bukhara	Fergana	Karakalpakstan	Navoi	Samarqand	Tashkent	Tashkent city	Total	SVP	Ray	oblast
Gas supply system											
Central	8	2	11	4	11	3	5	44	0	34	10
Cylinder	2	4	4	1	3	3	3	20	0	16	4
Total	10	6	15	5	14	6	8	64	0	50	14
If you have central gas system,what is the material of gas pipe?											
Steel(iron)	7	5	10	4	10	2	0	38	0	34	4
Copper	2	0	2	1	3	1	5	14	0	6	8
Other	0	0	1	0	0	0	0	1	0	1	0
Total	9	5	13	5	13	3	5	53	0	41	12
Range of gas supply area											
Operation theatre,ICU,ward,emergency	7	5	14	5	10	4	5	50	0	41	9
Other	4	1	0	1	5	1	2	14	0	9	5
Total	11	6	14	6	15	5	7	64	0	50	14

B6. Heating

Select Oblast and Facility level	Bukhara	Fergana	Karakalpakstan	Navoi	Samarqand	Tashkent	Tashkent city	Total	SVP	Ray	oblast
Heating system											
Central	2	2	7	3	6	1	6	27	0	16	11
Individual	6	1	3	1	8	5	2	26	0	24	2
Central&Individual	2	4	7	2	2	1	1	19	0	17	2
Total	10	7	17	6	16	7	9	72	0	57	15
Fuel											
Gas	10	6	14	4	13	5	3	55	0	46	9
Heavy oil	0	1	0	1	1	1	0	4	0	4	0
Electric	0	0	2	1	1	0	0	4	0	4	0
Others	0	1	0	0	0	0	0	1	0	1	0
Total	10	8	16	6	15	6	3	64	0	55	9

B7. Communication

Select Oblast and Facility level	Bukhara	Fergana	Karakalpakstan	Navoi	Samarqand	Tashkent	Tashkent city	Total	SVP	Ray	oblast
No. of city telephone lines											
Max Lines	2.0	12.0	15.0	2.0	2.0	25.0	25.0	25.0		25.0	25.0
Min Lines	1.0	2.0	1.0	2.0	2.0	1.0	2.0	1.0		1.0	1.0
Avr Lines	1.5	7.0	6.0	2.0	2.0	10.2	13.0	6.0		5.9	6.4

B8. Medical waste disposal

Select Oblast and Facility level	Bukhara	Fergana	Karakalpakstan	Navoi	Samarqand	Tashkent	Tashkent city	Total	SVP	Ray	oblast
How do you make medical waste disposal?											
Governmental collection	1	2	4	1	1	1	7	17	0	10	7
Private collection	9	3	8	5	12	6	2	45	0	38	7
neglect	0	1	3	0	0	0	0	4	0	4	0
Total	10	6	15	6	13	7	9	66	0	52	14
Do you have the incinerator?											
Yes	6	3	7	3	2	2	0	23	0	19	4
No	4	4	8	3	12	5	9	45	0	34	11
Total	10	7	15	6	14	7	9	68	0	53	15
If yes,how in its capability?											
Enough	5	4	9	3	2	1	0	24	0	19	5
Not enough	3	0	1	1	0	2	0	7	0	7	0
Total	8	4	10	4	2	3	0	31	0	26	5

Module C. Equipment and Maintenance Section.

C1. Existing Equipment

1-2. Please encircle the equipment name if its equipment is donated by donors

<Total Count>

	Total												
	Q'ty	Country of origin			Manufacturing year					Operational condition		Out of Use	
		/USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able		
X-ray	0	0	0	0	0	0	0	0	0	0	0	0	0
General X-ray apparatus	58	9	48	9	31	26	4	8	0	53	9	10	
Fluoroscopy	44	3	34	9	22	14	4	1	0	37	8	2	
Dental X-ray apparatus	29	6	21	1	12	11	2	2	0	22	3	4	
Mobile X-ray apparatus	33	5	25	7	16	11	4	3	1	24	6	5	
Film developing machine	34	5	28	3	9	5	1	5	13	29	2	1	
X-ray film illuminator	53	7	42	6	21	23	7	6	2	42	2	6	
Ultrasound apparatus	52	15	21	19	8	21	14	13	6	43	3	3	
Laboratory	0	0	0	0	0	0	0	0	0	0	0	0	
Biochemistry analyzer	35	14	17	4	8	9	5	9	4	30	2	3	
Spectrophotometer	59	5	51	7	17	22	13	8	6	48	10	10	
Blood cell counter	56	7	51	8	21	19	12	12	5	50	6	6	
Electrolyte analyzer	37	8	24	5	8	13	6	6	3	30	1	4	
Blood gas analyzer	49	4	41	4	19	16	9	4	2	40	5	4	
Microscope	14	2	12	2	5	3	2	2	0	9	2	6	
Centrifuge	8	3	4	1	1	4	1	1	0	6	1	4	
Refrigerator	61	18	54	9	24	29	7	16	7	55	8	10	
Incubator	62	11	54	9	23	29	14	10	4	57	9	9	
Distillator	25	9	13	5	5	10	3	9	2	20	2	4	
Analytical balance	60	5	56	4	30	26	9	6	1	54	15	7	
Diagnostic Out patient	0	0	0	0	0	0	0	0	0	0	0	0	
Stethoscope	49	8	43	6	11	15	18	12	7	44	4	2	
Ophthalmoscope	46	8	36	5	16	12	10	6	6	41	5	0	
Otoscope	30	4	24	0	8	12	10	2	2	27	0	2	
Blood pressure apparatus	58	10	52	15	8	17	18	23	19	54	12	10	
Height measuring scale	57	7	52	9	17	21	14	15	9	51	5	3	
Weighting scale	55	8	51	8	15	21	15	19	6	49	8	6	
ECG apparatus	80	15	52	20	20	25	21	23	10	52	19	14	
Spirometer	19	4	14	3	3	7	4	5	3	15	1	4	
Obstetrics and gynecology	0	0	0	0	0	0	0	0	0	0	0	0	
Examination table	59	6	59	7	26	31	18	11	9	57	7	7	
Basic instrument set	51	5	44	14	16	24	11	8	4	45	12	11	
Colposcope	47	6	40	7	15	16	16	6	6	42	1	2	
Operation mobile light	34	1	27	5	15	11	5	2	1	25	3	7	
Delivery bed	39	4	34	4	14	18	7	3	1	33	5	2	
Fetal monitor	48	5	43	8	21	23	8	6	2	46	3	3	
Vacuum extractor	10	1	7	3	1	3	2	0	2	7	2	1	
Infant incubator	38	1	36	4	15	13	10	2	1	29	4	5	
Infant warmer	43	14	27	16	11	22	12	5	0	37	7	6	
Baby scale	38	6	27	11	8	18	7	6	2	33	6	3	
Emergency	0	0	0	0	0	0	0	0	0	0	0	0	
Ambulance vehicle	50	4	35	33	7	20	25	23	2	48	19	12	
Stretcher	51	4	42	15	16	20	18	12	5	45	3	7	
Reanimation set	34	10	23	4	11	6	8	8	4	30	0	4	
Defibrillator	45	10	28	6	10	13	12	3	3	30	6	5	
Laryngoscope	54	14	37	7	12	15	14	15	3	48	5	3	
Aspirator	26	5	20	3	1	8	11	8	2	24	4	6	
Instrument (minor surgery)	41	5	30	7	14	7	14	7	2	35	1	4	
Examination light	41	6	31	5	7	15	11	3	5	32	3	2	
Central supply	0	0	0	0	0	0	0	0	0	0	0	0	
Sterilizer/ Autoclave	60	9	57	9	23	25	17	10	6	55	20	15	
Instrument cabinet	22	0	15	4	8	6	2	0	0	20	1	1	
Dental	0	0	0	0	0	0	0	0	0	0	0	0	
Dental chair unit	54	8	48	9	28	21	17	9	2	49	14	8	
Endoscopy	0	0	0	0	0	0	0	0	0	0	0	0	
Gastro-fiberscope	39	7	28	11	9	16	11	5	2	32	8	8	
Colono-fiberscope	22	5	12	7	5	6	9	1	1	14	2	5	
Operation theatre	0	0	0	0	0	0	0	0	0	0	0	0	
Operation table	58	5	52	14	30	24	11	11	4	53	7	6	
Operation ceiling light	54	8	48	7	24	23	12	6	3	48	6	4	
Anesthetic apparatus	48	4	44	11	19	18	8	9	6	46	6	9	
Ventilator	31	3	25	4	8	9	6	6	4	28	3	3	
Patient monitor	27	6	12	12	4	9	7	7	4	23	2	4	
Electric coagulator	47	10	34	11	19	17	7	7	5	42	7	8	
Suction unit	56	7	48	9	28	15	15	16	5	49	13	12	
Surgical instrument set	54	6	48	6	23	13	11	12	7	52	3	3	

Tashkent oblast

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
X-ray	0	0	0	0	0	0	0	0	0	0	0	0
General X-ray apparatus	5	0	6	1	3	3	1	0	0	6	1	1
Fluoroscopy	5	0	4	1	2	2	0	0	0	4	0	0
Dental X-ray apparatus	4	0	3	0	1	2	1	0	0	3	0	1
Mobile X-ray apparatus	3	1	3	0	1	2	1	0	0	2	0	1
Film developing machine	3	0	3	0	1	0	1	0	1	3	0	0
X-ray film illuminator	5	0	3	1	2	3	1	0	0	5	0	1
Ultrasound apparatus	5	0	1	4	0	4	2	0	1	4	1	0
Laboratory	0	0	0	0	0	0	0	0	0	0	0	0
Biochemistry analyzer	2	1	0	0	0	0	0	1	0	2	0	0
Spectrophotometer	4	0	5	1	0	4	1	0	0	5	2	1
Blood cell counter	5	0	6	0	1	5	0	0	0	6	1	1
Electrolyte analyzer	2	0	1	0	0	1	0	0	0	2	0	1
Blood gas analyzer	4	0	2	0	2	1	1	0	0	3	0	1
Microscope	2	0	1	1	0	0	1	0	0	1	1	2
Centrifuge	1	0	1	0	0	1	0	0	0	1	1	1
Refrigerator	5	0	5	0	1	4	1	0	0	5	1	1
Incubator	5	1	5	2	1	5	1	0	1	6	2	2
Distillator	2	1	0	0	0	1	0	0	1	2	0	0
Analytical balance	5	0	6	1	1	5	1	0	0	6	2	1
Diagnostic	0	0	0	0	0	0	0	0	0	0	0	0
Out patient	4	0	5	0	1	0	3	0	1	4	1	0
Stethoscope	4	0	5	0	1	2	2	0	0	4	1	0
Ophthalmoscope	2	0	2	0	1	1	1	0	0	3	0	0
Otoscope	5	0	6	2	0	1	4	0	1	5	2	2
Blood pressure apparatus	5	0	6	2	1	4	1	0	0	5	2	2
Height measuring scale	5	0	6	2	1	4	1	0	0	5	2	2
Weighting scale	5	0	6	1	1	3	2	1	0	5	1	3
ECG apparatus	5	0	6	2	1	2	4	1	0	5	3	1
Spirometer	2	0	2	1	0	1	1	1	1	3	0	0
Obstetrics and gynecology	0	0	0	0	0	0	0	0	0	0	0	0
Examination table	5	0	6	1	3	2	1	1	0	6	1	1
Basic instrument set	5	0	6	1	0	4	1	1	0	5	2	1
Colposcope	4	1	4	2	3	1	2	1	0	4	1	0
Operation mobile light	4	0	4	2	3	1	1	1	0	4	1	2
Delivery bed	3	0	3	1	1	2	1	1	0	3	1	0
Fetal monitor	5	0	6	1	2	4	1	1	0	6	0	0
Vacuum extractor	0	0	1	0	1	0	0	0	0	0	0	1
Infant incubator	4	0	5	1	2	1	2	1	0	3	0	2
Infant warmer	5	2	4	3	0	5	1	3	0	6	1	0
Baby scale	5	2	4	2	0	4	1	3	0	6	1	0
Emergency	0	0	0	0	0	0	0	0	0	0	0	0
Ambulance vehicle	4	0	3	4	1	2	5	2	0	5	2	2
Stretcher	4	0	4	3	1	2	3	2	0	4	1	1
Reanimation set	4	2	3	1	0	1	2	2	0	4	0	0
Defibrillator	4	0	4	0	0	2	2	0	0	3	1	1
Laryngoscope	5	1	4	0	1	2	2	1	0	5	1	1
Aspirator	2	1	2	0	0	0	2	2	0	3	0	0
Instrument (minor surgery)	4	1	3	0	1	1	1	2	0	4	0	0
Examination light	3	0	3	0	1	1	1	1	0	3	0	0
Central supply	0	0	0	0	0	0	0	0	0	0	0	0
Sterilizer/ Autoclave	5	1	6	1	3	2	1	1	1	6	3	1
Instrument cabinet	2	0	2	0	1	1	0	0	0	2	0	0
Dental	0	0	0	0	0	0	0	0	0	0	0	0
Dental chair unit	5	0	6	1	3	2	1	1	1	6	3	0
Endoscopy	0	0	0	0	0	0	0	0	0	0	0	0
Gastro-fiberscope	4	0	4	1	0	3	2	1	0	4	2	1
Colono-fiberscope	0	0	0	0	0	0	0	0	0	0	0	0
Operation theatre	0	0	0	0	0	0	0	0	0	0	0	0
Operation table	5	1	5	0	1	3	1	2	0	5	1	0
Operation ceiling light	5	1	5	0	1	3	1	1	0	5	0	0
Anesthetic apparatus	5	0	3	0	1	2	1	1	0	5	0	0
Ventilator	2	0	1	0	0	0	1	1	0	2	0	0
Patient monitor	4	1	2	0	0	1	2	1	0	4	0	0
Electric coagulator	5	0	4	0	2	3	1	1	0	5	1	2
Suction unit	5	0	5	0	3	2	1	1	0	5	2	1
Surgical instrument set	4	0	4	0	1	2	0	2	2	5	0	0

Tashkent city

	Q'ty	Country of origin			Manufacturing year					Operational condition			
		Europe /USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use	
X-ray	0	0	0	0	0	0	0	0	0	0	0	0	0
General X-ray apparatus	4	2	2	2	1	4	0	1	0	4	0	0	2
Fluoroscopy	1	0	1	0	0	1	0	0	0	1	0	0	0
Dental X-ray apparatus	1	0	1	1	0	1	0	0	0	1	0	0	0
Mobile X-ray apparatus	5	0	3	2	2	2	1	0	1	4	0	0	0
Film developing machine	4	2	3	1	1	0	0	1	3	4	0	0	1
X-ray film illuminator	7	0	6	2	2	4	2	0	1	6	0	0	2
Ultrasound apparatus	5	2	1	4	3	2	1	2	1	4	0	0	0
Laboratory	0	0	0	0	0	0	0	0	0	0	0	0	0
Biochemistry analyzer	5	2	2	3	1	1	2	0	1	4	0	0	1
Spectrophotometer	7	0	7	2	3	2	2	1	0	6	0	0	2
Blood cell counter	5	1	6	1	3	1	1	1	0	5	0	0	1
Electrolyte analyzer	4	2	3	0	2	0	1	0	1	3	0	0	1
Blood gas analyzer	5	1	3	2	2	1	1	1	0	2	0	0	2
Microscope	5	2	4	0	1	1	1	1	0	4	0	0	1
Centrifuge	3	2	1	0	0	0	1	1	0	1	0	0	2
Refrigerator	6	3	5	3	3	2	1	2	0	5	0	0	2
Incubator	6	1	6	1	2	3	2	1	0	6	0	0	1
Distillator	5	1	4	1	2	1	1	1	0	5	0	0	0
Analytical balance	6	1	6	1	4	1	1	1	0	6	0	0	0
Diagnostic Out patient	0	0	0	0	0	0	0	0	0	0	0	0	0
Stethoscope	5	1	4	1	1	1	1	0	1	5	0	0	0
Ophthalmoscope	4	1	3	1	0	1	2	0	1	4	0	0	0
Otoscope	4	0	4	0	1	2	1	0	0	4	0	0	0
Blood pressure apparatus	6	2	6	0	1	2	1	0	3	6	0	0	2
Height measuring scale	6	0	7	1	2	2	1	0	2	6	0	0	0
Weighting scale	6	1	6	1	2	2	2	1	0	6	1	0	0
ECG apparatus	6	2	5	3	3	4	0	2	2	5	0	0	4
Spirometer	3	1	2	1	0	1	0	1	2	3	0	0	1
Obstetrics and gynecology	0	0	0	0	0	0	0	0	0	0	0	0	0
Examination table	6	2	6	2	1	4	1	2	1	6	0	0	0
Basic instrument set	4	2	3	1	2	1	1	0	0	3	1	0	2
Colposcope	6	1	5	1	1	1	2	2	1	5	0	0	0
Operation mobile light	4	0	3	0	3	0	0	0	0	2	0	0	1
Delivery bed	6	0	7	0	3	2	1	0	0	5	0	0	1
Fetal monitor	3	1	3	1	3	1	0	0	0	3	0	0	1
Vacuum extractor	1	1	0	0	0	1	0	0	0	1	0	0	0
Infant incubator	1	0	1	0	1	0	0	0	0	0	0	0	1
Infant warmer	3	2	2	0	2	0	0	1	0	3	0	0	1
Baby scale	3	2	1	0	2	0	0	1	0	3	0	0	0
Emergency	0	0	0	0	0	0	0	0	0	0	0	0	0
Ambulance vehicle	4	1	1	4	0	0	1	3	1	4	0	0	0
Stretcher	6	1	5	2	2	1	1	2	1	6	0	0	0
Reanimation set	3	1	3	0	2	0	0	1	0	3	0	0	1
Defibrillator	5	2	3	2	2	1	1	0	1	5	0	0	1
Laryngoscope	5	2	5	1	1	2	1	1	1	5	0	0	0
Aspirator	3	1	2	2	0	1	1	1	2	3	0	0	2
Instrument (minor surgery)	6	1	5	1	1	2	2	1	1	6	0	0	1
Examination light	5	2	3	1	0	1	3	0	1	5	0	0	0
Central supply	0	0	0	0	0	0	0	0	0	0	0	0	0
Sterilizer/ Autoclave	7	0	8	2	2	0	5	1	1	6	0	0	1
Instrument cabinet	4	0	3	0	1	0	1	0	0	3	0	0	0
Dental	0	0	0	0	0	0	0	0	0	0	0	0	0
Dental chair unit	7	4	4	3	2	3	2	0	1	7	0	0	1
Endoscopy	0	0	0	0	0	0	0	0	0	0	0	0	0
Gastro-fiberscope	4	1	1	4	0	1	2	1	1	3	1	0	1
Colono-fiberscope	3	1	1	2	0	0	2	0	1	2	1	0	1
Operation theatre	0	0	0	0	0	0	0	0	0	0	0	0	0
Operation table	6	1	6	2	4	1	1	2	1	6	1	0	0
Operation ceiling light	6	2	4	1	3	2	1	1	1	5	0	0	1
Anesthetic apparatus	5	1	6	2	2	2	0	1	2	6	0	0	1
Ventilator	5	1	4	1	0	3	0	1	2	5	0	0	0
Patient monitor	5	1	3	3	1	0	0	2	1	4	0	0	1
Electric coagulator	5	2	3	3	2	2	0	1	2	5	0	0	1
Suction unit	6	2	4	1	2	2	0	2	2	5	1	0	4
Surgical instrument set	7	2	6	1	2	1	3	1	1	7	0	0	0

Bukhara oblast

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		Europe	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
X-ray	0	0	0	0	0	0	0	0	0	0	0	0
General X-ray apparatus	8	0	7	1	5	4	0	0	0	8	0	1
Fluoroscopy	6	0	6	0	3	2	1	0	0	6	0	0
Dental X-ray apparatus	4	0	4	0	3	1	0	0	0	4	0	0
Mobile X-ray apparatus	5	0	5	0	4	1	0	0	0	4	2	0
Film developing machine	3	0	3	0	2	0	0	0	1	3	0	0
X-ray film illuminator	6	0	6	0	3	1	1	0	0	5	0	0
Ultrasound apparatus	8	2	2	4	1	3	1	1	0	7	0	1
Laboratory	0	0	0	0	0	0	0	0	0	0	0	0
Biochemistry analyzer	4	1	2	1	2	1	1	0	0	2	1	0
Spectrophotometer	9	0	7	0	2	3	1	2	1	7	3	0
Blood cell counter	9	0	8	1	5	1	1	3	1	8	2	1
Electrolyte analyzer	4	0	4	0	2	1	1	0	0	3	0	1
Blood gas analyzer	7	0	5	0	3	4	1	0	0	6	0	1
Microscope	1	0	1	0	1	0	0	0	0	0	0	1
Centrifuge	0	0	0	0	0	0	0	0	0	0	0	0
Refrigerator	10	0	9	0	4	5	0	1	0	8	1	1
Incubator	10	0	8	1	4	3	1	1	0	8	2	0
Distillator	2	0	1	2	1	2	1	0	0	2	1	1
Analytical balance	10	0	8	0	4	4	1	0	0	8	1	0
Diagnostic Out patient	0	0	0	0	0	0	0	0	0	0	0	0
Stethoscope	9	1	6	1	3	2	1	3	1	7	1	0
Ophthalmoscope	4	0	4	1	1	1	2	1	0	4	1	0
Otoscope	4	0	4	0	1	1	1	2	0	4	0	0
Blood pressure apparatus	9	1	6	4	3	0	1	6	1	8	2	1
Height measuring scale	7	0	6	1	2	1	2	2	1	5	2	0
Weighting scale	7	0	5	1	2	1	1	2	1	5	1	1
ECG apparatus	9	1	8	2	4	3	2	2	1	8	1	2
Spirometer	1	0	1	0	0	0	1	0	0	1	0	0
Obstetrics and gynecology	0	0	0	0	0	0	0	0	0	0	0	0
Examination table	9	0	8	1	4	3	3	1	1	9	1	1
Basic instrument set	8	0	6	1	3	3	2	1	0	7	2	2
Colposcope	9	1	7	1	2	3	3	1	0	8	0	0
Operation mobile light	4	1	2	0	0	2	0	1	0	3	0	0
Delivery bed	7	0	5	2	2	3	2	0	0	6	1	0
Fetal monitor	8	0	6	1	3	4	0	0	0	7	0	0
Vacuum extractor	2	0	1	0	0	0	0	0	1	1	0	0
Infant incubator	7	0	6	0	1	4	1	0	0	5	1	0
Infant warmer	6	1	2	2	1	2	2	0	0	5	0	1
Baby scale	6	0	3	2	2	3	0	0	0	5	1	1
Emergency	0	0	0	0	0	0	0	0	0	0	0	0
Ambulance vehicle	9	0	5	4	1	3	4	3	0	8	2	1
Stretcher	8	0	4	3	1	3	4	1	0	7	0	0
Reanimation set	5	2	4	0	1	2	2	0	0	4	0	1
Defibrillator	5	1	2	1	0	1	1	0	0	1	1	0
Laryngoscope	8	1	4	2	2	2	3	2	0	7	1	0
Aspirator	4	0	3	0	0	1	2	1	0	3	1	1
Instrument (minor surgery)	5	0	4	0	0	2	1	0	0	3	0	0
Examination light	5	0	2	2	0	3	1	0	0	3	1	0
Central supply	0	0	0	0	0	0	0	0	0	0	0	0
Sterilizer/ Autoclave	10	0	8	1	3	5	4	0	0	8	2	3
Instrument cabinet	2	0	2	0	1	0	1	0	0	2	0	0
Dental	0	0	0	0	0	0	0	0	0	0	0	0
Dental chair unit	8	0	8	1	2	3	3	1	0	6	2	2
Endoscopy	0	0	0	0	0	0	0	0	0	0	0	0
Gastro-fiberscope	6	2	5	1	0	4	2	0	0	5	1	1
Colono-fiberscope	4	1	2	1	0	2	2	0	0	3	0	1
Operation theatre	0	0	0	0	0	0	0	0	0	0	0	0
Operation table	7	0	6	1	3	3	2	0	0	7	1	1
Operation ceiling light	6	0	6	0	2	3	2	0	0	6	1	1
Anesthetic apparatus	7	0	7	1	3	3	3	0	0	7	1	3
Ventilator	6	0	5	0	1	2	2	0	0	5	0	1
Patient monitor	2	1	0	1	0	1	1	0	0	1	0	1
Electric coagulator	7	0	5	1	3	1	2	1	0	6	1	1
Suction unit	7	0	6	0	3	1	2	3	1	7	0	1
Surgical instrument set	8	1	8	0	3	3	1	3	1	7	1	0

Navoi oblast

	Q'ty	Country of origin			Manufacturing year					Operational condition			
		Europe /USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use	
X-ray	0	0	0	0	0	0	0	0	0	0	0	0	0
General X-ray apparatus	5	1	3	2	1	3	1	1	0	3	1	1	0
Fluoroscopy	3	0	2	0	2	0	1	0	0	2	1	0	0
Dental X-ray apparatus	0	0	0	0	0	0	0	0	0	0	0	0	0
Mobile X-ray apparatus	2	1	2	0	1	0	1	1	0	1	1	1	0
Film developing machine	3	0	3	0	0	1	0	0	2	2	0	0	0
X-ray film illuminator	5	0	3	2	2	1	0	2	0	3	1	0	0
Ultrasound apparatus	4	1	1	2	0	0	0	3	0	3	2	1	1
Laboratory	0	0	0	0	0	0	0	0	0	0	0	0	0
Biochemistry analyzer	4	1	1	0	0	0	0	3	1	3	0	0	0
Spectrophotometer	5	1	2	0	0	1	1	3	1	3	0	1	1
Blood cell counter	5	1	4	2	2	2	0	2	1	3	1	1	1
Electrolyte analyzer	4	1	0	2	0	0	0	3	1	3	0	1	1
Blood gas analyzer	4	1	3	0	1	1	0	2	0	3	1	0	0
Microscope	1	0	1	0	0	0	0	1	0	0	1	0	0
Centrifuge	0	0	0	0	0	0	0	0	0	0	0	0	0
Refrigerator	5	3	4	1	2	1	0	4	1	4	1	1	1
Incubator	5	2	3	1	1	1	2	2	0	4	1	0	0
Distillator	5	2	1	0	0	0	0	5	0	2	1	1	1
Analytical balance	5	0	4	0	2	1	1	1	0	4	1	1	1
Diagnostic Out patient	0	0	0	0	0	0	0	0	0	0	0	0	0
Stethoscope	3	0	2	1	0	1	1	2	1	1	1	1	1
Ophthalmoscope	5	0	3	2	1	1	1	2	1	4	1	0	0
Otoscope	4	0	2	0	1	1	2	0	0	2	0	1	1
Blood pressure apparatus	4	0	4	2	0	1	2	1	1	4	2	1	1
Height measuring scale	5	0	5	0	2	1	2	2	0	4	1	1	1
Weighting scale	5	1	5	2	1	1	1	2	1	4	1	1	1
ECG apparatus	5	4	5	3	1	2	1	4	1	4	2	1	1
Spirometer	2	0	2	0	0	0	1	1	0	0	0	1	1
Obstetrics and gynecology	0	0	0	0	0	0	0	0	0	0	0	0	0
Examination table	5	1	5	1	1	2	1	1	1	3	1	1	1
Basic instrument set	4	0	3	2	0	2	1	0	0	2	1	1	1
Colposcope	4	2	3	0	0	1	2	0	1	3	0	1	1
Operation mobile light	3	0	2	0	0	1	2	0	0	1	0	1	1
Delivery bed	2	1	1	0	1	0	1	0	0	2	1	0	0
Fetal monitor	4	1	3	1	1	0	2	1	1	3	1	1	1
Vacuum extractor	2	0	2	1	0	0	1	0	0	2	1	0	0
Infant incubator	4	1	3	0	1	1	1	0	0	2	0	1	1
Infant warmer	3	1	2	1	0	0	2	0	0	2	1	0	0
Baby scale	2	0	2	1	0	1	0	0	0	2	0	1	1
Emergency	0	0	0	0	0	0	0	0	0	0	0	0	0
Ambulance vehicle	3	0	1	1	0	1	0	1	0	2	2	1	1
Stretcher	3	0	2	1	0	1	0	1	0	1	1	1	1
Reanimation set	4	0	2	0	0	0	1	1	1	2	0	1	1
Defibrillator	4	0	2	0	1	1	1	0	0	2	0	1	1
Laryngoscope	4	0	2	1	0	1	1	0	1	2	1	1	1
Aspirator	3	0	2	0	0	0	1	1	0	2	0	1	1
Instrument (minor surgery)	4	0	2	0	0	1	2	0	0	2	0	1	1
Examination light	3	0	2	0	0	1	0	0	1	2	0	1	1
Central supply	0	0	0	0	0	0	0	0	0	0	0	0	0
Sterilizer/ Autoclave	5	3	5	2	1	1	1	2	0	5	1	1	1
Instrument cabinet	2	0	2	0	1	0	0	0	0	2	0	0	0
Dental	0	0	0	0	0	0	0	0	0	0	0	0	0
Dental chair unit	4	0	4	1	2	0	1	1	0	3	2	1	1
Endoscopy	0	0	0	0	0	0	0	0	0	0	0	0	0
Gastro-fiberscope	3	0	2	2	2	0	0	2	1	2	1	1	1
Colono-fiberscope	3	1	1	1	2	0	1	0	0	1	0	1	1
Operation theatre	0	0	0	0	0	0	0	0	0	0	0	0	0
Operation table	5	0	4	2	2	2	2	1	1	3	1	2	2
Operation ceiling light	5	0	4	1	2	3	1	1	0	2	1	1	1
Anesthetic apparatus	4	0	4	2	1	2	1	1	2	3	1	1	1
Ventilator	1	0	1	0	0	0	0	1	1	1	0	1	1
Patient monitor	3	0	1	2	0	1	1	2	1	2	0	1	1
Electric coagulator	3	0	3	2	2	1	1	1	1	3	2	2	2
Suction unit	5	0	4	3	1	1	4	1	0	4	2	1	1
Surgical instrument set	4	1	4	0	1	1	2	2	0	4	0	1	1

Karakalpakstan

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		Europe /USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
X-ray	0	0	0	0	0	0	0	0	0	0	0	0
General X-ray apparatus	16	1	14	2	11	3	1	1	0	15	3	2
Fluoroscopy	12	0	9	5	9	3	1	0	0	11	3	0
Dental X-ray apparatus	7	0	7	0	3	2	0	0	0	3	1	2
Mobile X-ray apparatus	7	0	5	2	2	3	1	0	0	6	2	2
Film developing machine	7	0	5	1	1	1	0	0	4	5	0	0
X-ray film illuminator	13	2	11	1	5	6	2	0	0	9	1	1
Ultrasound apparatus	13	5	5	3	0	5	6	1	1	11	0	0
Laboratory	0	0	0	0	0	0	0	0	0	0	0	0
Biochemistry analyzer	7	1	6	0	2	3	0	1	0	6	0	1
Spectrophotometer	13	0	12	1	3	4	4	1	1	11	1	1
Blood cell counter	13	0	12	2	4	3	5	2	1	11	1	0
Electrolyte analyzer	9	0	9	0	0	7	1	0	0	7	0	0
Blood gas analyzer	10	0	10	1	4	2	2	0	0	7	1	0
Microscope	2	0	2	0	1	1	0	0	0	1	0	1
Centrifuge	1	0	1	0	0	1	0	0	0	1	0	0
Refrigerator	14	4	14	0	3	10	3	4	2	12	3	1
Incubator	15	0	15	0	5	7	3	0	0	13	2	1
Distillator	1	0	1	0	0	1	0	0	0	1	0	0
Analytical balance	14	0	14	0	7	7	2	0	0	12	6	2
Diagnostic Out patient	0	0	0	0	0	0	0	0	0	0	0	0
Stethoscope	11	2	11	0	1	4	6	4	1	10	0	0
Ophthalmoscope	12	3	9	0	6	3	0	2	1	11	0	0
Otoscope	6	0	6	0	1	4	3	0	0	5	0	0
Blood pressure apparatus	14	2	13	2	1	4	3	6	5	11	2	1
Height measuring scale	14	3	11	2	2	4	5	7	4	12	0	0
Weighting scale	13	3	12	1	3	2	5	8	1	11	0	0
ECG apparatus	15	1	14	3	1	6	7	8	2	13	6	1
Spirometer	4	1	2	1	1	1	0	1	0	3	0	0
Obstetrics and gynecology	0	0	0	0	0	0	0	0	0	0	0	0
Examination table	15	0	15	0	6	10	7	2	2	14	1	2
Basic instrument set	13	2	9	5	3	5	3	2	2	11	2	1
Colposcope	8	0	7	1	2	5	3	0	1	7	0	1
Operation mobile light	8	0	6	2	3	4	1	0	0	6	0	2
Delivery bed	7	2	6	0	1	3	1	1	0	4	0	1
Fetal monitor	12	1	11	2	3	7	3	0	0	11	0	1
Vacuum extractor	1	0	1	0	0	1	0	0	0	0	1	0
Infant incubator	8	0	8	2	2	3	3	0	0	7	0	0
Infant warmer	12	5	5	6	2	8	2	0	0	11	1	1
Baby scale	9	1	7	2	0	3	4	1	1	7	1	1
Emergency	0	0	0	0	0	0	0	0	0	0	0	0
Ambulance vehicle	12	0	10	9	0	4	9	6	0	11	7	2
Stretcher	13	0	13	3	2	6	7	2	0	12	0	2
Reanimation set	5	1	3	1	2	0	1	1	1	5	0	0
Defibrillator	10	3	5	1	2	4	1	1	1	7	0	1
Laryngoscope	12	4	8	1	2	3	4	4	0	11	1	0
Aspirator	5	1	4	0	1	1	2	1	0	4	1	1
Instrument (minor surgery)	11	0	11	1	6	0	4	0	0	10	0	0
Examination light	11	1	10	1	4	2	2	0	2	8	1	1
Central supply	0	0	0	0	0	0	0	0	0	0	0	0
Sterilizer/ Autoclave	12	2	12	0	3	6	2	1	2	12	5	2
Instrument cabinet	5	0	3	1	2	2	0	0	0	5	1	0
Dental	0	0	0	0	0	0	0	0	0	0	0	0
Dental chair unit	11	1	10	1	6	6	3	2	0	10	3	1
Endoscopy	0	0	0	0	0	0	0	0	0	0	0	0
Gastro-fiberscope	10	3	6	1	1	3	4	0	0	9	2	2
Colono-fiberscope	4	0	3	1	0	1	2	0	0	4	1	0
Operation theatre	0	0	0	0	0	0	0	0	0	0	0	0
Operation table	14	1	12	4	7	6	1	1	1	13	0	1
Operation ceiling light	12	1	10	3	4	5	2	0	0	12	1	0
Anesthetic apparatus	12	1	11	1	3	5	1	1	1	12	3	2
Ventilator	4	1	3	1	1	1	0	0	1	2	2	0
Patient monitor	5	3	2	1	1	3	0	0	2	5	1	0
Electric coagulator	13	4	9	1	4	3	1	2	0	10	1	1
Suction unit	13	1	12	2	6	3	3	3	0	11	2	1
Surgical instrument set	11	0	10	1	5	2	0	0	2	11	0	0

Samarkand oblast

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		Europe /USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
X-ray	0	0	0	0	0	0	0	0	0	0	0	0
General X-ray apparatus	14	3	11	1	7	4	1	4	0	11	3	3
Fluoroscopy	12	2	10	1	3	5	1	1	0	9	4	1
Dental X-ray apparatus	8	3	5	0	4	3	0	1	0	6	2	1
Mobile X-ray apparatus	6	1	5	0	3	2	0	1	0	4	0	2
Film developing machine	9	2	7	1	3	1	0	4	1	8	1	0
X-ray film illuminator	10	2	9	0	5	3	1	1	1	8	0	1
Ultrasound apparatus	11	3	8	1	3	4	2	5	0	10	0	1
Laboratory	0	0	0	0	0	0	0	0	0	0	0	0
Biochemistry analyzer	7	2	6	0	3	2	2	2	0	7	0	1
Spectrophotometer	14	1	13	1	7	6	2	1	0	10	2	4
Blood cell counter	13	2	11	2	5	5	2	4	1	11	1	2
Electrolyte analyzer	8	2	6	0	4	2	1	2	0	7	0	0
Blood gas analyzer	13	1	13	0	6	3	2	1	1	13	2	0
Microscope	1	0	2	0	0	1	0	0	0	1	0	1
Centrifuge	2	1	1	0	1	1	0	0	0	2	0	1
Refrigerator	14	3	13	2	9	4	1	3	1	14	1	4
Incubator	14	2	12	2	6	6	4	3	1	13	1	4
Distillator	4	1	3	1	1	2	0	2	0	3	0	0
Analytical balance	13	2	12	1	9	5	1	3	0	12	3	2
Diagnostic Out patient	0	0	0	0	0	0	0	0	0	0	0	0
Stethoscope	11	1	11	2	4	5	2	2	1	11	1	1
Ophthalmoscope	10	0	10	0	6	1	2	1	1	9	1	0
Otoscope	4	0	4	0	1	1	2	0	0	4	0	1
Blood pressure apparatus	13	2	12	1	3	6	3	5	4	13	3	2
Height measuring scale	13	1	12	2	6	5	1	3	1	12	0	0
Weighting scale	12	0	12	1	6	7	0	3	2	11	3	1
ECG apparatus	13	2	10	3	8	3	3	5	1	10	6	4
Spirometer	4	1	3	0	1	2	1	1	0	3	1	1
Obstetrics and gynecology	0	0	0	0	0	0	0	0	0	0	0	0
Examination table	12	1	12	2	8	7	3	4	3	12	2	1
Basic instrument set	11	0	12	2	7	4	2	3	2	11	3	2
Colposcope	11	0	11	1	6	3	3	2	2	10	0	0
Operation mobile light	5	0	5	0	2	2	1	0	0	4	1	0
Delivery bed	9	0	9	0	6	3	1	1	1	8	2	0
Fetal monitor	11	0	10	1	8	3	2	3	1	11	2	0
Vacuum extractor	2	0	2	0	0	1	0	0	0	1	0	0
Infant incubator	10	0	10	0	7	2	2	1	1	8	2	1
Infant warmer	10	1	8	2	4	5	2	1	0	6	3	2
Baby scale	8	0	7	2	3	4	1	1	0	5	3	0
Emergency	0	0	0	0	0	0	0	0	0	0	0	0
Ambulance vehicle	12	0	10	6	3	5	3	5	0	12	3	3
Stretcher	11	1	10	0	7	4	2	3	2	9	0	2
Reanimation set	11	3	8	1	6	2	2	2	2	10	0	1
Defibrillator	12	1	9	1	3	4	3	2	0	7	2	1
Laryngoscope	13	2	11	1	4	5	2	4	0	12	0	1
Aspirator	6	1	6	0	0	4	2	1	0	6	1	1
Instrument (minor surgery)	6	1	4	3	3	0	3	3	1	6	0	1
Examination light	9	1	9	0	1	5	3	1	1	8	1	0
Central supply	0	0	0	0	0	0	0	0	0	0	0	0
Sterilizer/ Autoclave	14	1	11	2	8	5	2	5	1	11	6	4
Instrument cabinet	4	0	2	1	1	1	0	0	0	3	0	1
Dental	0	0	0	0	0	0	0	0	0	0	0	0
Dental chair unit	13	0	13	0	9	5	5	2	0	12	3	2
Endoscopy	0	0	0	0	0	0	0	0	0	0	0	0
Gastro-fiberscope	10	1	9	1	5	4	1	1	0	7	1	2
Colono-fiberscope	6	1	5	1	3	2	1	1	0	2	0	2
Operation theatre	0	0	0	0	0	0	0	0	0	0	0	0
Operation table	14	0	13	2	9	3	3	4	1	12	2	2
Operation ceiling light	13	1	12	1	7	3	4	3	1	11	2	1
Anesthetic apparatus	9	0	8	3	5	1	1	4	1	7	0	2
Ventilator	9	0	8	1	5	1	2	2	0	9	0	0
Patient monitor	5	0	2	3	1	0	2	2	0	4	0	1
Electric coagulator	8	1	7	1	3	3	1	1	1	8	0	1
Suction unit	14	2	13	2	8	3	3	5	1	11	4	4
Surgical instrument set	14	1	12	2	8	1	3	4	1	12	1	2

Fergana oblast

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		Europe /USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
X-ray	0	0	0	0	0	0	0	0	0	0	0	0
General X-ray apparatus	6	2	5	0	3	5	0	1	0	6	1	1
Fluoroscopy	5	1	2	2	3	1	0	0	0	4	0	1
Dental X-ray apparatus	5	3	1	0	1	2	1	1	0	5	0	0
Mobile X-ray apparatus	5	2	2	3	3	1	0	1	0	3	1	0
Film developing machine	5	1	4	0	1	2	0	0	1	4	1	0
X-ray film illuminator	7	3	4	0	2	5	0	3	0	6	0	1
Ultrasound apparatus	6	2	3	1	1	3	2	1	3	4	0	0
Laboratory	0	0	0	0	0	0	0	0	0	0	0	0
Biochemistry analyzer	6	6	0	0	0	2	0	2	2	6	1	0
Spectrophotometer	7	3	5	2	2	2	2	0	3	6	2	1
Blood cell counter	6	3	4	0	1	2	3	0	1	6	0	0
Electrolyte analyzer	6	3	1	3	0	2	2	1	1	5	1	0
Blood gas analyzer	6	1	5	1	1	4	2	0	1	6	1	0
Microscope	2	0	1	1	2	0	0	0	0	2	0	0
Centrifuge	1	0	0	1	0	1	0	0	0	1	0	0
Refrigerator	7	5	4	3	2	3	1	2	3	7	1	0
Incubator	7	5	5	2	4	4	1	3	2	7	1	1
Distillator	6	4	3	1	1	3	1	1	1	5	0	2
Analytical balance	7	2	6	1	3	3	2	1	1	6	2	1
Diagnostic Out patient	0	0	0	0	0	0	0	0	0	0	0	0
Stethoscope	6	3	4	1	1	2	4	1	1	6	0	0
Ophthalmoscope	7	4	2	1	1	3	1	0	2	5	1	0
Otoscope	6	4	2	0	2	2	0	0	2	5	0	0
Blood pressure apparatus	7	3	5	4	0	3	4	5	4	7	1	1
Height measuring scale	7	3	5	1	2	4	2	1	1	7	0	0
Weighting scale	7	3	5	1	0	5	4	2	1	7	1	0
ECG apparatus	7	5	4	4	2	5	4	1	3	7	1	1
Spirometer	3	1	2	0	1	2	0	0	0	2	0	1
Obstetrics and gynecology	0	0	0	0	0	0	0	0	0	0	0	0
Examination table	7	2	7	0	3	3	2	0	1	7	1	1
Basic instrument set	6	1	5	2	1	5	1	1	0	6	1	2
Colposcope	5	1	3	1	1	2	1	0	1	5	0	0
Operation mobile light	6	0	5	1	4	1	0	0	1	5	1	1
Delivery bed	5	1	3	1	0	5	0	0	0	5	0	0
Fetal monitor	5	2	4	1	1	4	0	1	0	5	0	0
Vacuum extractor	2	0	0	2	0	0	1	0	1	2	0	0
Infant incubator	4	0	3	1	1	2	1	0	0	4	1	0
Infant warmer	4	2	4	2	2	2	3	0	0	4	1	1
Baby scale	5	1	3	2	1	3	1	0	1	5	0	0
Emergency	0	0	0	0	0	0	0	0	0	0	0	0
Ambulance vehicle	6	3	5	5	2	5	3	3	1	6	3	3
Stretcher	6	2	4	3	3	3	1	1	2	6	1	1
Resuscitation set	2	1	0	1	0	1	0	1	0	2	0	0
Defibrillator	5	3	3	1	2	0	3	0	1	5	2	0
Laryngoscope	7	4	3	1	2	0	1	3	1	6	1	0
Aspirator	3	1	1	1	0	1	1	1	0	3	1	0
Instrument (minor surgery)	5	2	1	2	3	1	1	1	0	4	1	1
Examination light	5	2	2	1	1	2	1	1	0	3	0	0
Central supply	0	0	0	0	0	0	0	0	0	0	0	0
Sterilizer/ Autoclave	7	2	7	1	3	6	2	0	1	7	3	3
Instrument cabinet	3	0	1	2	1	2	0	0	0	3	0	0
Dental	0	0	0	0	0	0	0	0	0	0	0	0
Dental chair unit	6	3	3	2	4	2	2	2	0	5	1	1
Endoscopy	0	0	0	0	0	0	0	0	0	0	0	0
Gastro-fiberscope	2	0	1	1	1	1	0	0	0	2	0	0
Colono-fiberscope	2	1	0	1	0	1	1	0	0	2	0	0
Operation theatre	0	0	0	0	0	0	0	0	0	0	0	0
Operation table	7	2	6	3	4	6	1	1	0	7	1	0
Operation ceiling light	7	3	7	1	5	4	1	0	1	7	1	0
Anesthetic apparatus	6	2	5	2	4	3	1	1	0	6	1	0
Ventilator	4	1	3	1	1	2	1	1	0	4	1	1
Patient monitor	3	0	2	2	1	3	1	0	0	3	1	0
Electric coagulator	6	3	3	3	3	4	1	0	1	5	2	0
Suction unit	6	2	4	1	5	3	2	1	1	6	2	0
Surgical instrument set	6	1	4	2	3	3	2	0	0	6	1	0

Ray	(54 Counts)											
	Q'ty	Country of origin			Manufacturing year					Operational condition		
		Europe	USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair
X-ray	0	0	0	0	0	0	0	0	0	0	0	0
General X-ray apparatus	50	6	44	5	27	22	3	4	0	46	8	7
Fluoroscopy	41	3	32	8	21	13	4	0	0	35	7	2
Dental X-ray apparatus	26	5	19	1	12	8	2	2	0	19	3	4
Mobile X-ray apparatus	25	3	20	5	12	9	3	1	0	17	6	5
Film developing machine	28	3	25	1	8	5	1	2	10	24	1	0
X-ray film illuminator	43	5	34	4	17	18	5	4	1	33	2	2
Ultrasound apparatus	40	12	18	12	4	16	12	8	5	32	3	2
Laboratory	0	0	0	0	0	0	0	0	0	0	0	0
Biochemistry analyzer	26	11	14	1	7	7	3	6	3	22	2	2
Spectrophotometer	45	5	39	6	11	18	8	6	6	37	9	8
Blood cell counter	44	4	40	5	14	17	11	7	4	39	5	5
Electrolyte analyzer	28	5	19	4	5	12	4	4	2	22	1	3
Blood gas analyzer	37	3	33	2	15	12	5	3	2	32	4	2
Microscope	8	0	8	2	4	1	1	1	0	4	2	4
Centrifuge	4	1	2	1	0	4	0	0	0	4	1	1
Refrigerator	47	12	44	5	18	22	6	11	6	44	8	7
Incubator	48	7	43	7	16	22	10	7	3	45	8	7
Distillator	18	7	9	3	3	8	2	6	2	13	2	4
Analytical balance	46	3	44	3	21	22	6	5	1	42	14	7
Diagnostic Out patient	0	0	0	0	0	0	0	0	0	0	0	0
Stethoscope	38	6	36	2	10	12	17	9	6	35	3	2
Ophthalmoscope	40	7	33	3	16	11	8	5	4	36	5	0
Otoscope	23	3	18	0	6	10	9	1	1	20	0	2
Blood pressure apparatus	45	6	41	15	6	13	15	21	15	42	10	8
Height measuring scale	44	6	40	8	12	16	12	15	7	40	4	3
Weighting scale	42	7	39	7	10	17	12	16	6	38	6	6
ECG apparatus	47	11	42	14	13	19	19	17	8	42	18	9
Spirometer	14	2	11	2	3	6	3	3	1	10	1	3
Obstetrics and gynecology	0	0	0	0	0	0	0	0	0	0	0	0
Examination table	46	4	47	4	23	25	14	9	8	46	7	7
Basic instrument set	43	3	39	11	13	21	10	7	4	39	9	9
Colposcope	36	5	32	4	12	14	13	3	5	34	1	2
Operation mobile light	26	1	21	5	11	10	5	1	1	20	3	6
Delivery bed	28	4	25	3	9	15	5	3	1	24	5	1
Fetal monitor	42	4	40	5	17	21	8	5	2	41	3	2
Vacuum extractor	7	0	6	3	1	1	2	0	2	6	2	1
Infant incubator	35	1	34	4	14	13	9	2	1	28	4	4
Infant warmer	37	11	23	15	9	20	11	3	0	32	6	5
Baby scale	31	3	25	9	6	16	7	4	1	27	5	3
Emergency	0	0	0	0	0	0	0	0	0	0	0	0
Ambulance vehicle	42	4	31	29	7	19	23	19	1	41	19	12
Stretcher	39	2	35	12	13	17	16	9	3	35	3	6
Reanimation set	28	8	18	3	8	6	7	6	3	24	0	3
Defibrillator	34	8	23	3	7	11	10	2	1	21	6	4
Laryngoscope	42	11	29	4	10	12	12	12	0	37	5	2
Aspirator	19	5	15	1	1	6	9	6	0	18	4	4
Instrument (minor surgery)	30	4	23	4	12	6	9	4	1	26	1	2
Examination light	30	4	24	3	7	11	7	3	3	22	3	2
Central supply	0	0	0	0	0	0	0	0	0	0	0	0
Sterilizer/ Autoclave	46	6	47	4	18	23	11	6	5	44	17	12
Instrument cabinet	16	0	10	4	6	6	0	0	0	16	1	1
Dental	0	0	0	0	0	0	0	0	0	0	0	0
Dental chair unit	43	4	40	5	24	18	12	8	1	41	13	7
Endoscopy	0	0	0	0	0	0	0	0	0	0	0	0
Gastro-fiberscope	32	7	25	5	8	14	8	3	1	26	7	6
Colono-fiberscope	16	5	10	3	3	6	6	1	0	9	1	4
Operation theatre	0	0	0	0	0	0	0	0	0	0	0	0
Operation table	47	4	41	11	23	21	8	7	3	42	6	5
Operation ceiling light	44	5	40	6	18	19	10	4	1	39	6	3
Anesthetic apparatus	38	2	34	7	15	14	7	6	3	35	6	8
Ventilator	25	2	21	3	8	6	5	5	2	22	3	3
Patient monitor	20	5	10	7	3	9	7	3	3	17	2	3
Electric coagulator	38	8	28	7	15	14	6	5	2	33	7	6
Suction unit	45	4	39	6	24	11	13	9	2	39	12	6
Surgical instrument set	43	3	39	4	19	13	8	8	6	42	2	2

Oblast (15 Counts)

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		Europe /USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
X-ray	0	0	0	0	0	0	0	0	0	0	0	0
General X-ray apparatus	8	3	4	4	4	4	1	4	0	7	1	3
Fluoroscopy	3	0	2	1	1	1	0	1	0	2	1	0
Dental X-ray apparatus	3	1	2	0	0	3	0	0	0	3	0	0
Mobile X-ray apparatus	8	2	5	2	4	2	1	2	1	7	0	0
Film developing machine	6	2	3	2	1	0	0	3	3	5	1	1
X-ray film illuminator	10	2	8	2	4	5	2	2	1	9	0	4
Ultrasound apparatus	12	3	3	7	4	5	2	5	1	11	0	1
Laboratory	0	0	0	0	0	0	0	0	0	0	0	0
Biochemistry analyzer	9	3	3	3	1	2	2	3	1	8	0	1
Spectrophotometer	14	0	12	1	6	4	5	2	0	11	1	2
Blood cell counter	12	3	11	3	7	2	1	5	1	11	1	1
Electrolyte analyzer	9	3	5	1	3	1	2	2	1	8	0	1
Blood gas analyzer	12	1	8	2	4	4	4	1	0	8	1	2
Microscope	6	2	4	0	1	2	1	1	0	5	0	2
Centrifuge	4	2	2	0	1	0	1	1	0	2	0	3
Refrigerator	14	6	10	4	6	7	1	5	1	11	0	3
Incubator	14	4	11	2	7	7	4	3	1	12	1	2
Distillator	7	2	4	2	2	2	1	3	0	7	0	0
Analytical balance	14	2	12	1	9	4	3	1	0	12	1	0
Diagnostic Out patient	0	0	0	0	0	0	0	0	0	0	0	0
Stethoscope	11	2	7	4	1	3	1	3	1	9	1	0
Ophthalmoscope	6	1	3	2	0	1	2	1	2	5	0	0
Otoscope	7	1	6	0	2	2	1	1	1	7	0	0
Blood pressure apparatus	13	4	11	0	2	4	3	2	4	12	2	2
Height measuring scale	13	1	12	1	5	5	2	0	2	11	1	0
Weighting scale	13	1	12	1	5	4	3	3	0	11	2	0
ECG apparatus	13	4	10	6	7	6	2	6	2	10	1	5
Spirometer	5	2	3	1	0	1	1	2	2	5	0	1
Obstetrics and gynecology	0	0	0	0	0	0	0	0	0	0	0	0
Examination table	13	2	12	3	3	6	4	2	1	11	0	0
Basic instrument set	8	2	5	3	3	3	1	1	0	6	3	2
Colposcope	11	1	8	3	3	2	3	3	1	8	0	0
Operation mobile light	8	0	6	0	4	1	0	1	0	5	0	1
Delivery bed	11	0	9	1	5	3	2	0	0	9	0	1
Fetal monitor	6	1	3	3	4	2	0	1	0	5	0	1
Vacuum extractor	3	1	1	0	0	2	0	0	0	1	0	0
Infant incubator	3	0	2	0	1	0	1	0	0	1	0	1
Infant warmer	6	3	4	1	2	2	1	2	0	5	1	1
Baby scale	7	3	2	2	2	2	0	2	1	6	1	0
Emergency	0	0	0	0	0	0	0	0	0	0	0	0
Ambulance vehicle	8	0	4	4	0	1	2	4	1	7	0	0
Stretcher	12	2	7	3	3	3	2	3	2	10	0	1
Reanimation set	6	2	5	1	3	0	1	2	1	6	0	1
Defibrillator	11	2	5	3	3	2	2	1	2	9	0	1
Laryngoscope	12	3	8	3	2	3	2	3	3	11	0	1
Aspirator	7	0	5	2	0	2	2	2	2	6	0	2
Instrument (minor surgery)	11	1	7	3	2	1	5	3	1	9	0	2
Examination light	11	2	7	2	0	4	4	0	2	10	0	0
Central supply	0	0	0	0	0	0	0	0	0	0	0	0
Sterilizer/ Autoclave	14	3	10	5	5	2	6	4	1	11	3	3
Instrument cabinet	6	0	5	0	2	0	2	0	0	4	0	0
Dental	0	0	0	0	0	0	0	0	0	0	0	0
Dental chair unit	11	4	8	4	4	3	5	1	1	8	1	1
Endoscopy	0	0	0	0	0	0	0	0	0	0	0	0
Gastro-fiberscope	7	0	3	6	1	2	3	2	1	6	1	2
Colono-fiberscope	6	0	2	4	2	0	3	0	1	5	1	1
Operation theatre	0	0	0	0	0	0	0	0	0	0	0	0
Operation table	11	1	11	3	7	3	3	4	1	11	1	1
Operation ceiling light	10	3	8	1	6	4	2	2	2	9	0	1
Anesthetic apparatus	10	2	10	4	4	4	1	3	3	11	0	1
Ventilator	6	1	4	1	0	3	1	1	2	6	0	0
Patient monitor	7	1	2	5	1	0	0	4	1	6	0	1
Electric coagulator	9	2	6	4	4	3	1	2	3	9	0	2
Suction unit	11	3	9	3	4	4	2	7	3	10	1	6
Surgical instrument set	11	3	9	2	4	0	3	4	1	10	1	1

Tashkent oblast

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		Europe /USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
X-ray												
General X-ray apparatus	8.6%	0.0%	85.7%	14.3%	42.9%	42.9%	14.3%	0.0%	0.0%	75.0%	16.7%	16.7%
Fluoroscopy	11.4%	0.0%	80.0%	20.0%	50.0%	50.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Dental X-ray apparatus	13.8%	0.0%	100.0%	0.0%	25.0%	50.0%	25.0%	0.0%	0.0%	75.0%	0.0%	100.0%
Mobile X-ray apparatus	9.1%	25.0%	75.0%	0.0%	25.0%	50.0%	25.0%	0.0%	0.0%	66.7%	0.0%	25.0%
Film developing machine	8.8%	0.0%	100.0%	0.0%	33.3%	0.0%	33.3%	0.0%	33.3%	100.0%	0.0%	0.0%
X-ray film illuminator	9.4%	0.0%	75.0%	25.0%	33.3%	50.0%	16.7%	0.0%	0.0%	83.3%	0.0%	12.5%
Ultrasound apparatus	9.6%	0.0%	20.0%	80.0%	0.0%	57.1%	26.6%	0.0%	14.3%	80.0%	25.0%	0.0%
Laboratory												
Biochemistry analyzer	5.7%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	100.0%	0.0%	0.0%
Spectrophotometer	6.8%	0.0%	83.3%	16.7%	0.0%	80.0%	20.0%	0.0%	0.0%	62.5%	25.0%	12.5%
Blood cell counter	8.9%	0.0%	100.0%	0.0%	16.7%	83.3%	0.0%	0.0%	0.0%	75.0%	16.7%	16.7%
Electrolyte analyzer	5.4%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	66.7%	0.0%	25.0%
Blood gas analyzer	8.2%	0.0%	100.0%	0.0%	50.0%	25.0%	25.0%	0.0%	0.0%	75.0%	0.0%	25.0%
Microscope	14.3%	0.0%	50.0%	50.0%	0.0%	0.0%	100.0%	0.0%	0.0%	25.0%	20.0%	40.0%
Centrifuge	12.5%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	33.3%	33.3%	33.3%
Refrigerator	8.2%	0.0%	100.0%	0.0%	16.7%	66.7%	16.7%	0.0%	0.0%	71.4%	14.3%	14.3%
Incubator	8.1%	12.5%	62.5%	25.0%	12.5%	62.5%	12.5%	0.0%	12.5%	60.0%	28.6%	28.6%
Distillator	8.0%	100.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	50.0%	100.0%	0.0%	0.0%
Analytical balance	8.3%	0.0%	85.7%	14.3%	14.3%	71.4%	14.3%	0.0%	0.0%	66.7%	33.3%	16.7%
Diagnostic Out patient												
Stethoscope	8.2%	0.0%	100.0%	0.0%	20.0%	0.0%	60.0%	0.0%	20.0%	80.0%	20.0%	0.0%
Ophthalmoscope	8.7%	0.0%	100.0%	0.0%	20.0%	40.0%	40.0%	0.0%	0.0%	80.0%	25.0%	0.0%
Otoscope	6.7%	0.0%	100.0%	0.0%	33.3%	33.3%	33.3%	0.0%	0.0%	100.0%	0.0%	0.0%
Blood pressure apparatus	8.6%	0.0%	75.0%	25.0%	0.0%	16.7%	66.7%	0.0%	16.7%	55.6%	25.0%	25.0%
Height measuring scale	8.8%	0.0%	75.0%	25.0%	16.7%	66.7%	16.7%	0.0%	0.0%	55.6%	33.3%	33.3%
Weighting scale	9.1%	0.0%	85.7%	14.3%	14.3%	42.9%	28.6%	14.3%	0.0%	55.6%	14.3%	42.9%
ECG apparatus	8.3%	0.0%	75.0%	25.0%	12.5%	25.0%	50.0%	12.5%	0.0%	55.6%	33.3%	11.1%
Spirometer	10.5%	0.0%	66.7%	33.3%	0.0%	25.0%	25.0%	25.0%	25.0%	100.0%	0.0%	0.0%
Obstetrics and gynecology												
Examination table	8.5%	0.0%	85.7%	14.3%	42.9%	28.6%	14.3%	14.3%	0.0%	75.0%	16.7%	16.7%
Basic instrument set	9.8%	0.0%	85.7%	14.3%	0.0%	66.7%	16.7%	16.7%	0.0%	62.5%	33.3%	16.7%
Colposcope	8.5%	14.3%	57.1%	28.6%	42.9%	14.3%	28.6%	14.3%	0.0%	80.0%	20.0%	0.0%
Operation mobile light	11.8%	0.0%	66.7%	33.3%	50.0%	16.7%	16.7%	16.7%	0.0%	57.1%	33.3%	66.7%
Delivery bed	7.7%	0.0%	75.0%	25.0%	20.0%	40.0%	20.0%	20.0%	0.0%	75.0%	16.7%	0.0%
Fetal monitor	10.4%	0.0%	85.7%	14.3%	25.0%	50.0%	12.5%	12.5%	0.0%	100.0%	0.0%	0.0%
Vacuum extractor	0.0%	0.0%	100.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%
Infant incubator	10.5%	0.0%	83.3%	16.7%	33.3%	16.7%	33.3%	16.7%	0.0%	60.0%	0.0%	200.0%
Infant warmer	11.6%	22.2%	44.4%	33.3%	0.0%	55.6%	11.1%	33.3%	0.0%	85.7%	25.0%	0.0%
Baby scale	13.2%	25.0%	50.0%	25.0%	0.0%	50.0%	12.5%	37.5%	0.0%	85.7%	33.3%	0.0%
Emergency												
Ambulance vehicle	8.0%	0.0%	42.9%	57.1%	10.0%	20.0%	50.0%	20.0%	0.0%	55.6%	50.0%	50.0%
Stretcher	7.8%	0.0%	57.1%	42.9%	12.5%	25.0%	37.5%	25.0%	0.0%	66.7%	16.7%	16.7%
Reanimation set	11.8%	33.3%	50.0%	16.7%	0.0%	20.0%	40.0%	40.0%	0.0%	100.0%	0.0%	0.0%
Defibrillator	8.9%	0.0%	100.0%	0.0%	0.0%	50.0%	50.0%	0.0%	0.0%	60.0%	16.7%	16.7%
Laryngoscope	9.3%	20.0%	80.0%	0.0%	16.7%	33.3%	33.3%	16.7%	0.0%	71.4%	20.0%	20.0%
Aspirator	7.7%	33.3%	66.7%	0.0%	0.0%	0.0%	50.0%	50.0%	0.0%	100.0%	0.0%	0.0%
Instrument (minor surgery)	9.8%	25.0%	75.0%	0.0%	20.0%	20.0%	20.0%	40.0%	0.0%	100.0%	0.0%	0.0%
Examination light	7.3%	0.0%	100.0%	0.0%	25.0%	25.0%	25.0%	25.0%	0.0%	100.0%	0.0%	0.0%
Central supply												
Sterilizer/ Autoclave	8.3%	12.5%	75.0%	12.5%	37.5%	25.0%	12.5%	12.5%	12.5%	60.0%	42.9%	14.3%
Instrument cabinet	9.1%	0.0%	100.0%	0.0%	50.0%	50.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Dental												
Dental chair unit	9.3%	0.0%	85.7%	14.3%	37.5%	25.0%	12.5%	12.5%	12.5%	66.7%	37.5%	0.0%
Endoscopy												
Gastro-fiberscope	10.3%	0.0%	80.0%	20.0%	0.0%	50.0%	33.3%	16.7%	0.0%	57.1%	40.0%	20.0%
Colono-fiberscope	0.0%									0.0%	0.0%	0.0%
Operation theatre												
Operation table	8.6%	16.7%	83.3%	0.0%	14.3%	42.9%	14.3%	28.6%	0.0%	83.3%	14.3%	0.0%
Operation ceiling light	9.3%	16.7%	83.3%	0.0%	16.7%	50.0%	16.7%	16.7%	0.0%	100.0%	0.0%	0.0%
Anesthetic apparatus	10.4%	0.0%	100.0%	0.0%	20.0%	40.0%	20.0%	20.0%	0.0%	100.0%	0.0%	0.0%
Ventilator	6.5%	0.0%	100.0%	0.0%	0.0%	0.0%	50.0%	50.0%	0.0%	100.0%	0.0%	0.0%
Patient monitor	14.8%	33.3%	66.7%	0.0%	0.0%	25.0%	50.0%	25.0%	0.0%	100.0%	0.0%	0.0%
Electric coagulator	10.6%	0.0%	100.0%	0.0%	28.6%	42.9%	14.3%	14.3%	0.0%	62.5%	16.7%	33.3%
Suction unit	8.8%	0.0%	100.0%	0.0%	42.9%	28.6%	14.3%	14.3%	0.0%	62.5%	20.0%	10.0%
Surgical instrument set	7.4%	0.0%	100.0%	0.0%	14.3%	28.6%	0.0%	28.6%	28.6%	100.0%	0.0%	0.0%

Tashkent city

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		Europe /USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
X-ray												
General X-ray apparatus	6.9%	33.3%	33.3%	33.3%	16.7%	66.7%	0.0%	16.7%	0.0%	66.7%	0.0%	33.3%
Fluoroscopy	2.3%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Dental X-ray apparatus	3.4%	0.0%	50.0%	50.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Mobile X-ray apparatus	15.2%	0.0%	60.0%	40.0%	33.3%	33.3%	16.7%	0.0%	16.7%	100.0%	0.0%	0.0%
Film developing machine	11.8%	33.3%	50.0%	16.7%	20.0%	0.0%	0.0%	20.0%	60.0%	80.0%	0.0%	20.0%
X-ray film illuminator	13.2%	0.0%	75.0%	25.0%	22.2%	44.4%	22.2%	0.0%	11.1%	75.0%	0.0%	25.0%
Ultrasound apparatus	9.6%	28.6%	14.3%	57.1%	33.3%	22.2%	11.1%	22.2%	11.1%	100.0%	0.0%	0.0%
Laboratory												
Biochemistry analyzer	14.3%	28.6%	28.6%	42.9%	20.0%	20.0%	40.0%	0.0%	20.0%	80.0%	0.0%	20.0%
Spectrophotometer	11.9%	0.0%	77.8%	22.2%	37.5%	25.0%	25.0%	12.5%	0.0%	75.0%	0.0%	25.0%
Blood cell counter	8.9%	12.5%	75.0%	12.5%	50.0%	16.7%	16.7%	16.7%	0.0%	83.3%	0.0%	16.7%
Electrolyte analyzer	10.8%	40.0%	60.0%	0.0%	50.0%	0.0%	25.0%	0.0%	25.0%	75.0%	0.0%	25.0%
Blood gas analyzer	10.2%	16.7%	50.0%	33.3%	40.0%	20.0%	20.0%	20.0%	0.0%	50.0%	0.0%	50.0%
Microscope	35.7%	33.3%	66.7%	0.0%	25.0%	25.0%	25.0%	25.0%	0.0%	80.0%	0.0%	20.0%
Centrifuge	37.5%	66.7%	33.3%	0.0%	0.0%	0.0%	50.0%	50.0%	0.0%	33.3%	0.0%	66.7%
Refrigerator	9.8%	27.3%	45.5%	27.3%	37.5%	25.0%	12.5%	25.0%	0.0%	71.4%	0.0%	28.6%
Incubator	9.7%	12.5%	75.0%	12.5%	25.0%	37.5%	25.0%	12.5%	0.0%	85.7%	0.0%	14.3%
Distillator	20.0%	16.7%	66.7%	16.7%	40.0%	20.0%	20.0%	20.0%	0.0%	100.0%	0.0%	0.0%
Analytical balance	10.0%	12.5%	75.0%	12.5%	57.1%	14.3%	14.3%	14.3%	0.0%	100.0%	0.0%	0.0%
Diagnostic Out patient												
Stethoscope	10.2%	16.7%	66.7%	16.7%	25.0%	25.0%	25.0%	0.0%	25.0%	100.0%	0.0%	0.0%
Ophthalmoscope	8.7%	20.0%	60.0%	20.0%	0.0%	25.0%	50.0%	0.0%	25.0%	100.0%	0.0%	0.0%
Otoscope	13.3%	0.0%	100.0%	0.0%	25.0%	50.0%	25.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Blood pressure apparatus	10.3%	25.0%	75.0%	0.0%	14.3%	28.6%	14.3%	0.0%	42.9%	75.0%	0.0%	25.0%
Height measuring scale	10.5%	0.0%	87.5%	12.5%	28.6%	28.6%	14.3%	0.0%	28.6%	100.0%	0.0%	0.0%
Weighting scale	10.9%	12.5%	75.0%	12.5%	28.6%	28.6%	28.6%	14.3%	0.0%	85.7%	14.3%	0.0%
ECG apparatus	10.0%	20.0%	50.0%	30.0%	27.3%	36.4%	0.0%	18.2%	18.2%	55.6%	0.0%	44.4%
Spirometer	15.8%	25.0%	50.0%	25.0%	0.0%	25.0%	0.0%	25.0%	50.0%	75.0%	0.0%	25.0%
Obstetrics and gynecology												
Examination table	10.2%	20.0%	60.0%	20.0%	11.1%	44.4%	11.1%	22.2%	11.1%	100.0%	0.0%	0.0%
Basic instrument set	7.8%	33.3%	50.0%	16.7%	50.0%	25.0%	25.0%	0.0%	0.0%	50.0%	16.7%	33.3%
Colposcope	12.8%	14.3%	71.4%	14.3%	14.3%	14.3%	28.6%	28.6%	14.3%	100.0%	0.0%	0.0%
Operation mobile light	11.8%	0.0%	100.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	66.7%	0.0%	33.3%
Delivery bed	15.4%	0.0%	100.0%	0.0%	50.0%	33.3%	16.7%	0.0%	0.0%	83.3%	0.0%	16.7%
Fetal monitor	6.3%	20.0%	60.0%	20.0%	75.0%	25.0%	0.0%	0.0%	0.0%	75.0%	0.0%	25.0%
Vacuum extractor	10.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Infant incubator	2.6%	0.0%	100.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%
Infant warmer	7.0%	50.0%	50.0%	0.0%	66.7%	0.0%	0.0%	33.3%	0.0%	75.0%	0.0%	25.0%
Baby scale	7.9%	66.7%	33.3%	0.0%	66.7%	0.0%	0.0%	33.3%	0.0%	100.0%	0.0%	0.0%
Emergency												
Ambulance vehicle	8.0%	16.7%	16.7%	66.7%	0.0%	0.0%	20.0%	60.0%	20.0%	100.0%	0.0%	0.0%
Stretcher	11.8%	12.5%	62.5%	25.0%	28.6%	14.3%	14.3%	28.6%	14.3%	100.0%	0.0%	0.0%
Reanimation set	8.8%	25.0%	75.0%	0.0%	66.7%	0.0%	0.0%	33.3%	0.0%	75.0%	0.0%	25.0%
Defibrillator	11.1%	28.6%	42.9%	28.6%	40.0%	20.0%	20.0%	0.0%	20.0%	83.3%	0.0%	16.7%
Laryngoscope	9.3%	25.0%	62.5%	12.5%	16.7%	33.3%	16.7%	16.7%	16.7%	100.0%	0.0%	0.0%
Aspirator	11.5%	20.0%	40.0%	40.0%	0.0%	20.0%	20.0%	20.0%	40.0%	60.0%	0.0%	40.0%
Instrument (minor surgery)	14.6%	14.3%	71.4%	14.3%	14.3%	28.6%	28.6%	14.3%	14.3%	85.7%	0.0%	14.3%
Examination light	12.2%	33.3%	50.0%	16.7%	0.0%	20.0%	60.0%	0.0%	20.0%	100.0%	0.0%	0.0%
Central supply												
Sterilizer/ Autoclave	11.7%	0.0%	80.0%	20.0%	22.2%	0.0%	55.6%	11.1%	11.1%	85.7%	0.0%	14.3%
Instrument cabinet	18.2%	0.0%	100.0%	0.0%	50.0%	0.0%	50.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Dental												
Dental chair unit	13.0%	36.4%	36.4%	27.3%	25.0%	37.5%	25.0%	0.0%	12.5%	87.5%	0.0%	12.5%
Endoscopy												
Gastro-fiberscope	10.3%	16.7%	16.7%	66.7%	0.0%	20.0%	40.0%	20.0%	20.0%	60.0%	20.0%	20.0%
Colono-fiberscope	13.6%	25.0%	25.0%	50.0%	0.0%	0.0%	66.7%	0.0%	33.3%	50.0%	25.0%	25.0%
Operation theatre												
Operation table	10.3%	11.1%	66.7%	22.2%	44.4%	11.1%	11.1%	22.2%	11.1%	85.7%	14.3%	0.0%
Operation ceiling light	11.1%	28.6%	57.1%	14.3%	37.5%	25.0%	12.5%	12.5%	12.5%	83.3%	0.0%	16.7%
Anesthetic apparatus	10.4%	11.1%	66.7%	22.2%	28.6%	28.6%	0.0%	14.3%	28.6%	85.7%	0.0%	14.3%
Ventilator	16.1%	16.7%	66.7%	16.7%	0.0%	50.0%	0.0%	16.7%	33.3%	100.0%	0.0%	0.0%
Patient monitor	18.5%	14.3%	42.9%	42.9%	25.0%	0.0%	0.0%	50.0%	25.0%	80.0%	0.0%	20.0%
Electric coagulator	10.6%	25.0%	37.5%	37.5%	28.6%	28.6%	0.0%	14.3%	28.6%	83.3%	0.0%	16.7%
Suction unit	10.7%	28.6%	57.1%	14.3%	25.0%	25.0%	0.0%	25.0%	25.0%	50.0%	10.0%	40.0%
Surgical instrument set	13.0%	22.2%	66.7%	11.1%	25.0%	12.5%	37.5%	12.5%	12.5%	100.0%	0.0%	0.0%

Navoi oblast												
	Q'ty	Country of origin			Manufacturing year					Operational condition		
		Europe			1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
		/USA	Russia	Other								
X-ray												
General X-ray apparatus	8.6%	16.7%	50.0%	33.3%	16.7%	50.0%	16.7%	16.7%	0.0%	75.0%	25.0%	0.0%
Fluoroscopy	6.8%	0.0%	100.0%	0.0%	66.7%	0.0%	33.3%	0.0%	0.0%	66.7%	33.3%	0.0%
Dental X-ray apparatus	0.0%											
Mobile X-ray apparatus	6.1%	33.3%	66.7%	0.0%	33.3%	0.0%	33.3%	33.3%	0.0%	50.0%	50.0%	0.0%
Film developing machine	8.8%	0.0%	100.0%	0.0%	0.0%	33.3%	0.0%	0.0%	66.7%	100.0%	0.0%	0.0%
X-ray film illuminator	9.4%	0.0%	60.0%	40.0%	40.0%	20.0%	0.0%	40.0%	0.0%	75.0%	25.0%	0.0%
Ultrasound apparatus	7.7%	25.0%	25.0%	50.0%	0.0%	0.0%	0.0%	100.0%	0.0%	50.0%	33.3%	16.7%
Laboratory												
Biochemistry analyzer	11.4%	50.0%	50.0%	0.0%	0.0%	0.0%	0.0%	75.0%	25.0%	100.0%	0.0%	0.0%
Spectrophotometer	8.5%	33.3%	66.7%	0.0%	0.0%	16.7%	16.7%	50.0%	16.7%	75.0%	0.0%	25.0%
Blood cell counter	8.9%	14.3%	57.1%	28.6%	28.6%	28.6%	0.0%	28.6%	14.3%	60.0%	20.0%	20.0%
Electrolyte analyzer	10.8%	33.3%	0.0%	66.7%	0.0%	0.0%	0.0%	75.0%	25.0%	75.0%	0.0%	25.0%
Blood gas analyzer	8.2%	25.0%	75.0%	0.0%	25.0%	25.0%	0.0%	50.0%	0.0%	75.0%	25.0%	0.0%
Microscope	7.1%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%
Centrifuge	0.0%											
Refrigerator	8.2%	37.5%	50.0%	12.5%	25.0%	12.5%	0.0%	50.0%	12.5%	66.7%	16.7%	16.7%
Incubator	8.1%	33.3%	50.0%	16.7%	16.7%	16.7%	33.3%	33.3%	0.0%	80.0%	20.0%	0.0%
Distillator	20.0%	66.7%	33.3%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	50.0%	25.0%	25.0%
Analytical balance	8.3%	0.0%	100.0%	0.0%	40.0%	20.0%	20.0%	20.0%	0.0%	66.7%	16.7%	16.7%
Diagnostic Out patient												
Stethoscope	6.1%	0.0%	66.7%	33.3%	0.0%	20.0%	20.0%	40.0%	20.0%	33.3%	33.3%	33.3%
Ophthalmoscope	10.9%	0.0%	60.0%	40.0%	16.7%	16.7%	16.7%	33.3%	16.7%	80.0%	20.0%	0.0%
Otoscope	13.3%	0.0%	100.0%	0.0%	25.0%	25.0%	50.0%	0.0%	0.0%	66.7%	0.0%	33.3%
Blood pressure apparatus	6.9%	0.0%	66.7%	33.3%	0.0%	20.0%	40.0%	20.0%	20.0%	57.1%	28.6%	14.3%
Height measuring scale	8.8%	0.0%	100.0%	0.0%	28.6%	14.3%	28.6%	28.6%	0.0%	66.7%	16.7%	16.7%
Weighting scale	9.1%	12.5%	62.5%	25.0%	16.7%	16.7%	16.7%	33.3%	16.7%	66.7%	16.7%	16.7%
ECG apparatus	8.3%	33.3%	41.7%	25.0%	11.1%	22.2%	11.1%	44.4%	11.1%	57.1%	28.6%	14.3%
Spirometer	10.5%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	100.0%
Obstetrics and gynecology												
Examination table	8.5%	14.3%	71.4%	14.3%	16.7%	33.3%	16.7%	16.7%	16.7%	60.0%	20.0%	20.0%
Basic instrument set	7.8%	0.0%	60.0%	40.0%	0.0%	66.7%	33.3%	0.0%	0.0%	50.0%	25.0%	25.0%
Colposcope	8.5%	40.0%	60.0%	0.0%	0.0%	25.0%	50.0%	0.0%	25.0%	75.0%	0.0%	25.0%
Operation mobile light	8.8%	0.0%	100.0%	0.0%	0.0%	33.3%	66.7%	0.0%	0.0%	50.0%	0.0%	50.0%
Delivery bed	5.1%	50.0%	50.0%	0.0%	50.0%	0.0%	50.0%	0.0%	0.0%	66.7%	33.3%	0.0%
Fetal monitor	8.3%	20.0%	60.0%	20.0%	20.0%	0.0%	40.0%	20.0%	20.0%	60.0%	20.0%	20.0%
Vacuum extractor	20.0%	0.0%	66.7%	33.3%	0.0%	0.0%	100.0%	0.0%	0.0%	66.7%	33.3%	0.0%
Infant incubator	10.5%	25.0%	75.0%	0.0%	33.3%	33.3%	33.3%	0.0%	0.0%	66.7%	0.0%	33.3%
Infant warmer	7.0%	25.0%	50.0%	25.0%	0.0%	0.0%	100.0%	0.0%	0.0%	66.7%	33.3%	0.0%
Baby scale	5.3%	0.0%	66.7%	33.3%	0.0%	100.0%	0.0%	0.0%	0.0%	66.7%	0.0%	33.3%
Emergency												
Ambulance vehicle	6.0%	0.0%	50.0%	50.0%	0.0%	50.0%	0.0%	50.0%	0.0%	40.0%	40.0%	20.0%
Stretcher	5.9%	0.0%	66.7%	33.3%	0.0%	50.0%	0.0%	50.0%	0.0%	33.3%	33.3%	33.3%
Reanimation set	11.8%	0.0%	100.0%	0.0%	0.0%	0.0%	33.3%	33.3%	33.3%	66.7%	0.0%	33.3%
Defibrillator	8.9%	0.0%	100.0%	0.0%	33.3%	33.3%	33.3%	0.0%	0.0%	66.7%	0.0%	33.3%
Laryngoscope	7.4%	0.0%	66.7%	33.3%	0.0%	33.3%	33.3%	0.0%	33.3%	50.0%	25.0%	25.0%
Aspirator	11.5%	0.0%	100.0%	0.0%	0.0%	0.0%	50.0%	50.0%	0.0%	66.7%	0.0%	33.3%
Instrument (minor surgery)	9.8%	0.0%	100.0%	0.0%	0.0%	33.3%	66.7%	0.0%	0.0%	66.7%	0.0%	33.3%
Examination light	7.3%	0.0%	100.0%	0.0%	0.0%	50.0%	0.0%	0.0%	50.0%	66.7%	0.0%	33.3%
Central supply												
Sterilizer/ Autoclave	8.3%	30.0%	50.0%	20.0%	20.0%	20.0%	20.0%	40.0%	0.0%	71.4%	14.3%	14.3%
Instrument cabinet	9.1%	0.0%	100.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Dental												
Dental chair unit	7.4%	0.0%	80.0%	20.0%	50.0%	0.0%	25.0%	25.0%	0.0%	50.0%	33.3%	16.7%
Endoscopy												
Gastro-fiberscope	7.7%	0.0%	50.0%	50.0%	40.0%	0.0%	0.0%	40.0%	20.0%	50.0%	25.0%	25.0%
Colono-fiberscope	13.6%	33.3%	33.3%	33.3%	66.7%	0.0%	33.3%	0.0%	0.0%	50.0%	0.0%	50.0%
Operation theatre												
Operation table	8.6%	0.0%	66.7%	33.3%	25.0%	25.0%	25.0%	12.5%	12.5%	50.0%	16.7%	33.3%
Operation ceiling light	9.3%	0.0%	80.0%	20.0%	28.6%	42.9%	14.3%	14.3%	0.0%	50.0%	25.0%	25.0%
Anesthetic apparatus	8.3%	0.0%	66.7%	33.3%	14.3%	28.6%	14.3%	14.3%	28.6%	60.0%	20.0%	20.0%
Ventilator	3.2%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	50.0%	50.0%	50.0%	0.0%	50.0%
Patient monitor	11.1%	0.0%	33.3%	66.7%	0.0%	20.0%	20.0%	40.0%	20.0%	66.7%	0.0%	33.3%
Electric coagulator	6.4%	0.0%	60.0%	40.0%	33.3%	16.7%	16.7%	16.7%	16.7%	42.9%	28.6%	28.6%
Suction unit	8.9%	0.0%	57.1%	42.9%	14.3%	14.3%	57.1%	14.3%	0.0%	57.1%	28.6%	14.3%
Surgical instrument set	7.4%	20.0%	80.0%	0.0%	16.7%	16.7%	33.3%	33.3%	0.0%	80.0%	0.0%	20.0%

Karakalpakstan

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
X-ray												
General X-ray apparatus	27.6%	5.9%	82.4%	11.8%	68.8%	18.8%	6.3%	6.3%	0.0%	75.0%	15.0%	10.0%
Fluoroscopy	27.3%	0.0%	64.3%	35.7%	69.2%	23.1%	7.7%	0.0%	0.0%	78.6%	21.4%	0.0%
Dental X-ray apparatus	24.1%	0.0%	100.0%	0.0%	60.0%	40.0%	0.0%	0.0%	0.0%	50.0%	16.7%	33.3%
Mobile X-ray apparatus	21.2%	0.0%	71.4%	28.6%	33.3%	50.0%	16.7%	0.0%	0.0%	60.0%	20.0%	20.0%
Film developing machine	20.8%	0.0%	83.3%	16.7%	16.7%	16.7%	0.0%	0.0%	66.7%	100.0%	0.0%	0.0%
X-ray film illuminator	24.5%	14.3%	78.6%	7.1%	38.5%	46.2%	15.4%	0.0%	0.0%	81.8%	9.1%	9.1%
Ultrasound apparatus	25.0%	38.5%	38.5%	23.1%	0.0%	38.5%	46.2%	7.7%	7.7%	100.0%	0.0%	0.0%
Laboratory												
Biochemistry analyzer	20.0%	14.3%	85.7%	0.0%	33.3%	50.0%	0.0%	16.7%	0.0%	85.7%	0.0%	14.3%
Spectrophotometer	22.0%	0.0%	92.3%	7.7%	23.1%	30.8%	30.8%	7.7%	7.7%	84.6%	7.7%	7.7%
Blood cell counter	23.2%	0.0%	85.7%	14.3%	26.7%	20.0%	33.3%	13.3%	6.7%	91.7%	8.3%	0.0%
Electrolyte analyzer	24.3%	0.0%	100.0%	0.0%	0.0%	87.5%	12.5%	0.0%	0.0%	100.0%	0.0%	0.0%
Blood gas analyzer	20.4%	0.0%	90.9%	9.1%	50.0%	25.0%	25.0%	0.0%	0.0%	87.5%	12.5%	0.0%
Microscope	14.3%	0.0%	100.0%	0.0%	50.0%	50.0%	0.0%	0.0%	0.0%	50.0%	0.0%	50.0%
Centrifuge	12.5%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Refrigerator	23.0%	22.2%	77.8%	0.0%	13.6%	45.5%	13.6%	18.2%	9.1%	75.0%	18.8%	6.3%
Incubator	24.2%	0.0%	100.0%	0.0%	33.3%	46.7%	20.0%	0.0%	0.0%	81.3%	12.5%	6.3%
Distillator	4.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Analytical balance	23.3%	0.0%	100.0%	0.0%	43.8%	43.8%	12.5%	0.0%	0.0%	60.0%	30.0%	10.0%
Diagnostic Out patient												
Stethoscope	22.4%	15.4%	84.6%	0.0%	6.3%	25.0%	37.5%	25.0%	6.3%	100.0%	0.0%	0.0%
Ophthalmoscope	26.1%	25.0%	75.0%	0.0%	50.0%	25.0%	0.0%	16.7%	8.3%	100.0%	0.0%	0.0%
Otoscope	20.0%	0.0%	100.0%	0.0%	12.5%	50.0%	37.5%	0.0%	0.0%	100.0%	0.0%	0.0%
Blood pressure apparatus	24.1%	11.8%	76.5%	11.8%	5.3%	21.1%	15.8%	31.6%	26.3%	78.6%	14.3%	7.1%
Height measuring scale	24.6%	18.8%	68.8%	12.5%	9.1%	18.2%	22.7%	31.8%	18.2%	100.0%	0.0%	0.0%
Weighting scale	23.6%	18.8%	75.0%	6.3%	15.8%	10.5%	26.3%	42.1%	5.3%	100.0%	0.0%	0.0%
ECG apparatus	25.0%	5.6%	77.8%	16.7%	4.2%	25.0%	29.2%	33.3%	8.3%	65.0%	30.0%	5.0%
Spirometer	21.1%	25.0%	50.0%	25.0%	33.3%	33.3%	0.0%	33.3%	0.0%	100.0%	0.0%	0.0%
Obstetrics and gynecology												
Examination table	25.4%	0.0%	100.0%	0.0%	22.2%	37.0%	25.9%	7.4%	7.4%	82.4%	5.9%	11.8%
Basic instrument set	25.5%	12.5%	56.3%	31.3%	20.0%	33.3%	20.0%	13.3%	13.3%	78.6%	14.3%	7.1%
Colposcope	17.0%	0.0%	87.5%	12.5%	18.2%	45.5%	27.3%	0.0%	9.1%	87.5%	0.0%	12.5%
Operation mobile light	23.5%	0.0%	75.0%	25.0%	37.5%	50.0%	12.5%	0.0%	0.0%	75.0%	0.0%	25.0%
Delivery bed	17.9%	25.0%	75.0%	0.0%	16.7%	50.0%	16.7%	16.7%	0.0%	80.0%	0.0%	20.0%
Fetal monitor	25.0%	7.1%	78.6%	14.3%	23.1%	53.8%	23.1%	0.0%	0.0%	91.7%	0.0%	8.3%
Vacuum extractor	10.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
Infant incubator	21.1%	0.0%	80.0%	20.0%	25.0%	37.5%	37.5%	0.0%	0.0%	100.0%	0.0%	0.0%
Infant warmer	27.9%	31.3%	31.3%	37.5%	16.7%	66.7%	16.7%	0.0%	0.0%	84.6%	7.7%	7.7%
Baby scale	23.7%	10.0%	70.0%	20.0%	0.0%	33.3%	44.4%	11.1%	11.1%	77.8%	11.1%	11.1%
Emergency												
Ambulance vehicle	24.0%	0.0%	52.6%	47.4%	0.0%	21.1%	47.4%	31.6%	0.0%	55.0%	35.0%	10.0%
Stretcher	25.5%	0.0%	81.3%	18.8%	11.8%	35.3%	41.2%	11.8%	0.0%	85.7%	0.0%	14.3%
Reanimation set	14.7%	20.0%	60.0%	20.0%	40.0%	0.0%	20.0%	20.0%	20.0%	100.0%	0.0%	0.0%
Defibrillator	22.2%	33.3%	55.6%	11.1%	22.2%	44.4%	11.1%	11.1%	11.1%	87.5%	0.0%	12.5%
Laryngoscope	22.2%	30.8%	61.5%	7.7%	15.4%	23.1%	30.8%	30.8%	0.0%	91.7%	8.3%	0.0%
Aspirator	19.2%	20.0%	80.0%	0.0%	20.0%	20.0%	40.0%	20.0%	0.0%	66.7%	16.7%	16.7%
Instrument (minor surgery)	26.8%	0.0%	91.7%	8.3%	60.0%	0.0%	40.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Examination light	26.8%	8.3%	83.3%	8.3%	40.0%	20.0%	20.0%	0.0%	20.0%	80.0%	10.0%	10.0%
Central supply												
Sterilizer/ Autoclave	20.0%	14.3%	85.7%	0.0%	21.4%	42.9%	14.3%	7.1%	14.3%	63.2%	26.3%	10.5%
Instrument cabinet	22.7%	0.0%	75.0%	25.0%	50.0%	50.0%	0.0%	0.0%	0.0%	83.3%	16.7%	0.0%
Dental												
Dental chair unit	20.4%	8.3%	83.3%	8.3%	35.3%	35.3%	17.6%	11.8%	0.0%	71.4%	21.4%	7.1%
Endoscopy												
Gastro-fiberscope	25.6%	30.0%	60.0%	10.0%	12.5%	37.5%	50.0%	0.0%	0.0%	69.2%	15.4%	15.4%
Colono-fiberscope	18.2%	0.0%	75.0%	25.0%	0.0%	33.3%	66.7%	0.0%	0.0%	80.0%	20.0%	0.0%
Operation theatre												
Operation table	24.1%	5.9%	70.6%	23.5%	43.8%	37.5%	6.3%	6.3%	6.3%	92.9%	0.0%	7.1%
Operation ceiling light	22.2%	7.1%	71.4%	21.4%	36.4%	45.5%	18.2%	0.0%	0.0%	92.3%	7.7%	0.0%
Anesthetic apparatus	25.0%	7.7%	84.6%	7.7%	27.3%	45.5%	9.1%	9.1%	9.1%	70.6%	17.6%	11.8%
Ventilator	12.9%	20.0%	60.0%	20.0%	33.3%	33.3%	0.0%	0.0%	33.3%	50.0%	50.0%	0.0%
Patient monitor	18.5%	50.0%	33.3%	16.7%	16.7%	50.0%	0.0%	0.0%	33.3%	83.3%	16.7%	0.0%
Electric coagulator	27.7%	28.6%	64.3%	7.1%	40.0%	30.0%	10.0%	20.0%	0.0%	83.3%	8.3%	8.3%
Suction unit	23.2%	6.7%	80.0%	13.3%	40.0%	20.0%	20.0%	20.0%	0.0%	78.6%	14.3%	7.1%
Surgical instrument set	20.4%	0.0%	90.9%	9.1%	55.6%	22.2%	0.0%	0.0%	22.2%	100.0%	0.0%	0.0%

Fergana oblast

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		Europe /USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair able	Out of Use
X-ray												
General X-ray apparatus	10.3%	28.6%	71.4%	0.0%	33.3%	55.6%	0.0%	11.1%	0.0%	75.0%	12.5%	12.5%
Fluoroscopy	11.4%	20.0%	40.0%	40.0%	75.0%	25.0%	0.0%	0.0%	0.0%	80.0%	0.0%	20.0%
Dental X-ray apparatus	17.2%	75.0%	25.0%	0.0%	20.0%	40.0%	20.0%	20.0%	0.0%	100.0%	0.0%	0.0%
Mobile X-ray apparatus	15.2%	28.6%	28.6%	42.9%	60.0%	20.0%	0.0%	20.0%	0.0%	75.0%	25.0%	0.0%
Film developing machine	14.7%	20.0%	80.0%	0.0%	25.0%	50.0%	0.0%	0.0%	25.0%	80.0%	20.0%	0.0%
X-ray film illuminator	13.2%	42.9%	57.1%	0.0%	20.0%	50.0%	0.0%	30.0%	0.0%	85.7%	0.0%	14.3%
Ultrasound apparatus	11.5%	33.3%	50.0%	16.7%	10.0%	30.0%	20.0%	10.0%	30.0%	100.0%	0.0%	0.0%
Laboratory												
Biochemistry analyzer	17.1%	100.0%	0.0%	0.0%	0.0%	33.3%	0.0%	33.3%	33.3%	85.7%	14.3%	0.0%
Spectrophotometer	11.9%	30.0%	50.0%	20.0%	22.2%	22.2%	22.2%	0.0%	33.3%	66.7%	22.2%	11.1%
Blood cell counter	10.7%	42.9%	57.1%	0.0%	14.3%	28.6%	42.9%	0.0%	14.3%	100.0%	0.0%	0.0%
Electrolyte analyzer	16.2%	42.9%	14.3%	42.9%	0.0%	33.3%	33.3%	16.7%	16.7%	83.3%	16.7%	0.0%
Blood gas analyzer	12.2%	14.3%	71.4%	14.3%	12.5%	50.0%	25.0%	0.0%	12.5%	85.7%	14.3%	0.0%
Microscope	14.3%	0.0%	50.0%	50.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Centrifuge	12.5%	0.0%	0.0%	100.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Refrigerator	41.7%	41.7%	33.3%	25.0%	18.2%	27.3%	9.1%	18.2%	27.3%	87.5%	12.5%	0.0%
Incubator	11.3%	41.7%	41.7%	16.7%	28.6%	28.6%	7.1%	21.4%	14.3%	77.8%	11.1%	11.1%
Distillator	24.0%	50.0%	37.5%	12.5%	14.3%	42.9%	14.3%	14.3%	14.3%	71.4%	0.0%	28.6%
Analytical balance	11.7%	22.2%	66.7%	11.1%	30.0%	30.0%	20.0%	10.0%	10.0%	66.7%	22.2%	11.1%
Diagnostic Out patient												
Stethoscope	12.2%	37.5%	50.0%	12.5%	11.1%	22.2%	44.4%	11.1%	11.1%	100.0%	0.0%	0.0%
Ophthalmoscope	15.2%	57.1%	28.6%	14.3%	14.3%	42.9%	14.3%	0.0%	28.6%	83.3%	16.7%	0.0%
Otoscope	20.0%	66.7%	33.3%	0.0%	33.3%	33.3%	0.0%	0.0%	33.3%	100.0%	0.0%	0.0%
Blood pressure apparatus	12.1%	25.0%	41.7%	33.3%	0.0%	18.8%	25.0%	31.3%	25.0%	77.8%	11.1%	11.1%
Height measuring scale	12.3%	33.3%	55.6%	11.1%	20.0%	40.0%	20.0%	10.0%	10.0%	100.0%	0.0%	0.0%
Weighting scale	12.7%	33.3%	55.6%	11.1%	0.0%	41.7%	33.3%	16.7%	8.3%	87.5%	12.5%	0.0%
ECG apparatus	11.7%	38.5%	30.8%	30.8%	13.3%	33.3%	26.7%	6.7%	20.0%	77.8%	11.1%	11.1%
Spirometer	15.8%	33.3%	66.7%	0.0%	33.3%	66.7%	0.0%	0.0%	0.0%	66.7%	0.0%	33.3%
Obstetrics and gynecology												
Examination table	11.9%	22.2%	77.8%	0.0%	33.3%	33.3%	22.2%	0.0%	11.1%	77.8%	11.1%	11.1%
Basic instrument set	11.8%	12.5%	62.5%	25.0%	12.5%	62.5%	12.5%	12.5%	0.0%	66.7%	11.1%	22.2%
Colposcope	10.6%	20.0%	60.0%	20.0%	20.0%	40.0%	20.0%	0.0%	20.0%	100.0%	0.0%	0.0%
Operation mobile light	17.6%	0.0%	83.3%	16.7%	66.7%	16.7%	0.0%	0.0%	16.7%	71.4%	14.3%	14.3%
Delivery bed	12.8%	20.0%	60.0%	20.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Fetal monitor	10.4%	28.6%	57.1%	14.3%	16.7%	66.7%	0.0%	16.7%	0.0%	100.0%	0.0%	0.0%
Vacuum extractor	20.0%	0.0%	0.0%	100.0%	0.0%	0.0%	50.0%	0.0%	50.0%	100.0%	0.0%	0.0%
Infant incubator	10.5%	0.0%	75.0%	25.0%	25.0%	50.0%	25.0%	0.0%	0.0%	80.0%	20.0%	0.0%
Infant warmer	9.3%	25.0%	50.0%	25.0%	28.6%	28.6%	42.9%	0.0%	0.0%	66.7%	16.7%	16.7%
Baby scale	13.2%	16.7%	50.0%	33.3%	16.7%	50.0%	16.7%	0.0%	16.7%	100.0%	0.0%	0.0%
Emergency												
Ambulance vehicle	12.0%	23.1%	38.5%	38.5%	14.3%	35.7%	21.4%	21.4%	7.1%	50.0%	25.0%	25.0%
Stretcher	11.8%	22.2%	44.4%	33.3%	30.0%	30.0%	10.0%	10.0%	20.0%	75.0%	12.5%	12.5%
Reanimation set	5.9%	50.0%	0.0%	50.0%	0.0%	50.0%	0.0%	50.0%	0.0%	100.0%	0.0%	0.0%
Defibrillator	11.1%	42.9%	42.9%	14.3%	33.3%	0.0%	50.0%	0.0%	16.7%	71.4%	28.6%	0.0%
Laryngoscope	13.0%	50.0%	37.5%	12.5%	28.6%	0.0%	14.3%	42.9%	14.3%	85.7%	14.3%	0.0%
Aspirator	11.5%	33.3%	33.3%	33.3%	0.0%	33.3%	33.3%	33.3%	0.0%	75.0%	25.0%	0.0%
Instrument (minor surgery)	12.2%	40.0%	20.0%	40.0%	50.0%	16.7%	16.7%	16.7%	0.0%	66.7%	16.7%	16.7%
Examination light	12.2%	40.0%	40.0%	20.0%	20.0%	40.0%	20.0%	20.0%	0.0%	100.0%	0.0%	0.0%
Central supply												
Sterilizer/ Autoclave	11.7%	20.0%	70.0%	10.0%	25.0%	50.0%	16.7%	0.0%	8.3%	53.8%	23.1%	23.1%
Instrument cabinet	13.6%	0.0%	33.3%	66.7%	33.3%	66.7%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Dental												
Dental chair unit	11.1%	37.5%	37.5%	25.0%	40.0%	20.0%	20.0%	20.0%	0.0%	71.4%	14.3%	14.3%
Endoscopy												
Gastro-fiberscope	5.1%	0.0%	50.0%	50.0%	50.0%	50.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Colono-fiberscope	9.1%	50.0%	0.0%	50.0%	0.0%	50.0%	50.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Operation theatre												
Operation table	12.1%	18.2%	54.5%	27.3%	33.3%	50.0%	8.3%	8.3%	0.0%	87.5%	12.5%	0.0%
Operation ceiling light	13.0%	27.3%	63.6%	9.1%	45.5%	36.4%	9.1%	0.0%	9.1%	87.5%	12.5%	0.0%
Anesthetic apparatus	12.5%	22.2%	55.6%	22.2%	44.4%	33.3%	11.1%	11.1%	0.0%	85.7%	14.3%	0.0%
Ventilator	12.9%	20.0%	60.0%	20.0%	20.0%	40.0%	20.0%	20.0%	0.0%	66.7%	16.7%	16.7%
Patient monitor	11.1%	0.0%	50.0%	50.0%	20.0%	60.0%	20.0%	0.0%	0.0%	75.0%	25.0%	0.0%
Electric coagulator	12.8%	33.3%	33.3%	33.3%	33.3%	44.4%	11.1%	0.0%	11.1%	71.4%	28.6%	0.0%
Suction unit	10.7%	28.6%	57.1%	14.3%	41.7%	25.0%	16.7%	8.3%	8.3%	75.0%	25.0%	0.0%
Surgical instrument set	11.1%	14.3%	57.1%	28.6%	37.5%	37.5%	25.0%	0.0%	0.0%	85.7%	14.3%	0.0%

Oblast

	Q'ty	Country of origin			Manufacturing year					Operational condition		
		USA	Russia	Other	1.80-85	2.86-90	3.91-95	4.96-00	5.01-02	Useable	Repair	Out of Use
X-ray												
General X-ray apparatus	13.8%	27.3%	36.4%	36.4%	30.8%	30.8%	7.7%	30.8%	0.0%	63.6%	9.1%	27.3%
Fluoroscopy	8.8%	0.0%	66.7%	33.3%	33.3%	33.3%	0.0%	33.3%	0.0%	66.7%	33.3%	0.0%
Dental X-ray apparatus	10.3%	33.3%	66.7%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Mobile X-ray apparatus	24.2%	22.2%	55.6%	22.2%	40.0%	20.0%	10.0%	20.0%	10.0%	100.0%	0.0%	0.0%
Film developing machine	17.6%	28.6%	42.9%	28.6%	14.3%	0.0%	0.0%	42.9%	42.9%	71.4%	14.3%	14.3%
X-ray film illuminator	18.9%	16.7%	66.7%	16.7%	28.6%	35.7%	14.3%	14.3%	7.1%	69.2%	0.0%	30.8%
Ultrasound apparatus	23.1%	23.1%	23.1%	53.8%	23.5%	28.4%	11.8%	29.4%	5.9%	91.7%	0.0%	8.3%
Laboratory												
Biochemistry analyzer	25.7%	33.3%	33.3%	33.3%	11.1%	22.2%	22.2%	33.3%	11.1%	88.9%	0.0%	11.1%
Spectrophotometer	23.7%	0.0%	92.3%	7.7%	35.3%	23.5%	29.4%	11.8%	0.0%	78.6%	7.1%	14.3%
Blood cell counter	21.4%	17.8%	64.7%	17.6%	43.8%	12.5%	6.3%	31.3%	6.3%	84.6%	7.7%	7.7%
Electrolyte analyzer	24.3%	33.3%	55.6%	11.1%	33.3%	11.1%	22.2%	22.2%	11.1%	88.9%	0.0%	11.1%
Blood gas analyzer	24.5%	9.1%	72.7%	18.2%	30.8%	30.8%	30.8%	7.7%	0.0%	72.7%	9.1%	18.2%
Microscope	42.9%	33.3%	66.7%	0.0%	20.0%	40.0%	20.0%	20.0%	0.0%	71.4%	0.0%	28.6%
Centrifuge	50.0%	50.0%	50.0%	0.0%	33.3%	0.0%	33.3%	33.3%	0.0%	40.0%	0.0%	50.0%
Refrigerator	23.0%	30.0%	50.0%	20.0%	30.0%	35.0%	5.0%	25.0%	5.0%	78.8%	0.0%	21.4%
Incubator	22.6%	23.5%	64.7%	11.8%	31.8%	31.8%	18.2%	13.6%	4.5%	80.0%	6.7%	13.3%
Distillator	28.0%	25.0%	50.0%	25.0%	25.0%	25.0%	12.5%	37.5%	0.0%	100.0%	0.0%	0.0%
Analytical balance	23.3%	13.3%	80.0%	6.7%	52.9%	23.5%	17.6%	5.9%	0.0%	92.3%	7.7%	0.0%
Diagnostic Out patient												
Stethoscope	22.4%	15.4%	53.8%	30.8%	11.1%	33.3%	11.1%	33.3%	11.1%	90.0%	10.0%	0.0%
Ophthalmoscope	13.0%	16.7%	50.0%	33.3%	0.0%	16.7%	33.3%	16.7%	33.3%	100.0%	0.0%	0.0%
Otoscope	23.3%	14.3%	85.7%	0.0%	28.6%	28.6%	14.3%	14.3%	14.3%	100.0%	0.0%	0.0%
Blood pressure apparatus	22.4%	26.7%	73.3%	0.0%	13.3%	26.7%	20.0%	13.3%	26.7%	75.0%	12.5%	12.5%
Height measuring scale	22.8%	7.1%	85.7%	7.1%	35.7%	35.7%	14.3%	0.0%	14.3%	91.7%	8.3%	0.0%
Weighting scale	23.6%	7.1%	85.7%	7.1%	33.3%	26.7%	20.0%	20.0%	0.0%	84.6%	15.4%	0.0%
ECG apparatus	21.7%	20.0%	50.0%	30.0%	30.4%	26.1%	8.7%	26.1%	8.7%	62.5%	6.3%	31.3%
Spirometer	26.3%	33.3%	50.0%	16.7%	0.0%	16.7%	16.7%	33.3%	33.3%	83.3%	0.0%	16.7%
Obstetrics and gynecology												
Examination table	22.0%	11.8%	70.6%	17.6%	18.8%	37.5%	25.0%	12.5%	6.3%	100.0%	0.0%	0.0%
Basic instrument set	15.7%	20.0%	50.0%	30.0%	37.5%	37.5%	12.5%	12.5%	0.0%	54.5%	27.3%	18.2%
Colposcope	23.4%	8.3%	66.7%	25.0%	25.0%	16.7%	25.0%	25.0%	8.3%	100.0%	0.0%	0.0%
Operation mobile light	23.5%	0.0%	100.0%	0.0%	66.7%	16.7%	0.0%	16.7%	0.0%	83.3%	0.0%	16.7%
Delivery bed	28.2%	0.0%	90.0%	10.0%	50.0%	30.0%	20.0%	0.0%	0.0%	90.0%	0.0%	10.0%
Fetal monitor	12.5%	14.3%	42.9%	42.8%	57.1%	28.6%	0.0%	14.3%	0.0%	83.3%	0.0%	16.7%
Vacuum extractor	30.0%	50.0%	50.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Infant incubator	7.9%	0.0%	100.0%	0.0%	50.0%	0.0%	50.0%	0.0%	0.0%	50.0%	0.0%	50.0%
Infant warmer	14.0%	37.5%	50.0%	12.5%	28.6%	28.6%	14.3%	28.6%	0.0%	71.4%	14.3%	14.3%
Baby scale	18.4%	42.9%	28.6%	28.6%	28.6%	28.6%	0.0%	28.6%	14.3%	85.7%	14.3%	0.0%
Emergency												
Ambulance vehicle	16.0%	0.0%	50.0%	50.0%	0.0%	12.5%	25.0%	50.0%	12.5%	100.0%	0.0%	0.0%
Stretcher	23.5%	16.7%	58.3%	25.0%	23.1%	23.1%	15.4%	23.1%	15.4%	90.9%	0.0%	9.1%
Reanimation set	17.6%	25.0%	62.5%	12.5%	42.9%	0.0%	14.3%	28.6%	14.3%	85.7%	0.0%	14.3%
Defibrillator	24.4%	20.0%	50.0%	30.0%	30.0%	20.0%	20.0%	10.0%	20.0%	90.0%	0.0%	10.0%
Laryngoscope	22.2%	21.4%	57.1%	21.4%	15.4%	23.1%	15.4%	23.1%	23.1%	91.7%	0.0%	8.3%
Aspirator	26.8%	0.0%	71.4%	28.6%	0.0%	25.0%	25.0%	25.0%	25.0%	75.0%	0.0%	25.0%
Instrument (minor surgery)	26.8%	9.1%	63.6%	27.3%	16.7%	8.3%	41.7%	25.0%	8.3%	81.8%	0.0%	18.2%
Examination light	26.8%	18.2%	63.6%	18.2%	0.0%	40.0%	40.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Central supply												
Sterilizer/ Autoclave	23.3%	16.7%	55.6%	27.8%	27.8%	11.1%	33.3%	22.2%	5.6%	64.7%	17.6%	17.6%
Instrument cabinet	27.3%	0.0%	100.0%	0.0%	50.0%	0.0%	50.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Dental												
Dental chair unit	20.4%	25.0%	50.0%	25.0%	28.6%	21.4%	35.7%	7.1%	7.1%	80.0%	10.0%	10.0%
Endoscopy												
Gastro-fiberscope	17.9%	0.0%	33.3%	66.7%	11.1%	22.2%	33.3%	22.2%	11.1%	66.7%	11.1%	22.2%
Colono-fiberscope	27.3%	0.0%	33.3%	66.7%	33.3%	0.0%	50.0%	0.0%	16.7%	71.4%	14.3%	14.3%
Operation theatre												
Operation table	19.0%	6.7%	73.3%	20.0%	38.9%	16.7%	16.7%	22.2%	5.6%	84.6%	7.7%	7.7%
Operation ceiling light	18.5%	25.0%	66.7%	8.3%	37.5%	25.0%	12.5%	12.5%	12.5%	90.0%	0.0%	10.0%
Anesthetic apparatus	20.8%	12.5%	62.5%	25.0%	26.7%	26.7%	6.7%	20.0%	20.0%	91.7%	0.0%	8.3%
Ventilator	19.4%	16.7%	66.7%	16.7%	0.0%	42.9%	14.3%	14.3%	28.6%	100.0%	0.0%	0.0%
Patient monitor	25.8%	12.5%	25.0%	62.5%	16.7%	0.0%	0.0%	66.7%	16.7%	85.7%	0.0%	14.3%
Electric coagulator	19.1%	16.7%	50.0%	33.3%	30.8%	23.1%	7.7%	15.4%	23.1%	81.8%	0.0%	18.2%
Suction unit	19.6%	20.0%	60.0%	20.0%	20.0%	20.0%	10.0%	35.0%	15.0%	58.8%	5.9%	35.3%
Surgical instrument set	20.4%	21.4%	64.3%	14.3%	33.3%	0.0%	25.0%	33.3%	8.3%	83.3%	8.3%	8.3%

Module D. Pharmacy Section

D1. Drug Procurement Budget

Select Oblast and Facility lev.	Bukhara	Fergana	Karakalpakstan	Navoi	Samarkand	Tashkent	Tashkent city	Total	Ray	oblast
Actual purchasing rate										
Average	65.2	56.4	69.8	20.0	48.9	54.7	38.0	50.4	74.3	16.6
valid respondents	8	5	9	5	11	3	5	46	34	12
Purchasing rate from Dori Darmon										
Average	90.7	63.9	78.9	95.5	80.1	72.0	48.8	75.6	77.9	56.4
valid respondents	5	5	12	2.0	6	4	4	38	34.0	4.0

D2. Drug supply

Select Oblast and Facility lev.	Bukhara	Fergana	Karakalpakstan	Navoi	Samarkand	Tashkent	Tashkent city	Total	Ray	oblast
in the year of 2002,how much percent of your request did Dori Darmon satisfy?										
Average	58.2	49.7	69.6	40.6	50.4	65.5	55.0	57.2	58.1	54.4
valid respondents	10	6	14	5	11	4	7	57	43	14
in the year of 2002,how much percent of drugs account for supplying to SVPs/SVAs of all stocked drugs,approximately?										
Average	34.3	17.3	22.1	20.0	39.7	28.6	20.0	28.7	28.9	20.0
valid respondents	6	4	11	2	10	5	1	39	38	1

D3. Drug inventory/stock

Select Oblast and Facility lev.	Bukhara	Fergana	Karakalpakstan	Navoi	Samarkand	Tashkent	Tashkent city	Total	Ray	oblast
Do you have an essential drug list in your pharmacy?										
Yes	10	7	14	6	13	6	8	64	49	15
No	0	0	1	0	0	0	0	1	1	0
Total	10	7	15	6	13	6	8	65	50	15
What kind of training have you ever taken on drug management after starting to work?										
Pharmacy management	8	4	8	2	12	2	5	41	28	13
Inventory management	1	0	2	0	1	0	0	4	3	1
Essential drug	4	2	3	0	2	3	2	16	12	4
Treatment guideline	3	1	2	2	0	2	0	10	8	2
Other	0	0	1	0	0	0	1	2	1	1
Never trained	0	1	1	2	0	1	2	7	6	1
Total	16	8	17	6	15	8	10	80	58	22
Please tick the columns of 2 biggest problems in your pharmacy.										
Budget is not enough to meet th	8	6	10	6	10	6	5	51	41	10
Supply from Dori Darmon is not	8	3	7	2	5	1	4	30	22	8
Information on drug from MOH d	0	0	0	0	0	0	0	0	0	0
Number of staff in pharmacy is r	1	1	2	0	3	0	1	8	5	3
Drug request from SVP/SPA is	0	0	0	0	0	0	0	0	0	0
Training on drug management is	0	0	0	0	0	0	0	0	0	0
Other	0	2	1	1	1	1	1	7	4	3
Total	17	12	20	9	19	8	11	96	72	24

D3. Drug inventory/stock <Average>

Select Oblast and Facility lev.	Bukhara	Fergana	Karakalpakstan	Navoi	Samarkand	Tashkent	Tashkent city	Total	Ray	oblast
How many kinds of each category of drugs are there in your pharmacy?										
Internal use	35.0	67.3	53.3	62.2	68.3	100.6	148.0	71.2	64.1	93.9
Injection	51.4	98.3	122.9	91.6	99.6	71.6	90.6	91.9	97.2	74.9
Produced in the pharmacy	33.4	41.2	25.1	45.8	29.9	32.5	34.0	32.7	32.0	35.7
Total average	131.6	150.2	98.0	220.8	199.8	285.3	290.7	186.0	174.0	228.1

3-6. Drug Stock

NOTE:

- 1: Always full supplied and no problems on stock.
 2: Full supplied in almost all times, but no supply on rare occasions.
 3: Sometimes no stock/supply instead of demands.
 4: No stock in most of time, rarely in stock/supplied.
 5: Never supplied instead of demands.
 6: No demands.

Select Oblast and Facility level	Bukhara	Fergana	Karakalpakstan	Navoi	Samarkand	Tashkent	Tashkent city	Total	Ray	oblast
Aminophylline 25mg/ml										
1	3	3	6	2	3	2	2	21	16	5
2	1	2	0	0	0	1	1	5	3	2
3	0	1	0	0	0	1	1	3	2	1
4	2	0	0	0	1	2	0	5	5	0
5	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	2	0	3	5	5	0
Salbutamol 0.1mg/dose										
1	1	1	2	1	1	1	1	8	8	2
2	0	1	0	0	1	1	1	4	3	1
3	1	1	0	1	1	1	1	6	5	1
4	3	0	1	0	0	3	0	7	6	1
5	1	1	3	0	0	0	1	6	5	1
6	0	1	0	0	3	0	3	7	6	1
Ampicillin 500mg										
1	1	3	4	2	2	3	5	20	15	5
2	8	4	1	0	1	2	1	17	11	6
3	0	0	1	0	3	0	2	6	4	2
4	0	0	0	0	0	1	0	1	1	0
5	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	1	1	1	0
Gentamicin 40mg/ml										
1	1	2	5	1	2	2	5	18	13	5
2	8	5	0	0	1	2	1	17	11	6
3	0	0	1	0	3	1	2	7	5	2
4	0	0	0	0	0	1	0	1	1	0
5	0	0	0	1	0	0	0	1	1	0
6	0	0	0	0	0	0	1	1	1	0
Acetylsalicylic acid 500mg										
1	5	3	4	2	3	3	6	26	19	7
2	4	3	2	0	1	2	1	13	9	4
3	0	0	0	0	1	0	1	2	1	1
4	0	0	0	0	1	1	0	2	2	0
5	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	1	1	1	0
Propranolol 40mg										
1	1	1	2	0	0	1	3	8	6	2
2	1	4	0	0	0	1	0	6	5	1
3	0	0	0	0	2	0	1	3	2	1
4	1	0	3	1	0	2	0	7	7	0
5	1	1	0	1	0	2	0	5	5	0
6	4	0	1	0	4	0	3	12	8	4
Glyceryl trinitrate (Nitroglycerin) 0.5mg										
1	6	2	5	0	2	2	5	22	17	5
2	1	2	0	0	1	1	0	5	4	1
3	0	0	1	1	2	1	1	6	5	1
4	0	0	0	0	0	2	0	2	2	0
5	0	1	0	0	0	0	0	1	1	0
6	0	0	0	0	1	0	1	2	1	1
Verapamil 40mg										
1	1	1	3	1	1	1	4	12	9	3
2	1	1	0	0	1	0	0	3	2	1
3	1	0	1	0	0	1	2	5	4	1
4	1	1	2	0	1	3	0	8	8	0
5	0	2	0	1	0	0	0	3	3	0
6	1	0	0	0	3	0	2	6	3	3

Select Oblast and Facility lev.	Bukhara	Fergana	Karakalpakstan	Navoi	Samarkand	Tashkent	Tashkent city	Total	Ray	oblast
ORS (Rehydron® 66)										
1	1	4	6	1	0	3	4	19	15	4
2	3	3	0	0	0	0	0	6	5	1
3	0	0	0	0	1	1	1	3	2	1
4	1	0	0	0	1	2	0	4	4	0
5	1	0	0	0	1	0	0	2	2	0
6	1	0	0	0	3	0	2	6	3	3
Diazepam 5mg/ml										
1	2	3	2	2	1	1	0	11	10	1
2	5	2	0	0	0	0	2	9	3	6
3	1	1	0	0	4	1	3	10	7	3
4	1	0	3	0	0	4	0	8	8	0
5	0	0	1	0	0	0	0	1	1	0
6	0	0	0	0	1	0	3	4	3	1
Promethazine 25mg/ml										
1	1	0	2	1	0	0	1	5	4	1
2	0	1	0	0	0	1	0	2	2	0
3	0	2	0	0	1	1	1	5	4	1
4	0	1	2	1	1	3	0	8	8	0
5	3	1	1	0	0	0	1	6	5	1
6	2	0	1	0	4	0	4	11	7	4
Prednisolone 5mg										
1	2	2	5	2	2	0	6	19	14	5
2	5	2	1	0	0	1	0	9	5	4
3	1	0	0	0	1	3	2	7	5	2
4	0	3	0	0	1	2	0	6	6	0
5	0	0	0	0	1	0	0	1	1	0
6	0	0	0	0	1	0	1	2	1	1
Insulin										
1	2	3	4	2	3	2	4	20	17	3
2	2	3	0	0	0	1	1	7	4	3
3	0	0	0	0	2	1	2	5	3	2
4	2	0	2	0	0	2	0	6	6	0
5	0	0	0	0	0	0	0	0	0	0
6	2	0	0	0	1	0	1	4	2	2
Oxytocin 1mg										
1	1	3	5	2	1	0	3	15	13	2
2	3	3	1	0	2	2	1	12	9	3
3	1	0	0	0	1	1	2	5	3	2
4	1	0	0	0	2	2	0	5	4	1
5	0	0	0	0	0	1	0	1	1	0
6	1	0	0	0	0	0	2	3	2	1
Glucose 5%										
1	4	6	5	2	3	5	5	30	23	7
2	4	1	0	0	0	0	0	5	3	2
3	1	0	0	0	2	0	2	5	3	2
4	1	0	1	0	1	1	0	4	3	1
5	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	1	1	1	0

3-8. Drug Stock

NOTE:

- 1: Always full supplied and no problems on stock.
- 2: Full supplied in almost all times, but no supply on rare occasions.
- 3: Sometimes no stock/supply instead of demands.
- 4: No stock in most of time, rarely in stock/supplied.
- 5: Never supplied instead of demands.
- 6: No demands.

Select Oblast and Facility lev.		Bukhara	Fergana	Karakalpakstan	Navoi	Samarqand	Tashkent	Tashkent city	Total	Ray	oblast
Aminophylline 25mg/ml											
	1	50%	50%	100%	100%	50%	33%	29%	54%	52%	63%
	2	17%	33%	0%	0%	0%	17%	14%	13%	10%	25%
	3	0%	17%	0%	0%	0%	17%	14%	8%	6%	13%
	4	33%	0%	0%	0%	17%	33%	0%	13%	16%	0%
	5	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	6	0%	0%	0%	0%	33%	0%	43%	13%	16%	0%
Salbutamol 0.1mg/dose											
	1	17%	20%	33%	50%	17%	17%	14%	21%	19%	29%
	2	0%	20%	0%	0%	17%	17%	14%	11%	10%	14%
	3	17%	20%	0%	50%	17%	17%	14%	16%	16%	14%
	4	50%	0%	17%	0%	0%	50%	0%	18%	19%	14%
	5	17%	20%	50%	0%	0%	0%	14%	16%	16%	14%
	6	0%	20%	0%	0%	50%	0%	43%	18%	19%	14%
Ampicillin 500mg											
	1	11%	43%	67%	100%	33%	50%	56%	44%	47%	38%
	2	89%	57%	17%	0%	17%	33%	11%	38%	34%	46%
	3	0%	0%	17%	0%	50%	0%	22%	13%	13%	15%
	4	0%	0%	0%	0%	0%	17%	0%	2%	3%	0%
	5	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	6	0%	0%	0%	0%	0%	0%	11%	2%	3%	0%
Gentamicin 40mg/ml											
	1	11%	29%	83%	50%	33%	33%	56%	40%	41%	36%
	2	89%	71%	0%	0%	17%	33%	11%	38%	34%	46%
	3	0%	0%	17%	0%	50%	17%	22%	16%	16%	15%
	4	0%	0%	0%	0%	0%	17%	0%	2%	3%	0%
	5	0%	0%	0%	50%	0%	0%	0%	2%	3%	0%
	6	0%	0%	0%	0%	0%	0%	11%	2%	3%	0%
Acetylsalicylic acid 500mg											
	1	56%	50%	67%	100%	50%	50%	67%	59%	59%	58%
	2	44%	50%	33%	0%	17%	33%	11%	30%	28%	33%
	3	0%	0%	0%	0%	17%	0%	11%	5%	3%	8%
	4	0%	0%	0%	0%	17%	17%	0%	5%	6%	0%
	5	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	6	0%	0%	0%	0%	0%	0%	11%	2%	3%	0%
Propranolol 40mg											
	1	13%	17%	33%	0%	0%	17%	43%	20%	18%	25%
	2	13%	67%	0%	0%	0%	17%	0%	15%	15%	13%
	3	0%	0%	0%	0%	33%	0%	14%	7%	6%	13%
	4	13%	0%	50%	50%	0%	33%	0%	17%	21%	0%
	5	13%	17%	0%	50%	0%	33%	0%	12%	15%	0%
	6	50%	0%	17%	0%	67%	0%	43%	29%	24%	50%
Glyceryl trinitrate (Nitroglycerin) 0.5mg											
	1	86%	40%	83%	0%	33%	33%	71%	58%	57%	63%
	2	14%	40%	0%	0%	17%	17%	0%	13%	13%	13%
	3	0%	0%	17%	100%	33%	17%	14%	16%	17%	13%
	4	0%	0%	0%	0%	0%	33%	0%	5%	7%	0%
	5	0%	20%	0%	0%	0%	0%	0%	3%	3%	0%
	6	0%	0%	0%	0%	17%	0%	14%	5%	3%	13%
Verapamil 40mg											
	1	20%	20%	50%	50%	17%	20%	50%	32%	31%	38%
	2	20%	20%	0%	0%	17%	0%	0%	8%	7%	13%
	3	20%	0%	17%	0%	0%	20%	25%	14%	14%	13%
	4	20%	20%	33%	0%	17%	60%	0%	22%	28%	0%
	5	0%	40%	0%	50%	0%	0%	0%	8%	10%	0%
	6	20%	0%	0%	0%	50%	0%	25%	16%	10%	38%

Select Oblast and Facility level		Bukhara	Fergana	Karakalpakstan	Navoi	Samarkand	Tashkent	Tashkent city	Total	Ray	oblast
ORS (Rehydron® 66)											
	1	14%	57%	100%	100%	0%	50%	57%	48%	48%	44%
	2	43%	43%	0%	0%	0%	0%	0%	15%	16%	11%
	3	0%	0%	0%	0%	17%	17%	14%	8%	6%	11%
	4	14%	0%	0%	0%	17%	33%	0%	10%	13%	0%
	5	14%	0%	0%	0%	17%	0%	0%	5%	6%	0%
	6	14%	0%	0%	0%	50%	0%	29%	15%	10%	33%
Diazepam 5mg/ml											
	1	22%	50%	33%	100%	17%	17%	0%	26%	31%	9%
	2	56%	33%	0%	0%	0%	0%	25%	21%	9%	55%
	3	11%	17%	0%	0%	67%	17%	38%	23%	22%	27%
	4	11%	0%	50%	0%	0%	67%	0%	19%	25%	0%
	5	0%	0%	17%	0%	0%	0%	0%	2%	3%	0%
	6	0%	0%	0%	0%	17%	0%	38%	9%	9%	9%
Promethazine 25mg/ml											
	1	17%	0%	33%	50%	0%	0%	14%	14%	13%	14%
	2	0%	20%	0%	0%	0%	20%	0%	5%	7%	0%
	3	0%	40%	0%	0%	17%	20%	14%	14%	13%	14%
	4	0%	20%	33%	50%	17%	60%	0%	22%	27%	0%
	5	50%	20%	17%	0%	0%	0%	14%	16%	17%	14%
	6	33%	0%	17%	0%	67%	0%	57%	30%	23%	57%
Prednisolone 5mg											
	1	25%	29%	83%	100%	33%	0%	67%	43%	44%	42%
	2	63%	29%	17%	0%	0%	17%	0%	20%	16%	33%
	3	13%	0%	0%	0%	17%	50%	22%	16%	16%	17%
	4	0%	43%	0%	0%	17%	33%	0%	14%	19%	0%
	5	0%	0%	0%	0%	17%	0%	0%	2%	3%	0%
	6	0%	0%	0%	0%	17%	0%	11%	5%	3%	8%
Insulin											
	1	25%	50%	67%	100%	50%	33%	50%	48%	53%	30%
	2	25%	50%	0%	0%	0%	17%	13%	17%	13%	30%
	3	0%	0%	0%	0%	33%	17%	25%	12%	9%	20%
	4	25%	0%	33%	0%	0%	33%	0%	14%	19%	0%
	5	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	6	25%	0%	0%	0%	17%	0%	13%	10%	6%	20%
Oxytocin 1mg											
	1	14%	50%	83%	100%	17%	0%	38%	37%	41%	22%
	2	43%	50%	17%	0%	33%	33%	13%	29%	28%	33%
	3	14%	0%	0%	0%	17%	17%	25%	12%	9%	22%
	4	14%	0%	0%	0%	33%	33%	0%	12%	13%	11%
	5	0%	0%	0%	0%	0%	17%	0%	2%	3%	0%
	6	14%	0%	0%	0%	0%	0%	25%	7%	6%	11%
Glucose 5%											
	1	40%	86%	83%	100%	50%	83%	63%	67%	70%	58%
	2	40%	14%	0%	0%	0%	0%	0%	11%	9%	17%
	3	10%	0%	0%	0%	33%	0%	25%	11%	9%	17%
	4	10%	0%	17%	0%	17%	17%	0%	9%	9%	8%
	5	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	6	0%	0%	0%	0%	0%	0%	13%	2%	3%	0%

Medical Facilities Survey (SVP/SVA)

A1.Outline of the Health Facility

Select Oblast			Tashkent	Tashkent city	Bukhara	Navoi	Karakaipakstan	Samarkand	Fergana	Total
How many years passed since the health facility has built?	Years	Max	6			5	5	9	7	9
		Min	18			2	10	10	12	10
		Avr	23.6			9.0	9.3	27.3	14.2	14.8
How many years passed the health facility has worked as hospital?	Years	Max	6			5	5	40	6	6
		Min	13			2	10	10	12	10
		Avr	18.0			9.0	7.8	25.0	8.2	10.7
How many day-care beds the health facility has?	Beds	Max	4			2	4	8	5	8
		Min	10			2	2	15	2	10
		Avr	7.0			2.0	3.5	7.3	4.2	4.7
Opening hour (day shift) of the health facility	From	7:00	0			0	0	0	4	4
		8:00	5			4	0	2	2	13
		9:00	0			0	12	0	0	12
	To	14:00	0			1	0	1	0	2
		16:00	0			1	10	1	1	13
		18:00	5			1	2	0	5	13
20:00	0			1	0	0	0	1		
Does emergency unit open 24 hours?		Yes	0			0	0	0	2	2
		No	5			4	11	3	4	27
Covering area (Dimension of Rayon is acceptable)	Km2	Max	36			7	9	8	9	9
		Min	10			12	12	8	3	10
		Avr	23.0			7.7	17.6	8.0	5.0	12.8
How much population the health facility has in covering area? (size of covering kishlaks is acceptable)	Total	Max	5293			680	7018	8087	8667	8667
		Min	11900			2540	12084	11330	13069	11330
		Avr	15909.2			3059.3	5255.3	9309.8	7787.0	7703.5
How many times ambulances in the health facility are sent out?	month	Max				90	98		60	98
		Min				1	1		50	1
		Avr				75.8	31.1		56.7	48.1

A2.Referral System

Select Oblast			Tashkent	Tashkent city	Bukhara	Navoi	Karakalpakstan	Samarkand	Fergana	Total	
Is ther any rule/regulation for transfer?		Yes	0			2	5	1	5	13	
		No	1			2	4	2	0	9	
Does medical-information transmit with a conveyed patient?		Yes	1			2	9	2	6	20	
		No	0			2	2	2	0	6	
If yes,how is the patient's medical-information transmitted to the connected referral facility?		1.Brought by patient	2			2	6	3	5	18	
		2.Telephone	0			1	2	0	2	5	
		3.Facsimile	0			0	0	0	0	0	
		4.Others	0			0	2	0	0	0	2
Is the share of expenditure/medical cost decided in advance between the connected hospitals?		Yes	0			0	0	0	0	0	
		No	1			4	11	3	6	25	
Dose this hospital facility send general practitioner (GP)/nurse to communities or home?		Yes	3			3	10	2	6	24	
		No	0			1	1	2	0	4	
If yes,what kind and how many?	Avr	1.Health workers	1			1	1	1	1	1	
		2.General practitioners	1			1	1	1	1	1	
		3.Health volunteers									
		How many persons	4.5			11	5.6	18.5	4.8	7.3	
Please fill in numbers of referred patient in 2002.	Times /year (Avr)	This facility → Other SVP/SVA				17	241.3	20	107.5	152.1	
		This facility → Rayon hospital	266.3			97.3	124.6	71.5	67.8	120.3	
		This facility → Oblast emergency hospital	12			8	3.7	10	6.4	6.9	
		This facility → Oblast hospital	23.5				4.2	28	12.2	12.1	
		Ambulance center → This hospital	28			24	4	5	3	11.3	

A3.Human personnel

Please put actual numbers in each section

and encircle the person who is person in charge of this health facility.

Total

	General/GP	Pediatrics	Ob/Gy	Stomatologist Laboratory	
Doctor	2.9	3.2	1.2	1.1	1
Nurse	13.5	2.9	1.6	1.1	1.1
Administration	4.2	4			
Others	4.4				

Fergana

	General/GP	Pediatrics	Ob/Gy	Stomatologist Laboratory	
Doctor	2.2	1	1	1	
Nurse	12.5	4	2	1	1
Administration	5.5	4			
Others	6.3				

Samarkand

	General/GP	Pediatrics	Ob/Gy	Stomatologist Laboratory	
Doctor	3.8	3	1	1	1
Nurse	13.5				
Administration	3				
Others	3.7				

Karakalpakstan

	General/GP	Pediatrics	Ob/Gy	Stomatologist Laboratory	
Doctor	1.3	1.3	1	1.1	1
Nurse	7.8	1.8	1	1	1
Administration	3				
Others	2				

Navoi

	General/GP	Pediatrics	Ob/Gy	Stomatologist Laboratory	
Doctor	1.7			1	
Nurse	8	1	1.5	1	1
Administration	2				
Others	4				

Bukhara

	General/GP	Pediatrics	Ob/Gy	Stomatologist Laboratory	
Doctor					
Nurse					
Administration			N/A		
Others					

Tashkent city

	General/GP	Pediatrics	Ob/Gy	Stomatologist Laboratory	
Doctor					
Nurse					
Administration			N/A		
Others					

Tashkent

	General/GP	Pediatrics	Ob/Gy	Stomatologist Laboratory	
Doctor	7.8	11	1.6	1.4	1
Nurse	26	9	4	2	1.3
Administration	5.3				
Others	4.3				

4. Finance

4-1. General Revenue(actual)

Total		2000	2001	2002
MOH subsidization	Min	3,250,700	1,310,600	5,444,000
	Max	3,250,700	6,530,500	16,514,200
	Avr	3,250,700	3,920,550	11,236,525
Provincial government	Min	200,000	300,000	350,000
	Max	4,988,700	6,430,400	10,911,000
	Avr	2,895,349	3,838,132	4,928,835
Donation	Min			
	Max			
	Avr			
Other	Min			
	Max			
	Avr			
Total	Min	200,000	300,000	350,000
	Max	4,988,700	6,530,500	16,514,200
	Avr	2,946,113	3,858,737	8,082,680

4-2. General Expenditure(actual)

		2000	2001	2002
Salary	Min	306,801	829,936	383,600
	Max	5,150,000	5,810,100	6,319,000
	Avr	1,879,107	2,643,704	3,841,512
Pharmaceutical	Min	10,000	12,000	20,000
	Max	620,000	840,000	1,116,300
	Avr	188,609	270,508	437,980
Social security	Min	408,000	560,200	1,094,000
	Max	3,989,100	6,208,800	4,345,300
	Avr	1,109,490	1,841,115	2,116,745
Utility	Min	36,000	40,000	50,000
	Max	360,741	457,429	939,904
	Avr	103,503	129,424	194,100
Food	Min	0	0	0
	Max	0	0	0
	Avr	0	0	0
Major and minor maintenance	Min	0	0	0
	Max	58,200	52,600	1,178,400
	Avr	31,500	28,500	326,850
Equipment and furniture	Min	87,310	103,000	53,000
	Max	4,168,863	8,526,871	3,401,000
	Avr	1,270,653	1,895,140	812,243
Others	Min	108,600	236,600	121,400
	Max	455,000	1,410,800	2,747,451
	Avr	207,090	498,860	636,604
Total	Min	1,697,602	2,500,000	3,500,000
	Max	9,457,800	29,676,609	10,911,000
	Avr	3,767,066	8,944,103	7,564,304

Tashkent

		2000	2001	2002
MOH subsidization	Min			
	Max			
	Avr			
Provincial government	Min			
	Max			
	Avr			
Donation	Min			
	Max		N/A	
	Avr			
Other	Min			
	Max			
	Avr			
Total	Min			
	Max			
	Avr			

		2000	2001	2002
Salary	Min			
	Max			
	Avr			
Pharmaceutical	Min			
	Max			
	Avr			
Social security	Min			
	Max			
	Avr			
Utility	Min			
	Max			
	Avr			
Food	Min			
	Max		N/A	
	Avr			
Major and minor maintenance	Min			
	Max			
	Avr			
Equipment and furniture	Min			
	Max			
	Avr			
Others	Min			
	Max			
	Avr			
Total	Min			
	Max			
	Avr			

4-1.General Revenue(actual)

Tashkent city		2000	2001	2002
MOH subsidization	Min			
	Max			
	Avr			
Provincial government	Min			
	Max			
	Avr			
Donation	Min			
	Max		N/A	
	Avr			
Other	Min			
	Max			
	Avr			
Total	Min			
	Max			
	Avr			

4-2.General Expenditure(actual)

		2000	2001	2002
Salary	Min			
	Max			
	Avr			
Pharmaceutical	Min			
	Max			
	Avr			
Social security	Min			
	Max			
	Avr			
Utility	Min			
	Max			
	Avr			
Food	Min			
	Max			N/A
	Avr			
Major and minor maintenance	Min			
	Max			
	Avr			
Equipment and furniture	Min			
	Max			
	Avr			
Others	Min			
	Max			
	Avr			
Total	Min			
	Max			
	Avr			

Bukhara

Bukhara		2000	2001	2002
MOH subsidization	Min			
	Max			
	Avr			
Provincial government	Min			
	Max			
	Avr			
Donation	Min			
	Max		N/A	
	Avr			
Other	Min			
	Max			
	Avr			
Total	Min			
	Max			
	Avr			

		2000	2001	2002
Salary	Min			
	Max			
	Avr			
Pharmaceutical	Min			
	Max			
	Avr			
Social security	Min			
	Max			
	Avr			
Utility	Min			
	Max			
	Avr			
Food	Min			
	Max			N/A
	Avr			
Major and minor maintenance	Min			
	Max			
	Avr			
Equipment and furniture	Min			
	Max			
	Avr			
Others	Min			
	Max			
	Avr			
Total	Min			
	Max			
	Avr			

4-1.General Revenue(actual)

Nevoi		2000	2001	2002
MOH subsidization	Min			
	Max			
	Avr			
Provincial government	Min	200,000	300,000	350,000
	Max	200,000	300,000	350,000
	Avr	200,000	300,000	350,000
Donation	Min			
	Max			
	Avr			
Other	Min			
	Max			
	Avr			
Total	Min	200,000	300,000	350,000
	Max	200,000	300,000	350,000
	Avr	200,000	300,000	350,000

4-2.General Expenditure(actual)

		2000	2001	2002
Salary	Min	1,132,000	1,613,000	383,600
	Max	2,600,000	4,226,600	6,044,700
	Avr	1,810,667	2,732,175	3,095,075
Pharmaceutical	Min	116,000	130,000	154,000
	Max	620,000	840,000	1,116,300
	Avr	295,333	340,500	477,625
Social security	Min	1,040,000	1,690,600	2,417,900
	Max	1,040,000	2,589,100	3,813,600
	Avr	1,040,000	2,139,850	3,115,750
Utility	Min	36,000	40,000	50,000
	Max	40,000	50,000	67,000
	Avr	38,000	46,000	58,333
Food	Min	0	0	0
	Max	0	0	0
	Avr	0	0	0
Major and minor maintenance	Min	0	0	0
	Max	0	0	0
	Avr	0	0	0
Equipment and furniture	Min	4,168,863	8,526,871	
	Max	4,168,863	8,526,871	
	Avr	4,168,863	8,526,871	
Others	Min	150,000	250,000	250,000
	Max	425,000	650,000	810,000
	Avr	287,500	450,000	530,000
Total	Min	2,000,000	2,500,000	3,500,000
	Max	4,721,000	7,455,200	10,455,900
	Avr	3,360,500	4,977,600	6,977,950

Karakalpakstan

		2000	2001	2002
MOH subsidization	Min		1,310,600	5,444,000
	Max		1,310,600	5,444,000
	Avr		1,310,600	5,444,000
Provincial government	Min	366,612	823,936	1,889,996
	Max	2,914,781	4,884,457	6,564,343
	Avr	1,640,697	2,854,197	4,227,170
Donation	Min			
	Max			
	Avr			
Other	Min			
	Max			
	Avr			
Total	Min	366,612	823,936	1,889,996
	Max	2,914,781	4,884,457	6,564,343
	Avr	1,640,697	2,339,664	4,632,780

		2000	2001	2002
Salary	Min	366,612	829,936	1,889,996
	Max	1,682,400	2,522,400	4,928,400
	Avr	1,143,004	1,456,484	3,266,699
Pharmaceutical	Min	105,430	133,000	175,000
	Max	117,000	218,418	323,579
	Avr	111,215	175,709	230,860
Social security	Min	678,900	1,008,900	1,318,900
	Max	678,900	1,008,900	1,318,900
	Avr	678,900	1,008,900	1,318,900
Utility	Min	360,741	185,000	210,000
	Max	360,741	457,429	939,904
	Avr	360,741	321,215	574,952
Food	Min			
	Max			
	Avr			
Major and minor maintenance	Min			
	Max			
	Avr			
Equipment and furniture	Min	87,310	677,310	685,560
	Max	3,919,000	3,319,000	3,401,000
	Avr	2,003,155	1,998,155	2,043,280
Others	Min			214,000
	Max			214,000
	Avr			214,000
Total	Min			
	Max			
	Avr			

4-1.General Revenue(actual)

Samarkand		2000	2001	2002
MOH subsidization	Min			
	Max			
	Avr			
Provincial government	Min	4,988,700	6,430,400	10,911,000
	Max	4,988,700	6,430,400	10,911,000
	Avr	4,988,700	6,430,400	10,911,000
Donation	Min			
	Max			
	Avr			
Other	Min			
	Max			
	Avr			
Total	Min	4,988,700	6,430,400	10,911,000
	Max	4,988,700	6,430,400	10,911,000
	Avr	4,988,700	6,430,400	10,911,000

Fergana		2000	2001	2002
MOH subsidization	Min	3,250,700	6,530,500	10,637,200
	Max	3,250,700	6,530,500	16,514,200
	Avr	3,250,700	6,530,500	13,167,367
Provincial government	Min	4,421,000	5,280,000	
	Max	4,481,000	5,310,000	
	Avr	4,451,000	5,295,000	
Donation	Min			
	Max			
	Avr			
Other	Min			
	Max			
	Avr			
Total	Min	3,250,700	5,280,000	10,637,200
	Max	4,481,000	6,530,500	16,514,200
	Avr	4,050,900	5,706,833	13,167,367

4-2.General Expenditure(actual)

		2000	2001	2002
Salary	Min	1,020,000	1,400,000	2,134,000
	Max	2,742,000	3,403,400	6,319,000
	Avr	1,885,550	2,447,950	4,498,500
Pharmaceutical	Min	218,000	457,400	590,000
	Max	477,600	774,400	996,000
	Avr	328,100	621,800	800,667
Social security	Min	408,000	560,200	1,094,000
	Max	1,096,800	1,361,300	2,527,000
	Avr	754,200	979,125	1,858,750
Utility	Min	64,700	86,600	112,500
	Max	166,300	193,800	297,000
	Avr	112,025	149,050	202,275
Food	Min			
	Max			
	Avr			
Major and minor maintenance	Min	25,800	23,400	27,000
	Max	58,200	52,600	61,000
	Avr	42,000	38,000	44,000
Equipment and furniture	Min	92,800	103,000	53,000
	Max	266,800	282,800	296,000
	Avr	179,850	185,700	145,000
Others	Min	108,600	256,300	121,400
	Max	239,200	805,500	535,400
	Avr	155,225	492,000	353,950
Total	Min	1,938,500	2,665,100	4,556,000
	Max	4,988,700	6,430,400	10,911,000
	Avr	3,446,600	4,759,875	7,791,750

		2000	2001	2002
Salary	Min	306,801	2,553,000	3,670,700
	Max	5,150,000	5,810,100	5,671,000
	Avr	2,277,085	3,506,705	4,284,352
Pharmaceutical	Min	10,000	12,000	20,000
	Max	198,700	215,800	833,700
	Avr	68,050	79,800	333,767
Social security	Min	806,760	1,021,200	1,468,320
	Max	3,989,100	6,208,800	4,345,300
	Avr	1,429,697	2,454,900	2,088,714
Utility	Min	50,000	65,000	71,000
	Max	120,200	130,300	198,300
	Avr	71,440	87,060	129,582
Food	Min			
	Max			
	Avr			
Major and minor maintenance	Min			650,700
	Max			1,178,400
	Avr			914,550
Equipment and furniture	Min			351,900
	Max			351,900
	Avr			351,900
Others	Min	140,000	236,600	289,200
	Max	455,000	1,410,800	2,747,451
	Avr	218,750	530,151	931,009
Total	Min	1,697,602	2,976,600	5,532,000
	Max	9,457,800	29,676,609	10,851,000
	Avr	4,116,231	13,055,755	7,616,888