

**MINUTES OF DISCUSSIONS
ON THE BASIC DESIGN STUDY
ON THE PROJECT FOR STRENGTHENING REGIONAL EDUCATION
AND TRAINING INSTITUTIONS
FOR NURSES AND PRIMARY HEALTH CARE WORKERS
IN THE LAO PEOPLE'S DEMOCRATIC REPUBLIC**


In response to a request from the Government of the Lao People's Democratic Republic (hereinafter referred to as "Laos"), the Government of Japan decided to conduct a Basic Design Study on the Project for Strengthening Regional Education and Training Institutions for Nurses and Primary Health Care Workers (hereinafter referred to as "the Project") and entrusted the study to the Japan International Cooperation Agency (hereinafter referred to as "JICA").

JICA sent the Basic Design Study Team (hereinafter referred to as "the Team") headed by Mr. Tamotsu Ikezaki, Director of Second Project Management Division, Grant Aid Management Department, JICA and is scheduled to stay in Laos from August 29 to October 7, 2003.

The Team held discussions with the officials concerned of the Government of Laos and conducted a field survey at the study areas.

In the course of discussions and field survey, both parties confirmed the main items described on the attached sheets. The Team will proceed to further works and prepare the Basic Design Study Report.

Vientiane October 6, 2003



Mr. Tamotsu Ikezaki
Leader
Basic Design Study Team
Japan International Cooperation Agency



Mrs. Chanthanom Manodham
Director, Cabinet
Ministry of Health
Lao People's Democratic Republic

ATTACHMENT

1. Objective of the Project

The objective of the Project is to improve the educational environment of the existing Public Health schools.

2. Project Site

The sites of the Project are the following places;

- College of Health Technology, Vientiane Municipality
- Champasak Public Health School, Champasak Province
- Khammuane Public Health School, Khammuane Province
- Luangprabang Public Health School, Luangprabang Province
- Oudomxay Public Health School, Odomxay Province
- Savannakhet Public Health School, Savannakhet Province

3. Responsible and Implementing Agency

3-1. The Responsible Agency is the Ministry of Health.

3-2. The Implementing Agency is College of Health Technology, Champasak Public Health School, Khammuane Public Health School, Luangprabang Public Health School, Oudomxay Public Health School and Savannakhet Public Health School.

4. Items requested by the Government of Laos

4-1 After discussions with the Team, the facilities described in Annex-1 and equipment plan described in Annex-2 were finally requested by the Lao side. JICA will assess the appropriateness of the request and will recommend to the Government of Japan for approval.

4-2 The both sides confirmed that the Lao side asked the provision of equipment from the WHO. In order to avoid duplication, the both sides confirmed that the kinds and the number of equipment to be procured by the Project should be determined carefully.

5. Japan's Grant Aid Scheme

5-1 The Lao side understood the Japan's Grant Aid Scheme explained by the Team, as described in Annex-3.

5-2 The Lao side will take the necessary measures described in Annex-4 for smooth implementation of the Project, as a condition for the Japanese Grant Aid to be implemented.

6. Schedule of the Study

- 6-1 JICA will prepare the draft report in English and dispatch a mission in order to explain its contents around January, 2004.
- 6-2 In case that the contents of the report is accepted in principle by the Government of Laos, JICA will complete the final report and send it to the Government of Laos around March, 2004.
- 6-3 After the Team leaves the country, further discussions necessary for the basic design of the Project will be made through such means as facsimile and e-mail.

7. Other relevant issues

- 7-1 Ministry of Health and 5 Provincial Health Offices shall share necessary information for nursing education project so that the project will be implemented smoothly. And the both organizations shall ensure appropriate budget and personnel for operation and maintenance of the facilities and equipment after the completion of the Project.
- 7-2 In order to improve the medical service in rural areas, the Lao side shall take necessary measures for promoting nurses to work at remote areas.
- 7-3 The both sides confirmed that the entrance number of students in each school should not exceed 110% of each quota in order to secure the quality of education and the Ministry of Health set quota per 1 grade of each school as follows;
 - (1) Luangprabang, Khammuane and Oudomxay: 60 students quota per 1 grade.
 - (2) Savannakhet and Champasak: 100 students quota per 1 grade.
- 7-4 The both sides agreed that construction and/or renovation of classrooms, demonstration room and library would be covered in this project and the Lao side would take necessary measures for the construction and/or the renovation of dormitories.
- 7-5 The Lao side agreed to complete the following undertakings prior to the commencement of the construction and/or renovation works;
 - (1) Demolishing and clearance of the existing facilities and utilities in the project sites.
 - (2) Relocation of the existing electric cable and water pipe line in the project sites for construction to a suitable place.
 - (3) Preparation of classroom, demonstration rooms in order to transfer these functions temporarily during the construction and/or renovation works.
- 7-6 The both sides confirmed that construction and renovation works of Luangprabang Public Health School should be implemented according to the regulations by the UNESCO's World Heritage site office in Luangprabang. The both sides confirmed that the necessary roofing tiles for construction and renovation works in Luangprabang would be prepared by the Lao side through the support of UNESCO's World Heritage site office in Luangprabang.
- 7-7 In order to enhance the quality of students, the both sides agreed that the Lao side

would take necessary measures to conduct the entrance examination in appropriate and fair manner.

7-8 In order to enhance quality of education, the both sides agreed that the Lao side would take necessary measures as follows;

(1) In order to implement 2.5 year nursing education curriculum properly and sustainably,

I. Competent teachers should be deployed for each school.

II. Necessary teaching and learning material should be provided for each school.

(2) Qualification of teachers should be clearly defined.

7-9 In order to enhance the quality of nursing education results, the both sides agreed that the Lao side would take necessary measures as follows;

(1) Standardized graduation examination should be implemented uniformly in all Public Health/Nursing Schools.

(2) The students should pass this standardized graduation examination; otherwise they cannot practice in any health facility in Laos. (In future, a qualifying examination by government for the nurse license will be highly recommended to be introduced.)

7-10 The both sides agreed to change the title to "Project for Strengthening Regional Education and Training Institutions for Nurses and Primary Health Care Workers".

CP

[Handwritten signature]

Requested Facilities for the Project

The contents of the requested facilities by the Lao side regarding Public Health Schools.

Name of School	Items
Oudomxay Public Health School	<ul style="list-style-type: none"> • Construction of one building for 3 classrooms, one demonstration room and one library.
Luangprabang Public Health School	<ul style="list-style-type: none"> • Construction of one building for one demonstration room. • Renovation of one building for 4 classrooms
Khammouane Public Health School	<ul style="list-style-type: none"> • Construction of one building for 2 classrooms, one demonstration room and one library. • Renovation of one building for 2 classrooms.
Savannakhet Public Health School	<ul style="list-style-type: none"> • Construction of one building for 3 classrooms and one demonstration room. • Renovation of one building for 2 classrooms
Champasak Public Health School	<ul style="list-style-type: none"> • Renovation of two buildings for 7 classrooms and one demonstration room.

Note:

1. Each facility mentioned above includes the common space such as corridor, storage, toilet, and the necessary utilities such as electricity, water supply, sewage, etc. The details of such common space and utilities will be discussed further between the Japanese and Lao sides.
2. The capacities of classroom for Nursing Course in each school requested by the Lao side are to be one classroom for 60 students per grade for Oudomxay, Luangprabang and Khammouane Public Health Schools, and two classrooms for 100 students per grade for Savannakhet and Champasak Public Health Schools.
3. The size and details of facilities will be determined after further studies.

Requested Equipment

OX	Oudomxay Public Health School	
LP	Luangprabang Public Health School	
KA	Khammuane Public Health School	
SK	Savannakhet Public Health School	
CS	Champasak Public Health School	A: High Priority
CHT	College of Health Technology	C: Low Priority

Item No	Purposes	Description	OX	LP	KA	SK	CS	CHT
DM-1	Demo/Practice	Anatomical Human Body Male	A	A	A	A	A	C
DM-2	Demo/Practice	Anatomical Human Body Female	A	A	A	A	A	C
DM-3	Demo/Practice	Human Skeleton	A	A	C	C	C	C
DM-4	Demo/Practice	Circulatory System Model	A	A	A	A	A	C
DM-6	Demo/Practice	Respiratory Organ Model	A	A	A	A	A	C
DM-10	Demo/Practice	Nasal/Throat/Pharynx Model	A	A	A	C	A	C
DM-12	Demo/Practice	Pelvis Model	A	C	C	A	C	C
DM-13	Demo/Practice	Pregnant Uterus Model	A	C	A	A	C	A
DM-14	Demo/Practice	Training Dummy for Dressing	A	A	A	A	C	C
DM-15	Demo/Practice	Phantom for Delivery	A	A	A	C	A	A
DM-17	Demo/Practice	Dummy for Baby Care	A	A	C	C	C	C
DM-18	Demo/Practice	Neonatal Cot	A	A	C	A	C	C
DM-19	Demo/Practice	Patient Bed	A	A	A	A	A	C
DM-20	Demo/Practice	Wheel Chair	A	C	A	A	C	C
DM-21	Demo/Practice	Stretcher	A	C	A	A	C	C
DM-23	Demo/Practice	Injection Simulator	A	A	A	A	A	C
DM-24	Demo/Practice	Nursing Utensils Set	A	A	C	C	A	C
PH-2	Practice(physical)	Sphygmomanometer, Portable	A	A	A	A	C	C
PH-2-1	Practice(physical)	Sphygmomanometer, Aneroid	A	A	A	A	A	C
PH-3	Practice(physical)	Sphygmomanometer, Stand	A	A	A	A	A	C
PH-4	Practice(physical)	Measuring Rod for Infant	A	A	A	A	A	A
PH-5	Practice(physical)	Weighing Scale for Infant	A	A	A	A	A	A
PH-6	Practice(physical)	Stethoscope	A	C	A	C	C	C
PH-7	Practice(physical)	Examination Instrument Set	A	A	A	A	A	C
PH-8	Practice(physical)	Thermometer, Mercury type	A	C	C	C	A	C
PH-9	Practice(physical)	Thermometer, Electronic	A	A	A	A	A	C
PH-11	Practice(physical)	Pediatric Thermometer	A	A	A	A	A	C
PH-12	Practice(physical)	Weighing Scale for Adult	A	A	A	A	A	C
EM-1	Practice(e'gency)	Medication Trolley	A	A	A	A	A	C
EM-2	Practice(e'gency)	Boiling Sterilizer	A	A	A	C	C	C
EM-3	Practice(e'gency)	Irrigator Stand	A	A	A	A	A	C
EM-4	Practice(e'gency)	Emergency Instrument Set	A	A	A	A	A	C
DL-1	Practice(delivery)	Delivery Instrument Set	A	A	A	A	A	C
DL-2	Practice(delivery)	Delivery Table	A	C	C	A	C	C
DL-3	Practice(delivery)	Suction Unit	A	A	A	A	C	C
DL-4	Practice(delivery)	Instrument Trolley	A	C	A	A	A	C

Item No	Purposes	Description	OX	LP	KA	SK	CS	CHT
LB-2	Practice(Lab)	Electronic Balance	A	A	A	A	A	C
LB-3	Practice(Lab)	Binocular Microscope*	A	A	A	A	A	A
AV-1	Audio Visual	Overhead Projector**	A	C	A	A	C	A
AV-2	Audio Visual	Slide Projector	A	C	A	C	C	C
AV-3	Audio Visual	Tape Recorder	A	C	A	A	A	C
AV-4	Audio Visual	TV system	C	C	C	A	C	C
AV-4-1	Audio Visual	VTR	A	A	A	C	C	C
AV-4-2	Audio Visual	VCD	A	C	C	A	A	C
AV-5	Audio Visual	Cabinet	A	A	A	A	A	C
AV-6	Audio Visual	Screen	A	A	A	A	A	C
AV-6-1	Audio Visual	Screen	A	A	A	A	A	C
AV-7	Audio Visual	LCD Projector System	A	C	A	A	A	C
AV-8	Audio Visual	White Board	A	A	A	A	A	C
AV-9	Audio Visual	Amplifier System	A	A	C	A	A	C
MP-1	Material Prod'n	Copying Machine	A	A	A	A	A	A
MP-2	Material Prod'n	Small Printing Machine	A	A	A	A	A	C
MP-3	Material Prod'n	Computer with Printer	A	A	A	A	A	A
MP-4	Material Prod'n	Image Acquisition Equipment	A	A	A	A	A	A

* : CHT requested a face-to-face or teaching type.

** : CHT requested a non-transparent sheet projection or reflection type.

*** : The kinds and the number of equipment will be determined after further studies.

CP

Handwritten signature

Japan's Grant Aid Program

1. Japan's Grant Aid Procedures

(1) The Japan's Grant Aid Program is executed by the following procedures.

Application (request made by a recipient country)

Study (Basic Design Study conducted by JICA)

Appraisal & Approval (appraisal by the Government of Japan and approval by the Cabinet of Japan)

Determination of Implementation (Exchange of Notes between both Governments)

Implementation (implementation of the Project)

(2) Firstly, an application or a request for a Grant Aid project submitted by the recipient country is examined by the Government of Japan (the Ministry of Foreign Affairs) to determine whether or not it is eligible for Japan's Grant Aid. If the request is deemed appropriate, the Government of Japan assigns JICA to conduct a study on the request.

Secondly, JICA conducts the study (Basic Design Study), using (a) Japanese consulting firm(s).

Thirdly, the Government of Japan appraises the project to see whether or not it is suitable for Japan's Grant Aid Program, based on the Basic Design Study Report prepared by JICA and the results are then submitted to the cabinet for approval.

Fourthly, the project approved by the cabinet becomes official with the Exchange of Notes signed by the Government of Japan and the recipient country.

Finally, for the implementation of the Project, JICA assists the recipient country in preparing contracts and so on.

2. Contents of the Study

(1) Contents of the Study

The purpose of the Basic Design Study conducted by JICA on a requested project is to provide a basic document necessary for appraisal of the project by the Japanese Government. The contents of the Study are as follows:

a) confirmation of the background, objectives, benefits of the project and also institutional capacity of agencies concerned of the recipient country necessary for project implementation,

b) evaluation of the appropriateness of the project for the Grant Aid Scheme from a technical, social and economical point of view,

c) confirmation of items agreed on by the both parties concerning a basic concept of the project,

d) preparation of a basic design of the project,

e) estimation of cost of the project.

The contents of the original request are not necessarily approved in their initial form as the contents of the Grant Aid project. The Basic Design of the project is confirmed considering the guidelines of Japan's Grant Aid Scheme.

Final project components are subject to approval by the Government of Japan and

therefore may differ from an original request. Implementing the project, the Government of Japan requests the recipient country to take necessary measures involved which are itemized on Exchange of Notes.

(2) Selection of Consultants

For smooth implementation of the study, JICA uses (a) registered consulting firm(s). JICA selects (a) firm(s) based on the proposals submitted by the interested firms. The firm(s) selected carry(ies) out a Basic Design Study and write(s) a report, based upon terms of reference set by JICA.

The consulting firm(s) used for the study is (are) recommended by JICA to a recipient country after Exchange of Notes, in order to maintain technical consistency and also to avoid any undue delay in implementation should the selection process be repeated.

3. Japan's Grant Aid Scheme

(1) What is Grant Aid?

The Grant Aid Program provides a recipient country with non reimbursable funds to procure the equipment and services (engineering services and transportation of the products, etc.) for economic and social development of the country under principles in accordance with relevant laws and regulations of Japan. The Grant Aid is not supplied through the donation of materials or such.

(2) Exchange of Notes (E/N)

Both Governments concerned extend Japan's Grant Aid in accordance with the Exchange of Notes in which the objectives of the Project, period of execution, conditions and amount of the Grant Aid etc., are confirmed.

(3) "The period of the Grant Aid" means one Japanese fiscal year which the Cabinet approves the Project for. Within the fiscal year, all procedure such as Exchange of Notes, concluding a contract with (a) consulting firm(s) and (a) contractor(s) and a final payment to them must be completed.

(4) Under the Grant, in principle, products and services of origins of Japan or the recipient country are to be purchased.

When the two Governments deem it necessary, the Grant may be used for the purchase of products or services of a third country.

However the prime contractors, namely, consulting, contractor and procurement firms, are limited to "Japanese nationals". (The term "Japanese nationals" means persons of Japanese nationality or Japanese corporations controlled by persons of Japanese nationality.)

(5) Necessity of the "Verification"

The Government of the recipient country or its designated authority will conclude contracts denominated in Japanese yen with Japanese nationals. The Government of Japan shall verify those contracts. The "Verification" is deemed necessary to secure accountability to Japanese tax payers.

(6) Undertakings Required to the Government of the Recipient Country

In the implementation of the Grant Aid project, the recipient country is required to undertake such necessary measures as the following:

a) to secure land necessary for the sites of the project prior to the installation work in case the project is providing equipment,

b) to provide facilities for distribution of electricity, water supply and drainage and other incidental facilities in and around the sites,

c) to secure buildings prior to the installation work in case the project is providing equipment,

d) to ensure all the expenses and prompt execution for unloading, customs clearance at the port of disembarkation and internal transportation of the products purchased under the Grant Aid,

e) to exempt Japanese nationals from customs duties, internal taxes and other fiscal levies which will be imposed in the recipient country with respect to the supply of the products and services under the Verified Contracts,

f) to accord Japanese nationals whose services may be required in connection with the supply of the products and services under the Verified Contracts, such facilities as may be necessary for their entry into the recipient country and stay therein for the performance of their work.

(7) Proper Use

The recipient country is required to maintain and use the equipment purchased under the Grant Aid properly and effectively and to assign staff necessary for the operation and maintenance as well as to bear all expenses other than those covered by the Grant Aid.

(8) Re-export

The products purchased under the Grant Aid shall not be re-exported from the recipient country.

(9) Banking Arrangement (B/A)

a) The Government of the recipient country or its designated authority shall open an account in the name of the Government of the recipient country in a bank in Japan. The Government of Japan will execute the Grant Aid by making payments in Japanese yen to cover the obligations incurred by Government of the recipient country or its designated authority under the Verified Contracts.

b) The payments will be made when payment requests are presented by the bank to the Government of Japan under an Authorization to Pay issued by the Government of the recipient country or its designated authority.

Major Undertakings to be taken by Each Government

NO	Items	To be covered by Grant Aid	To be covered by Recipient side
1	To secure land		•
2	To clear, level and reclaim the site when needed		•
3	To construct gates and fences in and around the site		•
4	To construct the parking lot	•	
5	To construct roads		
1) Within the site		•	
2) Outside the site			•
6	To construct the building	•	
7	To provide facilities for the distribution of electricity, water supply, drainage and other incidental facilities		
1)Electricity			
a. The distributing line to the site			•
b. The drop wiring and internal wiring within the site		•	
c. The main circuit breaker and transformer		•	
2)Water Supply			
a. The city water distribution main to the site			•
b. The supply system within the site (receiving and/or elevated tanks)		•	
3)Drainage			
a. The city drainage main (for storm, sewer and others) to the site			•
b. The drainage system (for toilet sewer, ordinary waste, storm drainage and others) within the site		•	
4)Telephone System			
a. The telephone trunk line to the main distribution frame / panel (MDF) of the building			•
b. The MDF and the extension after the frame / panel		•	
5)Furniture and Equipment			
a. General furniture			•
b. Project furniture and equipment		•	
8	To bear the following commissions to a bank of Japan for the banking services based upon the B/A		
1) Advising commission of A/P			•
2) Payment commission			•
9	To ensure prompt unloading and customs clearance at the port of disembarkation in recipient country		
1) Marine(Air) transportation of the products from Japan to the recipient country		•	
2) Tax exemption and customs clearance of the products at the port of disembarkation			•
3) Internal transportation from the port of disembarkation to the project site		•	



10	To accord Japanese nationals whose services may be required in connection with the supply of the products and the services under the verified contract such facilities as may be necessary for their entry into the recipient country and stay therein for the performance of their work		•
11	To exempt Japanese nationals from customs duties, internal taxes and other fiscal levies which may be imposed in the recipient country with respect to the supply of the products and services under the verified contract		•
12	To maintain and use properly and effectively the facilities constructed and equipment provided under the Grant Aid		•
13	To bear all the expenses deem necessary, other than those to be borne by the Grant Aid, for construction of the facilities as well as for the transportation and installation of the equipment		•

AD

Forney


**MINUTES OF DISCUSSIONS ON THE BASIC DESIGN STUDY ON THE PROJECT
FOR STRENGTHENING REGIONAL EDUCATION AND TRAINING
INSTITUTIONS FOR NURSES AND PRIMARY HEALTH CARE WORKERS
IN THE LAO PEOPLE'S DEMOCRATIC REPUBLIC
(EXPLANATION ON DRAFT REPORT)**

In October 2003, the Japan International Cooperation Agency (hereinafter referred to as "JICA") dispatched a Basic Design Study Team on the Project for Strengthening Regional Education and Training Institutions for Nurses and Primary Health Care Workers (hereinafter referred to as "the Project") to the Lao People's Democratic Republic, and through discussion, field survey, and technical examination of the results in Japan, JICA prepared a draft report of the study.

In order to explain and to consult the Lao People's Democratic Republic on the components of the draft report, JICA sent to the Lao People's Democratic Republic the Draft Report Explanation Team (hereinafter referred to as "the Team"), which is headed by Mr. Shuichi Ikeda, Deputy Resident Representative of the Laos JICA office, from January 12 to January 30, 2004.

As a result of discussions, both parties confirmed the main items described on the attached sheets.

Vientiane, January 29, 2004



Mr. Shuichi Ikeda
Leader
Draft Report Explanation Team
Japan International Cooperation Agency



Mrs. Chanthanom Manodham
Director, Cabinet
Ministry of Health
Lao People's Democratic Republic

ATTACHMENT

1. Components of the Draft Report

The Government of the Lao People's Democratic Republic agreed and accepted in principle the components of the draft report explained by the Team.

2. Japan's Grant Aid Scheme

The Lao side understood the Japan's Grant Aid Scheme and the necessary measures to be taken by the Lao Government as explained by the Team and described in Annex-3 and Annex-4 of the Minutes of Discussions signed by both parties on October 6, 2003.

3. Schedule of the Study

JICA will complete the final report in accordance with the confirmed item and send it to the Lao Government around April 2004.


4. Other Relevant Issues

4-1. Both parties confirmed that the Lao Government would secure enough budget and appropriate staff of each school for proper and effective school management and operation and maintenance of the facilities and equipment after the completion of the Project. The budget plan for each school shall be submitted to the JICA Laos office by March 2004.

4-2. Both parties confirmed that the Lao Government should complete the following site preparation works prior to the commencement of the construction and renovation works. The necessary undertakings for each school are shown in Annex-3. The implementation plan schedule for each undertaking shall be submitted to the JICA Laos office by the end of April.

- (1) Demolishing and clearance of the existing facilities and utilities in the Project sites.
- (2) Relocation of the existing electric cable and water pipe line in the Project sites for construction to a suitable place.
- (3) Preparation of classrooms and demonstration rooms in order to transfer these functions temporarily during the construction and renovation works.

4-3. The Ministry of Health shall get the official approval letter from Luangprabang UNESCO's World Heritage Office for the Basic Design on the Luangprabang Public Health School. Then, the Ministry of Health shall notify the Ministry of Education and the Ministry of Information and Culture of the receipt of the approval letter in writing. Also, the Ministry of Health shall send JICA Laos office a letter mentioning the receipt of approval for the Basic Design from the Luangprabang UNESCO's World Heritage Office in writing by 15 February, 2004.



4-4. The Lao Government shall procure enough number of roofing tiles for renovation of the Luangprabang Public Health School (“PHS”) from UNESCO. The Lao Government shall periodically consult with and report to UNESCO on the progress of construction and renovation of the Luangprabang PHS under the Japan's Grant Aid Scheme.

4-5. Both sides confirmed that the Lao Government would ensure proper use and maintenance of the facilities and equipment when the construction under the Japan's Grant Aid Scheme is completed. In addition to the anti-termite measures which will be considered for the new construction and renovation of buildings by Japan side, the Lao Government would conduct a continuous monitoring and take proper countermeasures.

4-6. Before handover of the facilities and equipment, Japan side will conduct necessary basic training for proper operation and maintenance of the facilities and equipment.

Requested Facilities for the Project

The contents of the requested facilities by the Lao side regarding Public Health Schools are as follows;

Name of School	Items
Oudomxay Public Health School	A. New Construction : 1Building A-1. Classroom : 3 rooms A-2. Demonstration room : 1 room A-3. Library : 1 room
Luangprabang Public Health School	A. New Construction : 1Building A-1. Demonstration room : 1 room B. Renovation : 1Building B-1. Classroom: 4 rooms
Khammouane Public Health School	A. New Construction : 1Building A-1. Classroom : 2 rooms A-2. Demonstration room : 1 room A-3. Library : 1 room B. Renovation : 1Building B-1. Classroom: 2 rooms
Savannakhet Public Health School	A. New Construction : 1Building A-1. Classroom: 3 rooms A-2. Demonstration room : 1 room B. Renovation : 1Building B-1. Classroom: 2 rooms
Champasak Public Health School	B. Renovation : 2Buildings B-1. Classroom: 7 rooms B-2. Demonstration room : 1 room B-3. Toilet

Note:

1. Each facility mentioned above includes the common space such as corridor, storage, toilet, and the necessary utilities such as electricity, water supply, sewage, etc. The details of such common space and utilities will be discussed further between the Japanese and Lao sides.
2. The capacities of classroom for Nursing Course in each school requested by the Lao side are to be one classroom for 60 students per grade for Oudomxay, Luangprabang and Khammouane Public Health Schools, and two classrooms for 100 students per grade for Savannakhet and Champasak Public Health Schools.
3. The size and details of facilities will be determined after further studies.



Handwritten signature and initials

Planned Equipment

- OX Oudomxay Public Health School**
LP Luangprabang Public Health School
KA Khammuane Public Health School
SK Savannakhet Public Health School
CS Champasak Public Health School
CHT College of Health Technology

Equipment List

No.	Item No.	Purposes	Description	OX	LP	KA	SK	CS	CHT	TTL
1	DM-1	Demo/Practice	Anatomical Human Body Male	1	1	1	1	1	0	5
2	DM-2	Demo/Practice	Anatomical Human Body Female	1	1	1	1	1	0	5
3	DM-3	Demo/Practice	Human Skeleton	1	1	0	1	0	0	3
4	DM-4	Demo/Practice	Circulatory System Model	1	1	1	1	1	0	5
5	DM-6	Demo/Practice	Respiratory Organ Model	1	1	1	1	1	0	5
6	DM-10	Demo/Practice	Nasal/Throat/Pharynx Model	1	1	1	0	1	0	4
7	DM-13	Demo/Practice	Pregnant Uterus Model	0	0	0	1	0	1	2
8	DM-14	Demo/Practice	Training Dummy for Dressing	1	2	1	1	0	0	5
9	DM-15	Demo/Practice	Phantom for Delivery	1	1	2	0	1	1	6
10	DM-17	Demo/Practice	Dummy for Baby Care	0	1	0	0	0	0	1
11	DM-18	Demo/Practice	Neonatal Cot	1	1	0	1	0	0	3
12	DM-19	Demo/Practice	Patient Bed	5	3	5	4	4	0	21
13	DM-20	Demo/Practice	Wheel Chair	1	0	1	1	0	0	3
14	DM-21	Demo/Practice	Stretcher	1	0	1	1	0	0	3
15	DM-23	Demo/Practice	Injection Simulator	6	6	6	6	6	0	30
16	DM-24	Demo/Practice	Nursing Utensils Set	1	1	0	0	1	0	3
17	PH-2	Pratice(physical)	Sphygmomanometer, Portable	7	2	2	8	0	0	19
18	PH-2-1	Pratice(physical)	Sphygmomanometer, Aneroid	2	2	2	2	2	0	10
19	PH-3	Pratice(physical)	Sphygmomanometer, Stand	1	2	2	2	2	0	9
20	PH-4	Pratice(physical)	Measuring Rod for Infant	2	2	1	2	2	1	10
21	PH-5	Pratice(physical)	Weighing Scale for Infant	2	2	1	1	2	1	9
22	PH-6	Pratice(physical)	Stethoscope	10	0	2	0	0	0	12
23	PH-7	Pratice(physical)	Examination Instrument Set	2	2	2	2	2	0	10
24	PH-8	Pratice(physical)	Thermometer, Mercury type	2	0	0	0	4	0	6
25	PH-9	Pratice(physical)	Thermometer, Electronic	2	2	2	2	2	0	10
26	PH-11	Pratice(physical)	Pediatric Thermometer	2	2	2	2	2	0	10
27	PH-12	Pratice(physical)	Weighing Scale for Adult	2	2	2	1	1	0	8
28	EM-1	Practice(e'gency)	Medication Trolley	1	1	1	1	1	0	5
29	EM-2	Practice(e'gency)	Boiling Sterilizer	1	1	1	0	0	0	3
30	EM-3	Practice(e'gency)	Irrigator Stand	6	5	6	5	5	0	27
31	EM-4	Practice(e'gency)	Emergency Instrument Set	1	1	1	1	1	0	5
32	DL-1	Practice(delivery)	Delivery Instrument Set	1	1	1	1	1	0	5
33	DL-2	Practice(delivery)	Delivery Table	1	0	0	1	0	0	2
34	DL-3	Practice(delivery)	Suction Unit	1	1	1	1	0	0	4
35	DL-4	Practice(delivery)	Instrument Trolley	1	0	1	1	1	0	4
36	LB-2	Practice(Lab)	Electronic Balance	1	1	1	1	1	0	5

No.	Item No.	Purposes	Discription	OX	LP	KA	SK	CS	CHT	TTL
37	LB-3a	Practice(Lab)	Binocular Microscope	3	3	3	3	3	0	15
38	LB-3b	Practice(Lab)	Binocular Microscope (FTF)	0	0	0	0	0	1	1
39	AV-1a	Audio Visual	Overhead Projector	2	1	2	1	0	0	6
40	AV-1b	Audio Visual	Overhead Projector (Reflection)	0	0	0	0	0	1	1
41	AV-2	Audio Visual	Slide Projector	1	0	1	0	0	0	2
42	AV-3	Audio Visual	Tape Recorder	2	0	2	2	1	0	7
43	AV-4	Audio Visual	TV system	0	0	0	1	0	0	1
44	AV-4-1	Audio Visual	VTR	1	1	1	0	0	0	3
45	AV-4-2	Audio Visual	VCD	1	0	0	1	1	0	3
46	AV-5	Audio Visual	Cabinet	1	1	1	1	1	0	5
47	AV-6	Audio Visual	Screen	1	1	2	1	1	0	6
48	AV-6-1	Audio Visual	Screen	1	1	1	1	1	0	5
49	AV-7a	Audio Visual	LCD Projector System	1	0	1	1	1	0	4
50	AV-7b	Audio Visual	LCD Projector System (3D)	1	1	1	1	1	1	6
51	AV-8	Audio Visual	White Board	3	3	3	2	3	0	14
52	AV-9	Audio Visual	Amplifier System	1	1	0	1	1	0	4
53	MP-1	Material Prod'n	Copying Machine	1	1	1	1	1	1	6
54	MP-2	Material Prod'n	Small Printing Machine	1	1	1	1	1	0	5
55	MP-3	Material Prod'n	Computer with Printer	4	2	3	1	2	1	13
56	MP-3-1	Material Prod'n	Printer for Computer (MP-3)	1	1	1	1	1	0	5
57	MP-4	Material Prod'n	Image Acquisition Equipment	1	1	1	1	1	1	6
58	DM-25	Demo/Practice	Resuscitation Simulator	1	0	1	1	1	0	4

**Undertakings by Laos side
(Site Preparation Works and Utility Works)**

Site preparation works and utility works necessary for each school as undertakings by Laos side are as follows.

School	Items	Contents
Oudomxay PHS	Utility Work	<ul style="list-style-type: none"> a) Installation of the new electric cable from the existing transformer up to the receiving panel for the new building. b) Installation of the new water supply pipe from the existing main feeder to the new site.
Luangprabang PHS	Site Preparation	<ul style="list-style-type: none"> a) Site preparation including leveling work. b) Relocation of the existing water supply pipe of the Project site to suitable location. c) Preparation of temporary classrooms and demonstration room for the period of renovation.
	Utility Work	<ul style="list-style-type: none"> a) Installation of new electric cable and a meter for the new building and replace the cable for the classroom building to be renovated. b) Installation of new water supply pipe and a meter for the new building.
Khammuane PHS	Site Preparation	<ul style="list-style-type: none"> a) Relocation of electric cable in the Project site to suitable location. b) Relocation of telephone line in the Project site to suitable location. c) Preparation of temporary classrooms for the period of renovation.
	Utility Work	<ul style="list-style-type: none"> a) Installation of new electric cable and a meter for the new building. b) Installation of new water supply pipe and a meter to the school site from the main feeder. c) Installation of 2 drainage lines from the school site to the public drainage line.
Savannakhet PHS	Site Preparation	<ul style="list-style-type: none"> a) Demolition of the old auditorium building and removal of the arm tank. b) Preparation of temporary demonstration room for the period of renovation work.
	Utility Work	<ul style="list-style-type: none"> a) Installation of new electric cable and a meter from the existing line along the Mekong River to the new building. b) Replacement of the new water pipe and a meter from the main feeder to the school site(In order to increase capacity). c) Installation of one drainage line from the site to the public drainage line.
Champasak PHS	Site Preparation	<ul style="list-style-type: none"> a) Preparation of temporary buildings (classrooms, demonstration room and dormitories) for the renovation period.
	Utility Work	<ul style="list-style-type: none"> a) Installation of the additional electric cable to the school.(In order to increase capacity) b) Installation of 4 drainage lines from the school site to the public drainage line.

Extent of Works by Lao PDR Side

Portions by the Lao PDR Side	Oudomxay PHS	Luangprabang PHS	Khammuane PHS	Savannakhet PHS	Champasak PHS
(1) <u>Site Preparation</u> a) Pre-construction Works b) Ground preparation works: - Demolition of existing facilities - Grading (current trash disposal area) c) Preparation of temporary facilities for construction/renovation period. d) Temporary power and water supply for the construction e) Temporary access road for the construction		b-1) Relocation of Existing Water Pipe to the suitable place. <u>7,916,820Kips</u> b-2) Leveling of the site <u>11,172,000Kips</u> c) Temporary building for classrooms	b-1) Relocation of existing electric cable and telephone line to the suitable place <u>:1,200,000Kips</u> c) Preparation of temporary facilities for renovation period.	b) Demolition of the existing building.: <u>66,171,400Kips</u> c) Preparation of temporary facilities for renovation period.	c) Preparation of temporary building for construction and renovation <u>14,500,000Kips</u>
(2) External Works and Approach Roads -Landscaping, planting, fence, etc within the Site. - Permanent road works around the site					
(3) Utilities and Facilities a) Water Supply : Construction from the main feeder to the water valve at the water supply meter including the water supply meter. b) Sewerage : Piping works from the connection manhole in the site to the existing sewerage line including the repair work of the existing ditch. c) Storm Drainage : Drainage line from the site to the existing line including the expansion work of the existing drainage line. d) Electrical Work : Cabling works from the existing power supply point. e) Telecommunication Work : Cabling work (for Direct/Extension/Public telephone) from existing MDF/PABX to Point Distribution for new IDF/PABX . f) The provision of gas (LPG).	a) Installation of the new water pipe and a meter : <u>30,360,480 Kips</u> d) Installation of the new electric cable: <u>13,523,029 Kips</u>	a) Installation o of a new water pipe and a meter for the new building.: <u>910,620Kips</u> d) Installation of new electric cable and a meter : <u>3,867,946Kips</u>	a) Installation of the new water pipe and a meter : <u>1,891,400Kips</u> c) Installation of the new drainage lines: <u>3,500,000Kips</u> d) Installation of the new electric cable and a meter: <u>8,851,355Kips</u>	a) Replacement of the water pipe and a meter: <u>1,667.000 Kips</u> c) Installation of the new drainage lines: <u>2,166,000Kips</u> d) Installation of the new electric cable and a meter: <u>2,656,173Kips</u>	c) Installation of the new drainage lines: <u>8,430,200Kips</u> d) Installation of the new electric cable: <u>3,137,983Kips</u>

A6-1

A6-2	(4) <u>Others</u>				
	a) Governmental works including the application and obtaining Governmental approvals and permissions				
	b) Smooth custom clearance, tax exemptions and prompt internal transportation for the imported construction materials and equipment				
	c) Commissions to the Japanese foreign exchange bank for its banking services based upon the Banking Arrangement (B/A) namely the advising commission of the “Authorization to Pay (A/P)” and payment commission				
	(5) Management, operation and maintenance cost for the new building and facilities				
	(6) Tax exemptions and necessary preferential treatment for the construction staff from Japan or a third country				
	(7) Smooth entry, re-entry and departure of Lao PDR. for the Japanese technical staff				
	(8) All the expenses, other than to be born by the Japan’s Grant Aid within the scope of the Project				
Total	43,883,509Kips	23,867,386Kips	15,442,755Kips	72,660,573Kips	26,068,183Kips