

FIG. 4.59 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.60 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.6 / RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.62 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.63 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.64 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4. 65 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.66 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.67 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.68 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.69 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.70 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.77 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.72 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.73 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. # 74 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4 .75 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.76 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.77 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.78 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.79 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.80 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.9/ RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.82 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.83 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.84 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.85 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.86 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.87 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.88 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.89 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.90 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.9/ RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.92 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.93 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.94 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.95 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.96 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.97 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.98 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.99 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.100 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.10/RETURN PERIOD OF EXTREME DAILY PRECIPITATION.










FIG. 4.102 RETURN PERIOD OF EXTREME DAILY PRECIPITATION










FIG. 4.103 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

(資料 5)
 日降水量の再現期待値一覧表
 103地点
 10、11、12、1、2、3月、全年

(Section 5)
 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
 103 Stations
 October~March, Whole period of years

図表類の表示順序

THE ORDER OF FIGURES AND TABLES

order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.
1	ABADIA	22	ARACUA	42	AMARAN	60	CAETEX	79	FORMOS	91	AQUIDA
2	BARREI	23	BAMBUI	43	BARRUI	61	CAREIA	80	IMPERA	92	ARAXAX
3	BATALH	24	CARPAR	44	CATALA	62	CELMUR	81	JOSFRE	93	BARRAS
4	BOQUEI	25	CURVEL	45	CONCEI	63	FAZESC	82	LAMOUN	94	CACERE
5	CAMPOM	26	FAZAJU	46	CORIVE	64	GOIANI	83	PARANA	95	CARMAT
6	CARMOX	27	FRUTAL	47	COTEGI	65	GOUVEA	84	POGUAT	96	DIAMAN
7	CAROLI	28	INHUMA	48	FORPII	66	IBIAMG	85	STAJUL	97	GUAICU
8	CUIABA	29	ITAMAR	49	GOLASX	67	IGUATA	86	TAGUAT	98	INAGRO
9	FAZPAL	30	JABOTI	50	JANUAR	68	ITAObI	87	TAGUAX	99	ITUMBI
10	FORIOP	31	JEQUIT	51	MOCAME	69	JAGUAR	88	TAPIRA	100	LAGSAN
11	GRAJAU	32	JUPIAX	52	MONCLA	70	JOSEME	89	TERESI	101	MERURI
12	LASSAN	33	LUSSAN	53	MONPAU	71	MATEUS	90	USIVAR	102	PORTOM
13	MANGAX	34	MENDAN	54	MOPILA	72	MTEALE			103	SANBAR
14	PEDROL	35	MINANO	55	SANGRA	73	NOVERA				
15	PORNOV	36	MTECAR	56	SAOMAN	74	PORMAN				
16	QUEIMA	37	PONTEX	57	SCHICO	75	PTNOVA				
17	SAOGON	38	RIOPIR	58	SETLAG	76	SABARA				
18	SAOJOP	39	SANJAC	59	SITGRA	77	TAQUAR				
19	STAMAR	40	STAITA			78	USPETI				
20	TERROR	41	VESPAS								
21	UNIAOX										

(Abbreviated names of observing stations should refer to TABLE 3.1~5)
 (短縮名は表3.1~5を参照)

✱
✱

✱
✱

✱
✱

TABLE 5.1 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. ABADIA DOS DOURADOS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P
5	94.5	9.0	52.3	6.2	69.6	7.3	73.3	5.4	75.8	6.2	68.7	5.8	54.4	5.7
10	103.7	11.9	61.4	8.2	79.9	9.6	87.0	7.4	88.7	8.1	81.6	7.6	64.5	7.5
15	108.4	13.6	66.1	9.4	85.2	11.0	94.3	8.6	95.3	9.3	88.2	8.7	69.7	8.6
20	111.6	14.7	69.2	10.2	88.8	11.9	99.3	9.5	99.7	10.1	92.6	9.4	73.2	9.3
25	113.9	15.6	71.5	10.8	91.4	12.6	103.1	10.1	102.9	10.7	95.9	10.0	75.7	9.9
30	115.8	16.3	73.3	11.3	93.5	13.2	106.1	10.7	105.5	11.1	98.5	10.4	77.7	10.3
50	120.7	18.2	78.2	12.6	99.0	14.7	114.3	12.2	112.4	12.4	105.5	11.7	83.1	11.5
100	127.0	20.6	84.4	14.3	106.0	16.7	124.8	14.1	121.1	14.1	114.2	13.2	89.9	13.1
COR.	0.978		0.989		0.988		0.995		0.995		0.995		0.992	
FUNC.	WI(2.00)		WI(2.00)		WI(2.00)		WI(1.50)		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		29		30		30		30		30		29	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.2 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. BARREIRAS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P
5	100.1	8.6	38.4	5.1	74.7	10.1	69.8	7.3	64.3	8.5	67.2	10.0	54.5	8.8
10	113.2	11.3	49.6	7.0	90.3	13.2	83.8	9.8	78.2	11.2	87.9	14.2	71.8	12.6
15	120.0	12.8	55.5	8.2	98.3	15.1	91.7	11.5	85.4	12.8	99.8	17.0	82.0	15.4
20	124.5	13.9	59.6	9.1	103.6	16.4	97.3	12.7	90.2	13.9	108.1	19.1	89.1	17.4
25	127.8	14.8	62.7	9.7	107.6	17.3	101.5	13.7	93.7	14.7	114.5	20.7	94.7	19.0
30	130.4	15.4	65.1	10.2	110.7	18.1	105.0	14.5	96.5	15.4	119.7	22.1	99.2	20.4
50	137.5	17.2	71.8	11.7	119.1	20.2	114.7	16.8	104.0	17.2	134.1	25.9	112.0	24.2
100	146.3	19.5	80.3	13.6	129.6	22.9	127.7	19.9	113.4	19.5	153.4	31.2	129.3	29.6
COR.	0.990		0.993		0.990		0.992		0.991		0.990		0.987	
FUNC.	WI(2.00)		WI(1.50)		WI(2.00)		GUMBEL		WI(2.00)		WI(1.10)		WI(1.00)	
DATA NUMBER	30		28		30		30		29		30		29	

TABLE 5.3 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. BATALHA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	113.1	15.8	17.9	10.8	31.6	8.0	71.5	12.6	75.4	15.4	80.1	13.7	73.3	15.1
10	128.7	20.8	33.6	11.7	43.7	10.7	87.8	16.6	96.8	22.1	95.4	18.5	88.2	21.6
15	136.7	23.7	44.0	14.5	50.0	13.0	96.3	19.0	109.3	26.9	104.1	21.7	96.9	26.2
20	142.1	25.7	51.8	17.3	54.2	14.6	101.8	20.6	118.2	30.4	110.1	24.0	103.1	29.7
25	146.0	27.2	58.1	19.8	57.4	15.9	106.0	21.8	125.0	33.2	114.8	25.9	107.8	32.4
30	149.2	28.4	63.3	21.9	59.9	17.0	109.3	22.8	130.7	35.6	118.6	27.4	111.8	34.7
50	157.6	31.7	78.7	28.6	66.7	19.9	118.0	25.5	146.4	42.2	129.2	31.7	122.7	41.1
100	168.1	36.0	101.0	38.6	75.4	23.7	129.0	28.9	167.8	51.4	143.4	37.6	137.6	50.1
COR.	0.977		0.972		0.972		0.986		0.975		0.976		0.952	
FUNC.	WI(2.00)		WI(0.75)		WI(1.50)		WI(2.00)		WI(1.00)		GUMBEL		WI(2.00)	
DATA NUMBER	30		15		17		29		30		30		30	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.4 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. BOQUEIRO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	93.3	8.7	38.3	6.5	70.1	12.0	67.8	9.5	68.4	11.2	60.5	8.2	63.0	8.0
10	107.8	11.8	50.9	9.0	84.7	15.9	81.3	12.5	85.6	15.2	72.7	10.7	76.7	10.5
15	116.0	13.8	57.6	10.7	92.2	18.2	88.2	14.3	95.3	17.8	78.9	12.2	83.7	12.0
20	121.8	15.3	62.1	11.9	97.2	19.8	92.8	15.5	102.1	19.8	83.1	13.3	88.3	13.1
25	126.2	16.4	65.5	12.8	100.8	21.0	96.3	16.4	107.3	21.3	86.2	14.1	91.8	13.9
30	129.8	17.4	68.2	13.6	103.8	22.0	99.0	17.1	111.5	22.5	88.6	14.7	94.5	14.5
50	139.8	20.1	75.5	15.7	111.5	24.6	106.2	19.1	123.3	26.1	95.1	16.4	101.9	16.2
100	153.2	23.8	85.0	18.4	121.3	28.0	115.3	21.7	139.3	31.0	103.3	18.6	111.0	18.4
COR.	0.989		0.987		0.983		0.989		0.987		0.990		0.992	
FUNC.	GUMBEL		WI(1.50)		WI(2.00)		WI(2.00)		GUMBEL		WI(2.00)		WI(2.00)	
DATA NUMBER	30		22		28		30		29		30		29	

TABLE 5.5 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CAMPO MAIOR-PI 4.49

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	85.7	12.0	21.4	3.2	43.3	14.5	59.4	12.0	70.9	11.4	65.1	11.7	71.8	9.8
10	100.6	17.4	29.9	4.3	56.7	19.9	77.2	16.8	82.2	15.1	72.9	15.4	80.3	12.9
15	109.7	21.6	34.5	5.2	63.9	23.4	87.1	20.1	88.0	17.2	76.9	17.5	84.7	14.7
20	116.4	24.8	37.7	6.0	68.8	25.9	93.9	22.5	91.9	18.6	79.6	19.0	87.6	16.0
25	121.6	27.3	40.2	6.5	72.4	27.8	99.1	24.4	94.8	19.7	81.6	20.1	89.7	16.9
30	125.9	29.5	42.1	7.0	75.4	29.4	103.3	25.9	97.0	20.6	83.2	21.0	91.4	17.7
50	138.2	35.8	47.5	8.4	83.3	33.7	114.8	30.2	103.1	23.0	87.4	23.5	96.0	19.8
100	155.3	44.8	54.4	10.2	93.5	39.3	129.9	36.0	110.8	26.1	92.7	26.6	101.7	22.4
COR.	0.964		0.990		0.958		0.980		0.977		0.952		0.970	
FUNC.	WI(0.85)		WI(1.25)		WI(1.50)		WI(1.25)		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		17		26		26		30		30		30	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.6 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CARMO DO CAJURU

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	94.9	6.5	59.5	8.9	76.0	8.6	66.9	5.3	79.5	13.4	52.7	4.4	60.1	10.9
10	107.5	8.8	70.8	11.7	88.3	11.3	75.7	7.0	95.2	18.2	60.9	5.9	72.8	14.8
15	114.6	10.3	76.7	13.3	94.7	12.9	80.3	8.0	104.0	21.3	65.1	6.7	79.9	17.3
20	119.6	11.5	80.5	14.4	98.9	14.0	83.3	8.7	110.1	23.6	67.9	7.3	85.0	19.2
25	123.4	12.3	83.4	15.3	102.0	14.8	85.5	9.2	114.9	25.4	69.9	7.7	88.8	20.7
30	126.5	13.0	85.7	16.0	104.5	15.5	87.3	9.6	118.8	26.9	71.6	8.1	92.0	21.9
50	135.2	15.1	91.8	17.8	111.1	17.3	92.1	10.7	129.5	31.1	75.9	9.0	100.8	25.3
100	146.9	17.9	99.4	20.2	119.4	19.6	98.0	12.1	144.1	36.9	81.4	10.2	112.6	30.0
COR.	0.992		0.986		0.989		0.992		0.978		0.993		0.978	
FUNC.	GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)		GUMBEL		WI(2.00)		GUMBEL	
DATA NUMBER	30		30		30		30		30		29		30	

TABLE 5.7 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CAROLINA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	100.8	16.3	48.3	7.2	68.5	13.4	69.2	10.1	62.1	11.0	69.3	9.5	84.6	9.4
10	114.5	22.1	62.6	9.9	79.3	18.0	83.4	13.7	73.6	14.9	84.6	12.9	100.9	12.7
15	121.3	25.6	70.2	11.8	84.8	21.0	90.6	15.9	79.3	17.3	92.2	14.9	109.1	14.8
20	125.9	28.1	75.3	13.2	88.4	23.0	95.3	17.4	83.1	18.9	97.3	16.4	114.5	16.2
25	129.2	30.0	79.1	14.2	91.0	24.5	98.8	18.6	85.9	20.2	101.0	17.5	118.5	17.3
30	131.8	31.5	82.2	15.1	93.1	25.7	101.6	19.6	88.2	21.2	104.0	18.3	121.6	18.2
50	138.8	35.6	90.4	17.5	98.7	29.1	108.9	22.1	94.1	24.0	111.8	20.7	130.0	20.5
100	147.6	40.8	101.0	20.6	105.7	33.4	118.0	25.3	101.4	27.5	121.6	23.8	140.4	23.6
COR.	0.950		0.987		0.948		0.982		0.967		0.986		0.988	
FUNC.	WI(2.00)		WI(1.50)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	22		21		22		22		22		22		22	

±AP: 95%CONFIDENCE LIMIT

TABLE 5.8 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CUIABA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	105.0	7.1	62.0	7.5	63.9	8.0	72.1	9.1	63.6	11.2	67.1	6.5	78.3	8.3
10	117.9	9.6	71.5	9.9	77.4	10.8	87.1	12.5	82.8	16.1	85.4	9.2	95.6	11.3
15	125.2	11.2	76.4	11.3	85.0	12.7	95.1	14.5	94.0	19.5	95.9	11.0	104.9	13.2
20	130.3	12.4	79.7	12.2	90.3	14.0	100.6	16.0	102.0	22.1	103.2	12.4	111.2	14.5
25	134.2	13.4	82.1	12.9	94.4	15.1	104.7	17.1	108.1	24.2	108.9	13.4	116.0	15.5
30	137.4	14.2	84.0	13.5	97.8	16.0	108.0	18.0	113.2	25.9	113.4	14.3	119.8	16.4
50	146.4	16.4	89.1	15.1	107.1	18.5	116.9	20.5	127.3	30.7	126.2	16.8	130.2	18.6
100	158.4	19.4	95.5	17.1	119.6	21.9	128.4	23.8	146.5	37.4	143.3	20.2	143.5	21.6
COR.	0.991		0.986		0.989		0.988		0.983		0.994		0.993	
FUNC.	GUMBEL		WI(2.00)		GUMBEL		WI(1.50)		WI(1.00)		WI(1.10)		WI(1.50)	
DATA NUMBER	30		30		30		30		30		30		30	

TABLE 5.9 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. FAZ PORTO ALEGRE

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP
5	96.6	4.8	44.7	7.7	64.5	8.7	72.0	7.0	66.7	8.5	59.0	7.4	59.9	15.7
10	110.7	6.5	55.0	10.2	79.4	11.9	86.2	9.5	81.3	11.9	74.1	10.2	77.4	22.5
15	118.4	7.6	60.3	11.7	87.4	13.9	94.2	11.1	89.5	14.1	82.2	11.9	87.7	27.5
20	123.5	8.4	63.8	12.7	92.8	15.3	99.9	12.3	95.1	15.7	87.7	13.1	95.0	31.3
25	127.4	9.0	66.4	13.5	96.9	16.3	104.2	13.2	99.4	16.9	91.8	14.0	100.6	34.3
30	130.6	9.4	68.5	14.1	100.2	17.2	107.7	14.0	102.9	17.9	95.1	14.7	105.2	36.8
50	139.0	10.8	73.9	15.8	109.1	19.6	117.5	16.2	112.4	20.7	104.1	16.8	118.2	43.9
100	149.9	12.5	80.8	17.9	120.6	22.8	130.7	19.2	125.0	24.5	115.7	19.5	135.7	53.7
COR.	0.996		0.986		0.989		0.993		0.987		0.992		0.958	
FUNC.	WI(1.50)		WI(2.00)		WI(1.50)		GUMBEL		WI(1.25)		WI(1.50)		WI(1.00)	
DATA NUMBER	30		28		29		30		30		29		27	

±ΔP: 95% CONFIDENCE LIMIT

TABLE 5.10 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. FORMOSA DO RIO PRETO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP
5	82.1	3.4	46.3	6.1	66.1	6.7	59.0	7.4	57.6	12.0	51.0	5.6	53.2	5.9
10	92.5	4.6	58.1	8.3	78.8	8.9	70.7	9.8	70.2	16.2	59.7	7.6	67.6	8.3
15	98.4	5.4	64.7	9.8	85.3	10.1	76.7	11.2	77.2	19.1	64.6	9.0	75.6	9.8
20	102.5	6.0	69.3	10.9	89.7	11.0	80.7	12.1	82.2	21.1	68.1	9.9	81.1	10.9
25	105.7	6.4	72.8	11.8	92.9	11.7	83.7	12.9	86.0	22.8	70.7	10.7	85.3	11.8
30	108.3	6.8	75.7	12.5	95.4	12.2	86.1	13.5	89.1	24.1	72.9	11.3	88.7	12.5
50	115.5	7.9	83.7	14.5	102.2	13.6	92.3	15.1	97.8	27.9	78.9	13.1	98.0	14.5
100	125.2	9.4	94.5	17.4	110.8	15.4	100.2	17.1	109.5	33.2	87.0	15.6	110.3	17.2
COR.	0.997		0.990		0.993		0.990		0.972		0.987		0.993	
FUNC.	GUMBEL		GUMBEL		WI(2.00)		WI(2.00)		GUMBEL		GUMBEL		WI(1.25)	
DATA NUMBER	29		25		29		28		29		29		29	

TABLE 5.11 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. GRAJAU

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P
5	71.2	6.5	36.6	5.9	48.6	7.9	53.5	5.0	52.0	9.1	55.8	9.9	64.4	5.8
10	76.8	8.9	47.8	8.2	59.6	10.7	63.5	6.8	60.8	12.4	67.1	13.3	74.9	7.8
15	80.0	10.6	53.7	9.8	65.2	12.4	68.6	7.9	65.2	14.3	72.8	15.5	80.2	9.1
20	82.2	11.8	57.7	11.0	68.9	13.6	71.9	8.6	68.1	15.7	76.6	17.0	83.7	10.0
25	83.9	12.8	60.7	11.9	71.6	14.6	74.3	9.2	70.3	16.8	79.4	18.1	86.3	10.7
30	85.2	13.7	63.1	12.6	73.7	15.3	76.3	9.7	72.0	17.6	81.6	19.0	88.3	11.2
50	89.0	16.0	69.6	14.6	79.3	17.3	81.4	10.9	76.5	19.9	87.4	21.5	93.7	12.7
100	94.1	19.2	77.8	17.3	86.4	19.9	87.9	12.6	82.1	22.8	94.7	24.6	100.4	14.6
COR.	0.946		0.985		0.980		0.991		0.962		0.973		0.988	
FUNG.	GUMBEL		WI(1.50)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	22		20		21		22		22		22		21	

±AP: 95% CONFIDENCE LIMIT

TABLE 5.12 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. LASSANCE

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P
5	88.5	5.9	46.3	6.7	71.5	8.0	63.5	8.0	64.0	11.7	51.9	6.1	57.6	6.2
10	101.1	8.0	54.7	8.8	86.2	10.9	74.2	10.5	77.7	15.9	63.9	8.4	70.8	8.5
15	107.9	9.4	59.1	10.1	94.6	12.8	79.7	12.0	85.4	18.6	70.3	9.8	77.9	10.0
20	112.5	10.3	62.0	10.9	100.4	14.1	83.3	13.0	90.8	20.6	74.7	10.8	82.6	11.0
25	115.9	11.0	64.1	11.5	104.9	15.2	86.1	13.7	95.0	22.2	77.9	11.6	86.3	11.8
30	118.7	11.6	65.8	12.1	108.5	16.1	88.2	14.4	98.3	23.5	80.6	12.2	89.1	12.5
50	126.2	13.2	70.3	13.5	118.7	18.6	94.0	16.0	107.8	27.2	87.7	13.9	97.0	14.2
100	135.9	15.3	76.0	15.3	132.5	22.1	101.2	18.2	120.5	32.3	96.9	16.2	107.0	16.6
COR.	0.993		0.985		0.991		0.987		0.978		0.991		0.992	
FUNG.	WI(1.50)		WI(2.00)		GUMBEL		WI(2.00)		GUMBEL		WI(1.50)		WI(1.50)	
DATA NUMBER	30		30		30		30		30		29		28	

TABLE 5.13 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. MANGA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	82.4	5.9	40.1	5.0	65.4	12.9	59.4	11.1	61.7	9.8	53.0	6.0	52.2	7.8
10	92.8	7.8	48.2	6.7	82.4	18.0	70.7	14.7	73.3	12.9	63.8	8.0	62.2	10.4
15	98.2	8.9	52.4	7.7	91.9	21.4	76.5	16.9	79.2	14.7	69.3	9.1	67.4	12.0
20	101.7	9.7	55.1	8.4	98.4	23.8	80.4	18.3	83.1	16.0	73.0	9.9	70.8	13.0
25	104.4	10.2	57.1	9.0	103.4	25.6	83.3	19.4	86.1	17.0	75.7	10.5	73.3	13.8
30	106.5	10.7	58.7	9.4	107.4	27.2	85.5	20.3	88.4	17.7	77.9	10.9	75.3	14.5
50	112.1	11.9	63.0	10.6	118.5	31.5	91.6	22.8	94.6	19.8	83.7	12.2	80.6	16.2
100	119.1	13.5	68.4	12.1	133.0	37.2	99.2	25.9	102.3	22.5	90.9	13.9	87.3	18.4
COR.	0.993		0.988		0.978		0.976		0.983		0.992		0.984	
PUNC.	WI(2.00)		WI(2.00)		WI(1.25)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		25		30		28		29		29		27	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.14 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. PEDRO LEOPOLDO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	94.6	7.7	56.0	7.1	70.8	8.3	78.1	10.2	62.7	7.5	55.9	8.4	49.2	6.3
10	110.9	10.8	75.8	10.1	90.1	11.7	95.7	13.9	74.3	9.9	68.0	11.2	58.9	8.4
15	119.9	12.8	87.1	12.1	100.9	13.8	105.6	16.2	80.3	11.2	74.3	12.8	63.9	9.6
20	126.2	14.2	95.0	13.7	108.3	15.4	112.5	18.0	84.3	12.2	78.4	13.9	67.2	10.5
25	131.0	15.3	101.1	14.9	114.0	16.6	117.9	19.4	87.3	12.9	81.5	14.8	69.6	11.1
30	134.8	16.3	106.1	15.8	118.5	17.6	122.2	20.5	89.6	13.5	83.9	15.4	71.5	11.6
50	145.4	18.8	119.8	18.6	131.1	20.4	134.4	23.7	95.8	15.1	90.4	17.3	76.7	13.0
100	159.3	22.3	138.2	22.4	147.6	24.1	150.7	28.1	103.7	17.1	98.5	19.6	83.2	14.8
COR.	0.991		0.994		0.993		0.990		0.990		0.988		0.989	
PUNC.	WI(1.25)		WI(1.10)		WI(1.25)		GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		29		30		30		30		28		28	

TABLE 5./5 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. PORTO NOVO-SANTANA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI
5	92.4	9.7	43.6	6.1	62.8	12.6	71.5	7.5	59.7	15.1	55.9	7.1	62.2	7.2
10	114.5	14.0	53.4	8.1	72.0	16.6	84.3	9.8	87.4	21.7	65.8	9.4	81.1	10.1
15	128.6	17.5	58.4	9.3	76.7	18.9	90.8	11.2	105.0	27.3	70.8	10.8	91.5	12.1
20	139.0	20.4	61.7	10.1	79.8	20.5	95.2	12.2	118.0	31.8	74.2	11.7	98.7	13.5
25	147.3	22.7	64.2	10.7	82.2	21.8	98.5	12.9	128.5	35.5	76.7	12.4	104.2	14.6
30	154.2	24.7	66.2	11.2	84.0	22.7	101.0	13.5	137.2	38.6	78.6	13.0	108.7	15.5
50	174.3	30.6	71.4	12.5	88.9	25.4	107.9	15.0	162.4	47.9	83.9	14.5	120.8	18.0
100	203.0	39.1	77.9	14.3	95.1	28.8	116.5	17.0	198.4	61.4	90.5	16.5	136.8	21.4
COR.	0.988		0.990		0.958		0.992		0.981		0.987		0.994	
FUNC.	WI(0.75)		WI(2.00)		WI(2.00)		WI(2.00)		WI(0.75)		WI(2.00)		WI(1.25)	
DATA NUMBER	30		27		30		30		29		28		27	

±ΔP: 95%CONFIDENCE LIMIT

TABLE 5./6 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. QUEIMADAS-MANGA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI	PR (MM) ± ΔP	WI
5	93.3	20.6	35.7	6.0	57.5	8.4	67.6	10.2	62.3	12.5	56.1	9.2	66.7	18.5
10	107.8	28.0	50.5	8.2	68.7	11.2	79.3	13.7	76.4	16.6	70.5	12.7	90.0	26.0
15	115.9	33.1	59.6	10.3	74.4	12.9	85.2	15.8	83.6	19.1	78.3	14.9	103.7	32.0
20	121.6	36.8	66.3	12.0	78.1	14.1	89.1	17.3	88.4	20.8	83.5	16.5	113.3	36.7
25	125.9	39.7	71.5	13.3	80.9	15.0	92.1	18.4	91.9	22.1	87.4	17.7	120.8	40.4
30	129.4	42.1	75.8	14.5	83.1	15.7	94.4	19.2	94.7	23.2	90.5	18.7	127.0	43.5
50	139.3	49.0	88.2	18.0	89.0	17.6	100.5	21.6	102.2	26.0	99.0	21.4	144.2	52.4
100	152.6	58.5	105.5	22.9	96.3	20.1	108.1	24.7	111.5	29.6	110.0	25.0	167.5	64.8
COR.	0.933		0.989		0.983		0.977		0.978		0.985		0.962	
FUNC.	GUMBEL		WI(0.85)		WI(2.00)		WI(2.00)		WI(2.00)		WI(1.50)		WI(1.00)	
DATA NUMBER	26		22		25		25		26		26		23	

TABLE 5.17 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION, SAO GONCALO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P
5	94.7	15.1	28.8	9.2	65.5	15.4	56.7	7.8	56.1	7.4	52.2	8.1	48.3	6.3
10	109.0	20.2	42.5	12.7	78.9	20.9	70.6	10.6	71.8	10.0	71.5	11.3	59.6	8.5
15	116.3	23.4	50.6	15.7	87.5	24.8	78.4	12.5	80.6	11.9	82.1	13.6	65.3	9.9
20	121.1	25.5	56.3	18.1	93.4	27.7	83.8	14.0	86.7	13.3	89.5	15.3	69.1	10.9
25	124.6	27.2	60.7	20.0	98.0	30.0	88.0	15.1	91.4	14.4	95.1	16.6	71.9	11.6
30	127.4	28.5	64.3	21.6	101.8	31.9	91.4	16.1	95.2	15.3	99.6	17.7	74.1	12.2
50	134.8	32.1	74.5	26.2	112.2	37.3	100.8	18.8	105.9	17.9	112.0	20.7	79.9	13.8
100	144.2	36.7	88.2	32.5	126.2	44.8	113.5	22.5	120.2	21.4	128.2	24.8	87.2	15.8
COR.	0.965		0.971		0.961		0.988		0.991		0.991		0.989	
FUNC.	WI(2.00)		WI(1.00)		GUMBEL		GUMBEL		GUMBEL		WI(1.25)		WI(2.00)	
DATA NUMBER	24		21		23		24		23		24		22	

±AP:95%CONFIDENCE LIMIT

TABLE 5.18 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION, SAO JOAO DO PIAUI

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P
5	92.2	23.5	22.3	2.7	65.4	8.2	52.0	6.4	64.6	29.9	62.5	15.7	64.4	13.1
10	120.2	33.9	29.0	3.2	80.8	11.0	62.3	8.8	94.2	42.7	77.5	21.4	75.9	17.5
15	138.1	42.6	32.2	3.9	88.6	12.7	67.8	10.3	113.1	53.8	86.0	25.1	81.7	20.0
20	151.3	49.5	34.2	4.4	93.8	13.8	71.6	11.4	127.1	62.7	91.9	27.9	85.6	21.8
25	161.9	55.2	35.7	4.8	97.7	14.7	74.4	12.2	138.3	70.0	96.4	30.0	88.5	23.1
30	170.7	60.0	36.8	5.1	100.7	15.4	76.6	12.9	147.7	76.3	100.1	31.8	90.7	24.2
50	196.2	74.3	39.8	5.9	108.8	17.3	82.7	14.7	174.8	94.8	110.4	36.9	96.8	27.1
100	232.6	95.0	43.5	7.0	118.9	19.8	90.6	17.1	213.5	121.8	124.3	43.9	104.4	30.9
COR.	0.958		0.987		0.991		0.987		0.938		0.965		0.966	
FUNC.	WI(0.75)		WI(2.00)		WI(2.00)		WI(1.50)		WI(0.75)		GUMBEL		WI(2.00)	
DATA NUMBER	30		12		25		28		28		28		27	

TABLE 5.19 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION: STA MARIA DA VITORIA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP
5	98.5	10.1	39.3	6.7	74.7	11.8	75.0	11.1	52.5	5.2	58.1	6.5	53.4	7.0
10	112.3	13.7	49.5	9.0	88.1	15.6	96.3	15.7	63.4	6.9	77.1	9.2	67.5	9.6
15	120.0	16.0	55.2	10.6	95.0	17.8	108.5	18.9	69.0	7.9	87.9	11.0	75.1	11.2
20	125.5	17.7	59.2	11.8	99.6	19.4	117.1	21.2	72.7	8.6	95.5	12.4	80.2	12.4
25	129.7	19.1	62.3	12.7	103.0	20.5	123.7	23.1	75.4	9.2	101.4	13.5	84.1	13.3
30	133.1	20.2	64.8	13.4	105.7	21.4	129.0	24.6	77.6	9.6	106.2	14.3	87.2	14.0
50	142.6	23.3	71.8	15.5	112.8	24.0	143.9	28.8	83.4	10.8	119.4	16.8	95.5	16.0
100	155.5	27.7	81.2	18.5	121.8	27.2	163.7	34.6	90.6	12.2	137.1	20.2	106.3	18.6
COR.	0.984		0.986		0.981		0.988		0.994		0.995		0.992	
FUNC.	GUMBEL		GUMBEL		WI(2.00)		WI(1.10)		WI(2.00)		WI(1.10)		WI(1.50)	
DATA NUMBER	30		29		29		30		27		30		28	

±ΔP: 95% CONFIDENCE LIMIT

TABLE 5.20 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION: TERRA ROXA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP
5	103.9	8.1	48.2	6.4	61.8	4.9	81.3	8.2	84.8	6.0	59.7	6.0	64.6	7.9
10	118.6	10.9	56.7	8.5	74.3	6.8	99.6	11.1	100.6	8.1	76.9	8.7	78.6	10.8
15	126.9	12.8	61.1	9.7	81.1	7.9	109.9	13.0	109.5	9.5	87.9	11.0	86.1	12.6
20	132.7	14.2	64.0	10.5	85.6	8.7	117.1	14.4	115.8	10.6	96.0	12.7	91.2	13.8
25	137.2	15.2	66.1	11.1	89.1	9.3	122.6	15.5	120.6	11.4	102.5	14.2	95.1	14.8
30	140.8	16.1	67.8	11.6	91.8	9.8	127.1	16.4	124.5	12.0	107.9	15.4	98.2	15.6
50	151.0	18.7	72.4	12.9	99.3	11.1	139.7	19.0	135.4	13.9	123.6	19.1	106.5	17.8
100	164.7	22.1	78.1	14.7	108.9	12.9	156.7	22.6	150.1	16.5	146.0	24.4	117.3	20.6
COR.	0.991		0.987		0.995		0.994		0.996		0.992		0.990	
FUNC.	GUMBEL		WI(2.00)		WI(1.50)		GUMBEL		GUMBEL		WI(0.75)		WI(1.50)	
DATA NUMBER	30		30		30		30		30		30		30	

TABLE 5.2/ RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. UNIAO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P
5	106.6	11.8	35.6	8.3	39.9	11.0	58.5	10.7	60.4	5.0	74.6	8.1	78.5	13.2
10	125.8	16.8	56.1	11.2	51.5	15.1	77.5	15.2	70.2	6.8	86.3	10.8	96.9	18.9
15	136.8	20.2	68.1	13.9	57.7	17.7	88.4	18.3	75.8	7.9	92.4	12.3	107.7	23.0
20	144.5	22.7	76.6	16.1	61.9	19.5	96.0	20.6	79.6	8.8	96.4	13.3	115.3	26.1
25	150.4	24.7	83.2	17.8	65.1	20.9	101.9	22.4	82.6	9.4	99.4	14.1	121.2	28.6
30	155.2	26.3	88.6	19.3	67.6	22.1	106.6	23.9	85.0	10.0	101.8	14.8	126.1	30.6
50	168.5	30.8	103.7	23.5	74.5	25.3	119.9	28.0	91.8	11.6	108.1	16.5	139.6	36.4
100	186.4	37.1	124.2	29.4	83.3	29.5	137.5	33.8	100.9	13.7	116.0	18.8	158.1	44.4
COR.	0.983		0.988		0.969		0.986		0.992		0.988		0.974	
FUNG.	WI(1.10)		WI(1.00)		WI(1.50)		WI(1.10)		GUMBEL		WI(2.00)		WI(1.00)	
DATA NUMBER	30		19		27		29		30		29		29	

± Δ P: 95% CONFIDENCE LIMIT

TABLE . RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION.

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P	P.R.(MM)	± Δ P
COR.														
FUNG.														
DATA NUMBER														

TABLE 5.22 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. ARACUAI

MONTHLY YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	88.8	6.6	40.3	4.8	70.8	10.6	63.6	13.1	55.3	8.4	47.2	4.8	60.2	11.7
10	97.5	8.7	48.9	6.4	82.8	14.0	76.1	17.3	72.0	12.0	61.1	6.7	74.1	15.5
15	102.0	9.9	53.3	7.3	89.0	16.0	82.6	19.8	81.6	14.5	68.9	8.0	81.1	17.8
20	105.0	10.8	56.3	8.0	93.1	17.4	86.8	21.5	88.3	16.3	74.2	9.0	85.8	19.4
25	107.2	11.4	58.4	8.5	96.1	18.4	90.0	22.8	93.5	17.7	78.3	9.7	89.3	20.6
30	108.9	11.9	60.1	8.9	98.6	19.2	92.5	23.8	97.7	18.9	81.6	10.3	92.1	21.6
50	113.6	13.3	64.7	10.0	105.0	21.4	99.2	26.6	109.4	22.2	90.6	12.0	99.4	24.2
100	119.5	15.1	70.4	11.4	113.1	24.3	107.6	30.2	125.0	26.7	102.4	14.3	108.6	27.6
COR.	0.987		0.991		0.982		0.974		0.988		0.995		0.981	
FUNC.	WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(1.10)		WI(1.25)		WI(2.00)	
DATA NUMBER	27		23		27		26		26		24		24	

±AP: 95% CONFIDENCE LIMIT

TABLE 5.23 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. BAMBUI

MONTHLY YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	100.4	9.3	51.4	4.7	64.3	14.4	67.0	5.6	71.5	7.2	52.9	8.4	60.4	7.8
10	117.0	12.7	60.9	6.2	85.7	20.9	76.8	7.6	86.7	9.8	60.7	11.1	81.2	11.3
15	126.0	14.8	65.8	7.1	98.8	25.8	82.3	8.9	94.8	11.4	64.8	12.7	94.0	14.0
20	132.0	16.3	69.0	7.7	108.2	29.7	86.2	9.9	100.3	12.6	67.5	13.7	103.2	16.0
25	136.6	17.5	71.4	8.2	115.7	32.7	89.2	10.6	104.5	13.5	69.5	14.6	110.5	17.7
30	140.3	18.4	73.3	8.5	121.9	35.3	91.6	11.2	107.8	14.2	71.1	15.2	116.6	19.1
50	150.2	21.0	78.4	9.5	139.5	42.9	98.4	13.0	116.9	16.1	75.4	17.0	133.7	23.2
100	163.0	24.3	84.8	10.8	164.1	53.6	107.5	15.4	128.6	18.7	80.7	19.2	157.7	29.0
COR.	0.990		0.994		0.974		0.990		0.993		0.974		0.992	
FUNC.	WI(1.50)		WI(2.00)		WI(0.85)		GUMBEL		WI(1.50)		WI(2.00)		WI(0.85)	
DATA NUMBER	30		30		30		30		30		30		30	

TABLE 5.24 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CARMO DO PARANAIBA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP
5	95.3	8.6	56.6	8.9	58.3	7.6	69.0	8.0	73.8	8.5	59.8	9.7	51.8	6.6
10	110.0	11.6	72.4	12.7	68.9	10.3	80.8	10.9	95.0	12.1	73.7	13.6	60.5	8.7
15	118.3	13.6	81.6	15.4	75.0	12.1	87.2	12.7	107.1	14.5	81.4	16.1	65.0	9.9
20	124.1	15.1	88.2	17.5	79.2	13.4	91.5	14.0	115.7	16.3	86.7	17.9	68.0	10.7
25	128.5	16.3	93.3	19.1	82.4	14.4	94.7	15.0	122.2	17.7	90.8	19.3	70.2	11.4
30	132.2	17.2	97.4	20.4	85.1	15.2	97.3	15.8	127.5	18.9	94.1	20.5	72.0	11.9
50	142.3	19.9	109.1	24.3	92.4	17.6	104.3	17.9	142.3	22.2	103.1	23.7	76.7	13.3
100	155.9	23.6	124.9	29.5	102.4	20.9	113.4	20.8	162.1	26.6	114.9	28.0	82.6	15.0
COR.	0.989		0.985		0.985		0.986		0.993		0.981		0.987	
FUNC.	GUMBEL		WI(1.00)		GUMBEL		WI(1.50)		WI(1.10)		WI(1.25)		WI(2.00)	
DATA NUMBER	30		30		30		30		30		30		30	

±ΔP:95%CONFIDENCE LIMIT

TABLE 5.25 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CURVELO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP
5	92.8	7.5	52.8	6.8	59.9	5.5	78.3	13.2	71.2	11.7	51.0	6.0	56.9	11.0
10	105.4	10.2	64.4	8.9	69.7	7.3	95.1	18.1	86.3	15.7	58.9	8.0	71.4	14.9
15	112.1	11.9	70.4	10.2	74.7	8.3	104.1	21.0	94.0	18.0	62.9	9.1	78.7	17.2
20	116.7	13.1	74.3	11.1	78.0	9.0	110.2	23.1	99.1	19.6	65.6	9.9	83.5	18.9
25	120.2	14.0	77.3	11.7	80.5	9.5	114.9	24.8	102.9	20.9	67.6	10.5	87.0	20.2
30	123.0	14.8	79.6	12.3	82.5	9.9	118.6	26.1	105.9	21.8	69.2	11.0	89.8	21.2
50	130.5	16.8	85.8	13.7	87.7	11.1	128.6	29.7	113.8	24.5	73.4	12.3	97.3	23.9
100	140.1	19.5	93.6	15.5	94.3	12.6	141.5	34.5	123.8	27.9	78.6	14.0	106.6	27.5
COR.	0.989		0.992		0.993		0.981		0.983		0.985		0.979	
FUNC.	WI(1.50)		WI(2.00)		WI(2.00)		WI(1.50)		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		29		30		30		26		28		22	

TABLE 5.26 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. FAZENDA AJUDAS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP
5	81.9	4.2	48.4	8.6	60.8	5.8	68.3	10.7	59.4	9.3	48.7	8.8	52.8	11.0
10	89.8	5.6	58.2	11.3	72.4	7.6	80.9	14.1	68.4	12.3	59.3	11.9	62.3	14.5
15	93.9	6.3	63.2	12.9	78.4	8.7	87.4	16.1	73.1	14.0	65.3	14.0	67.3	16.6
20	96.6	6.9	66.6	14.0	82.4	9.5	91.8	17.4	76.2	15.2	69.5	15.5	70.6	18.0
25	98.6	7.3	69.1	14.8	85.4	10.0	95.0	18.5	78.5	16.1	72.7	16.7	73.0	19.0
30	100.2	7.6	71.1	15.5	87.7	10.5	97.5	19.3	80.3	16.8	75.3	17.6	74.9	19.9
50	104.4	8.5	76.3	17.3	93.9	11.7	104.3	21.6	85.2	18.7	82.7	20.4	80.1	22.2
100	109.8	9.6	82.9	19.6	101.8	13.2	112.9	24.4	91.3	21.2	92.5	24.3	86.5	25.1
COR.	0.993		0.982		0.994		0.984		0.976		0.979		0.970	
FUNC.	WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		GUMBEL		WI(2.00)	
DATA NUMBER	30		30		30		30		30		29		30	

±AP:95%CONFIDENCE LIMIT

TABLE 5.27 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. FRUTAL

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP
5	91.1	16.2	41.0	5.2	65.8	10.3	60.4	5.6	71.4	11.0	58.3	10.1	60.1	7.2
10	107.3	21.3	50.0	6.9	81.1	13.7	74.4	7.6	91.4	15.1	68.9	13.3	75.8	9.8
15	115.7	24.3	54.5	7.9	88.9	15.6	82.3	8.9	102.2	17.5	74.4	15.1	84.3	11.5
20	121.2	26.4	57.6	8.6	94.1	16.9	87.8	9.8	109.5	19.3	78.0	16.4	90.0	12.6
25	125.4	27.9	59.8	9.2	98.0	17.9	92.1	10.6	115.0	20.6	80.7	17.4	94.3	13.5
30	128.6	29.2	61.6	9.6	101.0	18.8	95.5	11.2	119.4	21.7	82.9	18.1	97.8	14.2
50	137.3	32.6	66.4	10.8	109.2	21.0	105.2	13.0	131.4	24.8	88.6	20.2	107.1	16.2
100	148.3	36.9	72.3	12.2	119.4	23.8	118.2	15.4	146.8	28.7	95.8	22.9	119.2	18.8
COR.	0.977		0.991		0.989		0.995		0.991		0.980		0.993	
FUNC.	WI(2.00)		WI(2.00)		WI(2.00)		GUMBEL		WI(1.50)		WI(2.00)		WI(1.50)	
DATA NUMBER	30		27		29		30		30		30		30	

TABLE 5.28 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION: INHUMAS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P
5	94.0	10.5	61.7	4.2	58.0	5.8	54.3	13.0	64.4	7.6	61.1	6.1	68.7	10.2
10	107.4	14.2	71.6	5.5	67.0	7.6	71.3	18.7	75.2	10.1	73.8	8.3	81.5	13.5
15	114.9	16.6	76.8	6.3	71.7	8.7	82.2	23.5	80.7	11.5	80.6	9.7	88.1	15.3
20	120.2	18.4	80.2	6.8	74.7	9.4	90.2	27.3	84.4	12.4	85.2	10.6	92.5	16.6
25	124.3	19.8	82.7	7.2	77.0	10.0	96.6	30.4	87.2	13.2	88.7	11.4	95.8	17.6
30	127.6	20.9	84.7	7.6	78.9	10.4	102.0	33.1	89.4	13.8	91.5	12.0	98.3	18.4
50	136.9	24.2	90.1	8.5	83.7	11.6	117.5	41.0	95.1	15.4	99.1	13.7	105.2	20.5
100	149.3	28.7	96.8	9.6	89.8	13.2	139.6	52.4	102.4	17.4	108.8	15.8	113.9	23.3
COR.	0.982		0.996		0.991		0.965		0.988		0.993		0.985	
FUNC.	GUMBEL		WI(2.00)		WI(2.00)		WI(0.75)		WI(2.00)		WI(1.50)		WI(2.00)	
DATA NUMBER	30		30		30		30		30		30		30	

* Δ P : 95% CONFIDENCE LIMIT

TABLE 5.29 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION: ITAMARANDIBA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P
5	86.4	10.4	50.9	5.6	64.8	9.6	62.3	9.0	70.8	6.4	68.7	19.8	54.3	9.8
10	101.0	15.0	60.7	7.4	73.7	12.6	73.5	12.2	84.3	8.5	88.0	26.9	66.0	13.0
15	110.3	18.8	65.7	8.5	78.3	14.3	79.8	14.2	91.3	9.7	98.9	31.5	71.9	14.8
20	117.1	21.9	69.1	9.3	81.4	15.6	84.2	15.8	95.9	10.5	106.5	34.9	75.9	16.1
25	122.6	24.4	71.6	9.8	83.7	16.5	87.6	17.0	99.3	11.2	112.4	37.6	78.8	17.1
30	127.2	26.5	73.5	10.3	85.5	17.2	90.4	18.0	102.0	11.7	117.2	39.9	81.2	17.8
50	140.4	32.8	78.8	11.5	90.3	19.2	98.1	20.8	109.2	13.0	130.5	46.2	87.4	19.9
100	159.3	42.0	85.4	13.1	96.3	21.8	108.5	24.7	118.3	14.8	148.4	54.9	95.2	22.6
COR.	0.969		0.992		0.974		0.981		0.994		0.968		0.983	
FUNC.	WI(0.75)		WI(2.00)		WI(2.00)		GUMBEL		WI(2.00)		GUMBEL		WI(2.00)	
DATA NUMBER	30		28		30		30		29		29		29	

TABLE 5.30 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. JABOTICATUBAS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	91.0	9.7	56.0	4.5	67.2	10.1	75.6	8.8	67.7	9.7	56.3	9.1	54.1	12.7
10	101.6	12.8	68.8	6.1	80.4	13.8	88.2	11.6	80.1	12.8	69.3	12.4	71.0	18.1
15	107.1	14.6	75.7	7.1	87.5	16.1	94.8	13.2	86.5	14.6	76.3	14.5	80.7	21.7
20	110.7	15.8	80.3	7.8	92.4	17.7	99.1	14.4	90.7	15.8	81.1	16.0	87.4	24.4
25	113.4	16.7	83.8	8.4	96.0	18.9	102.3	15.2	93.9	16.7	84.6	17.1	92.7	26.5
30	115.6	17.5	86.7	8.8	99.0	19.9	104.8	15.9	96.4	17.5	87.5	18.0	96.9	28.2
50	121.3	19.5	94.3	10.0	106.9	22.7	111.6	17.7	103.0	19.5	95.2	20.6	108.6	33.1
100	128.5	22.1	104.1	11.6	117.1	26.3	120.2	20.1	111.4	22.1	105.2	23.9	124.4	39.8
COR.	0.981		0.996		0.982		0.989		0.986		0.984		0.975	
FUNC.	WI(2.00)		WI(1.50)		WI(1.50)		WI(2.00)		WI(2.00)		WI(1.50)		WI(1.00)	
DATA NUMBER	30		30		30		30		30		29		30	

±AP: 95% CONFIDENCE LIMIT

TABLE 5.31 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. JEQUITINHONHA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	97.7	10.1	50.0	8.0	71.4	6.8	65.7	13.7	56.0	11.4	51.2	7.9	52.6	11.2
10	111.1	13.2	62.2	10.9	85.4	9.2	82.1	19.5	66.7	15.0	70.2	11.3	71.8	16.1
15	118.0	15.1	68.8	12.8	93.3	10.8	91.5	23.5	72.2	17.2	81.3	13.8	83.1	19.6
20	122.5	16.4	73.2	14.1	98.8	12.0	98.1	26.4	75.9	18.6	89.2	15.7	91.0	22.2
25	125.9	17.4	76.6	15.1	103.0	12.9	103.1	28.7	78.6	19.8	95.4	17.2	97.2	24.3
30	128.6	18.1	79.3	15.9	106.5	13.6	107.2	30.6	80.8	20.7	100.4	18.4	102.3	26.0
50	135.8	20.2	86.5	18.2	116.2	15.8	118.6	36.0	86.5	23.1	114.4	21.9	116.4	30.9
100	144.8	22.9	95.9	21.2	129.2	18.8	133.9	43.4	93.7	26.2	133.4	26.8	135.6	37.7
COR.	0.987		0.986		0.993		0.969		0.973		0.991		0.983	
FUNC.	WI(2.00)		WI(1.50)		GUMBEL		WI(1.10)		WI(2.00)		WI(1.00)		WI(1.00)	
DATA NUMBER	30		28		29		29		29		28		29	

TABLE 5.32 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION: JUPIA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP
5	101.9	14.0	51.3	6.9	50.6	6.9	65.6	10.1	82.9	14.8	73.3	10.7	63.0	10.4
10	114.1	18.5	62.2	9.4	60.0	9.1	79.3	13.9	98.6	19.5	90.0	14.5	79.9	14.3
15	120.4	21.1	68.1	11.0	64.8	10.4	86.7	16.2	106.7	22.2	99.4	17.0	88.9	16.6
20	124.6	22.8	72.1	12.1	68.1	11.3	91.8	17.8	112.1	24.1	106.0	18.8	95.1	18.3
25	127.7	24.2	75.1	12.9	70.5	12.0	95.6	19.0	116.1	25.5	111.1	20.2	99.7	19.6
30	130.1	25.3	77.5	13.6	72.4	12.5	98.6	20.0	119.3	26.6	115.2	21.4	103.4	20.6
50	136.7	28.2	84.0	15.5	77.4	14.0	106.8	22.8	127.7	29.7	126.8	24.8	113.5	23.5
100	145.0	32.0	92.4	18.0	83.8	15.8	117.4	26.5	138.4	33.7	142.3	29.4	126.4	27.3
COR.	0.970		0.988		0.988		0.983		0.980		0.987		0.988	
FUNC.	WI(2.00)		WI(1.50)		WI(2.00)		WI(1.50)		WI(2.00)		GUMBEL		WI(1.50)	
DATA NUMBER	27		27		27		27		27		27		27	

±AP:95%CONFIDENCE LIMIT

TABLE 5.33 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION: LUSSANVIRA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP	PR (MM)	±ΔP
5	89.7	7.6	53.8	5.8	60.4	5.8	62.5	8.6	71.8	11.1	57.7	4.4	51.6	5.7
10	102.9	10.3	62.8	7.7	73.1	7.9	76.3	12.2	91.4	15.7	67.2	5.9	63.2	7.7
15	110.4	12.1	67.4	8.8	80.2	9.3	84.3	14.7	102.5	18.9	72.5	7.0	69.7	9.0
20	115.6	13.4	70.5	9.5	85.2	10.3	89.8	16.6	110.4	21.2	76.3	7.7	74.3	10.0
25	119.7	14.4	72.8	10.1	89.1	11.0	94.1	18.0	116.4	23.0	79.1	8.3	77.8	10.7
30	122.9	15.3	74.6	10.5	92.2	11.7	97.6	19.2	121.4	24.6	81.5	8.8	80.7	11.4
50	132.0	17.6	79.4	11.8	101.0	13.5	107.2	22.6	135.0	28.8	88.0	10.2	88.6	13.2
100	144.3	20.9	85.5	13.3	112.8	16.0	120.1	27.2	153.2	34.6	96.8	12.1	99.4	15.7
COR.	0.990		0.990		0.993		0.982		0.986		0.993		0.992	
FUNC.	GUMBEL		WI(2.00)		GUMBEL		WI(1.10)		WI(1.10)		GUMBEL		GUMBEL	
DATA NUMBER	30		30		30		29		30		29		29	

TABLE 5.34 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. MENDANHA-MONTANTE

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP
5	115.2	8.9	49.7	4.1	72.4	15.4	84.2	7.2	86.9	10.2	67.8	6.0	61.8	17.0
10	140.0	12.7	60.7	5.6	92.1	22.1	103.7	10.1	105.9	13.9	82.6	8.1	92.5	23.9
15	154.2	15.2	66.6	6.6	103.5	26.8	114.6	12.0	116.6	16.2	90.9	9.5	112.2	30.2
20	164.1	17.1	70.6	7.2	111.7	30.4	122.1	13.3	124.1	18.0	96.7	10.5	126.8	35.3
25	171.8	18.6	73.6	7.7	118.0	33.2	127.8	14.4	129.9	19.4	101.2	11.3	138.4	39.5
30	178.0	19.8	76.0	8.2	123.2	35.5	132.4	15.2	134.6	20.5	104.9	12.0	148.2	43.2
50	195.2	23.2	82.6	9.3	137.6	42.1	145.1	17.6	147.7	23.7	115.0	13.9	176.4	53.9
100	218.3	27.9	91.0	10.8	157.3	51.3	161.8	20.8	165.4	28.1	128.7	16.5	216.8	69.6
COR.	0.994		0.995		0.971		0.995		0.991		0.995		0.979	
FUNC.	WI(1.10)		WI(1.50)		WI(1.00)		WI(1.25)		GUMBEL		GUMBEL		WI(0.75)	
DATA NUMBER	30		29		30		30		30		29		26	

±ΔP: 95%CONFIDENCE LIMIT

TABLE 5.35 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. MINAS NOVAS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP
5	92.6	10.3	45.7	7.4	72.8	8.1	60.4	10.2	57.6	9.8	42.7	5.9	45.6	13.1
10	111.1	14.5	55.9	9.9	88.6	11.0	69.5	13.5	79.2	13.9	53.1	8.0	65.7	18.4
15	121.4	17.2	61.2	11.4	97.5	12.9	74.2	15.4	91.8	17.1	58.4	9.2	78.5	23.3
20	128.5	19.1	64.6	12.4	103.8	14.3	77.3	16.7	100.8	19.5	61.9	10.0	88.1	27.3
25	133.9	20.6	67.2	13.2	108.6	15.4	79.6	17.7	107.7	21.4	64.5	10.7	95.7	30.6
30	138.3	21.9	69.2	13.8	112.5	16.3	81.4	18.5	113.4	23.0	66.6	11.2	102.1	33.4
50	150.3	25.3	74.5	15.5	123.3	18.9	86.3	20.6	129.3	27.6	72.1	12.6	120.7	41.7
100	166.0	30.0	81.3	17.7	138.0	22.4	92.4	23.4	150.9	33.9	78.9	14.4	147.2	54.0
COR.	0.988		0.985		0.992		0.971		0.988		0.990		0.971	
FUNC.	WI(1.25)		WI(2.00)		GUMBEL		WI(2.00)		WI(1.00)		WI(2.00)		WI(0.75)	
DATA NUMBER	27		23		26		27		23		22		23	

TABLE 5-36 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. MONTE CARMELO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P
5	106.7	8.4	58.5	6.7	65.7	7.6	67.7	10.8	86.0	9.0	64.1	10.4	52.1	10.0
10	125.3	11.5	70.6	8.9	79.3	10.1	82.9	14.6	106.4	12.2	84.0	14.7	65.0	13.6
15	135.3	13.4	76.8	10.2	86.4	11.5	91.5	17.1	117.4	14.3	95.3	17.7	72.2	15.9
20	142.1	14.8	80.9	11.1	91.0	12.5	97.6	18.9	124.9	15.7	103.3	19.9	77.3	17.6
25	147.2	15.8	84.0	11.7	94.5	13.2	102.2	20.4	130.5	16.8	109.5	21.6	81.2	19.0
30	151.3	16.6	86.4	12.3	97.3	13.8	106.0	21.6	135.0	17.7	114.4	23.0	84.4	20.1
50	162.4	18.9	92.9	13.7	104.6	15.4	116.5	24.9	147.2	20.1	128.3	27.0	93.2	23.2
100	176.7	22.0	101.0	15.5	113.8	17.4	130.7	29.6	162.9	23.4	146.8	32.4	105.2	27.6
COR.	0.994		0.992		0.993		0.985		0.994		0.988		0.982	
FUNC.	WI(1.50)		WI(2.00)		WI(2.00)		GUMBEL		WI(1.50)		WI(1.10)		GUMBEL	
DATA NUMBER	30		29		30		30		30		30		30	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5-37 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. PONTE DO LICINIO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P
5	95.6	6.3	48.5	4.2	59.0	10.9	72.5	13.3	59.6	9.3	54.1	5.7	61.6	14.8
10	110.3	8.6	61.1	5.8	67.8	14.4	89.4	18.1	79.1	13.2	64.0	7.5	80.3	20.8
15	118.6	10.0	67.8	6.7	72.3	16.4	98.9	21.2	90.2	15.9	69.1	8.6	90.8	24.7
20	124.4	11.1	72.4	7.4	75.3	17.8	105.6	23.4	98.0	17.9	72.5	9.3	98.0	27.5
25	128.9	12.0	75.9	7.9	77.5	18.8	110.7	25.2	104.0	19.4	75.0	9.9	103.5	29.7
30	132.5	12.7	78.6	8.3	79.3	19.7	114.9	26.7	108.9	20.7	77.0	10.3	107.9	31.5
50	142.7	14.6	86.1	9.5	84.0	22.0	126.5	30.9	122.5	24.3	82.3	11.6	120.0	36.5
100	156.3	17.4	95.8	11.0	89.9	24.9	142.2	36.6	140.7	29.1	89.0	13.1	136.0	43.2
COR.	0.994		0.996		0.965		0.981		0.990		0.992		0.976	
FUNC.	GUMBEL		WI(1.50)		WI(2.00)		GUMBEL		WI(1.10)		WI(2.00)		WI(1.25)	
DATA NUMBER	30		30		30		30		30		29		29	

TABLE 5.38 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. RIO PIRACICABA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP
5	93.4	19.9	48.0	12.1	61.9	14.3	60.9	8.0	74.6	13.6	47.6	6.2	53.0	6.6
10	110.9	27.0	66.5	17.4	72.1	18.8	71.2	10.6	97.9	19.3	56.3	8.2	65.3	9.0
15	120.7	31.6	78.2	21.8	77.4	21.4	76.6	12.1	111.2	23.1	60.7	9.3	72.3	10.6
20	127.6	35.0	86.9	25.4	80.9	23.2	80.1	13.1	120.5	26.0	63.7	10.1	77.2	11.7
25	132.9	37.6	93.9	28.4	83.5	24.6	82.7	13.9	127.7	28.2	65.9	10.7	81.0	12.6
30	137.2	39.8	99.7	30.9	85.6	25.7	84.8	14.5	133.6	30.1	67.6	11.2	84.0	13.4
50	149.2	46.1	116.5	38.3	91.1	28.7	90.4	16.2	149.8	35.3	72.3	12.5	92.5	15.5
100	165.4	54.7	140.4	49.1	98.0	32.5	97.4	18.3	171.5	42.4	78.1	14.2	104.0	18.4
COR.	0.962		0.973		0.958		0.986		0.985		0.988		0.991	
FUNC.	GUMBEL		WI(0.75)		WI(2.00)		WI(2.00)		WI(1.10)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		29		30		30		30		30		29	

±ΔP: 95%CONFIDENCE LIMIT

TABLE 5.39 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. SANTANA DO JACARE

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP
5	90.1	14.5	43.7	12.5	56.5	7.3	63.6	13.9	64.4	8.7	47.1	8.1	47.5	8.8
10	105.1	19.1	58.8	17.9	69.1	9.9	80.1	18.9	78.0	11.5	56.7	10.8	56.8	11.6
15	112.8	21.8	67.6	21.7	76.1	11.6	89.4	22.1	84.9	13.2	61.5	12.4	61.5	13.2
20	117.9	23.6	73.9	24.6	81.0	12.9	95.9	24.5	89.6	14.4	64.7	13.5	64.7	14.4
25	121.7	25.0	78.7	27.0	84.8	13.9	100.9	26.4	93.0	15.2	67.1	14.3	67.0	15.2
30	124.7	26.1	82.7	28.9	87.9	14.8	105.0	27.9	95.7	15.9	69.0	15.0	68.9	15.9
50	132.7	29.1	93.8	34.3	96.5	17.1	116.3	32.3	102.9	17.8	74.0	16.8	73.8	17.8
100	142.8	33.0	108.9	41.9	108.0	20.4	131.7	38.3	112.0	20.3	80.3	19.2	80.0	20.2
COR.	0.979		0.966		0.988		0.978		0.990		0.980		0.979	
FUNC.	WI(2.00)		WI(1.00)		GUMBEL		GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		29		27		30		28		26		29	

TABLE 5.40 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. SANTA MARIA DE ITABIRA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP
5	96.7	7.6	53.4	10.6	82.2	12.0	72.7	6.7	75.0	9.6	59.6	7.7	52.9	7.6
10	106.6	10.1	64.3	14.0	96.7	15.8	83.5	8.8	86.3	12.6	73.9	10.5	62.3	10.3
15	111.8	11.5	69.9	16.0	104.2	18.1	89.0	10.0	92.1	14.4	81.6	12.2	67.6	12.1
20	115.2	12.5	73.6	17.3	109.1	19.6	92.7	10.8	96.0	15.7	86.8	13.4	71.3	13.5
25	117.7	13.2	76.4	18.3	112.8	20.8	95.4	11.5	98.8	16.6	90.7	14.4	74.1	14.5
30	119.7	13.8	78.6	19.2	115.7	21.7	97.5	12.0	101.1	17.4	93.9	15.1	76.4	15.3
50	125.1	15.4	84.4	21.4	123.5	24.3	103.3	13.4	107.1	19.4	102.4	17.2	82.9	17.8
100	131.8	17.4	91.8	24.2	133.2	27.5	110.6	15.2	114.7	22.0	113.4	20.0	91.6	21.1
COR.	0.987		0.978		0.984		0.991		0.983		0.991		0.979	
FUNC.	WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(1.50)		GUMBEL	
DATA NUMBER	30		30		29		30		29		30		29	

±ΔP:95%CONFIDENCE LIMIT

TABLE 5.41 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. VESPASIANO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP
5	93.4	14.5	46.9	7.7	66.7	9.0	67.6	12.2	70.0	9.7	58.8	18.1	53.3	6.4
10	116.6	20.9	58.8	10.8	76.9	11.9	77.8	16.0	84.4	13.2	87.9	26.0	73.7	9.2
15	131.3	26.3	65.4	12.8	82.1	13.5	83.0	18.3	92.6	15.5	106.4	32.8	85.6	11.1
20	142.2	30.5	69.9	14.2	85.6	14.7	86.5	19.8	98.2	17.2	120.1	38.1	94.0	12.6
25	151.0	34.0	73.4	15.3	88.2	15.6	89.1	21.0	102.6	18.5	131.1	42.5	100.6	13.8
30	158.2	37.0	76.2	16.2	90.3	16.2	91.1	21.9	106.2	19.6	140.2	46.3	105.9	14.8
50	179.3	45.8	83.9	18.8	95.8	18.1	96.6	24.5	116.1	22.8	166.8	57.4	120.9	17.6
100	209.4	58.5	94.1	22.2	102.7	20.6	103.4	27.7	129.5	27.1	204.6	73.6	141.3	21.5
COR.	0.976		0.984		0.982		0.968		0.985		0.975		0.995	
FUNC.	WI(0.75)		WI(1.25)		WI(2.00)		WI(2.00)		GUMBEL		WI(0.75)		WI(1.00)	
DATA NUMBER	30		30		30		30		28		29		29	

TABLE 5.42 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. AMARANTE

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP
5	108.9	12.9	48.9	6.6	47.6	6.7	63.8	14.8	62.3	5.4	71.8	10.1	82.0	11.8
10	122.3	17.0	63.9	9.1	61.2	9.4	86.0	21.4	75.1	7.3	84.6	13.3	99.6	16.1
15	129.1	19.4	71.9	10.8	68.7	11.3	99.6	26.5	82.4	8.6	91.3	15.2	109.1	18.7
20	133.7	21.0	77.3	11.9	73.9	12.6	109.5	30.4	87.4	9.5	95.6	16.5	115.5	20.6
25	137.1	22.3	81.3	12.8	77.9	13.7	117.2	33.6	91.3	10.2	98.9	17.4	120.3	22.1
30	139.8	23.3	84.6	13.6	81.1	14.5	123.6	36.2	94.5	10.8	101.5	18.2	124.2	23.2
50	146.9	26.0	93.3	15.6	89.9	17.0	141.9	43.9	103.3	12.5	108.4	20.3	134.7	26.5
100	155.9	29.4	104.6	18.3	101.4	20.2	167.4	54.9	115.3	14.9	117.0	23.0	148.3	30.7
COR.	0.979		0.992		0.989		0.975		0.995		0.986		0.986	
FUNC.	WI(2.00)		WI(1.50)		WI(1.25)		WI(0.85)		GUMBEL		WI(2.00)		WI(1.50)	
DATA NUMBER	30		24		26		30		30		30		30	

±AP: 85% CONFIDENCE LIMIT

TABLE 5.43 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. BARREIRAS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP
5	107.5	13.8	39.6	6.6	66.7	11.6	70.0	9.3	60.1	6.3	65.7	11.2	59.3	8.8
10	126.9	18.2	51.5	9.1	80.2	15.3	86.9	12.5	80.3	9.0	89.6	16.0	79.0	12.5
15	137.0	20.7	57.9	10.6	87.1	17.5	96.5	14.7	91.9	10.8	103.5	19.4	90.2	15.1
20	143.6	22.5	62.3	11.7	91.7	19.0	103.1	16.3	100.0	12.2	113.4	22.0	98.1	17.0
25	148.5	23.8	65.5	12.5	95.2	20.2	108.3	17.5	106.2	13.3	121.1	24.0	104.2	18.4
30	152.5	24.9	68.1	13.2	97.9	21.1	112.5	18.5	111.3	14.1	127.4	25.7	109.1	19.7
50	162.9	27.8	75.2	15.1	105.1	23.6	124.1	21.4	125.3	16.6	145.0	30.5	122.8	23.1
100	176.0	31.5	84.3	17.6	114.2	26.7	139.9	25.4	144.1	20.0	168.9	37.2	141.1	27.8
COR.	0.988		0.989		0.982		0.991		0.995		0.989		0.991	
FUNC.	WI(2.00)		WI(1.50)		WI(2.00)		GUMBEL		WI(1.10)		WI(1.00)		WI(1.10)	
DATA NUMBER	30		28		29		30		29		30		29	

TABLE 5.44 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CATALAO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP
5	97.4	4.0	66.6	13.8	66.3	5.9	74.9	7.1	84.8	7.4	60.2	8.0	66.9	7.7
10	107.9	5.5	78.8	18.2	77.5	8.0	88.0	9.7	100.3	9.7	72.0	11.2	79.0	10.2
15	113.8	6.4	85.1	20.8	83.8	9.4	95.5	11.3	108.3	11.1	78.6	13.3	85.2	11.6
20	118.0	7.1	89.3	22.5	88.2	10.4	100.7	12.6	113.6	12.1	83.2	14.9	89.4	12.6
25	121.2	7.6	92.4	23.9	91.6	11.2	104.7	13.5	117.6	12.8	86.7	16.1	92.5	13.3
30	123.8	8.1	94.9	24.9	94.4	11.9	107.9	14.3	120.7	13.3	89.5	17.0	94.9	13.9
50	131.0	9.3	101.4	27.8	102.1	13.8	117.0	16.5	129.0	14.9	97.2	19.7	101.4	15.6
100	140.8	11.1	109.7	31.5	112.5	16.3	129.2	19.6	139.5	16.9	107.3	23.4	109.6	17.6
COR.	0.995		0.971		0.991		0.991		0.995		0.982		0.991	
FUNC.	GUMBEL		WI(2.00)		GUMBEL		GUMBEL		WI(2.00)		WI(1.25)		WI(2.00)	
DATA NUMBER	30		30		30		30		30		29		30	

±AP: 95%CONFIDENCE LIMIT

TABLE 5.45 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CONCEICAO ARAGUAIA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP
5	93.6	6.5	64.1	12.2	63.1	13.5	68.7	10.2	70.5	8.0	69.0	6.1	72.5	12.4
10	104.7	8.9	78.1	16.6	72.9	17.9	80.1	13.5	82.6	10.5	80.2	8.0	86.3	16.9
15	110.7	10.4	86.0	19.4	77.9	20.5	86.0	15.4	88.9	12.0	85.9	9.2	94.1	19.8
20	114.8	11.4	91.5	21.5	81.3	22.3	90.0	16.7	93.0	13.0	89.7	10.0	99.6	21.9
25	117.8	12.2	95.7	23.1	83.8	23.6	92.9	17.7	96.1	13.8	92.6	10.5	103.8	23.6
30	120.3	12.9	99.2	24.5	85.7	24.7	95.2	18.5	98.5	14.4	94.8	11.0	107.2	25.0
50	126.9	14.6	108.9	28.3	90.9	27.6	101.4	20.6	105.0	16.0	100.8	12.3	116.7	28.9
100	135.5	17.0	121.9	33.6	97.5	31.3	109.1	23.4	113.2	18.2	108.4	13.9	129.6	34.3
COR.	0.989		0.977		0.955		0.982		0.990		0.993		0.976	
FUNC.	WI(1.50)		GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		GUMBEL	
DATA NUMBER	25		25		24		25		25		25		25	

TABLE 5.46 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CONCEICAO DO RIO VER

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP
5	96.2	25.6	63.4	9.4	63.7	9.6	69.1	4.8	65.2	8.9	68.9	25.1	58.5	9.4
10	121.2	37.0	77.2	12.8	73.9	12.6	81.9	6.6	78.8	12.0	99.2	36.2	70.5	12.7
15	137.2	46.4	85.0	15.0	79.2	14.4	88.8	7.7	86.5	14.1	118.5	45.5	77.3	14.9
20	149.0	54.0	90.5	16.6	82.7	15.6	93.5	8.5	91.8	15.6	132.8	52.9	82.0	16.5
25	158.4	60.2	94.7	17.8	85.3	16.5	97.0	9.0	96.0	16.8	144.2	59.0	85.7	17.8
30	166.2	65.4	98.1	18.9	87.3	17.2	99.8	9.5	99.3	17.8	153.7	64.1	88.6	18.8
50	189.0	80.9	107.6	21.8	92.8	19.2	107.4	10.8	108.7	20.6	181.2	79.4	96.9	21.8
100	221.4	103.6	120.5	25.9	99.7	21.8	117.3	12.6	121.3	24.4	220.5	101.5	108.1	25.8
COR.	0.939		0.986		0.980		0.996		0.987		0.958		0.981	
FUNC.	WI(0.75)		GUMBEL		WI(2.00)		WI(1.50)		GUMBEL		WI(0.75)		GUMBEL	
DATA NUMBER	30		30		30		30		30		30		30	

±ΔP: 95%CONFIDENCE LIMIT

TABLE 5.47 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. COITEGIPE

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP	P.R.	±ΔP
5	124.7	16.9	54.4	10.7	87.7	10.7	84.9	12.5	81.4	18.6	74.0	16.9	76.0	13.6
10	144.2	22.9	70.8	14.8	107.2	14.5	102.6	16.4	108.2	26.7	96.8	24.1	92.0	18.0
15	155.2	26.8	79.6	17.4	118.2	17.0	111.7	18.7	124.6	33.2	109.8	29.0	100.2	20.6
20	162.9	29.7	85.5	19.2	125.9	18.9	117.8	20.3	136.5	38.3	118.9	32.6	105.6	22.3
25	168.8	32.0	90.0	20.6	131.9	20.3	122.3	21.5	145.9	42.3	126.0	35.4	109.6	23.7
30	173.7	33.8	93.5	21.8	136.7	21.5	125.9	22.4	153.7	45.8	131.7	37.8	112.8	24.7
50	187.1	39.1	103.2	25.0	150.1	24.9	135.4	25.0	175.8	55.8	147.5	44.4	121.4	27.6
100	205.3	46.4	115.7	29.1	168.2	29.6	147.4	28.4	206.7	70.0	168.7	53.4	132.1	31.4
COR.	0.977		0.984		0.990		0.989		0.971		0.975		0.982	
FUNC.	GUMBEL		WI(1.50)		GUMBEL		WI(2.00)		WI(0.85)		WI(1.10)		WI(2.00)	
DATA NUMBER	30		26		29		30		28		29		29	

TABLE 5.48 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
STATION. FORMOSA DO RIO PRETO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	85.2	9.0	41.4	4.8	61.8	6.1	70.5	6.3	55.9	6.1	67.3	12.2	47.4	4.2
10	93.3	11.8	52.3	6.6	73.6	8.0	82.3	8.3	68.8	8.4	79.1	16.0	55.4	5.6
15	97.5	13.4	58.1	7.8	79.6	9.1	88.3	9.5	75.7	9.8	85.3	18.3	59.5	6.4
20	100.2	14.6	62.0	8.6	83.7	9.9	92.4	10.3	80.4	10.8	89.3	19.8	62.3	6.9
25	102.3	15.4	65.0	9.2	86.6	10.5	95.4	10.9	83.9	11.5	92.3	21.0	64.3	7.3
30	103.9	16.1	67.3	9.7	89.0	11.0	97.7	11.4	86.8	12.2	94.7	21.9	65.9	7.7
50	108.2	18.0	73.8	11.1	95.3	12.3	104.0	12.7	94.5	13.9	101.1	24.5	70.2	8.6
100	113.7	20.4	82.0	13.0	103.2	13.9	112.0	14.4	104.4	16.1	109.1	27.8	75.6	9.7
COR.	0.972		0.993		0.994		0.993		0.993		0.976		0.993	
FUNC.	WI(2.00)		WI(1.50)		WI(2.00)		WI(2.00)		WI(1.50)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		27		29		30		29		30		29	

*ΔP:95%CONFIDENCE LIMIT

TABLE 5.49 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
STATION. GOIAS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	106.3	11.1	58.8	20.1	72.3	11.5	73.1	6.0	83.9	9.9	63.7	9.7	65.3	7.7
10	127.4	15.9	83.4	28.7	90.2	16.3	84.1	7.8	98.6	13.0	73.2	13.1	79.7	11.0
15	139.7	19.3	99.0	36.2	100.5	19.6	89.9	8.9	106.2	14.9	78.6	15.4	88.0	13.2
20	148.4	21.8	110.6	42.1	107.6	22.0	93.6	9.7	111.2	16.1	82.4	17.1	93.7	14.9
25	155.2	23.9	119.9	47.1	113.2	23.9	96.5	10.3	115.0	17.1	85.3	18.5	98.2	16.2
30	160.8	25.5	127.6	51.3	117.7	25.5	98.7	10.7	117.9	17.8	87.6	19.6	101.8	17.3
50	176.3	30.3	150.0	63.7	130.1	29.9	104.6	12.0	125.8	19.9	94.2	22.7	111.8	20.3
100	197.3	36.9	182.1	81.9	146.8	35.9	112.1	13.6	135.8	22.5	103.0	27.0	125.2	24.4
COR.	0.986		0.958		0.982		0.993		0.990		0.967		0.987	
FUNC.	WI(1.00)		WI(0.75)		WI(1.10)		WI(2.00)		WI(2.00)		GUMBEL		WI(1-10)	
DATA NUMBER	30		28		30		30		30		28		29	

TABLE 5.50 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION, JANUARIA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	72.8	10.2	39.6	12.2	55.9	9.3	65.5	6.8	52.4	9.8	47.6	6.0	44.7	7.9
10	79.9	13.8	52.4	17.0	66.1	12.2	76.8	9.2	61.6	13.0	55.4	8.0	54.0	10.4
15	84.0	16.2	59.2	20.1	71.3	13.9	83.1	10.8	66.4	14.9	59.5	9.1	58.8	11.9
20	86.8	17.9	63.7	22.4	74.8	15.1	87.5	12.0	69.5	16.1	62.1	9.9	61.9	13.0
25	89.0	19.3	67.2	24.1	77.4	16.0	91.0	13.0	71.9	17.1	64.1	10.5	64.3	13.8
30	90.8	20.4	69.9	25.5	79.5	16.7	93.7	13.7	73.7	17.9	65.7	11.0	66.2	14.4
50	95.7	23.6	77.3	29.5	84.9	18.7	101.5	15.9	78.7	20.0	69.9	12.3	71.1	16.1
100	102.4	28.0	86.9	34.6	91.8	21.2	111.9	19.0	84.9	22.7	75.2	13.9	77.3	18.3
COR.	0.943		0.960		0.981		0.988		0.973		0.986		0.982	
FUNC.	GUMBEL		WI(1.50)		WI(2.00)		GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	29		22		29		27		28		28		27	

±AP: 95% CONFIDENCE LIMIT

TABLE 5.51 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION, MOCAMBO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	61.3	10.4	23.3	6.7	31.6	7.5	45.6	6.5	26.5	5.3	26.5	7.5	44.4	7.6
10	76.0	13.9	36.1	8.1	40.9	10.3	62.0	8.9	42.9	6.8	38.8	9.6	62.6	10.2
15	83.6	16.0	43.6	10.2	46.1	12.3	71.5	11.1	52.4	8.6	46.0	12.1	72.6	12.6
20	88.6	17.4	48.9	12.0	49.8	13.8	78.3	12.8	59.2	10.0	51.0	14.1	79.4	14.4
25	92.3	18.5	53.1	13.4	52.5	15.0	83.6	14.3	64.5	11.2	55.0	15.8	84.6	15.9
30	95.2	19.4	56.5	14.7	54.8	16.0	87.9	15.4	68.8	12.2	58.2	17.2	88.8	17.1
50	103.1	21.8	65.9	18.3	61.0	18.8	99.9	18.8	80.8	15.0	67.2	21.2	100.2	20.5
100	112.9	24.8	78.8	23.3	69.5	22.6	116.3	23.6	97.2	19.1	79.5	26.9	115.1	25.1
COR.	0.986		0.978		0.971		0.988		0.991		0.970		0.986	
FUNC.	WI(2.00)		WI(1.00)		GUMBEL		WI(1.00)		WI(1.00)		WI(1.00)		WI(1.25)	
DATA NUMBER	18		10		14		13		11		11		11	

TABLE 5.52 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. MONTES CLAROS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±A.P	P.R. (MM)	±A.P	P.R. (MM)	±A.P	P.R. (MM)	±A.P	P.R. (MM)	±A.P	P.R. (MM)	±A.P	P.R. (MM)	±A.P
5	134.1	14.6	45.7	9.8	82.2	17.6	96.0	15.6	97.2	19.3	80.1	18.7	60.7	12.4
10	161.3	19.9	57.6	13.3	109.4	25.2	115.3	20.6	122.2	26.3	111.2	26.9	85.0	17.4
15	176.0	23.2	64.2	15.7	125.4	30.7	125.2	23.5	135.6	30.7	129.5	32.6	98.4	21.0
20	186.0	25.5	68.9	17.4	136.7	34.8	131.8	25.5	144.7	33.7	142.4	36.9	107.6	23.6
25	193.5	27.3	72.4	18.8	145.4	38.1	136.7	27.0	151.6	36.1	152.5	40.3	114.6	25.7
30	199.5	28.7	75.3	20.0	152.6	40.8	140.6	28.2	157.1	38.0	160.7	43.2	120.3	27.4
50	215.8	32.7	83.4	23.2	172.7	48.6	151.0	31.5	172.0	43.3	183.7	51.2	135.8	32.1
100	236.8	37.9	94.3	27.7	199.9	59.5	164.0	35.7	191.2	50.3	214.8	62.4	156.2	38.5
COR.	0.991		0.976		0.978		0.985		0.982		0.982		0.986	
FUNC.	WI(1.50)		GUMBEL		WI(1.00)		WI(2.00)		WI(1.50)		WI(1.00)		WI(1.25)	
DATA NUMBER	30		26		28		30		30		30		23	

±AP: 95%CONFIDENCE LIMIT

TABLE 5.53 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. MONSENHOR PAULO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±A.P	P.R. (MM)	±A.P	P.R. (MM)	±A.P	P.R. (MM)	±A.P	P.R. (MM)	±A.P	P.R. (MM)	±A.P	P.R. (MM)	±A.P
5	87.5	8.9	49.6	5.0	58.3	7.0	65.3	7.9	69.1	6.8	57.7	7.9	52.6	9.7
10	98.3	11.7	62.2	7.1	69.1	9.4	76.6	10.4	82.0	9.0	70.4	10.5	64.6	13.2
15	103.9	13.3	69.4	8.6	75.2	11.1	82.5	11.8	88.7	10.3	76.9	12.0	71.3	15.4
20	107.7	14.4	74.4	9.6	79.5	12.2	86.3	12.8	93.1	11.1	81.2	13.0	76.0	17.1
25	110.4	15.3	78.3	10.4	82.8	13.2	89.2	13.6	96.4	11.8	84.4	13.8	79.7	18.4
30	112.6	16.0	81.5	11.1	85.4	13.9	91.5	14.2	99.0	12.3	87.0	14.4	82.6	19.5
50	118.4	17.8	90.3	13.1	92.9	16.1	97.6	15.8	106.0	13.7	93.7	16.1	90.9	22.5
100	125.8	20.2	102.0	15.7	103.0	19.1	105.2	17.9	114.7	15.6	102.2	18.3	102.0	26.7
COR.	0.985		0.993		0.987		0.989		0.994		0.990		0.980	
FUNC.	WI(2.00)		WI(1.10)		GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)		GUMBEL	
DATA NUMBER	30		30		30		30		30		29		30	

TABLE 5.54 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. MORRO DO PILAR

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	111.6	24.5	62.3	7.3	81.2	14.7	87.8	12.9	76.9	10.0	69.0	6.7	73.6	36.2
10	137.0	35.4	73.9	9.7	94.1	19.3	102.5	17.0	93.2	14.1	81.0	8.8	103.5	51.7
15	153.1	44.4	79.9	11.0	100.7	22.0	110.0	19.4	102.5	17.0	87.2	10.1	122.6	65.1
20	165.1	51.6	83.9	11.9	105.1	23.9	115.0	21.1	109.1	19.1	91.3	10.9	136.7	75.9
25	174.7	57.5	86.9	12.7	108.3	25.3	118.7	22.3	114.1	20.7	94.3	11.6	148.1	84.8
30	182.7	62.6	89.2	13.2	110.9	26.4	121.7	23.3	118.2	22.1	96.7	12.1	157.5	92.3
50	205.7	77.4	95.5	14.8	117.8	29.5	129.5	26.0	129.5	25.9	103.2	13.5	184.8	114.8
100	238.7	99.1	103.3	16.7	126.5	33.4	139.4	29.5	144.7	31.1	111.3	15.3	223.9	147.5
COR.	0.945		0.991		0.971		0.982		0.984		0.993		0.914	
FUNC.	WI(0.75)		WI(2.00)		WI(2.00)		WI(2.00)		WI(1.10)		WI(2.00)		WI(0.75)	
DATA NUMBER	30		30		30		30		30		29		28	

±AP: 95%CONFIDENCE LIMIT

TABLE 5.55 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. SANGRAOURO-P.MURT

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	106.8	13.4	60.3	8.4	77.1	9.7	72.6	8.6	72.7	12.3	71.6	12.3	76.0	9.6
10	120.9	18.1	70.7	11.1	89.2	12.8	85.7	11.8	94.1	17.8	88.1	17.5	89.7	12.7
15	129.0	21.2	76.1	12.6	95.4	14.6	92.7	13.7	107.7	22.3	97.5	21.0	96.7	14.4
20	134.6	23.5	79.7	13.7	99.5	15.9	97.4	15.1	117.7	26.0	104.0	23.5	101.3	15.6
25	138.9	25.3	82.3	14.5	102.6	16.8	101.0	16.1	125.8	28.9	109.1	25.6	104.8	16.6
30	142.4	26.7	84.4	15.1	105.0	17.6	103.9	17.0	132.5	31.5	113.2	27.2	107.6	17.3
50	152.2	30.9	90.0	16.9	111.5	19.7	111.7	19.3	151.9	38.9	124.7	32.0	114.9	19.3
100	165.4	36.7	97.1	19.1	119.6	22.3	121.8	22.4	179.6	49.8	140.0	38.4	124.1	21.9
COR.	0.974		0.985		0.985		0.987		0.979		0.976		0.989	
FUNC.	GUMBEL		WI(2.00)		WI(2.00)		WI(1.50)		WI(0.75)		WI(1.10)		WI(2.00)	
DATA NUMBER	30		30		29		30		30		30		30	

TABLE 5.56 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. SAO MANUEL

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP
5	83.5	7.2	35.4	5.7	58.8	9.7	65.5	13.8	64.8	13.4	58.6	10.1	57.8	6.0
10	92.1	9.5	47.1	8.2	68.0	12.8	75.7	18.3	82.0	18.3	70.8	13.4	72.1	8.3
15	96.5	10.8	53.9	10.0	72.7	14.6	80.9	20.8	91.2	21.3	77.0	15.4	79.8	9.7
20	99.5	11.7	58.7	11.4	75.9	15.9	84.4	22.6	97.5	23.5	81.2	16.7	85.1	10.7
25	101.6	12.4	62.5	12.5	78.2	16.8	86.9	24.0	102.2	25.2	84.3	17.7	89.0	11.4
30	103.4	13.0	65.5	13.4	80.0	17.6	89.0	25.0	106.0	26.5	86.7	18.5	92.1	12.0
50	108.0	14.5	74.1	15.9	85.0	19.6	94.4	28.0	116.2	30.2	93.2	20.7	100.7	13.7
100	113.8	16.4	85.8	19.4	91.1	22.2	101.3	31.7	129.4	35.0	101.4	23.5	111.7	16.0
COR.	0.984		0.987		0.974		0.958		0.981		0.983		0.994	
FUNC.	WI(2.00)		WI(1.00)		WI(2.00)		WI(2.00)		WI(1.50)		WI(2.00)		WI(1.50)	
DATA NUMBER	24		23		24		24		24		23		23	

±ΔP: 95%CONFIDENCE LIMIT

TABLE 5.57 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. SAO FRANCISCO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP
5	97.4	8.7	54.5	8.9	60.7	9.4	68.8	14.0	74.4	6.9	62.7	8.9	71.5	14.2
10	115.3	12.3	67.7	11.8	71.8	12.4	82.3	19.0	96.1	9.7	75.4	11.9	91.7	19.4
15	125.4	14.8	74.4	13.5	77.5	14.2	89.8	22.3	108.1	11.6	81.9	13.7	103.0	22.9
20	132.6	16.7	78.8	14.7	81.3	15.4	95.2	24.7	116.5	12.9	86.2	15.0	110.9	25.5
25	138.1	18.1	82.1	15.6	84.2	16.3	99.3	26.6	122.8	13.9	89.3	15.9	116.9	27.6
30	142.6	19.3	84.8	16.4	86.4	17.1	102.6	28.2	127.9	14.8	91.8	16.7	121.9	29.3
50	155.0	22.7	91.7	18.3	92.3	19.1	111.9	32.6	141.9	17.2	98.5	18.7	135.6	34.1
100	171.6	27.4	100.5	20.8	99.8	21.6	124.4	38.8	160.4	20.4	106.9	21.4	154.0	40.8
COR.	0.989		0.988		0.983		0.967		0.996		0.985		0.982	
FUNC.	WI(1.10)		WI(2.00)		WI(2.00)		GUMBEL		WI(1.25)		WI(2.00)		GUMBEL	
DATA NUMBER	29		27		29		29		28		25		25	

TABLE 5.58 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. SETE LAGOAS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP
5	106.8	16.7	46.7	6.2	67.2	7.8	71.4	7.3	80.9	8.6	77.0	9.2	50.5	6.0
10	122.5	22.6	57.4	8.4	79.6	10.3	91.0	10.6	100.5	11.7	96.4	12.5	59.9	8.0
15	131.4	26.5	63.4	9.9	86.0	11.7	102.9	13.1	111.5	13.7	107.4	14.7	64.8	9.1
20	137.6	29.4	67.6	11.0	90.2	12.7	111.6	15.1	119.3	15.2	115.0	16.3	68.0	9.9
25	142.4	31.6	70.9	11.8	93.4	13.4	118.5	16.7	125.2	16.3	120.9	17.6	70.4	10.5
30	146.3	33.5	73.5	12.5	95.9	14.0	124.2	18.0	130.1	17.3	125.7	18.6	72.2	11.0
50	157.1	38.7	80.9	14.5	102.5	15.7	140.3	21.9	143.6	20.0	139.1	21.5	77.3	12.3
100	171.7	45.9	90.9	17.2	110.9	17.8	162.8	27.3	161.8	23.7	157.1	25.6	83.6	13.9
COR.	0.966		0.989		0.991		0.992		0.994		0.993		0.990	
FUNC.	GUMBEL		GUMBEL		WI(2.00)		WI(0.85)		GUMBEL		GUMBEL		WI(2.00)	
DATA NUMBER	27		26		27		27		27		26		26	

±ΔP:95%CONFIDENCE LIMIT

TABLE 5.59 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. SITIO GRANDE

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP
5	93.0	13.7	53.5	6.2	63.2	26.4	69.7	8.1	69.1	7.0	65.3	14.2	56.3	8.7
10	115.3	19.8	64.9	8.2	86.5	38.2	80.1	10.7	88.5	9.9	81.6	19.3	69.7	12.0
15	129.5	24.8	70.7	9.4	101.3	47.9	85.5	12.2	99.5	11.9	90.8	22.6	76.9	14.0
20	140.0	28.9	74.6	10.3	112.2	55.7	89.1	13.2	107.2	13.4	97.2	25.0	81.8	15.4
25	148.4	32.2	77.4	10.9	121.0	62.1	91.7	14.0	113.2	14.6	102.2	26.9	85.5	16.5
30	155.4	35.0	79.7	11.4	128.3	67.5	93.8	14.6	118.0	15.5	106.2	28.4	88.4	17.4
50	175.6	43.3	85.7	12.8	149.4	83.5	99.4	16.3	131.5	18.2	117.5	32.9	96.4	19.8
100	204.5	55.4	93.3	14.6	179.6	106.9	106.5	18.5	149.5	21.9	132.6	39.0	106.7	23.0
COR.	0.976		0.992		0.926		0.986		0.994		0.977		0.986	
FUNC.	WI(0.75)		WI(2.00)		WI(0.75)		WI(2.00)		WI(1.10)		GUMBEL		WI(1.50)	
DATA NUMBER	30		27		30		30		30		30		29	

TABLE 5.60 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CAETE

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	105.8	19.2	51.2	6.5	73.4	9.0	75.6	14.9	67.5	14.5	66.5	22.4	57.4	7.0
10	129.1	27.6	62.2	8.9	87.4	12.3	87.7	19.7	86.8	20.8	95.7	32.3	71.5	9.5
15	142.7	33.5	68.3	10.4	95.3	14.4	93.9	22.4	98.1	25.3	114.3	40.6	79.5	11.1
20	152.3	37.9	72.7	11.5	100.8	15.9	98.0	24.3	106.2	28.6	128.1	47.1	85.1	12.3
25	159.8	41.4	76.0	12.4	105.1	17.1	101.1	25.8	112.4	31.3	139.1	52.5	89.4	13.2
30	166.0	44.3	78.7	13.1	108.6	18.1	103.5	26.9	117.5	33.4	148.2	57.1	92.9	14.0
50	183.1	52.6	86.3	15.2	118.2	21.0	110.0	30.0	131.7	39.7	174.8	70.7	102.6	16.2
100	206.4	64.1	96.5	18.1	131.3	24.9	118.2	34.0	151.1	48.3	212.7	90.5	115.8	19.3
COR.	0.967		0.989		0.987		0.966		0.973		0.964		0.992	
FUNC.	WI(1.00)		GUMBEL		GUMBEL		WI(2.00)		WI(1.00)		WI(0.75)		GUMBEL	
DATA NUMBER	30		29		30		30		30		30		29	

*AP:85%CONFIDENCE LIMIT

TABLE 5.61 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CAIXA DE AREAIA-BH

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	116.0	10.9	55.2	5.2	72.6	16.6	85.0	9.0	76.0	11.4	84.9	13.9	68.8	7.8
10	132.9	14.3	66.1	6.9	94.0	23.9	102.2	12.3	91.7	15.5	108.0	19.0	82.1	10.4
15	141.6	16.3	71.7	7.8	106.5	29.0	111.5	14.3	100.6	18.1	120.4	22.1	89.0	11.9
20	147.4	17.7	75.4	8.5	115.4	32.8	117.7	15.8	106.8	20.1	128.9	24.4	93.5	13.0
25	151.7	18.7	78.2	9.0	122.3	35.8	122.5	16.9	111.5	21.6	135.2	26.1	96.9	13.8
30	155.1	19.6	80.4	9.4	127.9	38.3	126.3	17.8	115.4	22.9	140.3	27.5	99.5	14.4
50	164.2	21.8	86.2	10.5	143.7	45.5	136.6	20.2	126.3	26.5	154.1	31.4	106.6	16.1
100	175.6	24.8	93.6	12.0	165.1	55.4	149.8	23.5	140.9	31.4	171.8	36.5	115.5	18.4
COR.	0.990		0.994		0.971		0.991		0.984		0.988		0.991	
FUNC.	WI(2.00)		WI(2.00)		WI(1.00)		WI(1.50)		GUMBEL		WI(1.50)		WI(2.00)	
DATA NUMBER	30		29		30		30		30		29		27	

TABLE 5.62 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CORONEL MURTA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	94.0	10.1	53.4	9.9	67.7	7.0	69.3	10.1	64.1	11.9	52.3	11.6	52.4	6.2
10	104.4	13.2	64.2	13.2	82.7	9.6	86.1	13.8	77.1	15.7	68.7	16.2	63.8	8.2
15	109.7	15.1	69.7	15.1	90.8	11.2	95.1	16.1	83.7	17.9	77.8	19.3	69.6	9.5
20	113.3	16.4	73.4	16.4	96.3	12.4	101.2	17.7	88.2	19.4	84.1	21.5	73.4	10.3
25	115.9	17.3	76.1	17.4	100.5	13.3	105.9	19.0	91.4	20.5	88.9	23.3	76.3	10.9
30	118.0	18.1	78.3	18.2	103.8	14.0	109.6	20.0	94.1	21.5	92.7	24.7	78.5	11.5
50	123.5	20.2	84.0	20.4	112.8	15.9	119.6	22.7	101.0	23.9	103.3	28.7	84.5	12.9
100	130.5	22.9	91.2	23.3	124.3	18.5	132.5	26.4	109.7	27.1	117.3	34.1	92.1	14.7
COR.	0.979		0.978		0.993		0.989		0.981		0.979		0.992	
FUNC.	WI(2.00)		WI(2.00)		WI(1.50)		WI(1.50)		WI(2.00)		WI(1.25)		WI(2.00)	
DATA NUMBER	30		27		29		30		30		28		26	

±ΔP:95%CONFIDENCE LIMIT

TABLE 5.63 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. FAZENDA ESCOLA FLORESTAL

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	88.9	12.7	48.1	9.8	63.9	7.7	64.9	9.5	66.5	9.7	68.8	16.2	62.4	6.1
10	106.5	18.5	57.2	12.9	73.3	10.2	73.5	12.6	88.8	14.0	85.4	22.0	77.0	8.4
15	117.2	22.8	61.9	14.7	78.1	11.6	77.9	14.3	102.5	17.4	94.8	25.8	84.8	9.7
20	125.0	26.2	65.0	16.0	81.3	12.6	80.9	15.5	112.4	19.9	101.3	28.6	90.2	10.7
25	131.2	29.0	67.3	16.9	83.7	13.4	83.0	16.5	120.2	22.0	106.4	30.8	94.2	11.5
30	136.3	31.3	69.1	17.7	85.6	14.0	84.8	17.2	126.7	23.8	110.5	32.7	97.4	12.1
50	150.7	37.9	74.0	19.7	90.7	15.6	89.4	19.2	145.1	28.8	121.9	37.8	106.1	13.8
100	170.9	47.4	80.2	22.4	97.0	17.7	95.2	21.7	170.7	36.0	137.4	44.9	117.3	16.0
COR.	0.971		0.974		0.984		0.972		0.989		0.971		0.994	
FUNC.	WI(0.85)		WI(2.00)		WI(2.00)		WI(2.00)		WI(0.85)		GUMBEL		WI(1.50)	
DATA NUMBER	30		30		30		30		30		29		30	

TABLE 5.64 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
STATION. GOIANIA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	99.8	6.4	65.1	9.2	61.8	9.0	76.8	13.4	69.4	6.6	65.3	7.3	65.9	7.2
10	116.4	8.9	81.3	12.6	70.5	11.8	98.1	19.2	85.2	9.5	76.1	10.0	75.9	9.5
15	125.6	10.6	90.0	14.7	74.9	13.5	110.6	23.3	94.4	11.5	82.2	11.7	81.0	10.8
20	132.0	11.8	95.9	16.3	77.9	14.6	119.4	26.4	101.0	13.0	86.5	13.0	84.4	11.7
25	136.9	12.7	100.3	17.4	80.1	15.5	126.3	28.8	106.1	14.2	89.7	14.0	86.9	12.4
30	140.8	13.5	103.9	18.4	81.8	16.2	131.9	30.8	110.2	15.2	92.4	14.8	88.9	13.0
50	151.6	15.6	113.5	21.0	86.4	18.1	147.6	36.6	121.9	18.1	99.8	17.1	94.2	14.5
100	165.8	18.4	125.9	24.4	92.3	20.5	168.9	44.6	137.7	22.0	109.9	20.4	101.0	16.4
COR.	0.994		0.989		0.976		0.981		0.991		0.985		0.988	
FUNC.	WI(1.25)		WI(1.50)		WI(2.00)		WI(1.00)		WI(1.00)		GUMBEL		WI(2.00)	
DATA NUMBER	30		28		30		30		30		29		30	

±AP:95%CONFIDENCE LIMIT

TABLE 5.65 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
STATION. GOUVEA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	100.6	6.3	54.3	4.4	68.9	12.2	63.7	7.8	78.2	12.3	56.7	7.4	59.7	5.5
10	111.9	8.3	64.7	5.8	88.6	17.4	77.9	10.8	96.2	16.8	70.0	10.0	71.0	7.3
15	117.7	9.4	70.1	6.7	100.1	21.2	85.9	12.8	105.9	19.5	77.5	11.8	76.8	8.3
20	121.6	10.2	73.7	7.2	108.3	24.0	91.4	14.3	112.5	21.5	82.8	13.0	80.6	9.1
25	124.4	10.8	76.3	7.7	114.7	26.2	95.6	15.4	117.5	23.0	86.8	14.0	83.5	9.6
30	126.7	11.3	78.4	8.0	119.9	28.0	98.9	16.4	121.5	24.2	90.1	14.9	85.7	10.1
50	132.7	12.6	84.0	8.9	134.4	33.2	108.2	18.9	132.3	27.6	99.2	17.2	91.8	11.3
100	140.4	14.3	91.1	10.1	154.1	40.5	120.4	22.4	146.2	32.0	111.6	20.5	99.3	12.8
COR.	0.993		0.996		0.982		0.989		0.986		0.990		0.994	
FUNC.	WI(2.00)		WI(2.00)		WI(1.00)		WI(1.25)		WI(1.50)		GUMBEL		WI(2.00)	
DATA NUMBER	30		29		30		30		30		29		28	

TABLE 5.66 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. IBIA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	99.1	12.8	56.6	7.3	57.3	6.0	68.5	7.4	75.6	13.7	57.5	21.2	56.6	5.7
10	122.6	18.5	75.0	10.4	64.0	8.0	80.5	10.1	99.6	19.9	78.2	30.6	65.8	7.6
15	136.9	22.9	85.7	12.6	67.5	9.1	87.3	11.8	114.2	24.6	91.4	38.5	70.5	8.6
20	147.3	26.3	93.4	14.3	69.8	9.8	92.1	13.1	124.9	28.3	101.1	44.7	73.6	9.4
25	155.5	29.1	99.3	15.6	71.5	10.4	95.7	14.1	133.2	31.2	108.9	49.8	76.0	10.0
30	162.3	31.4	104.1	16.7	72.9	10.9	98.7	14.9	140.2	33.7	115.4	54.2	77.8	10.4
50	181.5	38.1	117.6	19.9	76.5	12.1	107.0	17.2	159.9	40.9	134.3	67.0	82.8	11.6
100	208.4	47.6	136.0	24.2	81.0	13.8	118.2	20.5	187.4	51.1	161.2	85.8	88.9	13.2
COR.	0.983		0.992		0.982		0.988		0.981		0.939		0.991	
FUNC.	WI(0.85)		WI(1.00)		WI(2.00)		GUMBEL		WI(0.85)		WI(0.75)		WI(2.00)	
DATA NUMBER	30		30		30		30		30		30		30	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.67 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. IGUATAMA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	90.9	11.3	42.4	4.7	55.6	12.0	63.7	3.3	69.0	8.6	57.0	9.5	54.1	5.0
10	107.9	16.2	50.8	6.3	66.6	16.3	73.2	4.4	82.3	11.4	79.9	13.7	70.5	7.2
15	117.9	19.7	55.1	7.2	72.9	19.1	78.1	5.0	89.1	13.0	94.4	17.3	79.9	8.6
20	124.9	22.3	58.0	7.8	77.2	21.1	81.3	5.4	95.7	14.1	105.2	20.0	86.4	9.7
25	130.4	24.4	60.1	8.3	80.6	22.7	83.7	5.8	97.1	14.9	113.8	22.3	91.5	10.6
30	134.9	26.1	61.8	8.7	83.3	24.0	85.6	6.0	99.8	15.6	121.0	24.3	95.6	11.3
50	147.4	31.0	66.2	9.8	91.0	27.8	90.7	6.8	106.9	17.4	141.7	30.1	107.0	13.3
100	164.4	37.7	71.8	11.1	101.3	33.0	97.1	7.7	115.9	19.7	171.4	38.5	122.3	16.0
COR.	0.979		0.992		0.965		0.997		0.990		0.989		0.995	
FUNC.	WI(1.00)		WI(2.00)		GUMBEL		WI(2.00)		WI(2.00)		WI(0.75)		WI(1.10)	
DATA NUMBER	30		27		30		28		30		30		28	

TABLE 5.68 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. ITAQBIM

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P	R	P	R	P	R	P	R	P	R	P	R	P	R
5	84.4	9.5	58.8	8.1	60.6	6.6	53.1	8.2	59.0	8.6	37.4	6.6	49.1	13.5
10	95.7	12.6	72.2	10.8	75.2	9.2	67.5	11.7	70.0	11.5	54.4	9.2	61.4	18.2
15	101.5	14.3	79.1	12.3	83.4	10.9	76.0	14.2	75.7	13.1	64.3	11.4	67.6	21.0
20	105.4	15.6	83.6	13.4	89.0	12.1	81.9	16.1	79.4	14.3	71.4	13.1	71.7	23.0
25	108.3	16.5	87.0	14.2	93.3	13.0	86.6	17.6	82.1	15.2	76.8	14.4	74.7	24.5
30	110.5	17.2	89.7	14.8	96.8	13.8	90.4	18.9	84.3	15.9	81.3	15.5	77.1	25.8
50	116.6	19.2	96.8	16.6	106.3	16.0	101.0	22.4	90.2	17.8	93.8	18.8	83.5	29.0
100	124.2	21.8	105.8	18.9	118.8	18.9	115.4	27.4	97.5	20.2	110.8	23.3	91.5	33.3
COR.	0.984		0.991		0.992		0.984		0.984		0.990		0.960	
FUNC.	WI(2.00)		WI(2.00)		WI(1.25)		WI(1.00)		WI(2.00)		WI(1.00)		WI(2.00)	
DATA NUMBER	30		28		30		29		27		22		23	

±AP:95%CONFIDENCE LIMIT

TABLE 5.69 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. JAGUARUNA-JUSANTE

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P	R	P	R	P	R	P	R	P	R	P	R	P	R
5	89.2	6.7	47.0	5.5	68.0	8.9	72.4	5.9	71.1	10.3	57.5	7.9	55.3	8.9
10	98.7	8.8	57.7	7.5	80.3	11.7	84.5	7.8	82.2	13.5	72.3	10.8	65.8	11.8
15	103.5	10.1	63.7	8.9	86.7	13.4	90.7	8.9	87.9	15.4	80.3	12.6	71.3	13.4
20	106.7	10.9	68.0	9.8	90.9	14.5	94.9	9.6	91.7	16.7	85.7	13.8	74.9	14.5
25	109.1	11.6	71.2	10.6	94.0	15.3	98.0	10.2	94.6	17.7	89.8	14.8	77.6	15.4
30	111.0	12.1	73.9	11.2	96.5	16.0	100.4	10.7	96.8	18.5	93.1	15.6	79.7	16.1
50	116.1	13.5	81.2	13.0	103.1	17.9	106.9	11.9	102.7	20.7	101.9	17.8	85.3	18.0
100	122.5	15.3	91.1	15.5	111.5	20.3	115.1	13.5	110.2	23.4	113.3	20.6	92.5	20.4
COR.	0.988		0.991		0.988		0.994		0.980		0.991		0.984	
FUNC.	WI(2.00)		GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)		WI(1.50)		WI(2.00)	
DATA NUMBER	30		28		30		30		30		30		30	

TABLE 5.70 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. JOSE DE MELO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P
5	91.4	6.7	44.1	3.6	68.9	8.5	72.4	8.4	72.4	8.1	59.2	6.7	66.5	9.9
10	101.3	8.9	52.6	4.8	80.5	11.2	83.1	11.4	86.4	10.6	74.0	9.5	78.7	13.1
15	106.4	10.1	57.4	5.6	86.5	12.8	89.1	13.4	93.6	12.1	82.5	11.5	84.9	15.0
20	109.8	11.0	60.8	6.2	90.5	13.9	93.3	14.8	98.4	13.2	88.5	12.9	89.1	16.3
25	112.3	11.6	63.4	6.7	93.5	14.7	96.5	15.9	102.0	13.9	93.1	14.1	92.2	17.3
30	114.3	12.2	65.5	7.1	95.8	15.4	99.2	16.9	104.8	14.6	96.8	15.0	94.6	18.1
50	119.7	13.6	71.5	8.2	102.1	17.2	106.5	19.5	112.3	16.3	107.2	17.6	101.1	20.2
100	126.3	15.4	79.4	9.8	110.0	19.5	116.4	23.1	121.7	18.4	121.0	21.2	109.2	23.0
COR.	0.989		0.995		0.988		0.981		0.992		0.991		0.983	
FUNC.	WI(2.00)		GUMBEL		WI(2.00)		GUMBEL		WI(2.00)		WI(1.10)		WI(2.00)	
DATA NUMBER	30		30		30		30		30		29		28	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.71 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. MATEUS LEME

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P
5	106.1	11.6	56.7	10.0	64.1	8.8	79.5	9.9	72.0	9.0	61.7	10.0	70.7	9.3
10	119.0	15.3	67.4	13.1	73.8	11.6	96.5	13.8	86.8	12.2	78.5	13.9	86.0	12.7
15	125.7	17.5	73.0	15.0	78.8	13.2	106.0	16.4	95.2	14.3	87.8	16.5	94.1	14.8
20	130.1	18.9	76.7	16.2	82.1	14.3	112.5	18.2	101.0	15.8	94.3	18.4	99.7	16.3
25	133.4	20.1	79.4	17.2	84.6	15.2	117.5	19.7	105.5	17.0	99.2	19.8	103.8	17.5
30	136.0	21.0	81.6	18.0	86.5	15.8	121.5	20.8	109.2	18.0	103.2	21.0	107.2	18.4
50	142.9	23.4	87.4	20.0	91.7	17.7	132.6	24.1	119.4	20.8	114.0	24.3	116.2	21.0
100	151.7	26.5	94.6	22.7	98.3	20.0	147.2	28.5	133.2	24.7	128.4	28.8	127.9	24.4
COR.	0.982		0.980		0.981		0.987		0.989		0.987		0.988	
FUNC.	WI(2.00)		WI(2.00)		WI(2.00)		WI(1.25)		GUMBEL		WI(1.25)		WI(1.50)	
DATA NUMBER	30		30		30		30		30		30		29	

TABLE 5.72 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION, MONTE ALEGRE DE MINAS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP
5	106.5	20.9	55.7	4.3	60.9	4.5	64.8	12.4	87.3	24.0	55.4	9.5	67.7	6.0
10	137.2	30.2	65.7	5.8	73.8	6.4	84.3	17.9	122.2	34.7	65.7	12.8	80.4	7.9
15	156.7	38.0	70.8	6.6	80.9	7.6	96.2	22.2	144.3	43.5	71.6	15.0	86.9	9.0
20	171.1	44.1	74.2	7.2	85.9	8.4	104.9	25.6	160.8	50.6	75.7	16.6	91.2	9.8
25	182.7	49.2	76.8	7.6	89.7	9.1	111.7	28.3	173.9	56.4	78.8	17.9	94.4	10.3
30	192.3	53.5	78.8	8.0	92.7	9.7	117.4	30.6	184.9	61.3	81.4	18.9	97.0	10.8
50	220.2	66.2	84.1	9.0	101.1	11.2	133.4	37.3	216.6	75.9	88.5	21.9	103.8	12.1
100	259.9	84.7	90.8	10.2	112.1	13.3	155.9	46.8	261.9	97.1	98.2	26.0	112.4	13.7
COR.	0.971		0.995		0.995		0.976		0.971		0.975		0.995	
FUNC.	WI(0.75)		WI(2.00)		WI(1.25)		WI(0.85)		WI(0.75)		GUMBEL		WI(2.00)	
DATA NUMBER	30		27		28		28		30		30		30	

±AP:95%CONFIDENCE LIMIT

TABLE 5.73 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION, NOVA ERA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP	P.R.(MM)	±AP
5	81.5	8.0	44.3	5.7	57.5	6.0	71.0	7.5	67.4	10.3	46.0	7.0	54.5	11.5
10	94.2	11.4	55.0	7.7	66.8	8.2	84.3	10.2	81.1	14.0	53.7	9.3	66.7	15.6
15	101.5	13.7	61.0	9.0	71.7	9.5	91.9	11.9	88.9	16.4	57.6	10.6	73.6	18.3
20	106.6	15.4	65.2	10.0	75.1	10.5	97.2	13.2	94.3	18.2	60.2	11.5	78.4	20.3
25	110.5	16.7	68.4	10.8	77.7	11.2	101.2	14.2	98.4	19.6	62.2	12.2	82.0	21.9
30	113.7	17.8	71.0	11.4	79.7	11.8	104.6	15.0	101.8	20.7	63.7	12.8	85.1	23.2
50	122.5	20.9	78.4	13.2	85.2	13.4	113.8	17.4	111.3	24.0	67.8	14.3	93.4	26.8
100	134.3	25.1	88.3	15.7	92.4	15.6	126.2	20.6	124.0	28.4	73.0	16.2	104.7	31.9
COR.	0.982		0.991		0.987		0.990		0.983		0.980		0.972	
FUNC.	WI(1.10)		GUMBEL		WI(1.50)		GUMBEL		GUMBEL		WI(2.00)		GUMBEL	
DATA NUMBER	30		29		30		30		30		29		29	

TABLE 5.74 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. PORTO MANDACARU

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	90.8	8.7	45.5	3.7	61.3	8.6	60.4	5.8	60.2	10.5	47.3	6.0	58.6	10.9
10	103.8	11.5	58.5	5.1	79.1	12.2	72.5	7.9	74.1	14.5	62.1	8.4	78.1	15.3
15	110.5	13.1	65.4	6.0	89.3	14.6	79.4	9.2	81.6	17.1	70.3	10.0	88.9	18.3
20	114.9	14.2	70.0	6.7	96.4	16.4	84.2	10.2	86.6	18.9	76.0	11.2	96.3	20.4
25	118.2	15.1	73.5	7.2	101.9	17.8	87.9	11.0	90.4	20.3	80.3	12.1	102.0	22.1
30	120.8	15.8	76.3	7.6	106.3	19.0	90.9	11.7	93.4	21.4	83.8	12.9	106.6	23.5
50	127.8	17.6	83.9	8.8	118.7	22.3	99.2	13.5	101.7	24.5	93.4	15.0	119.1	27.3
100	136.5	19.9	93.6	10.3	135.3	26.8	110.5	16.1	112.2	28.6	106.0	17.8	135.6	32.5
COR.	0.990		0.996		0.990		0.993		0.979		0.993		0.986	
FUNC.	WI(2.00)		WI(1.50)		WI(1.10)		GUMBEL		WI(1.50)		WI(1.25)		WI(1.25)	
DATA NUMBER	30		23		30		29		26		27		27	

±AP: 95% CONFIDENCE LIMIT

TABLE 5.75 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. PONTE NOVA DO PARAOP

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	94.9	10.5	52.5	7.3	66.3	7.9	63.6	4.5	80.9	15.5	61.3	7.0	55.6	7.6
10	112.0	14.9	65.2	9.9	83.6	11.2	75.2	6.0	98.0	21.0	73.9	9.5	65.4	9.9
15	121.7	17.8	72.0	11.6	93.5	13.5	81.7	7.1	107.7	24.6	81.1	11.1	70.5	11.3
20	128.5	20.0	76.7	12.7	100.4	15.1	86.3	7.8	114.4	27.3	86.1	12.3	73.8	12.3
25	133.8	21.8	80.2	13.6	105.8	16.4	89.8	8.4	119.6	29.4	89.9	13.3	76.3	13.0
30	138.1	23.2	83.0	14.3	110.1	17.5	92.7	8.9	123.8	31.1	93.0	14.1	78.3	13.6
50	149.9	27.2	90.5	16.3	122.1	20.5	100.6	10.3	135.6	36.0	101.8	16.3	83.6	15.2
100	165.8	32.7	100.3	18.9	138.2	24.7	111.4	12.3	151.5	42.7	113.6	19.3	90.2	17.2
COR.	0.984		0.990		0.991		0.995		0.975		0.991		0.986	
FUNC.	WI(1.10)		WI(1.50)		WI(1.10)		GUMBEL		GUMBEL		GUMBEL		WI(2.00)	
DATA NUMBER	30		30		30		30		30		30		30	

TABLE 5.76 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION, SABARA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P	R	P	R	P	R	P	R	P	R	P	R	P	R
5	87.8	6.5	49.1	4.3	65.2	9.8	75.8	3.7	67.3	14.2	62.7	6.0	55.3	9.4
10	100.5	9.3	57.5	5.7	74.3	12.9	88.8	5.0	79.8	19.3	75.6	8.0	67.5	12.5
15	107.7	11.1	61.8	6.5	79.0	14.8	96.2	5.9	86.8	22.6	82.2	9.1	73.8	14.3
20	112.7	12.5	64.7	7.1	82.1	16.0	101.3	6.5	91.8	25.0	86.5	9.9	78.0	15.6
25	116.6	13.6	66.8	7.5	84.4	16.9	105.3	7.0	95.6	27.0	89.8	10.5	81.1	16.5
30	119.8	14.5	68.5	7.9	86.2	17.7	108.5	7.4	98.7	28.5	92.3	11.0	83.5	17.3
50	128.6	17.0	73.0	8.8	91.1	19.8	117.5	8.6	107.3	33.0	99.2	12.3	90.0	19.3
100	140.3	20.4	78.7	10.0	97.2	22.4	129.7	10.2	118.9	39.2	107.8	14.0	98.2	22.0
COR.	0.988		0.994		0.974		0.998		0.962		0.994		0.985	
FUNC.	WI(1.10)		WI(2.00)		WI(2.00)		GUMBEL		GUMBEL		WI(2.00)		WI(2.00)	
DATA NUMBER	30		29		30		30		30		28		28	

±AP:95%CONFIDENCE LIMIT

TABLE 5.77 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION, TAGUARACU

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P	R	P	R	P	R	P	R	P	R	P	R	P	R
5	100.0	17.3	50.5	4.8	67.9	8.4	78.8	5.9	69.8	8.4	61.4	15.7	53.5	7.0
10	120.0	24.8	63.5	6.7	79.6	11.1	90.3	7.8	82.8	11.1	88.4	22.5	70.3	10.0
15	131.7	30.1	70.8	8.0	85.6	12.6	96.3	8.8	89.4	12.7	105.6	28.4	80.2	12.2
20	140.0	34.1	75.8	8.9	89.6	13.7	100.2	9.6	93.9	13.8	118.4	33.0	87.2	13.8
25	146.4	37.3	79.6	9.6	92.6	14.5	103.2	10.2	97.2	14.6	128.6	36.8	92.6	15.1
30	151.7	39.9	82.7	10.2	95.0	15.1	105.5	10.6	99.8	15.2	137.1	40.1	97.0	16.1
50	166.4	47.3	91.1	11.8	101.2	16.9	111.7	11.9	106.7	17.0	161.7	49.7	109.4	19.2
100	186.4	57.6	102.2	13.9	109.1	19.2	119.5	13.4	115.5	19.3	196.9	63.8	126.3	23.4
COR.	0.965		0.995		0.988		0.994		0.990		0.979		0.991	
FUNC.	WI(1.00)		WI(1.25)		WI(2.00)		WI(2.00)		WI(2.00)		WI(0.75)		WI(1.00)	
DATA NUMBER	30		30		30		30		30		29		29	

TABLE 5.78 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. USINA PETI

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP
5	100.6	7.2	51.1	4.8	73.9	12.2	64.7	6.8	83.3	7.9	61.7	5.8	64.8	11.1
10	113.5	9.4	61.8	6.5	88.9	16.5	73.8	9.2	97.7	10.4	73.1	7.6	84.9	15.7
15	120.1	10.8	67.8	7.7	97.3	19.4	78.9	10.8	105.2	11.9	79.0	8.7	96.4	18.9
20	124.5	11.7	72.0	8.5	103.2	21.5	82.5	11.9	110.1	12.9	82.9	9.5	104.5	21.3
25	127.8	12.4	75.2	9.1	107.7	23.1	85.3	12.8	113.8	13.7	85.8	10.1	110.7	23.2
30	130.4	12.9	77.9	9.7	111.4	24.5	87.6	13.6	116.7	14.3	88.1	10.5	115.7	24.7
50	137.3	14.4	85.2	11.2	121.7	28.3	93.8	15.7	124.4	16.0	94.2	11.8	129.7	29.0
100	146.0	16.3	95.1	13.3	135.6	33.6	102.3	18.6	134.2	18.1	101.8	13.4	148.4	35.0
COR.	0.993		0.994		0.980		0.983		0.993		0.994		0.986	
FUNC.	WI(2.00)		GUMBEL		GUMBEL		GUMBEL		WI(2.00)		WI(2.00)		WI(1.10)	
DATA NUMBER	30		30		30		30		30		28		29	

±AP: 95%CONFIDENCE LIMIT

TABLE . RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION.

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP	P.R. (MM)	±AP
5														
10														
15														
20														
25														
30														
50														
100														
COR.														
FUNC.														
DATA NUMBER														

TABLE 5.79 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
STATION. FORMOSA-60

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P
5	91.1	13.6	53.4	10.5	72.0	12.1	65.9	7.6	71.3	7.1	60.2	6.2	61.2	8.3
10	101.6	18.0	67.8	15.2	86.6	16.1	81.5	10.7	83.6	9.6	70.7	8.4	70.9	11.3
15	107.0	20.5	76.2	18.7	94.1	18.5	90.2	12.7	90.6	11.3	76.7	9.9	76.3	13.3
20	110.6	22.3	82.2	21.3	99.1	20.1	96.1	14.2	95.4	12.5	80.8	10.9	80.2	14.7
25	113.3	23.6	86.8	23.4	102.8	21.3	100.7	15.4	99.2	13.5	84.0	11.8	83.1	15.8
30	115.4	24.7	90.6	25.2	105.7	22.3	104.4	16.3	102.2	14.3	86.6	12.5	85.5	16.7
50	121.1	27.6	101.2	30.2	113.6	24.9	114.5	18.9	110.7	16.5	93.9	14.4	92.1	19.4
100	128.2	31.3	115.6	37.1	123.4	28.3	127.8	22.5	122.1	19.6	103.7	17.1	101.1	23.0
COR.	0.962		0.969		0.983		0.990		0.990		0.989		0.977	
FUNC.	WI(2.00)		WI(1.00)		WI(2.00)		WI(1.25)		GUMBEL		GUMBEL		GUMBEL	
DATA NUMBER	20		17		19		19		20		20		20	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.80 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
STATION. IMPERATRIZ

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P
5	97.6	9.4	34.2	8.7	70.1	7.2	67.6	7.7	73.3	6.5	77.6	22.6	82.1	14.0
10	105.6	12.5	45.6	12.7	89.6	10.0	79.3	10.7	85.9	8.9	90.5	30.1	95.6	18.7
15	109.7	14.3	52.0	15.3	100.0	11.7	85.6	12.5	92.9	10.5	97.1	34.5	102.5	21.4
20	112.4	15.6	56.6	17.2	107.2	12.9	89.9	13.8	97.9	11.6	101.5	37.5	107.1	23.2
25	114.4	16.5	60.1	18.8	112.5	13.8	93.1	14.8	101.7	12.5	104.8	39.7	110.5	24.6
30	116.0	17.2	62.9	20.0	116.8	14.5	95.7	15.6	104.8	13.3	107.4	41.5	113.2	25.8
50	120.3	19.3	70.8	23.5	128.4	16.6	102.7	17.8	113.4	15.4	114.3	46.4	120.4	28.8
100	125.6	21.9	81.3	28.3	143.5	19.3	111.7	20.6	125.1	18.3	123.0	52.7	129.5	32.7
COR.	0.967		0.972		0.995		0.986		0.991		0.931		0.974	
FUNC.	WI(2.00)		WI(1.10)		WI(1.50)		WI(1.50)		GUMBEL		WI(2.00)		WI(2.00)	
DATA NUMBER	13		13		13		13		13		13		13	

TABLE 5.8/ RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. JOSE DE FREITAS

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP
5	91.6	5.8	17.3	12.1	42.9	6.1	57.3	6.2	70.7	8.2	70.6	7.6	79.3	7.2
10	99.6	7.7	28.8	15.0	56.4	8.5	69.2	8.3	82.4	10.8	81.8	10.3	89.8	9.5
15	103.7	8.8	36.3	18.9	63.6	9.9	75.2	9.5	88.4	12.3	88.2	12.1	95.2	10.9
20	106.5	9.5	41.9	22.4	68.5	11.0	79.3	10.3	92.4	13.4	92.6	13.4	98.8	11.8
25	108.5	10.1	46.4	25.4	72.2	11.8	82.3	11.0	95.4	14.2	96.0	14.4	101.5	12.5
30	110.1	10.5	50.2	28.0	75.1	12.5	84.6	11.5	97.7	14.8	98.8	15.3	103.6	13.1
50	114.4	11.7	61.2	35.7	83.1	14.3	90.9	12.9	104.0	16.5	106.6	17.7	109.3	14.6
100	119.8	13.3	77.0	47.3	93.3	16.7	98.8	14.6	111.9	18.8	117.0	21.0	116.4	16.5
COR.	0.988		0.931		0.992		0.993		0.989		0.986		0.989	
FUNC.	WI(2.00)		WI(0.75)		WI(1.50)		WI(2.00)		WI(2.00)		GUMBEL		WI(2.00)	
DATA NUMBER	30		19		26		27		30		29		30	

±ΔP:95%CONFIDENCE LIMIT

TABLE 5.82 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. LAMOUNIER

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP	P.R.	(MM) ± ΔP
5	100.9	4.7	49.4	9.9	69.7	8.5	76.8	9.2	79.5	9.9	59.7	9.6	62.6	7.5
10	118.7	6.7	58.5	13.1	81.0	11.2	87.8	12.1	102.9	14.0	73.1	13.0	72.1	9.8
15	128.9	8.1	63.2	15.0	86.9	12.8	93.5	13.8	116.2	16.8	80.7	15.2	77.1	11.2
20	136.1	9.1	66.3	16.3	90.8	13.9	97.2	15.0	125.6	18.9	85.9	16.9	80.3	12.1
25	141.6	9.9	68.6	17.3	93.7	14.7	100.0	15.9	132.8	20.5	90.0	18.1	82.8	12.9
30	146.0	10.5	70.5	18.1	96.0	15.4	102.2	16.6	138.6	21.9	93.3	19.2	84.7	13.4
50	158.4	12.3	75.3	20.2	102.1	17.2	108.1	18.5	154.9	25.7	102.5	22.2	89.8	15.0
100	175.0	14.8	81.5	22.9	109.8	19.5	115.5	21.0	176.7	30.9	115.0	26.4	96.3	17.0
COR.	0.997		0.972		0.987		0.984		0.992		0.984		0.986	
FUNC.	WI(1.10)		WI(2.00)		WI(2.00)		WI(2.00)		WI(1.10)		GUMBEL		WI(2.00)	
DATA NUMBER	30		29		30		30		30		30		30	

TABLE 5.83 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. PARANA-PALMA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	±AP	P.R.	±AP	P.R.	±AP	P.R.	±AP	P.R.	±AP	P.R.	±AP	P.R.	±AP
5	79.7	9.0	56.5	14.6	60.9	15.3	62.6	7.9	55.2	8.3	60.6	8.2	56.2	7.3
10	86.3	11.9	68.7	19.4	71.7	20.2	73.2	10.5	63.6	10.9	71.6	10.9	66.6	9.9
15	89.8	13.6	74.9	22.2	77.3	23.1	78.7	12.0	67.9	12.4	77.3	12.4	72.4	11.6
20	92.1	14.7	79.1	24.1	81.0	25.0	82.3	13.0	70.8	13.5	81.1	13.4	76.5	12.9
25	93.8	15.6	82.2	25.5	83.8	26.5	85.0	13.8	72.9	14.3	83.9	14.2	79.7	13.9
30	95.1	16.3	84.6	26.7	85.9	27.7	87.1	14.4	74.6	14.9	86.2	14.9	82.2	14.7
50	98.7	18.2	91.1	29.8	91.8	31.0	92.8	16.1	79.1	16.7	92.1	16.6	89.3	17.0
100	103.2	20.7	99.3	33.9	99.1	35.1	99.9	18.3	84.8	18.9	99.6	18.8	99.0	20.3
COR.	0.959		0.966		0.956		0.986		0.978		0.987		0.984	
FUNC.	WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		GUMBEL	
DATA NUMBER	25		24		25		24		25		25		24	

±AP: 85% CONFIDENCE LIMIT

TABLE 5.84 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. PONTE GUATAPARA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	±AP	P.R.	±AP	P.R.	±AP	P.R.	±AP	P.R.	±AP	P.R.	±AP	P.R.	±AP
5	96.2	8.4	58.0	7.5	51.1	5.2	73.3	14.1	66.3	14.8	69.1	9.6	54.0	7.9
10	111.1	11.4	71.7	10.2	61.5	6.9	91.1	19.1	85.5	20.6	81.6	12.7	66.8	10.7
15	119.5	13.4	79.1	11.9	66.8	7.9	101.1	22.4	96.1	24.4	88.0	14.4	74.0	12.6
20	125.4	14.8	84.2	13.1	70.3	8.6	108.1	24.8	103.5	27.2	92.3	15.6	79.1	13.9
25	129.9	15.9	88.0	14.0	73.0	9.1	113.5	26.7	109.1	29.4	95.4	16.6	83.0	15.0
30	133.6	16.9	91.0	14.7	75.1	9.6	118.0	28.3	113.7	31.1	98.0	17.3	86.2	15.8
50	143.9	19.5	99.2	16.8	80.6	10.7	130.2	32.7	126.2	36.0	104.7	19.3	95.0	18.3
100	157.8	23.1	109.8	19.5	87.6	12.1	146.8	38.8	142.6	42.6	113.1	21.9	106.9	21.7
COR.	0.990		0.991		0.994		0.981		0.978		0.986		0.988	
FUNC.	GUMBEL		WI(1.50)		WI(2.00)		GUMBEL		WI(1.25)		WI(2.00)		GUMBEL	
DATA NUMBER	30		30		28		30		30		30		30	

TABLE 5.85 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. SANTA JULIANA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P
5	92.3	8.6	61.9	9.6	60.6	6.3	69.3	7.5	72.4	16.1	64.8	8.3	55.6	4.5
10	105.6	11.7	74.6	12.7	72.5	8.6	80.6	9.8	86.0	21.9	79.7	11.3	66.4	6.1
15	113.1	13.7	81.1	14.4	79.3	10.0	86.5	11.2	93.7	25.6	88.1	13.2	72.2	7.1
20	118.4	15.1	85.5	15.7	84.0	11.1	90.4	12.2	99.0	28.4	94.0	14.6	76.2	7.9
25	122.5	16.3	88.7	16.6	87.6	11.9	93.3	12.9	103.2	30.5	98.5	15.7	79.1	8.4
30	125.8	17.2	91.3	17.3	90.6	12.6	95.5	13.5	106.5	32.3	102.2	16.7	81.5	8.9
50	135.0	19.9	98.1	19.3	98.8	14.6	101.6	15.0	115.9	37.4	112.5	19.3	88.0	10.1
100	147.4	23.6	106.7	21.9	109.9	17.3	109.3	17.0	128.6	44.4	126.4	22.9	96.3	11.7
COR.	0.987		0.987		0.991		0.990		0.959		0.990		0.995	
PUNC.	GUMBEL		WI(2.00)		GUMBEL		WI(2.00)		GUMBEL		GUMBEL		WI(1.50)	
DATA NUMBER	30		30		30		30		30		30		30	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.86 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. TAGUATINGA-60

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P	P.R. (MM)	± Δ P
5	92.1	10.5	54.8	10.4	60.6	12.3	65.2	10.1	73.2	11.8	62.6	4.9	75.4	12.4
10	109.7	15.2	67.5	14.2	69.7	16.4	75.3	13.6	83.7	15.6	71.8	6.5	90.1	16.9
15	120.0	18.5	74.6	16.7	74.4	18.8	80.4	15.6	89.1	17.9	76.5	7.4	98.4	19.8
20	127.3	20.9	79.7	18.5	77.4	20.5	83.9	17.0	92.7	19.4	79.6	8.1	104.2	21.9
25	133.0	22.9	83.5	19.9	79.7	21.7	86.4	18.1	95.3	20.5	82.0	8.6	108.7	23.6
30	137.6	24.5	86.6	21.1	81.5	22.7	88.4	18.9	97.5	21.4	83.8	8.9	112.3	25.0
50	150.6	29.1	95.4	24.5	86.4	25.5	93.8	21.2	103.1	23.9	88.8	10.0	122.5	28.9
100	168.2	35.4	107.2	29.1	92.4	29.0	100.5	24.2	110.2	27.1	94.9	11.3	136.1	34.3
COR.	0.982		0.978		0.954		0.972		0.971		0.993		0.978	
PUNC.	WI(1.00)		GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	23		22		21		20		23		23		23	

TABLE 5.87 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
STATION. TAGUA-CAMPO LARGO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P
5	108.0	8.8	45.5	4.7	93.3	13.8	70.4	11.3	55.6	10.4	62.4	10.1	57.8	7.3
10	128.0	12.3	56.1	6.3	115.0	18.7	84.0	14.9	66.1	13.7	82.0	14.7	69.7	9.6
15	139.0	14.6	61.5	7.2	127.2	22.0	91.1	17.0	71.5	15.6	94.0	18.2	75.8	10.9
20	146.7	16.2	65.1	7.9	135.8	24.4	95.7	18.4	75.0	17.0	102.7	20.9	79.9	11.9
25	152.5	17.5	67.8	8.4	142.3	26.2	99.2	19.5	77.7	18.0	109.6	23.0	82.9	12.6
30	157.2	18.5	69.9	8.8	147.7	27.8	102.0	20.4	79.8	18.8	115.2	24.9	85.3	13.2
50	170.2	21.5	75.4	9.8	162.6	32.2	109.3	22.8	85.4	21.0	131.4	30.2	91.7	14.7
100	187.2	25.4	82.4	11.2	182.8	38.3	118.5	25.8	92.5	23.8	153.9	37.7	99.7	16.7
COR.	0.993		0.994		0.987		0.984		0.977		0.985		0.991	
FUNC.	WI(1.25)		WI(2.00)		GUMBEL		WI(2.00)		WI(2.00)		WI(0.85)		WI(2.00)	
DATA NUMBER	30		26		29		30		29		30		29	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.88 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
STATION. TAPIRAI-JUSANTE

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P	P.R.	(M.M.) ± Δ P
5	96.6	6.6	59.7	6.1	67.9	10.6	74.7	11.1	81.9	7.3	73.9	8.3	63.9	7.2
10	108.1	9.0	69.1	8.1	80.7	14.4	85.5	14.6	92.9	9.6	88.9	11.2	76.4	9.5
15	114.5	10.5	74.0	9.2	88.0	16.9	91.0	16.6	98.6	10.9	97.4	13.2	82.8	10.8
20	119.1	11.6	77.2	10.0	93.0	18.7	94.7	18.0	102.3	11.8	103.3	14.6	87.0	11.7
25	122.6	12.5	79.6	10.6	96.9	20.1	97.4	19.1	105.2	12.5	107.8	15.7	90.2	12.4
30	125.4	13.2	81.5	11.1	100.1	21.3	99.6	20.0	107.4	13.1	111.5	16.6	92.7	13.0
50	133.3	15.3	86.6	12.4	109.0	24.6	105.4	22.3	113.3	14.6	121.9	19.3	99.4	14.5
100	144.0	18.2	93.0	14.0	120.9	29.2	112.6	25.3	120.7	16.5	135.8	22.9	107.8	16.4
COR.	0.990		0.990		0.979		0.976		0.990		0.990		0.992	
FUNC.	GUMBEL		WI(2.00)		GUMBEL		WI(2.00)		WI(2.00)		GUMBEL		WI(2.00)	
DATA NUMBER	30		30		30		30		30		29		30	

TABLE 5.89 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
STATION. TERESINA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	118.0	7.2	24.5	5.6	57.2	10.0	75.6	10.3	75.2	8.1	69.0	6.9	79.6	10.7
10	137.0	9.8	35.1	7.8	81.6	14.2	92.2	13.7	93.9	11.3	88.2	10.1	102.7	15.6
15	147.2	11.4	41.4	9.7	95.5	17.2	100.8	15.7	104.4	13.4	99.9	12.5	116.9	19.3
20	154.2	12.6	45.8	11.1	105.2	19.4	106.4	17.1	111.6	15.0	108.4	14.3	127.1	22.1
25	159.4	13.5	49.2	12.3	112.7	21.1	110.6	18.1	117.1	16.1	115.1	15.8	135.2	24.4
30	163.6	14.2	52.0	13.2	118.8	22.6	114.0	18.9	121.5	17.1	120.7	17.0	141.9	26.3
50	175.0	16.1	59.9	16.0	135.6	26.7	122.8	21.2	133.7	19.8	136.5	20.7	161.0	32.0
100	189.6	18.7	70.5	19.8	158.2	32.3	133.9	24.1	149.7	23.4	158.5	25.9	187.5	40.0
COR.	0.996		0.982		0.991		0.990		0.993		0.992		0.988	
FUNC.	WI(1.50)		WI(1.00)		WI(1.10)		WI(2.00)		WI(1.25)		WI(0.85)		WI(0.85)	
DATA NUMBER	30		22		26		28		30		30		30	

±AP:95%CONFIDENCE LIMIT

TABLE 5.90 RETURN PERIOD OF EXTREME DAILY PRECIPITATION
STATION. USINA DE VARGINHA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP	PR (MM)	±AP
5	81.7	6.2	55.1	9.3	50.5	5.3	58.6	7.5	56.8	6.1	61.6	8.3	49.3	5.4
10	92.2	8.2	72.4	13.3	59.0	7.0	68.5	9.9	65.9	8.2	75.4	11.3	57.3	7.2
15	97.6	9.3	82.3	15.9	63.4	8.0	73.5	11.3	71.0	9.6	82.8	13.2	61.5	8.2
20	101.1	10.1	89.3	17.9	66.3	8.6	76.9	12.2	74.6	10.7	87.8	14.5	64.2	8.8
25	103.8	10.7	94.6	19.4	68.5	9.1	79.4	12.9	77.3	11.5	91.6	15.5	66.3	9.4
30	105.9	11.2	98.9	20.7	70.2	9.6	81.4	13.5	79.6	12.1	94.6	16.3	67.9	9.8
50	111.5	12.5	111.0	24.3	74.8	10.7	86.7	15.1	85.8	14.0	102.9	18.6	72.2	10.9
100	118.6	14.1	127.2	29.2	80.6	12.1	93.3	17.1	94.3	16.7	113.5	21.6	77.6	12.4
COR.	0.992		0.987		0.991		0.987		0.986		0.989		0.989	
FUNC.	WI(2.00)		WI(1.10)		WI(2.00)		WI(2.00)		GUMBEL		WI(1.50)		WI(2.00)	
DATA NUMBER	30		30		30		30		30		30		30	

TABLE 5.9/ RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. AGUIDAUANA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP
5	94.1	7.3	64.7	13.8	68.5	11.6	67.2	8.8	66.1	9.8	67.9	16.5	65.0	8.6
10	107.1	10.2	77.0	18.7	82.6	15.8	80.1	11.9	77.7	12.9	77.8	21.8	76.7	11.3
15	114.4	12.0	84.0	22.0	90.5	18.5	87.3	14.0	83.7	14.7	82.8	24.8	82.7	12.9
20	119.4	13.4	88.9	24.4	96.0	20.5	92.4	15.4	87.7	15.9	86.2	26.9	86.7	14.0
25	123.2	14.5	92.7	26.2	100.3	22.1	96.3	16.6	90.6	16.9	88.7	28.5	89.6	14.8
30	126.2	15.3	95.7	27.8	103.8	23.4	99.5	17.6	93.0	17.6	90.7	29.8	92.0	15.5
50	134.7	17.7	104.2	32.2	113.4	27.1	108.3	20.4	99.2	19.7	96.0	33.3	98.2	17.3
100	145.8	21.0	115.7	38.3	126.5	32.2	120.3	24.2	107.1	22.3	102.6	37.7	106.1	19.6
COR.	0.988		0.962		0.979		0.986		0.984		0.940		0.988	
FUNC.	WI(1.25)		GUMBEL		GUMBEL		GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		29		29		30		30		30		30	

±ΔP: 85% CONFIDENCE LIMIT

TABLE 5.92 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. ARAXA-DNMET

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP	P.R.(MM)	±ΔP
5	99.4	7.5	66.1	9.6	62.4	16.2	71.3	10.3	80.4	8.1	63.8	8.0	66.0	7.1
10	112.6	10.1	78.8	12.7	81.4	23.3	81.2	13.6	96.9	11.0	73.7	10.5	79.1	9.6
15	120.1	11.9	85.4	14.5	93.4	29.3	86.3	15.5	106.2	12.9	78.8	11.9	86.6	11.3
20	125.3	13.2	89.7	15.7	102.4	34.0	89.7	16.8	112.7	14.2	82.2	13.0	91.8	12.5
25	129.3	14.2	93.0	16.6	109.5	38.0	92.2	17.8	117.7	15.3	84.7	13.7	95.7	13.5
30	132.6	15.0	95.5	17.4	115.4	41.3	94.2	18.6	121.8	16.2	86.7	14.3	99.0	14.3
50	141.7	17.3	102.4	19.4	132.7	51.1	99.5	20.8	133.2	18.8	92.0	16.0	108.0	16.6
100	154.0	20.6	111.0	22.0	157.3	65.3	106.2	23.6	148.5	22.3	98.7	18.1	120.2	19.7
COR.	0.990		0.987		0.956		0.975		0.993		0.985		0.991	
FUNC.	GUMBEL		WI(2.00)		WI(0.75)		WI(2.00)		GUMBEL		WI(2.00)		GUMBEL	
DATA NUMBER	30		30		30		30		30		30		28	

TABLE 5.93 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. BARRAS

MONTHLY YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P
5	113.2	14.5	16.9	4.0	32.6	3.7	60.9	11.0	80.9	9.5	83.3	13.0	85.8	14.7
10	132.3	19.6	28.2	4.4	42.9	4.9	82.1	15.7	99.0	12.9	96.8	17.1	108.4	21.1
15	143.1	23.0	34.2	5.5	48.6	5.9	94.5	19.1	109.3	15.2	103.7	19.5	121.6	25.6
20	150.7	25.5	38.3	6.3	52.5	6.7	103.2	21.7	116.4	16.8	108.3	21.2	131.0	29.0
25	156.5	27.4	41.4	7.1	55.5	7.3	110.1	23.7	121.9	18.1	111.7	22.4	138.3	31.7
30	161.3	29.0	43.9	7.7	57.9	7.8	115.6	25.4	126.4	19.1	114.4	23.4	144.2	33.9
50	174.5	33.5	50.7	9.4	64.6	9.2	131.2	30.2	138.9	22.1	121.6	26.2	160.9	40.2
100	192.3	39.8	59.5	11.7	73.7	11.2	152.4	36.8	155.8	26.2	130.7	29.7	183.5	49.0
COR.	0.983		0.990		0.993		0.986		0.991		0.979		0.979	
FUNC.	GUMBEL		WI(1.25)		GUMBEL		WI(1.00)		GUMBEL		WI(2.00)		WI(1.00)	
DATA NUMBER	30		12		18		29		30		30		30	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.94 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CACERES

MONTHLY YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P
5	96.5	7.8	59.8	10.8	61.5	9.6	68.4	6.7	66.8	11.7	75.9	8.2	62.0	5.3
10	106.4	10.3	74.2	14.6	71.7	12.7	83.0	9.4	77.5	15.4	91.3	11.1	75.2	7.1
15	111.6	11.8	82.3	17.1	76.9	14.4	91.1	11.2	82.9	17.5	99.5	13.0	82.6	8.3
20	115.0	12.8	88.0	18.9	80.4	15.7	96.6	12.4	86.6	19.0	105.1	14.3	87.8	9.2
25	117.5	13.5	92.4	20.3	83.0	16.6	100.9	13.4	89.3	20.1	109.4	15.3	91.8	9.9
30	119.6	14.1	96.0	21.5	85.0	17.3	104.3	14.2	91.4	21.0	112.7	16.1	95.1	10.5
50	124.9	15.8	105.9	24.9	90.5	19.3	113.8	16.5	97.1	23.5	121.9	18.3	104.2	12.2
100	131.7	17.9	119.3	29.6	97.3	21.9	126.2	19.5	104.3	26.6	133.7	21.3	116.4	14.4
COR.	0.986		0.983		0.980		0.992		0.973		0.991		0.995	
FUNC.	WI(2.00)		GUMBEL		WI(2.00)		WI(1.25)		WI(2.00)		WI(1.50)		GUMBEL	
DATA NUMBER	30		30		30		30		30		30		30	

TABLE 5.95 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. CARMO DA MATA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP
5	97.9	8.0	54.0	7.4	69.9	11.5	76.9	9.5	77.8	14.1	61.3	9.9	54.5	7.3
10	111.0	10.9	65.6	10.1	81.9	15.2	90.2	12.5	98.7	19.7	72.0	13.1	66.1	9.6
15	118.4	12.8	72.1	11.9	88.0	17.4	97.1	14.3	110.3	23.3	77.6	14.9	72.0	11.0
20	123.6	14.1	76.7	13.2	92.1	18.9	101.6	15.5	118.3	26.0	81.2	16.2	76.0	11.9
25	127.6	15.2	80.2	14.2	95.1	20.0	105.0	16.4	124.4	28.0	83.9	17.1	78.9	12.6
30	130.8	16.1	83.1	15.1	97.5	20.9	107.7	17.1	129.3	29.7	86.1	17.9	81.2	13.2
50	139.9	18.6	91.0	17.5	103.9	23.4	114.8	19.1	142.8	34.4	91.8	20.0	87.4	14.7
100	152.1	22.1	101.8	20.8	112.0	26.6	123.8	21.7	160.6	40.7	99.1	22.7	95.2	16.7
COR.	0.988		0.986		0.978		0.988		0.983		0.980		0.991	
FUNC.	GUMBEL		GUMBEL		WI(2.00)		WI(2.00)		WI(1.25)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		28		29		30		30		30		30	

±ΔP: 95%CONFIDENCE LIMIT

TABLE 5.96 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. DIAMANTINO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP	P.R. (MM)	±ΔP
5	114.2	7.9	66.7	6.0	90.6	7.8	75.6	6.1	80.0	10.7	67.4	9.6	78.7	6.2
10	137.0	11.4	83.1	8.4	106.0	10.3	87.3	8.1	98.8	15.2	78.9	13.0	96.0	8.6
15	150.9	14.1	92.2	10.0	114.0	11.7	93.3	9.2	109.5	18.2	85.3	15.3	105.6	10.2
20	161.0	16.2	98.6	11.1	119.2	12.7	97.3	10.0	117.1	20.4	89.8	16.9	112.2	11.4
25	168.9	17.9	103.4	12.0	123.2	13.4	100.3	10.6	122.9	22.2	93.3	18.2	117.3	12.3
30	175.5	19.3	107.3	12.7	126.3	14.0	102.6	11.0	127.6	23.7	96.2	19.3	121.4	13.0
50	194.3	23.4	117.9	14.7	134.6	15.7	108.9	12.3	140.7	27.8	104.1	22.3	132.7	15.0
100	220.4	29.2	132.0	17.4	145.0	17.8	116.8	14.0	158.3	33.4	114.7	26.4	147.5	17.8
COR.	0.993		0.995		0.994		0.994		0.986		0.979		0.995	
FUNC.	WI(0.85)		WI(1.25)		WI(2.00)		WI(2.00)		WI(1.10)		GUMBEL		WI(1.25)	
DATA NUMBER	30		30		30		30		30		30		30	

TABLE 5.97 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. GUAICURUS

MONTH YEARS	ANL		OCT	NOV	DEC	JAN	FEB	MAR
	P.R.(MM) ± ΔP	± ΔP						
5	119.3	9.5	63.5	81.2	82.3	83.6	90.6	76.4
10	138.5	13.5	75.3	97.9	98.3	98.2	108.8	99.3
15	149.5	16.2	81.4	106.4	106.6	105.7	118.3	112.0
20	157.2	18.2	85.5	112.1	112.1	110.7	124.5	120.8
25	163.1	19.8	88.5	116.3	116.2	114.4	129.2	127.5
30	167.9	21.1	90.9	119.7	119.4	117.3	132.9	132.9
50	181.3	24.7	97.2	128.6	128.0	125.2	142.7	147.7
100	199.2	29.7	105.2	139.8	138.9	135.0	155.1	167.3
COR.	0.989		0.986	0.982	0.986	0.987	0.991	0.983
FUNC.	WI(1.10)		WI(2.00)	WI(2.00)	WI(2.00)	WI(2.00)	WI(2.00)	WI(1.25)
DATA NUMBER	30		29	30	30	30	30	28

±ΔP:95%CONFIDENCE LIMIT

TABLE 5.98 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. INSTITUTO AGRONOMICO

MONTH YEARS	ANL		OCT	NOV	DEC	JAN	FEB	MAR
	P.R.(MM) ± ΔP	± ΔP						
5	94.4	6.5	55.5	64.1	78.9	82.5	72.1	61.4
10	106.4	9.0	65.5	72.3	90.3	99.8	86.6	71.6
15	113.0	10.7	70.7	76.5	96.1	108.7	94.5	76.8
20	117.6	11.9	74.1	79.3	100.0	114.6	99.8	80.3
25	121.1	12.9	76.7	81.3	102.9	119.0	103.8	82.9
30	124.0	13.6	78.7	83.0	105.2	122.5	107.0	84.9
50	131.7	15.8	84.1	87.3	111.3	131.7	115.6	90.3
100	141.9	18.7	90.9	92.9	119.0	143.4	126.8	97.2
COR.	0.989		0.988	0.982	0.991	0.997	0.990	0.976
FUNC.	WI(1.25)		WI(2.00)	WI(2.00)	WI(2.00)	WI(2.00)	WI(1.50)	WI(2.00)
DATA NUMBER	30		30	30	29	30	30	29

TABLE 5.99 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. ITUMBIARA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	90.1	24.0	53.8	7.0	56.3	10.1	66.7	8.0	72.0	19.1	67.3	13.8	57.2	8.3
10	102.0	32.0	73.7	10.2	68.4	13.5	81.4	10.7	85.9	25.5	80.5	18.5	70.1	11.2
15	108.1	36.6	85.3	12.4	74.7	15.4	88.9	12.3	93.0	29.3	87.3	21.4	76.7	13.0
20	112.2	39.8	93.6	14.1	78.9	16.8	93.9	13.3	97.7	32.0	91.7	23.3	81.0	14.2
25	115.2	42.2	100.0	15.5	81.9	17.8	97.7	14.1	101.2	33.9	95.1	24.8	84.2	15.2
30	117.6	44.2	105.2	16.6	84.4	18.6	100.6	14.8	104.0	35.5	97.7	26.0	86.7	15.9
50	123.9	49.4	119.9	19.7	90.9	20.8	108.4	16.5	111.4	39.8	104.6	29.2	93.5	17.9
100	131.9	56.2	139.8	24.1	99.1	23.6	118.3	18.8	120.6	45.4	113.3	33.3	101.9	20.5
COR.	0.909		0.993		0.983		0.992		0.951		0.968		0.986	
FUNC.	WI(2.00)		WI(1.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	19		19		19		19		18		17		16	

±AP:95%CONFIDENCE LIMIT

TABLE 5.100 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. LAGOA SANTA

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	95.4	7.9	56.1	7.0	59.8	5.7	77.1	6.0	79.4	10.8	61.0	9.0	58.4	12.0
10	108.2	10.7	72.0	10.0	68.6	7.5	90.4	8.1	95.9	14.7	73.8	12.2	69.7	16.0
15	115.5	12.5	81.1	12.0	73.1	8.5	97.6	9.5	105.1	17.2	81.1	14.3	75.5	18.3
20	120.5	13.9	87.5	13.5	76.1	9.2	102.4	10.4	111.6	19.0	86.1	15.8	79.3	19.9
25	124.4	14.9	92.4	14.7	78.3	9.8	106.1	11.2	116.6	20.5	90.1	17.0	82.2	21.1
30	127.6	15.8	96.4	15.7	80.1	10.2	109.0	11.8	120.7	21.7	93.2	18.0	84.4	22.1
50	136.4	18.3	107.4	18.4	84.8	11.4	117.0	13.4	132.1	25.1	102.1	20.8	90.4	24.8
100	148.3	21.7	122.2	22.2	90.7	12.9	127.2	15.5	147.4	29.8	114.1	24.7	97.9	28.2
COR.	0.988		0.991		0.990		0.994		0.987		0.985		0.970	
FUNC.	GUMBEL		WI(1.10)		WI(2.00)		WI(1.50)		GUMBEL		GUMBEL		WI(2.00)	
DATA NUMBER	29		28		29		29		29		29		26	

TABLE 5.101 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION: COLONIA MERURI-STA C

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	91.4	4.9	60.2	9.1	66.2	6.3	67.5	5.0	73.6	11.8	66.5	6.3	65.7	4.7
10	100.9	6.5	72.4	12.4	77.4	8.6	78.4	6.7	87.4	16.0	75.7	8.6	76.4	6.2
15	105.8	7.4	79.3	14.5	83.5	10.0	84.5	7.9	95.2	18.7	81.0	10.1	81.9	7.1
20	109.1	8.0	84.1	16.1	87.6	11.0	88.8	8.8	100.6	20.7	84.6	11.1	85.6	7.7
25	111.5	8.5	87.8	17.4	90.7	11.8	92.2	9.4	104.8	22.3	87.4	12.0	88.3	8.2
30	113.4	8.9	90.8	18.4	93.2	12.4	94.8	10.0	108.2	23.6	89.7	12.7	90.4	8.5
50	118.5	9.9	99.2	21.3	100.0	14.1	102.4	11.5	117.7	27.3	96.1	14.7	96.2	9.5
100	125.0	11.3	110.5	25.3	108.7	16.4	112.5	13.7	130.6	32.4	104.8	17.4	103.4	10.8
COR.	0.994		0.982		0.990		0.994		0.978		0.986		0.995	
FUNC.	WI(2.00)		GUMBEL		WI(1.50)		GUMBEL		GUMBEL		GUMBEL		WI(2.00)	
DATA NUMBER	30		29		30		30		30		30		30	

± Δ P: 95% CONFIDENCE LIMIT

TABLE 5.102 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION: PORTO MURTINHO

MONTH YEARS	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P	P.R.	(MM) ± Δ P
5	108.3	18.3	55.5	8.8	68.5	14.0	82.3	15.8	63.8	17.8	52.2	9.7	64.0	9.2
10	121.5	24.6	73.3	12.8	88.4	20.1	106.8	23.1	80.5	25.5	61.3	13.1	84.2	13.6
15	128.4	28.2	83.5	15.5	99.5	24.0	120.8	28.0	89.8	30.5	66.0	15.2	96.0	16.7
20	132.9	30.6	90.6	17.5	107.2	26.8	130.6	31.6	96.2	34.0	69.1	16.6	104.4	18.9
25	136.3	32.5	96.1	19.1	113.0	29.0	138.2	34.4	101.1	36.8	71.4	17.6	110.8	20.8
30	138.9	34.0	100.6	20.3	117.7	30.8	144.3	36.7	105.0	39.0	73.2	18.5	116.2	22.2
50	146.0	38.0	113.0	23.9	130.7	35.7	161.3	43.3	115.9	45.3	78.0	20.7	131.0	26.5
100	155.0	43.2	129.6	28.8	147.7	42.4	184.1	52.1	130.2	53.8	84.1	23.7	151.2	32.4
COR.	0.954		0.988		0.979		0.980		0.954		0.968		0.988	
FUNC.	WI(2.00)		WI(1.10)		WI(1.25)		WI(1.10)		WI(1.25)		WI(2.00)		WI(1.00)	
DATA NUMBER	10		10		10		10		10		9		10	

TABLE 5.103 RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION. SANTA BARBARA

MONTH	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
YEARS	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P
5	100.5	17.0	51.9	4.7	63.5	9.6	66.4	12.2	86.7	10.8	63.6	7.0	56.3	5.8
10	114.9	22.3	64.3	6.3	76.3	12.6	76.8	16.1	104.6	14.2	78.8	9.6	70.5	7.9
15	122.3	25.5	71.3	7.4	83.0	14.3	82.2	18.4	113.9	16.2	87.4	11.2	78.5	9.3
20	127.3	27.6	76.2	8.2	87.3	15.6	85.8	19.9	120.0	17.6	93.4	12.5	84.1	10.3
25	130.9	29.2	79.9	8.9	90.6	16.5	88.5	21.1	124.6	18.6	98.0	13.4	88.4	11.1
30	133.8	30.6	83.0	9.4	93.2	17.2	90.6	22.1	128.2	19.4	101.7	14.2	92.0	11.8
50	141.6	34.1	91.5	10.8	100.1	19.2	96.2	24.6	137.8	21.7	112.2	16.5	101.7	13.6
100	151.3	38.7	103.0	12.9	108.7	21.8	103.3	27.9	149.9	24.6	126.3	19.6	114.9	16.2
COR.	0.969		0.996		0.987		0.969		0.992		0.993		0.995	
FUNC.	WI(2.00)		GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)		GUMBEL		GUMBEL	
DATA NUMBER	30		30		30		30		30		28		29	

*AP: 95% CONFIDENCE LIMIT

TABLE . . . RETURN PERIOD OF EXTREME DAILY PRECIPITATION

STATION.

MONTH	ANL		OCT		NOV		DEC		JAN		FEB		MAR	
YEARS	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P	PR (MM)	± Δ P
5														
10														
15														
20														
25														
30														
50														
100														
COR.														
FUNC.														
DATA NUMBER														

(資料 6)

最長無降水継続日数の順位表

103地点

10、11、12、1、2、3月、全雨季期間(10月~3月)

(Section 6)

MAXIMUM CONTINUOUS DAY WITHOUT RAIN

103 Stations

October~March, Whole rainy season of years (October~March)

図表類の表示順序

THE ORDER OF FIGURES AND TABLES

order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.
1	ABADIA	22	ARACUA	42	AMARAN	60	CAETEX	79	FORMOS	91	AQUIDA
2	BARREI	23	BAMBUI	43	BARRII	61	CAREIA	80	IMPERA	92	ARAXAX
3	BATALH	24	CARPAR	44	CATALA	62	CELMUR	81	JOSFRE	93	BARRAS
4	BOQUEI	25	CURVEL	45	CONCEI	63	FAZESC	82	LAMOUN	94	CACERE
5	CAMPOM	26	FAZAJU	46	CORIVE	64	GOIANI	83	PARANA	95	CARMAT
6	CARMOX	27	FRUTAL	47	COTEGI	65	GOUVEA	84	POGUAT	96	DIAMAN
7	CAROLI	28	INHUMA	48	FORPII	66	IBIAMG	85	STAJUL	97	GUAICU
8	CUIABA	29	ITAMAR	49	GOLASX	67	IGUATA	86	TAGUAT	98	INAGRO
9	FAZPAL	30	JABOTI	50	JANUAR	68	ITAOBI	87	TAGUAX	99	ITUMBI
10	FORIOP	31	JEQUIT	51	MOCAME	69	JAGUAR	88	TAPIRA	100	LAGSAN
11	GRAJAU	32	JUPIAX	52	MONCLA	70	JOSEME	89	TERESI	101	MERURI
12	LASSAN	33	LUSSAN	53	MONPAU	71	MATEUS	90	USIVAR	102	PORTOM
13	MANGAX	34	MENDAN	54	MOPILA	72	MTEALE			103	SANBAR
14	PEDROL	35	MINANO	55	SANGRA	73	NOVERA				
15	PORNOV	36	MTECAR	56	SAOMAN	74	PORMAN				
16	QUEIMA	37	PONTEX	57	SCHICO	75	PTNOVA				
17	SAOGON	38	RIOPIR	58	SETLAG	76	SABARA				
18	SAOJOP	39	SANJAC	59	SITGRA	77	TAQUAR				
19	STAMAR	40	STAITA			78	USPETI				
20	TERROR	41	VESPAS								
21	UNIAOX										

(Abbreviated names of observing stations should refer to TABLE 3.1~5)

(短縮名は表3.1~5を参照)

TABLE 6.7. / MAXIMUM CONTINUOUS DAY WITHOUT RAIN
ABADIA DOS DOURADOS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	25.0	20.0	20.0	16.0	23.0	17.0	25.0
2	21.0	18.0	18.0	15.0	21.0	15.0	23.0
3	20.0	16.0	13.0	14.0	21.0	15.0	21.0
4	19.0	16.0	12.0	14.0	18.0	13.0	21.0
5	18.0	12.0	11.0	11.0	16.0	12.0	21.0
6	14.0	12.0	10.0	11.0	15.0	12.0	20.0
7	13.0	11.0	10.0	10.0	12.0	12.0	20.0
8	12.0	10.0	8.0	10.0	11.0	12.0	19.0
9	12.0	10.0	8.0	10.0	11.0	10.0	18.0
10	12.0	9.0	7.0	9.0	10.0	9.0	18.0
11	12.0	9.0	7.0	9.0	10.0	9.0	18.0
12	11.0	9.0	7.0	8.0	9.0	9.0	16.0
13	10.0	9.0	7.0	7.0	9.0	9.0	14.0
14	10.0	8.0	6.0	7.0	9.0	9.0	14.0
15	8.0	8.0	6.0	6.0	8.0	8.0	13.0
16	8.0	7.0	5.0	6.0	8.0	8.0	12.0
17	8.0	7.0	5.0	6.0	8.0	8.0	12.0
18	8.0	6.0	5.0	6.0	7.0	7.0	12.0
19	8.0	6.0	5.0	4.0	7.0	7.0	12.0
20	7.0	6.0	5.0	4.0	7.0	7.0	12.0
21	7.0	5.0	5.0	4.0	5.0	6.0	11.0
22	7.0	5.0	4.0	4.0	5.0	6.0	11.0
23	7.0	5.0	4.0	4.0	5.0	6.0	11.0
24	7.0	5.0	4.0	4.0	5.0	5.0	10.0
25	7.0	4.0	4.0	4.0	5.0	5.0	10.0
26	7.0	4.0	4.0	4.0	4.0	5.0	9.0
27	6.0	4.0	4.0	3.0	4.0	5.0	9.0
28	6.0	4.0	3.0	2.0	3.0	4.0	9.0
29	6.0	3.0	3.0	2.0	3.0	3.0	8.0
30	5.0	3.0	2.0	2.0	3.0	3.0	7.0

TABLE 6.2 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
BARREIRAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	35.0	24.0	23.0	32.0	19.0	25.0	35.0
2	34.0	24.0	21.0	25.0	18.0	25.0	34.0
3	29.0	20.0	18.0	20.0	17.0	21.0	32.0
4	28.0	18.0	17.0	19.0	16.0	19.0	29.0
5	26.0	17.0	17.0	17.0	16.0	17.0	28.0
6	24.0	13.0	15.0	16.0	14.0	17.0	26.0
7	24.0	13.0	15.0	14.0	14.0	16.0	25.0
8	23.0	12.0	15.0	13.0	13.0	15.0	25.0
9	21.0	11.0	13.0	13.0	13.0	13.0	25.0
10	19.0	11.0	13.0	13.0	12.0	13.0	24.0
11	19.0	10.0	12.0	13.0	12.0	12.0	24.0
12	16.0	9.0	12.0	13.0	12.0	12.0	23.0
13	16.0	9.0	12.0	12.0	12.0	11.0	21.0
14	15.0	9.0	11.0	12.0	12.0	11.0	21.0
15	15.0	8.0	11.0	12.0	11.0	10.0	20.0
16	15.0	8.0	10.0	11.0	11.0	10.0	20.0
17	15.0	7.0	9.0	10.0	10.0	10.0	19.0
18	15.0	7.0	9.0	10.0	10.0	10.0	19.0
19	14.0	6.0	9.0	10.0	10.0	9.0	19.0
20	14.0	6.0	9.0	10.0	9.0	8.0	18.0
21	13.0	6.0	8.0	9.0	9.0	8.0	18.0
22	11.0	5.0	8.0	9.0	8.0	7.0	17.0
23	10.0	5.0	8.0	8.0	8.0	7.0	15.0
24	10.0	5.0	7.0	8.0	8.0	6.0	15.0
25	9.0	5.0	7.0	8.0	8.0	6.0	15.0
26	9.0	5.0	7.0	7.0	7.0	5.0	14.0
27	9.0	5.0	7.0	7.0	7.0	5.0	13.0
28	9.0	5.0	6.0	5.0	6.0	4.0	13.0
29	8.0	4.0	4.0	5.0	6.0	4.0	13.0
30	6.0	0.0	3.0	5.0	6.0	4.0	11.0

TABLE 6.3 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
BATALHA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	54.0	50.0	34.0	28.0	20.0	11.0	54.0
2	50.0	50.0	33.0	19.0	16.0	10.0	50.0
3	46.0	45.0	28.0	19.0	13.0	9.0	50.0
4	38.0	41.0	28.0	18.0	12.0	9.0	50.0
5	36.0	41.0	24.0	17.0	12.0	8.0	46.0
6	31.0	36.0	24.0	17.0	11.0	8.0	45.0
7	31.0	33.0	23.0	14.0	9.0	7.0	41.0
8	31.0	33.0	22.0	13.0	8.0	7.0	41.0
9	31.0	33.0	20.0	12.0	8.0	7.0	38.0
10	31.0	29.0	20.0	11.0	7.0	6.0	36.0
11	31.0	28.0	19.0	11.0	7.0	5.0	36.0
12	30.0	27.0	19.0	10.0	7.0	5.0	34.0
13	29.0	26.0	18.0	10.0	7.0	5.0	33.0
14	28.0	24.0	18.0	9.0	7.0	4.0	33.0
15	28.0	23.0	17.0	9.0	6.0	4.0	33.0
16	27.0	23.0	15.0	9.0	6.0	4.0	33.0
17	26.0	22.0	15.0	9.0	6.0	4.0	31.0
18	26.0	22.0	15.0	9.0	6.0	4.0	31.0
19	25.0	22.0	14.0	9.0	6.0	4.0	30.0
20	24.0	20.0	14.0	8.0	5.0	4.0	29.0
21	24.0	17.0	13.0	6.0	5.0	4.0	28.0
22	24.0	17.0	13.0	6.0	5.0	4.0	28.0
23	24.0	16.0	11.0	5.0	4.0	3.0	26.0
24	21.0	15.0	11.0	5.0	4.0	3.0	26.0
25	21.0	14.0	10.0	5.0	4.0	3.0	25.0
26	19.0	13.0	9.0	4.0	4.0	3.0	24.0
27	16.0	13.0	9.0	4.0	3.0	3.0	24.0
28	16.0	10.0	8.0	3.0	3.0	1.0	24.0
29	15.0	10.0	8.0	3.0	2.0	1.0	21.0
30	10.0	7.0	6.0	2.0	2.0	1.0	17.0

TABLE 6.4 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
BOQUEIRO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	34.0	32.0	23.0	22.0	29.0	31.0	34.0
2	33.0	31.0	19.0	21.0	24.0	20.0	33.0
3	32.0	28.0	19.0	20.0	19.0	18.0	32.0
4	30.0	26.0	19.0	18.0	19.0	15.0	32.0
5	30.0	22.0	19.0	17.0	17.0	14.0	31.0
6	29.0	22.0	18.0	17.0	16.0	14.0	31.0
7	27.0	22.0	18.0	17.0	13.0	13.0	30.0
8	24.0	19.0	18.0	17.0	12.0	13.0	29.0
9	22.0	18.0	18.0	16.0	12.0	12.0	29.0
10	19.0	15.0	18.0	15.0	11.0	12.0	28.0
11	18.0	14.0	17.0	15.0	11.0	11.0	27.0
12	17.0	12.0	13.0	14.0	11.0	10.0	24.0
13	16.0	12.0	12.0	14.0	11.0	10.0	23.0
14	15.0	12.0	12.0	13.0	10.0	9.0	22.0
15	15.0	11.0	12.0	12.0	10.0	9.0	22.0
16	14.0	11.0	12.0	12.0	10.0	9.0	22.0
17	14.0	11.0	11.0	11.0	10.0	8.0	22.0
18	14.0	10.0	11.0	11.0	10.0	8.0	21.0
19	14.0	10.0	10.0	10.0	9.0	8.0	20.0
20	13.0	10.0	10.0	10.0	9.0	8.0	19.0
21	13.0	10.0	10.0	10.0	9.0	8.0	19.0
22	13.0	9.0	9.0	10.0	9.0	7.0	19.0
23	12.0	9.0	8.0	10.0	8.0	7.0	18.0
24	12.0	9.0	7.0	9.0	8.0	7.0	18.0
25	11.0	7.0	7.0	9.0	8.0	7.0	18.0
26	11.0	7.0	7.0	9.0	7.0	6.0	18.0
27	11.0	7.0	7.0	8.0	7.0	6.0	17.0
28	10.0	7.0	7.0	7.0	7.0	5.0	15.0
29	10.0	6.0	7.0	5.0	6.0	5.0	14.0
30	10.0	4.0	7.0	5.0	6.0	3.0	11.0

TABLE 6.5 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CAMPO MAIOR

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	55.0	32.0	31.0	21.0	24.0	8.0	55.0
2	47.0	31.0	31.0	20.0	13.0	7.0	47.0
3	47.0	31.0	27.0	18.0	9.0	7.0	47.0
4	46.0	29.0	24.0	17.0	8.0	7.0	46.0
5	42.0	28.0	22.0	17.0	8.0	6.0	42.0
6	39.0	27.0	22.0	17.0	8.0	6.0	39.0
7	38.0	26.0	22.0	16.0	8.0	6.0	38.0
8	36.0	25.0	21.0	14.0	8.0	6.0	36.0
9	33.0	25.0	21.0	14.0	8.0	6.0	33.0
10	31.0	24.0	19.0	14.0	7.0	6.0	32.0
11	30.0	23.0	19.0	13.0	7.0	5.0	31.0
12	28.0	22.0	18.0	12.0	7.0	5.0	31.0
13	28.0	21.0	16.0	12.0	7.0	5.0	31.0
14	27.0	21.0	15.0	11.0	7.0	5.0	30.0
15	23.0	20.0	14.0	10.0	6.0	5.0	29.0
16	23.0	19.0	13.0	9.0	6.0	4.0	28.0
17	21.0	19.0	13.0	9.0	6.0	4.0	28.0
18	21.0	16.0	13.0	9.0	6.0	4.0	28.0
19	20.0	16.0	12.0	8.0	6.0	4.0	27.0
20	20.0	16.0	12.0	8.0	5.0	4.0	26.0
21	19.0	15.0	12.0	8.0	5.0	4.0	25.0
22	18.0	15.0	11.0	8.0	5.0	3.0	25.0
23	18.0	15.0	10.0	7.0	5.0	3.0	24.0
24	18.0	15.0	10.0	7.0	5.0	3.0	23.0
25	18.0	15.0	9.0	7.0	4.0	3.0	23.0
26	16.0	12.0	9.0	7.0	4.0	3.0	21.0
27	13.0	11.0	8.0	6.0	4.0	2.0	20.0
28	10.0	11.0	8.0	5.0	4.0	2.0	18.0
29	9.0	10.0	8.0	5.0	4.0	2.0	18.0
30	9.0	8.0	8.0	3.0	3.0	1.0	10.0

TABLE 6.6 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CAMPO DO CAJURU

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	22.0	18.0	16.0	31.0	30.0	26.0	31.0
2	21.0	16.0	15.0	18.0	25.0	19.0	30.0
3	20.0	15.0	14.0	13.0	23.0	19.0	26.0
4	18.0	12.0	14.0	13.0	22.0	17.0	25.0
5	17.0	10.0	12.0	12.0	21.0	16.0	23.0
6	16.0	10.0	11.0	12.0	21.0	16.0	22.0
7	15.0	9.0	9.0	11.0	17.0	14.0	22.0
8	15.0	9.0	9.0	11.0	16.0	13.0	21.0
9	15.0	9.0	8.0	10.0	16.0	13.0	21.0
10	14.0	9.0	8.0	10.0	14.0	11.0	20.0
11	14.0	9.0	8.0	10.0	14.0	11.0	19.0
12	14.0	9.0	8.0	9.0	13.0	10.0	19.0
13	12.0	8.0	7.0	9.0	12.0	10.0	18.0
14	12.0	8.0	7.0	8.0	11.0	8.0	18.0
15	11.0	8.0	7.0	8.0	11.0	7.0	17.0
16	10.0	7.0	6.0	8.0	11.0	7.0	16.0
17	10.0	7.0	6.0	7.0	11.0	7.0	16.0
18	9.0	7.0	6.0	7.0	10.0	6.0	16.0
19	9.0	6.0	6.0	7.0	10.0	6.0	15.0
20	9.0	6.0	6.0	7.0	9.0	6.0	15.0
21	8.0	5.0	6.0	6.0	9.0	6.0	15.0
22	8.0	5.0	6.0	5.0	9.0	6.0	12.0
23	8.0	5.0	5.0	5.0	8.0	5.0	12.0
24	7.0	5.0	5.0	5.0	8.0	5.0	11.0
25	7.0	5.0	5.0	5.0	8.0	5.0	11.0
26	7.0	4.0	4.0	3.0	8.0	4.0	11.0
27	7.0	4.0	4.0	3.0	6.0	4.0	11.0
28	7.0	4.0	3.0	3.0	5.0	4.0	10.0
29	6.0	3.0	2.0	2.0	5.0	4.0	9.0
30	5.0	2.0	2.0	2.0	5.0	2.0	8.0

TABLE 6.7 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CAROLINA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	19.0	22.0	18.0	9.0	15.0	17.0	22.0
2	18.0	11.0	10.0	8.0	8.0	9.0	19.0
3	17.0	10.0	9.0	6.0	7.0	8.0	18.0
4	15.0	10.0	9.0	6.0	7.0	8.0	17.0
5	13.0	10.0	8.0	5.0	6.0	7.0	15.0
6	12.0	9.0	8.0	5.0	5.0	7.0	15.0
7	12.0	8.0	6.0	5.0	5.0	6.0	13.0
8	11.0	8.0	6.0	4.0	5.0	6.0	12.0
9	11.0	7.0	6.0	4.0	5.0	6.0	12.0
10	10.0	7.0	5.0	4.0	4.0	6.0	11.0
11	10.0	7.0	5.0	4.0	4.0	5.0	11.0
12	9.0	6.0	5.0	4.0	4.0	5.0	11.0
13	8.0	6.0	5.0	4.0	4.0	5.0	10.0
14	8.0	6.0	4.0	4.0	4.0	4.0	10.0
15	8.0	6.0	4.0	4.0	4.0	4.0	10.0
16	8.0	6.0	4.0	4.0	4.0	3.0	9.0
17	7.0	5.0	4.0	3.0	4.0	3.0	8.0
18	7.0	5.0	4.0	3.0	4.0	3.0	8.0
19	5.0	5.0	3.0	3.0	4.0	2.0	8.0
20	5.0	4.0	3.0	3.0	3.0	2.0	7.0
21	4.0	4.0	2.0	2.0	2.0	2.0	7.0
22	4.0	2.0	2.0	2.0	2.0	2.0	6.0

TABLE 6.8 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CUIABA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	24.0	18.0	12.0	15.0	14.0	15.0	24.0
2	12.0	13.0	11.0	11.0	8.0	12.0	18.0
3	11.0	13.0	9.0	10.0	8.0	10.0	15.0
4	10.0	13.0	9.0	9.0	8.0	9.0	15.0
5	10.0	12.0	9.0	9.0	7.0	9.0	14.0
6	10.0	11.0	8.0	8.0	6.0	8.0	13.0
7	10.0	10.0	8.0	8.0	6.0	8.0	13.0
8	10.0	9.0	8.0	7.0	5.0	8.0	13.0
9	9.0	9.0	8.0	7.0	5.0	7.0	12.0
10	9.0	9.0	7.0	7.0	5.0	7.0	12.0
11	9.0	8.0	7.0	7.0	5.0	7.0	12.0
12	9.0	8.0	7.0	6.0	4.0	6.0	12.0
13	8.0	8.0	7.0	6.0	4.0	6.0	11.0
14	8.0	7.0	7.0	6.0	4.0	6.0	11.0
15	8.0	7.0	6.0	6.0	4.0	6.0	10.0
16	8.0	7.0	6.0	5.0	4.0	6.0	9.0
17	7.0	7.0	5.0	5.0	4.0	5.0	9.0
18	7.0	7.0	5.0	5.0	4.0	5.0	9.0
19	7.0	7.0	5.0	5.0	4.0	5.0	9.0
20	7.0	6.0	5.0	5.0	3.0	5.0	9.0
21	7.0	6.0	5.0	4.0	3.0	5.0	9.0
22	7.0	6.0	5.0	4.0	3.0	4.0	8.0
23	6.0	6.0	5.0	4.0	3.0	4.0	8.0
24	6.0	5.0	5.0	4.0	3.0	4.0	8.0
25	6.0	5.0	5.0	4.0	3.0	4.0	8.0
26	6.0	5.0	4.0	3.0	3.0	3.0	7.0
27	6.0	4.0	3.0	3.0	3.0	3.0	7.0
28	5.0	4.0	3.0	3.0	3.0	3.0	7.0
29	5.0	4.0	3.0	3.0	3.0	3.0	7.0
30	3.0	3.0	2.0	3.0	2.0	1.0	7.0

TABLE 6.9. MAXIMUM CONTINUOUS DAY WITHOUT RAIN
FAZ PORTO ALEGRE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	38.0	23.0	22.0	29.0	26.0	31.0	38.0
2	38.0	20.0	17.0	24.0	24.0	31.0	38.0
3	26.0	20.0	17.0	23.0	23.0	27.0	31.0
4	24.0	19.0	12.0	20.0	23.0	26.0	31.0
5	24.0	18.0	12.0	20.0	22.0	25.0	29.0
6	24.0	14.0	12.0	19.0	22.0	23.0	27.0
7	22.0	13.0	11.0	18.0	21.0	19.0	26.0
8	19.0	13.0	11.0	18.0	20.0	19.0	26.0
9	17.0	12.0	10.0	17.0	19.0	17.0	26.0
10	17.0	10.0	10.0	16.0	19.0	17.0	25.0
11	16.0	10.0	10.0	15.0	19.0	15.0	24.0
12	16.0	10.0	10.0	15.0	18.0	14.0	24.0
13	15.0	10.0	10.0	14.0	17.0	14.0	24.0
14	14.0	10.0	10.0	14.0	17.0	12.0	24.0
15	14.0	10.0	9.0	11.0	14.0	11.0	23.0
16	14.0	8.0	9.0	11.0	13.0	11.0	23.0
17	13.0	8.0	9.0	11.0	13.0	10.0	23.0
18	13.0	8.0	8.0	10.0	13.0	10.0	22.0
19	13.0	7.0	8.0	10.0	12.0	10.0	22.0
20	13.0	7.0	8.0	10.0	12.0	10.0	20.0
21	13.0	7.0	7.0	10.0	11.0	9.0	19.0
22	12.0	7.0	7.0	8.0	10.0	9.0	19.0
23	12.0	6.0	7.0	8.0	10.0	9.0	19.0
24	12.0	6.0	6.0	8.0	9.0	9.0	18.0
25	11.0	6.0	6.0	8.0	9.0	8.0	18.0
26	10.0	6.0	6.0	7.0	9.0	8.0	17.0
27	9.0	5.0	5.0	6.0	8.0	8.0	17.0
28	8.0	5.0	4.0	5.0	8.0	8.0	14.0
29	8.0	5.0	4.0	4.0	8.0	7.0	12.0
30	6.0	5.0	2.0	3.0	5.0	6.0	11.0

TABLE 6.10. MAXIMUM CONTINUOUS DAY WITHOUT RAIN
FORMOSA DO RIO PRETO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	37.0	22.0	45.0	28.0	22.0	23.0	45.0
2	31.0	22.0	31.0	23.0	21.0	21.0	37.0
3	30.0	22.0	27.0	20.0	21.0	19.0	31.0
4	26.0	19.0	26.0	19.0	21.0	18.0	31.0
5	26.0	16.0	24.0	17.0	20.0	17.0	30.0
6	25.0	16.0	19.0	17.0	20.0	15.0	28.0
7	24.0	15.0	19.0	15.0	19.0	13.0	27.0
8	20.0	14.0	16.0	15.0	19.0	13.0	26.0
9	19.0	13.0	16.0	14.0	14.0	12.0	26.0
10	16.0	13.0	16.0	14.0	13.0	12.0	26.0
11	16.0	11.0	14.0	14.0	13.0	12.0	24.0
12	16.0	11.0	13.0	13.0	13.0	11.0	24.0
13	15.0	11.0	13.0	12.0	11.0	11.0	23.0
14	15.0	10.0	12.0	11.0	10.0	10.0	22.0
15	14.0	10.0	11.0	11.0	10.0	9.0	22.0
16	14.0	9.0	11.0	10.0	10.0	9.0	21.0
17	13.0	9.0	9.0	10.0	10.0	9.0	20.0
18	12.0	9.0	9.0	9.0	9.0	9.0	20.0
19	12.0	8.0	9.0	9.0	9.0	9.0	19.0
20	12.0	8.0	9.0	9.0	9.0	8.0	19.0
21	11.0	6.0	8.0	8.0	9.0	8.0	17.0
22	11.0	6.0	8.0	8.0	9.0	8.0	16.0
23	10.0	6.0	8.0	8.0	8.0	7.0	16.0
24	9.0	6.0	8.0	7.0	8.0	7.0	16.0
25	9.0	6.0	7.0	7.0	8.0	6.0	15.0
26	9.0	6.0	6.0	6.0	8.0	6.0	15.0
27	9.0	5.0	5.0	6.0	6.0	6.0	14.0
28	8.0	5.0	5.0	5.0	6.0	4.0	9.0
29	7.0	4.0	3.0	5.0	5.0	4.0	9.0

TABLE 6.1.// MAXIMUM CONTINUOUS DAY WITHOUT RAIN
GRAJAU

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	35.0	23.0	17.0	12.0	9.0	31.0	35.0
2	33.0	15.0	12.0	9.0	9.0	11.0	33.0
3	30.0	15.0	11.0	9.0	9.0	10.0	31.0
4	20.0	13.0	10.0	9.0	8.0	8.0	30.0
5	19.0	12.0	10.0	9.0	7.0	8.0	20.0
6	19.0	11.0	10.0	8.0	6.0	7.0	19.0
7	18.0	11.0	9.0	8.0	5.0	7.0	19.0
8	17.0	11.0	9.0	8.0	5.0	6.0	18.0
9	17.0	11.0	9.0	8.0	5.0	5.0	17.0
10	17.0	11.0	8.0	7.0	4.0	5.0	17.0
11	15.0	10.0	8.0	7.0	4.0	5.0	17.0
12	15.0	10.0	7.0	6.0	4.0	5.0	15.0
13	12.0	9.0	7.0	6.0	4.0	5.0	15.0
14	12.0	8.0	6.0	6.0	4.0	4.0	15.0
15	11.0	8.0	6.0	4.0	4.0	4.0	12.0
16	11.0	8.0	6.0	4.0	4.0	4.0	12.0
17	11.0	7.0	6.0	4.0	4.0	4.0	11.0
18	11.0	6.0	6.0	3.0	3.0	4.0	11.0
19	7.0	6.0	6.0	3.0	3.0	4.0	11.0
20	7.0	6.0	5.0	3.0	3.0	3.0	11.0
21	7.0	5.0	5.0	3.0	2.0	2.0	11.0
22	6.0	5.0	3.0	3.0	2.0	2.0	9.0

圖

TABLE 6.1.2 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
LASSANCE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	27.0	19.0	17.0	26.0	29.0	31.0	31.0
2	26.0	16.0	16.0	25.0	26.0	25.0	29.0
3	26.0	14.0	16.0	22.0	22.0	19.0	27.0
4	24.0	14.0	14.0	22.0	19.0	18.0	26.0
5	22.0	13.0	14.0	17.0	18.0	18.0	26.0
6	21.0	11.0	13.0	17.0	17.0	15.0	25.0
7	16.0	10.0	13.0	14.0	15.0	15.0	24.0
8	16.0	10.0	13.0	13.0	15.0	14.0	22.0
9	15.0	10.0	12.0	12.0	15.0	13.0	22.0
10	13.0	9.0	12.0	12.0	14.0	12.0	22.0
11	12.0	8.0	11.0	12.0	14.0	12.0	22.0
12	12.0	8.0	11.0	10.0	13.0	11.0	21.0
13	12.0	7.0	10.0	10.0	12.0	10.0	19.0
14	11.0	7.0	10.0	9.0	12.0	10.0	19.0
15	11.0	7.0	9.0	9.0	11.0	10.0	18.0
16	11.0	7.0	8.0	8.0	11.0	9.0	17.0
17	10.0	7.0	7.0	8.0	11.0	9.0	17.0
18	10.0	7.0	7.0	7.0	11.0	9.0	16.0
19	9.0	7.0	6.0	7.0	10.0	8.0	16.0
20	9.0	6.0	6.0	7.0	10.0	8.0	15.0
21	8.0	6.0	6.0	7.0	9.0	7.0	15.0
22	8.0	5.0	5.0	7.0	9.0	7.0	14.0
23	8.0	5.0	5.0	7.0	9.0	7.0	13.0
24	8.0	5.0	5.0	6.0	7.0	6.0	13.0
25	7.0	5.0	4.0	4.0	7.0	6.0	12.0
26	7.0	4.0	4.0	3.0	7.0	5.0	12.0
27	6.0	4.0	4.0	3.0	6.0	4.0	12.0
28	6.0	4.0	3.0	2.0	6.0	4.0	11.0
29	5.0	4.0	3.0	2.0	4.0	3.0	10.0
30	5.0	3.0	3.0	1.0	3.0	3.0	9.0

TABLE 6.1/3 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
MANGA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	39.0	25.0	46.0	35.0	35.0	31.0	46.0
2	36.0	21.0	32.0	28.0	34.0	31.0	39.0
3	34.0	19.0	31.0	28.0	32.0	30.0	36.0
4	33.0	17.0	28.0	27.0	29.0	25.0	35.0
5	33.0	16.0	25.0	24.0	23.0	24.0	35.0
6	27.0	15.0	20.0	23.0	23.0	23.0	33.0
7	26.0	15.0	16.0	19.0	22.0	21.0	33.0
8	22.0	13.0	15.0	19.0	22.0	21.0	32.0
9	22.0	12.0	14.0	17.0	22.0	20.0	32.0
10	21.0	12.0	14.0	17.0	21.0	19.0	31.0
11	17.0	12.0	13.0	16.0	19.0	18.0	29.0
12	17.0	12.0	12.0	16.0	18.0	18.0	28.0
13	17.0	10.0	12.0	15.0	17.0	16.0	28.0
14	15.0	10.0	12.0	15.0	17.0	16.0	28.0
15	14.0	10.0	11.0	14.0	15.0	16.0	27.0
16	14.0	10.0	10.0	14.0	14.0	15.0	25.0
17	14.0	10.0	10.0	13.0	14.0	15.0	23.0
18	14.0	9.0	9.0	13.0	12.0	14.0	23.0
19	13.0	9.0	9.0	10.0	12.0	14.0	22.0
20	12.0	8.0	8.0	10.0	10.0	10.0	22.0
21	12.0	8.0	7.0	10.0	10.0	10.0	22.0
22	11.0	7.0	7.0	10.0	9.0	10.0	22.0
23	11.0	7.0	7.0	8.0	9.0	9.0	21.0
24	9.0	7.0	7.0	8.0	9.0	9.0	19.0
25	9.0	6.0	6.0	7.0	8.0	9.0	19.0
26	9.0	6.0	6.0	7.0	8.0	7.0	19.0
27	8.0	6.0	6.0	5.0	7.0	7.0	15.0
28	8.0	4.0	6.0	4.0	6.0	6.0	15.0
29	8.0	3.0	5.0	4.0	4.0	4.0	15.0
30	8.0	3.0	4.0	3.0	4.0	4.0	14.0

TABLE 6.1/4 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
PEDRO LEOPOLDO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	25.0	19.0	27.0	41.0	44.0	31.0	44.0
2	22.0	12.0	22.0	31.0	26.0	31.0	41.0
3	21.0	12.0	17.0	25.0	22.0	21.0	31.0
4	19.0	11.0	17.0	23.0	21.0	19.0	31.0
5	17.0	10.0	13.0	18.0	20.0	17.0	31.0
6	17.0	9.0	13.0	18.0	20.0	17.0	27.0
7	17.0	9.0	11.0	17.0	19.0	17.0	26.0
8	17.0	8.0	10.0	16.0	19.0	16.0	25.0
9	16.0	8.0	9.0	15.0	19.0	15.0	23.0
10	14.0	8.0	9.0	15.0	18.0	15.0	22.0
11	13.0	8.0	9.0	14.0	18.0	14.0	21.0
12	13.0	8.0	9.0	14.0	17.0	13.0	21.0
13	12.0	7.0	8.0	12.0	15.0	13.0	20.0
14	12.0	7.0	8.0	12.0	15.0	12.0	20.0
15	11.0	7.0	7.0	11.0	15.0	12.0	19.0
16	10.0	6.0	6.0	10.0	14.0	12.0	19.0
17	10.0	6.0	6.0	10.0	14.0	11.0	19.0
18	9.0	6.0	6.0	9.0	13.0	11.0	19.0
19	9.0	6.0	5.0	9.0	13.0	10.0	18.0
20	8.0	6.0	5.0	8.0	12.0	10.0	17.0
21	8.0	5.0	5.0	8.0	12.0	10.0	17.0
22	7.0	5.0	5.0	8.0	10.0	10.0	17.0
23	7.0	5.0	5.0	6.0	10.0	9.0	16.0
24	7.0	5.0	4.0	6.0	9.0	6.0	15.0
25	7.0	5.0	4.0	5.0	8.0	6.0	13.0
26	7.0	4.0	4.0	4.0	8.0	6.0	12.0
27	6.0	4.0	4.0	4.0	7.0	6.0	12.0
28	6.0	3.0	4.0	4.0	6.0	6.0	12.0
29	6.0	3.0	3.0	2.0	4.0	4.0	11.0
30	6.0	3.0	2.0	1.0	3.0	4.0	10.0

TABLE 6.16 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
QUEIMADAS-MANGA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	43.0	26.0	49.0	34.0	36.0	31.0	49.0
2	43.0	22.0	28.0	27.0	34.0	31.0	43.0
3	35.0	19.0	25.0	26.0	31.0	25.0	43.0
4	31.0	18.0	20.0	23.0	30.0	23.0	36.0
5	28.0	16.0	18.0	21.0	29.0	22.0	35.0
6	27.0	15.0	16.0	20.0	19.0	20.0	34.0
7	26.0	15.0	15.0	18.0	19.0	20.0	31.0
8	24.0	15.0	12.0	18.0	16.0	17.0	31.0
9	24.0	13.0	11.0	18.0	16.0	16.0	31.0
10	22.0	13.0	10.0	17.0	16.0	15.0	30.0
11	21.0	13.0	10.0	17.0	16.0	15.0	29.0
12	20.0	12.0	10.0	17.0	14.0	13.0	28.0
13	17.0	12.0	9.0	13.0	13.0	13.0	28.0
14	17.0	11.0	8.0	11.0	12.0	12.0	27.0
15	17.0	11.0	8.0	11.0	12.0	11.0	25.0
16	17.0	10.0	8.0	9.0	12.0	11.0	24.0
17	16.0	8.0	8.0	9.0	11.0	10.0	24.0
18	14.0	8.0	7.0	9.0	9.0	10.0	23.0
19	12.0	7.0	7.0	9.0	9.0	9.0	21.0
20	11.0	7.0	6.0	7.0	9.0	9.0	19.0
21	11.0	6.0	5.0	7.0	9.0	8.0	18.0
22	11.0	6.0	5.0	7.0	9.0	8.0	18.0
23	10.0	5.0	4.0	7.0	8.0	7.0	18.0
24	9.0	4.0	4.0	6.0	8.0	7.0	17.0
25	8.0	4.0	4.0	6.0	7.0	5.0	17.0
26	8.0	4.0	2.0	6.0	6.0	5.0	16.0

TABLE 6.15 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
PORTO NOVO-SANTANA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	43.0	23.0	33.0	26.0	33.0	31.0	43.0
2	30.0	22.0	25.0	22.0	28.0	31.0	33.0
3	30.0	20.0	21.0	22.0	25.0	22.0	33.0
4	29.0	19.0	19.0	22.0	21.0	20.0	31.0
5	29.0	19.0	18.0	22.0	20.0	20.0	31.0
6	27.0	17.0	16.0	20.0	19.0	16.0	29.0
7	27.0	17.0	15.0	20.0	19.0	16.0	29.0
8	27.0	16.0	15.0	19.0	19.0	15.0	28.0
9	26.0	15.0	15.0	18.0	18.0	15.0	27.0
10	22.0	14.0	14.0	17.0	16.0	14.0	27.0
11	21.0	13.0	13.0	16.0	16.0	14.0	26.0
12	21.0	12.0	12.0	16.0	15.0	14.0	26.0
13	21.0	12.0	12.0	16.0	15.0	13.0	25.0
14	16.0	11.0	12.0	15.0	14.0	13.0	25.0
15	16.0	10.0	11.0	14.0	14.0	12.0	22.0
16	15.0	10.0	11.0	13.0	12.0	12.0	22.0
17	15.0	9.0	11.0	12.0	11.0	12.0	22.0
18	14.0	9.0	11.0	12.0	11.0	12.0	21.0
19	14.0	9.0	10.0	12.0	10.0	11.0	21.0
20	14.0	8.0	10.0	10.0	10.0	10.0	20.0
21	13.0	8.0	9.0	10.0	10.0	10.0	20.0
22	13.0	8.0	9.0	9.0	10.0	10.0	20.0
23	12.0	8.0	8.0	9.0	9.0	9.0	19.0
24	11.0	7.0	7.0	9.0	9.0	9.0	19.0
25	11.0	7.0	6.0	8.0	9.0	8.0	18.0
26	10.0	6.0	6.0	8.0	8.0	8.0	17.0
27	9.0	6.0	6.0	8.0	8.0	8.0	17.0
28	8.0	5.0	6.0	7.0	7.0	7.0	16.0
29	7.0	5.0	5.0	7.0	7.0	4.0	15.0
30	6.0	4.0	3.0	7.0	7.0	4.0	12.0

TABLE 6.17 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SAO GONCALO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	41.0	35.0	36.0	40.0	32.0	31.0	41.0
2	35.0	29.0	30.0	32.0	32.0	29.0	40.0
3	31.0	21.0	24.0	28.0	31.0	29.0	36.0
4	29.0	19.0	19.0	27.0	24.0	26.0	35.0
5	28.0	19.0	18.0	22.0	22.0	24.0	35.0
6	25.0	13.0	16.0	22.0	22.0	20.0	32.0
7	24.0	12.0	14.0	20.0	21.0	19.0	32.0
8	24.0	12.0	13.0	19.0	19.0	18.0	31.0
9	24.0	11.0	13.0	18.0	18.0	15.0	31.0
10	23.0	10.0	12.0	17.0	18.0	15.0	30.0
11	21.0	10.0	11.0	17.0	18.0	14.0	29.0
12	21.0	10.0	9.0	17.0	17.0	13.0	29.0
13	17.0	10.0	9.0	16.0	16.0	13.0	28.0
14	16.0	10.0	9.0	15.0	13.0	12.0	27.0
15	14.0	10.0	9.0	15.0	12.0	12.0	25.0
16	13.0	9.0	9.0	15.0	12.0	11.0	24.0
17	13.0	9.0	8.0	14.0	11.0	11.0	22.0
18	13.0	9.0	8.0	13.0	11.0	10.0	22.0
19	12.0	8.0	7.0	12.0	11.0	10.0	18.0
20	10.0	8.0	7.0	12.0	10.0	9.0	18.0
21	8.0	7.0	6.0	11.0	10.0	8.0	17.0
22	8.0	6.0	6.0	9.0	10.0	8.0	17.0
23	7.0	6.0	5.0	8.0	10.0	7.0	15.0
24	7.0	4.0	3.0	6.0	8.0	7.0	13.0

TABLE 6.18 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SAO JOAO DO PIAUI

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	59.0	44.0	61.0	33.0	41.0	31.0	61.0
2	52.0	42.0	28.0	31.0	36.0	31.0	52.0
3	50.0	41.0	27.0	30.0	30.0	28.0	50.0
4	49.0	38.0	27.0	28.0	29.0	24.0	49.0
5	47.0	38.0	26.0	26.0	27.0	22.0	47.0
6	43.0	30.0	26.0	26.0	26.0	19.0	44.0
7	42.0	29.0	24.0	25.0	21.0	18.0	43.0
8	42.0	28.0	22.0	21.0	19.0	17.0	42.0
9	42.0	24.0	22.0	19.0	19.0	16.0	42.0
10	37.0	22.0	20.0	19.0	18.0	14.0	42.0
11	37.0	21.0	20.0	18.0	17.0	13.0	42.0
12	35.0	21.0	19.0	18.0	15.0	13.0	41.0
13	34.0	20.0	18.0	17.0	14.0	13.0	38.0
14	32.0	20.0	17.0	17.0	14.0	13.0	38.0
15	32.0	20.0	17.0	17.0	13.0	12.0	37.0
16	31.0	19.0	15.0	16.0	12.0	12.0	37.0
17	31.0	19.0	14.0	16.0	12.0	12.0	35.0
18	31.0	19.0	13.0	16.0	11.0	12.0	34.0
19	31.0	18.0	13.0	16.0	9.0	12.0	32.0
20	31.0	18.0	13.0	15.0	9.0	11.0	31.0
21	30.0	18.0	12.0	14.0	8.0	11.0	31.0
22	28.0	17.0	11.0	13.0	8.0	10.0	31.0
23	27.0	16.0	11.0	12.0	8.0	10.0	31.0
24	27.0	13.0	11.0	11.0	8.0	9.0	30.0
25	25.0	13.0	11.0	10.0	7.0	9.0	28.0
26	24.0	13.0	11.0	9.0	7.0	9.0	28.0
27	23.0	13.0	10.0	9.0	7.0	9.0	27.0
28	18.0	11.0	10.0	9.0	6.0	6.0	26.0
29	17.0	10.0	10.0	7.0	4.0	6.0	25.0
30	13.0	10.0	8.0	7.0	3.0	6.0	19.0

TABLE 6.19 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
STA MARIA DA VITORIA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	29.0	22.0	32.0	28.0	34.0	31.0	34.0
2	26.0	21.0	25.0	26.0	32.0	31.0	32.0
3	25.0	19.0	23.0	25.0	27.0	30.0	32.0
4	24.0	15.0	21.0	22.0	20.0	24.0	31.0
5	22.0	15.0	18.0	21.0	19.0	22.0	31.0
6	21.0	13.0	18.0	18.0	19.0	22.0	30.0
7	18.0	12.0	17.0	17.0	17.0	21.0	28.0
8	18.0	11.0	16.0	17.0	16.0	19.0	27.0
9	16.0	11.0	16.0	17.0	14.0	17.0	26.0
10	16.0	10.0	11.0	16.0	14.0	15.0	26.0
11	15.0	9.0	10.0	16.0	12.0	15.0	25.0
12	15.0	9.0	10.0	15.0	12.0	14.0	25.0
13	15.0	9.0	10.0	14.0	12.0	14.0	23.0
14	14.0	9.0	9.0	14.0	11.0	14.0	22.0
15	14.0	9.0	9.0	13.0	11.0	12.0	22.0
16	14.0	8.0	9.0	13.0	11.0	12.0	22.0
17	14.0	7.0	9.0	13.0	11.0	12.0	22.0
18	13.0	7.0	8.0	13.0	10.0	12.0	21.0
19	13.0	7.0	8.0	12.0	9.0	11.0	21.0
20	12.0	7.0	8.0	11.0	9.0	11.0	19.0
21	12.0	7.0	7.0	10.0	8.0	10.0	19.0
22	11.0	6.0	7.0	10.0	8.0	10.0	19.0
23	11.0	6.0	6.0	10.0	8.0	10.0	18.0
24	9.0	6.0	6.0	9.0	7.0	9.0	16.0
25	9.0	6.0	6.0	8.0	7.0	8.0	16.0
26	9.0	5.0	6.0	8.0	7.0	8.0	16.0
27	8.0	5.0	6.0	8.0	7.0	7.0	15.0
28	7.0	5.0	6.0	7.0	7.0	7.0	15.0
29	7.0	4.0	6.0	7.0	6.0	6.0	15.0
30	7.0	4.0	4.0	4.0	6.0	4.0	14.0

TABLE 6.20 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
TERRA ROXA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	23.0	22.0	23.0	17.0	19.0	16.0	23.0
2	23.0	19.0	12.0	16.0	18.0	15.0	23.0
3	21.0	17.0	12.0	14.0	17.0	15.0	23.0
4	18.0	13.0	12.0	13.0	15.0	14.0	21.0
5	16.0	12.0	11.0	13.0	11.0	14.0	19.0
6	15.0	12.0	11.0	13.0	11.0	13.0	18.0
7	15.0	11.0	10.0	12.0	11.0	12.0	18.0
8	15.0	10.0	10.0	9.0	10.0	11.0	17.0
9	15.0	10.0	10.0	8.0	10.0	11.0	17.0
10	14.0	10.0	8.0	8.0	10.0	11.0	17.0
11	14.0	9.0	8.0	8.0	9.0	11.0	16.0
12	13.0	9.0	8.0	8.0	9.0	10.0	15.0
13	13.0	9.0	7.0	8.0	8.0	10.0	15.0
14	12.0	9.0	7.0	8.0	8.0	9.0	15.0
15	12.0	9.0	6.0	7.0	8.0	8.0	15.0
16	11.0	8.0	6.0	7.0	7.0	8.0	14.0
17	11.0	8.0	6.0	7.0	7.0	7.0	13.0
18	11.0	8.0	5.0	6.0	7.0	7.0	13.0
19	11.0	8.0	5.0	6.0	7.0	6.0	13.0
20	11.0	8.0	5.0	6.0	6.0	6.0	13.0
21	9.0	7.0	5.0	6.0	6.0	6.0	13.0
22	9.0	7.0	5.0	6.0	6.0	6.0	12.0
23	8.0	7.0	5.0	5.0	5.0	6.0	12.0
24	8.0	7.0	5.0	5.0	4.0	6.0	12.0
25	7.0	7.0	5.0	4.0	4.0	5.0	11.0
26	7.0	6.0	4.0	3.0	3.0	5.0	11.0
27	7.0	6.0	4.0	3.0	3.0	4.0	10.0
28	7.0	6.0	3.0	2.0	3.0	4.0	9.0
29	6.0	4.0	3.0	2.0	2.0	4.0	9.0
30	6.0	3.0	3.0	1.0	2.0	3.0	9.0

TABLE 6.1/ MAXIMUM CONTINUOUS DAY WITHOUT RAIN
UNIAO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	53.0	42.0	32.0	27.0	28.0	31.0	53.0
2	49.0	37.0	26.0	20.0	21.0	13.0	49.0
3	46.0	33.0	22.0	15.0	16.0	10.0	46.0
4	39.0	32.0	21.0	14.0	14.0	8.0	42.0
5	39.0	31.0	21.0	14.0	13.0	7.0	39.0
6	35.0	30.0	20.0	13.0	13.0	7.0	39.0
7	32.0	29.0	19.0	13.0	12.0	6.0	37.0
8	31.0	29.0	18.0	13.0	10.0	6.0	35.0
9	30.0	29.0	18.0	12.0	10.0	5.0	33.0
10	30.0	27.0	17.0	12.0	8.0	5.0	32.0
11	27.0	24.0	15.0	12.0	8.0	5.0	32.0
12	27.0	24.0	14.0	11.0	7.0	5.0	32.0
13	27.0	22.0	14.0	11.0	7.0	5.0	31.0
14	24.0	22.0	14.0	10.0	7.0	5.0	31.0
15	22.0	21.0	14.0	9.0	7.0	5.0	31.0
16	21.0	21.0	13.0	9.0	6.0	5.0	30.0
17	21.0	20.0	13.0	9.0	6.0	4.0	30.0
18	21.0	20.0	13.0	9.0	6.0	4.0	29.0
19	21.0	18.0	13.0	9.0	6.0	4.0	28.0
20	21.0	18.0	12.0	9.0	5.0	4.0	27.0
21	20.0	17.0	12.0	8.0	5.0	4.0	27.0
22	19.0	16.0	12.0	8.0	5.0	4.0	24.0
23	19.0	16.0	12.0	7.0	5.0	4.0	22.0
24	18.0	16.0	10.0	6.0	5.0	4.0	22.0
25	17.0	15.0	10.0	6.0	5.0	4.0	21.0
26	16.0	15.0	10.0	6.0	5.0	4.0	21.0
27	16.0	13.0	10.0	6.0	4.0	4.0	21.0
28	16.0	13.0	10.0	6.0	3.0	3.0	20.0
29	14.0	11.0	9.0	5.0	3.0	3.0	19.0
30	12.0	7.0	7.0	3.0	3.0	2.0	16.0

TABLE 6.2/ MAXIMUM CONTINUOUS DAY WITHOUT RAIN
ARACUAI

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	44.0	25.0	31.0	31.0	39.0	31.0	44.0
2	37.0	22.0	31.0	26.0	31.0	26.0	39.0
3	35.0	19.0	26.0	24.0	28.0	22.0	37.0
4	33.0	14.0	23.0	24.0	23.0	21.0	35.0
5	33.0	13.0	22.0	23.0	22.0	19.0	33.0
6	29.0	13.0	19.0	23.0	21.0	19.0	33.0
7	25.0	13.0	18.0	20.0	21.0	18.0	31.0
8	24.0	12.0	18.0	18.0	20.0	17.0	31.0
9	23.0	12.0	18.0	18.0	20.0	17.0	31.0
10	19.0	11.0	17.0	16.0	19.0	16.0	31.0
11	16.0	10.0	14.0	16.0	19.0	14.0	29.0
12	15.0	10.0	14.0	15.0	18.0	14.0	28.0
13	14.0	9.0	12.0	14.0	17.0	13.0	26.0
14	14.0	9.0	12.0	14.0	17.0	11.0	26.0
15	13.0	9.0	11.0	14.0	16.0	11.0	25.0
16	12.0	9.0	11.0	14.0	16.0	11.0	24.0
17	12.0	8.0	10.0	13.0	16.0	10.0	24.0
18	12.0	8.0	10.0	12.0	16.0	10.0	23.0
19	10.0	8.0	10.0	11.0	15.0	9.0	22.0
20	9.0	8.0	8.0	10.0	13.0	9.0	21.0
21	9.0	7.0	8.0	10.0	12.0	9.0	21.0
22	8.0	7.0	8.0	10.0	12.0	9.0	19.0
23	8.0	6.0	8.0	8.0	9.0	8.0	19.0
24	7.0	6.0	7.0	6.0	9.0	8.0	18.0
25	7.0	6.0	6.0	6.0	8.0	7.0	18.0
26	7.0	6.0	6.0	5.0	6.0	7.0	17.0
27	6.0	5.0	5.0	5.0	4.0	4.0	12.0

TABLE 6.23 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
BAMBUI

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	16.0	15.0	13.0	21.0	20.0	28.0	28.0
2	16.0	13.0	12.0	21.0	19.0	14.0	21.0
3	15.0	12.0	10.0	17.0	18.0	14.0	21.0
4	14.0	11.0	10.0	16.0	17.0	13.0	20.0
5	14.0	11.0	9.0	12.0	16.0	13.0	19.0
6	13.0	10.0	8.0	11.0	12.0	12.0	18.0
7	13.0	9.0	7.0	11.0	11.0	11.0	17.0
8	13.0	8.0	7.0	11.0	11.0	11.0	16.0
9	12.0	8.0	7.0	10.0	11.0	11.0	16.0
10	10.0	8.0	7.0	10.0	10.0	9.0	16.0
11	10.0	7.0	6.0	8.0	10.0	9.0	16.0
12	10.0	7.0	6.0	8.0	9.0	9.0	15.0
13	9.0	7.0	6.0	7.0	9.0	8.0	14.0
14	9.0	7.0	6.0	6.0	9.0	8.0	14.0
15	9.0	6.0	6.0	6.0	9.0	8.0	14.0
16	9.0	6.0	6.0	6.0	8.0	8.0	13.0
17	8.0	6.0	5.0	6.0	7.0	7.0	13.0
18	8.0	6.0	5.0	6.0	7.0	6.0	12.0
19	8.0	6.0	5.0	6.0	6.0	6.0	12.0
20	8.0	5.0	5.0	6.0	6.0	6.0	12.0
21	7.0	5.0	5.0	5.0	6.0	5.0	11.0
22	7.0	5.0	4.0	4.0	5.0	5.0	11.0
23	6.0	5.0	4.0	4.0	5.0	5.0	10.0
24	6.0	5.0	4.0	4.0	5.0	4.0	10.0
25	6.0	4.0	4.0	3.0	5.0	4.0	10.0
26	6.0	3.0	3.0	3.0	4.0	4.0	9.0
27	6.0	3.0	3.0	3.0	4.0	4.0	9.0
28	5.0	3.0	3.0	3.0	4.0	3.0	9.0
29	4.0	2.0	2.0	3.0	3.0	3.0	9.0
30	3.0	2.0	2.0	2.0	2.0	1.0	8.0

TABLE 6.24 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CARMO DO PARANAIBA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	26.0	24.0	12.0	21.0	33.0	18.0	33.0
2	25.0	18.0	12.0	19.0	19.0	18.0	26.0
3	17.0	16.0	10.0	18.0	17.0	17.0	25.0
4	16.0	11.0	9.0	17.0	15.0	16.0	21.0
5	16.0	11.0	8.0	10.0	14.0	15.0	19.0
6	13.0	9.0	8.0	9.0	13.0	15.0	19.0
7	13.0	9.0	8.0	8.0	12.0	14.0	18.0
8	12.0	8.0	8.0	8.0	11.0	14.0	18.0
9	12.0	8.0	7.0	7.0	11.0	11.0	18.0
10	11.0	7.0	7.0	7.0	10.0	10.0	17.0
11	10.0	7.0	7.0	7.0	9.0	10.0	17.0
12	10.0	7.0	7.0	7.0	8.0	9.0	17.0
13	9.0	7.0	7.0	7.0	8.0	9.0	17.0
14	8.0	7.0	6.0	7.0	8.0	8.0	16.0
15	8.0	7.0	6.0	6.0	8.0	8.0	16.0
16	7.0	7.0	5.0	6.0	8.0	8.0	16.0
17	7.0	7.0	5.0	6.0	7.0	7.0	15.0
18	7.0	6.0	5.0	5.0	7.0	6.0	15.0
19	7.0	6.0	4.0	4.0	6.0	6.0	15.0
20	7.0	5.0	4.0	3.0	6.0	6.0	14.0
21	7.0	5.0	4.0	3.0	6.0	6.0	13.0
22	6.0	4.0	3.0	3.0	5.0	6.0	12.0
23	6.0	4.0	3.0	3.0	5.0	5.0	12.0
24	6.0	3.0	3.0	3.0	5.0	5.0	11.0
25	5.0	3.0	3.0	2.0	4.0	5.0	11.0
26	5.0	3.0	3.0	2.0	4.0	4.0	10.0
27	5.0	3.0	3.0	2.0	4.0	3.0	10.0
28	5.0	3.0	3.0	2.0	4.0	3.0	10.0
29	4.0	3.0	2.0	2.0	3.0	3.0	8.0
30	3.0	3.0	1.0	1.0	3.0	2.0	8.0

TABLE 6.25 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CURVELO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	28.0	20.0	13.0	36.0	29.0	31.0	36.0
2	22.0	17.0	13.0	36.0	24.0	31.0	36.0
3	22.0	14.0	13.0	32.0	22.0	31.0	32.0
4	21.0	14.0	11.0	32.0	20.0	31.0	32.0
5	21.0	12.0	11.0	26.0	19.0	31.0	31.0
6	19.0	11.0	11.0	21.0	18.0	31.0	31.0
7	18.0	10.0	10.0	18.0	17.0	31.0	31.0
8	17.0	10.0	9.0	17.0	16.0	30.0	31.0
9	14.0	10.0	9.0	17.0	15.0	23.0	31.0
10	12.0	10.0	8.0	16.0	14.0	20.0	31.0
11	12.0	9.0	8.0	15.0	13.0	19.0	30.0
12	11.0	9.0	8.0	13.0	13.0	15.0	29.0
13	11.0	9.0	7.0	12.0	11.0	15.0	28.0
14	11.0	9.0	7.0	12.0	11.0	13.0	23.0
15	11.0	9.0	7.0	12.0	11.0	12.0	22.0
16	10.0	9.0	7.0	11.0	10.0	10.0	22.0
17	10.0	9.0	7.0	10.0	10.0	10.0	21.0
18	10.0	7.0	6.0	8.0	9.0	10.0	21.0
19	9.0	7.0	6.0	8.0	8.0	9.0	20.0
20	7.0	7.0	5.0	7.0	7.0	9.0	19.0
21	7.0	7.0	5.0	7.0	7.0	9.0	18.0
22	7.0	7.0	5.0	7.0	7.0	8.0	17.0
23	7.0	7.0	5.0	6.0	6.0	8.0	15.0
24	7.0	6.0	4.0	6.0	6.0	8.0	14.0
25	7.0	6.0	4.0	5.0	5.0	8.0	13.0
26	6.0	5.0	4.0	5.0	5.0	7.0	13.0
27	6.0	5.0	4.0	4.0	5.0	6.0	12.0
28	6.0	5.0	3.0	4.0	4.0	5.0	11.0
29	5.0	4.0	3.0	3.0	3.0	4.0	10.0
30	5.0	4.0	2.0	3.0	3.0	4.0	9.0

TABLE 6.26 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
FAZENDA AJUDAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	27.0	39.0	18.0	38.0	21.0	23.0	39.0
2	26.0	27.0	15.0	24.0	21.0	18.0	38.0
3	25.0	18.0	15.0	19.0	20.0	18.0	27.0
4	23.0	17.0	13.0	19.0	19.0	16.0	26.0
5	21.0	16.0	13.0	19.0	18.0	15.0	25.0
6	21.0	14.0	12.0	15.0	17.0	13.0	23.0
7	16.0	13.0	9.0	12.0	17.0	13.0	21.0
8	15.0	11.0	9.0	11.0	16.0	12.0	21.0
9	15.0	11.0	8.0	11.0	12.0	12.0	21.0
10	14.0	10.0	8.0	10.0	12.0	11.0	21.0
11	14.0	10.0	7.0	9.0	12.0	11.0	20.0
12	13.0	9.0	7.0	8.0	11.0	11.0	19.0
13	13.0	8.0	7.0	8.0	11.0	8.0	19.0
14	12.0	8.0	6.0	8.0	11.0	8.0	19.0
15	12.0	7.0	6.0	7.0	10.0	8.0	19.0
16	12.0	7.0	6.0	7.0	10.0	8.0	18.0
17	11.0	7.0	6.0	7.0	9.0	8.0	18.0
18	10.0	7.0	6.0	6.0	8.0	8.0	18.0
19	9.0	6.0	6.0	6.0	8.0	7.0	16.0
20	9.0	6.0	6.0	5.0	7.0	7.0	16.0
21	8.0	6.0	6.0	5.0	7.0	7.0	15.0
22	8.0	6.0	5.0	5.0	7.0	7.0	15.0
23	8.0	5.0	5.0	5.0	6.0	6.0	14.0
24	8.0	5.0	4.0	4.0	5.0	5.0	12.0
25	8.0	5.0	4.0	4.0	5.0	5.0	12.0
26	7.0	5.0	4.0	4.0	4.0	4.0	12.0
27	6.0	4.0	3.0	4.0	4.0	4.0	11.0
28	6.0	4.0	3.0	3.0	3.0	4.0	11.0
29	6.0	3.0	3.0	3.0	3.0	2.0	11.0
30	5.0	3.0	3.0	2.0	1.0	1.0	10.0

TABLE 6.27 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
FRUTAL

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	37.0	31.0	18.0	13.0	10.0	12.0	37.0
2	32.0	12.0	10.0	13.0	10.0	12.0	32.0
3	31.0	12.0	10.0	12.0	10.0	12.0	31.0
4	22.0	10.0	9.0	11.0	9.0	11.0	31.0
5	16.0	10.0	9.0	9.0	8.0	10.0	22.0
6	14.0	10.0	8.0	8.0	7.0	10.0	16.0
7	14.0	9.0	8.0	8.0	7.0	10.0	14.0
8	14.0	9.0	8.0	8.0	6.0	9.0	14.0
9	13.0	9.0	8.0	8.0	6.0	9.0	14.0
10	13.0	8.0	7.0	8.0	6.0	9.0	13.0
11	12.0	8.0	7.0	7.0	6.0	9.0	13.0
12	11.0	8.0	6.0	7.0	6.0	9.0	13.0
13	11.0	8.0	6.0	6.0	6.0	8.0	12.0
14	11.0	8.0	6.0	6.0	5.0	8.0	12.0
15	10.0	7.0	6.0	6.0	5.0	8.0	12.0
16	10.0	7.0	5.0	6.0	5.0	8.0	12.0
17	9.0	7.0	5.0	5.0	5.0	7.0	12.0
18	9.0	6.0	5.0	5.0	5.0	7.0	11.0
19	9.0	6.0	5.0	4.0	5.0	6.0	11.0
20	9.0	6.0	5.0	4.0	5.0	6.0	11.0
21	9.0	6.0	5.0	4.0	5.0	6.0	10.0
22	8.0	6.0	5.0	4.0	5.0	6.0	10.0
23	8.0	6.0	5.0	4.0	4.0	5.0	10.0
24	8.0	6.0	5.0	4.0	4.0	4.0	10.0
25	8.0	6.0	4.0	4.0	4.0	4.0	10.0
26	7.0	6.0	4.0	4.0	4.0	4.0	9.0
27	6.0	5.0	4.0	3.0	3.0	4.0	9.0
28	6.0	5.0	4.0	3.0	3.0	4.0	9.0
29	6.0	5.0	4.0	3.0	3.0	4.0	8.0
30	6.0	3.0	4.0	2.0	3.0	4.0	7.0

TABLE 6.28 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
INHUMAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	18.0	14.0	10.0	13.0	13.0	18.0	18.0
2	18.0	12.0	8.0	9.0	10.0	14.0	18.0
3	15.0	12.0	7.0	6.0	9.0	12.0	15.0
4	14.0	11.0	7.0	6.0	8.0	11.0	14.0
5	13.0	10.0	6.0	6.0	8.0	10.0	14.0
6	13.0	8.0	5.0	6.0	8.0	10.0	13.0
7	13.0	8.0	5.0	6.0	7.0	8.0	13.0
8	12.0	8.0	5.0	5.0	6.0	8.0	13.0
9	11.0	8.0	5.0	5.0	6.0	7.0	13.0
10	11.0	6.0	5.0	5.0	6.0	7.0	13.0
11	10.0	5.0	5.0	5.0	6.0	7.0	12.0
12	10.0	5.0	4.0	5.0	5.0	7.0	12.0
13	9.0	5.0	4.0	4.0	5.0	7.0	12.0
14	9.0	5.0	4.0	4.0	5.0	7.0	11.0
15	8.0	5.0	4.0	4.0	5.0	7.0	10.0
16	8.0	4.0	4.0	4.0	5.0	6.0	10.0
17	7.0	4.0	4.0	4.0	4.0	5.0	9.0
18	7.0	4.0	4.0	4.0	4.0	5.0	9.0
19	7.0	4.0	4.0	4.0	4.0	5.0	8.0
20	6.0	4.0	3.0	3.0	4.0	4.0	8.0
21	6.0	4.0	3.0	3.0	4.0	4.0	8.0
22	6.0	4.0	3.0	3.0	4.0	4.0	8.0
23	5.0	3.0	3.0	3.0	3.0	4.0	8.0
24	5.0	3.0	3.0	3.0	3.0	3.0	7.0
25	5.0	3.0	3.0	3.0	3.0	3.0	7.0
26	4.0	3.0	3.0	3.0	3.0	3.0	7.0
27	4.0	3.0	3.0	3.0	2.0	3.0	7.0
28	4.0	3.0	3.0	2.0	2.0	3.0	6.0
29	3.0	3.0	2.0	2.0	2.0	2.0	6.0
30	3.0	2.0	1.0	2.0	2.0	2.0	6.0

TABLE 6.9 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
ITAMARANDIBA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	35.0	26.0	22.0	48.0	31.0	31.0	48.0
2	27.0	22.0	21.0	31.0	28.0	28.0	35.0
3	27.0	20.0	18.0	29.0	22.0	26.0	31.0
4	24.0	19.0	16.0	29.0	20.0	24.0	31.0
5	23.0	16.0	16.0	21.0	19.0	21.0	28.0
6	21.0	10.0	14.0	19.0	19.0	21.0	28.0
7	21.0	10.0	13.0	18.0	19.0	21.0	28.0
8	20.0	9.0	13.0	18.0	16.0	19.0	27.0
9	19.0	9.0	10.0	17.0	16.0	17.0	27.0
10	14.0	9.0	10.0	15.0	16.0	16.0	26.0
11	14.0	8.0	9.0	13.0	15.0	14.0	24.0
12	14.0	8.0	9.0	13.0	13.0	14.0	24.0
13	12.0	8.0	9.0	13.0	12.0	13.0	22.0
14	12.0	7.0	9.0	13.0	11.0	13.0	22.0
15	11.0	7.0	8.0	12.0	11.0	13.0	21.0
16	10.0	7.0	8.0	12.0	9.0	13.0	21.0
17	10.0	7.0	8.0	12.0	9.0	12.0	21.0
18	10.0	7.0	7.0	10.0	9.0	12.0	21.0
19	10.0	6.0	7.0	10.0	9.0	9.0	21.0
20	9.0	6.0	7.0	9.0	9.0	9.0	20.0
21	8.0	6.0	6.0	9.0	9.0	8.0	19.0
22	8.0	6.0	6.0	9.0	8.0	7.0	19.0
23	8.0	5.0	6.0	7.0	8.0	7.0	19.0
24	8.0	5.0	6.0	7.0	8.0	7.0	17.0
25	8.0	5.0	6.0	6.0	7.0	7.0	16.0
26	8.0	5.0	5.0	5.0	7.0	6.0	16.0
27	7.0	4.0	5.0	5.0	6.0	5.0	13.0
28	7.0	4.0	4.0	5.0	5.0	5.0	10.0
29	6.0	3.0	4.0	4.0	4.0	4.0	10.0
30	6.0	2.0	1.0	3.0	2.0	3.0	9.0

TABLE 6.30 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
JABOTICATUBAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	22.0	17.0	15.0	23.0	29.0	18.0	29.0
2	20.0	16.0	14.0	20.0	21.0	18.0	23.0
3	18.0	15.0	13.0	20.0	21.0	18.0	22.0
4	17.0	12.0	13.0	18.0	21.0	17.0	21.0
5	17.0	10.0	11.0	16.0	20.0	16.0	21.0
6	14.0	10.0	10.0	15.0	19.0	15.0	21.0
7	14.0	10.0	9.0	14.0	19.0	12.0	20.0
8	13.0	9.0	8.0	13.0	19.0	12.0	20.0
9	13.0	9.0	8.0	12.0	17.0	12.0	20.0
10	13.0	8.0	7.0	12.0	17.0	11.0	19.0
11	12.0	7.0	7.0	11.0	15.0	10.0	19.0
12	11.0	7.0	7.0	11.0	15.0	10.0	18.0
13	11.0	7.0	7.0	9.0	13.0	10.0	18.0
14	11.0	7.0	6.0	9.0	12.0	9.0	17.0
15	10.0	7.0	6.0	8.0	12.0	9.0	17.0
16	10.0	7.0	6.0	8.0	11.0	9.0	17.0
17	9.0	6.0	6.0	8.0	11.0	8.0	16.0
18	9.0	6.0	5.0	7.0	11.0	8.0	16.0
19	9.0	6.0	5.0	7.0	9.0	8.0	15.0
20	9.0	6.0	5.0	6.0	9.0	7.0	14.0
21	9.0	5.0	4.0	5.0	7.0	7.0	13.0
22	8.0	5.0	4.0	5.0	7.0	7.0	13.0
23	8.0	4.0	4.0	5.0	7.0	6.0	12.0
24	7.0	4.0	4.0	5.0	7.0	5.0	12.0
25	6.0	4.0	4.0	4.0	7.0	5.0	11.0
26	5.0	4.0	4.0	4.0	7.0	5.0	11.0
27	4.0	3.0	3.0	3.0	6.0	5.0	10.0
28	4.0	3.0	3.0	3.0	6.0	4.0	10.0
29	4.0	2.0	3.0	2.0	5.0	4.0	9.0
30	4.0	2.0	3.0	2.0	5.0	3.0	9.0

TABLE 6.3/ MAXIMUM CONTINUOUS DAY WITHOUT RAIN
JEQUITINHONHA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	42.0	30.0	30.0	36.0	26.0	31.0	42.0
2	37.0	29.0	29.0	33.0	24.0	25.0	37.0
3	35.0	29.0	27.0	31.0	23.0	22.0	36.0
4	29.0	18.0	23.0	30.0	23.0	22.0	35.0
5	24.0	17.0	23.0	27.0	22.0	22.0	33.0
6	23.0	16.0	23.0	27.0	21.0	21.0	31.0
7	19.0	15.0	20.0	23.0	20.0	17.0	31.0
8	18.0	14.0	19.0	22.0	20.0	14.0	30.0
9	17.0	13.0	18.0	21.0	20.0	13.0	30.0
10	17.0	13.0	18.0	19.0	19.0	12.0	29.0
11	16.0	11.0	17.0	19.0	19.0	12.0	27.0
12	14.0	11.0	17.0	18.0	16.0	12.0	27.0
13	14.0	11.0	16.0	17.0	15.0	11.0	25.0
14	14.0	11.0	15.0	17.0	14.0	11.0	24.0
15	12.0	11.0	13.0	16.0	14.0	10.0	23.0
16	12.0	11.0	13.0	16.0	13.0	10.0	23.0
17	11.0	10.0	13.0	14.0	13.0	10.0	23.0
18	11.0	10.0	12.0	13.0	12.0	10.0	23.0
19	10.0	10.0	12.0	12.0	11.0	10.0	22.0
20	10.0	10.0	11.0	11.0	11.0	10.0	22.0
21	10.0	10.0	10.0	11.0	10.0	10.0	20.0
22	9.0	10.0	10.0	10.0	10.0	9.0	19.0
23	9.0	8.0	10.0	9.0	9.0	9.0	18.0
24	8.0	7.0	9.0	9.0	8.0	9.0	18.0
25	8.0	6.0	7.0	8.0	8.0	8.0	17.0
26	8.0	6.0	7.0	7.0	6.0	7.0	17.0
27	8.0	6.0	7.0	7.0	6.0	7.0	15.0
28	8.0	5.0	7.0	7.0	5.0	6.0	14.0
29	8.0	4.0	6.0	6.0	4.0	6.0	14.0
30	4.0	3.0	5.0	5.0	2.0	5.0	12.0

TABLE 6.32 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
JUPIA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	20.0	32.0	17.0	16.0	22.0	23.0	32.0
2	19.0	23.0	14.0	15.0	19.0	19.0	23.0
3	19.0	22.0	13.0	12.0	15.0	17.0	23.0
4	18.0	20.0	12.0	12.0	12.0	17.0	22.0
5	15.0	20.0	12.0	12.0	12.0	14.0	22.0
6	14.0	16.0	11.0	10.0	11.0	13.0	20.0
7	13.0	16.0	11.0	10.0	10.0	12.0	20.0
8	12.0	15.0	11.0	9.0	9.0	12.0	19.0
9	12.0	14.0	11.0	9.0	9.0	11.0	19.0
10	12.0	14.0	10.0	8.0	8.0	11.0	19.0
11	12.0	12.0	10.0	7.0	7.0	10.0	18.0
12	11.0	11.0	10.0	7.0	8.0	10.0	17.0
13	11.0	11.0	9.0	7.0	8.0	10.0	16.0
14	10.0	10.0	9.0	6.0	7.0	10.0	16.0
15	9.0	10.0	9.0	6.0	7.0	9.0	15.0
16	9.0	9.0	9.0	6.0	6.0	8.0	14.0
17	9.0	9.0	9.0	6.0	6.0	8.0	14.0
18	8.0	7.0	8.0	6.0	6.0	8.0	13.0
19	8.0	7.0	8.0	6.0	6.0	7.0	13.0
20	7.0	7.0	8.0	5.0	6.0	7.0	12.0
21	7.0	7.0	8.0	5.0	6.0	6.0	12.0
22	7.0	7.0	6.0	5.0	5.0	6.0	12.0
23	7.0	7.0	6.0	5.0	5.0	6.0	11.0
24	6.0	7.0	5.0	5.0	5.0	6.0	11.0
25	6.0	7.0	5.0	4.0	4.0	6.0	10.0
26	5.0	7.0	5.0	4.0	4.0	5.0	9.0
27	5.0	4.0	3.0	4.0	3.0	5.0	7.0

TABLE 6.33 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
LUSSANVIRA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	21.0	36.0	26.0	33.0	34.0	31.0	36.0
2	18.0	21.0	20.0	23.0	28.0	27.0	34.0
3	18.0	20.0	15.0	19.0	15.0	22.0	33.0
4	17.0	20.0	14.0	17.0	14.0	18.0	31.0
5	16.0	18.0	12.0	14.0	13.0	16.0	22.0
6	15.0	14.0	12.0	10.0	12.0	15.0	21.0
7	14.0	14.0	11.0	10.0	12.0	15.0	21.0
8	13.0	13.0	11.0	10.0	12.0	14.0	20.0
9	13.0	12.0	11.0	10.0	11.0	14.0	20.0
10	13.0	12.0	11.0	9.0	10.0	14.0	20.0
11	12.0	11.0	10.0	9.0	10.0	13.0	19.0
12	12.0	11.0	9.0	9.0	9.0	13.0	18.0
13	11.0	11.0	9.0	9.0	8.0	12.0	18.0
14	10.0	10.0	9.0	9.0	8.0	12.0	17.0
15	10.0	10.0	9.0	9.0	8.0	12.0	16.0
16	10.0	10.0	9.0	8.0	8.0	10.0	16.0
17	10.0	9.0	7.0	8.0	8.0	9.0	15.0
18	10.0	8.0	7.0	8.0	7.0	9.0	15.0
19	10.0	8.0	7.0	7.0	7.0	9.0	14.0
20	9.0	8.0	7.0	7.0	7.0	9.0	14.0
21	9.0	8.0	7.0	7.0	7.0	9.0	14.0
22	8.0	8.0	7.0	6.0	7.0	8.0	14.0
23	8.0	8.0	6.0	6.0	7.0	8.0	13.0
24	8.0	8.0	6.0	6.0	6.0	8.0	12.0
25	7.0	7.0	5.0	6.0	6.0	7.0	12.0
26	7.0	7.0	5.0	6.0	6.0	7.0	12.0
27	7.0	7.0	5.0	5.0	5.0	7.0	10.0
28	6.0	6.0	5.0	4.0	5.0	6.0	9.0
29	6.0	6.0	4.0	4.0	4.0	5.0	9.0
30	6.0	5.0	4.0	3.0	3.0	4.0	8.0

TABLE 6.34 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
MENDANHA-MONTANTE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	29.0	27.0	28.0	48.0	25.0	31.0	48.0
2	27.0	19.0	22.0	20.0	23.0	31.0	31.0
3	24.0	18.0	19.0	20.0	22.0	31.0	31.0
4	22.0	16.0	15.0	18.0	20.0	31.0	31.0
5	20.0	16.0	14.0	18.0	20.0	25.0	31.0
6	20.0	15.0	13.0	17.0	20.0	20.0	28.0
7	20.0	14.0	13.0	16.0	19.0	20.0	27.0
8	19.0	11.0	12.0	15.0	19.0	19.0	25.0
9	18.0	10.0	12.0	14.0	18.0	19.0	25.0
10	18.0	10.0	11.0	13.0	18.0	19.0	24.0
11	18.0	10.0	11.0	13.0	17.0	18.0	23.0
12	16.0	10.0	11.0	13.0	17.0	18.0	22.0
13	15.0	10.0	10.0	11.0	16.0	18.0	22.0
14	14.0	10.0	9.0	10.0	16.0	15.0	20.0
15	12.0	9.0	9.0	10.0	14.0	14.0	20.0
16	12.0	9.0	9.0	10.0	14.0	14.0	20.0
17	11.0	7.0	8.0	10.0	13.0	13.0	18.0
18	10.0	7.0	7.0	9.0	13.0	12.0	18.0
19	10.0	6.0	7.0	9.0	11.0	12.0	18.0
20	9.0	6.0	7.0	8.0	11.0	8.0	18.0
21	9.0	5.0	7.0	7.0	11.0	8.0	18.0
22	9.0	5.0	6.0	7.0	11.0	8.0	17.0
23	9.0	4.0	6.0	7.0	11.0	8.0	16.0
24	8.0	4.0	6.0	4.0	11.0	7.0	16.0
25	8.0	4.0	6.0	4.0	9.0	7.0	14.0
26	8.0	3.0	5.0	4.0	9.0	7.0	14.0
27	7.0	3.0	5.0	3.0	7.0	7.0	13.0
28	6.0	3.0	4.0	3.0	7.0	7.0	12.0
29	6.0	3.0	3.0	3.0	6.0	6.0	11.0
30	5.0	2.0	2.0	1.0	6.0	3.0	9.0

TABLE 6.35 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
MINAS NOVAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	40.0	40.0	28.0	43.0	34.0	31.0	43.0
2	32.0	15.0	27.0	38.0	31.0	31.0	40.0
3	31.0	14.0	24.0	36.0	30.0	31.0	40.0
4	29.0	13.0	22.0	33.0	28.0	26.0	38.0
5	27.0	12.0	21.0	32.0	26.0	24.0	36.0
6	26.0	12.0	19.0	29.0	26.0	24.0	34.0
7	25.0	12.0	18.0	27.0	24.0	21.0	33.0
8	24.0	11.0	18.0	24.0	24.0	21.0	32.0
9	22.0	11.0	17.0	20.0	21.0	20.0	32.0
10	18.0	10.0	17.0	19.0	21.0	20.0	31.0
11	16.0	10.0	16.0	18.0	19.0	19.0	31.0
12	15.0	9.0	14.0	18.0	19.0	18.0	30.0
13	14.0	8.0	14.0	18.0	18.0	14.0	29.0
14	14.0	8.0	11.0	17.0	17.0	13.0	27.0
15	12.0	8.0	10.0	16.0	15.0	13.0	27.0
16	11.0	8.0	10.0	16.0	14.0	13.0	24.0
17	11.0	7.0	10.0	15.0	13.0	11.0	24.0
18	10.0	7.0	9.0	15.0	13.0	11.0	24.0
19	9.0	6.0	9.0	14.0	12.0	10.0	24.0
20	8.0	6.0	8.0	14.0	11.0	10.0	22.0
21	8.0	6.0	7.0	14.0	11.0	9.0	21.0
22	8.0	6.0	6.0	12.0	10.0	9.0	19.0
23	8.0	5.0	6.0	10.0	7.0	9.0	19.0
24	7.0	4.0	5.0	7.0	6.0	9.0	19.0
25	6.0	4.0	4.0	7.0	6.0	9.0	15.0
26	6.0	4.0	4.0	6.0	6.0	8.0	15.0
27	6.0	2.0	3.0	5.0	6.0	7.0	12.0

TABLE 6.36 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
MONTE CARMELO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	25.0	18.0	21.0	20.0	18.0	21.0	25.0
2	24.0	13.0	16.0	15.0	15.0	20.0	24.0
3	21.0	13.0	15.0	14.0	15.0	18.0	21.0
4	20.0	13.0	13.0	14.0	14.0	17.0	21.0
5	19.0	12.0	13.0	13.0	14.0	17.0	21.0
6	18.0	12.0	9.0	13.0	14.0	15.0	20.0
7	17.0	11.0	8.0	13.0	12.0	14.0	20.0
8	16.0	11.0	8.0	11.0	12.0	13.0	20.0
9	15.0	10.0	8.0	10.0	11.0	12.0	19.0
10	10.0	10.0	7.0	10.0	11.0	11.0	18.0
11	10.0	9.0	7.0	9.0	11.0	11.0	18.0
12	10.0	9.0	7.0	9.0	10.0	11.0	17.0
13	10.0	9.0	6.0	9.0	10.0	10.0	17.0
14	10.0	8.0	6.0	9.0	9.0	9.0	16.0
15	9.0	8.0	6.0	7.0	9.0	9.0	15.0
16	9.0	7.0	6.0	7.0	8.0	8.0	15.0
17	8.0	6.0	5.0	6.0	8.0	8.0	15.0
18	8.0	6.0	5.0	6.0	8.0	8.0	14.0
19	7.0	6.0	5.0	6.0	8.0	8.0	13.0
20	7.0	6.0	5.0	5.0	7.0	7.0	13.0
21	6.0	6.0	4.0	5.0	7.0	7.0	12.0
22	6.0	5.0	4.0	5.0	6.0	7.0	12.0
23	6.0	4.0	4.0	4.0	6.0	6.0	12.0
24	6.0	4.0	4.0	4.0	6.0	6.0	11.0
25	5.0	4.0	4.0	3.0	5.0	4.0	11.0
26	5.0	3.0	2.0	3.0	4.0	3.0	11.0
27	5.0	3.0	2.0	3.0	4.0	3.0	10.0
28	5.0	3.0	2.0	3.0	3.0	3.0	10.0
29	4.0	3.0	1.0	2.0	3.0	2.0	9.0
30	4.0	2.0	1.0	1.0	2.0	2.0	9.0

TABLE 6.37 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
PONTE DO LICINIO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	41.0	21.0	25.0	28.0	43.0	31.0	43.0
2	27.0	16.0	14.0	25.0	26.0	19.0	41.0
3	22.0	13.0	14.0	24.0	25.0	19.0	31.0
4	21.0	13.0	13.0	23.0	22.0	19.0	28.0
5	20.0	13.0	13.0	22.0	22.0	19.0	27.0
6	19.0	12.0	11.0	21.0	21.0	18.0	25.0
7	17.0	12.0	10.0	19.0	19.0	18.0	25.0
8	17.0	11.0	10.0	17.0	16.0	17.0	25.0
9	17.0	11.0	10.0	17.0	15.0	16.0	24.0
10	16.0	11.0	10.0	17.0	15.0	14.0	23.0
11	15.0	11.0	9.0	15.0	14.0	14.0	22.0
12	14.0	11.0	9.0	15.0	14.0	13.0	22.0
13	14.0	11.0	9.0	15.0	13.0	12.0	22.0
14	14.0	11.0	8.0	14.0	13.0	12.0	21.0
15	11.0	10.0	8.0	13.0	13.0	11.0	21.0
16	10.0	10.0	7.0	12.0	13.0	11.0	20.0
17	10.0	9.0	7.0	12.0	10.0	11.0	19.0
18	9.0	9.0	7.0	12.0	9.0	11.0	19.0
19	9.0	8.0	6.0	10.0	8.0	10.0	17.0
20	9.0	7.0	6.0	10.0	8.0	10.0	17.0
21	9.0	7.0	6.0	9.0	8.0	9.0	17.0
22	8.0	7.0	6.0	9.0	8.0	9.0	16.0
23	8.0	6.0	5.0	8.0	7.0	8.0	16.0
24	8.0	6.0	5.0	8.0	7.0	7.0	15.0
25	8.0	6.0	3.0	8.0	7.0	6.0	15.0
26	7.0	5.0	3.0	7.0	6.0	6.0	14.0
27	6.0	5.0	3.0	6.0	5.0	6.0	14.0
28	6.0	4.0	3.0	4.0	5.0	5.0	13.0
29	6.0	3.0	2.0	4.0	5.0	5.0	11.0
30	5.0	3.0	1.0	4.0	3.0	4.0	10.0

5

TABLE 6.38 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
RIO PIRACICABA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	27.0	19.0	25.0	32.0	43.0	27.0	43.0
2	25.0	16.0	20.0	31.0	28.0	20.0	32.0
3	19.0	12.0	18.0	29.0	24.0	19.0	31.0
4	16.0	10.0	15.0	23.0	23.0	18.0	29.0
5	15.0	10.0	14.0	20.0	20.0	17.0	27.0
6	13.0	9.0	14.0	20.0	20.0	15.0	27.0
7	13.0	8.0	11.0	16.0	19.0	13.0	25.0
8	13.0	8.0	11.0	16.0	19.0	13.0	25.0
9	11.0	7.0	11.0	14.0	15.0	12.0	23.0
10	11.0	7.0	10.0	13.0	14.0	12.0	23.0
11	11.0	7.0	7.0	12.0	14.0	12.0	20.0
12	10.0	6.0	7.0	12.0	12.0	12.0	20.0
13	10.0	6.0	7.0	11.0	12.0	11.0	20.0
14	9.0	6.0	6.0	9.0	12.0	11.0	19.0
15	8.0	6.0	6.0	9.0	11.0	10.0	19.0
16	8.0	6.0	6.0	9.0	10.0	10.0	19.0
17	8.0	6.0	5.0	8.0	9.0	8.0	18.0
18	8.0	6.0	5.0	7.0	9.0	8.0	16.0
19	8.0	5.0	5.0	7.0	9.0	7.0	14.0
20	8.0	5.0	5.0	6.0	8.0	7.0	13.0
21	7.0	5.0	5.0	6.0	8.0	7.0	13.0
22	7.0	4.0	5.0	6.0	8.0	7.0	12.0
23	7.0	4.0	5.0	6.0	7.0	6.0	12.0
24	6.0	4.0	5.0	5.0	7.0	6.0	12.0
25	6.0	4.0	4.0	5.0	6.0	5.0	12.0
26	6.0	4.0	4.0	4.0	6.0	5.0	12.0
27	5.0	3.0	4.0	4.0	5.0	5.0	10.0
28	4.0	3.0	4.0	4.0	5.0	5.0	8.0
29	4.0	2.0	4.0	3.0	4.0	5.0	8.0
30	4.0	2.0	3.0	3.0	4.0	4.0	7.0

TABLE 6.39 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SANTANA DO JACARE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	25.0	19.0	19.0	23.0	32.0	30.0	32.0
2	23.0	17.0	16.0	22.0	32.0	16.0	32.0
3	22.0	10.0	13.0	12.0	16.0	16.0	30.0
4	18.0	10.0	12.0	12.0	15.0	16.0	25.0
5	18.0	10.0	12.0	12.0	13.0	16.0	23.0
6	16.0	10.0	11.0	11.0	12.0	15.0	22.0
7	16.0	9.0	11.0	10.0	12.0	14.0	22.0
8	15.0	9.0	9.0	9.0	11.0	14.0	19.0
9	15.0	9.0	9.0	9.0	11.0	12.0	19.0
10	15.0	8.0	8.0	8.0	11.0	11.0	18.0
11	13.0	8.0	7.0	7.0	10.0	11.0	16.0
12	12.0	8.0	7.0	7.0	10.0	10.0	16.0
13	12.0	8.0	7.0	7.0	10.0	10.0	16.0
14	12.0	8.0	7.0	7.0	9.0	9.0	16.0
15	11.0	8.0	7.0	6.0	9.0	8.0	16.0
16	11.0	7.0	6.0	5.0	9.0	8.0	15.0
17	10.0	7.0	6.0	5.0	8.0	8.0	15.0
18	10.0	7.0	6.0	5.0	8.0	7.0	13.0
19	9.0	7.0	5.0	5.0	8.0	7.0	13.0
20	8.0	6.0	5.0	5.0	8.0	7.0	12.0
21	8.0	6.0	4.0	4.0	8.0	7.0	12.0
22	8.0	6.0	4.0	4.0	7.0	7.0	12.0
23	8.0	5.0	4.0	4.0	6.0	6.0	12.0
24	8.0	5.0	4.0	4.0	5.0	6.0	12.0
25	7.0	5.0	4.0	4.0	5.0	6.0	11.0
26	7.0	4.0	3.0	4.0	5.0	5.0	11.0
27	5.0	4.0	3.0	2.0	4.0	4.0	11.0
28	4.0	4.0	3.0	2.0	4.0	4.0	10.0
29	4.0	4.0	2.0	2.0	3.0	4.0	10.0
30	4.0	3.0	2.0	1.0	3.0	4.0	9.0

TABLE 6.40 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
STA MARIA DE ITABIRA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	26.0	17.0	26.0	36.0	32.0	27.0	36.0
2	25.0	16.0	19.0	31.0	28.0	25.0	32.0
3	20.0	14.0	17.0	21.0	24.0	24.0	31.0
4	19.0	12.0	17.0	20.0	22.0	17.0	28.0
5	17.0	11.0	15.0	18.0	21.0	15.0	26.0
6	16.0	11.0	12.0	16.0	20.0	15.0	26.0
7	14.0	10.0	11.0	15.0	19.0	14.0	25.0
8	12.0	10.0	10.0	14.0	18.0	13.0	24.0
9	12.0	10.0	10.0	13.0	18.0	13.0	22.0
10	11.0	9.0	9.0	13.0	17.0	12.0	21.0
11	11.0	9.0	9.0	13.0	15.0	11.0	21.0
12	11.0	8.0	8.0	12.0	14.0	11.0	20.0
13	10.0	8.0	7.0	11.0	14.0	10.0	19.0
14	10.0	8.0	7.0	11.0	13.0	9.0	19.0
15	10.0	7.0	6.0	9.0	12.0	8.0	18.0
16	9.0	7.0	6.0	8.0	12.0	8.0	18.0
17	9.0	6.0	6.0	8.0	12.0	7.0	17.0
18	9.0	6.0	6.0	8.0	11.0	7.0	17.0
19	9.0	6.0	6.0	7.0	11.0	7.0	16.0
20	9.0	6.0	6.0	7.0	11.0	7.0	16.0
21	8.0	5.0	6.0	6.0	10.0	6.0	15.0
22	8.0	5.0	5.0	6.0	9.0	6.0	15.0
23	8.0	5.0	5.0	5.0	9.0	6.0	14.0
24	8.0	5.0	5.0	5.0	7.0	5.0	13.0
25	7.0	4.0	5.0	5.0	7.0	5.0	12.0
26	5.0	4.0	4.0	4.0	6.0	5.0	11.0
27	5.0	4.0	4.0	4.0	6.0	5.0	11.0
28	5.0	4.0	3.0	2.0	6.0	4.0	10.0
29	5.0	4.0	3.0	1.0	5.0	4.0	10.0
30	4.0	3.0	3.0	1.0	4.0	3.0	9.0

TABLE 6. 4/2 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
VESPASIANO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	26.0	16.0	19.0	31.0	38.0	31.0	38.0
2	21.0	13.0	17.0	26.0	38.0	22.0	38.0
3	19.0	13.0	13.0	19.0	33.0	20.0	33.0
4	19.0	12.0	10.0	19.0	24.0	20.0	31.0
5	18.0	11.0	10.0	16.0	23.0	20.0	31.0
6	17.0	10.0	10.0	15.0	20.0	17.0	26.0
7	17.0	10.0	9.0	15.0	19.0	17.0	24.0
8	14.0	9.0	9.0	12.0	19.0	17.0	23.0
9	13.0	9.0	9.0	12.0	18.0	15.0	21.0
10	13.0	8.0	8.0	12.0	18.0	14.0	20.0
11	13.0	8.0	7.0	12.0	17.0	14.0	20.0
12	12.0	8.0	7.0	11.0	15.0	12.0	19.0
13	11.0	8.0	7.0	10.0	15.0	12.0	19.0
14	10.0	8.0	7.0	10.0	13.0	11.0	19.0
15	10.0	8.0	7.0	9.0	13.0	11.0	19.0
16	9.0	7.0	6.0	8.0	13.0	11.0	19.0
17	9.0	7.0	6.0	8.0	12.0	11.0	18.0
18	8.0	7.0	6.0	8.0	11.0	8.0	17.0
19	8.0	7.0	6.0	8.0	11.0	8.0	17.0
20	8.0	7.0	6.0	8.0	11.0	7.0	14.0
21	7.0	6.0	6.0	7.0	11.0	7.0	13.0
22	7.0	6.0	5.0	6.0	10.0	6.0	13.0
23	7.0	6.0	5.0	6.0	9.0	6.0	13.0
24	7.0	4.0	5.0	5.0	8.0	6.0	13.0
25	7.0	4.0	4.0	5.0	8.0	6.0	12.0
26	6.0	4.0	4.0	3.0	7.0	5.0	12.0
27	6.0	4.0	4.0	3.0	6.0	5.0	12.0
28	5.0	4.0	4.0	2.0	5.0	5.0	12.0
29	4.0	3.0	3.0	2.0	5.0	5.0	10.0
30	4.0	3.0	2.0	2.0	4.0	3.0	8.0

5

TABLE 6. 4/2 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
AMARANTE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	48.0	52.0	25.0	17.0	24.0	18.0	52.0
2	42.0	39.0	22.0	14.0	20.0	13.0	48.0
3	40.0	37.0	22.0	14.0	20.0	10.0	42.0
4	35.0	31.0	18.0	14.0	17.0	10.0	40.0
5	31.0	28.0	16.0	13.0	14.0	9.0	39.0
6	31.0	24.0	16.0	12.0	12.0	8.0	37.0
7	30.0	21.0	15.0	11.0	11.0	8.0	35.0
8	29.0	21.0	15.0	11.0	10.0	7.0	31.0
9	29.0	20.0	14.0	11.0	10.0	7.0	30.0
10	29.0	19.0	13.0	10.0	8.0	7.0	29.0
11	25.0	18.0	12.0	10.0	8.0	6.0	29.0
12	23.0	17.0	12.0	9.0	8.0	6.0	29.0
13	22.0	17.0	12.0	9.0	8.0	6.0	25.0
14	21.0	17.0	11.0	9.0	7.0	6.0	24.0
15	20.0	16.0	10.0	9.0	7.0	6.0	23.0
16	19.0	15.0	10.0	8.0	6.0	5.0	22.0
17	18.0	14.0	10.0	8.0	6.0	5.0	22.0
18	18.0	13.0	9.0	8.0	5.0	5.0	21.0
19	18.0	13.0	9.0	8.0	5.0	4.0	20.0
20	17.0	12.0	9.0	6.0	5.0	4.0	20.0
21	17.0	12.0	9.0	6.0	5.0	4.0	19.0
22	13.0	12.0	8.0	6.0	5.0	4.0	18.0
23	13.0	11.0	8.0	5.0	4.0	4.0	18.0
24	11.0	11.0	7.0	5.0	4.0	3.0	17.0
25	9.0	10.0	6.0	5.0	4.0	3.0	17.0
26	9.0	9.0	6.0	5.0	4.0	3.0	13.0
27	8.0	8.0	6.0	5.0	4.0	3.0	13.0
28	7.0	8.0	6.0	4.0	3.0	2.0	13.0
29	7.0	8.0	5.0	4.0	3.0	2.0	12.0
30	6.0	8.0	2.0	3.0	2.0	2.0	9.0

TABLE 6.43 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
BARREIRAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	34.0	24.0	27.0	29.0	22.0	25.0	34.0
2	28.0	21.0	21.0	27.0	21.0	20.0	29.0
3	28.0	17.0	21.0	26.0	18.0	19.0	28.0
4	25.0	15.0	20.0	24.0	18.0	19.0	28.0
5	22.0	12.0	20.0	21.0	17.0	17.0	27.0
6	18.0	11.0	18.0	20.0	17.0	17.0	26.0
7	17.0	11.0	16.0	19.0	15.0	16.0	25.0
8	17.0	11.0	16.0	18.0	13.0	15.0	25.0
9	16.0	10.0	15.0	17.0	13.0	15.0	24.0
10	16.0	10.0	15.0	16.0	12.0	14.0	22.0
11	16.0	10.0	14.0	15.0	12.0	13.0	21.0
12	15.0	9.0	12.0	14.0	12.0	12.0	21.0
13	15.0	8.0	12.0	13.0	11.0	12.0	21.0
14	14.0	8.0	11.0	13.0	11.0	11.0	21.0
15	14.0	8.0	11.0	12.0	11.0	11.0	20.0
16	14.0	8.0	11.0	11.0	11.0	11.0	20.0
17	13.0	8.0	11.0	10.0	10.0	10.0	19.0
18	13.0	8.0	10.0	10.0	10.0	9.0	18.0
19	13.0	8.0	10.0	10.0	10.0	9.0	18.0
20	13.0	7.0	9.0	9.0	9.0	8.0	17.0
21	12.0	7.0	9.0	9.0	9.0	8.0	17.0
22	11.0	7.0	9.0	9.0	9.0	7.0	16.0
23	10.0	7.0	9.0	8.0	8.0	7.0	15.0
24	10.0	6.0	8.0	8.0	8.0	6.0	15.0
25	9.0	6.0	8.0	8.0	8.0	6.0	15.0
26	8.0	5.0	6.0	8.0	8.0	6.0	15.0
27	8.0	5.0	6.0	6.0	7.0	5.0	14.0
28	8.0	4.0	6.0	6.0	6.0	5.0	14.0
29	7.0	4.0	4.0	5.0	6.0	5.0	12.0
30	6.0	4.0	2.0	4.0	6.0	4.0	11.0

TABLE 6.44 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CATALAO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	22.0	21.0	17.0	20.0	29.0	21.0	29.0
2	20.0	12.0	12.0	13.0	21.0	19.0	22.0
3	17.0	11.0	11.0	13.0	15.0	18.0	21.0
4	16.0	11.0	8.0	12.0	14.0	15.0	21.0
5	15.0	10.0	7.0	12.0	13.0	14.0	20.0
6	15.0	10.0	7.0	11.0	12.0	12.0	20.0
7	15.0	10.0	7.0	10.0	11.0	12.0	18.0
8	14.0	9.0	7.0	9.0	10.0	11.0	17.0
9	13.0	9.0	7.0	9.0	9.0	11.0	17.0
10	12.0	9.0	7.0	9.0	9.0	10.0	15.0
11	12.0	9.0	6.0	8.0	9.0	9.0	15.0
12	12.0	8.0	6.0	6.0	7.0	9.0	15.0
13	11.0	7.0	6.0	6.0	6.0	9.0	15.0
14	11.0	7.0	5.0	6.0	6.0	9.0	14.0
15	11.0	7.0	5.0	6.0	6.0	9.0	13.0
16	10.0	7.0	5.0	6.0	6.0	8.0	13.0
17	10.0	7.0	5.0	5.0	6.0	8.0	13.0
18	10.0	7.0	5.0	5.0	6.0	8.0	12.0
19	9.0	6.0	4.0	5.0	6.0	7.0	12.0
20	8.0	6.0	4.0	4.0	5.0	7.0	12.0
21	8.0	6.0	3.0	4.0	5.0	7.0	12.0
22	7.0	5.0	3.0	3.0	4.0	6.0	11.0
23	7.0	5.0	3.0	3.0	4.0	5.0	11.0
24	7.0	4.0	3.0	3.0	4.0	5.0	11.0
25	7.0	4.0	3.0	3.0	4.0	5.0	11.0
26	6.0	4.0	3.0	2.0	4.0	5.0	11.0
27	6.0	4.0	3.0	2.0	3.0	4.0	10.0
28	5.0	3.0	3.0	2.0	3.0	3.0	9.0
29	5.0	3.0	2.0	2.0	2.0	2.0	7.0
30	4.0	2.0	1.0	2.0	2.0	2.0	7.0

TABLE 6.45 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CONCEICAO ARAGUAIA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	17.0	11.0	8.0	13.0	21.0	10.0	21.0
2	14.0	11.0	8.0	11.0	8.0	10.0	17.0
3	14.0	10.0	8.0	9.0	7.0	7.0	14.0
4	13.0	9.0	7.0	7.0	7.0	7.0	14.0
5	11.0	9.0	7.0	7.0	6.0	5.0	13.0
6	11.0	8.0	7.0	6.0	6.0	5.0	13.0
7	10.0	8.0	6.0	6.0	6.0	4.0	11.0
8	9.0	8.0	6.0	6.0	5.0	4.0	11.0
9	8.0	8.0	6.0	5.0	5.0	4.0	11.0
10	7.0	8.0	6.0	5.0	5.0	4.0	10.0
11	7.0	7.0	6.0	5.0	5.0	4.0	10.0
12	6.0	6.0	5.0	5.0	4.0	4.0	9.0
13	6.0	6.0	5.0	5.0	4.0	4.0	9.0
14	6.0	6.0	5.0	5.0	4.0	4.0	9.0
15	6.0	6.0	5.0	5.0	3.0	3.0	8.0
16	6.0	6.0	5.0	5.0	3.0	3.0	8.0
17	6.0	5.0	5.0	4.0	3.0	3.0	7.0
18	5.0	5.0	5.0	4.0	3.0	3.0	7.0
19	5.0	5.0	5.0	4.0	3.0	3.0	7.0
20	5.0	4.0	5.0	3.0	3.0	3.0	7.0
21	5.0	4.0	5.0	3.0	2.0	3.0	7.0
22	5.0	3.0	4.0	3.0	2.0	2.0	7.0
23	4.0	3.0	3.0	3.0	2.0	2.0	6.0
24	4.0	3.0	3.0	3.0	2.0	2.0	6.0
25	4.0	2.0	3.0	2.0	2.0	2.0	5.0

III

TABLE 6.46 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CONCEICAO DO RIO VERDE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	20.0	13.0	7.0	25.0	22.0	26.0	26.0
2	15.0	13.0	7.0	11.0	17.0	21.0	25.0
3	14.0	13.0	7.0	11.0	14.0	16.0	22.0
4	14.0	11.0	7.0	10.0	13.0	14.0	21.0
5	14.0	9.0	6.0	9.0	13.0	13.0	17.0
6	13.0	9.0	6.0	9.0	10.0	11.0	16.0
7	13.0	9.0	6.0	8.0	10.0	10.0	15.0
8	13.0	8.0	6.0	8.0	10.0	10.0	14.0
9	11.0	8.0	6.0	8.0	9.0	9.0	14.0
10	10.0	8.0	5.0	7.0	9.0	8.0	14.0
11	10.0	8.0	5.0	7.0	8.0	8.0	14.0
12	9.0	8.0	5.0	7.0	8.0	8.0	14.0
13	9.0	7.0	5.0	6.0	7.0	8.0	13.0
14	9.0	7.0	5.0	6.0	7.0	8.0	13.0
15	8.0	7.0	5.0	6.0	7.0	8.0	13.0
16	8.0	6.0	4.0	6.0	6.0	7.0	13.0
17	8.0	6.0	4.0	5.0	6.0	7.0	11.0
18	7.0	5.0	4.0	5.0	5.0	7.0	11.0
19	6.0	5.0	4.0	5.0	5.0	6.0	10.0
20	6.0	5.0	4.0	5.0	5.0	6.0	10.0
21	6.0	5.0	4.0	5.0	5.0	5.0	10.0
22	6.0	5.0	3.0	5.0	5.0	5.0	9.0
23	6.0	5.0	3.0	5.0	4.0	5.0	9.0
24	6.0	4.0	3.0	4.0	4.0	5.0	9.0
25	6.0	4.0	3.0	4.0	4.0	4.0	8.0
26	6.0	4.0	3.0	4.0	4.0	4.0	8.0
27	5.0	4.0	3.0	4.0	3.0	4.0	8.0
28	5.0	3.0	3.0	4.0	3.0	3.0	8.0
29	5.0	3.0	3.0	4.0	3.0	3.0	8.0
30	4.0	3.0	2.0	2.0	2.0	3.0	7.0

TABLE 6.47 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
COFEGUPE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	41.0	30.0	27.0	38.0	35.0	31.0	41.0
2	41.0	26.0	25.0	32.0	31.0	28.0	41.0
3	34.0	25.0	21.0	24.0	27.0	22.0	38.0
4	31.0	24.0	18.0	22.0	24.0	19.0	35.0
5	31.0	17.0	18.0	19.0	23.0	17.0	34.0
6	29.0	17.0	15.0	18.0	22.0	15.0	32.0
7	28.0	15.0	15.0	18.0	22.0	15.0	31.0
8	26.0	14.0	14.0	17.0	22.0	15.0	31.0
9	22.0	13.0	13.0	16.0	15.0	14.0	31.0
10	21.0	13.0	13.0	15.0	15.0	14.0	31.0
11	20.0	12.0	13.0	15.0	13.0	14.0	28.0
12	20.0	12.0	13.0	14.0	13.0	13.0	27.0
13	19.0	12.0	12.0	13.0	12.0	13.0	25.0
14	19.0	11.0	12.0	13.0	12.0	13.0	24.0
15	19.0	11.0	12.0	12.0	12.0	12.0	23.0
16	18.0	10.0	11.0	11.0	11.0	11.0	22.0
17	18.0	10.0	10.0	11.0	10.0	10.0	22.0
18	18.0	9.0	10.0	11.0	10.0	10.0	20.0
19	14.0	8.0	9.0	10.0	10.0	10.0	20.0
20	13.0	8.0	9.0	10.0	10.0	10.0	19.0
21	13.0	8.0	9.0	9.0	9.0	9.0	19.0
22	13.0	8.0	9.0	9.0	8.0	8.0	19.0
23	13.0	7.0	9.0	9.0	8.0	8.0	18.0
24	13.0	7.0	9.0	8.0	8.0	7.0	18.0
25	13.0	7.0	8.0	8.0	8.0	7.0	17.0
26	11.0	6.0	8.0	8.0	6.0	7.0	15.0
27	9.0	6.0	8.0	8.0	6.0	7.0	14.0
28	9.0	6.0	8.0	8.0	6.0	7.0	13.0
29	8.0	5.0	8.0	8.0	6.0	5.0	13.0
30	7.0	4.0	7.0	7.0	5.0	4.0	13.0

TABLE 6.48 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
FORMOSA DO RIO PRETO-II

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	35.0	41.0	33.0	30.0	33.0	27.0	41.0
2	33.0	29.0	25.0	28.0	22.0	22.0	35.0
3	32.0	21.0	23.0	24.0	20.0	20.0	33.0
4	29.0	20.0	22.0	21.0	20.0	17.0	33.0
5	26.0	18.0	21.0	18.0	19.0	17.0	33.0
6	23.0	16.0	20.0	18.0	19.0	16.0	30.0
7	23.0	13.0	19.0	17.0	19.0	14.0	28.0
8	22.0	12.0	17.0	15.0	18.0	14.0	26.0
9	20.0	11.0	16.0	14.0	18.0	14.0	25.0
10	19.0	10.0	16.0	14.0	16.0	13.0	23.0
11	18.0	10.0	15.0	13.0	14.0	13.0	23.0
12	17.0	10.0	14.0	12.0	14.0	13.0	22.0
13	16.0	10.0	11.0	12.0	14.0	13.0	22.0
14	15.0	9.0	11.0	12.0	12.0	12.0	20.0
15	15.0	9.0	10.0	12.0	11.0	12.0	20.0
16	15.0	9.0	10.0	11.0	11.0	11.0	20.0
17	15.0	9.0	9.0	11.0	10.0	11.0	20.0
18	14.0	9.0	9.0	11.0	10.0	10.0	19.0
19	13.0	9.0	9.0	11.0	10.0	10.0	19.0
20	12.0	9.0	9.0	11.0	10.0	10.0	19.0
21	12.0	8.0	9.0	10.0	9.0	9.0	18.0
22	11.0	8.0	8.0	10.0	8.0	8.0	18.0
23	11.0	8.0	8.0	9.0	7.0	8.0	17.0
24	11.0	8.0	8.0	8.0	6.0	8.0	16.0
25	11.0	7.0	7.0	8.0	6.0	7.0	16.0
26	10.0	7.0	7.0	8.0	6.0	7.0	16.0
27	10.0	7.0	7.0	7.0	6.0	6.0	14.0
28	8.0	6.0	6.0	7.0	6.0	6.0	14.0
29	7.0	6.0	6.0	6.0	5.0	5.0	11.0
30	6.0	5.0	5.0	5.0	5.0	3.0	11.0

TABLE 6.49 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
GOIAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	37.0	15.0	18.0	20.0	28.0	31.0	37.0
2	36.0	10.0	11.0	14.0	11.0	11.0	36.0
3	17.0	9.0	7.0	9.0	9.0	11.0	31.0
4	15.0	9.0	6.0	8.0	8.0	9.0	20.0
5	14.0	9.0	6.0	8.0	7.0	9.0	18.0
6	14.0	8.0	6.0	8.0	6.0	9.0	17.0
7	12.0	8.0	6.0	7.0	6.0	9.0	15.0
8	11.0	7.0	6.0	7.0	6.0	9.0	14.0
9	11.0	7.0	5.0	7.0	6.0	9.0	14.0
10	11.0	7.0	5.0	7.0	6.0	8.0	12.0
11	9.0	6.0	5.0	6.0	6.0	7.0	11.0
12	9.0	6.0	5.0	6.0	5.0	7.0	11.0
13	8.0	6.0	5.0	5.0	5.0	7.0	11.0
14	8.0	6.0	5.0	5.0	5.0	7.0	11.0
15	8.0	6.0	4.0	5.0	5.0	7.0	11.0
16	8.0	6.0	4.0	5.0	4.0	6.0	9.0
17	7.0	6.0	4.0	5.0	4.0	5.0	9.0
18	7.0	5.0	4.0	5.0	4.0	5.0	9.0
19	7.0	5.0	4.0	5.0	4.0	5.0	9.0
20	6.0	5.0	4.0	4.0	4.0	5.0	9.0
21	6.0	5.0	4.0	4.0	3.0	4.0	9.0
22	6.0	5.0	3.0	4.0	3.0	4.0	8.0
23	6.0	5.0	3.0	4.0	3.0	4.0	8.0
24	5.0	5.0	3.0	3.0	3.0	3.0	8.0
25	5.0	4.0	3.0	3.0	3.0	3.0	8.0
26	4.0	4.0	3.0	3.0	2.0	3.0	8.0
27	4.0	4.0	2.0	3.0	2.0	3.0	6.0
28	3.0	4.0	2.0	2.0	2.0	3.0	6.0
29	3.0	3.0	2.0	1.0	1.0	3.0	6.0
30	3.0	3.0	2.0	1.0	1.0	2.0	6.0

TABLE 6.50 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
JANUARIA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	41.0	24.0	41.0	37.0	35.0	31.0	41.0
2	40.0	21.0	31.0	30.0	34.0	26.0	40.0
3	35.0	20.0	25.0	26.0	30.0	25.0	37.0
4	34.0	13.0	24.0	21.0	29.0	20.0	35.0
5	30.0	13.0	19.0	21.0	24.0	19.0	35.0
6	27.0	13.0	18.0	20.0	20.0	19.0	34.0
7	26.0	12.0	17.0	18.0	19.0	18.0	31.0
8	22.0	11.0	16.0	18.0	19.0	17.0	30.0
9	21.0	11.0	16.0	18.0	16.0	16.0	30.0
10	18.0	11.0	13.0	16.0	16.0	15.0	29.0
11	17.0	11.0	12.0	15.0	15.0	14.0	27.0
12	15.0	10.0	11.0	14.0	13.0	13.0	26.0
13	14.0	9.0	10.0	12.0	13.0	13.0	26.0
14	13.0	9.0	10.0	12.0	13.0	13.0	25.0
15	13.0	8.0	10.0	11.0	11.0	12.0	25.0
16	13.0	8.0	9.0	11.0	11.0	12.0	24.0
17	13.0	8.0	9.0	11.0	11.0	11.0	21.0
18	13.0	8.0	8.0	11.0	10.0	11.0	21.0
19	12.0	7.0	7.0	11.0	10.0	11.0	21.0
20	11.0	7.0	7.0	11.0	10.0	10.0	20.0
21	11.0	7.0	7.0	11.0	10.0	9.0	19.0
22	11.0	7.0	6.0	10.0	9.0	9.0	18.0
23	10.0	6.0	6.0	10.0	8.0	9.0	17.0
24	9.0	5.0	6.0	9.0	8.0	9.0	16.0
25	9.0	5.0	6.0	8.0	8.0	8.0	16.0
26	8.0	5.0	5.0	7.0	8.0	6.0	12.0
27	6.0	5.0	4.0	5.0	7.0	5.0	12.0
28	6.0	4.0	4.0	4.0	7.0	5.0	12.0
29	6.0	4.0	4.0	3.0	6.0	4.0	12.0

TABLE 6.5/ MAXIMUM CONTINUOUS DAY WITHOUT RAIN
MOCAMBO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	47.0	28.0	35.0	44.0	42.0	31.0	47.0
2	34.0	26.0	32.0	32.0	30.0	31.0	44.0
3	33.0	21.0	22.0	31.0	26.0	29.0	42.0
4	32.0	19.0	21.0	26.0	25.0	24.0	34.0
5	31.0	18.0	21.0	23.0	23.0	23.0	33.0
6	26.0	15.0	20.0	19.0	21.0	20.0	32.0
7	25.0	13.0	17.0	19.0	21.0	19.0	32.0
8	20.0	12.0	16.0	18.0	19.0	16.0	31.0
9	19.0	9.0	14.0	18.0	17.0	15.0	31.0
10	19.0	9.0	14.0	17.0	16.0	14.0	30.0
11	18.0	9.0	13.0	17.0	14.0	14.0	28.0
12	17.0	9.0	12.0	17.0	14.0	13.0	26.0
13	17.0	9.0	12.0	16.0	14.0	13.0	25.0
14	16.0	8.0	11.0	15.0	13.0	11.0	24.0
15	15.0	7.0	11.0	14.0	11.0	11.0	23.0
16	14.0	7.0	10.0	13.0	11.0	8.0	23.0
17	14.0	7.0	7.0	12.0	8.0	8.0	21.0
18	10.0	6.0	7.0	12.0	7.0	6.0	20.0
19	9.0	6.0	7.0	11.0	6.0	6.0	19.0
20	8.0	4.0	4.0	10.0	6.0	5.0	14.0

TABLE 6.52 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
MONTES CLAROS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	52.0	38.0	36.0	36.0	35.0	31.0	52.0
2	37.0	35.0	24.0	29.0	28.0	31.0	38.0
3	33.0	33.0	22.0	27.0	27.0	31.0	37.0
4	33.0	23.0	22.0	26.0	24.0	31.0	36.0
5	28.0	21.0	21.0	25.0	23.0	31.0	36.0
6	26.0	18.0	16.0	21.0	22.0	31.0	35.0
7	23.0	17.0	15.0	19.0	22.0	31.0	35.0
8	22.0	16.0	12.0	18.0	21.0	30.0	33.0
9	21.0	14.0	11.0	18.0	21.0	23.0	33.0
10	20.0	13.0	11.0	17.0	20.0	23.0	31.0
11	18.0	13.0	11.0	16.0	20.0	21.0	31.0
12	17.0	13.0	11.0	15.0	19.0	21.0	31.0
13	16.0	12.0	10.0	14.0	19.0	20.0	31.0
14	14.0	12.0	10.0	14.0	17.0	18.0	30.0
15	14.0	12.0	10.0	14.0	16.0	15.0	28.0
16	14.0	11.0	9.0	13.0	14.0	15.0	26.0
17	14.0	11.0	9.0	13.0	13.0	12.0	25.0
18	13.0	11.0	8.0	12.0	13.0	11.0	24.0
19	12.0	10.0	8.0	11.0	13.0	10.0	24.0
20	12.0	10.0	8.0	11.0	13.0	10.0	23.0
21	11.0	8.0	7.0	8.0	11.0	9.0	23.0
22	10.0	7.0	7.0	7.0	11.0	9.0	22.0
23	10.0	7.0	7.0	6.0	10.0	8.0	22.0
24	9.0	5.0	7.0	5.0	10.0	8.0	20.0
25	9.0	5.0	6.0	5.0	9.0	7.0	19.0
26	7.0	5.0	6.0	4.0	8.0	7.0	18.0
27	7.0	4.0	6.0	3.0	8.0	7.0	17.0
28	7.0	3.0	5.0	3.0	7.0	6.0	13.0
29	6.0	2.0	5.0	3.0	4.0	5.0	12.0
30	5.0	2.0	3.0	3.0	2.0	5.0	11.0

TABLE 6.53 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
MONSENHOR PAULO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	17.0	13.0	19.0	28.0	31.0	26.0	31.0
2	16.0	13.0	11.0	15.0	17.0	16.0	28.0
3	15.0	10.0	10.0	14.0	17.0	15.0	26.0
4	14.0	9.0	9.0	14.0	16.0	14.0	19.0
5	13.0	9.0	9.0	12.0	14.0	13.0	17.0
6	13.0	8.0	8.0	11.0	14.0	13.0	17.0
7	13.0	8.0	8.0	10.0	13.0	12.0	17.0
8	12.0	8.0	7.0	9.0	13.0	12.0	16.0
9	11.0	8.0	6.0	9.0	12.0	12.0	16.0
10	11.0	8.0	6.0	9.0	11.0	11.0	15.0
11	11.0	8.0	6.0	7.0	10.0	11.0	15.0
12	9.0	8.0	6.0	7.0	10.0	11.0	14.0
13	9.0	7.0	6.0	7.0	9.0	11.0	14.0
14	9.0	7.0	6.0	7.0	9.0	10.0	14.0
15	9.0	7.0	6.0	6.0	8.0	9.0	13.0
16	9.0	7.0	6.0	6.0	8.0	8.0	13.0
17	8.0	7.0	6.0	6.0	7.0	8.0	13.0
18	7.0	7.0	6.0	5.0	6.0	8.0	13.0
19	7.0	6.0	5.0	5.0	6.0	7.0	12.0
20	7.0	6.0	5.0	5.0	6.0	7.0	12.0
21	7.0	6.0	5.0	5.0	5.0	7.0	12.0
22	7.0	6.0	5.0	5.0	4.0	6.0	11.0
23	7.0	5.0	5.0	5.0	4.0	6.0	11.0
24	7.0	5.0	4.0	4.0	4.0	6.0	11.0
25	6.0	5.0	4.0	4.0	4.0	6.0	11.0
26	6.0	4.0	4.0	4.0	4.0	5.0	10.0
27	6.0	4.0	4.0	4.0	3.0	5.0	9.0
28	6.0	4.0	3.0	3.0	3.0	5.0	9.0
29	6.0	4.0	3.0	3.0	3.0	4.0	8.0
30	5.0	3.0	3.0	3.0	3.0	4.0	7.0

2

TABLE 6.54 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
MORRO DO PILAR

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	40.0	21.0	31.0	38.0	30.0	31.0	40.0
2	29.0	14.0	24.0	30.0	26.0	23.0	38.0
3	25.0	13.0	13.0	20.0	25.0	20.0	31.0
4	25.0	12.0	11.0	20.0	21.0	20.0	31.0
5	21.0	12.0	10.0	19.0	21.0	20.0	30.0
6	18.0	9.0	10.0	17.0	18.0	18.0	29.0
7	17.0	9.0	10.0	16.0	17.0	15.0	26.0
8	17.0	8.0	9.0	16.0	17.0	14.0	25.0
9	14.0	8.0	8.0	15.0	17.0	14.0	25.0
10	14.0	7.0	7.0	13.0	16.0	13.0	25.0
11	13.0	7.0	7.0	12.0	14.0	13.0	24.0
12	12.0	7.0	7.0	12.0	12.0	13.0	21.0
13	11.0	6.0	7.0	11.0	11.0	13.0	21.0
14	10.0	6.0	6.0	11.0	10.0	10.0	20.0
15	9.0	5.0	6.0	11.0	10.0	10.0	20.0
16	9.0	5.0	6.0	9.0	10.0	8.0	19.0
17	8.0	5.0	6.0	9.0	9.0	8.0	18.0
18	8.0	5.0	5.0	8.0	9.0	8.0	17.0
19	8.0	5.0	5.0	8.0	8.0	8.0	17.0
20	7.0	4.0	5.0	8.0	8.0	7.0	17.0
21	6.0	4.0	5.0	7.0	7.0	7.0	17.0
22	6.0	4.0	4.0	7.0	7.0	7.0	15.0
23	6.0	4.0	4.0	7.0	7.0	6.0	13.0
24	6.0	3.0	4.0	6.0	7.0	6.0	12.0
25	6.0	3.0	4.0	5.0	7.0	6.0	12.0
26	5.0	3.0	4.0	5.0	6.0	5.0	10.0
27	5.0	3.0	4.0	5.0	6.0	4.0	10.0
28	5.0	2.0	3.0	4.0	5.0	3.0	9.0
29	5.0	2.0	3.0	3.0	5.0	3.0	8.0
30	5.0	2.0	2.0	2.0	3.0	2.0	7.0

TABLE 6.55 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SANGRADOURO-P.MURT

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	22.0	31.0	12.0	11.0	12.0	18.0	31.0
2	15.0	12.0	10.0	7.0	8.0	11.0	22.0
3	14.0	10.0	7.0	7.0	8.0	10.0	18.0
4	12.0	10.0	7.0	6.0	8.0	9.0	15.0
5	11.0	10.0	6.0	6.0	7.0	9.0	14.0
6	10.0	9.0	6.0	5.0	7.0	9.0	12.0
7	10.0	8.0	5.0	5.0	7.0	8.0	12.0
8	9.0	8.0	5.0	5.0	6.0	8.0	11.0
9	9.0	8.0	5.0	5.0	6.0	8.0	10.0
10	9.0	8.0	5.0	5.0	6.0	7.0	10.0
11	8.0	7.0	5.0	4.0	5.0	7.0	10.0
12	7.0	7.0	4.0	4.0	5.0	6.0	10.0
13	7.0	7.0	4.0	4.0	5.0	6.0	9.0
14	7.0	6.0	4.0	4.0	4.0	6.0	9.0
15	7.0	6.0	4.0	4.0	4.0	6.0	9.0
16	7.0	6.0	4.0	4.0	4.0	5.0	8.0
17	6.0	5.0	3.0	4.0	3.0	5.0	8.0
18	6.0	5.0	3.0	4.0	3.0	5.0	8.0
19	5.0	5.0	3.0	3.0	3.0	5.0	8.0
20	5.0	5.0	3.0	3.0	3.0	3.0	8.0
21	5.0	5.0	3.0	3.0	3.0	3.0	7.0
22	5.0	4.0	3.0	3.0	3.0	3.0	7.0
23	5.0	4.0	3.0	3.0	3.0	3.0	7.0
24	5.0	4.0	2.0	3.0	3.0	3.0	7.0
25	5.0	4.0	2.0	3.0	3.0	3.0	6.0
26	5.0	4.0	2.0	3.0	3.0	3.0	5.0
27	4.0	4.0	2.0	2.0	2.0	2.0	5.0
28	4.0	3.0	2.0	2.0	2.0	2.0	5.0
29	4.0	3.0	1.0	2.0	2.0	2.0	5.0
30	3.0	3.0	1.0	2.0	2.0	1.0	5.0

TABLE 6.56 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SAO MANUEL

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	34.0	22.0	35.0	27.0	35.0	31.0	35.0
2	31.0	20.0	18.0	26.0	30.0	29.0	35.0
3	27.0	17.0	17.0	25.0	24.0	27.0	34.0
4	25.0	16.0	17.0	25.0	20.0	25.0	31.0
5	22.0	13.0	17.0	21.0	20.0	23.0	30.0
6	22.0	13.0	15.0	21.0	19.0	19.0	27.0
7	20.0	13.0	14.0	20.0	19.0	19.0	27.0
8	20.0	12.0	13.0	16.0	19.0	16.0	27.0
9	16.0	11.0	12.0	16.0	18.0	15.0	26.0
10	15.0	11.0	11.0	15.0	16.0	15.0	25.0
11	15.0	10.0	11.0	15.0	15.0	14.0	25.0
12	14.0	9.0	10.0	13.0	13.0	14.0	23.0
13	14.0	9.0	10.0	13.0	12.0	13.0	22.0
14	14.0	8.0	10.0	12.0	12.0	11.0	22.0
15	14.0	8.0	10.0	12.0	12.0	11.0	21.0
16	13.0	8.0	10.0	12.0	11.0	11.0	20.0
17	12.0	7.0	9.0	11.0	10.0	9.0	20.0
18	10.0	7.0	9.0	10.0	10.0	8.0	20.0
19	10.0	6.0	8.0	10.0	10.0	8.0	16.0
20	9.0	5.0	8.0	9.0	9.0	8.0	16.0
21	9.0	5.0	7.0	8.0	8.0	8.0	16.0
22	9.0	4.0	6.0	7.0	7.0	7.0	15.0
23	7.0	4.0	4.0	7.0	6.0	6.0	14.0
24	6.0	4.0	3.0	7.0	6.0	5.0	12.0

TABLE 6.57 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SAO FRANCISCO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	38.0	26.0	26.0	39.0	31.0	31.0	39.0
2	34.0	22.0	26.0	33.0	27.0	31.0	38.0
3	30.0	21.0	24.0	30.0	27.0	26.0	34.0
4	25.0	21.0	23.0	28.0	25.0	22.0	33.0
5	23.0	20.0	18.0	25.0	24.0	21.0	31.0
6	22.0	17.0	16.0	21.0	24.0	19.0	31.0
7	17.0	12.0	15.0	20.0	23.0	16.0	30.0
8	16.0	12.0	13.0	19.0	20.0	15.0	28.0
9	16.0	11.0	13.0	18.0	19.0	14.0	26.0
10	16.0	11.0	12.0	18.0	16.0	13.0	26.0
11	15.0	11.0	12.0	17.0	16.0	12.0	25.0
12	14.0	9.0	12.0	16.0	15.0	12.0	25.0
13	14.0	9.0	11.0	16.0	14.0	11.0	24.0
14	14.0	9.0	11.0	15.0	13.0	11.0	24.0
15	14.0	9.0	10.0	15.0	12.0	11.0	23.0
16	13.0	9.0	10.0	14.0	12.0	11.0	23.0
17	13.0	8.0	9.0	13.0	12.0	11.0	23.0
18	11.0	7.0	8.0	12.0	11.0	10.0	22.0
19	11.0	7.0	8.0	12.0	10.0	10.0	20.0
20	11.0	6.0	8.0	12.0	10.0	10.0	20.0
21	11.0	6.0	8.0	11.0	9.0	9.0	19.0
22	10.0	6.0	7.0	10.0	9.0	9.0	18.0
23	10.0	5.0	7.0	9.0	8.0	9.0	17.0
24	9.0	4.0	6.0	9.0	8.0	8.0	17.0
25	9.0	4.0	6.0	8.0	8.0	8.0	16.0
26	9.0	4.0	6.0	8.0	7.0	8.0	16.0
27	8.0	4.0	6.0	6.0	7.0	8.0	15.0
28	7.0	3.0	5.0	6.0	7.0	8.0	13.0
29	6.0	3.0	5.0	3.0	6.0	7.0	12.0
30	6.0	3.0	4.0	3.0	6.0	4.0	11.0

TABLE 6.58 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SETE LAGOAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	27.0	20.0	28.0	23.0	36.0	31.0	36.0
2	22.0	16.0	20.0	22.0	20.0	21.0	31.0
3	15.0	14.0	16.0	20.0	19.0	18.0	28.0
4	15.0	12.0	16.0	19.0	19.0	16.0	27.0
5	14.0	10.0	13.0	19.0	19.0	16.0	23.0
6	14.0	8.0	12.0	18.0	19.0	15.0	22.0
7	14.0	8.0	12.0	16.0	18.0	15.0	22.0
8	13.0	8.0	12.0	14.0	18.0	14.0	21.0
9	13.0	8.0	9.0	14.0	17.0	13.0	20.0
10	12.0	7.0	9.0	13.0	17.0	12.0	19.0
11	12.0	7.0	8.0	12.0	17.0	12.0	19.0
12	11.0	6.0	8.0	12.0	16.0	12.0	19.0
13	11.0	6.0	7.0	11.0	14.0	11.0	19.0
14	10.0	6.0	7.0	11.0	13.0	11.0	19.0
15	9.0	6.0	7.0	11.0	12.0	10.0	18.0
16	9.0	5.0	7.0	9.0	12.0	10.0	18.0
17	8.0	5.0	7.0	8.0	12.0	9.0	17.0
18	8.0	5.0	6.0	8.0	12.0	8.0	17.0
19	8.0	4.0	6.0	7.0	9.0	8.0	17.0
20	8.0	4.0	6.0	7.0	8.0	8.0	16.0
21	7.0	4.0	5.0	6.0	8.0	7.0	16.0
22	7.0	4.0	5.0	4.0	8.0	7.0	16.0
23	7.0	3.0	4.0	4.0	7.0	7.0	16.0
24	7.0	3.0	4.0	4.0	6.0	6.0	15.0
25	7.0	3.0	4.0	4.0	6.0	5.0	13.0
26	6.0	3.0	3.0	3.0	5.0	5.0	12.0
27	3.0	2.0	3.0	2.0	4.0	4.0	10.0

TABLE 6.59 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SITIO GRANDE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	31.0	22.0	18.0	30.0	32.0	31.0	32.0
2	31.0	21.0	15.0	30.0	30.0	24.0	31.0
3	28.0	16.0	15.0	21.0	25.0	21.0	31.0
4	24.0	16.0	15.0	16.0	21.0	21.0	31.0
5	22.0	14.0	15.0	16.0	21.0	18.0	30.0
6	21.0	12.0	13.0	15.0	18.0	17.0	30.0
7	20.0	12.0	13.0	15.0	16.0	16.0	28.0
8	20.0	12.0	13.0	13.0	16.0	14.0	25.0
9	18.0	12.0	11.0	13.0	15.0	14.0	24.0
10	16.0	10.0	11.0	12.0	15.0	14.0	24.0
11	16.0	10.0	10.0	12.0	13.0	13.0	22.0
12	15.0	10.0	10.0	12.0	13.0	13.0	21.0
13	15.0	10.0	9.0	11.0	13.0	12.0	21.0
14	15.0	9.0	9.0	11.0	12.0	11.0	21.0
15	14.0	9.0	9.0	11.0	11.0	11.0	21.0
16	13.0	8.0	8.0	10.0	10.0	11.0	20.0
17	13.0	8.0	8.0	10.0	10.0	11.0	18.0
18	13.0	7.0	8.0	10.0	9.0	11.0	18.0
19	13.0	7.0	8.0	9.0	9.0	9.0	18.0
20	13.0	7.0	8.0	9.0	9.0	9.0	16.0
21	12.0	7.0	7.0	8.0	8.0	8.0	15.0
22	11.0	6.0	7.0	8.0	8.0	8.0	15.0
23	11.0	6.0	7.0	8.0	8.0	6.0	15.0
24	10.0	6.0	7.0	7.0	7.0	6.0	15.0
25	10.0	6.0	6.0	7.0	7.0	6.0	14.0
26	9.0	5.0	6.0	7.0	6.0	6.0	13.0
27	7.0	5.0	6.0	6.0	6.0	5.0	12.0
28	7.0	4.0	5.0	6.0	5.0	5.0	12.0
29	6.0	4.0	5.0	5.0	3.0	4.0	11.0
30	5.0	4.0	3.0	2.0	3.0	4.0	10.0

5

TABLE 6.60 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CAETE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	25.0	16.0	23.0	32.0	32.0	31.0	32.0
2	24.0	15.0	20.0	27.0	29.0	26.0	32.0
3	19.0	13.0	18.0	20.0	29.0	22.0	29.0
4	19.0	11.0	15.0	19.0	25.0	21.0	29.0
5	18.0	11.0	13.0	19.0	24.0	20.0	25.0
6	17.0	11.0	12.0	17.0	24.0	18.0	25.0
7	16.0	10.0	12.0	15.0	20.0	18.0	24.0
8	15.0	9.0	12.0	15.0	20.0	18.0	24.0
9	15.0	8.0	11.0	15.0	19.0	17.0	23.0
10	14.0	8.0	10.0	13.0	17.0	16.0	20.0
11	14.0	8.0	10.0	13.0	17.0	15.0	20.0
12	13.0	8.0	10.0	11.0	17.0	15.0	20.0
13	13.0	7.0	9.0	10.0	16.0	14.0	20.0
14	13.0	7.0	9.0	9.0	16.0	11.0	19.0
15	12.0	7.0	9.0	9.0	16.0	11.0	19.0
16	11.0	7.0	8.0	9.0	15.0	11.0	17.0
17	10.0	7.0	7.0	8.0	14.0	10.0	17.0
18	10.0	6.0	7.0	8.0	13.0	9.0	17.0
19	10.0	6.0	7.0	7.0	13.0	8.0	17.0
20	8.0	6.0	7.0	7.0	12.0	8.0	17.0
21	8.0	6.0	6.0	7.0	12.0	7.0	16.0
22	8.0	6.0	6.0	6.0	12.0	7.0	16.0
23	7.0	5.0	6.0	6.0	9.0	6.0	16.0
24	7.0	5.0	6.0	5.0	8.0	6.0	15.0
25	7.0	4.0	5.0	5.0	7.0	6.0	14.0
26	7.0	4.0	5.0	4.0	7.0	5.0	14.0
27	6.0	4.0	5.0	4.0	6.0	5.0	13.0
28	6.0	3.0	4.0	4.0	5.0	5.0	13.0
29	6.0	3.0	4.0	3.0	5.0	5.0	13.0
30	5.0	3.0	3.0	3.0	3.0	3.0	12.0

TABLE.6.6/ MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CAIXA DE AREIA-BH

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	40.0	24.0	21.0	40.0	24.0	31.0	40.0
2	34.0	17.0	20.0	21.0	22.0	28.0	40.0
3	25.0	14.0	15.0	20.0	19.0	19.0	34.0
4	21.0	13.0	13.0	19.0	19.0	17.0	31.0
5	20.0	11.0	11.0	18.0	19.0	16.0	28.0
6	16.0	11.0	10.0	18.0	18.0	16.0	24.0
7	16.0	10.0	10.0	18.0	18.0	15.0	21.0
8	14.0	10.0	10.0	16.0	17.0	15.0	21.0
9	14.0	9.0	9.0	15.0	17.0	14.0	20.0
10	13.0	8.0	8.0	14.0	17.0	14.0	20.0
11	13.0	8.0	8.0	14.0	16.0	14.0	19.0
12	13.0	8.0	7.0	13.0	15.0	13.0	19.0
13	12.0	7.0	7.0	11.0	14.0	11.0	19.0
14	12.0	7.0	7.0	11.0	12.0	10.0	19.0
15	12.0	7.0	6.0	10.0	12.0	10.0	18.0
16	10.0	7.0	6.0	10.0	11.0	10.0	18.0
17	10.0	6.0	5.0	9.0	11.0	8.0	18.0
18	9.0	6.0	5.0	9.0	11.0	8.0	17.0
19	9.0	6.0	5.0	9.0	9.0	8.0	16.0
20	9.0	5.0	5.0	7.0	8.0	7.0	16.0
21	8.0	5.0	5.0	7.0	7.0	7.0	16.0
22	8.0	5.0	5.0	6.0	7.0	7.0	15.0
23	8.0	5.0	4.0	6.0	7.0	6.0	14.0
24	8.0	4.0	4.0	5.0	6.0	5.0	13.0
25	7.0	4.0	3.0	5.0	5.0	5.0	13.0
26	5.0	3.0	3.0	4.0	4.0	4.0	12.0
27	5.0	3.0	3.0	3.0	4.0	5.0	11.0
28	5.0	3.0	3.0	2.0	3.0	5.0	11.0
29	4.0	2.0	2.0	2.0	3.0	5.0	11.0
30	4.0	2.0	1.0	2.0	1.0	3.0	11.0

TABLE.6.6/2 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CORONEL MURTA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	37.0	22.0	27.0	33.0	30.0	31.0	37.0
2	34.0	19.0	26.0	30.0	29.0	31.0	34.0
3	29.0	16.0	22.0	28.0	25.0	31.0	33.0
4	28.0	13.0	18.0	26.0	25.0	25.0	31.0
5	24.0	13.0	17.0	25.0	24.0	24.0	31.0
6	23.0	12.0	17.0	24.0	23.0	23.0	31.0
7	18.0	12.0	16.0	18.0	22.0	21.0	30.0
8	18.0	12.0	15.0	18.0	21.0	21.0	29.0
9	17.0	12.0	13.0	17.0	21.0	20.0	28.0
10	16.0	11.0	12.0	16.0	21.0	19.0	27.0
11	16.0	11.0	12.0	16.0	20.0	19.0	26.0
12	16.0	10.0	11.0	15.0	19.0	17.0	26.0
13	15.0	10.0	10.0	15.0	18.0	15.0	25.0
14	14.0	10.0	10.0	15.0	18.0	14.0	25.0
15	14.0	10.0	9.0	14.0	16.0	14.0	25.0
16	13.0	10.0	8.0	13.0	16.0	13.0	24.0
17	13.0	9.0	8.0	13.0	16.0	12.0	24.0
18	13.0	8.0	8.0	12.0	15.0	12.0	24.0
19	13.0	8.0	8.0	10.0	15.0	11.0	23.0
20	12.0	8.0	8.0	10.0	15.0	11.0	23.0
21	11.0	8.0	7.0	10.0	14.0	10.0	21.0
22	11.0	8.0	7.0	9.0	14.0	9.0	21.0
23	11.0	8.0	7.0	7.0	11.0	9.0	21.0
24	10.0	7.0	7.0	7.0	9.0	9.0	20.0
25	9.0	7.0	6.0	7.0	8.0	8.0	17.0
26	9.0	7.0	6.0	6.0	7.0	8.0	16.0
27	8.0	6.0	6.0	6.0	7.0	7.0	16.0
28	8.0	6.0	6.0	6.0	7.0	6.0	16.0
29	6.0	5.0	6.0	4.0	7.0	6.0	15.0
30	5.0	3.0	5.0	1.0	3.0	4.0	12.0

TABLE 6.63 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
FAZ ESCOLA FLORESTAL

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	25.0	20.0	17.0	36.0	30.0	27.0	36.0
2	22.0	16.0	14.0	21.0	24.0	20.0	30.0
3	21.0	11.0	13.0	20.0	17.0	17.0	27.0
4	16.0	10.0	13.0	16.0	17.0	15.0	25.0
5	15.0	9.0	12.0	15.0	17.0	14.0	24.0
6	15.0	9.0	10.0	15.0	17.0	13.0	22.0
7	13.0	8.0	10.0	12.0	17.0	13.0	21.0
8	13.0	8.0	10.0	11.0	16.0	13.0	21.0
9	12.0	8.0	10.0	11.0	16.0	12.0	20.0
10	12.0	8.0	9.0	11.0	16.0	11.0	20.0
11	11.0	7.0	9.0	10.0	15.0	10.0	17.0
12	11.0	7.0	8.0	8.0	13.0	10.0	17.0
13	10.0	7.0	8.0	8.0	13.0	9.0	17.0
14	10.0	7.0	7.0	8.0	12.0	9.0	17.0
15	10.0	7.0	7.0	8.0	10.0	9.0	17.0
16	10.0	6.0	6.0	8.0	9.0	8.0	16.0
17	9.0	6.0	6.0	7.0	9.0	7.0	16.0
18	9.0	5.0	6.0	7.0	9.0	7.0	16.0
19	8.0	5.0	5.0	6.0	8.0	6.0	16.0
20	8.0	5.0	5.0	6.0	8.0	6.0	16.0
21	7.0	5.0	5.0	6.0	8.0	6.0	15.0
22	7.0	5.0	5.0	5.0	8.0	6.0	15.0
23	7.0	5.0	4.0	4.0	8.0	5.0	15.0
24	7.0	4.0	4.0	4.0	7.0	5.0	13.0
25	7.0	4.0	4.0	4.0	7.0	5.0	13.0
26	6.0	3.0	3.0	3.0	7.0	5.0	13.0
27	6.0	3.0	3.0	3.0	7.0	5.0	12.0
28	5.0	3.0	3.0	3.0	7.0	5.0	12.0
29	5.0	3.0	3.0	3.0	6.0	5.0	12.0
30	5.0	2.0	3.0	1.0	5.0	4.0	10.0

TABLE 6.64 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
GOIANIA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	32.0	14.0	9.0	13.0	29.0	12.0	32.0
2	31.0	12.0	8.0	11.0	10.0	10.0	31.0
3	16.0	12.0	8.0	9.0	9.0	10.0	16.0
4	16.0	12.0	7.0	8.0	8.0	9.0	16.0
5	15.0	10.0	7.0	8.0	8.0	9.0	15.0
6	15.0	9.0	6.0	8.0	8.0	9.0	15.0
7	13.0	9.0	6.0	7.0	8.0	9.0	13.0
8	13.0	8.0	5.0	7.0	7.0	8.0	13.0
9	13.0	8.0	5.0	6.0	7.0	8.0	13.0
10	10.0	8.0	4.0	6.0	7.0	8.0	12.0
11	10.0	7.0	4.0	6.0	7.0	7.0	12.0
12	10.0	7.0	4.0	5.0	6.0	7.0	12.0
13	8.0	6.0	4.0	5.0	6.0	7.0	10.0
14	8.0	6.0	4.0	5.0	6.0	7.0	10.0
15	7.0	5.0	3.0	4.0	5.0	7.0	9.0
16	7.0	5.0	3.0	4.0	4.0	7.0	9.0
17	7.0	5.0	3.0	4.0	4.0	7.0	9.0
18	6.0	5.0	3.0	4.0	4.0	6.0	8.0
19	6.0	5.0	3.0	3.0	4.0	6.0	8.0
20	6.0	4.0	3.0	3.0	4.0	6.0	8.0
21	4.0	4.0	2.0	3.0	4.0	6.0	8.0
22	4.0	4.0	2.0	3.0	4.0	5.0	8.0
23	4.0	4.0	2.0	3.0	4.0	5.0	8.0
24	4.0	4.0	2.0	3.0	3.0	4.0	8.0
25	4.0	3.0	2.0	3.0	3.0	4.0	8.0
26	4.0	3.0	2.0	3.0	3.0	4.0	8.0
27	4.0	3.0	2.0	3.0	2.0	4.0	8.0
28	4.0	3.0	2.0	2.0	2.0	3.0	7.0
29	4.0	3.0	2.0	2.0	2.0	3.0	6.0
30	3.0	2.0	1.0	2.0	2.0	2.0	6.0

TABLE 6.65 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
GOUVEA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	27.0	16.0	13.0	39.0	42.0	31.0	42.0
2	22.0	16.0	12.0	21.0	22.0	30.0	39.0
3	22.0	15.0	12.0	21.0	21.0	24.0	31.0
4	18.0	13.0	12.0	17.0	19.0	20.0	30.0
5	18.0	11.0	11.0	16.0	17.0	18.0	27.0
6	17.0	10.0	9.0	15.0	17.0	17.0	24.0
7	17.0	10.0	9.0	12.0	16.0	17.0	22.0
8	16.0	9.0	9.0	12.0	15.0	16.0	22.0
9	14.0	8.0	9.0	12.0	15.0	16.0	22.0
10	13.0	8.0	7.0	12.0	15.0	14.0	21.0
11	11.0	7.0	7.0	9.0	14.0	14.0	21.0
12	10.0	7.0	7.0	9.0	13.0	10.0	21.0
13	10.0	6.0	7.0	9.0	12.0	10.0	19.0
14	10.0	6.0	6.0	7.0	12.0	9.0	18.0
15	10.0	6.0	6.0	7.0	11.0	9.0	17.0
16	10.0	6.0	6.0	7.0	11.0	9.0	17.0
17	9.0	6.0	6.0	7.0	10.0	9.0	17.0
18	9.0	6.0	5.0	7.0	10.0	8.0	17.0
19	9.0	5.0	5.0	7.0	10.0	7.0	16.0
20	8.0	5.0	5.0	6.0	9.0	7.0	16.0
21	8.0	5.0	5.0	6.0	9.0	6.0	16.0
22	8.0	4.0	5.0	6.0	8.0	6.0	15.0
23	7.0	4.0	5.0	6.0	7.0	6.0	15.0
24	7.0	4.0	4.0	6.0	6.0	6.0	12.0
25	7.0	4.0	4.0	5.0	6.0	5.0	12.0
26	6.0	4.0	4.0	5.0	5.0	5.0	12.0
27	6.0	3.0	3.0	5.0	5.0	4.0	11.0
28	5.0	3.0	3.0	2.0	4.0	3.0	11.0
29	5.0	2.0	2.0	2.0	4.0	3.0	10.0
30	5.0	2.0	2.0	2.0	2.0	3.0	9.0

TABLE 6.66 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
IBIA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	18.0	17.0	26.0	17.0	24.0	19.0	26.0
2	16.0	15.0	25.0	15.0	22.0	18.0	25.0
3	16.0	14.0	13.0	13.0	19.0	16.0	24.0
4	16.0	11.0	13.0	11.0	18.0	15.0	22.0
5	15.0	10.0	12.0	11.0	18.0	12.0	19.0
6	15.0	9.0	11.0	11.0	15.0	11.0	19.0
7	14.0	9.0	11.0	10.0	11.0	11.0	18.0
8	13.0	9.0	10.0	8.0	11.0	11.0	18.0
9	12.0	8.0	9.0	8.0	10.0	10.0	18.0
10	12.0	7.0	9.0	8.0	9.0	10.0	17.0
11	11.0	7.0	8.0	8.0	9.0	8.0	17.0
12	9.0	7.0	7.0	7.0	9.0	8.0	16.0
13	9.0	7.0	7.0	6.0	9.0	8.0	16.0
14	9.0	6.0	7.0	6.0	9.0	8.0	16.0
15	8.0	6.0	7.0	6.0	7.0	7.0	15.0
16	8.0	6.0	5.0	5.0	6.0	7.0	15.0
17	8.0	6.0	5.0	5.0	6.0	7.0	14.0
18	8.0	6.0	5.0	5.0	6.0	7.0	13.0
19	8.0	5.0	5.0	5.0	6.0	6.0	13.0
20	7.0	5.0	5.0	5.0	6.0	6.0	12.0
21	7.0	5.0	4.0	5.0	6.0	6.0	11.0
22	7.0	5.0	4.0	4.0	5.0	6.0	11.0
23	7.0	4.0	4.0	4.0	5.0	5.0	11.0
24	7.0	4.0	4.0	4.0	5.0	5.0	11.0
25	5.0	4.0	4.0	4.0	5.0	5.0	11.0
26	5.0	4.0	3.0	4.0	5.0	4.0	10.0
27	5.0	4.0	2.0	3.0	4.0	4.0	9.0
28	4.0	3.0	2.0	3.0	4.0	3.0	7.0
29	4.0	3.0	2.0	3.0	4.0	3.0	7.0
30	3.0	3.0	1.0	2.0	4.0	1.0	6.0

TABLE 6.67 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
IGUATAMA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	25.0	18.0	31.0	39.0	20.0	31.0	39.0
2	22.0	18.0	27.0	15.0	20.0	31.0	31.0
3	19.0	13.0	18.0	14.0	18.0	22.0	31.0
4	16.0	12.0	15.0	14.0	18.0	15.0	31.0
5	16.0	12.0	12.0	14.0	17.0	15.0	27.0
6	15.0	10.0	10.0	13.0	15.0	14.0	25.0
7	14.0	10.0	10.0	13.0	13.0	14.0	22.0
8	14.0	9.0	9.0	12.0	13.0	14.0	22.0
9	14.0	9.0	9.0	11.0	13.0	12.0	20.0
10	14.0	9.0	8.0	10.0	12.0	10.0	18.0
11	13.0	8.0	8.0	9.0	11.0	10.0	18.0
12	13.0	7.0	8.0	8.0	10.0	10.0	18.0
13	13.0	7.0	7.0	8.0	10.0	9.0	18.0
14	12.0	7.0	7.0	8.0	9.0	9.0	17.0
15	10.0	7.0	7.0	8.0	9.0	9.0	16.0
16	10.0	7.0	7.0	7.0	9.0	9.0	15.0
17	9.0	7.0	6.0	6.0	8.0	8.0	15.0
18	9.0	6.0	6.0	5.0	8.0	8.0	15.0
19	8.0	6.0	6.0	5.0	8.0	8.0	15.0
20	8.0	6.0	5.0	5.0	8.0	8.0	15.0
21	8.0	6.0	5.0	4.0	7.0	8.0	14.0
22	8.0	5.0	5.0	4.0	7.0	7.0	14.0
23	7.0	5.0	5.0	4.0	7.0	7.0	14.0
24	7.0	5.0	5.0	4.0	7.0	6.0	14.0
25	6.0	4.0	4.0	4.0	7.0	6.0	13.0
26	6.0	4.0	4.0	3.0	6.0	6.0	13.0
27	6.0	4.0	4.0	3.0	5.0	6.0	12.0
28	5.0	4.0	4.0	3.0	5.0	5.0	12.0
29	4.0	3.0	2.0	3.0	3.0	3.0	9.0
30	4.0	2.0	2.0	2.0	2.0	2.0	9.0

TABLE 6.68 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
ITAQBIM

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	43.0	28.0	27.0	51.0	47.0	31.0	51.0
2	38.0	25.0	26.0	45.0	32.0	31.0	47.0
3	34.0	24.0	24.0	35.0	28.0	31.0	45.0
4	29.0	19.0	24.0	34.0	28.0	31.0	43.0
5	26.0	17.0	23.0	31.0	27.0	31.0	38.0
6	25.0	15.0	21.0	30.0	26.0	24.0	35.0
7	24.0	15.0	18.0	27.0	25.0	22.0	34.0
8	23.0	14.0	17.0	25.0	25.0	22.0	34.0
9	21.0	14.0	16.0	20.0	25.0	20.0	31.0
10	20.0	13.0	15.0	18.0	24.0	19.0	31.0
11	18.0	13.0	14.0	17.0	23.0	18.0	31.0
12	17.0	12.0	14.0	17.0	20.0	17.0	30.0
13	15.0	12.0	14.0	17.0	19.0	17.0	29.0
14	15.0	11.0	13.0	16.0	18.0	15.0	28.0
15	15.0	11.0	13.0	16.0	18.0	14.0	28.0
16	15.0	11.0	13.0	15.0	18.0	14.0	27.0
17	15.0	10.0	11.0	13.0	17.0	14.0	27.0
18	14.0	10.0	10.0	13.0	17.0	13.0	26.0
19	14.0	10.0	10.0	13.0	16.0	13.0	26.0
20	13.0	9.0	9.0	13.0	16.0	11.0	25.0
21	13.0	9.0	8.0	10.0	14.0	10.0	25.0
22	12.0	9.0	8.0	9.0	13.0	10.0	24.0
23	12.0	9.0	8.0	8.0	11.0	9.0	20.0
24	12.0	8.0	7.0	7.0	10.0	9.0	18.0
25	11.0	8.0	7.0	7.0	9.0	9.0	17.0
26	10.0	7.0	7.0	6.0	7.0	8.0	17.0
27	9.0	6.0	7.0	6.0	7.0	8.0	15.0
28	9.0	6.0	7.0	5.0	6.0	5.0	15.0
29	8.0	5.0	6.0	5.0	4.0	5.0	13.0
30	7.0	5.0	6.0	4.0	3.0	5.0	13.0

TABLE 6.69 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
JAGUARUNA-JUSANTE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	48.0	20.0	19.0	21.0	33.0	30.0	48.0
2	25.0	18.0	19.0	18.0	23.0	26.0	33.0
3	25.0	17.0	14.0	15.0	21.0	21.0	26.0
4	21.0	17.0	14.0	12.0	20.0	15.0	25.0
5	16.0	15.0	13.0	12.0	17.0	15.0	25.0
6	16.0	13.0	11.0	12.0	17.0	14.0	23.0
7	15.0	9.0	9.0	12.0	16.0	13.0	21.0
8	14.0	9.0	9.0	11.0	16.0	12.0	21.0
9	13.0	9.0	9.0	11.0	14.0	11.0	21.0
10	13.0	9.0	8.0	11.0	14.0	11.0	20.0
11	13.0	9.0	8.0	10.0	13.0	10.0	18.0
12	12.0	9.0	7.0	9.0	13.0	9.0	17.0
13	12.0	9.0	7.0	9.0	13.0	9.0	17.0
14	11.0	8.0	7.0	9.0	13.0	8.0	17.0
15	10.0	8.0	6.0	8.0	11.0	8.0	16.0
16	9.0	8.0	6.0	8.0	11.0	7.0	16.0
17	9.0	7.0	6.0	7.0	10.0	7.0	15.0
18	9.0	7.0	6.0	7.0	9.0	7.0	14.0
19	9.0	7.0	6.0	7.0	9.0	6.0	14.0
20	8.0	7.0	5.0	7.0	8.0	6.0	14.0
21	8.0	6.0	5.0	5.0	8.0	6.0	14.0
22	7.0	6.0	5.0	5.0	8.0	6.0	13.0
23	7.0	6.0	5.0	4.0	7.0	6.0	12.0
24	7.0	5.0	5.0	4.0	7.0	5.0	12.0
25	7.0	5.0	5.0	4.0	7.0	5.0	11.0
26	6.0	4.0	4.0	4.0	6.0	5.0	11.0
27	5.0	4.0	4.0	3.0	6.0	4.0	11.0
28	5.0	3.0	4.0	3.0	6.0	4.0	10.0
29	5.0	3.0	3.0	3.0	5.0	3.0	9.0
30	4.0	3.0	2.0	2.0	4.0	3.0	9.0

TABLE 6.70 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
JOSE DE MELO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	29.0	20.0	25.0	28.0	33.0	27.0	33.0
2	26.0	17.0	17.0	22.0	28.0	21.0	29.0
3	25.0	15.0	16.0	22.0	21.0	21.0	28.0
4	22.0	11.0	13.0	18.0	20.0	20.0	25.0
5	18.0	11.0	10.0	17.0	20.0	20.0	25.0
6	16.0	10.0	9.0	17.0	18.0	18.0	22.0
7	14.0	10.0	9.0	15.0	17.0	18.0	22.0
8	14.0	10.0	9.0	15.0	17.0	18.0	22.0
9	13.0	9.0	8.0	13.0	15.0	17.0	21.0
10	12.0	8.0	8.0	13.0	15.0	15.0	21.0
11	12.0	8.0	7.0	11.0	13.0	14.0	20.0
12	12.0	8.0	7.0	11.0	13.0	13.0	20.0
13	12.0	7.0	7.0	11.0	12.0	12.0	20.0
14	11.0	7.0	7.0	10.0	11.0	11.0	18.0
15	11.0	7.0	6.0	9.0	11.0	10.0	18.0
16	10.0	7.0	6.0	9.0	11.0	9.0	18.0
17	10.0	6.0	6.0	8.0	10.0	8.0	17.0
18	9.0	6.0	6.0	8.0	9.0	8.0	17.0
19	8.0	6.0	5.0	8.0	9.0	7.0	17.0
20	8.0	5.0	5.0	7.0	8.0	7.0	15.0
21	7.0	5.0	5.0	5.0	7.0	7.0	15.0
22	7.0	5.0	5.0	5.0	7.0	7.0	15.0
23	7.0	5.0	4.0	4.0	7.0	6.0	14.0
24	6.0	4.0	4.0	4.0	7.0	6.0	14.0
25	6.0	4.0	4.0	3.0	7.0	6.0	11.0
26	6.0	4.0	4.0	3.0	7.0	5.0	11.0
27	5.0	4.0	4.0	3.0	7.0	5.0	11.0
28	5.0	3.0	4.0	3.0	6.0	5.0	10.0
29	4.0	3.0	3.0	2.0	6.0	4.0	10.0
30	4.0	2.0	2.0	0.0	4.0	3.0	9.0

TABLE 6.7/MAXIMUM CONTINUOUS DAY WITHOUT RAIN
MATEUS LEME

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	28.0	19.0	17.0	22.0	19.0	27.0	28.0
2	22.0	17.0	14.0	17.0	18.0	22.0	27.0
3	18.0	15.0	14.0	15.0	17.0	19.0	22.0
4	16.0	13.0	13.0	15.0	15.0	16.0	22.0
5	15.0	10.0	13.0	14.0	15.0	14.0	22.0
6	15.0	10.0	11.0	12.0	14.0	11.0	19.0
7	15.0	10.0	10.0	12.0	14.0	11.0	19.0
8	14.0	9.0	9.0	12.0	13.0	10.0	18.0
9	12.0	8.0	9.0	11.0	13.0	10.0	18.0
10	12.0	8.0	7.0	11.0	12.0	9.0	17.0
11	12.0	8.0	7.0	10.0	12.0	9.0	17.0
12	12.0	8.0	7.0	9.0	11.0	8.0	17.0
13	10.0	8.0	7.0	8.0	11.0	8.0	16.0
14	10.0	7.0	6.0	8.0	11.0	8.0	16.0
15	9.0	7.0	6.0	8.0	9.0	8.0	15.0
16	9.0	7.0	5.0	7.0	8.0	8.0	15.0
17	8.0	6.0	5.0	7.0	7.0	7.0	15.0
18	8.0	6.0	5.0	7.0	7.0	7.0	15.0
19	8.0	6.0	5.0	7.0	7.0	7.0	14.0
20	7.0	6.0	5.0	7.0	7.0	6.0	14.0
21	7.0	6.0	5.0	7.0	7.0	6.0	14.0
22	7.0	5.0	5.0	6.0	7.0	6.0	14.0
23	7.0	5.0	4.0	4.0	6.0	5.0	13.0
24	7.0	5.0	4.0	3.0	6.0	5.0	13.0
25	7.0	5.0	4.0	3.0	5.0	5.0	12.0
26	7.0	4.0	3.0	3.0	5.0	5.0	12.0
27	7.0	3.0	3.0	3.0	5.0	4.0	10.0
28	7.0	3.0	3.0	2.0	5.0	4.0	9.0
29	7.0	3.0	3.0	2.0	4.0	4.0	8.0
30	5.0	3.0	2.0	2.0	3.0	4.0	7.0

TABLE 6.7.2 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
MTE ALEGRE DE MINAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	38.0	31.0	33.0	24.0	17.0	18.0	38.0
2	31.0	31.0	32.0	15.0	12.0	13.0	33.0
3	31.0	13.0	21.0	15.0	12.0	13.0	32.0
4	17.0	11.0	16.0	13.0	11.0	12.0	31.0
5	15.0	10.0	15.0	9.0	11.0	10.0	31.0
6	14.0	9.0	14.0	9.0	11.0	10.0	31.0
7	14.0	9.0	9.0	9.0	9.0	9.0	24.0
8	13.0	9.0	7.0	8.0	8.0	9.0	18.0
9	11.0	8.0	7.0	7.0	8.0	9.0	17.0
10	11.0	8.0	7.0	7.0	8.0	7.0	15.0
11	10.0	8.0	6.0	7.0	7.0	7.0	15.0
12	10.0	7.0	6.0	6.0	7.0	7.0	15.0
13	10.0	7.0	5.0	6.0	7.0	7.0	14.0
14	10.0	7.0	5.0	6.0	6.0	7.0	14.0
15	9.0	7.0	5.0	6.0	6.0	6.0	13.0
16	9.0	7.0	5.0	6.0	6.0	6.0	13.0
17	9.0	6.0	5.0	6.0	6.0	6.0	13.0
18	8.0	6.0	5.0	5.0	5.0	6.0	12.0
19	8.0	6.0	4.0	4.0	5.0	6.0	11.0
20	8.0	6.0	4.0	4.0	5.0	6.0	11.0
21	7.0	5.0	4.0	4.0	5.0	6.0	10.0
22	7.0	5.0	4.0	4.0	5.0	5.0	9.0
23	7.0	5.0	4.0	4.0	4.0	5.0	9.0
24	7.0	5.0	4.0	3.0	4.0	5.0	9.0
25	7.0	4.0	3.0	3.0	4.0	5.0	9.0
26	7.0	4.0	3.0	2.0	3.0	5.0	8.0
27	6.0	4.0	3.0	2.0	3.0	5.0	7.0
28	5.0	4.0	3.0	2.0	3.0	4.0	7.0
29	4.0	4.0	2.0	2.0	2.0	4.0	7.0
30	3.0	3.0	1.0	2.0	2.0	2.0	6.0

TABLE 6.23 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
NOVA ERA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	28.0	19.0	31.0	30.0	29.0	31.0	31.0
2	27.0	18.0	29.0	25.0	28.0	25.0	31.0
3	27.0	16.0	24.0	23.0	25.0	23.0	30.0
4	25.0	16.0	18.0	21.0	25.0	22.0	29.0
5	15.0	15.0	14.0	20.0	24.0	20.0	29.0
6	14.0	10.0	13.0	18.0	24.0	19.0	28.0
7	14.0	10.0	12.0	16.0	19.0	18.0	27.0
8	13.0	10.0	11.0	15.0	19.0	18.0	27.0
9	13.0	9.0	10.0	14.0	17.0	16.0	25.0
10	13.0	8.0	9.0	13.0	16.0	15.0	25.0
11	11.0	8.0	9.0	12.0	13.0	13.0	25.0
12	10.0	7.0	8.0	11.0	13.0	13.0	25.0
13	10.0	7.0	8.0	10.0	12.0	11.0	24.0
14	10.0	7.0	8.0	10.0	11.0	10.0	24.0
15	10.0	7.0	8.0	9.0	10.0	10.0	23.0
16	9.0	6.0	7.0	8.0	10.0	10.0	23.0
17	8.0	6.0	7.0	8.0	10.0	9.0	21.0
18	8.0	5.0	7.0	8.0	10.0	9.0	20.0
19	8.0	5.0	5.0	8.0	8.0	8.0	19.0
20	8.0	5.0	5.0	8.0	8.0	8.0	18.0
21	7.0	5.0	4.0	7.0	8.0	8.0	18.0
22	7.0	4.0	4.0	7.0	7.0	7.0	16.0
23	6.0	4.0	4.0	7.0	7.0	7.0	16.0
24	6.0	4.0	4.0	6.0	7.0	7.0	15.0
25	5.0	4.0	4.0	6.0	6.0	6.0	14.0
26	5.0	4.0	4.0	6.0	6.0	6.0	13.0
27	5.0	4.0	3.0	4.0	6.0	4.0	13.0
28	4.0	4.0	3.0	4.0	6.0	4.0	13.0
29	4.0	3.0	3.0	3.0	6.0	3.0	10.0
30	3.0	2.0	2.0	2.0	5.0	3.0	9.0

TABLE 6.24 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
PORTO MANDACARU

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	56.0	25.0	31.0	47.0	34.0	31.0	56.0
2	40.0	25.0	31.0	46.0	32.0	31.0	47.0
3	37.0	23.0	26.0	41.0	28.0	31.0	46.0
4	35.0	20.0	24.0	37.0	25.0	26.0	41.0
5	33.0	17.0	24.0	34.0	24.0	25.0	40.0
6	33.0	15.0	20.0	24.0	24.0	23.0	37.0
7	33.0	14.0	18.0	20.0	23.0	21.0	35.0
8	27.0	13.0	17.0	19.0	22.0	20.0	34.0
9	25.0	13.0	15.0	18.0	20.0	17.0	34.0
10	24.0	13.0	15.0	17.0	20.0	17.0	33.0
11	23.0	13.0	15.0	17.0	20.0	16.0	33.0
12	22.0	12.0	15.0	17.0	20.0	15.0	31.0
13	21.0	12.0	15.0	15.0	20.0	14.0	31.0
14	17.0	12.0	15.0	15.0	19.0	13.0	31.0
15	17.0	11.0	13.0	15.0	19.0	12.0	31.0
16	16.0	10.0	12.0	14.0	18.0	12.0	27.0
17	16.0	10.0	11.0	14.0	17.0	11.0	26.0
18	15.0	10.0	11.0	13.0	17.0	11.0	25.0
19	14.0	10.0	10.0	12.0	16.0	11.0	25.0
20	14.0	8.0	9.0	11.0	16.0	11.0	24.0
21	13.0	7.0	8.0	10.0	15.0	10.0	24.0
22	13.0	7.0	8.0	9.0	13.0	10.0	23.0
23	12.0	7.0	8.0	9.0	12.0	10.0	23.0
24	11.0	7.0	7.0	8.0	11.0	9.0	22.0
25	11.0	6.0	6.0	7.0	10.0	8.0	20.0
26	10.0	6.0	6.0	5.0	9.0	8.0	20.0
27	10.0	6.0	6.0	4.0	8.0	8.0	20.0
28	10.0	5.0	6.0	4.0	8.0	8.0	20.0
29	9.0	5.0	5.0	3.0	5.0	7.0	16.0
30	9.0	4.0	4.0	3.0	4.0	6.0	12.0

TABLE 6.75 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
PONTE NOVA DO PARAOPEBA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	21.0	16.0	15.0	36.0	28.0	27.0	36.0
2	18.0	10.0	14.0	19.0	20.0	18.0	28.0
3	16.0	10.0	13.0	18.0	18.0	14.0	27.0
4	15.0	9.0	10.0	14.0	16.0	14.0	21.0
5	15.0	9.0	10.0	13.0	15.0	14.0	20.0
6	15.0	9.0	10.0	12.0	14.0	13.0	19.0
7	14.0	8.0	9.0	12.0	13.0	12.0	18.0
8	13.0	8.0	9.0	12.0	13.0	12.0	18.0
9	13.0	8.0	8.0	11.0	13.0	11.0	18.0
10	12.0	8.0	7.0	10.0	12.0	11.0	16.0
11	12.0	8.0	7.0	9.0	12.0	10.0	16.0
12	11.0	7.0	7.0	8.0	12.0	10.0	16.0
13	10.0	7.0	7.0	8.0	12.0	9.0	15.0
14	10.0	6.0	7.0	8.0	10.0	9.0	15.0
15	10.0	6.0	7.0	8.0	10.0	8.0	14.0
16	9.0	6.0	6.0	7.0	10.0	8.0	14.0
17	9.0	6.0	6.0	7.0	9.0	8.0	14.0
18	8.0	5.0	6.0	7.0	8.0	8.0	14.0
19	7.0	5.0	6.0	7.0	8.0	7.0	13.0
20	7.0	5.0	6.0	6.0	8.0	6.0	13.0
21	7.0	4.0	5.0	6.0	7.0	6.0	13.0
22	7.0	4.0	4.0	5.0	7.0	6.0	13.0
23	7.0	4.0	4.0	4.0	6.0	6.0	12.0
24	7.0	3.0	4.0	4.0	6.0	5.0	12.0
25	7.0	3.0	4.0	4.0	6.0	5.0	12.0
26	6.0	3.0	3.0	3.0	5.0	5.0	12.0
27	6.0	3.0	3.0	3.0	5.0	5.0	12.0
28	5.0	3.0	3.0	3.0	5.0	4.0	10.0
29	4.0	3.0	3.0	2.0	4.0	3.0	9.0
30	4.0	2.0	3.0	2.0	4.0	3.0	8.0

TABLE 6.76 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SABARA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	27.0	18.0	29.0	41.0	35.0	31.0	41.0
2	25.0	17.0	24.0	20.0	34.0	31.0	35.0
3	24.0	16.0	24.0	20.0	29.0	27.0	34.0
4	21.0	14.0	17.0	20.0	28.0	19.0	31.0
5	18.0	12.0	15.0	17.0	23.0	18.0	31.0
6	14.0	11.0	14.0	15.0	22.0	15.0	29.0
7	13.0	10.0	13.0	13.0	22.0	15.0	29.0
8	13.0	10.0	13.0	12.0	20.0	15.0	27.0
9	12.0	8.0	12.0	12.0	19.0	14.0	24.0
10	12.0	8.0	10.0	12.0	19.0	13.0	23.0
11	11.0	7.0	10.0	11.0	19.0	12.0	22.0
12	11.0	7.0	8.0	11.0	18.0	12.0	22.0
13	10.0	6.0	8.0	10.0	18.0	12.0	21.0
14	10.0	6.0	7.0	10.0	17.0	11.0	20.0
15	10.0	6.0	7.0	10.0	16.0	9.0	19.0
16	10.0	6.0	7.0	9.0	16.0	9.0	19.0
17	10.0	6.0	6.0	9.0	15.0	9.0	19.0
18	9.0	5.0	6.0	9.0	13.0	9.0	18.0
19	9.0	5.0	6.0	8.0	12.0	8.0	18.0
20	8.0	5.0	6.0	8.0	12.0	8.0	17.0
21	8.0	5.0	6.0	8.0	11.0	8.0	17.0
22	7.0	4.0	6.0	6.0	10.0	8.0	17.0
23	7.0	4.0	5.0	6.0	9.0	7.0	16.0
24	7.0	4.0	5.0	6.0	8.0	7.0	16.0
25	7.0	4.0	5.0	5.0	8.0	7.0	15.0
26	7.0	4.0	5.0	5.0	6.0	6.0	15.0
27	6.0	4.0	4.0	4.0	6.0	6.0	14.0
28	5.0	3.0	4.0	4.0	5.0	6.0	12.0
29	5.0	3.0	3.0	3.0	5.0	6.0	11.0
30	4.0	3.0	2.0	2.0	4.0	5.0	10.0

TABLE 6.77 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
TAQUARACU

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	23.0	17.0	20.0	29.0	43.0	24.0	43.0
2	22.0	15.0	18.0	23.0	25.0	21.0	29.0
3	21.0	14.0	16.0	17.0	25.0	19.0	25.0
4	18.0	12.0	16.0	16.0	24.0	17.0	25.0
5	17.0	10.0	15.0	16.0	21.0	16.0	24.0
6	16.0	10.0	13.0	15.0	21.0	15.0	23.0
7	16.0	10.0	10.0	13.0	20.0	15.0	23.0
8	15.0	10.0	10.0	13.0	19.0	13.0	21.0
9	14.0	9.0	10.0	12.0	18.0	12.0	21.0
10	13.0	9.0	9.0	11.0	17.0	11.0	21.0
11	13.0	9.0	9.0	11.0	14.0	10.0	20.0
12	12.0	8.0	9.0	10.0	14.0	10.0	20.0
13	11.0	8.0	8.0	10.0	14.0	10.0	19.0
14	10.0	8.0	8.0	9.0	14.0	10.0	18.0
15	10.0	8.0	8.0	9.0	12.0	9.0	18.0
16	9.0	7.0	8.0	8.0	11.0	9.0	17.0
17	9.0	7.0	8.0	8.0	11.0	9.0	17.0
18	9.0	7.0	7.0	7.0	11.0	8.0	17.0
19	9.0	7.0	7.0	7.0	10.0	8.0	16.0
20	7.0	6.0	7.0	7.0	9.0	8.0	16.0
21	7.0	6.0	7.0	7.0	9.0	7.0	15.0
22	7.0	5.0	6.0	5.0	9.0	7.0	15.0
23	7.0	4.0	6.0	5.0	8.0	7.0	15.0
24	6.0	4.0	6.0	5.0	7.0	6.0	13.0
25	5.0	4.0	5.0	4.0	7.0	6.0	13.0
26	5.0	3.0	5.0	4.0	7.0	6.0	12.0
27	5.0	3.0	4.0	3.0	6.0	5.0	12.0
28	5.0	3.0	4.0	3.0	5.0	5.0	11.0
29	4.0	3.0	2.0	2.0	5.0	3.0	9.0
30	4.0	3.0	1.0	1.0	1.0	3.0	9.0

TABLE 6.78 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
USINA PETI

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	23.0	31.0	15.0	36.0	33.0	31.0	36.0
2	18.0	16.0	13.0	30.0	28.0	19.0	33.0
3	16.0	14.0	13.0	26.0	25.0	19.0	31.0
4	15.0	10.0	13.0	20.0	22.0	19.0	30.0
5	14.0	10.0	12.0	19.0	21.0	15.0	28.0
6	13.0	10.0	10.0	14.0	19.0	15.0	23.0
7	13.0	10.0	10.0	13.0	17.0	14.0	22.0
8	13.0	8.0	9.0	11.0	16.0	11.0	21.0
9	13.0	8.0	9.0	11.0	16.0	11.0	20.0
10	12.0	7.0	9.0	11.0	15.0	11.0	19.0
11	11.0	7.0	8.0	11.0	14.0	10.0	19.0
12	10.0	7.0	7.0	9.0	14.0	10.0	18.0
13	10.0	6.0	7.0	9.0	11.0	10.0	17.0
14	9.0	6.0	7.0	8.0	11.0	9.0	16.0
15	9.0	6.0	6.0	8.0	10.0	8.0	16.0
16	9.0	6.0	6.0	8.0	10.0	8.0	16.0
17	8.0	6.0	6.0	8.0	10.0	7.0	14.0
18	8.0	5.0	6.0	8.0	10.0	7.0	14.0
19	8.0	5.0	6.0	7.0	9.0	7.0	13.0
20	7.0	5.0	5.0	7.0	8.0	6.0	13.0
21	7.0	5.0	5.0	6.0	8.0	6.0	13.0
22	7.0	4.0	5.0	6.0	7.0	6.0	11.0
23	7.0	4.0	4.0	6.0	7.0	6.0	11.0
24	7.0	4.0	4.0	5.0	7.0	6.0	10.0
25	6.0	4.0	4.0	4.0	7.0	6.0	10.0
26	6.0	4.0	4.0	3.0	5.0	5.0	10.0
27	6.0	4.0	3.0	3.0	5.0	5.0	10.0
28	5.0	3.0	3.0	2.0	4.0	3.0	10.0
29	5.0	3.0	3.0	2.0	4.0	3.0	10.0
30	3.0	2.0	2.0	1.0	3.0	2.0	7.0

TABLE 6.79 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
FORMOSA-GO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	37.0	46.0	31.0	14.0	15.0	19.0	46.0
2	24.0	15.0	16.0	14.0	9.0	10.0	37.0
3	16.0	13.0	14.0	10.0	9.0	9.0	31.0
4	14.0	12.0	8.0	10.0	8.0	9.0	24.0
5	14.0	11.0	8.0	9.0	8.0	9.0	19.0
6	14.0	10.0	8.0	9.0	8.0	8.0	16.0
7	12.0	9.0	6.0	8.0	8.0	8.0	14.0
8	11.0	8.0	6.0	7.0	8.0	7.0	14.0
9	11.0	7.0	5.0	6.0	7.0	7.0	14.0
10	10.0	6.0	5.0	5.0	7.0	7.0	13.0
11	10.0	6.0	5.0	5.0	7.0	7.0	12.0
12	9.0	6.0	5.0	4.0	6.0	6.0	12.0
13	8.0	5.0	4.0	4.0	6.0	6.0	11.0
14	8.0	5.0	3.0	4.0	5.0	5.0	10.0
15	8.0	4.0	3.0	4.0	5.0	5.0	10.0
16	7.0	4.0	3.0	3.0	4.0	5.0	9.0
17	7.0	4.0	2.0	3.0	4.0	4.0	9.0
18	7.0	4.0	2.0	2.0	4.0	3.0	8.0
19	5.0	4.0	2.0	1.0	3.0	3.0	8.0
20	4.0	2.0	2.0	1.0	3.0	2.0	8.0

TABLE 6.80 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
IMPERATRIZ

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	28.0	18.0	11.0	7.0	7.0	6.0	28.0
2	21.0	13.0	11.0	7.0	6.0	6.0	21.0
3	13.0	12.0	10.0	6.0	6.0	5.0	18.0
4	12.0	10.0	9.0	6.0	5.0	5.0	13.0
5	12.0	9.0	6.0	6.0	4.0	5.0	12.0
6	12.0	8.0	5.0	5.0	4.0	5.0	12.0
7	12.0	7.0	5.0	5.0	4.0	4.0	12.0
8	11.0	6.0	4.0	4.0	4.0	3.0	12.0
9	10.0	6.0	4.0	4.0	4.0	3.0	11.0
10	10.0	6.0	4.0	4.0	3.0	2.0	10.0
11	8.0	5.0	4.0	4.0	3.0	2.0	10.0
12	7.0	4.0	4.0	4.0	2.0	2.0	8.0
13	6.0	4.0	3.0	3.0	2.0	1.0	7.0

TABLE 6.8 / MAXIMUM CONTINUOUS DAY WITHOUT RAIN
JOSE DE FREITAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	54.0	43.0	32.0	17.0	32.0	12.0	54.0
2	53.0	40.0	25.0	16.0	24.0	11.0	53.0
3	50.0	39.0	25.0	15.0	15.0	10.0	50.0
4	42.0	37.0	22.0	15.0	15.0	10.0	43.0
5	41.0	36.0	22.0	14.0	14.0	10.0	42.0
6	38.0	30.0	20.0	13.0	12.0	9.0	41.0
7	36.0	29.0	20.0	13.0	11.0	9.0	39.0
8	35.0	27.0	20.0	13.0	10.0	8.0	38.0
9	35.0	27.0	19.0	12.0	10.0	8.0	37.0
10	32.0	26.0	18.0	11.0	8.0	8.0	36.0
11	31.0	26.0	18.0	10.0	8.0	7.0	36.0
12	28.0	24.0	18.0	9.0	7.0	7.0	35.0
13	27.0	23.0	17.0	9.0	7.0	7.0	32.0
14	26.0	22.0	17.0	9.0	7.0	7.0	32.0
15	26.0	22.0	17.0	9.0	6.0	6.0	32.0
16	25.0	21.0	16.0	9.0	6.0	6.0	30.0
17	23.0	19.0	16.0	8.0	6.0	6.0	28.0
18	22.0	19.0	15.0	8.0	6.0	5.0	27.0
19	19.0	19.0	15.0	7.0	6.0	5.0	27.0
20	18.0	18.0	14.0	7.0	6.0	5.0	26.0
21	18.0	17.0	14.0	7.0	6.0	5.0	22.0
22	17.0	16.0	14.0	7.0	5.0	4.0	21.0
23	17.0	16.0	13.0	6.0	5.0	4.0	19.0
24	17.0	16.0	13.0	6.0	5.0	4.0	19.0
25	16.0	15.0	12.0	6.0	5.0	4.0	19.0
26	16.0	14.0	12.0	6.0	4.0	4.0	19.0
27	16.0	14.0	11.0	5.0	4.0	3.0	18.0
28	15.0	13.0	10.0	5.0	4.0	3.0	17.0
29	15.0	10.0	10.0	5.0	4.0	2.0	17.0
30	14.0	10.0	8.0	4.0	2.0	2.0	16.0

TABLE 6.8.2 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
LAMOUNIER

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	39.0	15.0	20.0	20.0	30.0	28.0	39.0
2	18.0	15.0	15.0	20.0	21.0	17.0	30.0
3	17.0	11.0	11.0	16.0	18.0	16.0	21.0
4	16.0	10.0	9.0	13.0	16.0	16.0	20.0
5	16.0	10.0	8.0	13.0	12.0	11.0	20.0
6	14.0	9.0	8.0	12.0	12.0	11.0	20.0
7	14.0	9.0	8.0	12.0	11.0	10.0	18.0
8	13.0	8.0	8.0	10.0	11.0	9.0	18.0
9	13.0	8.0	7.0	9.0	11.0	9.0	17.0
10	11.0	8.0	7.0	8.0	10.0	9.0	16.0
11	11.0	7.0	7.0	8.0	10.0	8.0	16.0
12	10.0	7.0	6.0	8.0	9.0	8.0	16.0
13	10.0	6.0	6.0	8.0	9.0	8.0	16.0
14	9.0	6.0	6.0	8.0	9.0	8.0	16.0
15	9.0	6.0	6.0	7.0	8.0	7.0	15.0
16	9.0	6.0	6.0	7.0	7.0	7.0	15.0
17	8.0	6.0	6.0	7.0	7.0	7.0	15.0
18	8.0	5.0	5.0	6.0	7.0	6.0	14.0
19	8.0	5.0	5.0	6.0	6.0	6.0	13.0
20	8.0	5.0	5.0	6.0	6.0	6.0	12.0
21	8.0	5.0	5.0	5.0	6.0	6.0	11.0
22	8.0	5.0	5.0	5.0	6.0	5.0	11.0
23	7.0	5.0	5.0	5.0	6.0	5.0	11.0
24	7.0	4.0	4.0	4.0	5.0	4.0	11.0
25	7.0	4.0	4.0	3.0	5.0	4.0	10.0
26	6.0	4.0	4.0	3.0	4.0	4.0	10.0
27	6.0	4.0	3.0	3.0	4.0	4.0	10.0
28	6.0	3.0	3.0	3.0	4.0	4.0	8.0
29	5.0	3.0	3.0	3.0	3.0	4.0	8.0
30	4.0	3.0	2.0	2.0	3.0	4.0	7.0

TABLE 6.83 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
PARANA-PALMA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	27.0	20.0	31.0	21.0	24.0	31.0	31.0
2	23.0	17.0	19.0	16.0	17.0	19.0	31.0
3	21.0	16.0	18.0	16.0	15.0	16.0	27.0
4	20.0	16.0	15.0	14.0	12.0	13.0	24.0
5	18.0	15.0	14.0	11.0	11.0	13.0	23.0
6	17.0	14.0	11.0	11.0	11.0	13.0	21.0
7	15.0	13.0	11.0	11.0	11.0	11.0	21.0
8	14.0	11.0	10.0	10.0	11.0	11.0	20.0
9	14.0	11.0	10.0	10.0	10.0	10.0	20.0
10	13.0	10.0	9.0	9.0	10.0	10.0	19.0
11	12.0	10.0	8.0	9.0	9.0	10.0	19.0
12	12.0	9.0	8.0	8.0	8.0	9.0	17.0
13	12.0	8.0	8.0	8.0	7.0	9.0	16.0
14	11.0	8.0	7.0	8.0	6.0	8.0	15.0
15	10.0	7.0	7.0	7.0	6.0	8.0	15.0
16	9.0	7.0	7.0	7.0	6.0	7.0	14.0
17	8.0	7.0	6.0	6.0	6.0	7.0	12.0
18	7.0	6.0	6.0	6.0	5.0	6.0	12.0
19	7.0	6.0	5.0	6.0	5.0	6.0	11.0
20	7.0	6.0	5.0	6.0	5.0	5.0	11.0
21	7.0	6.0	4.0	6.0	5.0	5.0	11.0
22	6.0	6.0	4.0	5.0	4.0	4.0	10.0
23	6.0	5.0	4.0	4.0	4.0	4.0	10.0
24	6.0	4.0	3.0	3.0	4.0	4.0	8.0
25	4.0	4.0	3.0	3.0	3.0	3.0	7.0

TABLE 6.84 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
PONTE GUATAPARA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	23.0	37.0	24.0	15.0	17.0	14.0	37.0
2	21.0	33.0	19.0	15.0	16.0	14.0	33.0
3	15.0	21.0	14.0	15.0	13.0	14.0	24.0
4	15.0	19.0	13.0	14.0	11.0	14.0	23.0
5	15.0	19.0	13.0	14.0	11.0	14.0	21.0
6	15.0	13.0	12.0	13.0	10.0	14.0	19.0
7	14.0	12.0	11.0	11.0	9.0	13.0	19.0
8	13.0	12.0	8.0	10.0	8.0	12.0	16.0
9	13.0	11.0	8.0	10.0	8.0	12.0	15.0
10	13.0	10.0	8.0	9.0	8.0	11.0	15.0
11	12.0	9.0	8.0	8.0	8.0	10.0	15.0
12	12.0	9.0	8.0	8.0	7.0	10.0	15.0
13	11.0	9.0	8.0	8.0	7.0	10.0	15.0
14	10.0	9.0	7.0	8.0	7.0	10.0	14.0
15	10.0	8.0	7.0	8.0	7.0	9.0	14.0
16	10.0	8.0	7.0	7.0	7.0	8.0	13.0
17	10.0	7.0	7.0	7.0	6.0	8.0	13.0
18	10.0	7.0	6.0	7.0	6.0	7.0	12.0
19	8.0	7.0	6.0	7.0	6.0	7.0	12.0
20	8.0	7.0	6.0	6.0	5.0	6.0	12.0
21	8.0	7.0	5.0	6.0	5.0	6.0	12.0
22	7.0	7.0	5.0	6.0	5.0	6.0	11.0
23	7.0	6.0	5.0	6.0	4.0	6.0	10.0
24	7.0	6.0	5.0	5.0	4.0	6.0	10.0
25	7.0	6.0	4.0	5.0	4.0	5.0	10.0
26	7.0	6.0	4.0	4.0	4.0	5.0	10.0
27	6.0	6.0	4.0	4.0	3.0	5.0	10.0
28	6.0	5.0	4.0	3.0	3.0	4.0	9.0
29	6.0	5.0	4.0	3.0	3.0	4.0	9.0
30	5.0	4.0	3.0	3.0	2.0	3.0	7.0

TABLE 6.25 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SANTA JULIANA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	29.0	14.0	16.0	24.0	17.0	16.0	29.0
2	16.0	13.0	13.0	8.0	17.0	14.0	24.0
3	14.0	12.0	12.0	8.0	16.0	14.0	17.0
4	13.0	12.0	11.0	7.0	11.0	14.0	16.0
5	13.0	10.0	9.0	7.0	11.0	13.0	16.0
6	12.0	10.0	8.0	7.0	10.0	13.0	16.0
7	11.0	9.0	8.0	7.0	10.0	13.0	16.0
8	11.0	9.0	8.0	6.0	9.0	11.0	14.0
9	10.0	8.0	7.0	6.0	9.0	10.0	14.0
10	10.0	8.0	6.0	6.0	9.0	9.0	14.0
11	10.0	8.0	6.0	6.0	9.0	9.0	13.0
12	10.0	8.0	6.0	6.0	8.0	8.0	13.0
13	10.0	8.0	5.0	5.0	8.0	8.0	13.0
14	9.0	7.0	5.0	5.0	7.0	7.0	12.0
15	9.0	7.0	5.0	5.0	7.0	7.0	12.0
16	9.0	6.0	5.0	5.0	6.0	7.0	11.0
17	8.0	6.0	5.0	4.0	6.0	7.0	11.0
18	8.0	6.0	4.0	4.0	5.0	6.0	10.0
19	8.0	6.0	4.0	4.0	5.0	6.0	10.0
20	8.0	5.0	4.0	3.0	5.0	6.0	10.0
21	7.0	5.0	4.0	3.0	4.0	6.0	9.0
22	7.0	5.0	4.0	3.0	4.0	6.0	9.0
23	7.0	5.0	4.0	3.0	4.0	6.0	9.0
24	7.0	4.0	4.0	3.0	4.0	6.0	9.0
25	7.0	4.0	4.0	3.0	3.0	4.0	9.0
26	6.0	4.0	3.0	3.0	3.0	4.0	9.0
27	6.0	3.0	3.0	3.0	3.0	4.0	8.0
28	5.0	3.0	3.0	3.0	3.0	3.0	8.0
29	4.0	3.0	2.0	2.0	2.0	3.0	8.0
30	3.0	3.0	2.0	2.0	1.0	3.0	7.0

TABLE 6.26 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
TAGUATINGA-GO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	31.0	31.0	32.0	13.0	10.0	16.0	32.0
2	29.0	31.0	31.0	8.0	9.0	12.0	31.0
3	24.0	15.0	31.0	7.0	8.0	10.0	31.0
4	15.0	15.0	30.0	7.0	8.0	10.0	31.0
5	13.0	10.0	12.0	7.0	7.0	9.0	31.0
6	12.0	10.0	9.0	7.0	6.0	9.0	30.0
7	11.0	8.0	8.0	7.0	6.0	8.0	29.0
8	11.0	7.0	8.0	7.0	5.0	8.0	24.0
9	10.0	7.0	8.0	6.0	5.0	7.0	16.0
10	10.0	7.0	8.0	6.0	5.0	7.0	15.0
11	10.0	7.0	7.0	6.0	5.0	7.0	15.0
12	10.0	7.0	6.0	6.0	5.0	5.0	13.0
13	10.0	6.0	6.0	5.0	5.0	5.0	13.0
14	9.0	6.0	6.0	5.0	5.0	5.0	12.0
15	9.0	6.0	5.0	5.0	4.0	5.0	10.0
16	9.0	5.0	5.0	4.0	4.0	5.0	10.0
17	9.0	5.0	5.0	4.0	4.0	4.0	10.0
18	8.0	5.0	5.0	4.0	4.0	4.0	10.0
19	8.0	4.0	4.0	4.0	4.0	3.0	10.0
20	7.0	4.0	4.0	4.0	4.0	3.0	9.0
21	6.0	4.0	3.0	3.0	4.0	2.0	9.0
22	5.0	4.0	2.0	3.0	3.0	2.0	8.0
23	5.0	2.0	2.0	0.0	2.0	2.0	6.0

TABLE 6.87 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
TAGUA-CAMPO LARGO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	29.0	26.0	23.0	30.0	18.0	26.0	30.0
2	29.0	23.0	22.0	19.0	18.0	25.0	29.0
3	27.0	23.0	22.0	17.0	18.0	16.0	29.0
4	26.0	20.0	18.0	17.0	17.0	16.0	27.0
5	21.0	14.0	16.0	16.0	15.0	16.0	26.0
6	20.0	12.0	15.0	15.0	14.0	13.0	25.0
7	20.0	12.0	14.0	15.0	13.0	12.0	23.0
8	19.0	12.0	12.0	14.0	12.0	12.0	23.0
9	18.0	11.0	12.0	14.0	12.0	10.0	23.0
10	15.0	10.0	10.0	13.0	12.0	10.0	22.0
11	15.0	10.0	9.0	13.0	11.0	9.0	21.0
12	15.0	10.0	9.0	13.0	11.0	9.0	20.0
13	14.0	10.0	9.0	12.0	11.0	8.0	19.0
14	14.0	10.0	9.0	12.0	10.0	8.0	19.0
15	13.0	9.0	9.0	12.0	10.0	8.0	18.0
16	13.0	8.0	9.0	12.0	10.0	8.0	18.0
17	13.0	7.0	8.0	10.0	10.0	7.0	18.0
18	13.0	7.0	8.0	10.0	10.0	7.0	17.0
19	13.0	7.0	8.0	9.0	9.0	7.0	17.0
20	13.0	7.0	7.0	9.0	9.0	6.0	16.0
21	12.0	7.0	7.0	9.0	9.0	6.0	16.0
22	12.0	6.0	7.0	9.0	8.0	6.0	16.0
23	11.0	6.0	7.0	7.0	7.0	6.0	14.0
24	10.0	6.0	7.0	7.0	8.0	5.0	14.0
25	10.0	6.0	6.0	6.0	7.0	5.0	14.0
26	10.0	5.0	6.0	5.0	6.0	5.0	13.0
27	9.0	5.0	6.0	5.0	6.0	5.0	13.0
28	8.0	5.0	6.0	4.0	5.0	3.0	13.0
29	7.0	5.0	5.0	4.0	5.0	3.0	11.0
30	6.0	4.0	4.0	3.0	3.0	3.0	8.0

TABLE 6.88 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
TAPIRAI-JUSANTE

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	18.0	23.0	17.0	38.0	23.0	27.0	38.0
2	16.0	21.0	12.0	21.0	21.0	17.0	27.0
3	16.0	18.0	12.0	14.0	19.0	15.0	23.0
4	15.0	14.0	11.0	14.0	17.0	14.0	21.0
5	14.0	10.0	9.0	10.0	16.0	14.0	21.0
6	14.0	10.0	7.0	10.0	16.0	12.0	21.0
7	14.0	9.0	7.0	10.0	11.0	10.0	19.0
8	13.0	9.0	7.0	8.0	11.0	10.0	18.0
9	13.0	9.0	7.0	8.0	11.0	10.0	18.0
10	13.0	8.0	7.0	8.0	11.0	10.0	17.0
11	12.0	7.0	7.0	7.0	10.0	9.0	17.0
12	12.0	7.0	7.0	7.0	10.0	8.0	16.0
13	11.0	6.0	6.0	7.0	9.0	8.0	15.0
14	10.0	6.0	6.0	6.0	8.0	8.0	14.0
15	10.0	5.0	6.0	5.0	8.0	7.0	14.0
16	8.0	5.0	6.0	5.0	8.0	7.0	14.0
17	8.0	5.0	5.0	5.0	7.0	7.0	14.0
18	8.0	5.0	5.0	4.0	7.0	6.0	13.0
19	8.0	5.0	5.0	4.0	7.0	6.0	12.0
20	8.0	5.0	5.0	4.0	5.0	6.0	12.0
21	8.0	5.0	5.0	4.0	5.0	6.0	12.0
22	7.0	5.0	4.0	4.0	5.0	6.0	11.0
23	7.0	4.0	4.0	4.0	4.0	5.0	11.0
24	6.0	4.0	4.0	3.0	4.0	5.0	10.0
25	6.0	4.0	4.0	3.0	3.0	5.0	10.0
26	6.0	4.0	4.0	3.0	3.0	4.0	10.0
27	5.0	4.0	4.0	3.0	3.0	4.0	9.0
28	5.0	4.0	3.0	2.0	2.0	3.0	7.0
29	5.0	4.0	2.0	2.0	2.0	3.0	6.0
30	3.0	3.0	0.0	1.0	2.0	1.0	6.0

TABLE 6.89 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
TERESINA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	43.0	32.0	22.0	14.0	10.0	12.0	43.0
2	33.0	27.0	17.0	14.0	10.0	10.0	33.0
3	32.0	27.0	17.0	14.0	9.0	9.0	32.0
4	30.0	25.0	17.0	13.0	8.0	7.0	32.0
5	29.0	25.0	16.0	13.0	8.0	6.0	30.0
6	29.0	23.0	14.0	12.0	7.0	6.0	29.0
7	27.0	22.0	14.0	11.0	6.0	5.0	29.0
8	27.0	19.0	14.0	11.0	6.0	5.0	27.0
9	26.0	19.0	14.0	11.0	5.0	4.0	27.0
10	24.0	18.0	13.0	10.0	5.0	4.0	27.0
11	23.0	18.0	13.0	10.0	5.0	4.0	25.0
12	23.0	18.0	12.0	10.0	5.0	4.0	24.0
13	22.0	18.0	12.0	9.0	5.0	4.0	23.0
14	21.0	17.0	12.0	9.0	5.0	4.0	23.0
15	21.0	17.0	10.0	8.0	4.0	3.0	22.0
16	20.0	16.0	10.0	7.0	4.0	3.0	22.0
17	20.0	15.0	10.0	7.0	4.0	3.0	21.0
18	19.0	15.0	10.0	7.0	4.0	3.0	20.0
19	18.0	14.0	10.0	7.0	4.0	3.0	20.0
20	18.0	14.0	10.0	6.0	4.0	3.0	20.0
21	18.0	12.0	10.0	6.0	3.0	3.0	19.0
22	18.0	12.0	10.0	5.0	3.0	3.0	19.0
23	16.0	11.0	9.0	5.0	3.0	3.0	18.0
24	16.0	11.0	9.0	5.0	3.0	2.0	18.0
25	16.0	10.0	8.0	4.0	2.0	2.0	18.0
26	12.0	10.0	8.0	4.0	2.0	2.0	16.0
27	11.0	8.0	8.0	4.0	2.0	2.0	16.0
28	11.0	8.0	8.0	3.0	2.0	2.0	16.0
29	11.0	8.0	7.0	3.0	2.0	2.0	15.0
30	8.0	7.0	6.0	3.0	2.0	1.0	14.0

TABLE 6.90 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
USINA DE VARGINHA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	21.0	15.0	12.0	22.0	22.0	20.0	22.0
2	20.0	15.0	10.0	15.0	18.0	16.0	22.0
3	19.0	13.0	10.0	13.0	16.0	14.0	21.0
4	17.0	13.0	9.0	12.0	13.0	14.0	20.0
5	16.0	13.0	9.0	9.0	11.0	12.0	20.0
6	14.0	10.0	9.0	9.0	10.0	12.0	19.0
7	14.0	10.0	8.0	8.0	10.0	12.0	17.0
8	13.0	10.0	8.0	8.0	10.0	12.0	16.0
9	13.0	9.0	8.0	7.0	9.0	11.0	16.0
10	12.0	9.0	8.0	7.0	9.0	11.0	16.0
11	12.0	9.0	7.0	7.0	8.0	11.0	14.0
12	12.0	9.0	7.0	7.0	8.0	10.0	14.0
13	12.0	9.0	7.0	6.0	8.0	10.0	14.0
14	11.0	8.0	7.0	6.0	7.0	10.0	13.0
15	10.0	8.0	7.0	6.0	7.0	9.0	13.0
16	10.0	8.0	6.0	6.0	7.0	8.0	12.0
17	10.0	8.0	5.0	6.0	7.0	8.0	12.0
18	9.0	7.0	5.0	6.0	7.0	8.0	12.0
19	8.0	7.0	5.0	6.0	7.0	7.0	12.0
20	8.0	6.0	5.0	5.0	6.0	7.0	12.0
21	8.0	6.0	5.0	5.0	6.0	7.0	12.0
22	8.0	5.0	5.0	5.0	5.0	6.0	12.0
23	8.0	5.0	5.0	4.0	5.0	6.0	12.0
24	7.0	5.0	4.0	4.0	4.0	5.0	11.0
25	7.0	4.0	4.0	4.0	4.0	5.0	11.0
26	7.0	4.0	4.0	3.0	4.0	5.0	10.0
27	7.0	4.0	4.0	3.0	4.0	4.0	9.0
28	6.0	4.0	3.0	3.0	3.0	4.0	8.0
29	5.0	4.0	3.0	2.0	3.0	3.0	8.0
30	5.0	4.0	2.0	2.0	3.0	1.0	7.0

TABLE 6.9/MAXIMUM CONTINUOUS DAY WITHOUT RAIN
AGUIDAUANA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	35.0	39.0	19.0	16.0	15.0	19.0	39.0
2	25.0	17.0	17.0	13.0	14.0	19.0	35.0
3	19.0	17.0	14.0	12.0	14.0	15.0	25.0
4	19.0	16.0	12.0	12.0	12.0	15.0	19.0
5	18.0	13.0	11.0	11.0	10.0	14.0	19.0
6	18.0	13.0	11.0	10.0	9.0	13.0	19.0
7	17.0	13.0	10.0	10.0	8.0	13.0	19.0
8	15.0	13.0	10.0	9.0	8.0	12.0	19.0
9	14.0	12.0	10.0	9.0	8.0	10.0	18.0
10	13.0	12.0	10.0	9.0	8.0	10.0	17.0
11	13.0	11.0	9.0	8.0	8.0	10.0	16.0
12	12.0	11.0	9.0	8.0	7.0	10.0	15.0
13	11.0	10.0	8.0	8.0	6.0	10.0	15.0
14	11.0	10.0	8.0	7.0	6.0	9.0	15.0
15	11.0	10.0	8.0	7.0	6.0	9.0	15.0
16	9.0	9.0	8.0	7.0	6.0	9.0	14.0
17	8.0	9.0	7.0	7.0	6.0	9.0	14.0
18	8.0	9.0	7.0	7.0	5.0	8.0	13.0
19	8.0	9.0	7.0	6.0	5.0	8.0	13.0
20	8.0	9.0	7.0	5.0	5.0	8.0	13.0
21	8.0	8.0	7.0	5.0	5.0	7.0	13.0
22	8.0	8.0	6.0	5.0	5.0	7.0	12.0
23	7.0	8.0	6.0	5.0	5.0	7.0	12.0
24	7.0	7.0	6.0	5.0	5.0	6.0	11.0
25	7.0	7.0	5.0	4.0	4.0	6.0	10.0
26	7.0	6.0	5.0	4.0	4.0	6.0	10.0
27	7.0	6.0	5.0	4.0	4.0	6.0	10.0
28	7.0	6.0	4.0	4.0	4.0	5.0	9.0
29	6.0	6.0	3.0	4.0	4.0	5.0	9.0
30	5.0	5.0	3.0	3.0	3.0	5.0	7.0

5

TABLE 6.9.2 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
ARAXA-DNMET

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	15.0	20.0	14.0	15.0	20.0	19.0	20.0
2	15.0	17.0	13.0	14.0	19.0	16.0	20.0
3	14.0	14.0	10.0	12.0	13.0	15.0	19.0
4	13.0	11.0	9.0	11.0	11.0	15.0	17.0
5	13.0	10.0	8.0	10.0	11.0	14.0	15.0
6	12.0	10.0	7.0	10.0	10.0	14.0	15.0
7	12.0	9.0	6.0	9.0	10.0	12.0	15.0
8	12.0	9.0	5.0	9.0	10.0	11.0	15.0
9	11.0	8.0	5.0	8.0	9.0	10.0	14.0
10	10.0	8.0	5.0	8.0	8.0	9.0	14.0
11	9.0	7.0	5.0	8.0	7.0	8.0	14.0
12	9.0	6.0	5.0	8.0	7.0	8.0	14.0
13	9.0	6.0	5.0	7.0	6.0	8.0	13.0
14	8.0	6.0	5.0	6.0	6.0	8.0	12.0
15	8.0	6.0	5.0	6.0	6.0	7.0	12.0
16	7.0	5.0	5.0	5.0	6.0	7.0	12.0
17	7.0	5.0	5.0	5.0	6.0	7.0	11.0
18	7.0	5.0	4.0	5.0	6.0	7.0	10.0
19	7.0	5.0	4.0	5.0	5.0	6.0	10.0
20	7.0	4.0	4.0	5.0	5.0	6.0	9.0
21	6.0	4.0	4.0	5.0	5.0	6.0	9.0
22	6.0	4.0	4.0	4.0	5.0	6.0	9.0
23	6.0	4.0	3.0	4.0	4.0	6.0	9.0
24	6.0	4.0	3.0	4.0	4.0	5.0	9.0
25	6.0	4.0	3.0	4.0	4.0	5.0	9.0
26	6.0	4.0	3.0	4.0	4.0	5.0	8.0
27	5.0	4.0	3.0	4.0	3.0	4.0	8.0
28	5.0	3.0	3.0	4.0	3.0	4.0	7.0
29	4.0	3.0	2.0	3.0	2.0	3.0	7.0
30	4.0	3.0	1.0	2.0	1.0	3.0	6.0

TABLE 6.93 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
BARRAS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	59.0	50.0	31.0	30.0	20.0	9.0	59.0
2	53.0	43.0	27.0	24.0	18.0	9.0	53.0
3	53.0	42.0	25.0	18.0	12.0	9.0	53.0
4	49.0	38.0	21.0	17.0	11.0	8.0	50.0
5	49.0	35.0	21.0	16.0	11.0	7.0	49.0
6	47.0	33.0	20.0	15.0	10.0	7.0	49.0
7	45.0	32.0	20.0	14.0	9.0	7.0	47.0
8	43.0	30.0	20.0	13.0	8.0	6.0	45.0
9	35.0	30.0	18.0	11.0	8.0	6.0	43.0
10	33.0	30.0	17.0	11.0	8.0	6.0	43.0
11	32.0	29.0	17.0	10.0	8.0	6.0	42.0
12	32.0	29.0	17.0	9.0	7.0	5.0	38.0
13	31.0	28.0	16.0	9.0	7.0	5.0	35.0
14	31.0	26.0	16.0	9.0	6.0	5.0	35.0
15	31.0	25.0	15.0	9.0	6.0	5.0	33.0
16	31.0	24.0	14.0	9.0	6.0	5.0	33.0
17	31.0	23.0	14.0	9.0	6.0	4.0	32.0
18	31.0	22.0	14.0	9.0	5.0	4.0	32.0
19	30.0	22.0	13.0	9.0	5.0	4.0	30.0
20	28.0	22.0	13.0	8.0	5.0	3.0	30.0
21	27.0	22.0	13.0	8.0	4.0	3.0	30.0
22	22.0	21.0	13.0	8.0	4.0	3.0	30.0
23	22.0	19.0	12.0	6.0	4.0	3.0	29.0
24	21.0	17.0	12.0	5.0	4.0	3.0	28.0
25	21.0	16.0	12.0	4.0	3.0	3.0	27.0
26	21.0	14.0	11.0	4.0	3.0	2.0	23.0
27	20.0	13.0	9.0	4.0	2.0	2.0	22.0
28	20.0	12.0	8.0	3.0	2.0	1.0	22.0
29	16.0	11.0	6.0	3.0	2.0	1.0	20.0
30	10.0	11.0	6.0	2.0	1.0	1.0	11.0

TABLE 6.94 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CACERES

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	20.0	17.0	11.0	16.0	13.0	14.0	20.0
2	17.0	14.0	9.0	15.0	9.0	14.0	17.0
3	15.0	14.0	9.0	13.0	8.0	14.0	17.0
4	14.0	12.0	9.0	9.0	8.0	12.0	16.0
5	14.0	12.0	8.0	9.0	7.0	12.0	15.0
6	14.0	11.0	8.0	8.0	7.0	12.0	15.0
7	14.0	11.0	8.0	8.0	7.0	11.0	14.0
8	12.0	11.0	8.0	8.0	6.0	10.0	14.0
9	12.0	10.0	8.0	7.0	6.0	10.0	14.0
10	11.0	9.0	7.0	7.0	6.0	9.0	14.0
11	11.0	9.0	7.0	6.0	6.0	9.0	14.0
12	11.0	8.0	7.0	6.0	6.0	9.0	13.0
13	10.0	8.0	7.0	6.0	6.0	9.0	13.0
14	10.0	8.0	6.0	6.0	6.0	8.0	12.0
15	10.0	7.0	6.0	6.0	6.0	8.0	12.0
16	10.0	7.0	6.0	5.0	6.0	7.0	12.0
17	9.0	7.0	5.0	5.0	5.0	7.0	12.0
18	9.0	7.0	5.0	5.0	5.0	7.0	11.0
19	8.0	7.0	5.0	5.0	5.0	7.0	11.0
20	8.0	7.0	5.0	4.0	5.0	6.0	11.0
21	8.0	6.0	5.0	4.0	5.0	6.0	11.0
22	7.0	6.0	5.0	4.0	5.0	6.0	10.0
23	7.0	6.0	5.0	3.0	4.0	5.0	9.0
24	7.0	6.0	5.0	3.0	4.0	5.0	9.0
25	6.0	6.0	4.0	3.0	4.0	5.0	8.0
26	6.0	5.0	4.0	3.0	4.0	4.0	8.0
27	5.0	4.0	4.0	3.0	4.0	4.0	8.0
28	5.0	4.0	3.0	3.0	4.0	4.0	8.0
29	5.0	3.0	3.0	2.0	3.0	4.0	8.0
30	4.0	3.0	3.0	2.0	3.0	2.0	7.0

TABLE 6.95 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
CARMO DA MATA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	35.0	44.0	17.0	24.0	27.0	26.0	44.0
2	22.0	17.0	15.0	21.0	19.0	20.0	35.0
3	17.0	15.0	15.0	21.0	19.0	18.0	27.0
4	17.0	14.0	15.0	19.0	17.0	17.0	24.0
5	15.0	11.0	14.0	14.0	15.0	15.0	22.0
6	14.0	11.0	13.0	12.0	14.0	14.0	21.0
7	13.0	10.0	12.0	12.0	14.0	13.0	21.0
8	11.0	9.0	11.0	10.0	13.0	11.0	20.0
9	11.0	9.0	9.0	9.0	12.0	10.0	19.0
10	10.0	9.0	8.0	9.0	11.0	10.0	19.0
11	10.0	9.0	8.0	9.0	11.0	10.0	19.0
12	9.0	9.0	7.0	8.0	11.0	9.0	18.0
13	9.0	9.0	7.0	8.0	11.0	9.0	17.0
14	9.0	8.0	7.0	8.0	11.0	9.0	17.0
15	9.0	7.0	7.0	7.0	10.0	9.0	17.0
16	9.0	7.0	7.0	7.0	10.0	9.0	17.0
17	9.0	7.0	7.0	7.0	10.0	7.0	15.0
18	8.0	6.0	6.0	7.0	10.0	7.0	14.0
19	8.0	6.0	6.0	7.0	7.0	6.0	14.0
20	8.0	6.0	6.0	7.0	7.0	6.0	13.0
21	7.0	6.0	5.0	6.0	7.0	5.0	11.0
22	7.0	6.0	5.0	6.0	7.0	5.0	11.0
23	7.0	6.0	4.0	6.0	6.0	5.0	11.0
24	7.0	5.0	4.0	6.0	6.0	5.0	10.0
25	7.0	5.0	4.0	6.0	6.0	5.0	10.0
26	7.0	5.0	4.0	5.0	5.0	5.0	10.0
27	7.0	5.0	4.0	4.0	5.0	4.0	9.0
28	6.0	4.0	4.0	3.0	4.0	4.0	9.0
29	5.0	3.0	3.0	3.0	4.0	4.0	9.0
30	5.0	3.0	1.0	3.0	4.0	3.0	8.0

TABLE 6.96 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
DIAMANTINO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	16.0	17.0	11.0	7.0	6.0	14.0	17.0
2	12.0	12.0	9.0	6.0	6.0	10.0	16.0
3	12.0	11.0	7.0	6.0	6.0	9.0	14.0
4	12.0	9.0	7.0	6.0	6.0	8.0	12.0
5	10.0	9.0	7.0	5.0	6.0	8.0	12.0
6	9.0	9.0	7.0	5.0	5.0	7.0	11.0
7	9.0	8.0	6.0	5.0	5.0	7.0	10.0
8	8.0	8.0	6.0	5.0	4.0	6.0	9.0
9	8.0	8.0	6.0	5.0	4.0	6.0	9.0
10	8.0	7.0	5.0	5.0	4.0	5.0	9.0
11	8.0	7.0	5.0	5.0	4.0	5.0	8.0
12	8.0	6.0	5.0	4.0	4.0	5.0	8.0
13	8.0	5.0	5.0	4.0	4.0	5.0	8.0
14	8.0	5.0	5.0	4.0	4.0	5.0	8.0
15	8.0	5.0	5.0	4.0	4.0	5.0	8.0
16	7.0	5.0	4.0	4.0	3.0	4.0	8.0
17	7.0	5.0	4.0	4.0	3.0	4.0	8.0
18	7.0	5.0	4.0	3.0	3.0	4.0	8.0
19	6.0	5.0	4.0	3.0	3.0	4.0	8.0
20	5.0	5.0	4.0	3.0	3.0	4.0	7.0
21	5.0	4.0	3.0	3.0	3.0	4.0	7.0
22	5.0	4.0	3.0	3.0	3.0	4.0	7.0
23	5.0	4.0	3.0	3.0	3.0	4.0	7.0
24	5.0	4.0	3.0	3.0	3.0	4.0	6.0
25	5.0	4.0	3.0	3.0	2.0	3.0	6.0
26	5.0	4.0	3.0	3.0	2.0	3.0	5.0
27	4.0	3.0	3.0	2.0	2.0	3.0	5.0
28	4.0	3.0	3.0	2.0	2.0	3.0	5.0
29	4.0	3.0	3.0	2.0	2.0	2.0	5.0
30	4.0	3.0	3.0	2.0	2.0	2.0	5.0

TABLE 6.97 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
GUAICURUS

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	30.0	26.0	21.0	22.0	35.0	28.0	35.0
2	24.0	23.0	15.0	15.0	20.0	25.0	30.0
3	24.0	22.0	14.0	15.0	17.0	23.0	24.0
4	23.0	19.0	13.0	15.0	17.0	21.0	24.0
5	21.0	17.0	13.0	11.0	16.0	20.0	23.0
6	19.0	14.0	13.0	11.0	15.0	18.0	22.0
7	18.0	13.0	12.0	11.0	14.0	16.0	21.0
8	17.0	13.0	12.0	11.0	13.0	15.0	21.0
9	17.0	13.0	12.0	10.0	12.0	14.0	20.0
10	17.0	12.0	11.0	10.0	11.0	14.0	19.0
11	17.0	12.0	10.0	10.0	10.0	13.0	18.0
12	17.0	12.0	10.0	10.0	9.0	12.0	17.0
13	16.0	11.0	9.0	10.0	9.0	10.0	17.0
14	16.0	11.0	9.0	9.0	9.0	11.0	17.0
15	15.0	11.0	9.0	9.0	9.0	11.0	17.0
16	14.0	10.0	9.0	8.0	7.0	10.0	16.0
17	12.0	10.0	8.0	8.0	7.0	10.0	16.0
18	12.0	10.0	7.0	8.0	7.0	10.0	16.0
19	11.0	9.0	7.0	8.0	7.0	9.0	15.0
20	10.0	9.0	7.0	8.0	7.0	9.0	15.0
21	10.0	9.0	7.0	7.0	7.0	9.0	15.0
22	10.0	9.0	7.0	7.0	6.0	9.0	14.0
23	10.0	8.0	6.0	6.0	6.0	8.0	14.0
24	9.0	8.0	6.0	6.0	6.0	8.0	13.0
25	8.0	7.0	6.0	5.0	5.0	7.0	12.0
26	8.0	7.0	6.0	5.0	5.0	7.0	12.0
27	7.0	6.0	6.0	5.0	5.0	7.0	11.0
28	7.0	5.0	4.0	4.0	5.0	7.0	11.0
29	5.0	4.0	4.0	4.0	3.0	5.0	10.0
30	5.0	4.0	3.0	2.0	3.0	4.0	10.0

TABLE 6.98 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
INSTITUTO AGRONOMICO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	28.0	20.0	36.0	23.0	23.0	29.0	36.0
2	26.0	18.0	17.0	20.0	19.0	22.0	29.0
3	22.0	14.0	14.0	17.0	18.0	20.0	28.0
4	21.0	11.0	14.0	16.0	16.0	20.0	23.0
5	13.0	10.0	10.0	16.0	15.0	17.0	23.0
6	13.0	10.0	10.0	16.0	14.0	15.0	22.0
7	12.0	10.0	9.0	15.0	14.0	14.0	22.0
8	12.0	9.0	9.0	14.0	13.0	12.0	21.0
9	11.0	8.0	9.0	13.0	13.0	12.0	20.0
10	11.0	8.0	8.0	12.0	12.0	11.0	20.0
11	11.0	8.0	7.0	12.0	11.0	11.0	19.0
12	11.0	8.0	7.0	12.0	10.0	11.0	18.0
13	10.0	8.0	7.0	11.0	10.0	9.0	18.0
14	10.0	8.0	7.0	11.0	10.0	9.0	17.0
15	10.0	7.0	7.0	10.0	10.0	9.0	17.0
16	9.0	7.0	6.0	9.0	10.0	9.0	16.0
17	8.0	7.0	6.0	8.0	9.0	8.0	16.0
18	8.0	7.0	6.0	7.0	9.0	8.0	16.0
19	8.0	6.0	6.0	6.0	9.0	7.0	14.0
20	7.0	6.0	5.0	6.0	8.0	7.0	14.0
21	7.0	6.0	5.0	6.0	8.0	7.0	13.0
22	7.0	4.0	5.0	6.0	7.0	7.0	12.0
23	7.0	4.0	5.0	5.0	6.0	6.0	12.0
24	7.0	4.0	4.0	4.0	6.0	6.0	12.0
25	7.0	4.0	4.0	4.0	6.0	6.0	11.0
26	7.0	4.0	3.0	3.0	6.0	6.0	11.0
27	6.0	4.0	3.0	2.0	6.0	5.0	10.0
28	5.0	3.0	3.0	2.0	5.0	4.0	10.0
29	5.0	3.0	2.0	2.0	4.0	4.0	9.0
30	5.0	3.0	2.0	2.0	3.0	3.0	9.0

TABLE 6.99 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
ITUMBIARA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	22.0	20.0	47.0	23.0	26.0	24.0	47.0
2	19.0	16.0	22.0	15.0	17.0	19.0	26.0
3	18.0	14.0	18.0	14.0	12.0	16.0	24.0
4	17.0	14.0	13.0	12.0	12.0	16.0	22.0
5	17.0	12.0	10.0	12.0	11.0	14.0	22.0
6	16.0	12.0	7.0	11.0	11.0	14.0	20.0
7	15.0	12.0	7.0	11.0	11.0	12.0	19.0
8	15.0	11.0	6.0	10.0	10.0	11.0	18.0
9	12.0	10.0	6.0	9.0	8.0	10.0	17.0
10	11.0	8.0	6.0	9.0	8.0	9.0	17.0
11	11.0	8.0	6.0	8.0	7.0	9.0	16.0
12	11.0	8.0	5.0	7.0	6.0	8.0	16.0
13	10.0	8.0	5.0	6.0	6.0	8.0	15.0
14	10.0	7.0	5.0	6.0	6.0	8.0	15.0
15	9.0	6.0	5.0	5.0	5.0	8.0	14.0
16	8.0	6.0	5.0	5.0	4.0	8.0	12.0
17	6.0	6.0	5.0	5.0	4.0	7.0	11.0
18	6.0	5.0	4.0	5.0	4.0	7.0	10.0
19	5.0	4.0	3.0	4.0	4.0	5.0	8.0
20	5.0	3.0	2.0	3.0	1.0	3.0	6.0

TABLE 6.100 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
LAGOA SANTA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	36.0	21.0	24.0	36.0	37.0	31.0	37.0
2	34.0	16.0	20.0	26.0	22.0	31.0	36.0
3	29.0	14.0	17.0	21.0	16.0	31.0	36.0
4	26.0	12.0	17.0	18.0	16.0	28.0	34.0
5	21.0	11.0	14.0	17.0	16.0	24.0	31.0
6	19.0	11.0	13.0	17.0	15.0	19.0	31.0
7	19.0	10.0	10.0	17.0	14.0	17.0	31.0
8	14.0	9.0	10.0	16.0	13.0	15.0	29.0
9	13.0	9.0	9.0	14.0	13.0	14.0	24.0
10	13.0	9.0	9.0	13.0	11.0	14.0	24.0
11	13.0	8.0	9.0	13.0	11.0	12.0	21.0
12	12.0	8.0	8.0	13.0	11.0	12.0	21.0
13	9.0	8.0	8.0	13.0	11.0	11.0	20.0
14	9.0	8.0	7.0	12.0	10.0	11.0	19.0
15	9.0	8.0	7.0	11.0	10.0	9.0	19.0
16	8.0	7.0	6.0	10.0	9.0	9.0	19.0
17	8.0	7.0	6.0	9.0	9.0	8.0	18.0
18	8.0	7.0	6.0	9.0	9.0	8.0	17.0
19	8.0	7.0	6.0	9.0	8.0	8.0	17.0
20	8.0	7.0	5.0	8.0	8.0	8.0	17.0
21	8.0	7.0	4.0	7.0	7.0	7.0	17.0
22	8.0	6.0	4.0	6.0	7.0	7.0	16.0
23	8.0	6.0	4.0	6.0	7.0	7.0	16.0
24	8.0	6.0	4.0	6.0	7.0	6.0	14.0
25	7.0	5.0	4.0	5.0	7.0	6.0	12.0
26	6.0	5.0	4.0	4.0	7.0	6.0	10.0
27	5.0	4.0	4.0	3.0	7.0	5.0	9.0
28	5.0	4.0	3.0	2.0	6.0	5.0	9.0
29	4.0	3.0	2.0	2.0	4.0	3.0	8.0

TABLE 6. / 02 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
COLONIA MERURI-STA CRUZ

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	18.0	12.0	10.0	16.0	12.0	19.0	19.0
2	18.0	12.0	8.0	15.0	10.0	15.0	18.0
3	18.0	10.0	7.0	11.0	9.0	15.0	18.0
4	16.0	10.0	7.0	10.0	9.0	13.0	16.0
5	14.0	9.0	7.0	10.0	9.0	11.0	16.0
6	14.0	9.0	7.0	10.0	8.0	10.0	15.0
7	14.0	9.0	7.0	9.0	7.0	9.0	15.0
8	10.0	8.0	6.0	8.0	7.0	9.0	14.0
9	10.0	7.0	6.0	8.0	7.0	9.0	14.0
10	10.0	7.0	6.0	7.0	7.0	7.0	14.0
11	10.0	7.0	6.0	7.0	7.0	7.0	12.0
12	9.0	7.0	5.0	7.0	7.0	7.0	12.0
13	8.0	7.0	5.0	7.0	6.0	7.0	11.0
14	8.0	7.0	5.0	6.0	6.0	7.0	11.0
15	8.0	6.0	5.0	6.0	6.0	7.0	10.0
16	8.0	6.0	5.0	6.0	4.0	6.0	10.0
17	7.0	6.0	5.0	6.0	4.0	6.0	10.0
18	7.0	6.0	5.0	5.0	4.0	6.0	10.0
19	7.0	6.0	4.0	5.0	4.0	6.0	10.0
20	7.0	6.0	4.0	5.0	4.0	5.0	10.0
21	7.0	5.0	4.0	5.0	4.0	5.0	9.0
22	7.0	5.0	4.0	5.0	4.0	4.0	9.0
23	6.0	5.0	4.0	5.0	4.0	4.0	9.0
24	6.0	5.0	3.0	4.0	3.0	4.0	8.0
25	5.0	5.0	3.0	4.0	3.0	4.0	7.0
26	5.0	5.0	3.0	3.0	3.0	4.0	7.0
27	5.0	4.0	3.0	3.0	3.0	4.0	7.0
28	5.0	3.0	3.0	3.0	2.0	3.0	7.0
29	5.0	3.0	2.0	3.0	2.0	3.0	7.0
30	3.0	2.0	1.0	1.0	2.0	3.0	6.0

TABLE 6. / 02 MAXIMUM CONTINUOUS DAY WITHOUT RAIN
PORTO MURTINHO

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	33.0	23.0	30.0	22.0	18.0	16.0	33.0
2	19.0	20.0	25.0	19.0	14.0	14.0	30.0
3	19.0	19.0	16.0	16.0	11.0	13.0	25.0
4	16.0	15.0	16.0	13.0	11.0	12.0	23.0
5	12.0	12.0	10.0	13.0	10.0	12.0	20.0
6	11.0	10.0	9.0	12.0	10.0	11.0	19.0
7	9.0	9.0	9.0	11.0	10.0	9.0	19.0
8	8.0	8.0	8.0	8.0	7.0	7.0	19.0
9	6.0	7.0	7.0	6.0	7.0	7.0	16.0
10	6.0	7.0	6.0	5.0	7.0	6.0	12.0

TABLE 6. 70% MAXIMUM CONTINUOUS DAY WITHOUT RAIN
SANTA BARBARA

NO.	OCT	NOV	DEC	JAN	FEB	MAR	ANL
1	26.0	16.0	16.0	27.0	33.0	28.0	33.0
2	20.0	14.0	14.0	21.0	25.0	21.0	28.0
3	20.0	12.0	14.0	19.0	25.0	18.0	27.0
4	19.0	10.0	13.0	19.0	23.0	18.0	26.0
5	18.0	10.0	13.0	13.0	21.0	16.0	25.0
6	17.0	9.0	13.0	13.0	21.0	15.0	25.0
7	16.0	8.0	10.0	12.0	20.0	15.0	23.0
8	14.0	8.0	10.0	12.0	19.0	14.0	21.0
9	13.0	7.0	10.0	11.0	17.0	12.0	21.0
10	13.0	7.0	9.0	11.0	15.0	11.0	21.0
11	11.0	7.0	9.0	11.0	14.0	11.0	21.0
12	10.0	6.0	8.0	11.0	14.0	10.0	20.0
13	9.0	6.0	8.0	11.0	14.0	10.0	20.0
14	9.0	6.0	8.0	9.0	12.0	9.0	20.0
15	8.0	6.0	7.0	9.0	12.0	9.0	19.0
16	8.0	5.0	6.0	9.0	11.0	9.0	18.0
17	8.0	5.0	6.0	8.0	11.0	7.0	15.0
18	8.0	5.0	6.0	8.0	11.0	7.0	15.0
19	8.0	5.0	5.0	8.0	10.0	6.0	14.0
20	7.0	4.0	5.0	6.0	9.0	6.0	14.0
21	7.0	4.0	5.0	5.0	8.0	6.0	14.0
22	7.0	4.0	5.0	5.0	8.0	6.0	14.0
23	6.0	4.0	5.0	4.0	8.0	6.0	13.0
24	6.0	4.0	4.0	3.0	8.0	5.0	13.0
25	6.0	4.0	4.0	3.0	7.0	5.0	11.0
26	6.0	3.0	4.0	3.0	7.0	5.0	11.0
27	6.0	3.0	3.0	3.0	6.0	5.0	11.0
28	5.0	3.0	3.0	3.0	6.0	5.0	10.0
29	5.0	3.0	3.0	3.0	5.0	3.0	10.0
30	2.0	2.0	3.0	1.0	3.0	3.0	10.0

(資料 7)

無降水継続日数の再現期待値算定図

103地点

10、11、12、1、2、3月、全雨季期間(10月~3月)

(Section 7)

RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT
PRECIPITATION

103 Stations

October~March, Whole rainy season of years(October~March)

図表類の表示順序

THE ORDER OF FIGURES AND TABLES

order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.
1	ABADIA	22	ARACUA	42	AMARAN	60	CAETEX	79	FORMOS	91	AQUIDA
2	BARREI	23	BAMBUI	43	BARRII	61	CAREIA	80	IMPERA	92	ARAXAX
3	BATALH	24	CARPAR	44	CATALA	62	CELMUR	81	JOSFRE	93	BARRAS
4	BOQUEI	25	CURVEL	45	CONCEI	63	FAZESC	82	LAMOUN	94	CACERE
5	CAMPOM	26	FAZAJU	46	CORIVE	64	GOIANI	83	PARANA	95	CARMAT
6	CARMOX	27	FRUTAL	47	COTEGI	65	GOUVEA	84	POGUAT	96	DIAMAN
7	CAROLI	28	INHUMA	48	FORPII	66	IBIAMG	85	STAJUL	97	GUAICU
8	CULABA	29	ITAMAR	49	GOIASX	67	IGUATA	86	TAGUAT	98	INAGRO
9	FAZPAL	30	JABOTI	50	JANUAR	68	ITAOBI	87	TAGUAX	99	ITUMBI
10	FORIOP	31	JEQUIT	51	MOCAME	69	JAGUAR	88	TAPIRA	100	LAGSAN
11	GRAJAU	32	JUPIAX	52	MONCLA	70	JOSEME	89	TERESI	101	MERURI
12	LASSAN	33	LUSSAN	53	MONPAU	71	MATEUS	90	USIVAR	102	PORTOM
13	MANGAX	34	MENDAN	54	MOPILA	72	MTEALE			103	SANBAR
14	PEDROL	35	MINANO	55	SANGRA	73	NOVERA				
15	PORNOV	36	MTECAR	56	SAOMAN	74	PORMAN				
16	QUEIMA	37	PONTEX	57	SCHICO	75	PTNOVA				
17	SAOGON	38	RIOPIR	58	SETLAG	76	SABARA				
18	SAOJOP	39	SANJAC	59	SITGRA	77	TAQUAR				
19	STAMAR	40	STAITA			78	USPEDI				
20	TERROR	41	VESPAS								
21	UNIAOX										

(Abbreviated names of observing stations should refer to TABLE 3.1~5)

(短縮名は表3.1~5を参照)










FIG. 7. / RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.2 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.3 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.4 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.5 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7. 6 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.7 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.8 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.9 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.10 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7. // RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.12 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7 .13 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7. 1/4 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.15 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.16 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.17 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.18 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.19 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7. 20 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7. RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7. -- RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.23 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.24 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.25 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.26 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.27 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.28 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.29 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.30 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.3/ RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.32 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.33 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION.










FIG. 7.34 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.35 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.36 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.37 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.38 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.39 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.40 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.4/ RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.4) RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.43 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.44 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.45 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.46 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.47 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION.










FIG. 7.48 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.49 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.50 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.5/ RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.52 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.53 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.54 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7 .55 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.56 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.57 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.58 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.59 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.60 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.6/ RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.62 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.63 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.64 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.65 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.66 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.67 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.68 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.69 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.70 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.7/ RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.72 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.73 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.74 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.75 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7-76 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.77 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.78 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.79 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.80 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.8/ RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.2 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.83 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7 .84 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7 .85 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.26 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7 .87 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.88 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7 .89 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.90 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.9/ RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7 .92 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.93 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.94 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.95 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.96 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.97 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.98 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.99 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.100 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.10/ RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7.102 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION










FIG. 7 .103 RETURN PERIOD OF EXTREME CONTINUOUS DAY WITHOUT PRECIPITATION

(資料 8)

無降水継続日数の再現期待値一覧表

103地点

10、11、12、1、2、3月、全雨季期間(10月~3月)

(Section 8)

RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

103 Stations

October~March, Whole rainy season of years (October~March)

図表類の表示順序

THE ORDER OF FIGURES AND TABLES

order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.	order	abbrevi.
1	ABADIA	22	ARACUA	42	AMARAN	60	CAETEX	79	FORMOS	91	AQUIDA
2	BARREI	23	BAMBUI	43	BARRII	61	CAREIA	80	IMPERA	92	ARAXAX
3	BATALH	24	CARPAR	44	CATALA	62	CELMUR	81	JOSFRE	93	BARRAS
4	BOQUEI	25	CURVEL	45	CONCEI	63	FAZESC	82	LAMOUN	94	CACERE
5	CAMPOM	26	FAZAJU	46	CORIVE	64	GOIANI	83	PARANA	95	CARMAT
6	CARMOX	27	FRUTAL	47	COTEGI	65	GOUVEA	84	POGUAT	96	DIAMAN
7	CAROLI	28	INHUMA	48	FORPII	66	IBIAMG	85	STAJUL	97	GUAICU
8	CUIABA	29	ITAMAR	49	GOIASX	67	IGUATA	86	TAGUAT	98	INAGRO
9	FAZPAL	30	JABOTI	50	JANUAR	68	ITAOBI	87	TAGUAX	99	ITUMBI
10	FORIOP	31	JEQUIT	51	MOCAMB	69	JAGUAR	88	TAPIRA	100	LAGSAN
11	GRAJAU	32	JUPLAX	52	MONCLA	70	JOSEME	89	TERESI	101	MERURI
12	LASSAN	33	LUSSAN	53	MONPAU	71	MATEUS	90	USIVAR	102	PORTOM
13	MANGAX	34	MENDAN	54	MOPILA	72	MTEALE			103	SANBAR
14	PEDROL	35	MINANO	55	SANGRA	73	NOVERA				
15	PORNOV	36	MTECAR	56	SAOMAN	74	PORMAN				
16	QUEIMA	37	PONTEX	57	SCHICO	75	PTNOVA				
17	SAOGON	38	RIOPIR	58	SETLAG	76	SABARA				
18	SAOJOP	39	SANJAC	59	SITGRA	77	TAQUAR				
19	STAMAR	40	STAITA			78	USPETI				
20	TERROR	41	VESPAS								
21	UNIAOX										

(Abbreviated names of observing stations should refer to TABLE 3.1~5)

(短縮名は表3.1~5を参照)




TABLE 8.1 / RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. ABADIA DOS DOURADOS

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	14.2	2.1	11.7	1.4	9.7	1.3	10.9	1.3	13.5	2.3	11.4	1.2	18.7	2.5
10	17.8	2.9	14.6	2.0	12.8	1.8	13.0	1.8	17.2	3.3	13.5	1.7	21.4	3.3
15	19.8	3.5	16.2	2.4	14.6	2.2	14.0	2.1	19.2	3.9	14.7	2.0	22.8	3.7
20	21.3	4.0	17.3	2.7	15.9	2.5	14.7	2.4	20.6	4.4	15.4	2.2	23.7	4.0
25	22.4	4.3	18.2	2.9	16.8	2.8	15.2	2.5	21.7	4.7	16.0	2.4	24.4	4.3
30	23.3	4.6	18.9	3.1	17.7	3.0	15.6	2.7	22.5	5.0	16.5	2.5	25.0	4.5
50	25.8	5.4	20.7	3.7	19.9	3.7	16.6	3.0	24.9	5.9	17.7	2.8	26.4	5.0
100	29.1	6.5	23.2	4.4	23.0	4.5	17.9	3.5	28.0	7.0	19.3	3.3	28.3	5.7
COR.	0.985		0.988		0.988		0.979		0.981		0.988		0.981	
PUNC.	WI(1.10)		WI(1.25)		WI(1.00)		WI(2.00)		WI(1.25)		WI(1.50)		WI(2.00)	
DATA NUMBER	30		24		21		18		25		27		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8.2 / RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. BARREIRAS

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	23.2	2.7	13.6	2.4	15.0	1.2	15.9	2.1	14.2	1.1	16.0	1.8	26.4	1.8
10	28.0	3.7	17.5	3.4	17.8	1.6	20.1	3.1	16.2	1.5	19.6	2.4	29.9	2.4
15	30.6	4.4	19.8	4.1	19.3	1.9	22.6	3.7	17.2	1.7	21.5	2.8	31.8	2.7
20	32.3	4.8	21.4	4.6	20.3	2.1	24.4	4.2	17.9	1.9	22.7	3.1	33.0	3.0
25	33.6	5.1	22.6	5.0	21.1	2.2	25.7	4.6	18.4	2.0	23.7	3.4	33.8	3.1
30	34.7	5.4	23.6	5.3	21.7	2.3	26.8	4.9	18.8	2.1	24.5	3.5	34.6	3.3
50	37.6	6.2	26.4	6.2	23.4	2.7	30.0	5.9	19.9	2.3	26.6	4.1	36.4	3.6
100	41.3	7.1	30.1	7.5	25.5	3.1	34.2	7.1	21.2	2.6	29.3	4.7	38.8	4.1
COR.	0.990		0.983		0.994		0.987		0.992		0.991		0.994	
PUNC.	WI(1.50)		WI(1.10)		WI(1.50)		WI(1.00)		WI(2.00)		WI(1.50)		WI(2.00)	
DATA NUMBER	30		28		28		30		30		27		30	

TABLE 8.3 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION: BATALHA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	35.3	4.8	35.3	3.6	23.5	1.9	14.5	2.2	9.4	1.0	7.4	0.6	41.9	3.8
10	41.1	6.5	41.8	4.8	27.5	2.5	18.3	3.0	12.3	1.4	8.9	0.8	47.1	5.0
15	44.4	7.6	45.1	5.5	29.6	2.9	20.4	3.6	14.1	1.8	9.5	1.0	49.8	5.7
20	46.7	8.4	47.3	5.9	30.9	3.1	21.8	4.1	15.4	2.1	10.0	1.1	51.6	6.2
25	48.4	9.0	48.9	6.3	32.0	3.3	22.9	4.4	16.4	2.3	10.3	1.2	52.9	6.5
30	49.9	9.6	50.3	6.6	32.8	3.5	23.8	4.7	17.2	2.5	10.6	1.3	54.0	6.8
50	53.9	11.1	53.7	7.3	34.9	3.9	26.2	5.5	19.6	3.1	11.2	1.5	56.8	7.6
100	59.3	13.1	58.1	8.3	37.7	4.4	29.4	6.5	22.9	4.0	12.0	1.7	60.3	8.6
COR.	0.979		0.993		0.995		0.984		0.991		0.984		0.988	
FUNC.	GUMBEL		WI(2.00)		WI(2.00)		WI(1.25)		WI(0.85)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		30		30		25		22		13		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8.4 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION: BOQUEIRAO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	24.1	5.1	19.7	3.6	16.9	3.6	16.6	1.8	14.4	1.7	13.4	1.7	28.5	3.8
10	28.8	7.0	24.7	5.0	19.5	4.8	19.1	2.3	18.4	2.4	17.4	2.5	31.9	4.9
15	31.4	8.2	27.5	6.0	20.8	5.5	20.3	2.6	20.9	3.0	19.9	3.1	33.6	5.6
20	33.1	9.0	29.4	6.7	21.7	5.9	21.2	2.9	22.6	3.4	21.6	3.6	34.8	6.1
25	34.4	9.6	30.9	7.2	22.4	6.3	21.8	3.0	24.0	3.8	23.1	3.9	35.7	6.5
30	35.4	10.1	32.1	7.6	22.9	6.6	22.3	3.2	25.2	4.1	24.2	4.3	36.3	6.8
50	38.3	11.5	35.4	8.9	24.3	7.3	23.6	3.5	28.4	5.0	27.5	5.2	38.2	7.6
100	41.9	13.4	39.7	10.5	26.1	8.3	25.3	4.0	33.0	6.2	32.1	6.5	40.5	8.6
COR.	0.965		0.980		0.958		0.988		0.990		0.989		0.972	
FUNC.	WI(1.50)		WI(1.25)		WI(2.00)		WI(2.00)		WI(0.85)		WI(0.85)		WI(2.00)	
DATA NUMBER	30		29		30		30		30		29		30	

TABLE 6.5 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION: CAMPO MAIOR

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	37.1	4.3	25.6	3.1	21.3	2.7	15.1	1.9	8.5	2.7	6.1	0.5	37.8	3.8
10	43.9	5.7	29.3	4.0	25.5	3.7	17.6	2.6	11.2	3.7	6.7	0.7	43.8	5.1
15	47.3	6.5	31.2	4.6	27.7	4.3	18.9	2.9	12.9	4.7	7.1	0.8	47.2	6.0
20	49.7	7.1	32.5	5.0	29.2	4.7	19.8	3.2	14.2	5.5	7.3	0.9	49.6	6.7
25	51.4	7.5	33.4	5.3	30.4	5.1	20.5	3.4	15.3	6.1	7.4	1.0	51.4	7.2
30	52.7	7.8	34.1	5.5	31.3	5.3	21.0	3.5	16.1	6.7	7.6	1.1	52.9	7.6
50	56.4	8.7	36.1	6.2	33.8	6.1	22.3	4.0	18.6	8.4	7.9	1.3	57.0	8.8
100	60.9	9.9	38.6	7.0	37.0	7.1	24.0	4.5	22.2	11.0	8.4	1.5	62.6	10.4
COR.	0.990		0.984		0.987		0.986		0.937		0.956		0.988	
FUNC.	WI(2.00)		WI(2.00)		WI(1.50)		WI(2.00)		WI(0.75)		WI(1.50)		GUMBEL	
DATA NUMBER	30		30		30		29		24		15		30	

±AP:95%CONFIDENCE LIMIT

TABLE 6.6 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION: CARMO DO CAJURU

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	15.7	1.9	10.4	1.5	10.2	1.7	11.3	2.5	18.0	2.1	13.8	1.9	22.4	1.7
10	18.3	2.5	12.8	2.1	12.4	2.3	15.2	3.5	22.0	2.9	17.6	2.6	25.7	2.2
15	19.7	2.8	14.2	2.6	13.7	2.8	17.7	4.4	24.1	3.3	19.7	3.1	27.4	2.6
20	20.5	3.1	15.1	3.0	14.5	3.1	19.5	5.2	25.6	3.7	21.2	3.5	28.5	2.8
25	21.2	3.3	15.9	3.2	15.2	3.4	21.0	5.8	26.7	3.9	22.3	3.8	29.3	2.9
30	21.7	3.4	16.5	3.5	15.7	3.6	22.3	6.4	27.5	4.1	23.2	4.0	30.0	3.1
50	23.1	3.8	18.2	4.1	17.1	4.2	25.9	8.0	29.9	4.7	25.6	4.7	31.8	3.4
100	24.9	4.3	20.4	5.0	19.0	5.0	31.0	10.3	33.0	5.5	28.8	5.6	34.0	3.9
COR.	0.988		0.979		0.974		0.972		0.991		0.989		0.994	
FUNC.	WI(2.00)		WI(1.10)		WI(1.25)		WI(0.75)		WI(1.50)		WI(1.25)		WI(2.00)	
DATA NUMBER	30		25		25		25		30		25		30	

TABLE 8.7 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. CAROLINA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	13.5	1.5	9.2	2.1	7.4	1.4	5.3	0.9	5.7	1.5	7.1	1.5	15.2	1.2
10	16.1	2.1	12.1	3.0	10.0	1.7	6.5	0.7	7.8	1.4	9.3	1.9	17.8	1.6
15	17.4	2.5	13.9	3.8	11.6	2.2	7.3	0.9	9.2	1.7	10.7	2.4	19.3	1.9
20	18.4	2.8	15.2	4.4	12.8	2.6	7.8	1.0	10.3	2.0	11.8	2.8	20.3	2.1
25	19.1	3.0	16.3	4.9	13.8	3.0	8.2	1.2	11.1	2.3	12.7	3.2	21.0	2.2
30	19.6	3.1	17.2	5.4	14.6	3.3	8.5	1.3	11.9	2.6	13.4	3.6	21.6	2.4
50	21.2	3.6	19.8	6.7	17.1	4.2	9.4	1.7	14.0	3.5	15.5	4.6	23.2	2.7
100	23.1	4.2	23.5	8.7	20.5	5.6	10.6	2.3	17.1	4.8	18.6	6.1	25.3	3.1
COR.	0.987		0.963		0.977		0.969		0.974		0.966		0.994	
FUNC.	WI(1.50)		WI(0.75)		WI(0.75)		WI(1.00)		WI(0.75)		WI(0.75)		WI(1.50)	
DATA NUMBER	20		19		13		7		9		13		22	

±AP: 95%CONFIDENCE LIMIT

TABLE 8.8 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. CUIABA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	9.9	2.5	10.2	1.1	8.0	0.9	7.9	0.6	5.7	1.4	8.1	0.6	13.2	1.4
10	12.4	3.6	12.4	1.6	9.4	1.3	9.7	0.9	7.4	1.2	9.9	0.8	15.9	2.0
15	14.0	4.6	13.7	1.9	10.1	1.6	10.8	1.1	8.5	1.4	11.0	1.0	17.5	2.5
20	15.1	5.3	14.6	2.2	10.6	1.8	11.6	1.3	9.3	1.7	11.8	1.2	18.7	2.8
25	16.1	5.9	15.3	2.4	11.0	1.9	12.2	1.4	10.0	1.9	12.4	1.3	19.5	3.1
30	16.8	6.4	15.8	2.5	11.3	2.0	12.6	1.5	10.6	2.1	12.9	1.4	20.2	3.3
50	19.1	8.0	17.4	3.0	12.2	2.4	14.0	1.8	12.3	2.9	14.3	1.7	22.2	3.9
100	22.4	10.2	19.4	3.6	13.3	2.8	15.8	2.3	14.8	4.0	16.1	2.2	24.9	4.7
COR.	0.938		0.987		0.977		0.991		0.970		0.993		0.986	
FUNC.	WI(0.75)		WI(1.10)		WI(1.25)		WI(1.00)		WI(0.75)		WI(1.00)		WI(1.00)	
DATA NUMBER	29		26		25		20		11		21		30	

TABLE 8.9 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY
STATION. FAZ PORTO ALEGRE

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	21.6	3.8	14.0	2.4	11.9	1.7	18.1	1.7	20.0	3.1	19.8	3.7	28.3	3.1
10	26.9	5.4	17.4	3.3	14.6	2.5	21.9	2.4	23.2	4.1	24.7	5.2	31.8	4.1
15	30.0	6.5	19.2	3.9	16.2	3.0	23.9	2.8	24.8	4.7	27.4	6.1	33.6	4.7
20	32.1	7.2	20.5	4.4	17.3	3.4	25.3	3.1	25.9	5.1	29.3	6.8	34.8	5.1
25	33.8	7.9	21.5	4.7	18.1	3.8	26.3	3.3	26.7	5.4	30.7	7.4	35.7	5.4
30	35.1	8.4	22.3	5.0	18.9	4.1	27.1	3.5	27.4	5.7	31.8	7.8	36.4	5.7
50	38.8	9.8	24.5	5.8	20.8	4.8	29.4	4.0	29.1	6.3	35.0	9.0	38.2	6.3
100	43.8	11.8	27.4	6.8	23.5	5.9	32.3	4.6	31.2	7.2	39.2	10.7	40.6	7.2
COR.	0.978		0.981		0.978		0.993		0.978		0.978		0.981	
FUNC.	WI(1.10)		WI(1.25)		WI(1.00)		WI(1.50)		WI(2.00)		WI(1.25)		WI(2.00)	
DATA NUMBER	30		30		27		28		30		30		30	

±AD: 95%CONFIDENCE LIMIT

TABLE 8.10 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY
STATION. FORMOSA DO RIO PRETO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	22.1	2.6	15.2	2.5	19.9	2.1	16.2	1.1	16.8	4.1	14.5	1.5	28.3	2.5
10	27.4	3.7	18.5	3.4	26.5	3.0	19.9	1.6	19.7	5.4	17.6	2.1	33.1	3.4
15	30.3	4.4	20.2	4.0	30.4	3.7	22.0	1.8	21.1	6.2	19.4	2.5	35.8	4.0
20	32.3	4.9	21.4	4.4	33.1	4.1	23.5	2.1	22.1	6.7	20.6	2.7	37.7	4.4
25	33.8	5.3	22.3	4.7	35.3	4.5	24.6	2.2	22.8	7.1	21.5	3.0	39.1	4.8
30	35.0	5.6	23.0	5.0	37.0	4.9	25.4	2.4	23.4	7.4	22.3	3.2	40.3	5.0
50	38.4	6.5	25.0	5.7	41.9	5.8	27.9	2.7	24.9	8.3	24.3	3.7	43.6	5.8
100	42.9	7.7	27.5	6.6	48.5	7.0	31.1	3.2	26.8	9.4	27.0	4.4	48.0	6.9
COR.	0.990		0.981		0.995		0.997		0.954		0.990		0.991	
FUNC.	WI(1.25)		WI(1.50)		WI(1.00)		WI(1.25)		WI(2.00)		WI(1.25)		GUMBEL	
DATA NUMBER	29		28		28		29		29		26		29	

TABLE 8.11 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. GRAJAU

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	21.7	4.2	12.8	2.2	10.0	1.3	8.5	1.0	6.8	1.3	8.2	4.5	23.2	4.7
10	27.1	5.9	15.7	3.1	12.0	1.8	9.6	1.3	8.2	1.5	13.0	5.5	28.3	6.6
15	30.1	7.1	17.3	3.8	13.2	2.2	10.1	1.6	8.8	1.9	16.1	7.0	31.2	7.8
20	32.1	7.9	18.5	4.2	14.0	2.5	10.5	1.8	9.2	2.1	18.4	8.3	33.1	8.7
25	33.7	8.5	19.3	4.6	14.6	2.7	10.8	1.9	9.5	2.3	20.2	9.4	34.6	9.4
30	34.9	9.0	20.1	4.9	15.1	2.8	11.0	2.0	9.7	2.5	21.8	10.4	35.8	9.9
50	38.4	10.4	22.0	5.8	16.5	3.4	11.7	2.4	10.3	2.9	26.3	13.4	39.1	11.5
100	43.0	12.3	24.7	6.9	18.4	4.0	12.6	2.9	11.0	3.4	32.8	17.9	43.5	13.6
COR.	0.976		0.974		0.981		0.956		0.927		0.939		0.968	
FUNC.	WI(1.25)		WI(1.10)		WI(1.10)		GUMBEL		WI(2.00)		WI(0.75)		WI(1.25)	
DATA NUMBER	22		22		21		14		9		13		22	

±AP:95%CONFIDENCE LIMIT

TABLE 8.12 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. LASSANCE

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	17.8	3.7	10.8	1.1	12.7	1.8	15.3	2.7	16.8	1.5	15.1	1.3	23.6	1.9
10	21.9	5.0	13.4	1.6	14.9	2.5	19.5	3.9	20.7	2.1	19.5	1.8	26.8	2.5
15	24.0	5.8	14.9	2.0	16.0	2.8	21.8	4.6	22.8	2.5	22.1	2.2	28.5	2.9
20	25.5	6.4	16.0	2.2	16.7	3.1	23.3	5.2	24.3	2.8	24.0	2.5	29.7	3.1
25	26.6	6.9	16.8	2.4	17.3	3.3	24.6	5.7	25.5	3.0	25.4	2.8	30.5	3.3
30	27.5	7.2	17.4	2.6	17.7	3.5	25.5	6.0	26.4	3.2	26.6	3.0	31.2	3.4
50	29.9	8.2	19.3	3.1	18.8	3.9	28.2	7.1	28.9	3.7	29.8	3.6	32.9	3.8
100	33.1	9.6	21.7	3.7	20.3	4.5	31.7	8.4	32.2	4.4	34.3	4.4	35.1	4.3
COR.	0.975		0.990		0.978		0.978		0.994		0.995		0.992	
FUNC.	WI(1.50)		WI(1.10)		WI(2.00)		WI(1.25)		WI(1.25)		WI(1.00)		WI(2.00)	
DATA NUMBER	30		25		24		24		28		26		30	

TABLE 8./3 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY
STATION. MANGA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	25.1	4.7	14.6	1.0	18.8	2.8	21.0	2.3	23.0	3.3	22.3	2.7	32.9	2.7
10	30.8	6.4	17.9	1.4	26.1	4.0	25.8	3.1	28.3	4.5	26.3	3.6	37.2	3.6
15	33.9	7.5	19.7	1.7	30.5	5.0	28.4	3.7	31.1	5.3	28.4	4.1	39.4	4.1
20	36.0	8.3	20.9	1.9	33.8	5.8	30.1	4.0	33.0	5.8	29.8	4.5	40.9	4.4
25	37.6	8.8	21.9	2.0	36.3	6.4	31.4	4.3	34.4	6.2	30.8	4.8	42.0	4.7
30	38.9	9.3	22.7	2.2	38.4	6.9	32.4	4.6	35.5	6.6	31.6	5.0	42.9	4.9
50	42.3	10.6	24.8	2.5	44.4	8.4	35.3	5.2	38.6	7.5	33.8	5.6	45.2	5.5
100	46.7	12.3	27.6	3.0	52.8	10.5	38.9	6.1	42.6	8.7	36.5	6.3	48.1	6.2
COR.	0.979		0.996		0.991		0.992		0.987		0.989		0.991	
FUNC.	WI(1.50)		WI(1.25)		WI(0.85)		WI(1.50)		WI(1.50)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		27		29		27		28		28		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8./4 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY
STATION. PEDRO LEOPOLDO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	16.2	2.0	9.0	1.1	12.2	1.4	18.2	1.9	19.9	4.8	17.6	3.3	27.0	3.0
10	19.5	2.8	11.3	1.6	16.4	2.0	24.2	2.7	25.1	6.9	21.9	4.7	32.5	4.2
15	21.3	3.2	12.7	2.0	18.9	2.5	27.8	3.3	28.1	8.4	24.2	5.5	35.5	5.0
20	22.5	3.6	13.7	2.3	20.6	2.8	30.3	3.8	30.3	9.5	25.9	6.2	37.6	5.6
25	23.5	3.8	14.6	2.6	22.0	3.1	32.2	4.1	31.9	10.4	27.1	6.7	39.2	6.0
30	24.2	4.0	15.2	2.8	23.1	3.4	33.8	4.4	33.3	11.2	28.1	7.1	40.5	6.4
50	26.2	4.6	17.1	3.5	26.2	4.1	38.3	5.3	37.1	13.3	30.9	8.2	44.1	7.4
100	28.8	5.3	19.8	4.4	30.4	5.0	44.4	6.5	42.3	16.2	34.5	9.8	48.8	8.7
COR.	0.988		0.984		0.993		0.994		0.957		0.975		0.988	
FUNC.	WI(1.50)		WI(0.85)		WI(1.00)		WI(1.00)		WI(1.00)		WI(1.25)		WI(1.25)	
DATA NUMBER	30		25		23		25		28		28		30	

TABLE 8./5 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. PORTO NOVO-SANTANA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		APR	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	25.9	4.4	16.2	2.1	16.6	1.9	18.9	2.7	19.1	1.7	17.4	2.8	28.8	2.3
10	30.7	5.7	19.1	2.8	21.0	2.7	21.9	3.5	23.5	2.4	21.7	3.9	32.7	3.1
15	33.2	6.5	20.6	3.2	23.4	3.2	23.5	4.0	25.9	2.8	24.3	4.8	35.0	3.7
20	34.8	7.1	21.6	3.5	25.2	3.6	24.5	4.3	27.6	3.1	26.1	5.5	36.5	4.1
25	36.0	7.5	22.3	3.7	26.5	4.0	25.3	4.6	28.8	3.4	27.5	6.0	37.7	4.4
30	37.0	7.9	22.9	3.8	27.6	4.2	25.9	4.8	29.9	3.6	28.6	6.4	38.7	4.6
50	39.5	8.8	24.4	4.3	30.6	5.0	27.5	5.4	32.7	4.2	31.8	7.6	41.5	5.4
100	42.8	9.9	26.4	4.9	34.7	6.0	29.6	6.1	36.4	4.9	36.2	9.3	45.2	6.4
COR.	0.981		0.987		0.991		0.982		0.994		0.979		0.990	
FUNC.	WI(2.00)		WI(2.00)		WI(1.10)		WI(2.00)		WI(1.25)		WI(1.00)		GUMBEL	
DATA NUMBER	30		29		29		30		30		28		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8./6 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. QUEIMADAS-MANGA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		APR	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	27.9	3.3	16.0	1.5	16.3	2.1	20.3	3.1	22.1	5.0	20.2	2.4	34.5	3.0
10	34.1	4.6	19.3	2.1	23.8	3.0	25.0	4.2	28.0	7.1	24.8	3.3	39.9	4.1
15	37.5	5.3	21.2	2.5	28.7	3.8	27.6	4.9	31.2	8.4	27.2	3.9	42.9	4.7
20	39.7	5.8	22.5	2.8	32.2	4.5	29.3	5.4	33.4	9.3	28.9	4.3	44.9	5.2
25	41.4	6.3	23.5	3.0	35.1	5.0	30.6	5.8	35.2	10.1	30.2	4.6	46.4	5.6
30	42.8	6.6	24.3	3.2	37.5	5.5	31.6	6.1	36.5	10.7	31.2	4.8	47.6	5.9
50	46.5	7.5	26.5	3.7	44.5	6.8	34.5	6.9	40.3	12.4	33.9	5.5	50.8	6.7
100	51.3	8.7	29.5	4.4	54.4	8.8	38.1	8.0	45.3	14.6	37.4	6.4	55.1	7.8
COR.	0.991		0.992		0.994		0.987		0.972		0.991		0.991	
FUNC.	WI(1.50)		GUMBEL		WI(0.75)		WI(1.50)		WI(1.25)		WI(1.50)		WI(1.50)	
DATA NUMBER	26		23		22		26		26		26		26	

TABLE 8.17 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. SAO GONCALO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	27.2	3.1	15.7	2.7	16.9	2.0	23.7	2.5	22.7	3.8	21.3	3.6	33.5	4.2
10	32.3	4.1	21.2	3.9	22.9	2.9	28.4	3.4	27.1	5.1	25.8	4.9	37.8	5.6
15	35.0	4.6	24.7	5.0	26.5	3.6	31.1	4.0	29.5	6.0	28.3	5.7	40.0	6.4
20	36.7	5.0	27.3	5.8	29.2	4.1	33.0	4.4	31.2	6.6	29.9	6.3	41.5	6.9
25	38.0	5.3	29.3	6.5	31.3	4.5	34.4	4.7	32.4	7.1	31.2	6.7	42.6	7.3
30	39.1	5.6	31.1	7.1	33.0	4.9	35.6	5.0	33.4	7.4	32.2	7.1	43.5	7.7
50	41.8	6.2	36.1	8.8	37.9	6.0	38.9	5.8	36.0	8.5	34.9	8.0	45.8	8.6
100	45.3	7.1	43.2	11.3	44.8	7.5	43.3	6.9	39.5	9.8	38.4	9.3	48.6	9.7
COR.	0.992		0.984		0.993		0.992		0.978		0.981		0.977	
PUNC.	WI(2.00)		WI(0.75)		WI(0.85)		GUMBEL		WI(1.50)		WI(1.50)		WI(2.00)	
DATA NUMBER	24		23		23		24		24		24		24	

SAP:ISSKCONFIDENCE LIMIT

TABLE 8.18 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. SAO JOAO DO PIAUI

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	43.1	4.1	29.7	5.3	22.6	6.3	23.6	3.0	22.4	2.6	19.2	3.4	44.9	3.1
10	48.9	5.4	35.7	7.3	30.0	9.0	27.5	3.9	28.8	3.7	23.7	4.7	50.0	4.1
15	52.0	6.2	38.9	8.5	34.7	11.4	29.5	4.4	32.3	4.4	26.2	5.6	52.6	4.7
20	54.0	6.7	41.1	9.3	38.2	13.2	30.9	4.8	34.8	4.9	27.9	6.2	54.3	5.1
25	55.5	7.1	42.7	10.0	41.0	14.7	31.9	5.1	36.7	5.3	29.2	6.7	55.6	5.4
30	56.7	7.4	44.1	10.5	43.3	16.0	32.7	5.3	38.2	5.6	30.3	7.1	56.6	5.6
50	59.8	8.3	47.6	12.0	50.1	19.8	34.8	5.9	42.3	6.5	33.2	8.2	59.4	6.2
100	63.8	9.4	52.2	13.9	59.7	25.3	37.5	6.7	47.7	7.8	37.1	9.7	62.8	7.1
COR.	0.989		0.976		0.957		0.987		0.993		0.979		0.991	
PUNC.	WI(2.00)		WI(1.50)		WI(0.75)		WI(2.00)		WI(1.25)		WI(1.25)		WI(2.00)	
DATA NUMBER	30		30		30		30		28		30		30	

TABLE 8.19 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. STA MARIA DA VITORIA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	19.4	2.1	12.7	1.8	15.9	2.4	18.7	1.8	17.6	2.7	20.4	3.3	27.7	2.6
10	23.1	2.8	16.0	2.5	20.7	3.5	22.3	2.4	22.9	3.8	24.8	4.5	30.9	3.5
15	25.0	3.3	17.9	3.0	23.6	4.2	24.2	2.8	26.0	4.6	27.2	5.3	32.6	4.0
20	26.4	3.7	19.2	3.4	25.6	4.8	25.5	3.1	28.1	5.2	28.8	5.8	33.7	4.3
25	27.4	3.9	20.2	3.7	27.2	5.3	26.5	3.3	29.8	5.7	30.0	6.2	34.5	4.5
30	28.2	4.1	21.1	4.0	28.5	5.6	27.3	3.5	31.2	6.1	31.0	6.6	35.2	4.8
50	30.4	4.7	23.4	4.7	32.1	6.7	29.4	4.0	35.1	7.3	33.7	7.5	36.9	5.3
100	33.2	5.4	26.4	5.6	37.0	8.2	32.1	4.7	40.3	8.8	37.1	8.7	39.1	6.0
COR.	0.990		0.986		0.987		0.992		0.987		0.982		0.985	
FUNC.	WI(1.50)		WI(1.10)		WI(1.00)		WI(1.50)		WI(1.00)		WI(1.50)		WI(2.00)	
DATA NUMBER	30		28		29		29		30		29		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8.20 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. TERRA ROXA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	16.0	2.0	11.6	1.3	9.6	2.2	10.8	1.8	11.6	1.8	12.0	1.7	18.3	1.7
10	18.9	2.7	14.5	1.9	12.5	3.1	13.2	2.5	14.3	2.5	13.9	2.3	20.5	2.2
15	20.4	3.1	16.2	2.3	14.3	3.9	14.5	3.1	15.8	3.0	14.9	2.7	21.7	2.5
20	21.5	3.5	17.5	2.7	15.6	4.5	15.4	3.4	16.8	3.3	15.6	2.9	22.4	2.8
25	22.3	3.7	18.5	3.0	16.6	5.0	16.1	3.7	17.6	3.6	16.1	3.1	23.0	2.9
30	22.9	3.9	19.4	3.2	17.4	5.4	16.6	4.0	18.2	3.9	16.5	3.2	23.5	3.1
50	24.6	4.4	21.8	3.9	19.8	6.6	18.2	4.7	19.9	4.5	17.5	3.6	24.7	3.4
100	26.9	5.2	25.1	4.9	23.2	8.4	20.2	5.6	22.2	5.4	18.8	4.1	26.2	3.9
COR.	0.986		0.987		0.963		0.972		0.978		0.978		0.987	
FUNC.	WI(1.50)		WI(0.85)		WI(0.85)		WI(1.25)		WI(1.25)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		28		25		24		23		26		30	

TABLE 8.2/ RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. UNIAO

MONTHLY YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	33.8	3.3	29.2	2.4	19.0	1.8	13.4	2.2	11.4	1.2	7.0	4.2	37.5	3.0
10	40.9	4.6	33.7	3.2	22.7	2.5	16.7	3.1	15.6	1.7	11.3	4.7	42.9	4.0
15	44.8	5.5	36.0	3.6	24.7	3.0	18.6	3.8	18.2	2.1	14.1	5.9	46.0	4.7
20	47.5	6.1	37.5	4.0	26.1	3.3	20.0	4.3	20.0	2.4	16.2	7.0	48.1	5.2
25	49.5	6.5	38.7	4.2	27.2	3.6	21.0	4.7	21.5	2.7	17.9	8.0	49.8	5.6
30	51.2	6.9	39.6	4.4	28.1	3.8	21.9	5.1	22.7	2.9	19.3	8.9	51.2	5.9
50	55.8	8.0	42.0	4.9	30.5	4.4	24.3	6.0	26.2	3.6	23.4	11.5	54.9	6.9
100	61.8	9.5	45.0	5.5	33.6	5.2	27.6	7.3	31.0	4.5	29.4	15.4	60.0	8.1
COR.	0.992		0.993		0.991		0.978		0.995		0.943		0.991	
FUNC.	WI(1.25)		WI(2.00)		WI(1.25)		WI(1.00)		WI(0.85)		WI(0.75)		GUMBEL	
DATA NUMBER	30		30		30		29		26		16		30	

±AP:95%CONFIDENCE LIMIT

TABLE . RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION.

MONTHLY YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
COR.														
FUNC.														
DATA NUMBER														

TABLE 8.22 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. ARACUAI

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	25.8	4.8	13.6	1.8	20.0	2.7	20.8	2.2	23.0	2.9	18.4	1.6	32.9	2.3
10	33.0	6.7	17.1	2.5	24.6	3.7	24.6	2.9	27.4	4.0	22.6	2.2	37.1	3.0
15	37.1	8.0	19.2	3.1	27.0	4.3	26.6	3.3	29.8	4.6	24.9	2.6	39.2	3.4
20	39.8	8.9	20.7	3.5	28.7	4.8	27.8	3.6	31.5	5.1	26.5	2.9	40.6	3.7
25	42.0	9.6	21.8	3.8	30.0	5.1	28.8	3.8	32.9	5.5	27.7	3.2	41.7	3.9
30	43.7	10.2	22.7	4.1	31.0	5.4	29.6	4.0	34.0	5.9	28.7	3.4	42.5	4.1
50	48.4	11.8	25.3	4.8	33.7	6.1	31.6	4.4	37.0	6.8	31.4	3.9	44.8	4.6
100	54.6	13.9	28.8	5.9	37.2	7.1	34.1	5.0	41.0	8.1	35.0	4.6	47.6	5.2
COR.	0.983		0.987		0.989		0.992		0.986		0.994		0.993	
FUNC.	WI(1.25)		WI(1.00)		WI(1.50)		WI(2.00)		GUMBEL		WI(1.25)		WI(2.00)	
DATA NUMBER	27		27		27		27		26		26		27	

±AP:95%CONFIDENCE LIMIT

TABLE 8.23 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. BAMBUI

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	12.3	1.6	9.3	0.8	7.9	0.8	11.5	2.2	12.8	2.1	10.7	2.7	17.7	1.5
10	14.2	2.2	11.2	1.2	9.6	1.2	15.0	3.1	15.7	3.0	14.2	3.6	20.6	2.0
15	15.1	2.5	12.3	1.4	10.5	1.4	17.0	3.8	17.3	3.5	16.4	4.5	22.1	2.4
20	15.7	2.7	13.0	1.6	11.2	1.6	18.4	4.3	18.4	3.9	18.1	5.3	23.1	2.6
25	16.2	2.9	13.5	1.7	11.7	1.8	19.5	4.8	19.2	4.2	19.4	6.0	23.9	2.8
30	16.6	3.0	14.0	1.8	12.1	1.9	20.3	5.1	19.8	4.4	20.5	6.6	24.5	2.9
50	17.6	3.3	15.2	2.1	13.3	2.3	22.7	6.1	21.5	5.0	23.8	8.3	26.2	3.3
100	18.8	3.8	16.9	2.6	14.8	2.8	26.0	7.5	23.7	5.9	28.4	10.8	28.4	3.9
COR.	0.980		0.991		0.984		0.975		0.979		0.961		0.991	
FUNC.	WI(2.00)		WI(1.25)		WI(1.10)		WI(1.10)		WI(1.50)		WI(0.75)		WI(1.50)	
DATA NUMBER	28		24		21		21		25		23		30	

TABLE 8.24 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY
STATION. CARMO DO PARANAIBA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	13.3	2.1	9.6	1.5	8.2	0.9	10.2	3.2	11.8	1.7	13.0	2.5	20.0	2.4
10	17.3	3.0	13.0	2.0	9.6	1.3	13.8	4.3	16.4	2.4	15.5	3.4	23.2	3.2
15	19.6	3.6	15.2	2.5	10.3	1.6	15.9	5.3	19.3	3.0	16.8	3.9	25.1	3.8
20	21.3	4.1	16.8	3.0	10.8	1.7	17.4	6.2	21.4	3.5	17.7	4.3	26.4	4.2
25	22.6	4.5	18.1	3.3	11.2	1.9	18.6	6.8	23.1	4.0	18.3	4.5	27.3	4.5
30	23.6	4.8	19.2	3.7	11.5	2.0	19.5	7.4	24.6	4.3	18.8	4.8	28.2	4.8
50	26.6	5.7	22.4	4.6	12.3	2.4	22.1	9.1	28.7	5.4	20.1	5.4	30.4	5.5
100	30.6	7.0	26.9	6.1	13.4	2.8	25.7	11.4	34.7	7.1	21.7	6.1	33.4	6.6
COR.	0.986		0.986		0.974		0.944		0.990		0.970		0.984	
FUNC.	WI(1.00)		WI(0.75)		WI(1.50)		WI(1.00)		WI(0.75)		WI(2.00)		GUMBEL	
DATA NUMBER	28		21		18		18		24		25		30	

±AP: 95%CONFIDENCE LIMIT

TABLE 8.25 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY
STATION. CURVELO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	16.8	2.9	11.5	1.4	9.9	1.2	20.8	4.7	16.9	1.1	24.1	9.2	29.8	6.5
10	20.6	4.0	13.9	2.0	11.5	1.7	27.3	6.6	21.0	1.6	29.3	12.2	34.2	8.5
15	22.6	4.7	15.4	2.4	12.2	1.9	30.9	7.9	23.2	1.8	31.9	13.9	36.5	9.7
20	24.0	5.1	16.3	2.7	12.8	2.1	33.4	8.9	24.6	2.0	33.7	15.1	38.0	10.5
25	25.0	5.5	17.1	3.0	13.1	2.2	35.3	9.6	25.7	2.2	35.0	16.1	39.2	11.1
30	25.9	5.8	17.7	3.2	13.4	2.3	36.8	10.2	26.6	2.3	36.0	16.8	40.1	11.6
50	28.1	6.6	19.4	3.7	14.2	2.6	41.0	11.9	29.0	2.6	38.8	18.8	42.4	13.0
100	31.1	7.6	21.7	4.5	15.2	3.0	46.5	14.2	32.1	3.0	42.3	21.3	45.4	14.7
COR.	0.982		0.984		0.979		0.976		0.997		0.927		0.954	
FUNC.	WI(1.50)		WI(1.10)		WI(2.00)		WI(1.25)		WI(1.50)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		28		23		26		27		28		30	

TABLE 8.26 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. FAZENDA AJUDAS

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	17.9	2.9	13.2	1.5	10.1	1.7	12.9	2.0	15.5	2.5	13.1	1.4	24.0	3.6
10	21.8	3.9	19.0	2.2	12.8	2.5	18.7	2.7	18.4	3.4	16.2	2.0	28.6	5.1
15	23.9	4.6	22.7	2.7	14.3	3.0	22.4	3.5	19.9	3.9	18.0	2.4	31.2	6.0
20	25.3	5.1	25.4	3.2	15.3	3.4	25.2	4.1	20.9	4.3	19.2	2.7	32.9	6.7
25	26.4	5.4	27.6	3.6	16.1	3.7	27.4	4.6	21.6	4.5	20.1	2.9	34.3	7.2
30	27.3	5.7	29.5	3.9	16.8	4.0	29.2	5.0	22.2	4.8	20.8	3.1	35.4	7.7
50	29.6	6.5	34.8	4.9	18.6	4.8	34.6	6.3	23.7	5.3	22.8	3.6	38.4	8.9
100	32.6	7.5	42.4	6.3	21.0	5.8	42.3	8.2	25.6	6.1	25.5	4.3	42.4	10.5
COR.	0.983		0.995		0.975		0.991		0.978		0.990		0.977	
FUNC.	WI(1.50)		WI(0.75)		WI(1.10)		WI(0.75)		WI(2.00)		WI(1.25)		WI(1.25)	
DATA NUMBER	30		26		23		23		25		25		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8.27 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. FRUTAL

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	16.8	4.1	10.2	4.0	7.8	1.4	8.8	1.2	7.2	1.2	9.8	1.1	18.5	5.2
10	22.5	5.9	13.5	5.7	9.8	1.9	10.5	1.7	8.4	1.6	11.0	1.5	24.2	7.5
15	26.0	7.3	15.6	7.1	11.2	2.4	11.5	2.0	9.0	2.0	11.7	1.7	27.6	9.3
20	28.6	8.3	17.2	8.3	12.1	2.8	12.1	2.3	9.5	2.2	12.1	1.8	30.1	10.6
25	30.6	9.2	18.4	9.3	12.9	3.1	12.5	2.5	9.8	2.4	12.4	2.0	32.1	11.8
30	32.3	9.9	19.5	10.1	13.6	3.4	12.9	2.6	10.1	2.6	12.6	2.1	33.7	12.7
50	37.0	12.1	22.5	12.5	15.5	4.3	13.9	3.1	10.9	3.0	13.3	2.3	38.4	15.4
100	43.6	15.1	26.9	16.1	18.2	5.6	15.1	3.6	11.9	3.6	14.1	2.7	44.8	19.2
COR.	0.972		0.918		0.970		0.970		0.951		0.974		0.954	
FUNC.	WI(0.85)		WI(0.75)		WI(0.75)		WI(1.50)		WI(1.25)		WI(2.00)		WI(0.85)	
DATA NUMBER	30		29		24		18		22		23		30	

TABLE 8.28 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY
STATION. INHUMAS

MONTHLY YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	12.5	1.4	8.3	1.4	5.4	0.7	5.5	1.3	6.9	0.6	9.0	1.0	13.4	1.7
10	14.7	1.8	10.5	1.8	6.5	0.6	6.9	1.2	8.6	0.8	11.4	1.3	15.2	2.2
15	15.8	2.1	11.6	2.2	7.3	0.7	7.9	1.4	9.6	1.0	12.9	1.6	16.2	2.5
20	16.6	2.3	12.4	2.5	7.8	0.9	8.7	1.7	10.3	1.1	13.9	1.9	16.8	2.7
25	17.2	2.4	13.0	2.7	8.2	1.0	9.3	1.9	10.8	1.3	14.7	2.1	17.3	2.8
30	17.6	2.5	13.4	2.9	8.6	1.1	9.8	2.2	11.2	1.4	15.3	2.3	17.7	3.0
50	18.8	2.9	14.6	3.4	9.6	1.5	11.3	2.9	12.4	1.7	17.1	2.8	18.7	3.3
100	20.2	3.3	16.2	4.1	11.0	2.0	13.5	4.0	14.1	2.2	19.6	3.4	19.9	3.8
COR.	0.989		0.971		0.980		0.965		0.989		0.989		0.982	
FUNC.	WI(2.00)		WI(1.50)		WI(0.85)		WI(0.75)		WI(1.00)		WI(1.00)		WI(2.00)	
DATA NUMBER	25		15		11		12		16		19		30	

±AP: 95%CONFIDENCE LIMIT

TABLE 8.29 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY
STATION. ITAMARANDIBA

MONTHLY YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	19.4	3.1	11.9	2.9	13.2	1.9	19.3	3.0	17.6	2.2	19.5	2.4	28.6	3.8
10	24.4	4.3	16.1	4.1	16.4	2.6	26.5	4.3	22.1	3.1	24.0	3.2	33.4	5.2
15	27.2	5.1	18.7	5.1	18.2	3.1	30.9	5.4	24.5	3.7	26.5	3.8	36.1	6.1
20	29.1	5.7	20.6	5.9	19.4	3.5	34.1	6.2	26.2	4.1	28.1	4.2	38.0	6.7
25	30.6	6.1	22.1	6.5	20.4	3.8	36.6	6.9	27.5	4.5	29.4	4.5	39.5	7.2
30	31.8	6.5	23.3	7.1	21.2	4.0	38.7	7.4	28.6	4.8	30.4	4.7	40.7	7.7
50	35.1	7.5	26.8	8.7	23.3	4.7	44.6	9.1	31.4	5.5	33.1	5.4	44.0	8.9
100	39.4	8.9	31.7	10.9	26.0	5.5	52.9	11.4	35.2	6.6	36.6	6.3	48.5	10.5
COR.	0.986		0.971		0.986		0.989		0.990		0.991		0.981	
FUNC.	WI(1.25)		WI(0.85)		WI(1.25)		WI(0.85)		WI(1.25)		WI(1.50)		GUMBEL	
DATA NUMBER	30		26		27		28		28		28		30	

TABLE 8.30 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. JABOTICATUBAS

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	14.4	1.3	10.0	1.4	9.6	1.4	14.2	1.6	18.0	3.2	13.4	2.3	20.5	2.3
10	17.0	1.7	12.4	2.0	11.7	1.9	17.6	2.2	21.4	4.2	15.8	3.0	23.1	3.0
15	18.5	2.0	13.8	2.5	12.9	2.3	19.4	2.5	23.1	4.8	17.0	3.4	24.4	3.5
20	19.5	2.3	14.8	2.8	13.6	2.6	20.7	2.8	24.3	5.2	17.8	3.8	25.3	3.8
25	20.3	2.5	15.5	3.1	14.2	2.8	21.6	3.0	25.2	5.5	18.4	4.0	26.0	4.0
30	21.0	2.6	16.2	3.3	14.6	3.0	22.3	3.2	25.8	5.7	18.8	4.2	26.5	4.2
50	22.7	3.0	17.8	4.0	15.8	3.4	24.3	3.7	27.6	6.4	20.1	4.7	27.9	4.6
100	25.2	3.6	20.1	4.9	17.4	4.1	26.9	4.3	29.9	7.3	21.7	5.3	29.7	5.3
COR.	0.991		0.979		0.977		0.991		0.980		0.976		0.982	
FUNC.	GUMBEL		WI(1.10)		WI(1.50)		WI(1.50)		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	26		22		20		24		30		27		30	

±AP: 95%CONFIDENCE LIMIT

TABLE 8.31 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. JEQUITINHONHA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	21.5	3.3	16.4	4.2	20.8	2.2	24.0	2.9	19.7	3.0	16.9	3.0	31.0	1.9
10	28.2	4.8	21.1	6.0	24.6	2.9	28.8	3.8	23.1	4.0	21.3	4.3	35.2	2.5
15	32.1	5.8	23.8	7.3	26.6	3.4	31.3	4.3	24.8	4.6	23.8	5.2	37.4	2.9
20	34.9	6.6	25.7	8.3	27.9	3.6	32.9	4.7	25.9	5.0	25.6	5.8	38.8	3.1
25	37.1	7.2	27.2	9.0	28.9	3.8	34.1	4.9	26.8	5.3	26.9	6.3	39.9	3.3
30	38.8	7.7	28.5	9.7	29.6	4.0	35.1	5.2	27.5	5.5	28.0	6.8	40.7	3.5
50	43.8	9.2	31.9	11.5	31.7	4.5	37.7	5.7	29.3	6.2	31.1	7.9	43.0	3.9
100	50.5	11.2	36.5	14.1	34.3	5.1	40.9	6.5	31.5	7.1	35.2	9.5	45.8	4.4
COR.	0.987		0.960		0.992		0.992		0.980		0.979		0.995	
FUNC.	WI(1.00)		WI(1.00)		WI(2.00)		WI(2.00)		WI(2.00)		WI(1.10)		WI(2.00)	
DATA NUMBER	29		28		30		30		28		30		30	

TABLE 8.32 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY
STATION: JUPIA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	14.2	1.9	16.7	2.1	11.8	1.4	10.1	1.3	10.8	1.2	13.6	1.2	20.4	2.2
10	16.9	2.7	21.2	2.9	13.3	1.8	12.3	1.9	14.1	1.7	16.6	1.6	23.7	3.0
15	18.4	3.1	23.8	3.5	14.2	2.1	13.5	2.2	16.1	2.1	18.3	1.9	25.5	3.5
20	19.4	3.4	25.7	4.0	14.7	2.2	14.4	2.5	17.6	2.5	19.5	2.2	26.8	3.9
25	20.1	3.6	27.1	4.3	15.1	2.4	15.0	2.7	18.7	2.7	20.4	2.3	27.8	4.2
30	20.7	3.8	28.2	4.6	15.4	2.5	15.5	2.8	19.7	3.0	21.1	2.5	28.6	4.4
50	22.4	4.4	31.3	5.4	16.2	2.8	16.9	3.3	22.4	3.6	23.1	2.9	30.9	5.1
100	24.5	5.1	35.6	6.5	17.3	3.2	18.8	3.9	26.1	4.5	25.7	3.4	34.0	6.1
COR.	0.984		0.990		0.982		0.984		0.991		0.994		0.986	
FUNC.	WI(1.50)		WI(1.10)		WI(2.00)		WI(1.25)		WI(0.85)		WI(1.25)		GUMBEL	
DATA NUMBER	27		26		26		24		24		27		27	

±AP: 95% CONFIDENCE LIMIT

TABLE 8.33 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY
STATION: LUSSANVIRA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	14.3	1.2	14.3	2.2	11.9	1.6	12.5	2.0	12.8	3.1	16.0	2.1	23.1	3.8
10	16.7	1.6	19.1	3.2	15.4	2.3	17.1	2.9	17.5	4.4	20.3	3.0	27.9	5.3
15	18.1	1.9	22.1	4.0	17.5	2.9	20.0	3.7	20.6	5.5	22.8	3.6	30.6	6.3
20	19.0	2.1	24.3	4.6	19.1	3.3	22.1	4.3	22.8	6.4	24.6	4.1	32.4	7.0
25	19.6	2.2	26.1	5.2	20.3	3.7	23.9	4.8	24.6	7.2	26.0	4.5	33.8	7.6
30	20.2	2.3	27.6	5.6	21.3	3.9	25.3	5.2	26.1	7.8	27.2	4.8	35.0	8.0
50	21.7	2.7	31.9	7.0	24.2	4.8	29.5	6.5	30.5	9.7	30.4	5.7	38.1	9.3
100	23.6	3.1	38.1	8.9	28.2	6.0	35.5	8.4	36.7	12.5	34.7	6.9	42.2	11.0
COR.	0.993		0.986		0.987		0.987		0.973		0.988		0.977	
FUNC.	WI(1.50)		WI(0.75)		WI(0.85)		WI(0.75)		WI(0.75)		WI(1.00)		WI(1.25)	
DATA NUMBER	30		30		28		27		28		29		30	

TABLE 8.34 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION, MENDANHA-MONTANTE

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	19.5	2.7	13.3	1.9	13.5	1.4	15.5	5.2	18.9	2.4	22.1	5.1	27.3	3.8
10	23.1	3.5	17.1	2.6	17.4	1.9	21.5	7.0	21.7	3.1	26.5	6.8	32.1	5.1
15	24.9	4.0	19.3	3.2	19.7	2.4	25.3	8.8	23.2	3.6	28.7	7.7	34.8	6.0
20	26.1	4.3	20.8	3.7	21.3	2.7	28.1	10.4	24.2	3.9	30.2	8.4	36.6	6.6
25	27.1	4.6	22.0	4.0	22.6	3.0	30.4	11.7	24.9	4.1	31.3	8.9	38.1	7.1
30	27.8	4.8	23.0	4.3	23.6	3.2	32.3	12.8	25.5	4.3	32.2	9.3	39.3	7.5
50	29.7	5.3	25.6	5.2	26.5	3.8	37.8	16.1	27.0	4.8	34.6	10.4	42.6	8.7
100	32.1	6.1	29.2	6.3	30.4	4.6	45.7	21.0	29.0	5.4	37.5	11.8	47.0	10.3
COR.	0.987		0.985		0.993		0.950		0.984		0.968		0.981	
FUNC.	WI(2.00)		WI(1.10)		WI(1.00)		WI(0.75)		WI(2.00)		WI(2.00)		GUMBEL	
DATA NUMBER	30		22		27		23		30		29		30	

±AP: 95%CONFIDENCE LIMIT

TABLE 8.35 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION, MINAS NOVAS

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	24.0	4.1	12.5	5.2	19.4	2.3	27.3	4.1	24.4	3.1	22.3	4.3	34.4	3.6
10	29.9	5.5	17.4	7.3	23.3	3.0	33.6	5.6	29.0	4.1	27.0	5.9	38.9	4.7
15	33.1	6.5	20.5	9.3	25.2	3.5	37.0	6.5	31.4	4.7	29.5	6.9	41.2	5.3
20	35.3	7.1	22.8	10.9	26.5	3.8	39.3	7.2	33.0	5.1	31.2	7.5	42.7	5.8
25	36.9	7.6	24.7	12.2	27.5	4.0	41.0	7.7	34.2	5.4	32.5	8.1	43.9	6.1
30	38.2	8.0	26.2	13.3	28.2	4.2	42.4	8.1	35.1	5.6	33.5	8.5	44.8	6.4
50	41.8	9.1	30.7	16.7	30.3	4.7	46.1	9.2	37.6	6.3	36.3	9.7	47.2	7.2
100	46.4	10.6	37.1	21.6	32.8	5.4	51.0	10.7	40.7	7.1	39.9	11.2	50.2	8.1
COR.	0.986		0.927		0.990		0.987		0.989		0.974		0.986	
FUNC.	WI(1.50)		WI(0.75)		WI(2.00)		WI(1.50)		WI(2.00)		WI(1.50)		WI(2.00)	
DATA NUMBER	27		23		24		27		27		27		27	

TABLE 8.36 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. MONTE CARMELO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	15.7	3.2	11.0	1.4	9.7	1.5	11.7	1.5	12.5	1.1	14.0	1.6	19.4	1.8
10	19.6	4.4	13.1	1.9	13.0	2.1	14.3	2.1	14.5	1.5	16.9	2.2	21.9	2.4
15	21.6	5.2	14.2	2.2	14.8	2.6	15.7	2.4	15.5	1.7	18.4	2.6	23.2	2.7
20	23.0	5.7	15.0	2.5	16.2	2.9	16.6	2.7	16.1	1.8	19.5	2.9	24.0	3.0
25	24.0	6.1	15.6	2.7	17.2	3.3	17.3	2.9	16.6	2.0	20.3	3.2	24.7	3.1
30	24.9	6.5	16.0	2.9	18.1	3.5	17.9	3.1	17.0	2.0	20.9	3.3	25.2	3.3
50	27.2	7.4	17.2	3.3	20.4	4.3	19.4	3.6	18.0	2.3	22.6	3.9	26.5	3.7
100	30.1	8.6	18.8	3.9	23.7	5.3	21.3	4.2	19.3	2.6	24.8	4.5	28.2	4.2
COR.	0.976		0.980		0.985		0.985		0.991		0.986		0.988	
FUNC.	WI(1.50)		WI(1.50)		WI(1.00)		WI(1.50)		WI(2.00)		WI(1.50)		WI(2.00)	
DATA NUMBER	28		22		20		22		25		23		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8.37 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. PONTE DO LICINIO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	18.2	2.9	12.4	1.9	10.8	2.0	19.2	1.8	18.6	3.2	16.8	3.0	26.8	3.3
10	23.7	4.1	14.5	2.6	13.9	2.8	22.7	2.4	24.6	4.5	20.2	4.1	31.4	4.5
15	26.9	5.0	15.7	3.1	15.8	3.6	24.5	2.8	28.1	5.5	22.2	4.8	34.0	5.3
20	29.2	5.7	16.5	3.4	17.2	4.1	25.6	3.0	30.6	6.3	23.5	5.4	35.8	5.9
25	31.0	6.2	17.2	3.7	18.3	4.6	26.5	3.2	32.5	6.8	24.6	5.8	37.2	6.3
30	32.4	6.6	17.7	3.9	19.2	5.0	27.2	3.3	34.1	7.3	25.4	6.1	38.3	6.7
50	36.4	7.9	19.2	4.6	21.8	6.1	29.0	3.8	38.5	8.7	27.8	7.1	41.4	7.7
100	41.9	9.6	21.1	5.4	25.4	7.8	31.3	4.3	44.5	10.6	31.0	8.4	45.7	9.2
COR.	0.987		0.972		0.972		0.993		0.986		0.976		0.984	
FUNC.	WI(1.00)		GUMBEL		WI(0.85)		WI(2.00)		WI(1.00)		GUMBEL		GUMBEL	
DATA NUMBER	30		27		24		27		29		29		30	

TABLE 8.38 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. RIO PIRACICABA

MONTHLY YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	13.8	1.9	8.4	1.0	11.7	1.8	17.8	3.3	18.4	2.4	14.6	1.6	25.3	2.8
10	17.7	2.7	11.1	1.3	15.8	2.6	23.3	4.7	24.5	3.5	18.2	2.3	30.3	3.7
15	20.1	3.2	12.8	1.7	18.1	3.1	26.4	5.6	28.1	4.3	20.2	2.7	33.2	4.4
20	21.7	3.7	14.0	2.0	19.8	3.6	28.6	6.3	30.7	4.8	21.6	3.0	35.2	4.9
25	23.0	4.0	15.1	2.2	21.1	4.0	30.2	6.8	32.6	5.3	22.7	3.2	36.7	5.2
30	24.0	4.3	15.9	2.5	22.2	4.3	31.5	7.2	34.2	5.7	23.6	3.4	38.0	5.5
50	26.9	5.2	18.4	3.1	25.1	5.1	35.1	8.5	38.8	6.8	25.9	4.0	41.5	6.4
100	30.9	6.3	21.9	4.1	29.2	6.3	39.8	10.1	44.9	8.3	29.0	4.7	46.2	7.6
COR.	0.988		0.989		0.988		0.983		0.992		0.992		0.991	
FUNC.	WI(1.00)		WI(0.75)		WI(1.00)		WI(1.25)		WI(1.00)		WI(1.25)		GUMBEL	
DATA NUMBER	27		21		24		25		28		29		30	

±AP: 95%CONFIDENCE LIMIT

TABLE 8.39 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. SANTANA DO JACARE

MONTHLY YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	16.2	1.6	9.6	1.9	10.1	1.0	10.0	2.5	13.1	4.3	13.4	3.0	21.4	2.8
10	19.5	2.2	11.9	2.7	12.9	1.4	13.6	3.3	17.9	6.0	17.1	4.3	25.6	3.9
15	21.3	2.6	13.4	3.4	14.4	1.7	15.9	4.1	21.0	7.5	19.4	5.2	28.0	4.6
20	22.5	2.9	14.4	3.9	15.5	1.9	17.5	4.8	23.3	8.8	20.9	6.0	29.7	5.1
25	23.4	3.1	15.2	4.4	16.3	2.1	18.8	5.4	25.1	9.9	22.1	6.5	30.9	5.5
30	24.1	3.2	15.9	4.7	17.0	2.3	19.9	5.9	26.6	10.8	23.1	7.0	31.9	5.9
50	26.1	3.7	17.9	5.8	18.9	2.7	23.0	7.3	31.0	13.4	25.9	8.4	34.7	6.8
100	28.6	4.3	20.6	7.4	21.4	3.3	27.3	9.4	37.3	17.4	29.7	10.3	38.4	8.0
COR.	0.991		0.958		0.991		0.968		0.950		0.966		0.984	
FUNC.	WI(1.50)		WI(0.85)		WI(1.10)		WI(0.85)		WI(0.75)		WI(1.00)		WI(1.25)	
DATA NUMBER	27		25		20		20		26		26		30	

TABLE 8.40 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. STA MARIA DE ITABIRA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	14.8	2.3	10.7	1.0	11.9	1.6	16.2	2.2	19.3	1.3	14.6	2.5	25.0	1.5
10	18.7	3.2	12.9	1.4	15.8	2.2	21.8	3.2	23.6	1.8	18.9	3.5	28.8	1.9
15	20.9	3.9	14.1	1.7	18.1	2.7	25.1	3.9	25.9	2.2	21.4	4.2	30.8	2.2
20	22.4	4.4	14.9	1.9	19.7	3.1	27.5	4.4	27.4	2.4	23.2	4.8	32.1	2.4
25	23.6	4.7	15.5	2.0	21.0	3.4	29.3	4.9	28.6	2.5	24.5	5.2	33.1	2.6
30	24.6	5.1	16.0	2.1	22.0	3.7	30.8	5.2	29.6	2.7	25.6	5.6	33.9	2.7
50	27.2	5.9	17.3	2.5	24.9	4.4	35.0	6.3	32.1	3.1	28.6	6.6	35.9	3.0
100	30.8	7.2	19.0	2.9	28.8	5.4	40.6	7.7	35.4	3.5	32.7	7.9	38.5	3.4
COR.	0.984		0.991		0.990		0.991		0.997		0.984		0.997	
FUNC.	WI(1.10)		WI(1.50)		WI(1.00)		WI(1.00)		WI(1.50)		WI(1.10)		WI(2.00)	
DATA NUMBER	29		24		25		25		29		27		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8.41 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. VESPASIANO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	15.6	1.8	9.9	0.8	9.4	1.3	14.8	1.6	21.6	3.9	16.9	2.5	25.7	3.6
10	18.9	2.5	11.8	1.1	12.1	1.8	19.4	2.3	27.5	5.4	20.9	3.5	30.6	4.9
15	20.7	2.9	12.8	1.4	13.7	2.3	22.1	2.9	30.7	6.4	23.0	4.1	33.3	5.7
20	22.0	3.2	13.6	1.5	14.8	2.6	24.0	3.3	33.0	7.1	24.5	4.5	35.1	6.3
25	22.9	3.4	14.1	1.7	15.8	2.9	25.5	3.6	34.7	7.7	25.6	4.8	36.5	6.8
30	23.6	3.6	14.6	1.8	16.5	3.2	26.7	3.9	36.1	8.2	26.5	5.0	37.5	7.1
50	25.6	4.2	15.9	2.2	18.7	3.9	30.2	4.6	39.9	9.5	28.9	5.8	40.5	8.1
100	28.2	4.8	17.6	2.6	21.8	5.0	34.8	5.7	44.9	11.2	31.9	6.7	44.3	9.4
COR.	0.990		0.989		0.984		0.993		0.983		0.987		0.983	
FUNC.	WI(1.50)		WI(1.10)		WI(0.85)		WI(1.00)		WI(1.25)		WI(1.50)		WI(1.50)	
DATA NUMBER	28		23		24		25		29		29		30	

TABLE 8.42 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. AMARANTE

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	30.9	3.2	24.6	2.4	15.7	1.5	11.7	1.3	12.0	2.0	7.7	0.7	34.2	2.9
10	36.9	4.2	32.1	3.4	18.9	2.1	13.5	1.7	16.0	2.8	10.0	0.8	41.1	4.0
15	40.1	4.8	36.5	4.1	20.7	2.5	14.5	2.0	18.3	3.4	11.5	1.0	44.7	4.6
20	42.2	5.2	39.6	4.6	21.8	2.7	15.1	2.2	19.9	3.9	12.7	1.2	47.2	5.1
25	43.7	5.5	42.0	5.1	22.7	2.9	15.6	2.3	21.1	4.3	13.6	1.4	49.1	5.5
30	44.9	5.8	43.9	5.4	23.4	3.1	16.0	2.4	22.1	4.6	14.3	1.5	50.6	5.8
50	48.2	6.4	49.5	6.4	25.4	3.5	17.0	2.7	24.8	5.5	16.6	2.0	54.7	6.6
100	52.3	7.3	56.9	7.8	27.9	4.1	18.2	3.1	28.5	6.7	19.7	2.6	60.0	7.6
COR.	0.994		0.995		0.993		0.987		0.984		0.994		0.994	
FUNC.	WI(2.00)		WI(1.00)		WI(1.50)		WI(2.00)		WI(1.10)		WI(0.75)		WI(1.50)	
DATA NUMBER	30		30		29		27		22		18		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8.43 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. BARREIRAS

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	19.8	2.7	11.8	1.6	16.7	1.8	18.9	2.3	15.0	1.6	15.9	1.6	25.0	1.7
10	24.3	3.8	15.2	2.3	20.1	2.5	23.1	3.1	17.7	2.2	18.9	2.1	28.1	2.3
15	26.7	4.5	17.3	2.9	21.9	2.9	25.3	3.6	19.1	2.6	20.4	2.4	29.7	2.6
20	28.4	5.0	18.8	3.3	23.1	3.2	26.8	4.0	20.1	2.8	21.3	2.6	30.7	2.8
25	29.7	5.4	20.0	3.7	24.0	3.4	28.0	4.3	20.9	3.0	22.1	2.8	31.5	3.0
30	30.8	5.8	21.0	4.0	24.7	3.6	28.9	4.5	21.4	3.2	22.7	2.9	32.1	3.1
50	33.6	6.7	23.8	4.8	26.7	4.1	31.4	5.2	23.0	3.6	24.2	3.2	33.8	3.5
100	37.4	7.9	27.7	6.1	29.3	4.8	34.6	6.0	25.1	4.2	26.2	3.7	35.8	3.9
COR.	0.985		0.986		0.990		0.990		0.989		0.993		0.993	
FUNC.	WI(1.25)		WI(0.85)		WI(1.50)		WI(1.50)		WI(1.50)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		27		28		29		30		29		30	

TABLE 8. 44 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. CATALAO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	14.6	1.2	9.2	1.8	7.2	1.1	9.8	1.6	10.6	1.2	12.5	1.4	18.1	1.8
10	17.1	1.6	11.6	2.4	9.4	1.3	12.6	2.1	14.9	1.6	15.5	2.0	21.1	2.4
15	18.3	1.9	13.1	3.1	10.8	1.6	14.1	2.6	17.7	2.1	17.1	2.4	22.7	2.9
20	19.1	2.0	14.3	3.6	11.8	1.9	15.2	3.0	19.8	2.4	18.3	2.7	23.9	3.2
25	19.7	2.2	15.2	4.1	12.7	2.2	16.1	3.3	21.4	2.7	19.1	2.9	24.8	3.4
30	20.2	2.3	15.9	4.5	13.4	2.4	16.8	3.6	22.8	3.0	19.8	3.1	25.5	3.6
50	21.5	2.5	18.1	5.6	15.4	3.1	18.7	4.3	26.9	3.8	21.7	3.6	27.5	4.2
100	23.2	2.9	21.3	7.3	18.4	4.2	21.3	5.3	32.7	5.0	24.2	4.3	30.3	5.0
COR.	0.994		0.961		0.983		0.978		0.994		0.989		0.988	
FUNC.	WI(2.00)		WI(0.75)		WI(0.75)		WI(1.10)		WI(0.75)		WI(1.25)		GUMBEL	
DATA NUMBER	29		23		18		19		21		26		30	

±AP: 95%CONFIDENCE LIMIT

TABLE 8. 45 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. CONCEICAO ARAGUAIA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	10.4	1.6	8.6	0.9	6.6	0.8	6.6	0.9	5.9	3.5	5.3	1.4	12.5	1.1
10	12.8	2.3	9.7	1.3	7.3	1.2	8.3	1.1	8.8	3.5	6.8	1.7	15.1	1.5
15	14.2	2.7	10.3	1.5	7.7	1.4	9.4	1.4	10.7	4.2	7.8	2.1	16.7	1.8
20	15.1	3.0	10.7	1.6	7.9	1.5	10.3	1.6	12.2	5.1	8.5	2.5	17.7	2.0
25	15.8	3.3	11.0	1.7	8.1	1.6	10.9	1.8	13.4	5.8	9.0	2.8	18.5	2.2
30	16.4	3.5	11.2	1.8	8.2	1.7	11.5	2.0	14.4	6.5	9.5	3.1	19.2	2.4
50	18.0	4.1	11.8	2.0	8.7	2.0	13.1	2.6	17.3	8.6	10.8	3.9	21.1	2.8
100	20.1	4.9	12.5	2.3	9.2	2.3	15.5	3.4	21.5	11.7	12.6	5.1	23.6	3.3
COR.	0.980		0.976		0.945		0.982		0.926		0.944		0.993	
FUNC.	WI(1.25)		WI(2.00)		WI(1.50)		WI(0.75)		WI(0.75)		WI(0.85)		WI(1.10)	
DATA NUMBER	22		19		21		16		11		14		25	

TABLE 8.46 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. CONCEICAO DO RIO VERDE

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	12.1	1.8	9.2	1.5	6.0	0.6	8.6	2.5	10.5	0.9	11.2	1.3	16.7	2.1
10	14.5	2.5	10.8	2.0	6.5	0.8	11.5	3.4	13.7	1.3	15.1	1.8	20.0	3.0
15	15.7	2.9	11.7	2.4	6.8	1.0	13.4	4.4	15.6	1.6	17.4	2.3	21.8	3.5
20	16.6	3.2	12.3	2.6	7.0	1.1	14.8	5.1	16.9	1.8	19.1	2.6	23.1	3.9
25	17.2	3.4	12.8	2.8	7.1	1.2	15.9	5.7	17.9	2.0	20.5	2.9	24.0	4.3
30	17.8	3.6	13.1	3.0	7.2	1.3	16.9	6.3	18.8	2.1	21.6	3.2	24.8	4.5
50	19.2	4.1	14.1	3.4	7.4	1.4	19.6	7.9	21.1	2.6	24.8	3.9	27.0	5.2
100	21.0	4.8	15.4	4.0	7.8	1.7	23.5	10.3	24.3	3.2	29.2	4.9	29.8	6.2
COR.	0.981		0.969		0.921		0.952		0.995		0.992		0.984	
FUNC.	WI(1.50)		WI(1.50)		WI(2.00)		WI(0.75)		WI(1.00)		WI(0.85)		WI(1.25)	
DATA NUMBER	29		24		15		24		22		25		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8.47 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. COTEIPE

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	26.9	3.5	16.5	2.6	15.6	1.6	17.9	1.7	19.8	3.3	16.7	2.3	31.5	3.3
10	32.6	4.8	21.1	3.7	19.2	2.3	23.4	2.5	25.1	4.6	21.0	3.3	36.1	4.3
15	35.7	5.6	23.7	4.5	21.3	2.8	26.8	3.1	28.1	5.4	23.4	4.0	38.5	4.9
20	37.8	6.2	25.5	5.0	22.8	3.2	29.2	3.5	30.1	6.1	25.1	4.4	40.0	5.4
25	39.4	6.6	26.9	5.5	24.0	3.5	31.1	3.9	31.7	6.5	26.4	4.8	41.2	5.7
30	40.6	7.0	28.1	5.8	24.9	3.7	32.7	4.2	32.9	6.9	27.5	5.2	42.1	5.9
50	44.0	8.0	31.3	6.8	27.6	4.4	37.2	5.1	36.4	8.0	30.5	6.1	44.6	6.6
100	48.4	9.2	35.5	8.2	31.2	5.4	43.5	6.4	40.9	9.5	34.4	7.3	47.7	7.5
COR.	0.988		0.985		0.990		0.994		0.985		0.986		0.988	
FUNC.	WI(1.50)		WI(1.10)		WI(1.00)		WI(0.85)		WI(1.25)		WI(1.10)		WI(2.00)	
DATA NUMBER	30		29		30		30		30		29		30	

TABLE 8.48 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. FORMOSA DO RIO PRETO-II

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	23.1	2.8	15.2	2.3	18.0	2.4	17.2	2.2	17.9	3.2	15.8	1.4	27.9	2.7
10	27.9	3.8	20.9	3.3	22.5	3.3	21.5	3.1	21.9	4.4	18.9	1.9	32.5	3.7
15	30.5	4.4	24.5	4.2	25.1	3.9	23.9	3.7	24.0	5.1	20.6	2.2	34.9	4.4
20	32.3	4.8	27.2	4.9	26.8	4.3	25.7	4.2	25.5	5.6	21.8	2.4	36.6	4.8
25	33.6	5.2	29.4	5.4	28.1	4.7	27.0	4.6	26.6	6.0	22.7	2.6	37.8	5.1
30	34.7	5.4	31.2	5.9	29.2	5.0	28.0	4.9	27.5	6.3	23.5	2.8	38.9	5.4
50	37.6	6.2	36.4	7.3	32.2	5.7	31.0	5.7	29.9	7.2	25.6	3.2	41.6	6.1
100	41.3	7.2	43.8	9.3	36.1	6.8	35.0	6.8	32.9	8.4	28.4	3.8	45.1	7.1
COR.	0.990		0.990		0.990		0.988		0.980		0.994		0.989	
FUNC.	WI(1.50)		WI(0.75)		WI(1.25)		WI(1.10)		WI(1.50)		GUMBEL		WI(1.50)	
DATA NUMBER	30		30		30		30		30		29		30	

±AP: 85%CONFIDENCE LIMIT

TABLE 8.49 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. GOIAS

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	13.4	4.7	7.6	0.9	5.9	2.1	7.5	1.5	6.7	4.2	9.1	4.5	17.2	4.4
10	19.3	6.5	9.3	1.3	8.2	2.1	10.1	1.8	10.4	4.5	12.7	5.7	23.2	6.4
15	23.1	8.3	10.3	1.6	9.7	2.6	11.8	2.3	12.9	5.6	15.0	7.3	26.9	7.9
20	25.9	9.7	11.1	1.8	10.9	3.1	13.0	2.8	14.7	6.6	16.8	8.6	29.6	9.0
25	28.1	10.9	11.7	2.0	11.8	3.6	14.1	3.1	16.2	7.6	18.2	9.7	31.7	10.0
30	30.0	11.9	12.2	2.2	12.6	4.0	14.9	3.5	17.4	8.4	19.3	10.7	33.4	10.8
50	35.4	14.9	13.6	2.7	14.9	5.2	17.4	4.4	21.0	11.0	22.8	13.6	38.4	13.1
100	43.2	19.3	15.5	3.4	18.2	7.1	20.9	5.8	26.3	14.8	27.7	17.9	45.3	16.3
COR.	0.958		0.981		0.956		0.978		0.929		0.905		0.970	
FUNC.	WI(0.75)		WI(0.85)		WI(0.75)		WI(0.75)		WI(0.75)		WI(0.75)		WI(0.85)	
DATA NUMBER	25		24		14		19		15		20		30	

TABLE 8.50 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. JANUARIA

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	24.8	4.8	13.1	2.1	18.0	1.6	19.4	2.3	20.4	3.7	18.4	1.7	31.8	3.2
10	31.6	6.7	16.5	3.1	24.4	2.3	24.5	3.3	26.1	5.2	22.2	2.3	36.5	4.2
15	35.4	7.9	18.4	3.7	28.1	2.8	27.4	3.9	29.4	6.3	24.4	2.7	38.9	4.8
20	38.0	8.8	19.8	4.1	30.7	3.1	29.5	4.4	31.7	7.1	25.9	3.0	40.5	5.2
25	39.9	9.5	20.8	4.5	32.8	3.4	31.1	4.8	33.5	7.7	27.1	3.3	41.7	5.5
30	41.6	10.1	21.7	4.8	34.5	3.7	32.4	5.2	34.9	8.2	28.0	3.5	42.6	5.8
50	46.0	11.7	24.1	5.7	39.1	4.4	35.9	6.1	38.9	9.6	30.7	4.0	45.1	6.4
100	51.8	13.8	27.2	6.8	45.5	5.4	40.7	7.3	44.3	11.6	34.2	4.8	48.3	7.3
COR.	0.981		0.981		0.997		0.990		0.982		0.994		0.989	
FUNC.	WI(1.25)		WI(1.10)		WI(1.00)		WI(1.10)		WI(1.10)		GUMBEL		WI(2.00)	
DATA NUMBER	29		27		26		27		29		28		29	

±AD: 95%CONFIDENCE LIMIT

TABLE 8.51 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. MOCAMBO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	29.1	4.0	16.8	2.9	21.2	3.1	24.6	2.7	24.1	2.8	22.8	3.7	36.1	3.6
10	35.3	5.5	21.6	4.2	26.5	4.3	30.7	4.0	29.6	3.8	27.3	4.8	40.8	4.8
15	38.6	6.4	24.3	5.1	29.4	5.2	34.3	4.8	32.7	4.5	29.6	5.5	43.2	5.4
20	40.9	7.1	26.2	5.7	31.5	5.8	36.8	5.5	34.9	5.0	31.1	6.0	44.8	5.9
25	42.6	7.6	27.7	6.3	33.0	6.2	38.8	6.0	36.6	5.3	32.3	6.4	46.0	6.3
30	44.0	8.0	28.9	6.7	34.3	6.6	40.4	6.4	38.0	5.7	33.2	6.7	47.0	6.5
50	47.7	9.1	32.2	7.9	37.7	7.7	44.9	7.6	41.8	6.5	35.6	7.4	49.5	7.3
100	52.5	10.5	36.7	9.5	42.2	9.1	51.1	9.3	46.9	7.8	38.6	8.4	52.6	8.3
COR.	0.987		0.982		0.986		0.990		0.992		0.984		0.986	
FUNC.	WI(1.50)		WI(1.10)		WI(1.25)		WI(1.00)		GUMBEL		WI(2.00)		WI(2.00)	
DATA NUMBER	20		19		19		20		20		20		20	

TABLE 8.52 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. MONTES CLAROS

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	24.7	2.2	19.3	4.1	15.3	2.4	20.7	2.1	22.4	2.4	25.1	8.2	34.7	4.9
10	32.2	3.1	25.5	5.9	20.5	3.5	25.6	2.9	26.2	3.1	30.3	10.8	39.5	6.4
15	36.5	3.7	29.0	7.1	23.8	4.3	28.3	3.5	28.2	3.6	32.9	12.4	42.0	7.3
20	39.5	4.2	31.5	8.0	26.1	4.9	30.2	3.9	29.5	3.9	34.7	13.4	43.7	8.0
25	41.9	4.5	33.4	8.8	28.0	5.5	31.6	4.2	30.5	4.1	36.0	14.2	44.9	8.4
30	43.8	4.8	34.9	9.4	29.5	5.9	32.8	4.4	31.3	4.3	37.0	14.8	45.9	8.8
50	49.0	5.7	39.2	11.1	33.8	7.2	36.1	5.2	33.4	4.9	39.8	16.6	48.5	9.8
100	56.0	6.8	45.0	13.4	39.9	9.0	40.6	6.2	36.0	5.5	43.2	18.8	51.8	11.2
COR.	0.996		0.977		0.988		0.993		0.990		0.945		0.977	
FUNC.	WI(1.10)		WI(1.10)		WI(0.85)		GUMBEL		WI(2.00)		WI(2.00)		WI(2.00)	
DATA NUMBER	30		26		29		25		28		30		30	

±AP:95%CONFIDENCE LIMIT

TABLE 8.53 RETURN PERIOD OF EXTREME CONTINUOUS NO RAIN DAY

STATION. MONSENHOR PAULO

MONTH YEARS	OCT		NOV		DEC		JAN		FEB		MAR		ANL	
	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD	DAYS	±AD
5	12.1	1.5	8.9	1.1	7.8	1.3	10.0	1.8	12.5	2.7	12.7	2.4	17.9	2.7
10	14.1	2.0	10.1	1.6	10.0	1.8	13.7	2.5	16.7	3.6	15.8	3.4	21.8	3.9
15	15.2	2.3	10.8	1.8	11.4	2.2	16.2	3.1	19.2	4.5	17.6	4.1	24.1	4.7
20	16.0	2.6	11.3	2.1	12.5	2.6	18.0	3.7	21.1	5.2	18.8	4.6	25.7	5.4
25	16.5	2.8	11.7	2.2	13.3	3.0	19.4	4.1	22.6	5.9	19.7	5.0	27.0	5.8
30	17.0	2.9	12.0	2.4	14.0	3.2	20.6	4.5	23.8	6.4	20.5	5.3	28.0	6.3
50	18.2	3.3	12.9	2.8	16.1	4.1	24.1	5.7	27.3	7.9	22.7	6.3	30.9	7.4
100	19.8	3.8	14.0	3.3	19.0	5.3	29.2	7.4	32.2	10.2	25.6	7.6	34.8	9.0
COR.	0.984		0.969		0.976		0.984		0.972		0.973		0.977	
FUNC.	WI(1.50)		GUMBEL		WI(0.75)		WI(0.75)		WI(0.85)		WI(1.10)		WI(1.00)	
DATA NUMBER	30		25		23		23		21		28		30	