1-1-4) Group Front & Rear Axle Shop Qty Item No. 1) Chassis Spring Changer 3 Spring capacity: 3,000kg Spring saddle height: min. 540mm max, 650mm Type SJ-1 5 2) Differential Jack Capacity: 500kg Saddle height: 140 - 600mm Lift: 460mm Type DJ-50 Refer to 1-1-3, Item No.21 3 3) Working Bench Size: 1,780(W) x 600(D) x 750(H)mm with two drawers UV-150; Vice are equipped Type T-1000 Refer to 1-1-1, Item No.2 3 4) Vice Jaw width: 150mm Jaw opening: 150mm Type UV-150 Refer to 1-1-1, Item No.3 5) Tool Stand 1 Size: 620(W) x 460(D) x 800(H)mm Interchangeable tray: 4 - steps Type TS-34 Refer to 1-1-1, Item No.10

```
tem No.
                                                                                Qty
6) Hydraulic Press
         Capacity:
                    100 ton
         Ram stroke: 220mm
        Distance between frames:
                                    1,150mm
                                       6.70mm
        Distance between tables:
        Vertical travel of tables:
                                      500mm
        Type EHP-200
7) Torque Wrench
        Range: 500 - 2,800kgf.cm<sup>2</sup>
        Size: 19mm
        Range: 50kgf.cm<sup>2</sup>
        Type 2800F
8) Surface Plate
        Size: 1,200 x 900mm
          with table
        Type SPB-46
9) Universal Puller Set
        Consist of 150HD puller set, T-75 wheel puller, T-26, T-28
        gear puller, T-20 terminal puller, G-61 slide hammer puller,
        101S gear puller each 1 pc, for bus
        Type UP-5000
          Refer to 1-1-2, Item No.2
0) Parts Washing Stand
        Tank capacity:
                        55 lit - oil
                         45 lit - water
        Discharge:
                         14 lit/min.
        Motor:
                         200W, 1 - phase
        Type WS-25
          Refer to 1-1-2, Item No.5
```

-90-

Qty Item No. 11) King Pin Press Set 1 Consist of shaft 1 pc., attachment 7 pcs. corss bar 1 pc., side shaft 2 pcs., holder 2 pcs., bearing 1 pc., bearing washer 2 pcs., punch 2 pcs. Type KD-500 1 12) Bushing Inserter & Remover Gun metal & steel bushing Adapters: 18 - 43mm Rubber adapters: 25 - 43mm Case dimension: 430 x 290 x 58mm Type SDE-1000 1 13) Hand Spring Balance Capacity: 2kg, 5kg For torque check of bearing Type HSB-20 Refer to 1-1-2, Item No.3 2 14) Writing Table Dimension: 1,000(W) x 700(D)x700(H)mm with seat Type 3616DL/2218ZZ Refer to 1-1-1, Item No.8 3 15) Double Face Hammer Nominal weight: 5.4kg Type DSH-12 1 16) Housing Dies For Isuzu Туре НР

```
em No.
(7) Housing Dies
        For Mitsubishi
        Type HP
8) Air Grinder
       Wheel size:
                    180mm
        Revolution: 7,000 r.p.m.
       Air pressure required: 6 kg/cm^2
       Type M-70S
         Refer to 1-1-3, Item No.10
9) Magnetic Base
       Overall height: 208mm
       Support Angle Adjustable
       Type YM-1
0) Dial Gauge
       Range: 0 - 5mm
       Type 1044
1) Dial Gauge
       Range: 0 - 0.3mm
       Type No.2


    Mechanic Set

       Consist of: open end wrench
                    6 x 7, 8 x 9, 10 x 12, 11 x 13, 12 x 14, 14 x 17,
                    19 x 21mm each 1 pc.
                    box wrench
                    8 x 9, 10 x 12, 11 x 13, 12 x 14, 14 x 17,
                    17 x 19, 19 x 21, 22 x 24mm each 1 pc,
                    flare nut wrench: 10 x 11, 12 x 14mm each 1 pc,
                                  -92-
```


Qty Item No. 25 socket wrench for 9,5mm ° 38 - 1 8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22, 23, 24mm each 1 pc. ratchet handle, nut spinner handle, sliding T handle, extension bars, universal joint, plug wrench for 9.5mm, adjustable wrench 250mm, plier 200, 150mm, nipper 150mm, hammer 450g - driver 75, 100, 150, 200mm + driver 75, 100, 150mm; stubby driver -, + integral handle driver 280mm, thickness gauge plug gap gauge, flat chisel, center punch, needle file set, point file with case Type CU-305 Refer to 1-1-1, Item No,12 1 23) Punch Set Consist of 20 pcs., punch & chisel Type 320 Refer to 1-1-2, Item No.27 3 24) Air Gun Set Weight: 800g Length: 76 x 80mm with PS coupler, nipple and hose 10m Type AGB-320 Refer to 1-1-2, Item No.12


Зř

-93-




-95-






-97-



	<u> </u>		
	Item No. Name	<u> </u>	
		King Pin P	ress Set
	Туре	KP-500	
		* 69 A A A	
[DATE
	CONSTRUCTION OF	7	IOD SCALE
AUTOM	OBILE REPAIR & M.	AINTENANCE WORKS	HOP
TITLE OF D	IN BANGL	AULON	DRG. NO.
ļ		•	
l	AN INTERNATION	AL COOPERATION	AGENCY

1	<u> 1-1-4</u>	<u> </u>	
	Item No.	12	
	Name	Bushing Inserter &	
	_	Remover	
	Туре	SDE-1000	
	MERSEN		
	0000		
	f a		
	Transf	_	
	CONSTRUCTION		
AUTOM	OBILE REPAIR & MAI	NTENANCE WORKSHOP	
TITLE OF (IN BANGLA	DESH DRG. NO.	
		_	
JAF	AN INTERNATIONA	L COOPERATION AGENCY	
		- 100 —	





- 101 -


	<u>1-1-4</u>
States with the second	Name Housing Dies
A de la contra de la	Туре DP
]	
	· · · ·
	CONSTRUCTION PROJECT DATE
· · · · · · · · · · · · · · · · · · ·	BILE REPAIR & MAINTENANCE WORKSHOP
TITLE OF DRA	WING ORG. NO,
JAPAN	N INTERNATIONAL COOPERATION AGENCY

- 102 -

	1-4 No.	17		
Name	2	Housing Di	.es	
Type	2	DP		
Ţ.		8		
	TRUCTION PRO	DECT	DATE	
AUTOMOBILE REP		NANCE WORKS	5000	
AUTOMOBILE REP	OF	NANCE WORKS	5000	
AUTOMOBILE REP		NANCE WORKS	HOP ^{SCALE}	
AUTOMOBILE REP	OF AIR & MAINTE IN BANGLADESH	NANCE WORKS	HOP ^{SCALE}	







```
1-1-5) Group Engine Washing Shop & Engine Disassembling Shop
Item No.
  1) Parts Washing Stand
           Tank capacity:
                           55 lit - oil
                            45 lit - water
           Discharge
                         : 14 lit/min.
                            200W, 1 - phase
           Motor
                         :
            Type WS-25
              Refer to 1-1-2, Item No.5
     Snap Ring Plier
  2)
            Range: 10 - 60mm for stem
                    10 - 55mm for groove
            Type SPS-4
              Refer to 1-1-2, Item No,11
  3) Steam Cleaner
                       1,600 lit/hour
            Discharge:
                        nominal 10 - 13 \text{kg/cm}^2
            Pressure :
                                      20 \text{kg/cm}^2
                        max.
            Fuel consumption: 15 - 17 lit/hour
            Motor: 1.5KW, 3 - phase
            Fuel tank: 74 lit
            Detergent tank: 100 lit
            Capability of high pressure steam, cold water, hot water,
            cleanings and low pressure steam and hot water cleanings
            Type 1600
  4)
     Air Impact Wrench
            Bolt capacity:
                            16mm
                            12.7mm
            Square drive:
                                         kg/cm^2
            Air pressure required:
              with hose 10m, coupler and sockets for Mitsubishi and Isuzu
                             Refer to 1-1-3, Item No.34
            Type AW-1600
```

```
- 107 -
```

```
Item No.
5) Hose
         With coupler and washing nozzle
         Type PWN-04
 6) Auto Lift
         Capacity: 4 + 4 ton
         Lifting: 1,500mm
         Air pressure required: 10kg/cm<sup>2</sup> over
         Type WSL-80
         Drawing No. G-001
7) Air Gun
         Weight: 800g
         Length: 76 x 80mm
         Type ABG-320
           Refer to 1-1-2, Item No.12
8) Coupler
         Type PS-20
9) Hose
         Length: 10m
         Type CH-210
10) Air Impact Wrench
         Bolt capacity: 14mm
         Square drive:
                         12.7mm
         Air pressure required:
          with hose 10m, couple, sockets for Mitsubishi and Isuzu
         Type AW-1200
```



Qty


```
Qty
Item No.
                                                                               16
    Brush
11)
          Dimension: 250(W) x 1,350(L)mm
          Type 250N
    Engine Jack
                                                                               10
12)
          Dimension: 1,600 x 1,400 x 1,000mm
            with attachment for engine mounts
          Type EOT-180
    Tool Rack
                                                                                3
13)
          Upper drawer: 290 x 320 x 50mm x 2
          Middle drawer: 615 x 320 x 100mm
                          615 x 320 x 120mm
          Low drawer:
          Dimension: 740 \times 400 \times 840mm
          Type TBC-32
14) Work Bench
                                                                                1
          Dimension: 1,780(W) x 600(D) x 750(H)mm
            with two drawers
          Type T-1000
            Refer to 1-1-1, Item No.2
15) Vice
                                                                                1
          Jaw width: 150mm
          Jaw opening: 155mm
          Type UV-150
            Refer to 1-1-1, Item No.3
16) Socket Wrench Set
                                                                                1
          Socket: 9 - 26mm 13 pcs.
          Square drive: 12,7mm
            with cross bar, extension bar and handles
          Type No.30M
                                    -109 -
```

```
Qty
cem No.
17) Valve Lifter
                                                                               6
         Range: 50 - 225mm
         Pinion rack type
         Type VL-500
                                                                              10
18) Wire Brush
         Length: 310mm
           with scraper
         Туре 765
                                                                              10
19) Wire Brush
         Length
                  230mm
         Type 766
                                                                              10
20) Scraper
         Length: 190mm
         Type SB-19
21) Electric Pencil
                                                                               1
         Power: 1 - phase
         Type EP-A
           Refer to 1-1-3, Item No.40
22) Hand Tool
         Consist of: open end wrench
                       6 x 7, 8 x 9, 10 x 12, 11 x 13, 12 x 14, 14 x 17,
                       19 x 21mm each 1 pc.
                      box wrench
                       8 x 9, 10 x 12, 11 x 13, 12 x 14, 14 x 17,
                      17 x 19, 19 x 21, 22 x 24mm each 1 pc,
                       flare nut wrench: 10 x 11, 12 x 14mm each 1 pc,
                                    - 110 -
```


Qty Item No. socket wrench for 9.5/12.7mm 8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22, 23, 24mm each 1 pc. ratchet handle, nut spinner handle, sliding T handle, extension bars, universal joint, plug wrench for 9,5/12.7mm, adjustable wrench 250mm, plier 200, 150mm, nippler 150mm, hammer 450g - driver 75, 100, 150, 200mm + driver 75, 100, 150mm: stubby driver -, + integral handle driver 280mm, thickness gauge, plug gap gauge, flat chisel, center punch, needle file set, point file with case socket wrench (No.44S) 8 - 32mm 21 pcs, for 12,7mm ratchet handle, extension bars, sliding T handle, universal joint, speeder handle with case Type CU-405/CU-305/No.44S 10 23) Engine Trolley Dimension: 1,700(L) x 900(W) x 700(H)mm Load: 800kg Type EC-1000 3 24) Impact Driver With (-) bit and (+) bit each 3 pcs. Type #2600 Refer to 1-1-3, Item No.41 25) Pin Punch 1 Tip dia.: 3.2mm Length: 130mm •Type C-25


```
Item No.
26) Pin Punch
         Tip dia.: 4mm
         Length: 150mm
         Type C-26
27) Pin Punch
         Tip dia.: 4.5mm
         Length: 150mm
         Type C-27
28) Pin Punch
         Tip dia.: 6.3mm
         Length: 150mm
         Type C-28
29) Pin Punch
         Tip dia.: 8mm
         Length: 180mm
         Type C-29
30) Impact Driver
        With (-) bit and bit each 3 pcs.
        Type #2600
          Refer to 1-1-3, Item No.41
31) Writing Table
        Dimension: 1,000(W) x 700(D) x 700(H)mm
          with seat
        Type 3616DL/2218ZZ
          Refer to 1-1-1, Item No.8
```


Qty



ž.;









*	DATE
CE WORKSHOI	D SCALE
	DR G. NO
	g — 001
PERATION	AGENCY


•	1-1-5		
	Item No. 8		
	Name Coupler Type PS-20		
	Type PS-20		
			1
			·
		DATE	
	AUTOMOBILE REPAIR & MAINTENANCE WORKSHOP	SCALE	
	IN BANGLADESH	ORG. NO.	
	TITLE OF DRAWING		
	3	, (
	JAPAN INTERNATIONAL COOPERATION AG	ENCY	
	JAPAN INTERNATIONAL COOPERATION AG	ENCY	


 <u>1-1-5</u> Item No. 9	
Name Hose Type CH-210	
CONSTRUCTION PROJECT DATE OF AUTOMOBILE REPAIR & MAINTENANCE WORKSHOP IN BANGLADESH TITLE OF DRAWING DRG. NO.	a da
JAPAN INTERNATIONAL COOPERATION AGENCY	te standing in the standing of
- 120 -	، يەرىپىيەر بېرى ي





	<u>1_1_5</u>	
	Item No. 11	
	Name Brush	
	Type 250N	
	Construction of the second	
		•
		•
	CONSTRUCTION PROJECT DATE	
	AUTOMOBILE REPAIR & MAINTENANCE WORKSHOP	
	IN BANGLADESH DRG. NO.	
	JAPAN INTERNATIONAL COOPERATION AGENCY	
35 92		













-127 -


and the second s

	1_1_5	
	Item No. 19	
	Name Wire Brush	
	<u>Type</u> 766	
·.		
		•
	· ·	
	CONSTRUCTION PROJECT DATE	
	AUTOMOBILE REPAIR & MAINTENANCE WORKSHOP	
	TITLE OF DRAWING DRG. NO.	
	JAPAN INTERNATIONAL COOPERATION AGENCY	


	- 128	








-131 -



1	Item No. 26
]	Name Pin Punch
	Type C-26
[
Ì	
· ·	
}	
	CONSTRUCTION PROJECT DATE
	AUTOMOBILE REPAIR , MAINTENANCE WORKSHOP
	IN BANGLADESH
	TITLE OF DRAWING ORG. NO.
	JAPAN INTERNATIONAL COOPERATION AGENCY
{	

- 133 -

		<u>l_1_5</u>			
		Item No.	27		
		Name	Pin Punc	h	
		Туре	<u>C-27</u> .		
	·				
.4					
	The second s	CONSTRUCTION	PROJECT	DATE	
		-			1
	AUTOMOBIL	05	INTENANCE WOR		
	1.	of E REPAIR & MAI IN BANGLA	NTENANCE WOR		
	AUTOMOBIL	of E REPAIR & MAI IN BANGLA	NTENANCE WOR	KSHOP ^{SCALE} ORG. NO.	
	1.	of E REPAIR & MAI IN BANGLA	NTENANCE WOR		
	TITLE OF DRAWIN	OF LE REPAIR & MAI IN BANGLA	01:54	ORG. NO.	
	1.	OF LE REPAIR & MAI IN BANGLA	NTENANCE WORI	ORG. NO.	
	TITLE OF DRAWIN	OF LE REPAIR & MAI IN BANGLA	01:54	ORG. NO.	
	TITLE OF DRAWIN	OF LE REPAIR & MAI IN BANGLA	01:54	ORG. NO.	



--- 135 --- `

,	1-1-5	
	Item No. 29	
	Name Pin Punch	
	<u>Type C-29</u>	
		:
		· ·
Veiteus		
r	CONSTRUCTION PROJECT	DATE
		SCALE
	AUTOMOBILE REPAIR & MAINTENANCE WORKS	HOP
5	TITLE OF DRAWING	DRG. NO.
		— .
Ĩ	JAPAN INTERNATIONAL COOPERATION	AGENCY
		·
	- 136 -	

```
1-1-6) Group Engine Assembling Shop
Item No.
                                                                             Qty
1) Parts Washing Stand
                                                                             10
         Tank capacity: 55 lit - oil
                         45 lit - water
                         45 lit/min.
         Discharge:
         Motor:
                         200W, 1 - phase
         Type WS-25
          Refer to 1-1-2, Item No.5
2) Working Table
                                                                            10
        Dimension: 800(L) x 1,800(W) x 510(H)mm
        Covered with oil resistance rubber
        Type WT⊷80
3) Tool Stand
                                                                            10
        Dimension: 620(W) x 460(D) x 800(H)mm
        Interchangeable tray: 4 - steps
        Type TS-34
          Refer to 1-1-1, Item No.10
4) Tool Stand
                                                                            10
        Dimension: 620(W) x 460(D) x 800(H)mm
        Interchangeable tray: 4 - steps
        Type TS-34
          Refer to 1-1-1, Item No.10
5) Tool Cabinet
                                                                             5
        Dimension: 740 x 400 x 1,220mm
          ten drawers
        Type TB-100B
```

```
Item No.
6) Piston Ring Compressor
         Capacity: 75 - 175mm
         Type RC-30
 7) Piston Ring Filing Tool
         Length: 310mm
         Type RT-40
 8) Piston Ring Tool
         Length: 150mm
         Type RT-45
9) Torque Wrench
                 200 - 1,300kgf,cm
         Range:
         Size:
                 12,7mm
         Type 1300F
10) Torque Wrench
         Range:
                 500 - 2,800kgf.cm
         Size:
                 19mm
         Type 2800F
           Refer to 1-1-4, Item No.7
11) Torque Wrench
         Range: 1,000 - 5,600kgf.cm
         Size:
                 19mm
         Type 5600F
12) Fuel Tank
         Tank capacity: 100 lit
         Type FT-100
```



```
Qty
Item No.
3) Radiator, Fan Combination
                                                                              10
         Dimension: 900 x 700 x 1,000mm
                     0.75KW, 3 - phase
         Motor:
         Type ECS-60
14) Exhaust System
                                                                              10
         Dimension: 60¢ x 2,000(L)mm
           with heat resisting property duct and attachment
         Type EES-60
15) Battery Carrier
                                                                               4
         Dimension: 900 x 600 x 850mm
           with 200AH battery 2 sets and accessories
         Type BC-200
16) Jib Crane
                                                                               5
         Capacity: 2 ton
         Beam length: 3m
         Hoist height: 3m
         Type JP-2
17) Sling Chain
                                                                               5
         Capacity: 1 x 2 ton
         Type ID-SS
18)
   0il Separator Set
                                                                             10
         Dimension: 650 x 550 x 820mm
         Type PS-550
   T Wrench
19'
                                                                             10
         Size: 8mm
         Type TW-8
```

item No. 20) T Wrench Size: 9mm Type TW-9 21) T Wrench Size: 10mm Type TW-10 22) T Wrench Size: 11mm Type TW-11 23) T Wrench Size: 12mm Type TW-12 24) T Wrench Size: 13mm Type TW-13 25) T Wrench Size: 14mm Type TW-14 6) T Wrench Size: 17mm Type TW-17 7) T Wrench Size: 19mm Type TW-19

۹į,

li (

10

 10°

† 1**0**

10

10

10

10

Item	No .
28)	T Wrench
	Size: 21mm
	Type TW-21
29)	T Wrench
	Size: 23mm
	Type TW-23
30)	Hex, Wrench
	Size: 1,27 - 3,0mm 5 pcs./set
	Type AW-50
31)	Hex, Wrench
111	Size: 3 - 17mm 9 pcs./set
	Type AW-90
32)	Hex, Wrench
	Size: 5/32 - 5/8 9 pcs./set
	Type AW-100
33)	Copper Hammer
	Weight: 900g
	Type CH-32
34)	
(4) (1)	Soft Hammer
	Weight: 1,000g
alain Daobr - Martin	Type SPH-10
35)	Tool set
	Consist of; open end wrench
	6 x 7, 8 x 9, 10 x 12, 11 x 13, 12 x 14,
	14×17 , 19×21 mm each 1 pc,

1

```
Item No.
                     box wrench
                     8 x 9, 10 x 12, 11 x 13, 12 x 14, 14 x 17,
                     19 x 21, 22 x 24mm each 1 pc.
                     flare nut wrench: 10 x 11, 12 x 14mm each 1 pc.
                     socket wrench for 9.5/12,7mm
                     8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22, 23
                     24mm each 1 pc,
                     ratchet handle, nut spinner handle, sliding T
                     handle, extension bars, universal joint, plug
                     wrench for 9,5/12.7mm, adjustable wrench 250mm,
                     plier 200, 150mm, nipper 150mm, hammer 450g,
                     - driver 75, 100, 150, 200mm
                     + driver 75, 100, 150mm: stubby driver -, +
                     integral handle driver 280mm, thickness gauge,
                     plug gap gauge, flat chisel, center punch,
                     needle file set, point file with case
        Type CU-405/CU-305
36) Writing Table
                                                                           i (i
        Dimension: 1,000(W) x 700(D) x 700(H)mm
          with seat
        Type 3616DL/2218ZZ
          Refer to 1-1-1, Item No.8
37) Snap Ring Plier Set
                                                                           20
        Range: 0 - 16mm for stem
                0 - 55mm for groove
        Type SPS-4
          Refer to 1-1-2, Item No.11
38) Air Gun
        Weight:
                 0.8kg
                            Length:
                                     76 + 80mm L type
          with PS coupler, nipple and hose 5m
```

-142-

Item No.

39)

Type ABG-320 Refer to 1-1-2, Item No.12

0iler Set

Oil drum pump mounted on dolly

Equipped with siphon, dis-pensing hose and grip meter (E-18-230) 1 - 10 lit


Pump (KP-110): pneumatic type with air regulator cylinder dia.: 110mm capacity: 5.5 lit/min. Air pressure required: max, 7kg/cm²

Type AL-205


Refer to 1-1-3, Item No.25

40) Working Lamp

Cord length: 7.7m Type WL-30 Refer to 1-1-2, Item No.7




- 145 -




1. W 🗰 QQB


__1_1_6__ Item No. 6 Piston Ring Compressor Name RC-30 Type UATE CONSTRUCTION PROJECT SCALE AUTOMOBILE REPAIR & MAINTENANCE WORKSHOP IN BANGLADESH ORG. NO. TITLE OF DRAWING JAPAN INTERNATIONAL COOPERATION AGENCY .

- 147 -







-149-




	1_1_6			
	Item No			
	Name	Torque Wren	lch	
	Туре	5600F		
			·	
		A second		
·			OATE	
		OF		
	AUTOMOBILE REPAIR	MAINTENANCE WORKSH	OP	
	TITLE OF DRAWING	ANGLADESH	DRG. NO.	•
			- 1	
	L JAPAN INTERNAT	TICNAL COOPERATION	AGENCY	




- 152 --





- 153 -





- 154 --















- 159 - -













-163 -




- 164 -









- 167 -



- 168 -







- 170 -

l-l-6Item No.31NameHex. WrenchTypeAW-90	:
CONSTRUCTION PROJECT OF AUTOMOBILE REPAIR & MAINTENANCE WORKSHOP	
AUTOMOBILE REPAIR & MAINTENANCE WORKSHOP IN BANGLADESH TITLE OF DRAWING JAPAN INTERNATIONAL COOPERATION AGENCY	


·-- 171 --




- 172 --



— 173 —



- 174 --



- 175 -