4. Minutes of Discussions

Basic Design Study

MINUTES OF DISCUSSIONS ON THE BASIC DESIGN STUDY ON THE PROJECT FOR IMPROVEMENT OF COMMUNITY HEALTH IN THE REPULIC OF GHANA

Based on the results of the Preparatory Study, the Government of Japan decided to conduct a Basic Design Study on the Project for Improvement of Community Health (hereinafter referred to as "the Project") and entrusted the study to the Japan International Cooperation Agency (hereinafter referred to as "JICA").

JICA sent to the Republic of Ghana (hereinafter referred to as "the Ghana") the Basic Design Study Team (hereinafter referred to as "the Team"), which is headed by Hiroshi MURAKAMI, Resident Representative, JICA Ghana Office and is scheduled to stay in the country from 14th May to 8th June, 2006.

The Team held discussions with the officials concerned of the Government of Ghana and conducted a field survey at the study area.

In the course of discussions and field survey, both parties confirmed the main items described on the attached sheets. The Team will proceed to further works and prepare the Basic Design Study Report.

Accra, 7th June 2006

壮 上 博

Hiroshi MURAKAMI Leader Basic Design Study Team Japan International Cooperation Agency

Hon. Samuel Owusu Agyei

Deputy Minister Ministry of Health

Republic of Ghana

Prof. Agyemang Badu Akosa

Director General Ghana Health Service Republic of Ghana

for

Mr. Osei Prempeh

Director of External Resources Mobilization Ministry of Finance and Economic Planning Republic of Ghana



ATTACHMENT

1. Objective of the Project

The objective of the Project is to strengthen community health service through providing basic medical or educational equipment to the target facilities.

2. Project sites

The sites of the Project are six(6) Hospitals, fifty eight(58) Health Centers (HC) and Community Health Nurse Training School in Upper West Region as ANNEX 1.

- 3. Responsible and Implementing Agency
- 3-1. The Responsible Agency is the Ministry of Health, the Government of Ghana.
- 3-2. The Implementing Agency is Ghana Health Service, Regional Health Directorate Office in Upper West Region.
- 4. Items requested by the Government of Ghana

After discussions with the Team, the items described in ANNEX-2 were finally requested by the Ghana side. JICA will assess the appropriateness of the request and will recommend to the Government of Japan for approval.

5. Japan's Grant Aid Scheme

The Ghana side understands the Japan's Grant Aid Scheme and the necessary measures to be taken by the Government of Ghana as explained by the Team and described in Annex-3 and Annex-4 of the Minutes of Discussions signed by both parties on 14th September, 2005.

- 6. Schedule of the Study
- 6-1. The consultants will proceed to further studies in Ghana until 8th June.
- 6-2. JICA will prepare the draft report in English and dispatch a mission in order to explain its contents around the middle of August.
- 6-3. In case that the contents of the report are accepted in principle by the Government of Ghana, JICA will complete the final report and send it to the Government of Ghana by the end of November, 2006.
- 7. Other relevant issues
- 7-1. The Ghana side agreed to allocate the enough budgets/sufficient staff to operate and maintain the equipment procured under the Project properly and effectively.
- 7-2. To secure transparency and equity of the tendering procedure, both sides promised not to disclose information related to the Project to the third parties until tender opening.
- 7-3. The Government of Ghana requested the Government of Japan to provide radio communication system in UWR for improving the referral system. Through the survey the Team found 37 radio base stations and 6 repeater stations existed and some of them weren't functioning properly. Government of Ghana agreed to rehabilitate the radio system which has already been installed. Japanese Side will proceed further to evaluate the appropriateness of the radio communication system after going back to Japan.

600

Project site

1. District Hospital

- 1 Upper West Regional Hospital
- 2 Nadwoli District Hospital
- 3 Jirapa District Hospital
- 4 Lawra District Hospital
- 5 Sissala East Hospital
- 6 Nandom Hospital

2. Health Center

Jirapa Lambussie District

- 1 Billaw
- 2 Duori
- 3 Hamile
- 4 Han
- 5 Karni
- 6 Lambssie
- 7 Piina
- 8 Sabuli
- 9 Samoa
- 10 Tuggo
- 11 Ullo
- 12 Yagha

Lawra

- 13 Babilie
- 14 Piiri
- 15 Domwini
- 16 Eremon
- 17 Gengenkpe
- 18 Ko
- 19 Ketuo
- 20 Zambo

Nadwoli

- 21 Bussie
- 22 Charikpong
- 23 Daffiama
- 24 Dapouri
- 25 Fian
- 26 Issa
- 27 Jang
- 28 Kaleo
- 29 Kojokpere
- 30 Nanville
- 31 Sombo
- 32 Takpo

3. CHN Training School

Sissala East

- 33 Kulfuo
- 34 Kunchogu
- 35 Nabulo
- 36 Nabugbelle
- 37 Wellembelle
- 38 Bawiesebelle

Sissala West

- 39 Gwollu
- 40 Jeffisi
- 41 Zini
- 42 Fielmoa

Wa East

- 43 Bulenga
- 44 Funsi
- 45 Loggu
- 46 Holimuni
- 47 Kundugu
- 48 Yala

Wa Municipal

- 49 Busa
- 50 Charia
- 51 Wa Sub
- 52 Charingu
- 53 Bamahu

Wa West

- 54 Dorimon
- 55 Lassia Tuoli
- 56 Gurungu
- 57 Poyentanga
- 58 Wecheau

My con (x

Equipment List; Hospital

| Section | No. | Description | Wa | Jirapa | Nadowli | Lawra | Tumu | Namdom |
|------------|-----|-----------------------------------|----|--------|--|-------|------|--------|
| Outpatient | 1 | Weighing scale, infant | 2 | 2 | 2 | 4 | | 2 |
| | | Weighing scale, adult, stand type | 2 | 4 | 2 | 4 | | 2 |
| | 3 | Sphygmomanometer | 2 | 5 | 4 | 4 | | 4 |
| | 4 | Medical refrigerator | 1 | | | | | |
| | 1 | Delivery bed | 3 | | 1 | | | |
| | 2 | Medical examination lamp | 2 | 1 | 1 | | | |
| | 3 | Vacuum extractor | 2 | 1 | 1 | 1 | 1 | 1 |
| Obstetric | 4 | Fetal doppler apparatus | 2 | 1 | 1 | 1 | 1 | 1 |
| | 5 | Weighing scale, infant | 1 | | 1 | | | 1 |
| | 6 | Infant incubator | 1 | 1 | 1 | 1 | 1 | 1. |
| | 7 | Ultrasound apparatus | | 1 | 1 | 1 | 1 | - |
| | 1 | Operation table | 1 | 1 | | | | |
| | 2 | Operation lamp, mobile | 1 | 1 | 1 | | | İ |
| | 3 | Suction apparatus | 2 | 1 | | | | |
| | 4 | Anesthesia apparatus | 1 | 1 | 1 | - | | |
| Surgery | 5 | Electric cautery | 2 | 1 | 1 | 1 | | 1 |
| | 6 | Pulse oximeter | 1 | | | - | | 1 |
| | 7 | Dry heat sterilizer | 1 | 1 | | | | |
| | 8 | High pressure steam sterilizer | 1 | 1 | 1 | | | |
| | 9 | Surgery instruments set | 2 | 1 | 1 | 1 | 1 | 1 |
| | 1 | Microscope | 1 | 2 | 1 | | 1 | 1 |
| Laboratory | 2 | Hemoglobin meter | | 1 | 1 | 1 | 1 | 1 |
| | 3 | Spectrophotometer | 1 | 1 | 1, | | | |
| | 4 | Centrifuge | 1 | 1 | 1 | 1 | 1 | 1 |
| | 5 | Blood bank refrigerator | 1 | 1 | | | | |
| | 6 | Dry heat sterilizer | | 1 | 1 | 1 | 1 | 1 |
| Referral | 1 | Ambulance car (4x4) | 1 | 1 | 1 | 1 | | |

Equipment List; CHN Training School

| Section | No. | Description | |
|---------------|-----|---|----|
| | 1 | Torso dual-sex | 1 |
| 1 | 2 | Brain model, section | 1 |
| | 3 | Nerve system | 1 |
| | 4 | Lung model with larynx | 1 |
| | 5 | Heart model, 10parts | 1 |
| | 6 | Circulatory system | 1 |
| Teaching room | 7 | Digestive system | 1 |
| reaching room | 8 | Urinary system Dual-sex | 1 |
| | 9 | Female pelvis, 2-parts | 1 |
| | 10 | Female pelvis and pelvic floor, 5-parts | 1 |
| | 11 | Male pelvis, 2-parts | 1 |
| | | Pregnancy model | 1 |
| | | Chart for Female pelvic organ | 1 |
| / | 14 | Chart for Menstrual cycle and Ovum implantati | 1 |
| | 1 | Intravenous injection arm | 2 |
| | 2 | lumps and Bumps Box | 2 |
| Practice room | 3 | I.m. Injection simulator | 2 |
| 1 | 4 | Childbirth simulator | 1 |
| <u> </u> | 5 | Blood pressure meter | 10 |



VC W

Equipment List; Health Center

| | | No. | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|------------------|----------------|--------------|----------|-------------------------------|------------------|--------------|-----------------|--------------|--|
| | | | infant | adult, | ٠. | | instruments | | Radio communication system |
| D | Health Center/ | | le, | le, | Sphygmomanometer | | rum | | cat |
| District | L | escription | scale, | scal | тоше | ped | nst | ne | iuni |
| | Description | | 28 | ig s | mar | .y k | | phc | ОШО |
| | | | shir | shir Id t | Smc. | ver | ver | 10 | o E |
| | | | Weighing | Weighing scale, stand type | phy | Delivery bed | Delivery set | Cardio phone | Radio |
| | 1 | Billaw | 1 | 1 | 2 | <u> </u> | <u>Ω</u> 8 | S | - S |
| | 2 | Duori | 2 | 1 | 2 | 1 | 1 | 1 | |
| | 3 | Hamile | 1 | 1 | 2 | | - | 1 | |
| | 4 | Han | 1 | 1 | 2 | | 1 | | |
| | 5 | Karni | 1 | 1 | 2 | 1 | 2 | | 1 |
| Tirono Lombuccio | 6 | Lambssie | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| Jirapa Lambussie | 7 | Piina | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | 8 | Sabuli | 1 | 1 | 2 | | 1 | | |
| | 9 | Samoa | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | 10 | Tuggo | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | 11 | Ullo | 1 | | 2 | 1 | 1 | | 1 |
| | 12 | Yagha | | 1 | 1 | 1 | 1 | 1 | |
| | 13 | Babilie | 1 | 1 | 2 | 1 | 1 | | |
| | 14 | Piiri | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | 15 | Domwini | 1 | 1 | 2 | 1 | 1 | 1 | |
| Lawra | 16 | Eremon | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| Lawia | 17 | Gengenkpe | 2 | 2 | 1 | 1 | 1 | 1 | 1 |
| | 18 | Ко | 1 | 1 | 2 | | 1 | 1 | |
| | 19 | Ketuo | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | 20 | Zambo | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | 21 | Bussie | 1 | 1 | 1 | | 2 | 1 | 1 |
| | 22 | Charikpong | | 1 | 1 | | 1 | 1 | 1 |
| | 23 | Daffiama | 1 | 1 | 2 | | 2 | | 1 |
| | 24 | Dapouri | 1 | 1 | 1 | 1 | 2 | | 1 |
| | 25 | Fian | 1 | 1 | 2 | 1 | 1 | | |
| Nadwoli | 26 | Issa | 2 | 2 | 2 | | 1 | 1 | |
| 1.04.1011 | 27 | Jang | 1 | 1 | 2 | 1 | 1 | | 1 |
| | 28 | Kaleo | 1 | 1 | 2 | | 1 | | 1 |
| | 29 | Kojokpere | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | 30 | Nanville | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | 31 | Sombo | 1 | 1 | 2 | | 1 | | 1 |
| . : | 32 | Takpo | 1 | 1 | 2 | 1 | 1 | 1 | |
| | 33 | Kulfuo | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 34 | Kunchogu | 1 | 1 | 1 | 1 | 1 | | |
| Sissala East | 35 | Nabulo | 1 | 1 | 2 | 1 | 1 | 1 | |
| , | 36 | Nabugbelle | 1 | 1 | 2 | 1 | 1 | 1 | |
| | 37 | Wellembelle | 1 | 2 | 1 | 1 | 1 | 1 | |
| | 38 | Bawiesebelle | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | 39 | Gwollu | 1 | 1 | 2 | 1 | 1 | 1 | |
| | | T. CC: : | 1 | 1 | 1 2 | 1 | 1 | + | 1 |
| 0 | 40 | Jeffisi | 1 | 1 1 | Z. |] | 1 1 | 1 . 1 | i |
| Sissala West | 40 | Zini | 1 | 1 | 2 2 | 1 | 1 | 1 | - |

6

C600 (

| | | 0 | | | | | | | |
|--------------|----------------------------|--------------|------------------------|--------------------------------------|------------------|--------------|----------------------|--------------|-------------------------------|
| | _1_ | 2 | 3 | 4 | 5 | 6 | 7 | | |
| District | Health Center/ Description | | Weighing scale, infant | Weighing scale, adult, stand type | Sphygmomanometer | Delivery bed | Delivery instruments | Cardio phone | Radio communication system |
| | 43 | Bulenga | 1 | 1 | 2 | . 1 | 1 | 1 | |
| | 44 | Funsi | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| Wa East | 45 | Loggu | | 1 | 2 | | 1 | 1 | |
| | 46 | Holimuni | 1 | 1 | 2 | 1 | 1 | 1 | |
| | 47 | Kundugu | 1 | 2 | 2 | 1 | 1 | 1 | 1 |
| | 48 | Yala | 1 | 1 | 2 | 1 | 1 | | |
| , | 49 | Busa | 1 | 1 | 2 | 1 | | | 1 |
| | 50 | Charia | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Wa Municipal | 51 | Wa Sub | 1 | 1 | 2 | 1 | 2 | 1 | 1 |
| | 52 | Charingu | 1 | 1 | 2 | 1 | 1 | 1 | |
| | 53 | Bamahu | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 54 | Dorimon | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| | 55 | Lassia Tuoli | 1 | 1 | 2 | 1 | 1 | | 1 |
| Wa West | 56 | Gurungu | 1 | 1 | 2 | 1 | 1 | 1 | |
| | 57 | Poyentanga | 1 | | 2 | 1 | 1 | | 1 |
| | 58 | Wecheau | 1 | | 1 | 1. | 1 | | |
| | | Total | 57 | 59 | 105 | 47 | 61 | 40 | 27 |

lan

B

9