



16-May-03	J02PRL059	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL060	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL061	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL062	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL063	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL064	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL065	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL066	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL067	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL068	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL069	ZMIR	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL070	ZMIR	Laser Jet Printer	HP	4200n	1200*1200dpi, 250MHz, 32MB	1.443.43	1
16-May-03	J02PRL071	ZMIR	Laser Jet Printer	HP	4200n	1200*1200dpi, 250MHz, 32MB	1.443.43	1
16-May-03	J02PRL072	ZMIR	Software	Microsoft	-	Office XP Professional Academic Pack	34.24	1
16-May-03	J02PRL073	ZMIR	Software	Microsoft	-	Office XP Professional Academic Open Licence	95.23	32
16-May-03	J02PRL074	ZMIR	Switching Hubs	Allied Telesyn	8326GB	10/100BASE - Tx24, 100Mbps CSMA CD	713.69	1
16-May-03	J02PRL075	ZMIR	Switching Hubs	Allied Telesyn	8326GB	10/100BASE - Tx24, 100Mbps CSMA CD	713.69	1
16-May-03	J02PRL076	ZMIR	Switching Hubs	Allied Telesyn	8326GB	10/100BASE - Tx24, 100Mbps CSMA CD	713.69	1
16-May-03	N/A	ZMIR	Hard Disc Drive	SAMSUNG	40GB	3.5inches, 40 GB or more	107.00	40
16-May-03	N/A	ZMIR	Laser jet print cartridge	HP	C8061X	Black	154.08	4
16-May-03	N/A	ZMIR	Ethernet Cable	Durable	Cat5, 600m	10/100Base - TX, 600m	43.87	4
16-May-03	N/A	ZMIR	Modular Plug	-	RJ - 45	100/bag (4 bags)	8.56	2
16-May-03	N/A	ZMIR	O.A Tap	-	Euro Power Strip	250VAC, 16Amp, 50Hz	59.92	30
16-May-03	J02PRL077	ZMIR	Switch HUB layer 3 switch	Allied Telesyn	AT-8724XL	10BASE-T/100BASE-TX (RJ-45 type connector)x24	669.82	1
16-May-03	J02PRL078	ZMIR	Switch HUB	Allied Telesyn	AT-8224XL	10BASE-T/100BASE-TX (RJ-45 type connector)x24	710.48	1
16-May-03	J02PRL079	ZMIR	Personal Computer	PROMEGA P4 2000 (T2)	PROMEGA P4 2000 (T2)	CPU: Pentium 4 2 GHz, Memory: 256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL080	ZMIR	Personal Computer	PROMEGA P4 2000 (T2)	PROMEGA P4 2000 (T2)	CPU: Pentium 4 2 GHz, Memory: 256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL081	ZMIR	Personal Computer	PROMEGA P4 2000 (T2)	PROMEGA P4 2000 (T2)	CPU: Pentium 4 2 GHz, Memory: 256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL082	ZMIR	Personal Computer	PROMEGA P4 2000 (T2)	PROMEGA P4 2000 (T2)	CPU: Pentium 4 2 GHz, Memory: 256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL083	ZMIR	Personal Computer	PROMEGA P4 2000 (T2)	PROMEGA P4 2000 (T2)	CPU: Pentium 4 2 GHz, Memory: 256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL084	ZMIR	Personal Computer	PROMEGA P4 2000 (T2)	PROMEGA P4 2000 (T2)	CPU: Pentium 4 2 GHz, Memory: 256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL085	ZMIR	Personal Computer	PROMEGA P4 2000 (T2)	PROMEGA P4 2000 (T2)	CPU: Pentium 4 2 GHz, Memory: 256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL086	ZMIR	Personal Computer	PROMEGA P4 2000 (T2)	PROMEGA P4 2000 (T2)	CPU: Pentium 4 2 GHz, Memory: 256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL087	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL088	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL089	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL090	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL091	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL092	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL093	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL094	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL095	ZMIR	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity: 500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL096	ZMIR	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity: 500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL097	ZMIR	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity: 500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL098	ZMIR	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity: 500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL099	ZMIR	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity: 500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL100	ZMIR	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity: 500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL101	ZMIR	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity: 500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL102	ZMIR	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity: 500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL103	ZMIR	Multimedia Projector	PANASONIC	PT-L520U	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity: 500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL104	ZMIR	External Modem	U.S. Robotics	USR015633	Panel Size: 0.9 inches polysilicon TFT, Resolution: SYGA 800x600 pixels, Brightness: 2000 ANSI	86.67	1
16-May-03	J02PRL105	ZMIR	External Modem	U.S. Robotics	USR015633	Phone line interface: One RJ-11 socket System requirements: Windows 98E Me, or Windows 2000	86.67	1
16-May-03	J02PRL105	ZMIR	External Modem	U.S. Robotics	USR015633	Phone line interface: One RJ-11 socket System requirements: Windows 98E Me, or Windows 2000	86.67	1

16-May-03	J02PRL106	ZMIR	External Modem	U.S. Robotics	USR015633	Phone line interface: One RJ-11 socket System requirements: Windows 98 Me, or Windows 2000	86.67	1
16-May-03	J02PRL107	ZMIR	External Modem	U.S. Robotics	USR015633	Phone line interface: One RJ-11 socket System requirements: Windows 98 Me, or Windows 2000	86.67	1
16-May-03	J02CSR001	ZMIR	Switch HUB layer 3 switch	Allied Telesyn	AT-8724XL	10BASE-T/100BASE-TX (RJ-45 type connector)x24	669.82	1
16-May-03	J02CSR002	ZMIR	Switch HUB	Allied Telesyn	AT-FS708	10BASE-T/100BASE-TX (RJ-45 type connector)x8	46.01	1
16-May-03	J02CSR003	ZMIR	Data Cabinet	32U Rack	32U Rack Cabinet	32U (1U-4.54 cm), 600mmx800mm	407.67	1
16-May-03	J02CSR004	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR005	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR006	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR007	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR008	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR009	ZMIR	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR010	ZMIR	Personal Computer	VESTEL	PROMEGA P4 1700 (T3)	Raid Controller, CPU: Pentium4 1.4 GHz, Memory: 512 MB SDRAM, Hard Disc Drive: 36.4 GB x 3	1,783.69	1
16-May-03	J02CSR011	ZMIR	Personal Computer	VESTEL	PROMEGA P4 1700 (T3)	Raid Controller, CPU: Pentium4 1.4 GHz, Memory: 512 MB SDRAM, Hard Disc Drive: 36.4 GB x 3	1,783.69	1
16-May-03	J02CSR012	ZMIR	Personal Computer	VESTEL	PROMEGA P4 1700 (T3)	Raid Controller, CPU: Pentium4 1.4 GHz, Memory: 512 MB SDRAM, Hard Disc Drive: 36.4 GB x 3	1,783.69	1
16-May-03	J02CSR013	ZMIR	Personal Computer	VESTEL	PROMEGA P4 1700 (T3)	Raid Controller, CPU: Pentium4 1.4 GHz, Memory: 512 MB SDRAM, Hard Disc Drive: 36.4 GB x 3	1,783.69	1
16-May-03	J02CSR014	ZMIR	Personal Computer	VESTEL	PROMEGA P4 1700 (T4)	CPU: Pentium4 1.4 GHz, Memory: 512 MB SDRAM, Hard Disc Drive: 36.4 GB X 2	1,017.57	1
16-May-03	J02CSR015	ZMIR	Uninterruptible Power Supply Unit	APC	SUA10001	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Cap.: 1000VA/670W, Typical Backup Time: 20.6 min.	111.28	1
16-May-03	J02CSR016	ZMIR	Uninterruptible Power Supply Unit	APC	SUA10001	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Cap.: 1000VA/670W, Typical Backup Time: 20.6 min.	111.28	1
16-May-03	J02CSR017	ZMIR	Uninterruptible Power Supply Unit	APC	SUA10001	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Cap.: 1000VA/670W, Typical Backup Time: 20.6 min.	111.28	1
16-May-03	J02CSR018	ZMIR	Uninterruptible Power Supply Unit	APC	SUA10001	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Cap.: 1000VA/670W, Typical Backup Time: 20.6 min.	111.28	1
16-May-03	J02CSR019	ZMIR	Data Backup Device &	AIT	AIT 35 LVD	Drive Type: 8mm tape drive, Capacity: 35 GB, Interface: Ultra2 SCSI (LVD)	1,196.26	1
16-May-03	J02CSR020	ZMIR	DVD+R RW Drive Unit	PIONEER	A05 DVD-RW16xCD-R	DVD Writer: 2.5x, DVD Rewrite: 2.5x, CD-Writer: 12x, CD Rewrite: 10x	555.33	1
16-May-03	J02CSR021	ZMIR	Software (OS)	MICROSOFT	-	Windows 2000 Server	237.54	1
16-May-03	J02CSR022	ZMIR	Software	MICROSOFT	-	SQL Server 2000	630.23	1
16-May-03	J02CSR023	ZMIR	Software (OS)	MICROSOFT	-	Red Hat Linux 8.0	17.12	1
16-May-03	J02CSR024	ZMIR	Private Branch Exchange (Router)	CROCUS	ROUTER 2M	LAN Physical Characteristics: RJ45 Unshielded Twisted, Pair (UTP), Automatic TP Polarity reversal, WAN Physical Characteristics: 120 Ohms balanced, RJ45 connector, 75 Ohms unbalanced, BNC coaxial connectors	510.39	1
16-May-03	J02CSR025	ZMIR	Modem	TELLABS	STU160	DTE bit rates: supported are from 64 kbps up to 2176 kbps	1,875.71	1
16-May-03	J02CSR026	ZMIR	Internet Firewall & Web Site Filter	3COM	FIREWALL 3C16771	Ports: 3 x 10 BASE - T RJ - 45 ports	1,457.34	1
16-May-03	J02CSR027	ZMIR	Personal Computer for Dial - up Server	VESTEL	PROMEGA P4 2400 (T5)	CPU: Pentium4 2 GHz Memory: 256 MB SDRAM Hard Disc Drive: 40 GB	1,319.31	1
16-May-03	J02CSR028	ZMIR	Private Branch Exchange (Router)	CROCUS	ROUTER 2M	LAN Physical Characteristics: RJ45 Unshielded Twisted, Pair (UTP), Automatic TP Polarity reversal, WAN Physical Characteristics: 120 Ohms balanced, RJ45 connector, 75 Ohms unbalanced, BNC coaxial connectors	510.39	1
16-May-03	J02CSR029	ZMIR	PSTN Telephone Switch	KAREL	KAREL48(4/12 cap.)	Total: 48 ports + 1 doorphone channel Lines: 4 or more	453.68	1
16-May-03	N/A	ZMIR	Uplink Module	Allied Telesyn	AT-A39T	100BASE-T (RJ-45 type connector)x1	358.45	2
16-May-03	N/A	ZMIR	Ethernet Cable	Duratube	DT - CAT5E	10 BASE - T/100 BASE - TX	43.87	1
16-May-03	N/A	ZMIR	Modular Plugs	-	-	100 pieces bag (1 bag)	8.56	1
16-May-03	N/A	ZMIR	OA Tap	-	-	Euro power strip	59.92	10
16-May-03	N/A	ZMIR	Hard Disc Drive	SAMSUNG	80GB 5400 rpm	250 VAC, 16 Amp., 50 Hz	81.32	16
16-May-03	N/A	ZMIR	Data Tape	AIT-GB	402371-B21 AIT35-GB Data Cassette 5 Pack	3.5 inches, 81.6 GB	370.22	3
16-May-03	N/A	ZMIR	Media	PIONEER	-	Media for DVD + R	8.56	30
16-May-03	N/A	ZMIR	Card Type Internal Dial - up	Multimodem IS	IS15634PCI / 4	Number of ports: 4 ports Memory: RAM 256K	1,029.34	1



16-May-03	J02PRL058	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL059	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL060	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL061	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL062	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL063	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL064	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL065	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL066	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL067	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL068	KONYA	Personal computer display	SAMSUNG	151S	15 inches color LCD	-	1
16-May-03	J02PRL069	KONYA	Laser Jet Printer	HP	4200n	1200*1200dpi, 250MHz, 32MB	1,443.43	1
16-May-03	J02PRL070	KONYA	Laser Jet Printer	HP	4200n	1200*1200dpi, 250MHz, 32MB	1,443.43	1
16-May-03	J02PRL071	KONYA	Software	Microsoft	-	Office XP Professional Academic Pack	34,24	1
16-May-03	J02PRL072	KONYA	Software	Microsoft	-	Office XP Professional Academic Open Licence	95,23	32
16-May-03	J02PRL073	KONYA	Switching Hubs	Allied Telesyn	8326GB	10/100BASE - Tx24, 100Mbps CSMA CD	713.69	1
16-May-03	J02PRL074	KONYA	Switching Hubs	Allied Telesyn	8326GB	10/100BASE - Tx24, 100Mbps CSMA CD	713.69	1
16-May-03	J02PRL075	KONYA	Switching Hubs	Allied Telesyn	8326GB	10/100BASE - Tx24, 100Mbps CSMA CD	713.69	1
16-May-03	N/A	KONYA	Hard Disc Drive	SAMSUNG	40GB	3.5inches, 40 GB or more	107.00	40
16-May-03	N/A	KONYA	Laser jet print cartridge	HP	C8061X	Black	154.08	4
16-May-03	N/A	KONYA	Ethernet Cable	Durable	Cat5, 600m	10/100Base - TX, 600m	43.87	4
16-May-03	N/A	KONYA	Modular Plug	-	RJ - 45	100/bag (4 bags)	8.56	2
16-May-03	N/A	KONYA	OA Tap	-	Euro Power Strip	250VAC, 16Amp, 50Hz	59.92	30
16-May-03	J02PRL076	KONYA	Switch HUB layer 3 switch	Allied Telesyn	AT-8724XL	10BASE-T/100BASE-TX(RJ-45 type connector)x24	669.82	1
16-May-03	J02PRL077	KONYA	Switch HUB	Allied Telesyn	AT-8224XL	10BASE-T/100BASE-TX(RJ-45 type connector)x24	710.48	1
16-May-03	J02PRL078	KONYA	Personal Computer	VESTEL	PROMEGA P4 2000 (T2)	CPU:Penitum4 2 GHz, Memory:256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL079	KONYA	Personal Computer	VESTEL	PROMEGA P4 2000 (T2)	CPU:Penitum4 2 GHz, Memory:256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL080	KONYA	Personal Computer	VESTEL	PROMEGA P4 2000 (T2)	CPU:Penitum4 2 GHz, Memory:256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL081	KONYA	Personal Computer	VESTEL	PROMEGA P4 2000 (T2)	CPU:Penitum4 2 GHz, Memory:256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL082	KONYA	Personal Computer	VESTEL	PROMEGA P4 2000 (T2)	CPU:Penitum4 2 GHz, Memory:256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL083	KONYA	Personal Computer	VESTEL	PROMEGA P4 2000 (T2)	CPU:Penitum4 2 GHz, Memory:256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL084	KONYA	Personal Computer	VESTEL	PROMEGA P4 2000 (T2)	CPU:Penitum4 2 GHz, Memory:256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL085	KONYA	Personal Computer	VESTEL	PROMEGA P4 2000 (T2)	CPU:Penitum4 2 GHz, Memory:256 MB, Hard Disc Drive: 40 GB	675.17	1
16-May-03	J02PRL086	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL087	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL088	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL089	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL090	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL091	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL092	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL093	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02PRL094	KONYA	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity:500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL095	KONYA	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity:500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL096	KONYA	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity:500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL097	KONYA	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity:500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL098	KONYA	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity:500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL099	KONYA	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity:500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL100	KONYA	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity:500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL101	KONYA	Uninterruptible Power Supply Unit	APC	500VA	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Capacity:500VA/300W, Typical Backup Time: 10.9 min.	335.98	1
16-May-03	J02PRL102	KONYA	Multimedia Projector	PANASONIC	PT-L520U	Panel Size:0.9 inches polysilicon TFT, Resolution:SVGA 800x600 pixels, Brightness:2000 ANSI	3,402.60	1

16-May-03	J02PRL103	KONYA	External Modem	U.S. Robotics	USR015633	Phone line interface:One RJ-11 socket, System requirements: Windows 98E Me, or Windows 2000	86.67	1
16-May-03	J02PRL104	KONYA	External Modem	U.S. Robotics	USR015633	Phone line interface:One RJ-11 socket, System requirements: Windows 98E Me, or Windows 2000	86.67	1
16-May-03	J02PRL105	KONYA	External Modem	U.S. Robotics	USR015633	Phone line interface:One RJ-11 socket, System requirements: Windows 98E Me, or Windows 2000	86.67	1
16-May-03	J02PRL106	KONYA	External Modem	U.S. Robotics	USR015633	Phone line interface:One RJ-11 socket, System requirements: Windows 98E Me, or Windows 2000	86.67	1
16-May-03	J02PRL107	KONYA	Switch HUB layer 3 switch	Allied Telesyn	AT-8724XL	10BASE-T/100BASE-TX/RJ-45 type connector)x24	669.82	1
16-May-03	J02PRL108	KONYA	Private Branch Exchange (Router)	CROCUS	ROUTER 2M	LAN Physical Characteristics: RJ45 Unshielded Twisted, Pair (UTP), Automatic TP Polarity reversal, WAN Physical Characteristics: 120 Ohms balanced, RJ45 connector, 75 Ohms unbalanced, BNC coaxial connectors	510.39	1
16-May-03	J02PRL109	KONYA	Private Branch Exchange (Router)	CROCUS	ROUTER 2M	LAN Physical Characteristics: RJ45 Unshielded Twisted, Pair (UTP), Automatic TP Polarity reversal, WAN Physical Characteristics: 120 Ohms balanced, RJ45 connector, 75 Ohms unbalanced, BNC coaxial connectors	510.39	1
16-May-03	J02CSR001	KONYA	Switch HUB	Allied Telesyn	AT-FS708	10BASE-T/100BASE-TX/RJ-45 type connector)x8	46.01	1
16-May-03	J02CSR002	KONYA	Data Cabinet	32U Rack	32U Rack Cabinet	32U (1U:4.54 cm), 600mmx800mm	407.67	1
16-May-03	J02CSR003	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR004	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR005	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR006	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR007	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR008	KONYA	Display Monitor	SAMSUNG	151S	TFT LCD 15 inches / 38.1 cm	352.03	1
16-May-03	J02CSR009	KONYA	Personal Computer	VESTEL	PROMEGA P4 1700 (T3)	Raid Controller, CPU: Pentium4 1.4 GHz, Memory:512 MB SDRAM, Hard Disc Drive: 36.4 GB x 3	1.783.69	1
16-May-03	J02CSR010	KONYA	Personal Computer	VESTEL	PROMEGA P4 1700 (T3)	Raid Controller, CPU: Pentium4 1.4 GHz, Memory:512 MB SDRAM, Hard Disc Drive: 36.4 GB x 3	1.783.69	1
16-May-03	J02CSR011	KONYA	Personal Computer	VESTEL	PROMEGA P4 1700 (T3)	Raid Controller, CPU: Pentium4 1.4 GHz, Memory:512 MB SDRAM, Hard Disc Drive: 36.4 GB x 3	1.783.69	1
16-May-03	J02CSR012	KONYA	Personal Computer	VESTEL	PROMEGA P4 1700 (T3)	Raid Controller, CPU: Pentium4 1.4 GHz, Memory:512 MB SDRAM, Hard Disc Drive: 36.4 GB x 3	1.783.69	1
16-May-03	J02CSR013	KONYA	Personal Computer	VESTEL	PROMEGA P4 1700 (T4)	CPU: Pentium4 1.4 GHz, Memory:512 MB SDRAM, Hard Disc Drive: 36.4 GB X 2	1.017.57	1
16-May-03	J02CSR014	KONYA	Uninterruptible Power Supply Unit	APC	SUA10001	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Cap.:1000VA/670W, Typical Backup Time: 20.6 min.	111.28	1
16-May-03	J02CSR015	KONYA	Uninterruptible Power Supply Unit	APC	SUA10001	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Cap.:1000VA/670W, Typical Backup Time: 20.6 min.	111.28	1
16-May-03	J02CSR016	KONYA	Uninterruptible Power Supply Unit	APC	SUA10001	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Cap.:1000VA/670W, Typical Backup Time: 20.6 min.	111.28	1
16-May-03	J02CSR017	KONYA	Uninterruptible Power Supply Unit	APC	SUA10001	Input Power: AC220V Single phase, Output Power: AC220V Single phase, Output Power Cap.:1000VA/670W, Typical Backup Time: 20.6 min.	111.28	1
16-May-03	J02CSR018	KONYA	Data Backup Device &	AIT	AIT 35 LVD	Drive Type: 8mm tape drive, Capacity: 35 GB, Interface: Ultra2 SCSI (LVD)	1.196.26	1
16-May-03	J02CSR019	KONYA	DVD+R RW Drive Unit	PIONEER	A05 DVD-RW16xCD-R	DVD Write: 2.5x, DVD Rewrite: 2.5 x, CD Write: 12x, CD Rewrite: 10x	555.33	1
16-May-03	J02CSR020	KONYA	Software (OS)	MICROSOFT	-	Windows 2000 Server	237.54	1
16-May-03	J02CSR021	KONYA	Software	MICROSOFT	-	SQL Server 2000	630.23	1
16-May-03	J02CSR022	KONYA	Software (OS)	MICROSOFT	-	Red Hat Linux 8.0	17.12	1
16-May-03	J02CSR023	KONYA	Modem	TELLABS	STU160	DTE bit rates: supported are from 64 kbps up to 2176 kbps	1.875.71	1
16-May-03	J02CSR024	KONYA	Internet Firewall & Web Site Filter	3COM	FIREWALL 3C16771	Ports: 3 x 10 BASE - T RJ - 45 ports	1.457.34	1
16-May-03	J02CSR025	KONYA	Personal Computer for Dial - up Server	VESTEL	PROMEGA P4 2400 (T5)	CPU: Pentium4 2 GHz Memory: 255 MB SDRAM Hard Disc Drive: 40 GB	1.319.31	1
16-May-03	J02CSR026	KONYA	PSTN Telephone Switch	KAREL	KAREL48(4/12 cap.)	Total: 48 ports + 1 doorphone channel Lines: 4 or more	453.68	1
16-May-03	J02VDR001	KONYA	Tripod with Remote Controller	SONY	VCT-870RM	Function of Switch Lock Standby, Start, Stop shall be equipped. Dimension (height): Approx 1630mm (at Max.), Approx 670mm (at Min), Weight: Approx 2.0 kg	226.84	1
16-May-03	J02VDR002	KONYA	Laser Jet Color Printer	HP	4600dn	Resolution: 600x600 dpi, Processor: 400 MHz, Memory: 96 MB	2.672.40	1
16-May-03	N/A	KONYA	Toner Cartridge for Printer	HP	C9720A	Color Black Quantity: 2 pcs	163.71	2
16-May-03	N/A	KONYA	Toner Cartridge for Printer	HP	C9721A	Color Cyan Quantity: 2 pcs	221.49	2
16-May-03	N/A	KONYA	Toner Cartridge for Printer	HP	C9722A	Color Yellow Quantity: 2 pcs	221.49	2
16-May-03	N/A	KONYA	Toner Cartridge for Printer	HP	C9723A	Color Magenta Quantity: 2 pcs	221.49	2
16-May-03	N/A	KONYA	OA Tap	-	Euro power strip	250 VAC, 16 Amp., 50 Hz	59.92	10
16-May-03	N/A	KONYA	Hard Disc Drive	SAMSUNG	80 GB 5400 rpm	3.5 inches, 81.6 GB	81.32	16
16-May-03	N/A	KONYA	Data Tape	AIT-GB	402371-B21 AIT35-GB	Data Tape	370.22	3

16-May-03	N/A	KONYA	Media	PIONEER	-	Media for DVD + R	8,56	30
16-May-03	N/A	KONYA	Card Type	Multimodem ISI	ISI5834PCI / 4	Number of ports: 4 ports, Memory: RAM 256K	1.029,34	1